

**Kate Taylor**

---

**From:** Scott Hopkins  
**Sent:** Monday, April 29, 2024 4:09 PM  
**To:** 'jody.walters@noaa.gov'; 'hugh\_anthony@nps.gov'; 'paul.willard@usda.gov'; 'RD\_Nelle@fws.gov'; 'travis.maitland@dfw.wa.gov'; Scott Hopkins; 'blod@yakamafish-nsn.gov'; 'bret.nine@colvilletribes.com'; 'justin.yeager@noaa.gov'; 'ashley\_rawhouser@nps.gov'; 'kari.grover@usda.gov'; 'stuart\_fety@fws.gov'; 'ana.cerro@usda.gov'; 'CHBR461@ECY.WA.GOV'; 'Leslie.King@dfw.wa.gov'; 'okeefe@americanwhitewater.org'; 'wfarris@cityofchelan.us'; 'info@mansonparks.com'; 'Fisheries@ctuir.org'; 'philiprarchibald@gmail.com'; 'damon.roberts@ecy.wa.gov'; Sara Peck  
**Cc:** Kate Taylor; Meaghan Connell; Laura Clark  
**Subject:** 2024 Chelan River Temperature Data - 1st Quarter Reports  
**Attachments:** 2024 Chelan River Hourly Temperature Data 1st Quarterly Report.pdf; 2024 Chelan River Daily Average Temperature Data 1st Quarterly Report.pdf  
**Categories:** .Post Filing

To: Department of Ecology  
Water Quality Program  
Central Regional Office

Chelan River Fishery Forum:  
Washington Department of Ecology  
Washington Department of Fish and Wildlife  
United States Forest Service  
National Park Service  
United States Fish and Wildlife Service  
National Marine Fisheries Service  
CCT (Colville)  
YN (Yakama)  
CTUIR (Umatilla tribe)  
United States Geological Survey  
Washington State Parks and Recreation Commission  
Washington State Recreation and Conservation Office  
City of Chelan  
Manson Parks and Recreation Department  
Lake Chelan Recreation Association  
American Whitewater

From: Scott Hopkins, Fisheries Biologist III  
Public Utility District No. 1 of Chelan County (Chelan PUD)  
[scott.hopkins@chelanpud.org](mailto:scott.hopkins@chelanpud.org)  
(509)661-4763

Re: Lake Chelan Hydroelectric Project No. 637 (Project)  
Appendix D 401 Water Quality Certification Condition V.C.i)  
Water Temperature Data Reports: 1<sup>st</sup> Quarter 2024

-----  
-----

Dear Ecology Water Quality Program, Chelan River Fishery Forum, and Other Parties:

Water temperature monitoring data for 1<sup>st</sup> Quarter 2024 are provided in the attached files. This information will be posted to the Chelan County PUD external website under “River Flows, Water Temperatures and Total Dissolved Gas” (link below).

<https://www.chelanpud.org/parks-and-recreation/river-flows-and-water-temperatures>

Data during times of maintenance, calibration, or other miscellaneous events have been denoted with “NA” to designate these periods when data was either unavailable or inaccurate. Noteworthy events are explained below.

- Data for missing hour due to daylight savings adjustment were filled using the previous hour.

Please feel free to call or email any questions or comments.



**Scott Hopkins**  
Fisheries Biologist III  
Chelan County P.U.D.  
P: (509) 661-4763  
C: (509) 630-2708

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/1/2024	7.4	7.4	7.3	7.4	7.3	7.3	7.8	7.6
1/2/2024	7.2	7.2	7.1	7.2	7.1	7.1	7.6	7.4
1/3/2024	7.1	7.0	7.0	7.1	7.0	7.0	7.4	7.2
1/4/2024	7.1	7.1	7.1	7.2	7.1	7.1	7.4	7.2
1/5/2024	6.7	6.7	6.3	6.3	6.3	6.3	7.0	6.6
1/6/2024	6.6	6.6	6.4	6.4	6.3	6.3	6.9	6.7
1/7/2024	6.3	6.1	5.6	5.6	5.6	5.5	6.5	6.3
1/8/2024	6.0	5.9	5.3	5.2	5.1	5.0	6.3	6.0
1/9/2024	5.8	5.7	5.4	5.3	5.2	5.2	6.1	5.8
1/10/2024	5.9	5.8	5.4	5.4	5.3	5.3	6.1	5.8
1/11/2024	5.6	5.4	4.2	4.1	4.1	3.9	5.8	5.6
1/12/2024	4.8	4.6	2.3	1.6	1.6	1.3	4.8	4.9
1/13/2024	4.0	3.7	1.4	0.6	0.6	0.2	4.1	4.0
1/14/2024	3.6	3.4	1.8	1.2	1.1	0.9	3.7	3.5
1/15/2024	3.3	3.1	1.7	1.1	1.1	1.0	3.3	3.2
1/16/2024	3.4	3.2	2.1	1.6	1.5	1.4	3.5	3.3
1/17/2024	3.9	3.8	2.6	2.2	2.1	2.0	4.1	4.0
1/18/2024	3.7	3.6	3.0	2.7	2.6	2.6	3.9	3.7
1/19/2024	3.9	3.8	3.5	3.2	3.1	3.1	4.1	4.0
1/20/2024	3.9	3.8	3.7	3.7	3.6	3.6	4.1	4.0
1/21/2024	4.1	4.1	4.2	4.2	4.1	4.1	4.4	4.2
1/22/2024	4.3	4.2	4.3	4.3	4.3	4.3	4.5	4.4
1/23/2024	4.5	4.5	4.8	4.9	4.8	4.9	4.8	4.6
1/24/2024	4.6	4.6	4.7	4.8	4.7	4.7	4.9	4.8
1/25/2024	4.8	4.8	5.1	5.1	5.1	5.1	5.1	5.0
1/26/2024	4.9	4.9	5.2	5.2	5.1	5.1	5.3	5.1
1/27/2024	5.0	5.1	5.3	5.3	5.3	5.3	5.4	5.3
1/28/2024	5.2	5.3	5.7	5.8	5.7	5.7	5.6	5.4
1/29/2024	5.5	5.6	6.0	6.1	6.0	6.0	5.9	5.8
1/30/2024	5.5	5.6	6.1	6.2	6.2	6.2	6.0	5.8
1/31/2024	5.5	5.6	6.0	6.1	6.1	6.1	6.0	5.7
2/1/2024	5.6	5.7	6.1	6.3	6.3	6.2	6.1	5.8
2/2/2024	5.8	5.9	6.4	6.5	6.5	6.5	6.2	6.0
2/3/2024	5.9	6.0	6.4	6.5	6.5	6.4	6.3	6.1
2/4/2024	5.9	6.0	6.2	6.2	6.2	6.2	6.3	6.1
2/5/2024	5.9	5.9	6.0	6.1	6.1	6.0	6.3	6.0
2/6/2024	5.8	5.9	6.3	6.4	6.3	6.3	6.2	6.0
2/7/2024	5.9	6.0	6.5	6.7	6.6	6.6	6.3	6.1
2/8/2024	6.0	6.1	6.3	6.5	6.5	6.4	6.4	6.2
2/9/2024	6.0	6.0	6.1	6.2	6.2	6.1	6.4	6.2
2/10/2024	5.8	5.8	5.8	5.7	5.7	5.6	6.1	5.8
2/11/2024	5.6	5.6	5.7	5.8	5.7	5.7	6.0	5.7
2/12/2024	5.7	5.7	6.0	6.2	6.1	6.1	6.0	5.8
2/13/2024	5.7	5.7	5.7	5.7	5.6	5.6	6.0	5.8
2/14/2024	5.5	5.5	5.3	5.3	5.3	5.2	5.8	5.6
2/15/2024	5.4	5.3	5.1	5.1	5.1	5.0	5.6	5.4

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/16/2024	5.1	5.1	4.9	4.8	4.8	4.7	5.4	5.2
2/17/2024	5.0	5.0	4.9	4.7	4.6	4.6	5.3	5.1
2/18/2024	5.3	5.3	5.5	5.5	5.4	5.4	5.6	5.4
2/19/2024	5.2	5.2	5.4	5.5	5.5	5.4	5.6	5.3
2/20/2024	5.4	5.4	5.9	6.1	6.0	6.0	5.8	5.5
2/21/2024	5.6	5.7	6.2	6.4	6.4	6.4	6.0	5.8
2/22/2024	5.9	6.0	6.6	6.8	6.8	6.8	6.3	6.0
2/23/2024	6.0	6.1	6.4	6.5	6.4	6.4	6.4	6.2
2/24/2024	6.0	6.1	6.4	6.5	6.5	6.5	6.5	6.2
2/25/2024	6.3	6.4	7.0	7.2	7.1	7.1	6.8	6.5
2/26/2024	6.1	6.2	6.1	6.2	6.2	6.1	6.5	6.2
2/27/2024	5.8	5.8	5.7	5.6	5.6	5.5	6.1	5.9
2/28/2024	5.8	5.9	6.3	6.4	6.3	6.3	6.2	6.0
2/29/2024	6.0	6.0	6.3	6.5	6.5	6.5	6.4	6.1
3/1/2024	5.8	5.8	5.9	5.9	5.8	5.8	6.2	5.9
3/2/2024	5.8	5.8	6.0	6.1	6.1	6.0	6.1	5.9
3/3/2024	5.6	5.6	5.7	5.7	5.6	5.6	6.0	5.6
3/4/2024	5.6	5.6	5.5	5.5	5.5	5.4	5.9	5.7
3/5/2024	5.5	5.5	5.6	5.6	5.5	5.4	5.8	5.6
3/6/2024	5.6	5.6	5.6	5.5	5.4	5.4	6.0	5.7
3/7/2024	5.7	5.7	5.8	5.8	5.7	5.7	6.0	5.8
3/8/2024	5.9	5.9	6.0	5.9	5.9	5.8	6.3	6.0
3/9/2024	5.9	6.0	6.1	6.1	6.1	6.1	6.3	6.1
3/10/2024	6.1	6.2	6.7	6.8	6.7	6.8	6.5	6.3
3/11/2024	6.3	6.4	6.7	6.8	6.7	6.7	6.7	6.5
3/12/2024	6.6	6.7	7.1	7.3	7.2	7.2	7.0	6.7
3/13/2024	6.7	6.8	7.1	7.2	7.1	7.1	7.1	6.8
3/14/2024	6.9	7.1	7.5	7.6	7.0	6.9	7.4	7.1
3/15/2024	7.2	7.3	8.0	8.1	7.5	7.5	7.6	7.4
3/16/2024	7.5	7.7	8.4	8.6	7.9	7.9	8.0	7.7
3/17/2024	8.1	8.3	9.0	9.2	8.5	8.5	8.6	8.4
3/18/2024	8.5	8.7	9.5	9.7	8.9	9.0	9.0	8.8
3/19/2024	8.8	9.1	9.7	9.9	9.3	9.3	9.4	9.1
3/20/2024	9.0	9.3	9.8	10.0	9.4	9.4	9.6	9.3
3/21/2024	9.2	9.5	9.8	10.1	9.6	9.6	9.8	9.4
3/22/2024	9.4	9.6	9.6	9.7	9.7	9.7	10.0	9.6
3/23/2024	9.2	9.4	9.5	9.6	9.5	9.5	9.7	9.4
3/24/2024	9.2	9.3	10.0	10.2	9.6	9.6	9.7	9.4
3/25/2024	9.2	9.3	9.4	9.6	9.4	9.4	9.7	9.4
3/26/2024	9.0	9.2	9.7	9.9	9.3	9.4	9.5	9.2
3/27/2024	8.7	8.8	8.4	8.5	8.8	8.7	9.2	8.8
3/28/2024	8.5	8.6	8.9	9.1	8.7	8.7	9.0	8.7
3/29/2024	8.4	8.6	9.1	9.4	8.8	8.8	8.9	8.6
3/30/2024	8.7	8.9	9.3	9.5	9.0	9.0	9.2	8.9
3/31/2024	9.1	9.2	9.8	9.9	9.4	9.4	9.6	9.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/1/2024	1	7.5	7.4	7.3	7.4	7.4	7.4	7.8	7.7
1/1/2024	2	7.5	7.4	7.3	7.3	7.3	7.3	7.8	7.6
1/1/2024	3	7.5	7.4	7.2	7.3	7.3	7.3	7.8	7.6
1/1/2024	4	7.5	7.4	7.2	7.3	7.3	7.2	7.8	7.6
1/1/2024	5	7.5	7.4	7.2	7.2	7.2	7.2	7.8	7.6
1/1/2024	6	7.4	7.4	7.2	7.2	7.2	7.2	7.8	7.6
1/1/2024	7	7.4	7.4	7.2	7.2	7.2	7.2	7.8	7.6
1/1/2024	8	7.4	7.4	7.2	7.2	7.2	7.1	7.8	7.6
1/1/2024	9	7.4	7.4	7.2	7.2	7.2	7.1	7.8	7.5
1/1/2024	10	7.4	7.4	7.2	7.2	7.2	7.1	7.8	7.5
1/1/2024	11	7.4	7.4	7.2	7.2	7.2	7.1	7.8	7.5
1/1/2024	12	7.4	7.4	7.2	7.2	7.2	7.1	7.8	7.5
1/1/2024	13	7.4	7.4	7.4	7.3	7.2	7.2	7.8	7.5
1/1/2024	14	7.4	7.4	7.6	7.3	7.2	7.3	7.8	7.6
1/1/2024	15	7.4	7.4	7.7	7.4	7.3	7.3	7.8	7.6
1/1/2024	16	7.4	7.4	7.7	7.5	7.3	7.4	7.8	7.6
1/1/2024	17	7.4	7.4	7.6	7.6	7.5	7.5	7.7	7.5
1/1/2024	18	7.4	7.4	7.4	7.7	7.6	7.6	7.7	7.5
1/1/2024	19	7.4	7.4	7.3	7.7	7.6	7.6	7.7	7.5
1/1/2024	20	7.4	7.4	7.3	7.6	7.6	7.6	7.7	7.5
1/1/2024	21	7.4	7.4	7.3	7.5	7.5	7.5	7.7	7.5
1/1/2024	22	7.4	7.4	7.2	7.4	7.4	7.4	7.7	7.5
1/1/2024	23	7.4	7.4	7.2	7.3	7.3	7.3	7.7	7.5
1/1/2024	24	7.4	7.3	7.2	7.3	7.3	7.3	7.7	7.5
1/2/2024	1	7.4	7.3	7.2	7.2	7.3	7.2	7.7	7.5
1/2/2024	2	7.3	7.3	7.2	7.2	7.2	7.2	7.7	7.5
1/2/2024	3	7.3	7.3	7.1	7.2	7.2	7.2	7.7	7.4
1/2/2024	4	7.3	7.3	7.1	7.2	7.2	7.1	7.6	7.4
1/2/2024	5	7.3	7.3	7.1	7.2	7.1	7.1	7.6	7.4
1/2/2024	6	7.3	7.3	7.1	7.1	7.1	7.1	7.6	7.4
1/2/2024	7	7.3	7.3	7.1	7.1	7.1	7.1	7.6	7.4
1/2/2024	8	7.3	7.3	7.1	7.1	7.1	7.1	7.6	7.4
1/2/2024	9	7.3	7.2	7.0	7.1	7.1	7.0	7.6	7.4
1/2/2024	10	7.3	7.2	7.0	7.1	7.1	7.0	7.6	7.4
1/2/2024	11	7.2	7.2	7.1	7.1	7.0	7.0	7.6	7.3
1/2/2024	12	7.2	7.2	7.1	7.1	7.0	7.0	7.6	7.3
1/2/2024	13	7.2	7.2	7.2	7.1	7.0	7.1	7.6	7.3
1/2/2024	14	7.2	7.2	7.2	7.1	7.1	7.1	7.5	7.3
1/2/2024	15	7.2	7.2	7.3	7.2	7.1	7.1	7.5	7.3
1/2/2024	16	7.2	7.2	7.3	7.2	7.1	7.2	7.5	7.3
1/2/2024	17	7.2	7.2	7.2	7.2	7.2	7.2	7.5	7.3
1/2/2024	18	7.2	7.2	7.2	7.3	7.2	7.2	7.5	7.3
1/2/2024	19	7.2	7.2	7.1	7.2	7.2	7.2	7.5	7.3
1/2/2024	20	7.2	7.1	7.1	7.2	7.2	7.2	7.5	7.3
1/2/2024	21	7.2	7.1	7.0	7.2	7.2	7.1	7.5	7.3
1/2/2024	22	7.2	7.1	7.0	7.1	7.1	7.1	7.5	7.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/2/2024	23	7.1	7.1	7.0	7.1	7.1	7.0	7.4	7.3
1/2/2024	24	7.1	7.1	6.9	7.0	7.0	7.0	7.4	7.3
1/3/2024	1	7.1	7.1	6.9	7.0	7.0	7.0	7.4	7.4
1/3/2024	2	7.1	7.1	6.9	7.0	7.0	6.9	7.4	7.3
1/3/2024	3	7.1	7.1	6.9	6.9	6.9	6.9	7.4	7.2
1/3/2024	4	7.1	7.0	6.9	6.9	6.9	6.9	7.4	7.2
1/3/2024	5	7.1	7.0	6.9	6.9	6.9	6.9	7.4	7.2
1/3/2024	6	7.1	7.0	6.9	6.9	6.9	6.9	7.4	7.2
1/3/2024	7	7.1	7.0	6.9	6.9	6.9	6.9	7.4	7.2
1/3/2024	8	7.1	7.0	6.9	6.9	6.9	6.9	7.4	7.1
1/3/2024	9	7.0	7.0	6.8	6.9	6.9	6.8	7.4	7.1
1/3/2024	10	7.0	7.0	6.9	6.9	6.9	6.8	7.3	7.1
1/3/2024	11	7.0	7.0	6.9	6.9	6.9	6.9	7.3	7.1
1/3/2024	12	7.0	7.0	7.0	6.9	6.9	6.9	7.3	7.1
1/3/2024	13	7.0	7.0	7.2	7.0	6.9	6.9	7.3	7.2
1/3/2024	14	7.0	7.0	7.3	7.1	6.9	7.0	7.3	7.1
1/3/2024	15	7.0	7.0	7.4	7.2	7.0	7.1	7.3	7.2
1/3/2024	16	7.1	7.0	7.4	7.3	7.1	7.2	7.3	7.2
1/3/2024	17	7.1	7.0	7.3	7.3	7.2	7.2	7.4	7.2
1/3/2024	18	7.1	7.0	7.2	7.4	7.3	7.3	7.4	7.2
1/3/2024	19	7.1	7.0	7.1	7.4	7.3	7.3	7.4	7.2
1/3/2024	20	7.1	7.0	7.1	7.3	7.3	7.3	7.4	7.2
1/3/2024	21	7.1	7.0	7.0	7.3	7.3	7.3	7.4	7.2
1/3/2024	22	7.1	7.0	7.0	7.2	7.2	7.2	7.4	7.2
1/3/2024	23	7.1	7.0	7.0	7.1	7.1	7.1	7.4	7.2
1/3/2024	24	7.1	7.0	7.0	7.1	7.1	7.1	7.4	7.2
1/4/2024	1	7.1	7.0	7.0	7.1	7.1	7.0	7.4	7.2
1/4/2024	2	7.1	7.0	7.0	7.0	7.0	7.0	7.4	7.2
1/4/2024	3	7.1	7.0	7.0	7.0	7.0	7.0	7.4	7.2
1/4/2024	4	7.1	7.0	7.0	7.0	7.0	7.0	7.4	7.2
1/4/2024	5	7.1	7.0	6.9	7.0	7.0	7.0	7.4	7.2
1/4/2024	6	7.1	7.0	6.9	7.0	7.0	7.0	7.4	7.2
1/4/2024	7	7.1	7.0	6.9	7.0	7.0	7.0	7.4	7.2
1/4/2024	8	7.1	7.0	6.9	7.0	7.0	7.0	7.4	7.2
1/4/2024	9	7.1	7.0	6.9	7.0	7.0	6.9	7.4	7.1
1/4/2024	10	7.1	7.0	6.9	7.0	7.0	6.9	7.4	7.2
1/4/2024	11	7.1	7.0	7.0	7.0	7.0	7.0	7.4	7.3
1/4/2024	12	7.1	7.0	7.1	7.0	7.0	7.0	7.4	7.2
1/4/2024	13	7.1	7.1	7.3	7.1	7.0	7.1	7.4	7.3
1/4/2024	14	7.1	7.1	7.5	7.2	7.1	7.1	7.4	7.3
1/4/2024	15	7.1	7.1	7.5	7.3	7.1	7.2	7.4	7.3
1/4/2024	16	7.1	7.1	7.5	7.4	7.2	7.3	7.4	7.2
1/4/2024	17	7.1	7.1	7.4	7.5	7.3	7.4	7.4	7.2
1/4/2024	18	7.1	7.1	7.3	7.5	7.4	7.4	7.4	7.2
1/4/2024	19	7.1	7.1	7.2	7.5	7.4	7.5	7.4	7.2
1/4/2024	20	7.1	7.1	7.1	7.4	7.4	7.4	7.4	7.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/4/2024	21	7.1	7.1	7.0	7.3	7.3	7.3	7.3	7.2
1/4/2024	22	7.1	7.1	6.9	7.2	7.2	7.2	7.3	7.2
1/4/2024	23	7.1	7.0	6.7	7.1	7.1	7.0	7.3	7.3
1/4/2024	24	7.0	7.0	6.6	6.9	7.0	6.9	7.3	6.3
1/5/2024	1	7.0	6.9	6.4	6.8	6.9	6.8	7.3	6.4
1/5/2024	2	7.0	6.9	6.3	6.6	6.7	6.6	7.2	6.9
1/5/2024	3	6.9	6.8	6.3	6.5	6.6	6.5	7.2	5.9
1/5/2024	4	6.9	6.8	6.2	6.4	6.5	6.3	7.2	5.9
1/5/2024	5	6.8	6.8	6.1	6.3	6.3	6.2	7.1	6.4
1/5/2024	6	6.8	6.7	6.0	6.2	6.2	6.1	7.1	6.3
1/5/2024	7	6.8	6.7	6.0	6.1	6.1	6.0	7.0	6.7
1/5/2024	8	6.7	6.6	5.9	6.0	6.1	5.9	7.0	6.8
1/5/2024	9	6.7	6.6	5.9	5.9	6.0	5.9	7.0	6.8
1/5/2024	10	6.7	6.6	6.0	5.9	5.9	5.8	7.0	6.8
1/5/2024	11	6.7	6.6	6.2	5.9	5.9	5.9	7.0	6.8
1/5/2024	12	6.7	6.6	6.3	6.1	5.9	5.9	7.0	6.8
1/5/2024	13	6.7	6.6	6.6	6.2	6.0	6.1	7.0	6.8
1/5/2024	14	6.7	6.6	6.8	6.3	6.1	6.2	7.0	6.8
1/5/2024	15	6.7	6.6	6.9	6.4	6.2	6.3	7.0	6.8
1/5/2024	16	6.7	6.6	6.8	6.6	6.4	6.4	7.0	6.7
1/5/2024	17	6.7	6.6	6.7	6.7	6.5	6.5	7.0	6.7
1/5/2024	18	6.7	6.6	6.5	6.7	6.6	6.6	7.0	6.8
1/5/2024	19	6.7	6.6	6.3	6.7	6.6	6.6	7.0	6.8
1/5/2024	20	6.7	6.6	6.2	6.6	6.6	6.6	7.0	6.8
1/5/2024	21	6.7	6.6	6.2	6.5	6.5	6.4	7.0	6.8
1/5/2024	22	6.7	6.6	6.2	6.3	6.4	6.3	7.0	6.8
1/5/2024	23	6.7	6.6	6.2	6.2	6.3	6.2	7.0	6.8
1/5/2024	24	6.7	6.6	6.2	6.2	6.2	6.1	7.0	6.8
1/6/2024	1	6.7	6.6	6.2	6.2	6.2	6.1	7.0	6.8
1/6/2024	2	6.7	6.6	6.3	6.2	6.1	6.1	7.0	6.9
1/6/2024	3	6.7	6.6	6.4	6.2	6.1	6.1	7.0	6.8
1/6/2024	4	6.7	6.6	6.4	6.2	6.2	6.2	7.0	6.8
1/6/2024	5	6.7	6.6	6.4	6.3	6.2	6.2	6.9	6.8
1/6/2024	6	6.6	6.6	6.4	6.3	6.2	6.2	6.9	6.8
1/6/2024	7	6.6	6.6	6.4	6.3	6.3	6.2	6.9	6.8
1/6/2024	8	6.6	6.6	6.3	6.3	6.3	6.2	6.9	6.7
1/6/2024	9	6.6	6.6	6.2	6.3	6.3	6.2	6.9	6.7
1/6/2024	10	6.6	6.6	6.1	6.3	6.2	6.2	6.9	6.7
1/6/2024	11	6.6	6.6	6.2	6.3	6.2	6.2	6.9	6.7
1/6/2024	12	6.6	6.6	6.4	6.3	6.2	6.3	6.9	6.7
1/6/2024	13	6.6	6.6	6.6	6.3	6.2	6.3	6.9	6.7
1/6/2024	14	6.6	6.6	6.8	6.4	6.3	6.4	6.9	6.7
1/6/2024	15	6.6	6.6	6.9	6.5	6.4	6.4	6.9	6.7
1/6/2024	16	6.6	6.6	6.9	6.6	6.5	6.5	6.9	6.7
1/6/2024	17	6.6	6.5	6.8	6.7	6.6	6.6	6.9	6.6
1/6/2024	18	6.6	6.5	6.6	6.8	6.7	6.7	6.9	6.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/6/2024	19	6.6	6.5	6.5	6.8	6.7	6.7	6.8	6.7
1/6/2024	20	6.6	6.5	6.3	6.7	6.7	6.7	6.8	6.7
1/6/2024	21	6.6	6.5	6.2	6.6	6.6	6.6	6.8	6.7
1/6/2024	22	6.6	6.5	6.1	6.5	6.5	6.5	6.8	6.7
1/6/2024	23	6.5	6.5	6.0	6.3	6.4	6.3	6.8	6.6
1/6/2024	24	6.5	6.4	5.9	6.2	6.2	6.1	6.8	6.6
1/7/2024	1	6.5	6.4	5.8	6.0	6.1	5.9	6.7	6.5
1/7/2024	2	6.4	6.4	5.7	5.9	6.0	5.8	6.7	6.4
1/7/2024	3	6.4	6.3	5.6	5.8	5.8	5.7	6.6	6.4
1/7/2024	4	6.4	6.2	5.5	5.6	5.7	5.6	6.6	6.4
1/7/2024	5	6.3	6.2	5.4	5.5	5.6	5.4	6.5	6.3
1/7/2024	6	6.3	6.2	5.4	5.4	5.5	5.3	6.5	6.3
1/7/2024	7	6.2	6.1	5.3	5.4	5.4	5.2	6.5	6.3
1/7/2024	8	6.2	6.1	5.3	5.3	5.3	5.2	6.4	6.3
1/7/2024	9	6.2	6.1	5.2	5.2	5.3	5.1	6.4	6.2
1/7/2024	10	6.2	6.1	5.2	5.2	5.2	5.1	6.4	6.2
1/7/2024	11	6.2	6.1	5.3	5.3	5.2	5.1	6.5	6.2
1/7/2024	12	6.2	6.1	5.6	5.4	5.2	5.2	6.5	6.2
1/7/2024	13	6.2	6.1	6.0	5.4	5.2	5.3	6.5	6.3
1/7/2024	14	6.2	6.1	6.3	5.4	5.3	5.4	6.5	6.3
1/7/2024	15	6.2	6.1	6.4	5.5	5.4	5.4	6.5	6.3
1/7/2024	16	6.2	6.1	6.2	5.8	5.6	5.6	6.5	6.3
1/7/2024	17	6.2	6.1	6.0	6.1	5.8	5.8	6.5	6.3
1/7/2024	18	6.2	6.1	5.8	6.2	6.0	6.0	6.5	6.3
1/7/2024	19	6.2	6.1	5.6	6.1	6.0	6.0	6.5	6.3
1/7/2024	20	6.2	6.1	5.4	5.9	5.9	5.8	6.5	6.3
1/7/2024	21	6.2	6.1	5.3	5.7	5.7	5.6	6.5	6.3
1/7/2024	22	6.2	6.1	5.3	5.5	5.6	5.4	6.5	6.4
1/7/2024	23	6.2	6.1	5.2	5.3	5.4	5.3	6.5	6.2
1/7/2024	24	6.2	6.1	5.2	5.2	5.3	5.1	6.4	6.2
1/8/2024	1	6.2	6.0	5.2	5.1	5.2	5.0	6.4	6.2
1/8/2024	2	6.1	6.0	5.1	5.1	5.1	4.9	6.4	6.2
1/8/2024	3	6.1	6.0	5.1	5.0	5.0	4.8	6.4	6.0
1/8/2024	4	6.1	6.0	5.0	4.9	5.0	4.8	6.4	6.1
1/8/2024	5	6.1	6.0	5.1	4.9	4.9	4.8	6.4	6.1
1/8/2024	6	6.1	6.0	5.1	4.9	4.9	4.8	6.3	6.1
1/8/2024	7	6.1	6.0	5.2	4.9	4.9	4.8	6.3	6.1
1/8/2024	8	6.1	6.0	5.2	4.9	4.9	4.8	6.3	6.2
1/8/2024	9	6.1	5.9	5.2	4.9	4.9	4.8	6.3	6.1
1/8/2024	10	6.0	5.9	5.3	5.0	4.9	4.9	6.3	6.1
1/8/2024	11	6.0	5.9	5.3	5.1	5.0	4.9	6.3	6.1
1/8/2024	12	6.0	5.9	5.4	5.1	5.0	5.0	6.3	6.1
1/8/2024	13	6.0	5.9	5.5	5.2	5.1	5.1	6.3	6.1
1/8/2024	14	6.0	5.9	5.6	5.3	5.1	5.1	6.2	6.1
1/8/2024	15	6.0	5.9	5.7	5.3	5.2	5.2	6.2	6.0
1/8/2024	16	6.0	5.9	5.7	5.4	5.3	5.3	6.2	6.0



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/8/2024	17	6.0	5.9	5.6	5.4	5.3	5.3	6.2	6.0
1/8/2024	18	5.9	5.8	5.5	5.5	5.4	5.4	6.2	6.0
1/8/2024	19	5.9	5.8	5.3	5.5	5.4	5.4	6.2	6.0
1/8/2024	20	5.9	5.8	5.2	5.4	5.4	5.4	6.2	6.0
1/8/2024	21	5.9	5.8	5.2	5.4	5.3	5.3	6.2	5.9
1/8/2024	22	5.9	5.8	5.2	5.3	5.3	5.2	6.2	5.8
1/8/2024	23	5.9	5.8	5.2	5.2	5.2	5.1	6.1	5.1
1/8/2024	24	5.9	5.8	5.2	5.1	5.1	5.0	6.1	4.8
1/9/2024	1	5.9	5.8	5.2	5.1	5.1	5.0	6.1	5.7
1/9/2024	2	5.9	5.7	5.0	5.0	5.0	4.9	6.1	5.8
1/9/2024	3	5.9	5.7	4.9	5.0	5.0	4.9	6.1	5.8
1/9/2024	4	5.9	5.7	4.8	4.9	4.9	4.8	6.1	5.9
1/9/2024	5	5.9	5.7	4.7	4.8	4.8	4.6	6.1	5.9
1/9/2024	6	5.9	5.7	4.7	4.7	4.7	4.6	6.1	5.9
1/9/2024	7	5.9	5.7	4.8	4.6	4.7	4.5	6.1	5.9
1/9/2024	8	5.9	5.8	4.8	4.5	4.6	4.4	6.1	5.9
1/9/2024	9	5.8	5.7	4.9	4.5	4.5	4.4	6.1	5.7
1/9/2024	10	5.8	5.7	5.0	4.6	4.5	4.4	6.1	5.7
1/9/2024	11	5.8	5.7	5.2	4.8	4.6	4.6	6.1	5.8
1/9/2024	12	5.8	5.7	5.6	5.1	4.8	4.9	6.1	5.9
1/9/2024	13	5.9	5.8	6.1	5.2	4.9	5.1	6.1	5.9
1/9/2024	14	5.9	5.8	6.6	5.3	5.1	5.3	6.1	5.9
1/9/2024	15	5.9	5.8	6.7	5.6	5.3	5.4	6.2	5.9
1/9/2024	16	5.9	5.8	6.5	6.1	5.7	5.8	6.1	5.9
1/9/2024	17	5.9	5.8	6.3	6.4	6.0	6.2	6.1	5.9
1/9/2024	18	5.9	5.8	6.0	6.5	6.2	6.3	6.1	5.9
1/9/2024	19	5.9	5.8	5.7	6.4	6.2	6.3	6.0	5.9
1/9/2024	20	5.8	5.8	5.5	6.2	6.2	6.2	6.0	5.9
1/9/2024	21	5.8	5.7	5.4	6.0	6.0	6.0	5.9	5.8
1/9/2024	22	5.7	5.7	5.3	5.8	5.8	5.8	5.9	5.8
1/9/2024	23	5.7	5.6	5.3	5.6	5.6	5.6	5.8	5.7
1/9/2024	24	5.6	5.6	5.3	5.4	5.5	5.4	5.8	5.6
1/10/2024	1	5.6	5.5	5.3	5.4	5.4	5.3	5.8	5.5
1/10/2024	2	5.6	5.5	5.3	5.3	5.3	5.2	5.9	5.6
1/10/2024	3	5.7	5.5	5.2	5.3	5.3	5.2	6.0	5.6
1/10/2024	4	5.8	5.6	5.2	5.2	5.2	5.2	6.0	5.7
1/10/2024	5	5.9	5.7	5.2	5.2	5.2	5.1	6.1	5.8
1/10/2024	6	5.9	5.8	5.2	5.2	5.2	5.1	6.1	5.9
1/10/2024	7	6.0	5.9	5.2	5.1	5.1	5.0	6.2	6.0
1/10/2024	8	6.0	5.9	5.2	5.1	5.1	5.0	6.2	6.0
1/10/2024	9	6.0	5.9	5.2	5.1	5.1	4.9	6.2	6.0
1/10/2024	10	6.0	5.9	5.2	5.1	5.0	4.9	6.2	6.1
1/10/2024	11	5.9	5.9	5.3	5.2	5.1	5.0	6.2	6.1
1/10/2024	12	5.9	5.9	5.6	5.2	5.1	5.1	6.2	6.0
1/10/2024	13	5.9	5.8	6.0	5.5	5.2	5.3	6.2	6.0
1/10/2024	14	5.9	5.8	6.3	5.4	5.2	5.4	6.2	6.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/10/2024	15	5.9	5.8	6.4	5.5	5.3	5.4	6.2	6.0
1/10/2024	16	5.9	5.8	6.1	5.7	5.5	5.6	6.2	6.0
1/10/2024	17	5.9	5.8	5.9	6.0	5.8	5.8	6.2	5.9
1/10/2024	18	5.9	5.8	5.5	6.1	5.9	5.9	6.2	5.9
1/10/2024	19	5.9	5.8	5.3	5.9	5.8	5.8	6.2	5.9
1/10/2024	20	5.9	5.8	5.2	5.7	5.7	5.7	6.2	5.8
1/10/2024	21	5.9	5.8	5.1	5.5	5.5	5.4	6.1	5.4
1/10/2024	22	5.9	5.7	5.0	5.3	5.3	5.2	6.1	4.8
1/10/2024	23	5.9	5.7	4.9	5.1	5.2	5.0	6.1	5.0
1/10/2024	24	5.9	5.7	4.9	5.0	5.1	4.9	6.1	5.7
1/11/2024	1	5.9	5.7	4.8	4.9	4.9	4.8	6.0	5.8
1/11/2024	2	5.8	5.7	4.8	4.8	4.8	4.7	6.0	5.9
1/11/2024	3	5.7	5.6	4.7	4.7	4.7	4.6	5.9	5.9
1/11/2024	4	5.7	5.6	4.6	4.6	4.6	4.5	5.9	5.7
1/11/2024	5	5.6	5.5	4.5	4.5	4.6	4.4	5.8	5.7
1/11/2024	6	5.5	5.4	4.5	4.4	4.5	4.3	5.8	5.6
1/11/2024	7	5.5	5.4	4.4	4.4	4.4	4.2	5.7	5.6
1/11/2024	8	5.4	5.3	4.3	4.3	4.3	4.1	5.7	5.5
1/11/2024	9	5.4	5.3	4.2	4.2	4.2	4.1	5.7	5.5
1/11/2024	10	5.5	5.3	4.2	4.1	4.2	4.0	5.7	5.5
1/11/2024	11	5.5	5.3	4.3	4.2	4.1	4.0	5.8	5.5
1/11/2024	12	5.4	5.3	4.6	4.4	4.1	4.1	5.8	5.5
1/11/2024	13	5.5	5.3	4.8	4.1	4.1	4.0	5.8	5.5
1/11/2024	14	5.5	5.3	4.8	4.1	4.0	3.9	5.8	5.6
1/11/2024	15	5.6	5.4	4.6	4.2	4.1	3.9	5.8	5.6
1/11/2024	16	5.6	5.4	4.4	4.2	4.1	4.0	5.8	5.7
1/11/2024	17	5.6	5.4	4.1	4.2	4.1	3.9	5.8	5.7
1/11/2024	18	5.6	5.5	3.9	4.0	4.1	3.8	5.8	5.7
1/11/2024	19	5.6	5.4	3.7	3.8	3.9	3.7	5.8	5.7
1/11/2024	20	5.5	5.4	3.6	3.5	3.7	3.4	5.8	5.6
1/11/2024	21	5.4	5.3	3.5	3.4	3.5	3.2	5.8	5.4
1/11/2024	22	5.4	5.2	3.3	3.1	3.3	3.0	5.7	5.4
1/11/2024	23	5.5	5.2	3.2	3.0	3.1	2.7	5.7	5.6
1/11/2024	24	5.5	5.3	3.1	2.7	2.9	2.5	5.6	5.4
1/12/2024	1	5.5	5.3	3.0	2.6	2.7	2.3	5.6	5.6
1/12/2024	2	5.5	5.3	2.9	2.4	2.6	2.2	5.5	5.6
1/12/2024	3	5.4	5.3	2.7	2.3	2.4	1.9	5.4	5.5
1/12/2024	4	5.3	5.2	2.6	2.1	2.3	1.8	5.3	5.4
1/12/2024	5	5.2	5.0	2.6	1.9	2.1	1.6	5.3	5.3
1/12/2024	6	5.1	4.9	2.6	1.7	1.9	1.4	5.2	5.1
1/12/2024	7	5.0	4.8	2.4	1.6	1.7	1.2	5.1	5.0
1/12/2024	8	5.0	4.7	2.1	1.5	1.6	1.1	5.1	5.1
1/12/2024	9	5.1	4.7	1.9	1.4	1.5	1.1	5.1	5.2
1/12/2024	10	5.1	4.8	1.8	1.4	1.5	1.0	5.1	5.3
1/12/2024	11	5.1	4.8	1.9	1.2	1.3	0.9	5.1	5.3
1/12/2024	12	5.1	4.9	2.1	1.3	1.2	0.8	5.1	5.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/12/2024	13	5.1	4.9	2.5	1.2	1.1	0.9	5.1	5.2
1/12/2024	14	5.0	4.9	2.9	1.2	1.1	0.9	5.1	5.2
1/12/2024	15	4.9	4.8	2.9	1.3	1.2	0.9	5.0	5.0
1/12/2024	16	4.8	4.7	2.9	1.5	1.3	1.1	4.8	4.9
1/12/2024	17	4.6	4.6	2.6	1.7	1.5	1.2	4.7	4.7
1/12/2024	18	4.4	4.3	2.5	1.8	1.6	1.4	4.5	4.5
1/12/2024	19	4.1	4.1	2.3	1.7	1.7	1.4	4.3	4.2
1/12/2024	20	4.0	3.8	2.1	1.6	1.6	1.4	4.1	4.0
1/12/2024	21	3.9	3.6	2.0	1.5	1.5	1.2	3.9	3.7
1/12/2024	22	3.9	3.5	1.8	1.4	1.4	1.1	3.9	3.9
1/12/2024	23	4.0	3.6	1.6	1.3	1.3	1.0	3.9	4.0
1/12/2024	24	4.0	3.7	1.4	1.2	1.2	0.9	3.9	4.0
1/13/2024	1	4.0	3.7	1.3	1.1	1.1	0.8	3.9	4.0
1/13/2024	2	4.0	3.7	1.2	0.9	1.0	0.7	3.8	4.1
1/13/2024	3	4.0	3.7	1.1	0.8	0.9	0.5	3.8	4.0
1/13/2024	4	3.9	3.6	1.0	0.6	0.7	0.3	3.8	3.9
1/13/2024	5	3.8	3.5	1.0	0.5	0.6	0.2	3.8	3.8
1/13/2024	6	3.8	3.5	1.0	0.4	0.5	0.1	3.8	3.7
1/13/2024	7	3.7	3.4	1.0	0.4	0.4	0.0	3.7	3.6
1/13/2024	8	3.6	3.3	0.9	0.3	0.3	0.0	3.6	3.3
1/13/2024	9	3.5	3.2	0.9	0.2	0.2	-0.1	3.6	3.3
1/13/2024	10	3.5	3.1	0.8	0.2	0.2	-0.1	3.5	3.3
1/13/2024	11	3.6	3.1	0.9	0.3	0.2	-0.1	3.6	3.5
1/13/2024	12	3.7	3.3	1.1	0.4	0.2	-0.1	3.8	3.6
1/13/2024	13	3.9	3.4	1.3	0.4	0.2	-0.1	3.9	3.8
1/13/2024	14	4.1	3.6	1.6	0.4	0.2	-0.2	4.1	4.0
1/13/2024	15	4.2	3.8	1.8	0.5	0.3	-0.1	4.2	4.3
1/13/2024	16	4.3	4.0	1.9	0.6	0.5	0.0	4.4	4.4
1/13/2024	17	4.4	4.1	1.8	0.8	0.6	0.1	4.5	4.5
1/13/2024	18	4.5	4.1	1.8	0.9	0.8	0.2	4.7	4.6
1/13/2024	19	4.5	4.2	1.8	1.0	0.9	0.2	4.6	4.6
1/13/2024	20	4.5	4.2	1.8	1.0	0.9	0.3	4.6	4.5
1/13/2024	21	4.4	4.2	1.8	1.0	0.9	0.4	4.5	4.5
1/13/2024	22	4.4	4.1	1.8	0.9	0.9	0.4	4.4	4.4
1/13/2024	23	4.3	4.1	1.8	0.9	0.9	0.5	4.4	4.3
1/13/2024	24	4.2	4.0	1.8	1.0	0.9	0.6	4.3	4.2
1/14/2024	1	4.2	4.0	1.8	1.0	0.9	0.6	4.2	4.2
1/14/2024	2	4.1	3.9	1.7	1.0	0.9	0.7	4.2	4.1
1/14/2024	3	4.0	3.8	1.7	1.0	1.0	0.7	4.1	4.1
1/14/2024	4	3.9	3.7	1.7	1.0	0.9	0.7	4.1	4.0
1/14/2024	5	3.8	3.6	1.6	0.9	0.9	0.7	4.0	3.8
1/14/2024	6	3.8	3.5	1.6	0.9	0.9	0.7	3.9	2.5
1/14/2024	7	3.7	3.5	1.5	0.9	0.9	0.7	3.9	3.7
1/14/2024	8	3.6	3.4	1.5	0.9	0.9	0.6	3.8	3.6
1/14/2024	9	3.7	3.3	1.4	0.9	0.8	0.6	3.8	3.6
1/14/2024	10	3.7	3.4	1.3	0.8	0.8	0.6	3.7	3.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/14/2024	11	3.7	3.4	1.5	0.9	0.8	0.7	3.7	3.7
1/14/2024	12	3.7	3.4	1.7	0.9	0.8	0.7	3.6	3.7
1/14/2024	13	3.6	3.4	2.1	1.0	0.8	0.8	3.6	3.6
1/14/2024	14	3.6	3.3	2.3	1.1	0.9	0.9	3.6	3.5
1/14/2024	15	3.5	3.3	2.5	1.2	1.0	1.0	3.5	3.4
1/14/2024	16	3.5	3.2	2.5	1.4	1.2	1.1	3.5	3.4
1/14/2024	17	3.4	3.2	2.4	1.6	1.4	1.3	3.4	3.3
1/14/2024	18	3.4	3.1	2.2	1.7	1.6	1.5	3.4	3.3
1/14/2024	19	3.4	3.1	1.9	1.7	1.6	1.5	3.4	3.2
1/14/2024	20	3.4	3.1	1.8	1.7	1.6	1.5	3.4	3.2
1/14/2024	21	3.3	3.1	1.7	1.6	1.6	1.5	3.4	3.2
1/14/2024	22	3.3	3.1	1.6	1.4	1.5	1.3	3.4	3.2
1/14/2024	23	3.3	3.0	1.5	1.3	1.3	1.1	3.4	3.2
1/14/2024	24	3.3	3.0	1.4	1.2	1.2	1.0	3.4	3.2
1/15/2024	1	3.3	3.0	1.4	1.1	1.1	0.9	3.4	3.2
1/15/2024	2	3.3	3.0	1.3	1.0	1.0	0.8	3.4	3.3
1/15/2024	3	3.4	3.1	1.3	0.9	0.9	0.7	3.4	3.4
1/15/2024	4	3.4	3.1	1.2	0.9	0.9	0.7	3.4	3.4
1/15/2024	5	3.5	3.2	1.2	0.8	0.8	0.6	3.3	3.4
1/15/2024	6	3.5	3.2	1.2	0.7	0.8	0.6	3.3	3.5
1/15/2024	7	3.5	3.3	1.2	0.7	0.7	0.5	3.3	3.4
1/15/2024	8	3.4	3.2	1.3	0.6	0.7	0.4	3.2	3.3
1/15/2024	9	3.3	3.1	1.3	0.6	0.6	0.4	3.2	3.2
1/15/2024	10	3.3	3.1	1.3	0.6	0.6	0.4	3.2	3.1
1/15/2024	11	3.2	3.1	1.5	0.8	0.6	0.5	3.2	3.1
1/15/2024	12	3.2	3.0	1.8	0.9	0.7	0.7	3.2	3.1
1/15/2024	13	3.2	3.0	2.0	1.0	0.8	0.8	3.2	3.1
1/15/2024	14	3.3	3.0	2.3	1.1	0.9	0.9	3.2	3.1
1/15/2024	15	3.3	3.0	2.5	1.3	1.1	1.1	3.2	3.1
1/15/2024	16	3.3	3.0	2.5	1.5	1.3	1.3	3.3	3.1
1/15/2024	17	3.3	3.0	2.3	1.7	1.5	1.5	3.3	3.2
1/15/2024	18	3.3	3.0	2.1	1.8	1.7	1.6	3.3	3.2
1/15/2024	19	3.3	3.0	1.9	1.8	1.7	1.7	3.3	3.1
1/15/2024	20	3.3	3.0	1.8	1.8	1.7	1.7	3.2	3.1
1/15/2024	21	3.2	3.0	1.8	1.6	1.6	1.6	3.2	3.1
1/15/2024	22	3.2	3.0	1.7	1.5	1.6	1.4	3.2	3.0
1/15/2024	23	3.2	3.0	1.7	1.4	1.5	1.3	3.2	3.1
1/15/2024	24	3.2	3.0	1.6	1.3	1.4	1.2	3.2	3.1
1/16/2024	1	3.2	3.0	1.6	1.3	1.3	1.1	3.1	3.1
1/16/2024	2	3.2	3.0	1.5	1.2	1.2	1.1	3.1	3.0
1/16/2024	3	3.2	3.0	1.5	1.2	1.2	1.0	3.2	3.0
1/16/2024	4	3.2	3.0	1.5	1.1	1.2	1.0	3.2	3.0
1/16/2024	5	3.2	3.0	1.5	1.0	1.1	0.9	3.2	3.0
1/16/2024	6	3.2	3.0	1.5	1.0	1.0	0.9	3.3	3.1
1/16/2024	7	3.3	3.0	1.5	1.0	1.0	0.9	3.3	3.2
1/16/2024	8	3.3	3.0	1.5	1.0	1.0	0.8	3.3	3.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/16/2024	9	3.3	3.0	1.5	1.0	1.0	0.8	3.4	3.2
1/16/2024	10	3.3	3.1	1.5	1.1	1.0	0.9	3.4	3.3
1/16/2024	11	3.3	3.1	1.8	1.2	1.0	1.0	3.4	3.3
1/16/2024	12	3.4	3.2	2.1	1.3	1.1	1.1	3.4	3.4
1/16/2024	13	3.4	3.2	2.4	1.3	1.2	1.2	3.5	3.4
1/16/2024	14	3.5	3.3	2.7	1.5	1.3	1.3	3.5	3.5
1/16/2024	15	3.5	3.3	2.9	1.8	1.5	1.6	3.5	3.5
1/16/2024	16	3.5	3.4	2.9	2.0	1.7	1.8	3.5	3.4
1/16/2024	17	3.5	3.3	2.8	2.2	1.9	1.9	3.6	3.4
1/16/2024	18	3.5	3.3	2.6	2.3	2.1	2.1	3.6	3.5
1/16/2024	19	3.5	3.3	2.5	2.3	2.2	2.2	3.7	3.4
1/16/2024	20	3.5	3.3	2.4	2.3	2.2	2.2	3.7	3.4
1/16/2024	21	3.5	3.3	2.3	2.2	2.2	2.1	3.8	3.4
1/16/2024	22	3.6	3.3	2.3	2.1	2.1	2.0	3.9	3.5
1/16/2024	23	3.6	3.4	2.3	2.0	2.0	1.9	3.9	3.6
1/16/2024	24	3.7	3.5	2.3	2.0	2.0	1.9	4.0	3.7
1/17/2024	1	3.8	3.6	2.3	1.9	1.9	1.8	4.1	3.9
1/17/2024	2	3.8	3.7	2.2	1.9	1.9	1.8	4.1	4.1
1/17/2024	3	3.9	3.7	2.3	1.9	1.9	1.8	4.1	4.1
1/17/2024	4	3.9	3.7	2.3	1.9	1.9	1.8	4.1	4.1
1/17/2024	5	3.8	3.7	2.4	1.9	1.9	1.8	4.1	4.0
1/17/2024	6	3.8	3.7	2.5	1.9	1.9	1.8	4.1	4.0
1/17/2024	7	3.8	3.7	2.6	2.0	1.9	1.8	4.1	4.0
1/17/2024	8	3.8	3.6	2.6	2.0	1.9	1.9	4.1	3.9
1/17/2024	9	3.8	3.7	2.6	2.1	2.0	1.9	4.1	4.0
1/17/2024	10	3.9	3.7	2.6	2.2	2.0	2.0	4.1	4.0
1/17/2024	11	3.9	3.7	2.7	2.2	2.1	2.0	4.1	4.0
1/17/2024	12	3.9	3.8	2.7	2.2	2.1	2.0	4.1	4.0
1/17/2024	13	3.9	3.8	2.6	2.2	2.2	2.1	4.1	4.0
1/17/2024	14	4.0	3.8	2.7	2.3	2.2	2.1	4.2	4.1
1/17/2024	15	4.0	3.9	2.8	2.3	2.2	2.2	4.2	4.1
1/17/2024	16	4.0	3.9	3.0	2.3	2.3	2.3	4.2	4.1
1/17/2024	17	4.0	3.9	2.9	2.4	2.3	2.2	4.2	4.1
1/17/2024	18	4.0	3.9	2.8	2.4	2.3	2.2	4.2	4.1
1/17/2024	19	4.0	3.8	2.7	2.5	2.4	2.3	4.2	4.0
1/17/2024	20	3.9	3.8	2.6	2.5	2.4	2.3	4.1	4.0
1/17/2024	21	3.9	3.8	2.5	2.4	2.3	2.3	4.1	4.0
1/17/2024	22	3.9	3.8	2.5	2.3	2.3	2.2	4.1	4.0
1/17/2024	23	3.9	3.8	2.6	2.2	2.2	2.1	4.1	4.0
1/17/2024	24	3.9	3.8	2.6	2.2	2.2	2.0	4.1	4.0
1/18/2024	1	3.9	3.7	2.7	2.2	2.1	2.0	4.0	4.0
1/18/2024	2	3.8	3.7	2.7	2.2	2.1	2.0	4.0	3.9
1/18/2024	3	3.8	3.7	2.8	2.2	2.2	2.1	4.0	4.0
1/18/2024	4	3.8	3.7	2.7	2.3	2.2	2.1	4.0	4.0
1/18/2024	5	3.8	3.7	2.7	2.3	2.2	2.2	3.9	3.9
1/18/2024	6	3.8	3.6	2.7	2.3	2.3	2.2	3.9	3.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/18/2024	7	3.7	3.6	2.7	2.3	2.3	2.2	3.9	3.9
1/18/2024	8	3.7	3.6	2.7	2.3	2.3	2.2	3.9	3.7
1/18/2024	9	3.7	3.5	2.7	2.4	2.3	2.2	3.8	3.7
1/18/2024	10	3.6	3.5	2.7	2.4	2.3	2.3	3.8	3.6
1/18/2024	11	3.6	3.5	2.9	2.4	2.3	2.3	3.7	3.5
1/18/2024	12	3.6	3.5	3.1	2.5	2.4	2.4	3.7	3.5
1/18/2024	13	3.6	3.5	3.3	2.7	2.5	2.6	3.7	3.5
1/18/2024	14	3.6	3.5	3.5	2.8	2.6	2.7	3.6	3.5
1/18/2024	15	3.5	3.5	3.6	3.0	2.7	2.8	3.6	3.4
1/18/2024	16	3.5	3.5	3.7	3.1	2.9	3.0	3.6	3.4
1/18/2024	17	3.6	3.4	3.5	3.3	3.1	3.1	3.7	3.4
1/18/2024	18	3.6	3.5	3.4	3.4	3.2	3.2	3.8	3.5
1/18/2024	19	3.7	3.5	3.2	3.4	3.2	3.2	3.9	3.6
1/18/2024	20	3.7	3.6	3.0	3.3	3.2	3.2	4.0	3.7
1/18/2024	21	3.8	3.6	2.9	3.1	3.1	3.1	4.1	3.9
1/18/2024	22	3.9	3.7	2.9	3.0	3.0	3.0	4.2	4.0
1/18/2024	23	4.0	3.8	2.9	2.9	2.9	2.8	4.3	4.1
1/18/2024	24	4.0	3.9	2.9	2.8	2.8	2.7	4.3	4.1
1/19/2024	1	4.0	3.9	2.9	2.7	2.7	2.6	4.3	4.1
1/19/2024	2	4.0	3.9	3.0	2.7	2.7	2.6	4.2	4.1
1/19/2024	3	4.0	3.9	3.1	2.7	2.7	2.6	4.2	4.1
1/19/2024	4	4.0	3.9	3.2	2.7	2.7	2.6	4.2	4.1
1/19/2024	5	4.0	3.9	3.2	2.7	2.7	2.6	4.2	4.1
1/19/2024	6	4.0	3.9	3.2	2.8	2.7	2.7	4.2	4.1
1/19/2024	7	4.0	3.9	3.2	2.9	2.8	2.7	4.2	4.1
1/19/2024	8	3.9	3.9	3.2	2.9	2.8	2.8	4.2	4.1
1/19/2024	9	3.9	3.8	3.2	3.0	2.9	2.9	4.1	4.1
1/19/2024	10	3.9	3.8	3.3	3.0	2.9	2.9	4.1	4.1
1/19/2024	11	3.8	3.8	3.5	3.1	3.0	3.0	4.1	4.0
1/19/2024	12	3.8	3.8	3.7	3.2	3.0	3.1	4.1	3.9
1/19/2024	13	3.8	3.7	3.9	3.3	3.1	3.2	4.1	3.9
1/19/2024	14	3.8	3.7	4.0	3.4	3.2	3.4	4.1	3.9
1/19/2024	15	3.8	3.7	4.0	3.6	3.4	3.4	4.0	3.9
1/19/2024	16	3.8	3.7	4.0	3.7	3.5	3.6	4.0	3.9
1/19/2024	17	3.8	3.7	3.9	3.8	3.6	3.7	4.0	3.9
1/19/2024	18	3.8	3.7	3.7	3.8	3.7	3.7	4.0	3.9
1/19/2024	19	3.8	3.7	3.6	3.8	3.7	3.7	4.0	4.0
1/19/2024	20	3.8	3.7	3.5	3.7	3.7	3.7	4.0	3.9
1/19/2024	21	3.8	3.7	3.5	3.6	3.6	3.6	4.0	3.9
1/19/2024	22	3.8	3.7	3.5	3.5	3.5	3.5	4.0	3.9
1/19/2024	23	3.8	3.7	3.4	3.4	3.5	3.4	4.0	3.9
1/19/2024	24	3.8	3.7	3.4	3.4	3.4	3.3	4.0	3.9
1/20/2024	1	3.8	3.7	3.4	3.4	3.3	3.3	4.0	3.8
1/20/2024	2	3.8	3.7	3.4	3.3	3.3	3.3	4.0	3.8
1/20/2024	3	3.8	3.7	3.4	3.3	3.3	3.2	4.0	3.9
1/20/2024	4	3.8	3.7	3.4	3.3	3.3	3.2	4.0	3.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/20/2024	5	3.8	3.7	3.4	3.3	3.3	3.2	4.0	3.9
1/20/2024	6	3.8	3.7	3.4	3.3	3.3	3.2	4.0	3.9
1/20/2024	7	3.8	3.7	3.4	3.3	3.3	3.2	4.0	3.9
1/20/2024	8	3.8	3.7	3.4	3.3	3.3	3.3	4.0	3.9
1/20/2024	9	3.8	3.7	3.4	3.3	3.3	3.3	4.0	4.0
1/20/2024	10	3.8	3.7	3.5	3.4	3.3	3.3	4.1	3.9
1/20/2024	11	3.7	3.7	3.6	3.4	3.3	3.4	4.1	3.8
1/20/2024	12	3.8	3.7	3.8	3.5	3.4	3.4	4.1	4.1
1/20/2024	13	3.8	3.7	4.0	3.6	3.4	3.5	4.1	3.9
1/20/2024	14	3.8	3.8	4.2	3.7	3.5	3.6	4.1	4.0
1/20/2024	15	3.9	3.8	4.3	3.9	3.6	3.8	4.2	4.1
1/20/2024	16	3.9	3.9	4.3	4.0	3.8	3.9	4.2	4.1
1/20/2024	17	3.9	3.9	4.3	4.1	3.9	4.0	4.2	4.1
1/20/2024	18	4.0	3.9	4.1	4.2	4.0	4.1	4.2	4.1
1/20/2024	19	4.0	4.0	4.0	4.2	4.1	4.2	4.2	4.1
1/20/2024	20	4.0	4.0	3.9	4.2	4.1	4.2	4.3	4.2
1/20/2024	21	4.0	4.0	3.9	4.1	4.0	4.1	4.3	4.1
1/20/2024	22	4.0	4.0	3.8	4.0	4.0	4.0	4.3	4.2
1/20/2024	23	4.0	4.0	3.7	3.9	3.9	3.8	4.3	4.2
1/20/2024	24	4.0	4.0	3.7	3.8	3.8	3.8	4.3	4.2
1/21/2024	1	4.0	4.0	3.7	3.7	3.7	3.7	4.3	4.3
1/21/2024	2	4.0	4.0	3.8	3.7	3.7	3.7	4.3	4.3
1/21/2024	3	4.0	4.0	3.9	3.7	3.7	3.6	4.3	4.2
1/21/2024	4	4.0	4.0	3.9	3.7	3.7	3.6	4.3	4.2
1/21/2024	5	4.1	4.0	3.9	3.7	3.7	3.7	4.3	4.2
1/21/2024	6	4.1	4.0	3.9	3.8	3.7	3.7	4.3	4.2
1/21/2024	7	4.1	4.0	3.9	3.8	3.7	3.7	4.3	4.2
1/21/2024	8	4.1	4.0	3.9	3.9	3.8	3.8	4.3	4.1
1/21/2024	9	4.1	4.0	3.9	3.9	3.8	3.8	4.4	4.1
1/21/2024	10	4.1	4.0	3.9	3.9	3.8	3.8	4.4	4.1
1/21/2024	11	4.0	4.0	4.0	3.9	3.8	3.9	4.4	4.1
1/21/2024	12	4.0	4.0	4.2	4.0	3.9	4.0	4.4	4.1
1/21/2024	13	4.1	4.1	4.5	4.1	3.9	4.1	4.4	4.1
1/21/2024	14	4.1	4.1	4.8	4.2	4.0	4.2	4.4	4.2
1/21/2024	15	4.2	4.1	4.9	4.4	4.2	4.3	4.4	4.2
1/21/2024	16	4.2	4.1	4.9	4.6	4.3	4.5	4.4	4.2
1/21/2024	17	4.2	4.1	4.7	4.7	4.5	4.6	4.4	4.2
1/21/2024	18	4.2	4.1	4.5	4.8	4.6	4.7	4.4	4.2
1/21/2024	19	4.2	4.1	4.3	4.8	4.7	4.8	4.4	4.2
1/21/2024	20	4.2	4.1	4.2	4.7	4.7	4.7	4.5	4.2
1/21/2024	21	4.2	4.1	4.2	4.6	4.6	4.6	4.5	4.2
1/21/2024	22	4.2	4.2	4.2	4.4	4.5	4.5	4.5	4.2
1/21/2024	23	4.2	4.2	4.2	4.3	4.4	4.4	4.5	4.3
1/21/2024	24	4.2	4.2	4.2	4.3	4.3	4.2	4.5	4.3
1/22/2024	1	4.2	4.2	4.1	4.2	4.2	4.2	4.5	4.3
1/22/2024	2	4.2	4.1	4.0	4.2	4.2	4.1	4.5	4.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/22/2024	3	4.2	4.1	3.9	4.1	4.1	4.0	4.5	4.3
1/22/2024	4	4.2	4.1	3.9	4.1	4.1	4.0	4.4	4.4
1/22/2024	5	4.2	4.1	3.8	4.0	4.0	3.9	4.4	4.4
1/22/2024	6	4.2	4.1	3.8	3.9	3.9	3.9	4.4	4.3
1/22/2024	7	4.2	4.1	3.9	3.9	3.9	3.8	4.4	4.3
1/22/2024	8	4.2	4.1	3.9	3.8	3.8	3.8	4.4	4.3
1/22/2024	9	4.2	4.1	4.0	3.9	3.8	3.8	4.4	4.4
1/22/2024	10	4.2	4.1	4.1	3.9	3.9	3.9	4.5	4.5
1/22/2024	11	4.2	4.1	4.2	4.0	3.9	3.9	4.5	4.2
1/22/2024	12	4.2	4.1	4.4	4.1	4.0	4.0	4.5	4.2
1/22/2024	13	4.2	4.2	4.5	4.2	4.1	4.2	4.5	4.2
1/22/2024	14	4.2	4.2	4.7	4.4	4.2	4.3	4.5	4.2
1/22/2024	15	4.3	4.2	4.9	4.5	4.3	4.4	4.5	4.2
1/22/2024	16	4.3	4.3	5.0	4.7	4.5	4.6	4.5	4.3
1/22/2024	17	4.4	4.3	4.9	4.8	4.6	4.7	4.6	4.4
1/22/2024	18	4.4	4.3	4.8	4.9	4.7	4.8	4.6	4.4
1/22/2024	19	4.4	4.4	4.7	4.9	4.8	4.9	4.6	4.5
1/22/2024	20	4.4	4.4	4.6	4.9	4.8	4.9	4.7	4.5
1/22/2024	21	4.4	4.4	4.5	4.8	4.8	4.8	4.7	4.6
1/22/2024	22	4.4	4.4	4.5	4.7	4.7	4.8	4.7	4.6
1/22/2024	23	4.5	4.4	4.5	4.7	4.7	4.7	4.8	4.6
1/22/2024	24	4.5	4.4	4.5	4.6	4.6	4.6	4.7	4.8
1/23/2024	1	4.4	4.4	4.5	4.6	4.6	4.6	4.7	4.7
1/23/2024	2	4.4	4.4	4.5	4.6	4.5	4.5	4.7	4.5
1/23/2024	3	4.4	4.4	4.5	4.6	4.5	4.5	4.7	4.6
1/23/2024	4	4.4	4.4	4.5	4.6	4.5	4.5	4.7	4.5
1/23/2024	5	4.4	4.4	4.5	4.6	4.5	4.5	4.7	4.5
1/23/2024	6	4.4	4.4	4.5	4.6	4.5	4.5	4.6	4.5
1/23/2024	7	4.4	4.4	4.5	4.6	4.5	4.5	4.6	4.4
1/23/2024	8	4.4	4.4	4.5	4.6	4.5	4.5	4.7	4.5
1/23/2024	9	4.4	4.4	4.5	4.6	4.5	4.5	4.7	4.5
1/23/2024	10	4.4	4.4	4.5	4.6	4.5	4.6	4.7	4.5
1/23/2024	11	4.4	4.4	4.7	4.7	4.6	4.6	4.8	4.5
1/23/2024	12	4.4	4.5	4.9	4.7	4.6	4.7	4.8	4.5
1/23/2024	13	4.5	4.5	5.2	4.8	4.7	4.8	4.8	4.6
1/23/2024	14	4.5	4.5	5.4	5.0	4.8	5.0	4.9	4.7
1/23/2024	15	4.5	4.6	5.5	5.2	4.9	5.1	4.9	4.7
1/23/2024	16	4.5	4.6	5.5	5.3	5.1	5.3	4.9	4.7
1/23/2024	17	4.6	4.6	5.4	5.5	5.3	5.4	4.9	4.7
1/23/2024	18	4.6	4.6	5.2	5.5	5.4	5.5	4.9	4.7
1/23/2024	19	4.6	4.6	5.0	5.5	5.4	5.5	4.9	4.8
1/23/2024	20	4.6	4.6	4.8	5.4	5.4	5.5	4.9	4.8
1/23/2024	21	4.6	4.6	4.8	5.3	5.3	5.3	4.9	4.8
1/23/2024	22	4.6	4.6	4.7	5.1	5.2	5.2	4.9	4.8
1/23/2024	23	4.6	4.6	4.7	5.0	5.1	5.0	4.9	4.9
1/23/2024	24	4.6	4.6	4.7	4.9	4.9	4.9	4.9	4.7



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/24/2024	1	4.6	4.6	4.7	4.8	4.9	4.8	4.9	4.7
1/24/2024	2	4.6	4.6	4.7	4.8	4.8	4.8	4.9	4.8
1/24/2024	3	4.6	4.6	4.7	4.8	4.8	4.7	4.9	4.7
1/24/2024	4	4.6	4.6	4.6	4.7	4.7	4.7	4.9	4.7
1/24/2024	5	4.6	4.6	4.6	4.7	4.7	4.7	4.9	4.7
1/24/2024	6	4.6	4.6	4.6	4.7	4.7	4.7	4.9	4.7
1/24/2024	7	4.6	4.6	4.6	4.7	4.7	4.7	4.9	4.7
1/24/2024	8	4.6	4.6	4.6	4.7	4.7	4.6	4.9	4.7
1/24/2024	9	4.6	4.6	4.6	4.6	4.6	4.6	4.9	4.7
1/24/2024	10	4.6	4.6	4.5	4.6	4.6	4.5	4.9	4.7
1/24/2024	11	4.6	4.6	4.4	4.5	4.5	4.4	4.9	4.7
1/24/2024	12	4.5	4.6	4.4	4.5	4.5	4.4	4.9	4.7
1/24/2024	13	4.6	4.6	4.5	4.5	4.4	4.4	4.9	4.7
1/24/2024	14	4.6	4.6	4.7	4.5	4.4	4.5	4.9	4.8
1/24/2024	15	4.6	4.6	4.8	4.6	4.5	4.5	4.9	4.7
1/24/2024	16	4.6	4.7	5.1	4.7	4.6	4.7	4.9	4.8
1/24/2024	17	4.7	4.7	5.1	4.7	4.6	4.7	4.9	4.8
1/24/2024	18	4.7	4.7	5.1	4.9	4.7	4.8	5.0	4.8
1/24/2024	19	4.7	4.7	5.0	5.0	4.9	4.9	5.0	4.8
1/24/2024	20	4.7	4.7	4.9	5.1	5.0	5.0	5.0	4.8
1/24/2024	21	4.7	4.7	4.8	5.1	5.0	5.1	5.0	4.8
1/24/2024	22	4.7	4.7	4.8	5.1	5.0	5.0	5.0	4.9
1/24/2024	23	4.7	4.7	4.7	4.9	4.9	5.0	5.0	4.9
1/24/2024	24	4.7	4.7	4.7	4.9	4.9	4.9	5.0	5.3
1/25/2024	1	4.7	4.7	4.7	4.8	4.8	4.8	5.0	4.9
1/25/2024	2	4.7	4.7	4.7	4.8	4.8	4.8	5.0	5.2
1/25/2024	3	4.7	4.7	4.7	4.8	4.8	4.8	5.0	5.1
1/25/2024	4	4.7	4.7	4.7	4.8	4.8	4.8	5.0	5.3
1/25/2024	5	4.7	4.7	4.8	4.8	4.8	4.8	5.0	5.1
1/25/2024	6	4.7	4.7	4.8	4.8	4.8	4.8	5.0	5.0
1/25/2024	7	4.7	4.7	4.8	4.8	4.8	4.8	5.0	5.1
1/25/2024	8	4.7	4.7	4.7	4.8	4.8	4.8	5.0	4.9
1/25/2024	9	4.7	4.7	4.7	4.8	4.8	4.8	5.1	4.8
1/25/2024	10	4.7	4.7	4.8	4.9	4.8	4.8	5.1	5.1
1/25/2024	11	4.7	4.7	5.3	4.9	4.8	4.9	5.1	5.0
1/25/2024	12	4.7	4.8	5.5	4.9	4.8	4.9	5.1	4.9
1/25/2024	13	4.8	4.8	5.7	5.3	5.1	5.2	5.1	4.9
1/25/2024	14	4.8	4.8	5.8	5.4	5.3	5.3	5.1	4.9
1/25/2024	15	4.8	4.8	5.8	5.6	5.4	5.5	5.1	4.9
1/25/2024	16	4.8	4.8	5.7	5.7	5.5	5.6	5.1	4.9
1/25/2024	17	4.8	4.8	5.4	5.8	5.6	5.6	5.1	4.9
1/25/2024	18	4.8	4.8	5.2	5.7	5.7	5.7	5.2	4.9
1/25/2024	19	4.8	4.8	5.1	5.6	5.6	5.6	5.2	5.0
1/25/2024	20	4.8	4.8	5.0	5.5	5.5	5.5	5.2	5.0
1/25/2024	21	4.8	4.8	4.9	5.3	5.4	5.3	5.2	5.1
1/25/2024	22	4.9	4.8	4.9	5.2	5.3	5.2	5.2	5.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/25/2024	23	4.9	4.8	4.9	5.1	5.2	5.0	5.2	5.1
1/25/2024	24	4.9	4.8	4.9	5.0	5.1	4.9	5.2	5.0
1/26/2024	1	4.9	4.8	4.9	4.9	5.0	4.9	5.2	5.0
1/26/2024	2	4.9	4.9	4.9	4.9	4.9	4.8	5.2	5.0
1/26/2024	3	4.9	4.9	4.9	4.9	4.9	4.8	5.2	5.0
1/26/2024	4	4.9	4.8	4.8	4.9	4.9	4.8	5.2	5.0
1/26/2024	5	4.9	4.9	4.9	4.8	4.9	4.8	5.2	5.0
1/26/2024	6	4.9	4.9	4.8	4.8	4.8	4.8	5.2	5.0
1/26/2024	7	4.9	4.9	4.8	4.8	4.8	4.7	5.2	5.0
1/26/2024	8	4.9	4.9	4.8	4.8	4.8	4.7	5.2	5.0
1/26/2024	9	4.9	4.9	4.9	4.8	4.8	4.8	5.2	5.0
1/26/2024	10	4.9	4.9	5.1	4.9	4.8	4.8	5.2	5.0
1/26/2024	11	4.9	4.9	5.3	5.0	4.9	4.9	5.3	5.0
1/26/2024	12	4.9	4.9	5.6	5.1	5.0	5.1	5.3	5.1
1/26/2024	13	4.9	5.0	5.8	5.3	5.1	5.2	5.3	5.1
1/26/2024	14	4.9	5.0	5.8	5.4	5.3	5.3	5.3	5.1
1/26/2024	15	5.0	5.0	5.7	5.6	5.4	5.4	5.3	5.1
1/26/2024	16	5.0	5.0	5.6	5.7	5.6	5.6	5.3	5.1
1/26/2024	17	5.0	5.0	5.4	5.8	5.6	5.7	5.3	5.1
1/26/2024	18	5.0	5.0	5.3	5.7	5.7	5.7	5.3	5.2
1/26/2024	19	5.0	5.0	5.2	5.6	5.6	5.6	5.3	5.2
1/26/2024	20	5.0	5.0	5.2	5.5	5.5	5.5	5.3	5.2
1/26/2024	21	5.0	5.0	5.1	5.4	5.4	5.4	5.3	5.2
1/26/2024	22	5.0	4.9	5.0	5.3	5.3	5.2	5.3	5.2
1/26/2024	23	5.0	4.9	4.9	5.2	5.2	5.1	5.3	5.1
1/26/2024	24	5.0	5.0	4.9	5.1	5.2	5.1	5.3	5.1
1/27/2024	1	5.0	5.0	4.9	5.0	5.1	5.0	5.3	5.1
1/27/2024	2	5.0	5.0	5.0	5.0	5.0	4.9	5.3	5.1
1/27/2024	3	5.0	5.0	5.0	4.9	5.0	4.9	5.4	5.2
1/27/2024	4	5.0	5.0	5.0	4.9	5.0	4.9	5.4	5.1
1/27/2024	5	5.0	5.0	5.1	5.0	5.0	4.9	5.4	5.2
1/27/2024	6	5.0	5.0	5.1	5.0	5.0	4.9	5.4	5.2
1/27/2024	7	5.0	5.0	5.1	5.0	5.0	4.9	5.4	5.2
1/27/2024	8	5.0	5.0	5.1	5.1	5.0	4.9	5.4	5.2
1/27/2024	9	5.0	5.0	5.1	5.1	5.0	5.0	5.4	5.2
1/27/2024	10	5.0	5.1	5.2	5.1	5.1	5.0	5.4	5.2
1/27/2024	11	5.0	5.1	5.3	5.1	5.1	5.1	5.4	5.2
1/27/2024	12	5.0	5.1	5.4	5.2	5.1	5.1	5.4	5.3
1/27/2024	13	5.0	5.1	5.5	5.3	5.2	5.2	5.4	5.2
1/27/2024	14	5.0	5.2	5.7	5.4	5.3	5.3	5.5	5.3
1/27/2024	15	5.0	5.2	5.9	5.5	5.4	5.5	5.5	5.3
1/27/2024	16	5.1	5.2	5.9	5.6	5.5	5.5	5.5	5.3
1/27/2024	17	5.1	5.2	5.8	5.7	5.6	5.6	5.5	5.3
1/27/2024	18	5.1	5.2	5.6	5.8	5.7	5.7	5.5	5.3
1/27/2024	19	5.1	5.2	5.5	5.8	5.8	5.8	5.5	5.5
1/27/2024	20	5.1	5.2	5.4	5.8	5.8	5.8	5.5	5.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/27/2024	21	5.1	5.2	5.4	5.7	5.7	5.7	5.5	5.5
1/27/2024	22	5.1	5.2	5.4	5.6	5.6	5.6	5.6	5.4
1/27/2024	23	5.1	5.2	5.4	5.5	5.6	5.5	5.6	5.4
1/27/2024	24	5.1	5.2	5.4	5.5	5.5	5.4	5.5	5.4
1/28/2024	1	5.1	5.2	5.4	5.5	5.5	5.4	5.5	5.3
1/28/2024	2	5.1	5.2	5.4	5.4	5.4	5.4	5.5	5.3
1/28/2024	3	5.1	5.2	5.4	5.4	5.4	5.4	5.5	5.3
1/28/2024	4	5.1	5.2	5.4	5.4	5.4	5.4	5.5	5.3
1/28/2024	5	5.1	5.2	5.4	5.4	5.4	5.4	5.5	5.3
1/28/2024	6	5.1	5.2	5.4	5.4	5.4	5.4	5.5	5.2
1/28/2024	7	5.1	5.2	5.3	5.4	5.4	5.3	5.5	5.3
1/28/2024	8	5.1	5.2	5.3	5.4	5.4	5.3	5.5	5.3
1/28/2024	9	5.1	5.2	5.4	5.4	5.4	5.4	5.6	5.3
1/28/2024	10	5.1	5.2	5.5	5.5	5.4	5.4	5.6	5.4
1/28/2024	11	5.1	5.3	5.8	5.6	5.5	5.5	5.6	5.4
1/28/2024	12	5.2	5.3	5.9	5.7	5.5	5.6	5.7	5.4
1/28/2024	13	5.2	5.4	6.1	5.8	5.6	5.7	5.7	5.5
1/28/2024	14	5.3	5.4	6.2	6.0	5.8	5.9	5.7	5.5
1/28/2024	15	5.3	5.4	6.2	6.1	5.9	6.1	5.7	5.5
1/28/2024	16	5.3	5.4	6.2	6.2	6.1	6.1	5.7	5.5
1/28/2024	17	5.3	5.4	6.0	6.3	6.2	6.2	5.7	5.5
1/28/2024	18	5.3	5.4	5.9	6.3	6.2	6.2	5.8	5.5
1/28/2024	19	5.3	5.4	5.8	6.2	6.2	6.2	5.8	5.6
1/28/2024	20	5.3	5.4	5.7	6.1	6.1	6.1	5.8	5.6
1/28/2024	21	5.4	5.4	5.7	6.0	6.1	6.0	5.8	5.6
1/28/2024	22	5.4	5.4	5.7	5.9	5.9	5.9	5.8	5.6
1/28/2024	23	5.4	5.4	5.7	5.8	5.9	5.8	5.8	5.7
1/28/2024	24	5.4	5.4	5.7	5.8	5.8	5.8	5.8	5.8
1/29/2024	1	5.4	5.4	5.7	5.8	5.8	5.7	5.8	5.9
1/29/2024	2	5.4	5.4	5.7	5.8	5.8	5.7	5.8	5.8
1/29/2024	3	5.4	5.5	5.7	5.8	5.8	5.7	5.8	5.8
1/29/2024	4	5.4	5.5	5.7	5.8	5.7	5.7	5.8	5.7
1/29/2024	5	5.4	5.5	5.7	5.8	5.7	5.7	5.8	5.7
1/29/2024	6	5.4	5.5	5.7	5.8	5.7	5.7	5.8	5.6
1/29/2024	7	5.4	5.5	5.7	5.8	5.7	5.7	5.8	5.6
1/29/2024	8	5.4	5.5	5.7	5.8	5.7	5.7	5.8	5.6
1/29/2024	9	5.4	5.5	5.7	5.8	5.8	5.7	5.8	5.8
1/29/2024	10	5.4	5.5	5.8	5.8	5.8	5.8	5.9	5.8
1/29/2024	11	5.4	5.5	6.0	5.9	5.8	5.8	5.9	5.9
1/29/2024	12	5.4	5.6	6.2	5.9	5.8	5.9	5.9	5.9
1/29/2024	13	5.5	5.6	6.3	6.0	5.9	6.0	5.9	5.9
1/29/2024	14	5.5	5.6	6.4	6.2	6.0	6.1	5.9	5.9
1/29/2024	15	5.5	5.6	6.5	6.3	6.2	6.2	5.9	5.8
1/29/2024	16	5.5	5.6	6.4	6.4	6.3	6.3	6.0	5.7
1/29/2024	17	5.5	5.6	6.3	6.5	6.4	6.4	6.0	5.8
1/29/2024	18	5.5	5.6	6.2	6.5	6.4	6.5	6.0	5.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/29/2024	19	5.5	5.7	6.1	6.5	6.5	6.5	6.0	5.9
1/29/2024	20	5.5	5.6	6.1	6.4	6.4	6.4	6.0	5.9
1/29/2024	21	5.5	5.6	6.0	6.4	6.4	6.4	6.0	5.7
1/29/2024	22	5.5	5.6	6.0	6.3	6.3	6.3	6.0	5.7
1/29/2024	23	5.5	5.6	6.0	6.2	6.2	6.2	6.0	5.7
1/29/2024	24	5.5	5.6	6.0	6.2	6.2	6.1	6.0	5.7
1/30/2024	1	5.5	5.6	5.9	6.1	6.2	6.1	6.0	5.7
1/30/2024	2	5.5	5.6	5.9	6.1	6.1	6.0	6.0	5.7
1/30/2024	3	5.5	5.6	5.9	6.1	6.1	6.0	6.0	5.7
1/30/2024	4	5.5	5.6	5.9	6.1	6.1	6.0	6.0	5.7
1/30/2024	5	5.5	5.6	5.9	6.0	6.0	6.0	6.0	5.7
1/30/2024	6	5.5	5.6	5.9	6.0	6.0	5.9	6.0	5.7
1/30/2024	7	5.5	5.6	5.9	6.0	6.0	5.9	6.0	5.7
1/30/2024	8	5.5	5.6	5.9	6.0	6.0	5.9	6.0	5.7
1/30/2024	9	5.5	5.6	5.9	6.0	6.0	5.9	6.0	5.8
1/30/2024	10	5.5	5.6	6.1	6.1	6.0	6.0	6.0	5.8
1/30/2024	11	5.5	5.6	6.1	6.1	6.0	6.0	6.0	5.7
1/30/2024	12	5.5	5.7	6.3	6.1	6.1	6.1	6.0	5.8
1/30/2024	13	5.5	5.7	6.3	6.2	6.1	6.2	6.0	5.8
1/30/2024	14	5.5	5.7	6.4	6.3	6.2	6.3	6.0	5.8
1/30/2024	15	5.6	5.7	6.4	6.4	6.3	6.3	6.0	5.8
1/30/2024	16	5.6	5.7	6.3	6.5	6.4	6.4	6.0	5.8
1/30/2024	17	5.6	5.7	6.3	6.5	6.4	6.4	6.0	5.8
1/30/2024	18	5.6	5.7	6.2	6.5	6.4	6.4	6.0	5.8
1/30/2024	19	5.6	5.7	6.1	6.5	6.4	6.4	6.0	5.8
1/30/2024	20	5.6	5.7	6.1	6.4	6.4	6.4	6.0	5.8
1/30/2024	21	5.6	5.7	6.0	6.3	6.4	6.3	6.0	5.7
1/30/2024	22	5.5	5.6	6.0	6.3	6.3	6.3	6.0	5.7
1/30/2024	23	5.5	5.6	5.9	6.2	6.3	6.2	6.0	5.8
1/30/2024	24	5.5	5.6	5.9	6.2	6.2	6.1	6.0	5.8
1/31/2024	1	5.5	5.6	5.9	6.1	6.2	6.1	6.0	5.7
1/31/2024	2	5.5	5.6	5.9	6.1	6.1	6.1	6.0	5.7
1/31/2024	3	5.5	5.6	5.9	6.1	6.1	6.1	6.0	5.7
1/31/2024	4	5.5	5.6	5.9	6.1	6.1	6.0	6.0	5.7
1/31/2024	5	5.5	5.6	5.9	6.1	6.1	6.0	5.9	5.7
1/31/2024	6	5.5	5.6	5.9	6.1	6.1	6.0	5.9	5.7
1/31/2024	7	5.5	5.6	5.9	6.1	6.1	6.0	5.9	5.7
1/31/2024	8	5.5	5.6	5.9	6.1	6.1	6.0	5.9	5.7
1/31/2024	9	5.5	5.6	5.9	6.1	6.0	6.0	5.9	5.7
1/31/2024	10	5.5	5.6	5.9	6.1	6.0	6.0	5.9	5.7
1/31/2024	11	5.5	5.6	5.9	6.1	6.0	6.0	5.9	5.7
1/31/2024	12	5.5	5.6	6.0	6.1	6.0	6.0	6.0	5.7
1/31/2024	13	5.5	5.6	6.1	6.1	6.1	6.0	6.0	5.7
1/31/2024	14	5.5	5.6	6.1	6.1	6.1	6.1	6.0	5.7
1/31/2024	15	5.5	5.6	6.1	6.2	6.1	6.1	6.0	5.7
1/31/2024	16	5.5	5.6	6.1	6.2	6.2	6.1	6.0	5.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/31/2024	17	5.5	5.6	6.1	6.2	6.2	6.2	6.0	5.8
1/31/2024	18	5.5	5.6	6.1	6.2	6.2	6.2	6.0	5.7
1/31/2024	19	5.6	5.6	6.0	6.2	6.2	6.2	6.0	5.7
1/31/2024	20	5.6	5.6	6.0	6.2	6.2	6.2	6.0	5.8
1/31/2024	21	5.6	5.6	6.0	6.2	6.2	6.1	6.0	5.7
1/31/2024	22	5.6	5.6	5.9	6.2	6.2	6.1	6.0	5.7
1/31/2024	23	5.6	5.6	5.9	6.1	6.1	6.1	6.0	5.7
1/31/2024	24	5.6	5.6	5.9	6.1	6.1	6.1	6.0	5.7
2/1/2024	1	5.6	5.6	5.9	6.1	6.1	6.1	6.0	5.7
2/1/2024	2	5.6	5.6	6.0	6.1	6.1	6.1	6.0	5.8
2/1/2024	3	5.6	5.6	6.0	6.1	6.1	6.0	6.0	5.8
2/1/2024	4	5.6	5.6	6.0	6.1	6.1	6.0	6.0	5.7
2/1/2024	5	5.6	5.7	6.0	6.1	6.1	6.0	6.0	5.8
2/1/2024	6	5.6	5.7	6.0	6.1	6.1	6.0	6.0	5.7
2/1/2024	7	5.6	5.7	5.9	6.1	6.1	6.0	6.0	5.8
2/1/2024	8	5.6	5.7	5.9	6.1	6.1	6.0	6.0	5.8
2/1/2024	9	5.6	5.7	6.0	6.1	6.1	6.1	6.0	5.8
2/1/2024	10	5.6	5.7	6.0	6.1	6.1	6.1	6.0	5.8
2/1/2024	11	5.6	5.7	6.1	6.2	6.1	6.1	6.0	5.8
2/1/2024	12	5.6	5.7	6.3	6.2	6.2	6.2	6.1	5.8
2/1/2024	13	5.6	5.7	6.4	6.3	6.2	6.2	6.1	5.8
2/1/2024	14	5.6	5.7	6.4	6.4	6.3	6.3	6.1	5.8
2/1/2024	15	5.6	5.8	6.5	6.5	6.4	6.4	6.1	5.8
2/1/2024	16	5.6	5.8	6.4	6.6	6.4	6.5	6.1	5.8
2/1/2024	17	5.7	5.8	6.4	6.6	6.5	6.5	6.1	5.9
2/1/2024	18	5.7	5.8	6.3	6.6	6.5	6.5	6.1	5.9
2/1/2024	19	5.7	5.8	6.3	6.6	6.5	6.5	6.1	5.9
2/1/2024	20	5.7	5.8	6.2	6.5	6.5	6.5	6.1	5.9
2/1/2024	21	5.7	5.8	6.2	6.5	6.5	6.5	6.1	5.9
2/1/2024	22	5.7	5.8	6.2	6.4	6.5	6.4	6.1	5.9
2/1/2024	23	5.7	5.8	6.2	6.4	6.4	6.4	6.1	5.9
2/1/2024	24	5.7	5.8	6.2	6.4	6.4	6.3	6.1	5.9
2/2/2024	1	5.7	5.8	6.2	6.4	6.4	6.3	6.1	5.9
2/2/2024	2	5.7	5.8	6.2	6.3	6.3	6.3	6.1	5.8
2/2/2024	3	5.7	5.8	6.2	6.3	6.3	6.3	6.1	5.9
2/2/2024	4	5.7	5.8	6.2	6.3	6.3	6.3	6.1	5.9
2/2/2024	5	5.7	5.8	6.2	6.3	6.3	6.3	6.1	5.9
2/2/2024	6	5.7	5.8	6.2	6.3	6.3	6.3	6.1	5.9
2/2/2024	7	5.7	5.8	6.2	6.3	6.3	6.3	6.1	5.9
2/2/2024	8	5.7	5.8	6.1	6.3	6.3	6.3	6.2	5.9
2/2/2024	9	5.7	5.8	6.2	6.3	6.3	6.3	6.2	6.0
2/2/2024	10	5.7	5.8	6.2	6.3	6.3	6.3	6.2	6.0
2/2/2024	11	5.7	5.8	6.4	6.4	6.3	6.3	6.2	5.9
2/2/2024	12	5.7	5.9	6.6	6.5	6.4	6.4	6.2	5.9
2/2/2024	13	5.7	5.9	6.8	6.6	6.4	6.5	6.2	6.1
2/2/2024	14	5.7	5.9	6.9	6.7	6.5	6.6	6.2	6.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/2/2024	15	5.8	5.9	6.9	6.8	6.7	6.8	6.2	6.0
2/2/2024	16	5.8	5.9	6.9	7.0	6.8	6.9	6.3	6.0
2/2/2024	17	5.9	5.9	6.7	7.0	6.9	6.9	6.3	6.0
2/2/2024	18	5.9	5.9	6.5	7.0	6.9	7.0	6.3	6.0
2/2/2024	19	5.9	6.0	6.4	7.0	6.9	6.9	6.3	6.1
2/2/2024	20	5.9	6.0	6.3	6.8	6.9	6.8	6.3	6.1
2/2/2024	21	5.9	6.0	6.2	6.7	6.7	6.7	6.3	6.1
2/2/2024	22	5.9	6.0	6.2	6.6	6.6	6.6	6.3	6.1
2/2/2024	23	5.9	6.0	6.2	6.5	6.5	6.4	6.3	6.1
2/2/2024	24	5.9	6.0	6.2	6.4	6.5	6.4	6.3	6.1
2/3/2024	1	5.9	6.0	6.2	6.3	6.4	6.3	6.3	6.1
2/3/2024	2	5.9	6.0	6.1	6.3	6.3	6.2	6.3	6.1
2/3/2024	3	5.9	6.0	6.1	6.3	6.3	6.2	6.3	6.1
2/3/2024	4	5.9	5.9	6.1	6.2	6.3	6.2	6.3	6.1
2/3/2024	5	5.9	5.9	6.0	6.2	6.2	6.1	6.3	6.1
2/3/2024	6	5.9	5.9	6.0	6.2	6.2	6.1	6.3	6.1
2/3/2024	7	5.9	5.9	6.0	6.1	6.2	6.1	6.3	6.1
2/3/2024	8	5.9	5.9	6.0	6.1	6.1	6.0	6.3	6.1
2/3/2024	9	5.9	5.9	6.1	6.1	6.1	6.0	6.3	6.1
2/3/2024	10	5.9	5.9	6.2	6.1	6.1	6.1	6.3	6.1
2/3/2024	11	5.9	6.0	6.5	6.2	6.1	6.2	6.3	6.1
2/3/2024	12	5.9	6.0	6.8	6.3	6.2	6.3	6.3	6.1
2/3/2024	13	5.9	6.0	7.0	6.5	6.3	6.4	6.3	6.1
2/3/2024	14	5.9	6.1	7.2	6.7	6.5	6.6	6.3	6.2
2/3/2024	15	5.9	6.1	7.2	6.9	6.6	6.8	6.3	6.2
2/3/2024	16	6.0	6.1	7.1	7.1	6.9	7.0	6.4	6.2
2/3/2024	17	6.0	6.1	6.9	7.2	7.0	7.1	6.4	6.2
2/3/2024	18	6.0	6.1	6.6	7.2	7.1	7.1	6.4	6.2
2/3/2024	19	6.0	6.1	6.4	7.1	7.1	7.1	6.4	6.3
2/3/2024	20	6.0	6.1	6.2	7.0	7.0	7.0	6.4	6.3
2/3/2024	21	6.0	6.0	6.1	6.8	6.9	6.8	6.4	6.2
2/3/2024	22	6.0	6.0	6.0	6.6	6.7	6.6	6.4	6.2
2/3/2024	23	5.9	6.0	5.9	6.4	6.5	6.4	6.4	6.1
2/3/2024	24	5.9	6.0	5.9	6.2	6.4	6.2	6.4	6.2
2/4/2024	1	5.9	6.0	5.8	6.1	6.2	6.1	6.3	6.1
2/4/2024	2	5.9	6.0	5.8	6.0	6.1	5.9	6.3	6.1
2/4/2024	3	5.9	6.0	5.8	5.9	6.0	5.8	6.3	6.1
2/4/2024	4	5.9	5.9	5.7	5.9	5.9	5.8	6.3	6.1
2/4/2024	5	5.9	5.9	5.7	5.8	5.9	5.7	6.3	6.0
2/4/2024	6	5.9	5.9	5.6	5.8	5.8	5.7	6.3	6.0
2/4/2024	7	5.9	5.9	5.6	5.7	5.8	5.6	6.3	6.0
2/4/2024	8	5.9	5.9	5.6	5.7	5.7	5.6	6.3	5.9
2/4/2024	9	5.8	5.9	5.8	5.7	5.7	5.6	6.3	6.0
2/4/2024	10	5.8	5.9	6.1	5.8	5.7	5.7	6.3	6.0
2/4/2024	11	5.9	5.9	6.3	5.8	5.8	5.8	6.3	6.1
2/4/2024	12	5.9	5.9	6.5	6.0	5.9	5.9	6.3	6.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/4/2024	13	5.9	6.0	6.9	6.3	6.1	6.2	6.3	6.0
2/4/2024	14	5.9	6.0	7.1	6.5	6.3	6.5	6.3	6.1
2/4/2024	15	5.9	6.0	7.0	6.6	6.4	6.6	6.3	6.1
2/4/2024	16	5.9	6.0	6.8	6.8	6.6	6.7	6.3	6.1
2/4/2024	17	5.9	6.0	6.6	7.0	6.8	6.9	6.4	6.1
2/4/2024	18	5.9	6.0	6.4	7.0	6.9	7.0	6.4	6.1
2/4/2024	19	5.9	6.0	6.3	6.9	6.9	6.9	6.4	6.1
2/4/2024	20	6.0	6.0	6.2	6.7	6.8	6.7	6.4	6.2
2/4/2024	21	6.0	6.1	6.1	6.6	6.6	6.6	6.4	6.2
2/4/2024	22	6.0	6.1	6.1	6.4	6.5	6.4	6.4	6.2
2/4/2024	23	6.0	6.0	6.1	6.3	6.4	6.3	6.4	6.2
2/4/2024	24	5.9	6.0	6.0	6.2	6.3	6.2	6.4	6.1
2/5/2024	1	5.9	6.0	6.0	6.2	6.2	6.1	6.4	6.1
2/5/2024	2	5.9	6.0	5.9	6.1	6.2	6.1	6.4	6.1
2/5/2024	3	5.9	6.0	5.9	6.1	6.1	6.0	6.3	6.0
2/5/2024	4	5.9	6.0	5.9	6.0	6.1	5.9	6.3	6.0
2/5/2024	5	5.9	5.9	5.9	6.0	6.0	5.9	6.3	6.0
2/5/2024	6	5.9	5.9	5.9	5.9	6.0	5.9	6.3	6.0
2/5/2024	7	5.9	5.9	5.8	5.9	5.9	5.8	6.3	6.0
2/5/2024	8	5.9	5.9	5.8	5.9	5.9	5.8	6.3	6.0
2/5/2024	9	5.9	5.9	5.9	5.9	5.9	5.8	6.3	6.0
2/5/2024	10	5.9	5.9	5.9	5.9	5.9	5.8	6.2	6.0
2/5/2024	11	5.9	5.9	6.0	5.9	5.9	5.8	6.2	6.0
2/5/2024	12	5.9	5.9	6.1	6.0	5.9	5.9	6.2	6.0
2/5/2024	13	5.9	5.9	6.1	6.0	6.0	5.9	6.2	6.0
2/5/2024	14	5.9	5.9	6.2	6.1	6.0	6.0	6.2	6.0
2/5/2024	15	5.9	5.9	6.3	6.2	6.1	6.1	6.2	6.0
2/5/2024	16	5.9	5.9	6.2	6.2	6.1	6.1	6.2	6.0
2/5/2024	17	5.9	5.9	6.2	6.2	6.2	6.1	6.2	6.0
2/5/2024	18	5.9	5.9	6.1	6.3	6.2	6.2	6.2	6.0
2/5/2024	19	5.9	5.9	6.0	6.3	6.2	6.2	6.2	6.0
2/5/2024	20	5.9	5.9	6.0	6.2	6.2	6.2	6.2	6.0
2/5/2024	21	5.9	5.9	6.0	6.2	6.2	6.1	6.2	6.0
2/5/2024	22	5.8	5.9	6.0	6.1	6.1	6.1	6.2	5.9
2/5/2024	23	5.8	5.9	6.0	6.1	6.1	6.0	6.2	5.7
2/5/2024	24	5.8	5.9	6.0	6.1	6.1	6.0	6.2	5.9
2/6/2024	1	5.8	5.9	6.0	6.1	6.1	6.0	6.2	5.9
2/6/2024	2	5.8	5.8	6.0	6.1	6.1	6.0	6.2	5.9
2/6/2024	3	5.8	5.8	6.0	6.1	6.1	6.0	6.2	5.9
2/6/2024	4	5.8	5.8	6.0	6.1	6.0	6.0	6.2	5.9
2/6/2024	5	5.8	5.8	5.9	6.1	6.0	6.0	6.2	5.9
2/6/2024	6	5.8	5.8	5.9	6.1	6.0	6.0	6.2	5.9
2/6/2024	7	5.8	5.8	5.9	6.0	6.0	5.9	6.2	5.9
2/6/2024	8	5.8	5.8	5.9	6.0	6.0	5.9	6.2	5.9
2/6/2024	9	5.8	5.8	6.0	6.1	6.0	6.0	6.2	5.9
2/6/2024	10	5.7	5.8	6.1	6.1	6.0	6.0	6.2	5.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/6/2024	11	5.7	5.8	6.3	6.2	6.1	6.1	6.2	5.9
2/6/2024	12	5.8	5.9	6.5	6.3	6.2	6.2	6.2	6.0
2/6/2024	13	5.8	5.9	6.8	6.5	6.3	6.4	6.2	6.0
2/6/2024	14	5.8	5.9	7.0	6.6	6.4	6.6	6.2	6.0
2/6/2024	15	5.9	5.9	7.0	6.8	6.6	6.7	6.2	6.0
2/6/2024	16	5.9	5.9	6.8	6.9	6.7	6.8	6.2	6.0
2/6/2024	17	5.9	5.9	6.6	7.0	6.9	6.9	6.2	6.0
2/6/2024	18	5.9	5.9	6.4	7.0	6.9	6.9	6.3	6.0
2/6/2024	19	5.9	5.9	6.3	6.9	6.9	6.9	6.3	6.0
2/6/2024	20	5.9	5.9	6.2	6.8	6.8	6.8	6.3	6.1
2/6/2024	21	5.9	5.9	6.2	6.6	6.7	6.6	6.3	6.0
2/6/2024	22	5.9	5.9	6.1	6.5	6.6	6.5	6.3	6.0
2/6/2024	23	5.9	5.9	6.1	6.4	6.5	6.4	6.3	6.0
2/6/2024	24	5.9	5.9	6.1	6.3	6.4	6.3	6.3	6.0
2/7/2024	1	5.9	5.9	6.1	6.3	6.3	6.2	6.2	6.0
2/7/2024	2	5.9	5.9	6.1	6.3	6.3	6.2	6.2	6.0
2/7/2024	3	5.9	5.9	6.1	6.2	6.3	6.2	6.2	6.0
2/7/2024	4	5.9	5.9	6.1	6.2	6.2	6.2	6.2	6.0
2/7/2024	5	5.9	5.9	6.1	6.2	6.2	6.2	6.2	6.0
2/7/2024	6	5.9	5.9	6.1	6.2	6.2	6.1	6.2	5.9
2/7/2024	7	5.9	5.9	6.1	6.2	6.2	6.1	6.3	5.9
2/7/2024	8	5.9	5.9	6.1	6.2	6.2	6.1	6.3	5.9
2/7/2024	9	5.8	5.9	6.1	6.2	6.2	6.2	6.3	6.0
2/7/2024	10	5.8	5.9	6.3	6.3	6.2	6.2	6.3	6.0
2/7/2024	11	5.9	5.9	6.5	6.4	6.3	6.3	6.3	6.0
2/7/2024	12	5.9	6.0	7.0	6.6	6.4	6.6	6.3	6.0
2/7/2024	13	5.9	6.0	7.2	6.6	6.5	6.6	6.3	6.1
2/7/2024	14	5.9	6.1	7.5	6.8	6.6	6.8	6.3	6.1
2/7/2024	15	6.0	6.1	7.6	7.1	6.8	7.0	6.4	6.1
2/7/2024	16	6.0	6.1	7.5	7.4	7.1	7.2	6.4	6.2
2/7/2024	17	6.0	6.1	7.1	7.6	7.3	7.4	6.4	6.2
2/7/2024	18	6.0	6.1	6.8	7.6	7.4	7.5	6.5	6.2
2/7/2024	19	6.1	6.2	6.6	7.5	7.4	7.5	6.5	6.2
2/7/2024	20	6.1	6.1	6.4	7.3	7.3	7.3	6.5	6.2
2/7/2024	21	6.1	6.1	6.3	7.1	7.2	7.1	6.5	6.2
2/7/2024	22	6.0	6.1	6.2	6.8	6.9	6.8	6.5	6.2
2/7/2024	23	6.0	6.1	6.1	6.6	6.8	6.6	6.5	6.2
2/7/2024	24	6.0	6.1	6.0	6.5	6.6	6.4	6.5	6.2
2/8/2024	1	6.0	6.1	6.0	6.3	6.5	6.3	6.4	6.2
2/8/2024	2	6.0	6.1	6.1	6.3	6.4	6.2	6.4	6.2
2/8/2024	3	6.0	6.1	6.1	6.2	6.3	6.1	6.4	6.2
2/8/2024	4	6.0	6.1	6.1	6.2	6.2	6.1	6.4	6.2
2/8/2024	5	6.0	6.1	6.1	6.1	6.2	6.1	6.4	6.1
2/8/2024	6	6.0	6.0	6.1	6.1	6.2	6.1	6.4	6.1
2/8/2024	7	6.0	6.0	6.1	6.1	6.2	6.1	6.4	6.1
2/8/2024	8	6.0	6.0	6.1	6.2	6.2	6.1	6.4	6.1



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/8/2024	9	6.0	6.0	6.2	6.2	6.2	6.1	6.4	6.1
2/8/2024	10	6.0	6.0	6.3	6.2	6.2	6.1	6.4	6.1
2/8/2024	11	6.0	6.1	6.5	6.3	6.2	6.3	6.4	6.1
2/8/2024	12	6.0	6.1	6.8	6.4	6.3	6.4	6.4	6.2
2/8/2024	13	6.0	6.2	7.0	6.6	6.4	6.5	6.4	6.2
2/8/2024	14	6.0	6.2	7.4	6.9	6.6	6.8	6.4	6.2
2/8/2024	15	6.1	6.2	7.3	6.9	6.7	6.9	6.5	6.2
2/8/2024	16	6.1	6.2	7.1	7.2	6.9	7.0	6.5	6.3
2/8/2024	17	6.1	6.2	6.8	7.3	7.1	7.1	6.5	6.3
2/8/2024	18	6.1	6.1	6.4	7.2	7.1	7.1	6.5	6.2
2/8/2024	19	6.1	6.1	6.1	7.1	7.1	7.0	6.5	6.2
2/8/2024	20	6.1	6.1	6.0	6.8	6.9	6.8	6.5	6.3
2/8/2024	21	6.1	6.1	5.9	6.5	6.7	6.6	6.5	6.2
2/8/2024	22	6.1	6.1	5.9	6.3	6.5	6.3	6.5	6.2
2/8/2024	23	6.0	6.1	5.9	6.2	6.3	6.1	6.5	6.2
2/8/2024	24	6.0	6.1	6.0	6.1	6.2	6.0	6.5	6.2
2/9/2024	1	6.0	6.1	6.0	6.0	6.1	5.9	6.5	6.2
2/9/2024	2	6.0	6.1	5.9	6.0	6.1	5.9	6.4	6.2
2/9/2024	3	6.0	6.0	5.8	5.9	6.0	5.8	6.4	6.2
2/9/2024	4	6.0	6.0	5.8	5.9	6.0	5.8	6.4	6.2
2/9/2024	5	6.0	6.0	5.8	5.9	5.9	5.8	6.4	6.2
2/9/2024	6	6.0	6.0	5.8	5.8	5.9	5.8	6.4	6.1
2/9/2024	7	6.0	6.0	5.8	5.8	5.8	5.7	6.4	6.1
2/9/2024	8	5.9	6.0	5.8	5.8	5.8	5.7	6.4	6.1
2/9/2024	9	5.9	6.0	5.9	5.8	5.8	5.7	6.4	6.1
2/9/2024	10	5.9	5.9	6.2	6.1	5.8	5.8	6.4	6.1
2/9/2024	11	5.9	6.0	6.5	6.2	5.9	6.1	6.4	6.1
2/9/2024	12	5.9	6.0	6.9	6.2	6.0	6.1	6.4	6.1
2/9/2024	13	6.0	6.0	7.3	6.3	6.1	6.3	6.4	6.1
2/9/2024	14	6.0	6.1	7.6	6.5	6.3	6.5	6.4	6.2
2/9/2024	15	6.0	6.1	7.4	6.8	6.5	6.7	6.4	6.2
2/9/2024	16	6.1	6.1	7.0	7.2	6.8	6.9	6.4	6.2
2/9/2024	17	6.0	6.1	6.6	7.3	7.1	7.1	6.4	6.2
2/9/2024	18	6.0	6.1	6.2	7.2	7.1	7.1	6.5	6.2
2/9/2024	19	6.0	6.1	5.8	6.9	7.0	6.9	6.5	6.2
2/9/2024	20	6.0	6.0	5.6	6.6	6.7	6.6	6.5	6.2
2/9/2024	21	6.0	6.0	5.5	6.3	6.5	6.3	6.4	6.2
2/9/2024	22	6.0	6.0	5.4	5.9	6.2	5.9	6.4	6.2
2/9/2024	23	6.0	5.9	5.3	5.7	5.9	5.6	6.4	6.1
2/9/2024	24	6.0	5.9	5.3	5.5	5.7	5.4	6.3	6.1
2/10/2024	1	5.9	5.9	5.2	5.3	5.5	5.2	6.3	6.1
2/10/2024	2	5.9	5.9	5.2	5.2	5.4	5.1	6.3	5.9
2/10/2024	3	5.9	5.9	5.2	5.1	5.3	5.0	6.2	5.8
2/10/2024	4	5.9	5.8	5.1	5.1	5.2	4.9	6.2	5.8
2/10/2024	5	5.8	5.8	5.2	5.1	5.1	4.9	6.2	5.6
2/10/2024	6	5.8	5.8	5.3	5.1	5.1	4.9	6.2	5.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/10/2024	7	5.8	5.8	5.3	5.1	5.1	4.9	6.2	5.8
2/10/2024	8	5.7	5.7	5.3	5.1	5.1	4.9	6.1	5.8
2/10/2024	9	5.7	5.7	5.4	5.2	5.1	5.0	6.1	5.8
2/10/2024	10	5.7	5.7	5.7	5.4	5.2	5.3	6.1	5.8
2/10/2024	11	5.7	5.7	6.0	5.5	5.3	5.4	6.1	5.8
2/10/2024	12	5.7	5.7	6.4	5.6	5.4	5.5	6.1	5.8
2/10/2024	13	5.7	5.8	6.8	5.8	5.5	5.7	6.1	5.9
2/10/2024	14	5.7	5.8	6.9	6.1	5.8	5.9	6.1	5.9
2/10/2024	15	5.8	5.8	6.9	6.4	6.1	6.2	6.1	5.9
2/10/2024	16	5.8	5.8	6.7	6.7	6.4	6.5	6.1	5.9
2/10/2024	17	5.8	5.8	6.4	6.8	6.5	6.6	6.1	5.9
2/10/2024	18	5.8	5.8	6.1	6.8	6.6	6.6	6.1	5.9
2/10/2024	19	5.8	5.8	5.8	6.6	6.6	6.5	6.1	5.8
2/10/2024	20	5.8	5.8	5.6	6.4	6.4	6.4	6.1	5.8
2/10/2024	21	5.8	5.7	5.5	6.1	6.3	6.1	6.1	5.8
2/10/2024	22	5.7	5.7	5.4	5.9	6.1	5.9	6.1	5.8
2/10/2024	23	5.7	5.7	5.5	5.7	5.9	5.7	6.1	5.8
2/10/2024	24	5.7	5.7	5.5	5.6	5.7	5.5	6.1	5.8
2/11/2024	1	5.7	5.7	5.5	5.5	5.6	5.4	6.1	5.8
2/11/2024	2	5.7	5.7	5.5	5.5	5.5	5.4	6.0	5.8
2/11/2024	3	5.7	5.7	5.5	5.5	5.5	5.4	6.0	5.8
2/11/2024	4	5.7	5.7	5.5	5.5	5.5	5.4	6.0	5.8
2/11/2024	5	5.7	5.6	5.5	5.5	5.5	5.4	6.0	5.7
2/11/2024	6	5.6	5.6	5.6	5.5	5.5	5.4	6.0	5.7
2/11/2024	7	5.6	5.6	5.5	5.5	5.5	5.4	6.0	5.7
2/11/2024	8	5.6	5.6	5.4	5.5	5.5	5.4	6.0	5.6
2/11/2024	9	5.6	5.6	5.3	5.5	5.5	5.4	6.0	5.6
2/11/2024	10	5.6	5.6	5.4	5.5	5.5	5.4	5.9	5.7
2/11/2024	11	5.6	5.6	5.7	5.5	5.5	5.5	5.9	5.7
2/11/2024	12	5.6	5.6	5.9	5.6	5.5	5.5	5.9	5.7
2/11/2024	13	5.6	5.6	6.2	5.7	5.6	5.6	5.9	5.7
2/11/2024	14	5.6	5.6	6.2	5.8	5.7	5.7	5.9	5.7
2/11/2024	15	5.6	5.6	6.2	6.0	5.8	5.9	5.9	5.7
2/11/2024	16	5.6	5.6	6.2	6.1	5.9	6.0	5.9	5.7
2/11/2024	17	5.6	5.6	6.0	6.2	6.1	6.1	5.9	5.7
2/11/2024	18	5.6	5.6	5.9	6.2	6.1	6.1	6.0	5.7
2/11/2024	19	5.6	5.6	5.8	6.2	6.1	6.1	6.0	5.7
2/11/2024	20	5.6	5.6	5.8	6.1	6.1	6.1	6.0	5.7
2/11/2024	21	5.6	5.6	5.7	6.0	6.0	6.0	6.0	5.7
2/11/2024	22	5.6	5.6	5.7	5.9	6.0	5.9	6.0	5.7
2/11/2024	23	5.6	5.6	5.7	5.9	5.9	5.8	5.9	5.7
2/11/2024	24	5.6	5.6	5.7	5.8	5.9	5.8	5.9	5.7
2/12/2024	1	5.6	5.6	5.7	5.8	5.8	5.7	5.9	5.7
2/12/2024	2	5.6	5.6	5.7	5.8	5.8	5.7	5.9	5.7
2/12/2024	3	5.6	5.6	5.7	5.8	5.8	5.7	5.9	5.7
2/12/2024	4	5.6	5.6	5.7	5.7	5.7	5.7	5.9	5.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/12/2024	5	5.6	5.6	5.7	5.7	5.7	5.7	5.9	5.7
2/12/2024	6	5.6	5.6	5.7	5.7	5.7	5.6	5.9	5.7
2/12/2024	7	5.6	5.6	5.7	5.7	5.7	5.6	5.9	5.7
2/12/2024	8	5.6	5.6	5.7	5.7	5.7	5.6	6.0	5.7
2/12/2024	9	5.6	5.6	5.7	5.8	5.7	5.7	6.0	5.7
2/12/2024	10	5.6	5.6	5.9	5.8	5.8	5.8	6.0	5.7
2/12/2024	11	5.6	5.6	6.2	6.0	5.8	5.9	6.0	5.7
2/12/2024	12	5.6	5.6	6.6	6.2	5.9	6.2	6.0	5.8
2/12/2024	13	5.6	5.7	6.9	6.2	6.0	6.2	6.0	5.8
2/12/2024	14	5.7	5.8	7.2	6.5	6.2	6.4	6.0	5.8
2/12/2024	15	5.7	5.8	7.2	6.8	6.5	6.7	6.1	5.8
2/12/2024	16	5.7	5.8	7.1	7.1	6.7	6.9	6.1	5.9
2/12/2024	17	5.8	5.8	6.7	7.2	6.9	7.0	6.1	5.9
2/12/2024	18	5.8	5.8	6.3	7.2	7.0	7.1	6.1	5.9
2/12/2024	19	5.8	5.8	5.9	7.0	7.0	7.0	6.2	5.9
2/12/2024	20	5.8	5.8	5.7	6.7	6.8	6.8	6.2	5.9
2/12/2024	21	5.8	5.8	5.5	6.4	6.6	6.4	6.2	5.9
2/12/2024	22	5.8	5.7	5.4	6.1	6.3	6.1	6.1	5.9
2/12/2024	23	5.7	5.7	5.3	5.8	6.0	5.8	6.1	5.9
2/12/2024	24	5.7	5.7	5.2	5.6	5.8	5.5	6.1	5.8
2/13/2024	1	5.7	5.7	5.2	5.4	5.6	5.4	6.1	5.8
2/13/2024	2	5.7	5.7	5.2	5.3	5.5	5.2	6.1	5.8
2/13/2024	3	5.7	5.7	5.1	5.2	5.4	5.1	6.0	5.8
2/13/2024	4	5.7	5.6	5.1	5.1	5.3	5.0	6.0	5.8
2/13/2024	5	5.7	5.6	5.0	5.1	5.2	4.9	6.0	5.8
2/13/2024	6	5.6	5.6	5.0	5.0	5.1	4.9	6.0	5.7
2/13/2024	7	5.6	5.6	5.1	5.0	5.1	4.8	6.0	5.7
2/13/2024	8	5.6	5.6	5.1	4.9	5.0	4.8	6.0	5.7
2/13/2024	9	5.6	5.6	5.3	5.0	5.0	4.9	6.0	5.7
2/13/2024	10	5.6	5.6	5.5	5.1	5.1	5.0	6.0	5.7
2/13/2024	11	5.6	5.6	5.9	5.4	5.2	5.2	5.9	5.7
2/13/2024	12	5.6	5.6	6.2	5.5	5.3	5.4	6.0	5.7
2/13/2024	13	5.6	5.7	6.5	5.7	5.5	5.6	6.0	5.8
2/13/2024	14	5.6	5.7	6.6	6.0	5.7	5.8	6.0	5.8
2/13/2024	15	5.7	5.7	6.7	6.3	5.9	6.1	6.1	5.8
2/13/2024	16	5.7	5.7	6.6	6.5	6.2	6.3	6.1	5.9
2/13/2024	17	5.7	5.7	6.4	6.6	6.4	6.5	6.1	5.8
2/13/2024	18	5.7	5.7	6.2	6.6	6.5	6.5	6.1	5.9
2/13/2024	19	5.7	5.7	6.0	6.5	6.5	6.5	6.1	5.9
2/13/2024	20	5.7	5.7	5.8	6.4	6.4	6.4	6.1	5.8
2/13/2024	21	5.7	5.7	5.6	6.2	6.3	6.2	6.1	5.8
2/13/2024	22	5.7	5.7	5.5	6.0	6.1	6.0	6.1	5.8
2/13/2024	23	5.7	5.7	5.4	5.8	5.9	5.8	6.1	5.7
2/13/2024	24	5.7	5.7	5.3	5.6	5.8	5.5	6.1	5.7
2/14/2024	1	5.7	5.6	5.3	5.5	5.6	5.4	6.0	5.7
2/14/2024	2	5.6	5.6	5.2	5.4	5.5	5.3	6.0	5.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/14/2024	3	5.6	5.6	5.1	5.3	5.4	5.2	6.0	5.6
2/14/2024	4	5.6	5.6	5.1	5.2	5.3	5.1	5.9	5.6
2/14/2024	5	5.6	5.5	5.0	5.1	5.2	5.0	5.9	5.6
2/14/2024	6	5.6	5.5	4.9	5.0	5.1	4.9	5.9	5.6
2/14/2024	7	5.5	5.5	4.8	4.9	5.1	4.8	5.8	5.6
2/14/2024	8	5.5	5.4	4.8	4.9	5.0	4.8	5.8	5.5
2/14/2024	9	5.5	5.4	4.9	4.9	4.9	4.8	5.8	5.5
2/14/2024	10	5.4	5.4	5.0	4.9	4.9	4.8	5.8	5.5
2/14/2024	11	5.4	5.4	5.2	4.9	4.9	4.8	5.8	5.5
2/14/2024	12	5.4	5.4	5.4	5.0	4.9	4.8	5.8	5.5
2/14/2024	13	5.4	5.5	5.8	5.2	5.0	5.1	5.8	5.5
2/14/2024	14	5.4	5.5	6.1	5.3	5.1	5.2	5.8	5.5
2/14/2024	15	5.5	5.5	6.2	5.5	5.3	5.3	5.8	5.5
2/14/2024	16	5.5	5.5	6.1	5.7	5.5	5.5	5.8	5.6
2/14/2024	17	5.5	5.5	5.8	5.9	5.7	5.7	5.8	5.6
2/14/2024	18	5.5	5.5	5.6	6.0	5.8	5.8	5.8	5.6
2/14/2024	19	5.5	5.5	5.4	5.9	5.8	5.8	5.8	5.6
2/14/2024	20	5.5	5.5	5.3	5.7	5.8	5.7	5.8	5.6
2/14/2024	21	5.5	5.5	5.3	5.6	5.6	5.5	5.9	5.6
2/14/2024	22	5.5	5.5	5.3	5.4	5.5	5.4	5.9	5.6
2/14/2024	23	5.5	5.5	5.2	5.3	5.4	5.3	5.8	5.6
2/14/2024	24	5.5	5.5	5.2	5.2	5.3	5.1	5.8	5.5
2/15/2024	1	5.5	5.4	5.2	5.2	5.2	5.1	5.8	5.5
2/15/2024	2	5.5	5.4	5.1	5.1	5.2	5.0	5.8	5.5
2/15/2024	3	5.5	5.4	5.1	5.1	5.1	5.0	5.8	5.4
2/15/2024	4	5.4	5.4	5.2	5.1	5.1	4.9	5.8	5.4
2/15/2024	5	5.4	5.4	5.1	5.0	5.1	4.9	5.7	5.4
2/15/2024	6	5.4	5.4	5.1	5.0	5.0	4.8	5.7	5.5
2/15/2024	7	5.4	5.3	5.0	4.9	5.0	4.8	5.7	5.4
2/15/2024	8	5.4	5.3	5.0	4.9	4.9	4.8	5.7	5.4
2/15/2024	9	5.4	5.3	4.9	4.9	4.9	4.8	5.7	5.4
2/15/2024	10	5.3	5.3	5.0	4.9	4.9	4.8	5.6	5.3
2/15/2024	11	5.3	5.3	5.1	4.9	4.9	4.8	5.6	5.3
2/15/2024	12	5.3	5.3	5.2	4.9	4.9	4.8	5.6	5.3
2/15/2024	13	5.3	5.3	5.4	5.0	4.9	4.9	5.6	5.3
2/15/2024	14	5.3	5.3	5.6	5.1	5.0	5.0	5.6	5.4
2/15/2024	15	5.3	5.3	5.8	5.3	5.1	5.1	5.6	5.4
2/15/2024	16	5.4	5.4	5.7	5.4	5.2	5.2	5.6	5.4
2/15/2024	17	5.4	5.4	5.5	5.4	5.3	5.3	5.6	5.5
2/15/2024	18	5.4	5.4	5.2	5.5	5.4	5.3	5.6	5.5
2/15/2024	19	5.4	5.4	5.0	5.5	5.4	5.3	5.6	5.4
2/15/2024	20	5.4	5.3	4.9	5.4	5.4	5.3	5.6	5.4
2/15/2024	21	5.4	5.3	4.9	5.2	5.3	5.2	5.6	5.4
2/15/2024	22	5.3	5.3	4.8	5.0	5.1	4.9	5.6	5.4
2/15/2024	23	5.3	5.2	4.7	4.8	4.9	4.7	5.6	5.3
2/15/2024	24	5.3	5.2	4.6	4.7	4.8	4.6	5.5	5.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/16/2024	1	5.3	5.2	4.5	4.7	4.7	4.5	5.5	5.3
2/16/2024	2	5.3	5.2	4.4	4.6	4.7	4.4	5.5	5.3
2/16/2024	3	5.2	5.1	4.3	4.5	4.6	4.3	5.5	5.3
2/16/2024	4	5.2	5.1	4.3	4.4	4.5	4.2	5.4	5.2
2/16/2024	5	5.1	5.0	4.2	4.2	4.4	4.1	5.4	5.2
2/16/2024	6	5.1	5.0	4.2	4.1	4.2	4.0	5.4	5.2
2/16/2024	7	5.0	4.9	4.1	4.1	4.2	3.9	5.4	5.1
2/16/2024	8	5.0	4.9	4.1	4.0	4.1	3.9	5.4	5.1
2/16/2024	9	5.0	4.9	4.1	4.1	4.0	3.8	5.4	5.0
2/16/2024	10	5.0	4.9	4.6	4.3	4.1	4.0	5.4	5.0
2/16/2024	11	5.0	4.9	5.1	4.3	4.1	4.2	5.4	5.0
2/16/2024	12	5.0	5.0	5.7	4.4	4.1	4.3	5.4	5.0
2/16/2024	13	5.0	5.0	6.2	4.6	4.3	4.5	5.4	5.1
2/16/2024	14	5.1	5.1	6.6	5.0	4.6	4.8	5.4	5.2
2/16/2024	15	5.1	5.1	6.5	5.5	5.1	5.3	5.4	5.3
2/16/2024	16	5.2	5.1	6.1	5.9	5.5	5.7	5.4	5.3
2/16/2024	17	5.2	5.1	5.7	6.2	5.8	5.9	5.4	5.3
2/16/2024	18	5.2	5.1	5.2	6.2	5.9	6.0	5.4	5.3
2/16/2024	19	5.2	5.1	4.8	5.9	5.8	5.8	5.5	5.3
2/16/2024	20	5.2	5.1	4.6	5.6	5.6	5.5	5.5	5.3
2/16/2024	21	5.2	5.1	4.4	5.2	5.4	5.2	5.5	5.3
2/16/2024	22	5.2	5.1	4.3	4.8	5.1	4.8	5.5	5.3
2/16/2024	23	5.2	5.1	4.2	4.5	4.8	4.5	5.5	5.3
2/16/2024	24	5.2	5.1	4.2	4.3	4.5	4.2	5.4	5.2
2/17/2024	1	5.1	5.0	4.1	4.2	4.4	4.0	5.4	5.1
2/17/2024	2	5.1	5.0	4.1	4.0	4.2	3.9	5.4	5.0
2/17/2024	3	5.0	4.9	4.1	4.0	4.1	3.8	5.3	4.9
2/17/2024	4	5.0	4.9	4.0	3.9	4.0	3.7	5.3	4.8
2/17/2024	5	5.0	4.8	4.0	3.8	3.9	3.7	5.2	4.8
2/17/2024	6	4.9	4.8	4.0	3.8	3.9	3.6	5.2	4.9
2/17/2024	7	4.9	4.8	3.9	3.7	3.8	3.6	5.2	4.9
2/17/2024	8	4.8	4.7	3.9	3.7	3.8	3.6	5.2	4.8
2/17/2024	9	4.8	4.7	4.0	3.9	3.8	3.6	5.2	4.8
2/17/2024	10	4.8	4.7	4.6	4.1	3.9	3.9	5.2	4.8
2/17/2024	11	4.8	4.8	5.0	4.1	3.9	4.0	5.2	4.8
2/17/2024	12	4.8	4.8	5.6	4.3	4.0	4.1	5.2	4.8
2/17/2024	13	4.8	4.8	6.1	4.7	4.2	4.5	5.2	4.9
2/17/2024	14	4.9	4.9	6.1	4.9	4.5	4.7	5.2	5.1
2/17/2024	15	4.9	5.0	6.1	5.5	5.0	5.2	5.3	5.2
2/17/2024	16	5.0	5.1	5.9	5.8	5.4	5.6	5.3	5.2
2/17/2024	17	5.1	5.1	5.6	6.0	5.6	5.8	5.4	5.3
2/17/2024	18	5.1	5.1	5.3	6.0	5.7	5.9	5.4	5.3
2/17/2024	19	5.1	5.1	5.2	5.8	5.7	5.8	5.5	5.3
2/17/2024	20	5.1	5.1	5.1	5.6	5.6	5.6	5.6	5.3
2/17/2024	21	5.1	5.1	5.0	5.4	5.5	5.4	5.6	5.4
2/17/2024	22	5.2	5.2	5.0	5.2	5.3	5.2	5.6	5.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/17/2024	23	5.2	5.2	5.0	5.1	5.2	5.1	5.6	5.4
2/17/2024	24	5.2	5.2	5.0	5.1	5.1	5.0	5.6	5.4
2/18/2024	1	5.2	5.2	5.0	5.0	5.1	4.9	5.6	5.4
2/18/2024	2	5.2	5.2	5.1	5.0	5.0	4.9	5.6	5.3
2/18/2024	3	5.2	5.2	5.1	5.0	5.0	4.9	5.6	5.3
2/18/2024	4	5.2	5.2	5.1	5.0	5.0	4.9	5.6	5.4
2/18/2024	5	5.2	5.2	5.1	5.0	5.0	4.9	5.6	5.3
2/18/2024	6	5.2	5.2	5.1	5.0	5.0	4.9	5.6	5.3
2/18/2024	7	5.2	5.2	5.1	5.0	5.0	4.9	5.6	5.3
2/18/2024	8	5.2	5.2	5.1	5.0	5.0	4.9	5.6	5.3
2/18/2024	9	5.2	5.2	5.2	5.1	5.0	4.9	5.6	5.3
2/18/2024	10	5.2	5.2	5.4	5.1	5.0	5.1	5.6	5.3
2/18/2024	11	5.2	5.3	5.6	5.3	5.1	5.2	5.6	5.4
2/18/2024	12	5.2	5.3	5.8	5.4	5.2	5.3	5.6	5.4
2/18/2024	13	5.3	5.3	6.2	5.6	5.4	5.5	5.6	5.4
2/18/2024	14	5.3	5.3	6.2	5.8	5.5	5.6	5.6	5.4
2/18/2024	15	5.3	5.4	6.5	6.0	5.7	6.1	5.7	5.6
2/18/2024	16	5.3	5.4	6.4	6.2	5.9	6.0	5.7	5.5
2/18/2024	17	5.4	5.4	6.2	6.3	6.1	6.1	5.7	5.5
2/18/2024	18	5.4	5.3	5.9	6.4	6.2	6.2	5.7	5.4
2/18/2024	19	5.3	5.3	5.6	6.3	6.2	6.2	5.7	5.4
2/18/2024	20	5.3	5.3	5.4	6.2	6.1	6.1	5.7	5.4
2/18/2024	21	5.3	5.3	5.3	6.0	6.0	6.0	5.7	5.4
2/18/2024	22	5.3	5.3	5.3	5.8	5.9	5.8	5.7	5.4
2/18/2024	23	5.3	5.3	5.3	5.6	5.7	5.6	5.6	5.4
2/18/2024	24	5.3	5.3	5.2	5.4	5.6	5.4	5.6	5.3
2/19/2024	1	5.3	5.3	5.2	5.4	5.5	5.3	5.6	5.3
2/19/2024	2	5.3	5.2	5.2	5.3	5.4	5.3	5.6	5.4
2/19/2024	3	5.3	5.2	5.2	5.3	5.3	5.2	5.6	5.3
2/19/2024	4	5.3	5.2	5.2	5.3	5.3	5.2	5.6	5.3
2/19/2024	5	5.2	5.2	5.2	5.2	5.3	5.2	5.6	5.3
2/19/2024	6	5.2	5.2	5.3	5.2	5.3	5.2	5.6	5.3
2/19/2024	7	5.2	5.2	5.3	5.3	5.3	5.2	5.6	5.3
2/19/2024	8	5.2	5.2	5.2	5.3	5.3	5.2	5.6	5.3
2/19/2024	9	5.2	5.2	5.3	5.3	5.3	5.2	5.6	5.3
2/19/2024	10	5.2	5.2	5.3	5.3	5.3	5.2	5.6	5.3
2/19/2024	11	5.2	5.2	5.4	5.3	5.3	5.3	5.6	5.3
2/19/2024	12	5.2	5.2	5.5	5.4	5.3	5.3	5.6	5.3
2/19/2024	13	5.2	5.2	5.6	5.5	5.4	5.4	5.5	5.3
2/19/2024	14	5.2	5.3	5.7	5.5	5.4	5.5	5.6	5.3
2/19/2024	15	5.3	5.3	5.7	5.6	5.5	5.5	5.6	5.4
2/19/2024	16	5.3	5.3	5.7	5.7	5.6	5.6	5.6	5.4
2/19/2024	17	5.3	5.3	5.7	5.8	5.7	5.7	5.6	5.4
2/19/2024	18	5.3	5.3	5.6	5.8	5.7	5.7	5.6	5.4
2/19/2024	19	5.3	5.3	5.5	5.8	5.7	5.7	5.6	5.4
2/19/2024	20	5.3	5.3	5.5	5.7	5.7	5.7	5.6	5.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/19/2024	21	5.3	5.3	5.4	5.7	5.7	5.6	5.6	5.4
2/19/2024	22	5.3	5.3	5.4	5.6	5.6	5.6	5.6	5.4
2/19/2024	23	5.3	5.3	5.4	5.6	5.6	5.5	5.6	5.4
2/19/2024	24	5.3	5.3	5.4	5.5	5.6	5.5	5.6	5.2
2/20/2024	1	5.3	5.3	5.4	5.5	5.5	5.5	5.6	5.2
2/20/2024	2	5.3	5.3	5.4	5.5	5.5	5.4	5.6	5.4
2/20/2024	3	5.3	5.3	5.4	5.5	5.5	5.4	5.6	5.4
2/20/2024	4	5.3	5.3	5.4	5.5	5.5	5.4	5.6	5.4
2/20/2024	5	5.3	5.3	5.4	5.5	5.5	5.4	5.6	5.4
2/20/2024	6	5.3	5.3	5.4	5.5	5.5	5.4	5.6	5.4
2/20/2024	7	5.3	5.3	5.4	5.5	5.5	5.5	5.6	5.4
2/20/2024	8	5.3	5.3	5.5	5.5	5.5	5.5	5.7	5.4
2/20/2024	9	5.3	5.3	5.6	5.6	5.5	5.6	5.7	5.4
2/20/2024	10	5.3	5.3	5.7	5.7	5.6	5.6	5.7	5.4
2/20/2024	11	5.3	5.4	6.0	5.8	5.7	5.8	5.7	5.5
2/20/2024	12	5.3	5.4	6.3	5.9	5.8	5.9	5.8	5.5
2/20/2024	13	5.4	5.5	6.6	6.2	5.9	6.1	5.8	5.5
2/20/2024	14	5.4	5.5	6.8	6.4	6.1	6.4	5.8	5.6
2/20/2024	15	5.5	5.6	6.8	6.6	6.3	6.5	5.8	5.6
2/20/2024	16	5.5	5.6	6.7	6.8	6.5	6.7	5.8	5.6
2/20/2024	17	5.5	5.6	6.5	6.9	6.7	6.8	5.9	5.6
2/20/2024	18	5.5	5.6	6.3	6.9	6.8	6.9	5.9	5.6
2/20/2024	19	5.5	5.6	6.1	6.9	6.8	6.9	5.9	5.7
2/20/2024	20	5.5	5.6	6.0	6.7	6.7	6.7	5.9	5.7
2/20/2024	21	5.6	5.6	5.9	6.5	6.6	6.6	6.0	5.7
2/20/2024	22	5.6	5.6	5.9	6.4	6.5	6.4	6.0	5.7
2/20/2024	23	5.6	5.6	5.9	6.2	6.3	6.3	6.0	5.7
2/20/2024	24	5.6	5.6	5.9	6.2	6.2	6.2	6.0	5.7
2/21/2024	1	5.6	5.6	5.9	6.1	6.2	6.1	5.9	5.7
2/21/2024	2	5.6	5.6	5.8	6.1	6.1	6.0	5.9	5.7
2/21/2024	3	5.6	5.6	5.8	6.0	6.1	6.0	5.9	5.7
2/21/2024	4	5.6	5.6	5.8	6.0	6.1	6.0	5.9	5.7
2/21/2024	5	5.6	5.6	5.8	6.0	6.0	5.9	5.9	5.7
2/21/2024	6	5.6	5.6	5.8	6.0	6.0	5.9	5.9	5.7
2/21/2024	7	5.6	5.6	5.8	6.0	6.0	5.9	6.0	5.7
2/21/2024	8	5.6	5.6	5.8	6.0	6.0	5.9	6.0	5.7
2/21/2024	9	5.6	5.6	5.9	6.1	6.0	6.0	6.0	5.7
2/21/2024	10	5.6	5.6	6.1	6.1	6.0	6.1	6.0	5.7
2/21/2024	11	5.6	5.7	6.3	6.2	6.1	6.2	6.0	5.7
2/21/2024	12	5.6	5.7	6.5	6.3	6.2	6.2	6.0	5.7
2/21/2024	13	5.6	5.8	6.7	6.4	6.3	6.4	6.0	5.8
2/21/2024	14	5.6	5.8	7.0	6.7	6.4	6.6	6.1	5.8
2/21/2024	15	5.7	5.8	7.1	6.8	6.6	6.8	6.1	5.8
2/21/2024	16	5.7	5.8	7.0	7.0	6.8	6.9	6.1	5.9
2/21/2024	17	5.7	5.8	6.8	7.1	6.9	7.0	6.1	5.9
2/21/2024	18	5.7	5.8	6.6	7.2	7.0	7.1	6.1	5.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/21/2024	19	5.7	5.8	6.4	7.1	7.0	7.1	6.1	5.9
2/21/2024	20	5.7	5.8	6.2	7.0	7.0	7.0	6.1	5.9
2/21/2024	21	5.7	5.8	6.1	6.8	6.9	6.8	6.1	5.9
2/21/2024	22	5.7	5.8	6.1	6.6	6.7	6.6	6.1	5.9
2/21/2024	23	5.7	5.8	6.0	6.4	6.6	6.5	6.1	5.9
2/21/2024	24	5.7	5.8	6.1	6.3	6.4	6.3	6.1	5.9
2/22/2024	1	5.7	5.8	6.0	6.3	6.4	6.2	6.1	5.9
2/22/2024	2	5.7	5.8	6.0	6.2	6.3	6.2	6.1	5.9
2/22/2024	3	5.7	5.8	5.9	6.2	6.2	6.1	6.1	5.9
2/22/2024	4	5.7	5.8	5.9	6.2	6.2	6.1	6.1	5.8
2/22/2024	5	5.7	5.8	5.9	6.1	6.2	6.1	6.1	5.8
2/22/2024	6	5.7	5.8	5.9	6.1	6.1	6.0	6.1	5.8
2/22/2024	7	5.7	5.8	5.9	6.1	6.1	6.0	6.1	5.8
2/22/2024	8	5.7	5.8	5.9	6.1	6.1	6.0	6.2	5.8
2/22/2024	9	5.7	5.8	6.1	6.1	6.1	6.1	6.2	5.8
2/22/2024	10	5.7	5.8	6.4	6.2	6.1	6.1	6.2	5.8
2/22/2024	11	5.7	5.9	6.8	6.3	6.2	6.3	6.2	5.9
2/22/2024	12	5.8	5.9	7.6	6.7	6.4	6.7	6.2	5.9
2/22/2024	13	5.8	5.9	8.3	6.9	6.5	6.9	6.3	6.0
2/22/2024	14	5.9	6.0	8.6	7.2	6.8	7.2	6.3	6.1
2/22/2024	15	6.0	6.1	8.5	7.6	7.2	7.6	6.3	6.1
2/22/2024	16	6.0	6.1	8.0	8.2	7.7	8.0	6.4	6.2
2/22/2024	17	6.0	6.2	7.5	8.5	8.1	8.3	6.4	6.3
2/22/2024	18	6.1	6.2	7.1	8.4	8.2	8.4	6.4	6.3
2/22/2024	19	6.1	6.2	6.6	8.1	8.1	8.2	6.5	6.3
2/22/2024	20	6.1	6.2	6.3	7.7	7.8	7.8	6.5	6.3
2/22/2024	21	6.1	6.2	6.0	7.3	7.5	7.4	6.5	6.3
2/22/2024	22	6.1	6.2	5.9	6.9	7.2	7.0	6.5	6.2
2/22/2024	23	6.1	6.1	5.8	6.5	6.8	6.6	6.5	6.2
2/22/2024	24	6.1	6.1	5.7	6.2	6.5	6.2	6.5	6.2
2/23/2024	1	6.0	6.1	5.6	6.0	6.3	6.0	6.4	6.2
2/23/2024	2	6.0	6.1	5.6	5.8	6.1	5.8	6.4	6.2
2/23/2024	3	6.0	6.0	5.5	5.7	5.9	5.6	6.4	6.1
2/23/2024	4	6.0	6.0	5.4	5.6	5.8	5.5	6.3	6.0
2/23/2024	5	5.9	5.9	5.4	5.5	5.7	5.4	6.3	6.0
2/23/2024	6	5.9	5.9	5.3	5.4	5.6	5.3	6.3	6.0
2/23/2024	7	5.9	5.9	5.3	5.4	5.5	5.2	6.3	6.0
2/23/2024	8	5.9	5.8	5.3	5.3	5.4	5.2	6.3	6.0
2/23/2024	9	5.8	5.8	5.5	5.5	5.4	5.3	6.3	5.9
2/23/2024	10	5.8	5.9	6.0	5.6	5.4	5.5	6.3	5.9
2/23/2024	11	5.8	5.9	6.6	5.7	5.5	5.6	6.3	6.0
2/23/2024	12	5.9	6.0	7.4	5.9	5.6	5.8	6.4	6.1
2/23/2024	13	5.9	6.1	8.0	6.3	5.9	6.2	6.4	6.1
2/23/2024	14	6.0	6.1	8.4	6.8	6.3	6.7	6.4	6.2
2/23/2024	15	6.1	6.2	8.4	7.4	6.9	7.3	6.4	6.3
2/23/2024	16	6.1	6.2	8.0	8.0	7.4	7.7	6.5	6.4



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/23/2024	17	6.1	6.3	7.5	8.3	7.8	8.1	6.5	6.4
2/23/2024	18	6.2	6.3	7.1	8.3	7.9	8.2	6.5	6.4
2/23/2024	19	6.2	6.3	6.6	8.0	7.9	8.0	6.6	6.4
2/23/2024	20	6.2	6.3	6.4	7.6	7.7	7.7	6.6	6.4
2/23/2024	21	6.2	6.3	6.3	7.3	7.4	7.4	6.6	6.4
2/23/2024	22	6.2	6.3	6.2	6.9	7.2	7.0	6.6	6.4
2/23/2024	23	6.2	6.3	6.2	6.7	6.9	6.7	6.6	6.4
2/23/2024	24	6.2	6.3	6.2	6.5	6.7	6.5	6.6	6.4
2/24/2024	1	6.2	6.3	6.2	6.4	6.6	6.4	6.6	6.3
2/24/2024	2	6.2	6.3	6.2	6.4	6.5	6.3	6.6	6.3
2/24/2024	3	6.1	6.2	6.2	6.3	6.4	6.3	6.6	6.3
2/24/2024	4	6.1	6.2	6.1	6.3	6.4	6.2	6.6	6.3
2/24/2024	5	6.1	6.2	6.1	6.3	6.3	6.2	6.6	6.3
2/24/2024	6	6.1	6.1	6.0	6.3	6.3	6.2	6.5	6.2
2/24/2024	7	6.1	6.1	5.9	6.2	6.3	6.1	6.5	6.2
2/24/2024	8	6.0	6.1	5.9	6.2	6.2	6.1	6.5	6.2
2/24/2024	9	6.0	6.1	6.1	6.2	6.2	6.1	6.5	6.2
2/24/2024	10	6.0	6.1	6.3	6.2	6.2	6.2	6.5	6.2
2/24/2024	11	6.0	6.1	6.5	6.3	6.2	6.2	6.5	6.2
2/24/2024	12	6.0	6.1	6.6	6.4	6.3	6.3	6.5	6.2
2/24/2024	13	6.0	6.1	6.6	6.5	6.4	6.4	6.5	6.2
2/24/2024	14	6.0	6.1	6.6	6.6	6.5	6.5	6.5	6.2
2/24/2024	15	6.0	6.2	7.0	6.8	6.6	6.9	6.5	6.2
2/24/2024	16	6.0	6.1	7.1	6.9	6.7	6.9	6.5	6.2
2/24/2024	17	6.0	6.1	7.1	7.0	6.8	6.9	6.5	6.1
2/24/2024	18	6.0	6.1	6.9	7.1	6.9	6.9	6.4	6.1
2/24/2024	19	6.0	6.1	6.6	7.1	7.0	7.0	6.4	6.2
2/24/2024	20	6.0	6.1	6.3	7.0	7.0	6.9	6.5	6.2
2/24/2024	21	6.0	6.1	6.1	6.9	6.9	6.9	6.5	6.2
2/24/2024	22	6.0	6.1	6.1	6.7	6.8	6.7	6.5	6.2
2/24/2024	23	6.0	6.1	6.0	6.5	6.7	6.6	6.5	6.2
2/24/2024	24	6.0	6.1	6.1	6.4	6.5	6.4	6.5	6.2
2/25/2024	1	6.0	6.1	6.2	6.3	6.4	6.3	6.5	6.2
2/25/2024	2	6.0	6.1	6.2	6.3	6.3	6.2	6.5	6.1
2/25/2024	3	6.0	6.1	6.2	6.3	6.3	6.2	6.5	6.2
2/25/2024	4	6.0	6.1	6.3	6.3	6.3	6.2	6.5	6.2
2/25/2024	5	6.1	6.2	6.3	6.4	6.3	6.3	6.5	6.2
2/25/2024	6	6.1	6.2	6.3	6.4	6.4	6.3	6.5	6.2
2/25/2024	7	6.1	6.2	6.3	6.4	6.4	6.3	6.6	6.2
2/25/2024	8	6.1	6.2	6.3	6.4	6.4	6.4	6.6	6.3
2/25/2024	9	6.1	6.2	6.4	6.5	6.4	6.4	6.6	6.2
2/25/2024	10	6.1	6.2	6.7	6.6	6.5	6.5	6.7	6.2
2/25/2024	11	6.1	6.4	7.6	6.8	6.6	7.0	6.7	6.3
2/25/2024	12	6.2	6.4	8.0	6.8	6.7	7.0	6.7	6.4
2/25/2024	13	6.2	6.5	8.6	7.3	7.0	7.4	6.8	6.5
2/25/2024	14	6.3	6.5	8.7	7.8	7.4	7.8	6.8	6.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/25/2024	15	6.4	6.6	8.6	8.3	7.8	8.2	6.9	6.6
2/25/2024	16	6.5	6.6	8.3	8.7	8.2	8.5	6.9	6.6
2/25/2024	17	6.5	6.6	7.9	8.8	8.5	8.7	7.0	6.7
2/25/2024	18	6.5	6.7	7.5	8.7	8.5	8.7	7.0	6.7
2/25/2024	19	6.6	6.7	7.1	8.4	8.4	8.4	7.1	6.8
2/25/2024	20	6.7	6.8	6.8	8.0	8.2	8.1	7.2	6.9
2/25/2024	21	6.7	6.8	6.5	7.6	7.9	7.7	7.2	6.9
2/25/2024	22	6.7	6.8	6.3	7.2	7.5	7.3	7.2	6.9
2/25/2024	23	6.7	6.8	6.2	6.9	7.2	6.9	7.1	6.9
2/25/2024	24	6.7	6.7	6.1	6.6	6.9	6.5	7.0	6.9
2/26/2024	1	6.6	6.6	5.9	6.3	6.6	6.2	6.9	6.6
2/26/2024	2	6.5	6.5	5.7	6.0	6.3	5.9	6.8	6.5
2/26/2024	3	6.4	6.4	5.7	5.9	6.1	5.7	6.7	6.4
2/26/2024	4	6.3	6.4	5.6	5.7	5.9	5.6	6.7	6.4
2/26/2024	5	6.3	6.3	5.5	5.6	5.8	5.5	6.6	6.3
2/26/2024	6	6.2	6.2	5.5	5.5	5.7	5.4	6.5	6.3
2/26/2024	7	6.1	6.1	5.5	5.4	5.6	5.3	6.5	6.1
2/26/2024	8	6.0	6.0	5.5	5.4	5.5	5.2	6.5	5.9
2/26/2024	9	5.9	5.9	5.8	5.5	5.5	5.3	6.4	6.0
2/26/2024	10	5.9	5.9	6.2	5.6	5.5	5.5	6.4	6.0
2/26/2024	11	5.9	6.0	6.7	5.7	5.6	5.7	6.4	6.1
2/26/2024	12	6.0	6.1	7.3	5.9	5.7	5.9	6.4	6.2
2/26/2024	13	6.1	6.2	7.6	6.2	5.9	6.0	6.4	6.2
2/26/2024	14	6.1	6.2	7.9	6.7	6.3	6.6	6.4	6.3
2/26/2024	15	6.2	6.2	7.7	7.1	6.7	6.8	6.4	6.3
2/26/2024	16	6.2	6.2	7.3	7.4	7.0	7.1	6.4	6.4
2/26/2024	17	6.2	6.2	6.8	7.5	7.2	7.3	6.5	6.4
2/26/2024	18	6.2	6.2	6.3	7.4	7.3	7.2	6.5	6.4
2/26/2024	19	6.2	6.2	5.9	7.1	7.1	7.0	6.5	6.3
2/26/2024	20	6.1	6.1	5.6	6.7	6.9	6.7	6.5	6.3
2/26/2024	21	6.1	6.1	5.4	6.3	6.5	6.3	6.5	6.2
2/26/2024	22	6.0	6.0	5.4	5.9	6.2	5.9	6.4	6.1
2/26/2024	23	6.0	6.0	5.3	5.6	5.9	5.6	6.4	6.1
2/26/2024	24	6.0	5.9	5.2	5.4	5.6	5.3	6.3	6.1
2/27/2024	1	5.9	5.9	5.1	5.3	5.5	5.1	6.3	6.0
2/27/2024	2	5.9	5.8	5.1	5.1	5.3	5.0	6.2	5.9
2/27/2024	3	5.9	5.8	5.0	5.1	5.2	4.9	6.2	5.9
2/27/2024	4	5.8	5.8	4.9	5.0	5.1	4.8	6.1	5.9
2/27/2024	5	5.8	5.7	4.9	4.9	5.0	4.8	6.1	5.8
2/27/2024	6	5.7	5.7	4.9	4.8	4.9	4.7	6.1	5.8
2/27/2024	7	5.7	5.6	4.8	4.8	4.9	4.6	6.0	5.7
2/27/2024	8	5.6	5.6	4.8	4.8	4.8	4.6	6.0	5.6
2/27/2024	9	5.6	5.5	5.1	4.9	4.8	4.7	6.0	5.6
2/27/2024	10	5.6	5.5	5.4	4.8	4.8	4.7	6.0	5.6
2/27/2024	11	5.6	5.6	5.9	5.1	4.9	5.0	5.9	5.7
2/27/2024	12	5.6	5.6	6.1	5.0	4.9	4.9	5.9	5.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/27/2024	13	5.7	5.7	6.6	5.4	5.1	5.3	6.0	5.8
2/27/2024	14	5.7	5.8	7.0	5.9	5.5	5.8	6.0	5.9
2/27/2024	15	5.8	5.8	7.1	6.1	5.8	6.1	6.1	6.0
2/27/2024	16	5.9	5.9	6.9	6.5	6.1	6.3	6.1	6.0
2/27/2024	17	5.9	5.9	6.7	6.8	6.4	6.6	6.2	6.0
2/27/2024	18	5.9	5.9	6.4	6.8	6.6	6.7	6.2	6.0
2/27/2024	19	5.9	5.9	6.0	6.8	6.6	6.6	6.3	6.0
2/27/2024	20	5.9	5.9	5.8	6.6	6.6	6.5	6.3	6.0
2/27/2024	21	5.9	5.9	5.7	6.4	6.4	6.4	6.3	5.9
2/27/2024	22	5.9	5.9	5.6	6.1	6.2	6.1	6.2	5.9
2/27/2024	23	5.9	5.8	5.6	5.9	6.0	5.9	6.2	6.0
2/27/2024	24	5.9	5.8	5.7	5.7	5.8	5.7	6.2	5.9
2/28/2024	1	5.8	5.8	5.7	5.7	5.7	5.6	6.2	5.9
2/28/2024	2	5.8	5.8	5.6	5.6	5.7	5.5	6.2	5.9
2/28/2024	3	5.8	5.8	5.6	5.6	5.7	5.5	6.1	5.9
2/28/2024	4	5.8	5.8	5.6	5.6	5.7	5.5	6.1	5.8
2/28/2024	5	5.8	5.8	5.6	5.6	5.6	5.5	6.1	5.8
2/28/2024	6	5.7	5.7	5.5	5.6	5.6	5.5	6.1	5.8
2/28/2024	7	5.7	5.7	5.5	5.5	5.6	5.4	6.1	5.7
2/28/2024	8	5.6	5.7	5.5	5.5	5.5	5.4	6.1	5.7
2/28/2024	9	5.6	5.7	5.7	5.6	5.6	5.5	6.1	5.7
2/28/2024	10	5.6	5.7	6.1	5.7	5.6	5.6	6.0	5.7
2/28/2024	11	5.6	5.7	6.4	5.8	5.7	5.7	6.0	5.7
2/28/2024	12	5.7	5.8	6.8	6.1	5.8	6.1	6.1	5.8
2/28/2024	13	5.7	5.9	7.2	6.3	6.0	6.2	6.1	5.9
2/28/2024	14	5.8	6.0	7.4	6.7	6.3	6.5	6.2	5.9
2/28/2024	15	5.9	6.0	7.5	7.0	6.6	6.9	6.3	6.1
2/28/2024	16	5.9	6.1	7.3	7.3	6.9	7.2	6.3	6.1
2/28/2024	17	6.0	6.1	7.0	7.5	7.2	7.4	6.3	6.1
2/28/2024	18	6.0	6.1	6.7	7.6	7.3	7.5	6.4	6.2
2/28/2024	19	6.0	6.1	6.5	7.5	7.3	7.5	6.4	6.2
2/28/2024	20	6.0	6.1	6.3	7.3	7.3	7.3	6.4	6.2
2/28/2024	21	6.0	6.1	6.3	7.0	7.1	7.1	6.5	6.2
2/28/2024	22	6.0	6.1	6.2	6.8	7.0	6.9	6.5	6.2
2/28/2024	23	6.0	6.1	6.3	6.7	6.8	6.7	6.5	6.2
2/28/2024	24	6.0	6.1	6.3	6.6	6.7	6.6	6.5	6.2
2/29/2024	1	6.0	6.1	6.4	6.5	6.6	6.5	6.4	6.2
2/29/2024	2	6.0	6.1	6.4	6.5	6.6	6.5	6.4	6.2
2/29/2024	3	6.0	6.1	6.4	6.6	6.6	6.5	6.4	6.1
2/29/2024	4	6.0	6.1	6.4	6.6	6.6	6.5	6.4	6.1
2/29/2024	5	6.0	6.0	6.4	6.6	6.6	6.5	6.4	6.1
2/29/2024	6	6.0	6.0	6.3	6.6	6.6	6.5	6.4	6.1
2/29/2024	7	6.0	6.0	6.1	6.5	6.5	6.4	6.4	6.1
2/29/2024	8	5.9	6.0	6.1	6.5	6.5	6.4	6.4	6.1
2/29/2024	9	5.9	6.0	6.2	6.4	6.4	6.4	6.4	6.1
2/29/2024	10	5.9	6.0	6.2	6.4	6.4	6.3	6.4	6.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/29/2024	11	5.9	6.0	6.3	6.3	6.3	6.3	6.4	6.0
2/29/2024	12	5.9	6.0	6.5	6.4	6.4	6.4	6.4	6.1
2/29/2024	13	5.9	6.1	6.8	6.5	6.4	6.6	6.3	6.1
2/29/2024	14	6.0	6.1	7.2	6.7	6.6	6.8	6.3	6.1
2/29/2024	15	6.0	6.1	7.1	6.7	6.6	6.6	6.3	6.1
2/29/2024	16	6.0	6.1	7.0	7.0	6.8	6.9	6.3	6.1
2/29/2024	17	6.0	6.1	6.8	7.1	6.9	7.0	6.3	6.1
2/29/2024	18	6.0	6.0	6.4	7.1	7.0	7.0	6.3	6.1
2/29/2024	19	6.0	6.0	6.1	7.0	6.9	6.9	6.3	6.1
2/29/2024	20	6.0	6.0	5.8	6.7	6.8	6.7	6.3	6.1
2/29/2024	21	6.0	6.0	5.6	6.5	6.6	6.4	6.3	6.1
2/29/2024	22	6.0	5.9	5.5	6.2	6.4	6.2	6.3	6.1
2/29/2024	23	5.9	5.9	5.4	5.9	6.2	5.9	6.3	6.1
2/29/2024	24	5.9	5.9	5.4	5.7	5.9	5.7	6.3	6.1
3/1/2024	1	5.9	5.9	5.3	5.6	5.7	5.5	6.3	6.0
3/1/2024	2	5.9	5.9	5.3	5.4	5.6	5.4	6.2	6.0
3/1/2024	3	5.9	5.8	5.3	5.4	5.5	5.3	6.2	6.0
3/1/2024	4	5.9	5.8	5.3	5.3	5.4	5.2	6.2	5.9
3/1/2024	5	5.8	5.8	5.3	5.3	5.4	5.1	6.2	5.9
3/1/2024	6	5.8	5.8	5.2	5.2	5.3	5.1	6.2	5.9
3/1/2024	7	5.8	5.7	5.2	5.2	5.3	5.1	6.2	5.9
3/1/2024	8	5.7	5.7	5.2	5.2	5.3	5.1	6.2	5.8
3/1/2024	9	5.7	5.7	5.5	5.4	5.3	5.2	6.2	5.8
3/1/2024	10	5.7	5.7	6.1	5.6	5.4	5.5	6.2	5.8
3/1/2024	11	5.7	5.8	6.7	5.6	5.4	5.6	6.2	5.8
3/1/2024	12	5.8	5.9	7.1	5.7	5.5	5.8	6.2	5.9
3/1/2024	13	5.9	5.9	7.0	6.1	5.7	5.8	6.2	5.9
3/1/2024	14	5.9	5.9	6.8	6.6	6.1	6.2	6.2	5.9
3/1/2024	15	5.9	5.9	6.5	6.9	6.5	6.6	6.2	5.9
3/1/2024	16	5.9	5.9	6.3	6.9	6.7	6.8	6.2	6.0
3/1/2024	17	5.9	5.9	6.1	6.8	6.7	6.8	6.2	6.0
3/1/2024	18	5.9	5.9	6.0	6.6	6.6	6.6	6.2	6.0
3/1/2024	19	5.9	5.8	5.8	6.4	6.4	6.4	6.2	6.0
3/1/2024	20	5.9	5.8	5.8	6.2	6.3	6.2	6.2	5.9
3/1/2024	21	5.8	5.8	5.7	6.1	6.2	6.0	6.2	5.9
3/1/2024	22	5.8	5.8	5.6	5.9	6.0	5.9	6.1	5.9
3/1/2024	23	5.8	5.8	5.6	5.9	5.9	5.8	6.1	5.8
3/1/2024	24	5.8	5.8	5.6	5.8	5.9	5.7	6.1	5.8
3/2/2024	1	5.8	5.8	5.6	5.7	5.8	5.6	6.1	5.6
3/2/2024	2	5.7	5.8	5.6	5.7	5.7	5.6	6.1	5.6
3/2/2024	3	5.7	5.8	5.6	5.6	5.7	5.6	6.1	5.7
3/2/2024	4	5.7	5.7	5.6	5.6	5.7	5.5	6.1	5.7
3/2/2024	5	5.7	5.7	5.6	5.6	5.6	5.5	6.1	5.6
3/2/2024	6	5.7	5.7	5.5	5.6	5.6	5.5	6.0	5.6
3/2/2024	7	5.7	5.7	5.5	5.6	5.6	5.5	6.1	5.7
3/2/2024	8	5.7	5.7	5.5	5.6	5.6	5.5	6.1	5.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/2/2024	9	5.7	5.7	5.6	5.6	5.6	5.5	6.1	5.8
3/2/2024	10	5.7	5.7	5.9	5.7	5.6	5.6	6.1	5.8
3/2/2024	11	5.7	5.8	6.4	5.9	5.7	5.9	6.1	5.8
3/2/2024	12	5.7	5.8	6.7	6.1	5.8	6.1	6.2	5.9
3/2/2024	13	5.8	5.9	7.1	6.3	6.0	6.2	6.2	5.9
3/2/2024	14	5.9	5.9	7.3	6.7	6.3	6.5	6.2	6.0
3/2/2024	15	5.9	6.0	7.4	6.9	6.6	6.8	6.2	6.1
3/2/2024	16	5.9	6.0	7.2	7.0	6.7	6.9	6.2	6.1
3/2/2024	17	6.0	6.0	6.8	7.1	6.9	6.9	6.2	6.1
3/2/2024	18	6.0	5.9	6.3	7.1	7.0	7.0	6.2	6.1
3/2/2024	19	5.9	5.9	5.9	7.0	6.9	6.9	6.2	6.1
3/2/2024	20	5.9	5.9	5.5	6.6	6.8	6.6	6.2	6.0
3/2/2024	21	5.9	5.9	5.3	6.3	6.5	6.3	6.2	6.0
3/2/2024	22	5.9	5.8	5.2	5.9	6.2	5.9	6.2	5.9
3/2/2024	23	5.9	5.8	5.1	5.6	5.9	5.5	6.1	5.9
3/2/2024	24	5.8	5.8	5.1	5.3	5.6	5.3	6.1	5.9
3/3/2024	1	5.8	5.7	5.0	5.2	5.4	5.1	6.1	5.9
3/3/2024	2	5.7	5.7	4.9	5.0	5.2	4.9	6.0	5.8
3/3/2024	3	5.7	5.6	4.8	4.9	5.1	4.8	6.0	5.7
3/3/2024	4	5.7	5.6	4.8	4.8	5.0	4.7	5.9	5.6
3/3/2024	5	5.6	5.5	4.7	4.8	4.9	4.6	5.9	5.5
3/3/2024	6	5.6	5.5	4.7	4.7	4.8	4.5	5.9	4.6
3/3/2024	7	5.5	5.5	4.6	4.6	4.7	4.5	5.9	5.3
3/3/2024	8	5.5	5.5	4.6	4.6	4.6	4.4	5.9	5.3
3/3/2024	9	5.5	5.5	4.9	4.7	4.6	4.6	5.9	5.3
3/3/2024	10	5.5	5.5	5.5	5.0	4.7	4.8	5.9	5.4
3/3/2024	11	5.5	5.5	6.1	5.1	4.8	4.9	5.9	5.5
3/3/2024	12	5.5	5.6	6.8	5.3	4.9	5.2	6.0	5.6
3/3/2024	13	5.6	5.7	7.2	5.6	5.2	5.4	6.0	5.7
3/3/2024	14	5.6	5.7	7.5	6.2	5.7	5.9	6.0	5.8
3/3/2024	15	5.7	5.7	7.4	6.8	6.2	6.5	6.0	6.2
3/3/2024	16	5.7	5.8	7.0	7.1	6.6	6.9	6.0	6.0
3/3/2024	17	5.7	5.8	6.7	7.3	6.8	7.1	6.0	5.8
3/3/2024	18	5.7	5.7	6.3	7.2	7.0	7.1	6.0	5.8
3/3/2024	19	5.7	5.7	6.0	7.0	6.9	7.0	6.0	5.8
3/3/2024	20	5.7	5.7	5.8	6.7	6.8	6.7	6.1	5.8
3/3/2024	21	5.7	5.7	5.6	6.4	6.6	6.5	6.1	5.8
3/3/2024	22	5.7	5.7	5.5	6.1	6.3	6.2	6.1	5.8
3/3/2024	23	5.7	5.7	5.4	5.9	6.1	5.9	6.0	5.8
3/3/2024	24	5.7	5.7	5.3	5.7	5.9	5.6	6.0	5.7
3/4/2024	1	5.7	5.6	5.2	5.5	5.7	5.4	6.0	5.7
3/4/2024	2	5.7	5.6	5.1	5.4	5.6	5.3	6.0	5.7
3/4/2024	3	5.6	5.6	5.0	5.2	5.4	5.2	5.9	5.7
3/4/2024	4	5.6	5.6	4.9	5.1	5.3	5.0	5.9	5.6
3/4/2024	5	5.6	5.5	4.8	5.0	5.2	4.9	5.9	5.6
3/4/2024	6	5.6	5.5	4.8	4.9	5.0	4.8	5.9	5.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/4/2024	7	5.5	5.5	4.8	4.8	4.9	4.7	5.9	5.6
3/4/2024	8	5.5	5.5	4.9	4.8	4.8	4.7	5.9	5.6
3/4/2024	9	5.5	5.5	5.1	4.8	4.8	4.7	5.9	5.6
3/4/2024	10	5.5	5.5	5.3	4.8	4.8	4.7	5.9	5.6
3/4/2024	11	5.5	5.5	5.6	5.0	4.9	4.8	5.9	5.6
3/4/2024	12	5.5	5.6	6.0	5.3	5.1	5.1	5.9	5.6
3/4/2024	13	5.5	5.7	6.6	5.6	5.3	5.6	5.9	5.7
3/4/2024	14	5.6	5.6	6.6	5.8	5.5	5.6	5.9	5.7
3/4/2024	15	5.6	5.7	6.6	6.2	5.8	6.0	5.9	5.7
3/4/2024	16	5.6	5.7	6.7	6.5	6.1	6.4	5.9	5.7
3/4/2024	17	5.7	5.7	6.3	6.5	6.3	6.3	5.9	5.8
3/4/2024	18	5.6	5.6	6.0	6.5	6.3	6.3	5.9	5.8
3/4/2024	19	5.6	5.6	5.6	6.3	6.3	6.2	5.9	5.8
3/4/2024	20	5.6	5.6	5.3	6.1	6.2	6.1	5.9	5.7
3/4/2024	21	5.6	5.6	5.1	5.9	6.0	5.8	5.9	5.7
3/4/2024	22	5.6	5.5	5.0	5.6	5.8	5.6	5.9	5.7
3/4/2024	23	5.6	5.5	4.9	5.3	5.5	5.3	5.9	5.6
3/4/2024	24	5.5	5.5	4.9	5.1	5.3	5.1	5.9	5.6
3/5/2024	1	5.5	5.5	4.8	5.0	5.2	4.9	5.8	5.6
3/5/2024	2	5.5	5.4	4.8	4.9	5.0	4.7	5.8	5.6
3/5/2024	3	5.5	5.4	4.7	4.8	4.9	4.6	5.8	5.6
3/5/2024	4	5.4	5.4	4.6	4.7	4.8	4.5	5.7	5.5
3/5/2024	5	5.4	5.3	4.5	4.6	4.7	4.5	5.7	5.5
3/5/2024	6	5.4	5.3	4.4	4.5	4.6	4.4	5.7	5.5
3/5/2024	7	5.4	5.3	4.3	4.4	4.5	4.3	5.7	5.4
3/5/2024	8	5.3	5.2	4.3	4.3	4.4	4.2	5.7	5.4
3/5/2024	9	5.3	5.2	4.7	4.6	4.4	4.3	5.7	5.4
3/5/2024	10	5.3	5.3	5.2	4.6	4.4	4.5	5.8	5.4
3/5/2024	11	5.3	5.3	5.9	4.7	4.5	4.6	5.8	5.4
3/5/2024	12	5.4	5.4	6.7	4.9	4.6	4.8	5.8	5.5
3/5/2024	13	5.4	5.5	7.4	5.4	4.9	5.2	5.8	5.6
3/5/2024	14	5.5	5.6	7.8	6.0	5.4	5.8	5.8	5.7
3/5/2024	15	5.6	5.7	7.9	6.7	6.0	6.5	5.9	5.8
3/5/2024	16	5.7	5.7	7.5	7.2	6.6	7.0	5.9	5.8
3/5/2024	17	5.7	5.7	6.9	7.6	7.0	7.3	5.9	5.9
3/5/2024	18	5.7	5.7	6.4	7.5	7.2	7.4	5.9	5.8
3/5/2024	19	5.7	5.7	5.8	7.2	7.1	7.2	6.0	5.8
3/5/2024	20	5.7	5.7	5.4	6.8	6.9	6.9	6.0	5.8
3/5/2024	21	5.7	5.7	5.1	6.4	6.6	6.4	6.0	5.8
3/5/2024	22	5.7	5.6	4.9	5.9	6.2	5.9	6.0	5.8
3/5/2024	23	5.7	5.6	4.8	5.5	5.8	5.5	6.0	5.7
3/5/2024	24	5.6	5.6	4.8	5.2	5.5	5.1	6.0	5.7
3/6/2024	1	5.6	5.5	4.7	4.9	5.2	4.8	5.9	5.6
3/6/2024	2	5.6	5.5	4.6	4.7	5.0	4.6	5.9	5.6
3/6/2024	3	5.6	5.5	4.6	4.6	4.8	4.5	5.9	5.6
3/6/2024	4	5.5	5.5	4.5	4.5	4.7	4.4	5.9	5.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/6/2024	5	5.5	5.4	4.4	4.4	4.6	4.3	5.8	5.4
3/6/2024	6	5.5	5.4	4.4	4.3	4.5	4.2	5.8	5.5
3/6/2024	7	5.4	5.3	4.3	4.2	4.4	4.1	5.8	5.5
3/6/2024	8	5.4	5.3	4.3	4.2	4.3	4.0	5.8	5.4
3/6/2024	9	5.3	5.3	4.7	4.4	4.3	4.2	5.9	5.4
3/6/2024	10	5.3	5.3	5.2	4.5	4.3	4.4	5.9	5.4
3/6/2024	11	5.3	5.4	5.9	4.6	4.4	4.6	5.9	5.4
3/6/2024	12	5.4	5.5	6.7	4.9	4.5	4.8	5.9	5.5
3/6/2024	13	5.5	5.6	7.4	5.4	4.9	5.2	5.9	5.6
3/6/2024	14	5.6	5.7	7.8	6.0	5.4	5.8	5.9	5.7
3/6/2024	15	5.7	5.7	7.9	6.6	6.0	6.5	6.0	5.9
3/6/2024	16	5.7	5.8	7.5	7.2	6.6	7.0	6.0	5.9
3/6/2024	17	5.8	5.8	6.9	7.6	7.0	7.3	6.0	5.9
3/6/2024	18	5.8	5.8	6.4	7.5	7.2	7.4	6.1	5.9
3/6/2024	19	5.8	5.8	5.8	7.2	7.1	7.2	6.1	5.9
3/6/2024	20	5.8	5.8	5.4	6.8	6.9	6.9	6.1	5.9
3/6/2024	21	5.8	5.8	5.2	6.3	6.6	6.4	6.2	5.9
3/6/2024	22	5.8	5.7	5.0	5.9	6.2	5.9	6.2	5.9
3/6/2024	23	5.7	5.7	4.9	5.5	5.8	5.5	6.1	5.9
3/6/2024	24	5.7	5.7	4.9	5.2	5.5	5.2	6.1	5.8
3/7/2024	1	5.7	5.7	4.8	5.0	5.2	4.9	6.0	5.8
3/7/2024	2	5.7	5.6	4.8	4.8	5.1	4.7	6.0	5.8
3/7/2024	3	5.6	5.6	4.8	4.7	4.9	4.6	6.0	5.7
3/7/2024	4	5.6	5.5	4.7	4.7	4.8	4.5	5.9	5.7
3/7/2024	5	5.6	5.5	4.7	4.6	4.7	4.5	5.9	5.6
3/7/2024	6	5.5	5.4	4.6	4.6	4.7	4.4	5.9	5.6
3/7/2024	7	5.5	5.4	4.6	4.5	4.6	4.3	5.9	5.6
3/7/2024	8	5.4	5.4	4.6	4.6	4.5	4.3	5.9	5.5
3/7/2024	9	5.4	5.4	4.9	4.7	4.6	4.5	5.9	5.5
3/7/2024	10	5.4	5.4	5.5	4.9	4.6	4.7	5.9	5.5
3/7/2024	11	5.4	5.5	6.2	5.0	4.7	4.9	5.9	5.5
3/7/2024	12	5.5	5.6	7.0	5.2	4.9	5.2	5.9	5.6
3/7/2024	13	5.6	5.7	7.7	5.7	5.2	5.6	5.9	5.7
3/7/2024	14	5.7	5.7	8.1	6.4	5.8	6.2	6.0	5.8
3/7/2024	15	5.7	5.8	8.2	7.0	6.4	6.9	6.0	5.9
3/7/2024	16	5.8	5.8	7.8	7.6	7.0	7.4	6.1	6.0
3/7/2024	17	5.9	5.9	7.2	7.9	7.4	7.7	6.1	6.0
3/7/2024	18	5.9	5.9	6.7	7.9	7.6	7.8	6.2	6.1
3/7/2024	19	5.9	5.9	6.2	7.6	7.5	7.6	6.2	6.1
3/7/2024	20	5.9	5.9	5.7	7.2	7.3	7.2	6.3	6.1
3/7/2024	21	5.9	5.9	5.5	6.7	6.9	6.8	6.3	6.1
3/7/2024	22	5.9	5.9	5.3	6.2	6.5	6.3	6.3	6.1
3/7/2024	23	5.9	5.9	5.2	5.8	6.2	5.9	6.3	6.1
3/7/2024	24	5.9	5.9	5.2	5.5	5.8	5.5	6.3	6.1
3/8/2024	1	5.9	5.9	5.2	5.3	5.6	5.3	6.2	5.9
3/8/2024	2	5.9	5.8	5.1	5.2	5.4	5.1	6.2	6.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/8/2024	3	5.8	5.8	5.1	5.1	5.3	5.0	6.2	5.9
3/8/2024	4	5.8	5.8	5.1	5.1	5.2	4.9	6.2	5.9
3/8/2024	5	5.8	5.8	5.2	5.0	5.1	4.9	6.1	5.9
3/8/2024	6	5.8	5.7	5.2	5.0	5.1	4.9	6.1	5.9
3/8/2024	7	5.7	5.7	5.2	5.0	5.1	4.9	6.1	5.8
3/8/2024	8	5.7	5.7	5.3	5.1	5.1	4.9	6.2	5.8
3/8/2024	9	5.7	5.7	5.6	5.2	5.1	5.1	6.2	5.8
3/8/2024	10	5.7	5.7	5.7	5.3	5.2	5.2	6.2	5.8
3/8/2024	11	5.7	5.8	6.0	5.5	5.3	5.4	6.2	5.8
3/8/2024	12	5.7	5.8	6.2	5.7	5.5	5.6	6.2	5.9
3/8/2024	13	5.8	5.9	6.6	6.0	5.7	5.9	6.2	5.9
3/8/2024	14	5.8	6.0	7.0	6.3	5.9	6.3	6.2	6.0
3/8/2024	15	5.9	6.0	7.4	6.5	6.2	6.5	6.2	6.1
3/8/2024	16	6.0	6.1	7.4	6.8	6.4	6.7	6.3	6.1
3/8/2024	17	6.0	6.1	7.3	7.1	6.7	6.9	6.3	6.2
3/8/2024	18	6.0	6.1	6.9	7.2	6.9	7.1	6.3	6.2
3/8/2024	19	6.0	6.1	6.5	7.3	7.1	7.2	6.4	6.2
3/8/2024	20	6.0	6.1	6.1	7.2	7.1	7.1	6.4	6.2
3/8/2024	21	6.0	6.1	5.9	6.9	6.9	6.9	6.5	6.2
3/8/2024	22	6.0	6.1	5.8	6.6	6.7	6.6	6.4	6.2
3/8/2024	23	6.0	6.0	5.7	6.3	6.4	6.3	6.4	6.2
3/8/2024	24	6.0	6.0	5.6	6.0	6.2	6.0	6.4	6.1
3/9/2024	1	6.0	6.0	5.5	5.8	6.0	5.8	6.4	6.0
3/9/2024	2	6.0	6.0	5.4	5.7	5.8	5.6	6.3	6.0
3/9/2024	3	5.9	5.9	5.4	5.5	5.7	5.5	6.3	6.0
3/9/2024	4	5.9	5.9	5.3	5.4	5.6	5.3	6.3	5.9
3/9/2024	5	5.9	5.9	5.3	5.4	5.5	5.3	6.3	5.9
3/9/2024	6	5.9	5.9	5.3	5.3	5.4	5.2	6.3	5.9
3/9/2024	7	5.9	5.8	5.3	5.2	5.3	5.1	6.3	6.0
3/9/2024	8	5.8	5.9	5.4	5.3	5.3	5.2	6.3	6.0
3/9/2024	9	5.8	5.9	5.6	5.3	5.3	5.2	6.3	6.0
3/9/2024	10	5.8	5.9	5.9	5.4	5.4	5.3	6.3	6.0
3/9/2024	11	5.9	5.9	6.1	5.5	5.4	5.4	6.3	6.0
3/9/2024	12	5.9	5.9	6.2	5.7	5.6	5.6	6.3	6.0
3/9/2024	13	5.9	6.0	6.8	6.2	5.8	6.1	6.3	6.0
3/9/2024	14	5.9	6.1	7.3	6.3	6.1	6.4	6.3	6.1
3/9/2024	15	6.0	6.1	7.7	6.6	6.3	6.6	6.3	6.1
3/9/2024	16	6.0	6.1	7.7	6.9	6.6	6.8	6.3	6.2
3/9/2024	17	6.0	6.1	7.4	7.4	6.9	7.1	6.4	6.2
3/9/2024	18	6.1	6.1	7.0	7.5	7.2	7.3	6.4	6.2
3/9/2024	19	6.1	6.1	6.5	7.5	7.3	7.4	6.4	6.2
3/9/2024	20	6.1	6.1	6.1	7.3	7.3	7.3	6.4	6.2
3/9/2024	21	6.1	6.1	5.9	7.0	7.1	7.0	6.4	6.2
3/9/2024	22	6.0	6.1	5.7	6.6	6.8	6.7	6.4	6.2
3/9/2024	23	6.0	6.1	5.6	6.3	6.5	6.3	6.4	6.2
3/9/2024	24	6.0	6.0	5.6	6.0	6.2	6.0	6.4	6.2



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/10/2024	1	6.0	6.0	5.6	5.8	6.0	5.8	6.4	6.2
3/10/2024	2	6.0	6.0	5.7	5.7	5.9	5.7	6.4	6.2
3/10/2024	3	6.0	6.0	5.8	5.7	5.8	5.6	6.4	6.1
3/10/2024	4	6.0	6.0	5.8	5.7	5.7	5.6	6.4	6.1
3/10/2024	5	6.0	6.0	5.8	5.7	5.7	5.6	6.4	6.1
3/10/2024	6	6.0	6.0	5.9	5.8	5.8	5.7	6.4	6.1
3/10/2024	7	5.9	6.0	5.9	5.8	5.8	5.7	6.4	6.1
3/10/2024	8	5.9	6.0	5.9	5.9	5.8	5.8	6.4	6.1
3/10/2024	9	5.9	6.0	6.2	6.1	5.9	6.0	6.4	6.1
3/10/2024	10	5.9	6.0	6.6	6.3	6.0	6.2	6.4	6.1
3/10/2024	11	5.9	6.2	7.4	6.4	6.2	6.5	6.5	6.2
3/10/2024	12	6.0	6.2	8.1	6.8	6.4	6.8	6.5	6.2
3/10/2024	13	6.1	6.3	8.2	7.1	6.7	6.9	6.5	6.3
3/10/2024	14	6.1	6.4	8.3	7.8	7.2	7.5	6.5	6.3
3/10/2024	15	6.2	6.4	8.3	8.2	7.7	8.1	6.5	6.4
3/10/2024	16	6.2	6.4	8.1	8.4	8.0	8.3	6.6	6.4
3/10/2024	17	6.3	6.4	7.7	8.5	8.2	8.4	6.6	6.4
3/10/2024	18	6.3	6.4	7.3	8.4	8.2	8.3	6.6	6.4
3/10/2024	19	6.3	6.4	6.9	8.1	8.1	8.1	6.7	6.4
3/10/2024	20	6.3	6.4	6.5	7.8	7.9	7.8	6.7	6.5
3/10/2024	21	6.3	6.4	6.3	7.4	7.6	7.5	6.7	6.5
3/10/2024	22	6.3	6.4	6.1	7.1	7.3	7.1	6.7	6.5
3/10/2024	23	6.3	6.4	6.0	6.7	7.0	6.8	6.7	6.5
3/10/2024	24	6.4	6.4	5.9	6.4	6.7	6.4	6.7	6.5
3/11/2024	1	6.3	6.4	5.9	6.2	6.5	6.2	6.7	6.5
3/11/2024	2	6.3	6.3	5.8	6.1	6.3	6.0	6.7	6.5
3/11/2024	3	6.3	6.3	5.9	6.0	6.2	5.9	6.7	6.4
3/11/2024	4	6.3	6.3	5.8	5.9	6.1	5.8	6.7	6.4
3/11/2024	5	6.2	6.2	5.8	5.9	6.0	5.8	6.6	6.4
3/11/2024	6	6.2	6.2	5.7	5.8	5.9	5.7	6.6	6.3
3/11/2024	7	6.2	6.2	5.7	5.8	5.9	5.7	6.6	6.3
3/11/2024	8	6.2	6.2	5.8	5.9	5.8	5.7	6.7	6.3
3/11/2024	9	6.1	6.2	6.3	6.1	5.9	5.9	6.7	6.3
3/11/2024	10	6.1	6.3	6.9	6.1	6.0	6.2	6.7	6.3
3/11/2024	11	6.1	6.4	7.6	6.3	6.1	6.4	6.7	6.3
3/11/2024	12	6.2	6.4	7.9	6.4	6.2	6.3	6.7	6.4
3/11/2024	13	6.2	6.5	8.0	7.0	6.6	6.7	6.7	6.5
3/11/2024	14	6.3	6.5	7.9	7.6	7.1	7.4	6.7	6.6
3/11/2024	15	6.4	6.5	7.8	8.0	7.5	7.9	6.7	6.6
3/11/2024	16	6.4	6.5	7.6	8.1	7.7	8.0	6.8	6.6
3/11/2024	17	6.4	6.6	7.3	8.1	7.8	8.0	6.8	6.6
3/11/2024	18	6.4	6.6	7.1	7.9	7.8	7.9	6.8	6.6
3/11/2024	19	6.5	6.6	6.9	7.7	7.7	7.7	6.8	6.6
3/11/2024	20	6.5	6.5	6.7	7.5	7.6	7.5	6.8	6.6
3/11/2024	21	6.4	6.5	6.7	7.2	7.4	7.3	6.9	6.6
3/11/2024	22	6.4	6.5	6.6	7.1	7.2	7.1	6.9	6.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/11/2024	23	6.4	6.5	6.6	6.9	7.0	6.9	6.9	6.6
3/11/2024	24	6.4	6.5	6.5	6.8	6.9	6.8	6.8	6.6
3/12/2024	1	6.4	6.5	6.5	6.7	6.8	6.7	6.8	6.6
3/12/2024	2	6.4	6.5	6.4	6.7	6.8	6.6	6.8	6.5
3/12/2024	3	6.4	6.4	6.3	6.6	6.7	6.5	6.8	6.5
3/12/2024	4	6.4	6.4	6.2	6.5	6.6	6.4	6.8	6.5
3/12/2024	5	6.4	6.4	6.1	6.4	6.5	6.4	6.8	6.5
3/12/2024	6	6.4	6.4	6.0	6.3	6.4	6.2	6.8	6.5
3/12/2024	7	6.4	6.4	5.9	6.2	6.3	6.1	6.8	6.4
3/12/2024	8	6.3	6.4	5.9	6.3	6.2	6.1	6.7	6.4
3/12/2024	9	6.3	6.4	6.3	6.2	6.2	6.2	6.7	6.4
3/12/2024	10	6.3	6.5	7.2	6.5	6.3	6.5	6.7	6.5
3/12/2024	11	6.3	6.6	7.8	6.5	6.4	6.6	6.7	6.6
3/12/2024	12	6.4	6.7	8.8	7.0	6.7	7.0	6.8	6.6
3/12/2024	13	6.5	6.8	9.0	7.5	7.1	7.4	6.9	6.7
3/12/2024	14	6.6	6.9	9.5	8.3	7.7	8.2	7.0	6.8
3/12/2024	15	6.7	7.0	9.5	8.8	8.2	8.7	7.1	7.0
3/12/2024	16	6.8	7.0	9.1	9.1	8.6	8.9	7.2	7.0
3/12/2024	17	6.8	7.0	8.2	9.3	8.9	9.0	7.2	7.0
3/12/2024	18	6.9	6.9	7.6	9.1	8.9	9.0	7.3	7.1
3/12/2024	19	6.8	6.9	7.0	8.6	8.7	8.7	7.3	7.1
3/12/2024	20	6.8	7.0	6.6	8.2	8.4	8.2	7.3	7.1
3/12/2024	21	6.9	7.0	6.4	7.7	8.0	7.8	7.3	7.2
3/12/2024	22	7.0	7.0	6.3	7.2	7.6	7.3	7.3	6.8
3/12/2024	23	6.9	6.9	6.2	6.8	7.2	6.9	7.2	6.5
3/12/2024	24	6.9	6.8	6.1	6.5	6.8	6.5	7.2	6.7
3/13/2024	1	6.8	6.8	6.1	6.3	6.6	6.2	7.2	6.4
3/13/2024	2	6.7	6.7	6.0	6.1	6.4	6.0	7.2	6.2
3/13/2024	3	6.7	6.7	5.9	6.0	6.2	5.9	7.1	6.3
3/13/2024	4	6.6	6.6	5.8	5.9	6.1	5.8	7.1	6.5
3/13/2024	5	6.6	6.5	5.8	5.9	6.0	5.7	7.0	6.4
3/13/2024	6	6.5	6.5	5.7	5.8	5.9	5.7	7.0	6.6
3/13/2024	7	6.5	6.5	5.7	5.7	5.8	5.6	6.9	6.5
3/13/2024	8	6.4	6.4	5.8	5.8	5.8	5.6	6.9	6.5
3/13/2024	9	6.4	6.5	6.4	5.9	5.8	5.8	6.8	6.5
3/13/2024	10	6.4	6.5	6.9	6.0	5.9	6.0	6.8	6.5
3/13/2024	11	6.4	6.6	7.7	6.4	6.1	6.3	6.8	6.6
3/13/2024	12	6.4	6.7	8.5	6.8	6.4	6.8	6.9	6.7
3/13/2024	13	6.5	6.8	9.2	7.3	6.8	7.3	6.9	6.8
3/13/2024	14	6.6	6.9	9.6	8.0	7.4	7.9	7.0	6.9
3/13/2024	15	6.7	7.0	9.6	8.7	8.0	8.6	7.1	6.9
3/13/2024	16	6.8	7.0	9.2	9.2	8.6	9.0	7.1	7.0
3/13/2024	17	6.8	7.0	8.5	9.5	9.0	9.3	7.2	7.1
3/13/2024	18	6.9	7.0	8.0	9.4	9.1	9.3	7.3	7.2
3/13/2024	19	6.9	7.1	7.4	9.1	9.0	9.1	7.3	7.2
3/13/2024	20	7.0	7.1	6.9	8.5	8.7	8.6	7.4	7.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/13/2024	21	7.0	7.1	6.7	8.1	8.3	8.1	7.4	7.2
3/13/2024	22	7.0	7.1	6.5	7.6	7.9	7.7	7.5	7.2
3/13/2024	23	7.0	7.1	6.5	7.2	7.5	7.2	7.5	7.2
3/13/2024	24	7.0	7.1	6.4	6.8	7.2	6.9	7.4	7.2
3/14/2024	1	7.0	7.1	6.4	6.6	6.9	6.6	7.4	7.2
3/14/2024	2	7.0	7.1	6.3	6.5	6.7	6.4	7.4	7.2
3/14/2024	3	7.0	7.0	6.3	6.4	6.6	6.3	7.3	7.1
3/14/2024	4	7.0	6.9	6.2	6.3	6.4	6.2	7.3	7.1
3/14/2024	5	6.9	6.9	6.2	6.2	6.3	6.1	7.3	7.0
3/14/2024	6	6.8	6.8	6.1	6.1	6.2	6.0	7.3	6.9
3/14/2024	7	6.7	6.7	6.0	6.1	6.2	5.9	7.3	6.8
3/14/2024	8	6.7	6.7	6.1	6.2	6.1	5.9	7.3	6.8
3/14/2024	9	6.6	6.7	6.6	6.3	6.2	6.2	7.3	6.7
3/14/2024	10	6.6	6.8	7.3	6.5	6.2	6.4	7.2	6.7
3/14/2024	11	6.6	6.9	8.1	6.7	6.5	6.6	7.2	6.8
3/14/2024	12	6.7	7.0	9.0	6.9	6.8	7.0	7.2	6.9
3/14/2024	13	6.7	7.1	9.7	7.5	7.0	7.2	7.2	7.0
3/14/2024	14	6.8	7.2	10.1	8.3	7.2	7.4	7.3	7.1
3/14/2024	15	6.9	7.2	10.1	9.0	7.4	7.6	7.3	7.2
3/14/2024	16	7.0	7.3	9.7	9.6	7.5	7.7	7.4	7.3
3/14/2024	17	7.1	7.3	9.0	10.0	7.7	7.8	7.4	7.3
3/14/2024	18	7.1	7.3	8.4	10.0	7.8	7.8	7.5	7.4
3/14/2024	19	7.2	7.3	7.9	9.7	7.8	7.8	7.6	7.4
3/14/2024	20	7.2	7.3	7.4	9.2	7.7	7.7	7.6	7.4
3/14/2024	21	7.2	7.3	7.2	8.7	7.7	7.6	7.7	7.4
3/14/2024	22	7.2	7.3	7.0	8.2	7.6	7.5	7.7	7.4
3/14/2024	23	7.2	7.3	6.9	7.7	7.5	7.4	7.6	7.4
3/14/2024	24	7.2	7.2	6.9	7.4	7.4	7.3	7.6	7.4
3/15/2024	1	7.1	7.2	6.8	7.2	7.4	7.3	7.6	7.3
3/15/2024	2	7.1	7.2	6.8	7.0	7.3	7.2	7.6	7.3
3/15/2024	3	7.1	7.2	6.7	6.9	7.2	7.1	7.5	7.2
3/15/2024	4	7.1	7.1	6.6	6.8	7.2	7.1	7.5	7.2
3/15/2024	5	7.1	7.1	6.5	6.7	7.1	7.0	7.5	7.2
3/15/2024	6	7.0	7.0	6.4	6.6	7.1	6.9	7.5	7.1
3/15/2024	7	7.0	7.0	6.3	6.6	7.0	6.9	7.5	7.1
3/15/2024	8	6.9	7.0	6.5	6.6	7.0	6.9	7.5	7.1
3/15/2024	9	6.9	7.0	7.0	6.7	7.0	7.0	7.5	7.0
3/15/2024	10	6.9	7.1	7.6	6.8	7.0	7.1	7.5	7.1
3/15/2024	11	6.9	7.2	8.5	7.0	7.1	7.2	7.5	7.2
3/15/2024	12	7.0	7.3	9.4	7.3	7.2	7.4	7.5	7.2
3/15/2024	13	7.0	7.4	10.1	8.0	7.4	7.6	7.5	7.4
3/15/2024	14	7.1	7.5	10.4	8.8	7.6	7.8	7.6	7.5
3/15/2024	15	7.2	7.6	10.5	9.4	7.7	8.0	7.7	7.6
3/15/2024	16	7.3	7.6	10.2	10.1	7.9	8.1	7.8	7.7
3/15/2024	17	7.4	7.6	9.5	10.4	8.0	8.2	7.9	7.7
3/15/2024	18	7.4	7.6	9.0	10.4	8.1	8.2	7.9	7.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/15/2024	19	7.5	7.6	8.4	10.2	8.1	8.2	7.9	7.7
3/15/2024	20	7.5	7.6	8.0	9.8	8.0	8.1	7.9	7.7
3/15/2024	21	7.5	7.6	7.7	9.3	8.0	8.0	7.9	7.6
3/15/2024	22	7.5	7.6	7.5	8.8	7.9	7.8	7.8	7.6
3/15/2024	23	7.4	7.5	7.4	8.4	7.8	7.7	7.8	7.6
3/15/2024	24	7.4	7.5	7.3	8.0	7.7	7.6	7.8	7.5
3/16/2024	1	7.4	7.4	7.1	7.7	7.6	7.5	7.8	7.5
3/16/2024	2	7.3	7.4	7.0	7.5	7.5	7.4	7.8	7.4
3/16/2024	3	7.3	7.4	7.0	7.4	7.5	7.4	7.7	7.4
3/16/2024	4	7.3	7.3	6.9	7.2	7.4	7.3	7.7	7.4
3/16/2024	5	7.3	7.3	6.8	7.1	7.4	7.3	7.7	7.4
3/16/2024	6	7.3	7.3	6.7	7.0	7.3	7.2	7.7	7.4
3/16/2024	7	7.2	7.3	6.7	6.9	7.3	7.2	7.6	7.3
3/16/2024	8	7.2	7.3	6.9	7.0	7.3	7.2	7.6	7.3
3/16/2024	9	7.2	7.3	7.4	7.1	7.3	7.3	7.6	7.4
3/16/2024	10	7.2	7.4	8.1	7.3	7.4	7.5	7.7	7.5
3/16/2024	11	7.2	7.5	9.0	7.4	7.5	7.6	7.8	7.5
3/16/2024	12	7.3	7.7	10.0	7.8	7.6	7.8	7.9	7.7
3/16/2024	13	7.4	7.8	10.7	8.5	7.8	8.0	8.0	7.8
3/16/2024	14	7.5	7.9	11.1	9.3	8.0	8.3	8.1	7.9
3/16/2024	15	7.6	8.0	11.2	10.1	8.2	8.5	8.1	8.0
3/16/2024	16	7.7	8.0	10.9	10.7	8.4	8.6	8.2	8.0
3/16/2024	17	7.8	8.1	10.1	11.2	8.5	8.7	8.2	8.1
3/16/2024	18	7.9	8.1	9.6	11.2	8.6	8.7	8.2	8.1
3/16/2024	19	7.9	8.1	9.0	10.9	8.6	8.7	8.3	8.1
3/16/2024	20	7.9	8.1	8.5	10.4	8.6	8.6	8.3	8.1
3/16/2024	21	7.9	8.1	8.2	9.9	8.5	8.5	8.3	8.1
3/16/2024	22	7.9	8.1	8.0	9.4	8.4	8.4	8.3	8.1
3/16/2024	23	7.9	8.1	7.9	8.9	8.3	8.2	8.4	8.1
3/16/2024	24	7.9	8.0	7.8	8.5	8.2	8.1	8.4	8.0
3/17/2024	1	7.9	8.0	7.7	8.3	8.1	8.0	8.4	8.0
3/17/2024	2	7.8	7.9	7.6	8.1	8.0	7.9	8.3	7.9
3/17/2024	3	7.8	7.9	7.5	7.9	8.0	7.9	8.3	8.0
3/17/2024	4	7.8	7.9	7.4	7.8	8.0	7.9	8.3	8.0
3/17/2024	5	7.8	7.9	7.3	7.7	8.0	7.9	8.3	8.0
3/17/2024	6	7.8	7.9	7.3	7.6	8.0	7.9	8.3	8.0
3/17/2024	7	7.8	7.9	7.2	7.5	7.9	7.9	8.3	8.0
3/17/2024	8	7.8	7.9	7.5	7.5	7.9	7.9	8.3	8.0
3/17/2024	9	7.7	8.0	7.9	7.6	8.0	8.0	8.3	8.0
3/17/2024	10	7.8	8.0	8.7	7.8	8.0	8.1	8.3	8.0
3/17/2024	11	7.8	8.1	9.6	8.0	8.1	8.2	8.4	8.1
3/17/2024	12	7.9	8.3	10.5	8.4	8.2	8.4	8.4	8.3
3/17/2024	13	8.0	8.4	11.2	9.1	8.4	8.7	8.5	8.4
3/17/2024	14	8.1	8.5	11.6	10.0	8.7	8.9	8.7	8.5
3/17/2024	15	8.2	8.6	11.7	10.7	8.9	9.1	8.7	8.6
3/17/2024	16	8.3	8.7	11.5	11.3	9.0	9.2	8.8	8.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/17/2024	17	8.4	8.7	10.7	11.7	9.2	9.3	8.9	8.8
3/17/2024	18	8.4	8.7	10.1	11.7	9.3	9.4	8.9	8.8
3/17/2024	19	8.5	8.7	9.6	11.5	9.3	9.4	9.0	8.8
3/17/2024	20	8.5	8.7	9.1	11.0	9.3	9.3	9.0	8.8
3/17/2024	21	8.6	8.7	8.8	10.5	9.2	9.2	9.1	8.8
3/17/2024	22	8.6	8.7	8.6	10.0	9.1	9.1	9.1	8.8
3/17/2024	23	8.5	8.6	8.5	9.5	9.0	8.9	9.1	8.7
3/17/2024	24	8.4	8.5	8.4	9.1	8.8	8.7	9.0	8.6
3/18/2024	1	8.4	8.5	8.3	8.9	8.7	8.6	8.9	8.5
3/18/2024	2	8.3	8.4	8.2	8.7	8.6	8.5	8.8	8.5
3/18/2024	3	8.3	8.4	8.1	8.5	8.6	8.5	8.8	8.5
3/18/2024	4	8.3	8.4	7.9	8.4	8.5	8.4	8.8	8.4
3/18/2024	5	8.2	8.3	7.8	8.2	8.5	8.4	8.7	8.4
3/18/2024	6	8.2	8.2	7.7	8.1	8.4	8.3	8.7	8.4
3/18/2024	7	8.1	8.2	7.7	8.0	8.3	8.2	8.7	8.4
3/18/2024	8	8.1	8.2	7.9	8.0	8.3	8.3	8.7	8.4
3/18/2024	9	8.1	8.3	8.4	8.1	8.3	8.3	8.6	8.4
3/18/2024	10	8.1	8.3	9.1	8.2	8.4	8.5	8.6	8.4
3/18/2024	11	8.1	8.5	10.0	8.4	8.5	8.6	8.7	8.5
3/18/2024	12	8.2	8.7	10.9	8.9	8.6	8.8	8.8	8.7
3/18/2024	13	8.3	8.8	11.6	9.5	8.8	9.1	8.9	8.8
3/18/2024	14	8.5	9.0	12.1	10.3	9.1	9.4	9.0	8.9
3/18/2024	15	8.6	9.1	12.2	11.1	9.3	9.6	9.1	9.1
3/18/2024	16	8.8	9.2	11.9	11.8	9.5	9.7	9.1	9.2
3/18/2024	17	8.9	9.2	11.1	12.1	9.6	9.8	9.2	9.2
3/18/2024	18	8.9	9.2	10.6	12.2	9.7	9.8	9.2	9.2
3/18/2024	19	8.9	9.2	10.0	11.9	9.7	9.7	9.3	9.1
3/18/2024	20	8.9	9.1	9.5	11.4	9.6	9.6	9.4	9.1
3/18/2024	21	8.9	9.0	9.2	10.9	9.5	9.5	9.4	9.1
3/18/2024	22	8.8	9.0	9.0	10.4	9.4	9.3	9.4	9.0
3/18/2024	23	8.8	8.9	8.9	9.9	9.3	9.2	9.4	9.0
3/18/2024	24	8.7	8.9	8.7	9.6	9.2	9.1	9.4	8.9
3/19/2024	1	8.7	8.8	8.6	9.3	9.1	9.0	9.3	8.9
3/19/2024	2	8.7	8.8	8.4	9.1	9.0	8.9	9.3	8.9
3/19/2024	3	8.7	8.8	8.3	8.9	9.0	8.9	9.3	8.9
3/19/2024	4	8.7	8.8	8.2	8.7	8.9	8.8	9.2	8.9
3/19/2024	5	8.6	8.7	8.1	8.6	8.9	8.8	9.2	8.9
3/19/2024	6	8.6	8.7	8.0	8.4	8.8	8.7	9.2	8.9
3/19/2024	7	8.6	8.7	8.0	8.3	8.8	8.7	9.1	8.8
3/19/2024	8	8.6	8.7	8.2	8.3	8.8	8.7	9.1	8.8
3/19/2024	9	8.5	8.7	8.7	8.4	8.8	8.8	9.1	8.8
3/19/2024	10	8.5	8.8	9.5	8.6	8.8	8.8	9.1	8.8
3/19/2024	11	8.5	8.9	10.4	8.7	8.8	9.0	9.1	8.9
3/19/2024	12	8.6	9.0	11.3	9.2	9.0	9.1	9.2	9.0
3/19/2024	13	8.7	9.1	12.0	9.9	9.1	9.3	9.3	9.0
3/19/2024	14	8.8	9.2	12.3	10.7	9.3	9.5	9.4	9.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/19/2024	15	8.8	9.3	12.3	11.5	9.5	9.8	9.5	9.3
3/19/2024	16	8.9	9.4	12.1	12.1	9.8	10.0	9.5	9.4
3/19/2024	17	9.1	9.4	11.3	12.4	9.9	10.0	9.6	9.5
3/19/2024	18	9.2	9.5	10.7	12.4	10.0	10.1	9.7	9.5
3/19/2024	19	9.2	9.5	10.1	12.1	10.0	10.0	9.8	9.5
3/19/2024	20	9.2	9.4	9.6	11.6	9.9	9.9	9.8	9.5
3/19/2024	21	9.2	9.4	9.3	11.1	9.8	9.8	9.7	9.4
3/19/2024	22	9.2	9.3	9.1	10.5	9.7	9.6	9.7	9.4
3/19/2024	23	9.1	9.2	9.0	10.1	9.6	9.5	9.7	9.4
3/19/2024	24	9.0	9.2	8.9	9.7	9.5	9.4	9.6	9.3
3/20/2024	1	9.0	9.1	8.8	9.4	9.4	9.2	9.6	9.2
3/20/2024	2	9.0	9.1	8.7	9.2	9.2	9.1	9.6	9.1
3/20/2024	3	8.9	9.0	8.6	9.0	9.1	9.0	9.5	9.0
3/20/2024	4	8.9	8.9	8.5	8.9	9.0	8.9	9.4	9.0
3/20/2024	5	8.8	8.9	8.4	8.7	9.0	8.8	9.3	8.9
3/20/2024	6	8.8	8.8	8.3	8.6	8.9	8.8	9.2	8.8
3/20/2024	7	8.7	8.7	8.2	8.5	8.8	8.7	9.1	8.8
3/20/2024	8	8.6	8.7	8.4	8.5	8.8	8.7	9.1	8.8
3/20/2024	9	8.6	8.8	8.9	8.7	8.8	8.8	9.1	8.8
3/20/2024	10	8.6	8.9	9.7	8.7	8.9	9.0	9.2	9.0
3/20/2024	11	8.7	9.1	10.5	8.9	9.0	9.2	9.3	9.1
3/20/2024	12	8.8	9.3	11.3	9.4	9.2	9.4	9.4	9.3
3/20/2024	13	8.9	9.4	11.8	10.1	9.4	9.6	9.5	9.4
3/20/2024	14	9.1	9.5	12.1	10.9	9.6	9.9	9.7	9.5
3/20/2024	15	9.2	9.6	12.1	11.5	9.8	10.0	9.8	9.6
3/20/2024	16	9.3	9.6	11.8	12.0	10.0	10.1	9.8	9.7
3/20/2024	17	9.3	9.7	11.3	12.2	10.1	10.2	9.9	9.7
3/20/2024	18	9.4	9.7	10.8	12.1	10.1	10.2	10.0	9.6
3/20/2024	19	9.4	9.6	10.2	11.9	10.1	10.1	9.9	9.6
3/20/2024	20	9.4	9.6	9.9	11.5	10.0	10.0	9.9	9.7
3/20/2024	21	9.4	9.5	9.6	11.0	10.0	9.9	9.9	9.6
3/20/2024	22	9.3	9.5	9.4	10.6	9.9	9.8	9.9	9.5
3/20/2024	23	9.3	9.4	9.3	10.2	9.7	9.6	9.8	9.5
3/20/2024	24	9.2	9.4	9.2	9.9	9.7	9.5	9.8	9.4
3/21/2024	1	9.2	9.4	9.1	9.7	9.6	9.5	9.8	9.4
3/21/2024	2	9.2	9.3	9.1	9.5	9.5	9.4	9.7	9.4
3/21/2024	3	9.2	9.3	9.0	9.4	9.4	9.3	9.7	9.4
3/21/2024	4	9.2	9.3	8.9	9.2	9.4	9.3	9.7	9.3
3/21/2024	5	9.1	9.2	8.8	9.1	9.3	9.2	9.6	9.3
3/21/2024	6	9.1	9.2	8.7	9.0	9.3	9.1	9.6	9.2
3/21/2024	7	9.0	9.1	8.6	8.9	9.2	9.1	9.5	9.1
3/21/2024	8	9.0	9.1	8.8	9.0	9.1	9.1	9.5	9.1
3/21/2024	9	8.9	9.1	9.3	9.1	9.2	9.2	9.5	9.1
3/21/2024	10	8.9	9.2	9.9	9.1	9.2	9.2	9.4	9.1
3/21/2024	11	8.9	9.2	10.7	9.4	9.2	9.3	9.5	9.1
3/21/2024	12	8.9	9.3	11.5	9.8	9.3	9.5	9.6	9.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/21/2024	13	9.0	9.2	11.9	10.4	9.5	9.7	9.6	9.1
3/21/2024	14	9.0	9.4	11.6	11.1	9.6	9.8	9.7	9.1
3/21/2024	15	9.1	9.6	11.2	11.8	9.7	9.9	9.7	9.4
3/21/2024	16	9.3	9.7	10.9	12.1	9.9	10.1	9.8	9.6
3/21/2024	17	9.4	9.8	10.5	11.9	10.0	10.1	9.8	9.6
3/21/2024	18	9.6	9.8	10.3	11.5	10.1	10.1	9.9	9.8
3/21/2024	19	9.6	9.9	10.0	11.1	10.1	10.1	10.0	9.8
3/21/2024	20	9.7	9.9	9.7	10.8	10.1	10.1	10.1	9.9
3/21/2024	21	9.7	9.9	9.5	10.5	10.1	10.0	10.2	9.9
3/21/2024	22	9.7	9.9	9.4	10.2	10.0	10.0	10.1	9.9
3/21/2024	23	9.7	9.8	9.3	9.9	10.0	9.9	10.1	9.9
3/21/2024	24	9.6	9.8	9.2	9.7	9.9	9.8	10.1	9.8
3/22/2024	1	9.6	9.8	9.2	9.5	9.8	9.7	10.1	9.8
3/22/2024	2	9.6	9.7	9.2	9.4	9.8	9.7	10.1	9.7
3/22/2024	3	9.5	9.7	9.1	9.3	9.7	9.6	10.1	9.7
3/22/2024	4	9.5	9.6	9.0	9.2	9.7	9.5	10.1	9.7
3/22/2024	5	9.5	9.6	8.9	9.1	9.6	9.5	10.0	9.7
3/22/2024	6	9.4	9.6	8.8	9.1	9.6	9.5	10.0	9.6
3/22/2024	7	9.4	9.5	8.8	9.0	9.5	9.5	10.0	9.6
3/22/2024	8	9.4	9.6	9.0	9.0	9.5	9.5	10.0	9.6
3/22/2024	9	9.4	9.6	9.2	9.0	9.5	9.5	9.9	9.6
3/22/2024	10	9.4	9.6	9.5	9.1	9.5	9.5	9.9	9.6
3/22/2024	11	9.3	9.6	9.8	9.3	9.5	9.5	9.9	9.6
3/22/2024	12	9.3	9.6	10.1	9.5	9.6	9.6	9.9	9.6
3/22/2024	13	9.4	9.6	10.3	9.7	9.6	9.7	9.9	9.6
3/22/2024	14	9.4	9.6	10.4	10.0	9.7	9.7	9.9	9.6
3/22/2024	15	9.4	9.7	10.4	10.3	9.8	9.8	10.0	9.6
3/22/2024	16	9.4	9.7	10.4	10.4	9.8	9.9	10.0	9.7
3/22/2024	17	9.4	9.7	10.3	10.5	9.8	9.8	10.0	9.6
3/22/2024	18	9.4	9.7	10.1	10.5	9.9	9.8	10.0	9.6
3/22/2024	19	9.4	9.6	9.9	10.5	9.9	9.8	10.0	9.6
3/22/2024	20	9.4	9.6	9.7	10.4	9.8	9.8	10.0	9.6
3/22/2024	21	9.4	9.6	9.5	10.2	9.8	9.8	10.0	9.6
3/22/2024	22	9.4	9.6	9.3	10.0	9.8	9.7	10.0	9.5
3/22/2024	23	9.4	9.6	9.3	9.9	9.8	9.7	9.9	9.5
3/22/2024	24	9.4	9.6	9.3	9.7	9.7	9.6	9.9	9.6
3/23/2024	1	9.4	9.6	9.3	9.5	9.7	9.6	9.9	9.6
3/23/2024	2	9.4	9.5	9.3	9.4	9.6	9.5	9.9	9.6
3/23/2024	3	9.4	9.5	9.3	9.4	9.6	9.5	9.9	9.5
3/23/2024	4	9.3	9.5	9.3	9.4	9.6	9.5	9.9	9.5
3/23/2024	5	9.3	9.5	9.3	9.4	9.5	9.5	9.8	9.5
3/23/2024	6	9.3	9.5	9.3	9.4	9.5	9.5	9.8	9.5
3/23/2024	7	9.3	9.4	9.3	9.4	9.5	9.4	9.8	9.4
3/23/2024	8	9.3	9.4	9.3	9.4	9.5	9.4	9.8	9.4
3/23/2024	9	9.3	9.4	9.3	9.4	9.5	9.4	9.8	9.4
3/23/2024	10	9.2	9.4	9.4	9.4	9.5	9.4	9.7	9.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/23/2024	11	9.2	9.4	9.4	9.4	9.4	9.4	9.7	9.3
3/23/2024	12	9.2	9.4	9.5	9.5	9.4	9.4	9.7	9.4
3/23/2024	13	9.2	9.5	9.9	9.7	9.5	9.5	9.7	9.4
3/23/2024	14	9.2	9.4	10.1	9.7	9.5	9.5	9.7	9.4
3/23/2024	15	9.2	9.4	10.2	9.8	9.5	9.5	9.7	9.4
3/23/2024	16	9.2	9.4	10.1	10.0	9.5	9.5	9.7	9.4
3/23/2024	17	9.2	9.4	9.9	10.1	9.6	9.6	9.7	9.4
3/23/2024	18	9.2	9.4	9.6	10.2	9.6	9.6	9.7	9.4
3/23/2024	19	9.2	9.4	9.4	10.1	9.6	9.5	9.7	9.4
3/23/2024	20	9.2	9.3	9.3	10.0	9.5	9.5	9.7	9.4
3/23/2024	21	9.2	9.3	9.2	9.8	9.5	9.4	9.7	9.4
3/23/2024	22	9.2	9.3	9.2	9.6	9.4	9.4	9.7	9.3
3/23/2024	23	9.2	9.3	9.1	9.4	9.4	9.3	9.6	9.3
3/23/2024	24	9.1	9.3	9.1	9.3	9.4	9.3	9.6	9.3
3/24/2024	1	9.1	9.2	9.0	9.3	9.3	9.3	9.6	9.3
3/24/2024	2	9.1	9.2	9.0	9.2	9.3	9.2	9.6	9.2
3/24/2024	3	9.1	9.2	8.9	9.2	9.3	9.2	9.5	9.2
3/24/2024	4	9.1	9.2	8.9	9.1	9.2	9.2	9.5	9.2
3/24/2024	5	9.0	9.1	8.9	9.1	9.2	9.1	9.5	9.2
3/24/2024	6	9.0	9.1	8.8	9.0	9.2	9.1	9.5	9.1
3/24/2024	7	9.0	9.1	8.8	9.0	9.1	9.1	9.5	9.1
3/24/2024	8	8.9	9.0	8.9	9.1	9.1	9.1	9.5	9.1
3/24/2024	9	8.9	9.1	9.4	9.3	9.1	9.2	9.5	9.1
3/24/2024	10	8.9	9.1	10.0	9.3	9.2	9.3	9.4	9.1
3/24/2024	11	8.9	9.2	10.8	9.5	9.2	9.3	9.4	9.1
3/24/2024	12	8.9	9.3	11.6	9.8	9.3	9.5	9.4	9.2
3/24/2024	13	9.0	9.4	12.2	10.4	9.5	9.7	9.5	9.2
3/24/2024	14	9.1	9.4	12.6	11.2	9.7	9.9	9.6	9.4
3/24/2024	15	9.1	9.5	12.5	11.7	9.8	10.1	9.7	9.6
3/24/2024	16	9.2	9.6	12.2	12.2	10.0	10.2	9.7	9.7
3/24/2024	17	9.4	9.6	11.4	12.5	10.1	10.2	9.8	9.6
3/24/2024	18	9.4	9.6	10.8	12.4	10.1	10.2	9.9	9.7
3/24/2024	19	9.4	9.6	10.1	12.1	10.1	10.2	9.9	9.7
3/24/2024	20	9.4	9.6	9.5	11.6	10.1	10.1	10.0	9.7
3/24/2024	21	9.5	9.6	9.2	11.0	10.0	9.9	10.0	9.6
3/24/2024	22	9.4	9.5	9.0	10.4	9.9	9.8	10.0	9.6
3/24/2024	23	9.4	9.5	8.8	9.9	9.7	9.6	10.0	9.6
3/24/2024	24	9.4	9.5	8.7	9.5	9.6	9.5	10.0	9.5
3/25/2024	1	9.4	9.4	8.6	9.2	9.6	9.4	9.9	9.5
3/25/2024	2	9.3	9.4	8.5	9.0	9.5	9.4	9.9	9.5
3/25/2024	3	9.3	9.4	8.4	8.8	9.4	9.3	9.9	9.5
3/25/2024	4	9.3	9.4	8.3	8.6	9.4	9.3	9.8	9.5
3/25/2024	5	9.3	9.4	8.3	8.5	9.3	9.2	9.8	9.5
3/25/2024	6	9.3	9.3	8.2	8.4	9.3	9.1	9.8	9.4
3/25/2024	7	9.2	9.2	8.2	8.3	9.2	9.1	9.7	9.3
3/25/2024	8	9.2	9.2	8.4	8.4	9.2	9.1	9.7	9.3



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/25/2024	9	9.1	9.2	8.9	8.6	9.1	9.1	9.7	9.2
3/25/2024	10	9.1	9.2	9.6	8.7	9.1	9.2	9.7	9.2
3/25/2024	11	9.0	9.3	10.3	8.8	9.2	9.2	9.6	9.3
3/25/2024	12	9.1	9.3	11.0	9.1	9.2	9.3	9.6	9.3
3/25/2024	13	9.1	9.4	11.4	9.8	9.4	9.5	9.6	9.4
3/25/2024	14	9.1	9.4	11.3	10.5	9.5	9.7	9.6	9.4
3/25/2024	15	9.2	9.4	11.1	11.1	9.6	9.8	9.6	9.4
3/25/2024	16	9.2	9.5	10.8	11.4	9.8	9.9	9.7	9.4
3/25/2024	17	9.2	9.4	10.4	11.4	9.8	9.9	9.7	9.4
3/25/2024	18	9.3	9.4	10.1	11.2	9.8	9.8	9.7	9.4
3/25/2024	19	9.3	9.4	9.7	11.0	9.8	9.7	9.7	9.4
3/25/2024	20	9.3	9.3	9.4	10.6	9.7	9.6	9.7	9.4
3/25/2024	21	9.2	9.3	9.1	10.3	9.6	9.5	9.7	9.3
3/25/2024	22	9.2	9.2	8.9	9.9	9.5	9.4	9.7	9.2
3/25/2024	23	9.1	9.2	8.7	9.6	9.4	9.3	9.6	9.2
3/25/2024	24	9.1	9.1	8.6	9.3	9.3	9.1	9.5	9.1
3/26/2024	1	9.0	9.1	8.5	9.0	9.2	9.0	9.5	9.1
3/26/2024	2	9.0	9.0	8.5	8.8	9.1	9.0	9.4	9.0
3/26/2024	3	8.9	9.0	8.5	8.7	9.0	8.9	9.4	9.0
3/26/2024	4	8.9	8.9	8.4	8.6	9.0	8.8	9.3	9.0
3/26/2024	5	8.8	8.9	8.3	8.5	8.9	8.8	9.3	8.9
3/26/2024	6	8.8	8.8	8.3	8.5	8.9	8.8	9.3	8.9
3/26/2024	7	8.8	8.8	8.3	8.4	8.8	8.7	9.3	8.9
3/26/2024	8	8.7	8.8	8.5	8.5	8.8	8.8	9.3	8.8
3/26/2024	9	8.7	8.8	9.0	8.7	8.8	8.8	9.3	8.8
3/26/2024	10	8.7	8.9	9.7	8.9	8.9	8.9	9.3	8.9
3/26/2024	11	8.7	9.0	10.5	9.0	9.0	9.1	9.3	9.0
3/26/2024	12	8.8	9.1	11.3	9.5	9.1	9.3	9.3	9.0
3/26/2024	13	8.9	9.3	12.0	10.2	9.3	9.5	9.3	9.2
3/26/2024	14	9.0	9.4	12.3	10.9	9.5	9.7	9.4	9.3
3/26/2024	15	9.1	9.5	12.3	11.5	9.7	9.9	9.5	9.4
3/26/2024	16	9.2	9.5	12.0	12.0	9.8	10.0	9.6	9.5
3/26/2024	17	9.3	9.5	11.2	12.2	9.9	10.0	9.6	9.5
3/26/2024	18	9.3	9.5	10.6	12.1	10.0	10.0	9.7	9.5
3/26/2024	19	9.3	9.5	10.0	11.7	9.9	10.0	9.8	9.6
3/26/2024	20	9.3	9.5	9.4	11.2	9.9	9.9	9.8	9.6
3/26/2024	21	9.4	9.5	9.0	10.7	9.9	9.8	9.9	9.6
3/26/2024	22	9.4	9.5	8.8	10.2	9.8	9.7	9.9	9.6
3/26/2024	23	9.4	9.5	8.7	9.7	9.7	9.6	9.9	9.6
3/26/2024	24	9.4	9.4	8.6	9.3	9.6	9.5	9.9	9.5
3/27/2024	1	9.3	9.4	8.6	9.0	9.5	9.3	9.8	9.4
3/27/2024	2	9.3	9.3	8.6	8.8	9.3	9.2	9.7	9.3
3/27/2024	3	9.2	9.1	8.5	8.7	9.2	9.0	9.6	9.2
3/27/2024	4	9.1	9.1	8.5	8.6	9.1	9.0	9.6	9.1
3/27/2024	5	9.0	9.0	8.4	8.5	9.0	8.9	9.5	9.1
3/27/2024	6	8.9	9.0	8.3	8.5	9.0	8.9	9.4	9.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/27/2024	7	8.9	8.9	8.3	8.4	8.9	8.8	9.3	8.9
3/27/2024	8	8.8	8.8	8.3	8.4	8.8	8.7	9.2	8.8
3/27/2024	9	8.7	8.8	8.4	8.4	8.8	8.7	9.2	8.8
3/27/2024	10	8.7	8.7	8.5	8.4	8.7	8.6	9.2	8.7
3/27/2024	11	8.6	8.7	8.5	8.4	8.7	8.6	9.2	8.7
3/27/2024	12	8.6	8.7	8.5	8.4	8.7	8.6	9.1	8.7
3/27/2024	13	8.6	8.7	8.6	8.5	8.7	8.6	9.1	8.7
3/27/2024	14	8.6	8.7	8.6	8.5	8.7	8.6	9.1	8.7
3/27/2024	15	8.6	8.7	8.7	8.6	8.7	8.7	9.0	8.7
3/27/2024	16	8.6	8.7	8.7	8.6	8.7	8.7	9.0	8.8
3/27/2024	17	8.6	8.7	8.6	8.6	8.7	8.7	9.0	8.8
3/27/2024	18	8.6	8.7	8.5	8.7	8.7	8.7	9.0	8.7
3/27/2024	19	8.6	8.6	8.3	8.6	8.7	8.6	9.0	8.7
3/27/2024	20	8.6	8.6	8.1	8.6	8.7	8.6	9.0	8.7
3/27/2024	21	8.6	8.6	8.0	8.5	8.7	8.6	9.0	8.7
3/27/2024	22	8.6	8.6	7.9	8.3	8.6	8.5	9.0	8.7
3/27/2024	23	8.5	8.5	7.9	8.2	8.6	8.5	9.0	8.6
3/27/2024	24	8.5	8.5	7.9	8.1	8.5	8.5	8.9	8.6
3/28/2024	1	8.5	8.5	8.0	8.0	8.5	8.4	8.9	8.6
3/28/2024	2	8.4	8.5	8.1	7.9	8.5	8.4	8.9	8.6
3/28/2024	3	8.4	8.5	8.1	7.9	8.5	8.4	8.9	8.6
3/28/2024	4	8.4	8.5	8.1	8.0	8.4	8.4	8.9	8.5
3/28/2024	5	8.4	8.5	8.1	8.0	8.4	8.4	8.8	8.5
3/28/2024	6	8.4	8.4	8.1	8.1	8.4	8.3	8.8	8.5
3/28/2024	7	8.4	8.4	8.1	8.1	8.4	8.4	8.8	8.5
3/28/2024	8	8.3	8.4	8.2	8.2	8.4	8.4	8.9	8.5
3/28/2024	9	8.3	8.5	8.4	8.2	8.4	8.4	8.9	8.5
3/28/2024	10	8.3	8.5	8.6	8.3	8.5	8.4	8.9	8.5
3/28/2024	11	8.4	8.5	9.2	8.6	8.5	8.6	8.9	8.5
3/28/2024	12	8.4	8.6	10.1	8.9	8.6	8.8	8.9	8.6
3/28/2024	13	8.4	8.7	10.4	9.2	8.7	8.8	8.9	8.7
3/28/2024	14	8.5	8.7	10.7	9.7	8.8	9.0	8.9	8.8
3/28/2024	15	8.5	8.8	10.8	10.1	9.0	9.1	9.0	8.8
3/28/2024	16	8.6	8.8	10.6	10.6	9.1	9.2	9.0	8.9
3/28/2024	17	8.7	8.8	10.1	10.8	9.2	9.3	9.1	8.9
3/28/2024	18	8.7	8.8	9.7	10.8	9.2	9.3	9.1	8.9
3/28/2024	19	8.7	8.8	9.2	10.6	9.2	9.2	9.1	8.9
3/28/2024	20	8.7	8.8	8.8	10.3	9.2	9.1	9.2	8.9
3/28/2024	21	8.7	8.7	8.5	9.9	9.1	9.0	9.2	8.8
3/28/2024	22	8.7	8.7	8.3	9.4	9.0	8.9	9.1	8.8
3/28/2024	23	8.6	8.6	8.1	9.0	8.9	8.8	9.1	8.7
3/28/2024	24	8.6	8.6	8.1	8.7	8.8	8.6	9.0	8.7
3/29/2024	1	8.6	8.5	8.0	8.4	8.7	8.5	9.0	8.6
3/29/2024	2	8.5	8.5	7.9	8.2	8.6	8.4	8.9	8.6
3/29/2024	3	8.4	8.4	7.8	8.1	8.5	8.4	8.8	8.5
3/29/2024	4	8.4	8.4	7.8	8.0	8.4	8.3	8.8	8.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/29/2024	5	8.3	8.3	7.7	7.9	8.4	8.2	8.7	8.4
3/29/2024	6	8.3	8.3	7.7	7.8	8.3	8.2	8.7	8.3
3/29/2024	7	8.3	8.2	7.8	7.8	8.2	8.1	8.6	8.2
3/29/2024	8	8.2	8.2	8.0	7.9	8.2	8.1	8.5	8.2
3/29/2024	9	8.1	8.2	8.6	8.1	8.2	8.2	8.5	8.2
3/29/2024	10	8.1	8.2	9.4	8.5	8.2	8.3	8.5	8.2
3/29/2024	11	8.1	8.3	10.2	8.7	8.3	8.5	8.6	8.3
3/29/2024	12	8.1	8.5	11.0	9.1	8.5	8.7	8.6	8.4
3/29/2024	13	8.2	8.6	11.6	9.9	8.7	8.9	8.7	8.6
3/29/2024	14	8.4	8.6	11.7	10.7	9.0	9.2	8.8	8.7
3/29/2024	15	8.5	8.7	11.5	11.2	9.1	9.4	8.9	8.8
3/29/2024	16	8.5	8.8	11.0	11.6	9.3	9.5	9.0	8.9
3/29/2024	17	8.6	8.8	10.4	11.8	9.4	9.5	9.1	8.9
3/29/2024	18	8.7	8.8	9.9	11.5	9.4	9.5	9.2	9.0
3/29/2024	19	8.7	8.8	9.4	11.1	9.4	9.4	9.3	9.0
3/29/2024	20	8.8	8.8	8.9	10.6	9.3	9.3	9.3	9.0
3/29/2024	21	8.8	8.8	8.5	10.1	9.2	9.2	9.3	8.9
3/29/2024	22	8.8	8.8	8.3	9.6	9.1	9.0	9.2	8.9
3/29/2024	23	8.7	8.8	8.2	9.2	9.0	8.9	9.2	8.9
3/29/2024	24	8.7	8.7	8.1	8.8	8.9	8.8	9.2	8.8
3/30/2024	1	8.7	8.6	8.0	8.5	8.8	8.6	9.1	8.7
3/30/2024	2	8.6	8.6	7.9	8.3	8.7	8.6	9.1	8.7
3/30/2024	3	8.6	8.5	7.8	8.1	8.6	8.5	9.0	8.7
3/30/2024	4	8.5	8.5	7.7	8.0	8.6	8.4	9.0	8.6
3/30/2024	5	8.5	8.4	7.6	7.8	8.5	8.4	9.0	8.6
3/30/2024	6	8.4	8.4	7.5	7.7	8.5	8.3	8.9	8.6
3/30/2024	7	8.4	8.4	7.5	7.6	8.4	8.3	8.9	8.5
3/30/2024	8	8.4	8.4	7.9	7.8	8.4	8.3	8.8	8.5
3/30/2024	9	8.4	8.5	8.5	7.9	8.4	8.4	8.8	8.5
3/30/2024	10	8.3	8.6	9.3	8.1	8.5	8.5	8.8	8.5
3/30/2024	11	8.4	8.7	10.2	8.3	8.5	8.7	8.8	8.6
3/30/2024	12	8.4	8.8	11.2	8.9	8.7	8.9	8.9	8.7
3/30/2024	13	8.5	8.9	11.9	9.8	8.9	9.1	9.0	8.8
3/30/2024	14	8.6	9.0	12.1	10.6	9.1	9.4	9.1	9.0
3/30/2024	15	8.7	9.0	12.0	11.3	9.4	9.6	9.3	9.1
3/30/2024	16	8.8	9.1	11.5	11.9	9.6	9.7	9.4	9.2
3/30/2024	17	8.9	9.2	10.9	12.1	9.7	9.9	9.5	9.3
3/30/2024	18	9.0	9.3	10.3	12.0	9.8	9.9	9.6	9.4
3/30/2024	19	9.1	9.3	9.7	11.7	9.8	9.8	9.6	9.4
3/30/2024	20	9.2	9.3	9.3	11.2	9.7	9.7	9.6	9.3
3/30/2024	21	9.2	9.3	9.0	10.6	9.7	9.6	9.6	9.3
3/30/2024	22	9.2	9.3	8.7	10.1	9.6	9.5	9.6	9.3
3/30/2024	23	9.2	9.2	8.6	9.6	9.4	9.3	9.6	9.3
3/30/2024	24	9.2	9.2	8.5	9.2	9.3	9.2	9.6	9.2
3/31/2024	1	9.1	9.1	8.4	8.9	9.2	9.1	9.5	9.2
3/31/2024	2	9.0	9.0	8.3	8.7	9.1	9.0	9.5	9.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/31/2024	3	9.0	9.0	8.2	8.5	9.0	8.9	9.4	9.1
3/31/2024	4	8.9	9.0	8.1	8.4	9.0	8.9	9.4	9.1
3/31/2024	5	8.9	8.9	8.0	8.3	8.9	8.8	9.4	9.0
3/31/2024	6	8.9	8.9	8.0	8.2	8.9	8.7	9.3	9.0
3/31/2024	7	8.8	8.9	7.9	8.1	8.8	8.7	9.3	9.0
3/31/2024	8	8.8	8.9	8.3	8.2	8.8	8.8	9.3	8.9
3/31/2024	9	8.8	8.9	8.9	8.4	8.8	8.9	9.2	8.9
3/31/2024	10	8.8	9.0	9.7	8.5	8.9	9.0	9.2	9.0
3/31/2024	11	8.8	9.1	10.6	8.8	9.0	9.1	9.3	9.1
3/31/2024	12	8.9	9.2	11.5	9.4	9.1	9.3	9.4	9.2
3/31/2024	13	8.9	9.4	12.1	10.1	9.3	9.6	9.5	9.3
3/31/2024	14	9.0	9.5	12.5	11.0	9.6	9.8	9.6	9.4
3/31/2024	15	9.1	9.5	12.6	11.5	9.8	10.0	9.7	9.6
3/31/2024	16	9.3	9.6	12.2	12.1	10.0	10.2	9.8	9.7
3/31/2024	17	9.3	9.6	11.6	12.5	10.1	10.2	9.9	9.7
3/31/2024	18	9.4	9.6	11.0	12.5	10.1	10.3	10.0	9.7
3/31/2024	19	9.4	9.6	10.4	12.2	10.1	10.2	10.0	9.7
3/31/2024	20	9.4	9.5	9.9	11.8	10.1	10.1	10.0	9.6
3/31/2024	21	9.4	9.5	9.5	11.2	10.0	9.9	10.0	9.6
3/31/2024	22	9.4	9.5	9.2	10.7	9.9	9.8	9.9	9.5
3/31/2024	23	9.3	9.4	9.0	10.2	9.7	9.6	9.9	9.5
3/31/2024	24	9.3	9.3	8.9	9.8	9.6	9.5	9.9	9.3