

**From:** [Hays, Steve](#)  
**To:** [Breean Zimmerman \(bzim461@ecy.wa.gov\)](#); [Peterschmidt, Mark F. \(ECY\) \(mape461@ecy.wa.gov\)](#); "[Jim Pacheco](#)"; "[Korth, Jeffrey](#)"; "[Graham Simon](#)"; "[travis.maitland@dfw.wa.gov](#)"; "[Kari Grover Wier](#)"; "[Alex Martinez \(ramartinez@fs.fed.us\)](#)"; "[rvacirca@fs.fed.us](#)"; "[Ashley Rawhouser@nps.gov](#)"; "[Hugh Anthony@nps.gov](#)"; "[Steve Lewis \(Stephen\\_Lewis@fws.gov\)](#)"; "[Rich Domingue \(richard.domingue@noaa.gov\)](#)"; "[Justin Yeager \(Justin.Yeager@noaa.gov\)](#)"; "[Bill Towey](#)"; "[Bob Rose \(rosb@yakamafish-nsn.gov\)](#)"; "[Carl Merkle \(carlmerkle@ctuir.com\)](#)"; "[Robert Goedde \(bgoedde@cityofchelan.us\)](#)"; "[Phil Archibald \(ndmarkey@gmail.com\)](#)"; "[Nick Elwell](#)"; "[tom.ernsberger@parks.wa.gov](#)"; "[nona.snell@rco.wa.gov](#)"; "[wai@mansonparks.com](#)"; "[Richard Uhlhorn \(richard@richarduhlhorn.com\)](#)"; "[Thomas O'Keefe \(okeefe@amwhitewater.org\)](#)"  
**Cc:** [Osborn, Jeff](#); [Smith, Michelle](#); [Sokolowski, Rosana](#); [Steinmetz, Marcie](#); [Bitterman, Deborah](#); [Buehn, Scott](#); [Campbell, Rob](#); [Willard, Catherine](#); [Underwood, Alene](#)  
**Subject:** 2016 - 2nd Quarter Chelan River Hourly and Daily Average Flow Data  
**Date:** Monday, August 15, 2016 4:31:44 PM  
**Attachments:** [2016 Daily Average Flow Data 2nd Quarterly Report.pdf](#)  
[2016 Hourly Flow Data 2nd Quarterly Report.pdf](#)

---

PUBLIC UTILITY DISTRICT NO. 1 of CHELAN COUNTY

P.O. Box 1231, Wenatchee, WA 98807-1231 • 327 N. Wenatchee Ave., Wenatchee, WA 98801

(509) 663-8121 • Toll free 1-888-663-8121 • [www.chelanpud.org](http://www.chelanpud.org)

To: Chelan River Fishery Forum

Washington Department of Ecology

Washington Department of Fish and Wildlife

United States Forest Service

National Park Service

United States Fish and Wildlife Service

National Marine Fisheries Service

CCT (Colville)

YN (Yakama)

CTUIR (Umatilla tribe)

City of Chelan

Lake Chelan Sportsman Association

United States Geological Survey

Washington State Parks and Recreation Commission

Washington State Recreation and Conservation Office

Manson Parks and Recreation Department  
Lake Chelan Recreation Association  
American Whitewater

From: Steven Hays, Fish & Wildlife Senior Advisor  
Public Utility District No. 1 of Chelan County (Chelan PUD)  
steve.hays@chelanpud.org  
(509)661-4181

Re: Lake Chelan Hydroelectric Project No. 637 (Project)  
License Article 405a - 2016 Hourly and Daily  
Average Flow Data 2nd Quarterly Report

-----  
-----  
Dear Chelan River Fishery Forum and Other Parties:

This email is to provide you, in the attached files, with the written quarterly flow information for the second quarter of 2016. This Quarterly Flow Report contains data from April - June of 2016 for surface elevations at the Chelan Dam Forebay and Powerhouse Tailrace and flows from the Powerhouse, Low Level Outlet, Spillway, Pump Station and Total Reach 4 flows.

This information will be posted to the Lake Chelan Implementation web page under resource documents.

Steven Hays

Fish and Wildlife Senior Advisor

[steve.hays@chelanpud.org](mailto:steve.hays@chelanpud.org)

(509) 661-4181

## 2016 Daily Average Flow Data - 2nd Quarter

Date	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/1/2016	1087.9	1256	708.6	285	0	0	285
4/2/2016	1088.0	1251	708.2	286	0	0	286
4/3/2016	1088.2	1263	709.1	288	0	0	288
4/4/2016	1088.5	1264	709.3	290	0	0	290
4/5/2016	1088.7	1262	709.5	289	0	0	289
4/6/2016	1088.8	1262	709.5	287	0	0	287
4/7/2016	1089.0	1255	708.5	288	0	0	288
4/8/2016	1089.2	1153	708.3	289	0	0	289
4/9/2016	1089.5	1252	708.5	291	0	0	291
4/10/2016	1089.9	1260	708.9	294	0	0	294
4/11/2016	1090.3	1261	708.9	296	0	0	296
4/12/2016	1090.7	1267	709.5	299	0	0	299
4/13/2016	1091.0	1251	710.3	295	0	0	295
4/14/2016	1091.2	1038	710.8	290	0	0	290
4/15/2016	1091.5	1215	710.9	289	0	0	289
4/16/2016	1091.6	1278	711.0	287	0	0	287
4/17/2016	1091.8	1279	711.3	287	0	0	287
4/18/2016	1091.9	1279	711.0	288	0	0	288
4/19/2016	1092.2	1278	710.8	288	0	0	288
4/20/2016	1092.6	1091	710.6	288	0	0	288
4/21/2016	1093.1	1193	710.9	292	0	0	292
4/22/2016	1093.8	1273	711.5	292	0	0	292
4/23/2016	1094.4	1265	710.6	290	0	0	290
4/24/2016	1094.9	1261	710.8	293	0	0	293
4/25/2016	1095.3	1261	710.6	295	0	0	295
4/26/2016	1095.6	1260	710.7	296	0	0	296
4/27/2016	1095.8	1256	711.0	193	2120	0	2313
4/28/2016	1095.9	1253	711.4	83	3910	0	3993
4/29/2016	1095.9	1249	710.4	83	2488	0	2571
4/30/2016	1096.1	1237	709.1	83	619	0	702
5/1/2016	1096.3	1243	710.3	83	138	101	322
5/2/2016	1096.5	1229	710.3	86	0	205	291
5/3/2016	1096.9	1186	709.9	89	0	203	292
5/4/2016	1097.3	985	710.1	91	3566	120	3776
5/5/2016	1097.5	1934	712.5	89	9028	0	9118
5/6/2016	1097.4	2390	712.6	88	8986	0	9075
5/7/2016	1097.4	2386	712.5	88	8954	0	9043
5/8/2016	1097.5	2400	712.5	88	9016	0	9104
5/9/2016	1097.4	2391	712.3	88	8503	0	8591
5/10/2016	1097.3	2383	712.3	88	7844	0	7931
5/11/2016	1097.1	2397	712.2	87	7729	0	7816
5/12/2016	1096.9	2417	712.2	87	7473	0	7560
5/13/2016	1096.8	2420	711.9	87	6441	0	6528
5/14/2016	1096.8	2417	711.5	87	5703	0	5790
5/15/2016	1096.7	2413	711.2	87	5025	0	5112
5/16/2016	1096.8	2406	711.1	87	4483	0	4571
5/17/2016	1096.9	2408	711.0	86	3642	0	3728
5/18/2016	1097.0	2380	710.5	86	2850	0	2936
5/19/2016	1097.1	2375	709.8	86	1624	0	1710

## 2016 Daily Average Flow Data - 2nd Quarter

5/20/2016	1097.2	2383	709.5	86	807	0	893
5/21/2016	1097.3	2383	709.1	86	458	0	544
5/22/2016	1097.5	2385	709.4	87	427	0	514
5/23/2016	1097.6	2387	710.0	87	428	0	516
5/24/2016	1097.7	2382	709.8	87	430	0	518
5/25/2016	1097.8	2375	709.5	88	432	0	520
5/26/2016	1097.9	2401	709.5	88	434	0	522
5/27/2016	1098.0	2396	709.9	88	436	0	524
5/28/2016	1098.0	2400	710.1	88	437	0	526
5/29/2016	1098.1	2380	709.6	88	439	0	527
5/30/2016	1098.1	2380	709.4	88	439	0	527
5/31/2016	1098.2	2380	709.2	88	439	0	528
6/1/2016	1098.3	2164	709.7	88	749	0	838
6/2/2016	1098.4	2337	709.7	89	1411	0	1500
6/3/2016	1098.5	2341	710.3	86	2488	0	2574
6/4/2016	1098.5	2351	710.5	82	2936	0	3018
6/5/2016	1098.7	2349	710.5	83	2959	0	3041
6/6/2016	1098.9	2343	711.1	83	4785	0	4868
6/7/2016	1099.0	2355	711.8	82	6475	0	6557
6/8/2016	1099.0	2349	711.3	82	5309	0	5391
6/9/2016	1099.0	2378	710.5	82	2897	0	2979
6/10/2016	1099.1	2395	709.8	83	1152	0	1235
6/11/2016	1099.2	2395	709.6	83	456	0	539
6/12/2016	1099.2	2396	709.6	83	200	0	282
6/13/2016	1099.3	2395	709.5	83	123	0	206
6/14/2016	1099.3	2392	709.5	83	127	0	210
6/15/2016	1099.3	1882	709.7	83	126	0	209
6/16/2016	1099.4	1551	709.5	83	126	0	209
6/17/2016	1099.4	1586	709.2	83	125	0	208
6/18/2016	1099.4	1491	708.7	83	126	0	209
6/19/2016	1099.5	19	708.9	83	125	0	208
6/20/2016	1099.6	1580	709.2	83	125	0	208
6/21/2016	1099.6	2366	709.5	83	124	0	208
6/22/2016	1099.6	2374	709.9	83	124	0	208
6/23/2016	1099.6	2368	709.3	84	124	0	208
6/24/2016	1099.7	2375	709.7	84	621	0	704
6/25/2016	1099.6	2378	710.0	84	1399	0	1483
6/26/2016	1099.6	2370	710.0	84	1394	0	1477
6/27/2016	1099.5	2377	710.1	83	970	0	1053
6/28/2016	1099.6	2362	709.4	83	714	0	797
6/29/2016	1099.7	2355	709.5	83	860	0	943
6/30/2016	1099.8	2368	710.1	83	2247	0	2329

## 2016 Hourly Flow Data - 2nd Quarter

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/1/2016	1	1087.9	1250	708.3	285	0	0	285
4/1/2016	2	1087.9	1250	708.3	285	0	0	285
4/1/2016	3	1087.9	1250	708.3	285	0	0	285
4/1/2016	4	1087.9	1260	708.2	285	0	0	285
4/1/2016	5	1087.9	1260	708.3	285	0	0	285
4/1/2016	6	1087.9	1270	708.4	285	0	0	285
4/1/2016	7	1087.9	1260	708.6	285	0	0	285
4/1/2016	8	1087.9	1250	708.7	285	0	0	285
4/1/2016	9	1087.9	1240	708.4	285	0	0	285
4/1/2016	10	1087.9	1250	708.5	285	0	0	285
4/1/2016	11	1087.9	1250	708.7	285	0	0	285
4/1/2016	12	1087.9	1260	708.8	285	0	0	285
4/1/2016	13	1087.9	1260	708.6	285	0	0	285
4/1/2016	14	1087.9	1250	708.6	285	0	0	285
4/1/2016	15	1087.9	1260	708.6	285	0	0	285
4/1/2016	16	1087.9	1260	708.5	285	0	0	285
4/1/2016	17	1087.9	1250	708.5	285	0	0	285
4/1/2016	18	1088.0	1260	708.5	285	0	0	285
4/1/2016	19	1088.0	1270	708.6	285	0	0	285
4/1/2016	20	1088.0	1260	708.7	285	0	0	285
4/1/2016	21	1088.0	1260	708.8	285	0	0	285
4/1/2016	22	1088.0	1260	708.9	285	0	0	285
4/1/2016	23	1088.0	1250	708.9	286	0	0	286
4/1/2016	24	1088.0	1250	708.8	285	0	0	285
4/2/2016	1	1088.0	1250	708.6	286	0	0	286
4/2/2016	2	1088.0	1250	708.4	286	0	0	286
4/2/2016	3	1088.0	1250	708.3	286	0	0	286
4/2/2016	4	1088.0	1250	708.1	286	0	0	286
4/2/2016	5	1088.0	1250	708.1	286	0	0	286
4/2/2016	6	1088.0	1260	708.1	286	0	0	286
4/2/2016	7	1088.0	1250	708.1	286	0	0	286
4/2/2016	8	1088.0	1250	708.3	286	0	0	286
4/2/2016	9	1088.0	1260	708.4	286	0	0	286
4/2/2016	10	1088.0	1260	708.5	286	0	0	286
4/2/2016	11	1088.0	1250	708.5	286	0	0	286
4/2/2016	12	1088.0	1240	708.2	286	0	0	286
4/2/2016	13	1088.0	1250	708.1	286	0	0	286
4/2/2016	14	1088.0	1250	708.1	286	0	0	286
4/2/2016	15	1088.0	1250	708.1	286	0	0	286
4/2/2016	16	1088.1	1240	708.0	286	0	0	286
4/2/2016	17	1088.1	1250	708.0	286	0	0	286
4/2/2016	18	1088.1	1260	708.1	286	0	0	286
4/2/2016	19	1088.1	1260	708.2	286	0	0	286
4/2/2016	20	1088.1	1260	708.3	287	0	0	287
4/2/2016	21	1088.1	1250	708.3	287	0	0	287
4/2/2016	22	1088.1	1250	708.3	287	0	0	287
4/2/2016	23	1088.1	1240	708.1	287	0	0	287

## 2016 Hourly Flow Data - 2nd Quarter

4/2/2016	24	1088.1	1240	708.0	287	0	0	287
4/3/2016	1	1088.1	1250	708.1	287	0	0	287
4/3/2016	2	1088.1	1250	708.0	287	0	0	287
4/3/2016	3	1088.2	1250	708.1	287	0	0	287
4/3/2016	4	1088.2	1260	708.4	287	0	0	287
4/3/2016	5	1088.2	1260	708.5	287	0	0	287
4/3/2016	6	1088.2	1260	708.5	287	0	0	287
4/3/2016	7	1088.2	1260	708.6	287	0	0	287
4/3/2016	8	1088.2	1250	708.4	287	0	0	287
4/3/2016	9	1088.2	1260	709.1	287	0	0	287
4/3/2016	10	1088.2	1260	709.3	287	0	0	287
4/3/2016	11	1088.2	1270	709.4	288	0	0	288
4/3/2016	12	1088.2	1270	709.5	288	0	0	288
4/3/2016	13	1088.2	1270	709.5	288	0	0	288
4/3/2016	14	1088.2	1280	709.9	288	0	0	288
4/3/2016	15	1088.3	1270	709.9	288	0	0	288
4/3/2016	16	1088.3	1270	709.8	287	0	0	287
4/3/2016	17	1088.3	1270	709.5	288	0	0	288
4/3/2016	18	1088.3	1270	709.2	288	0	0	288
4/3/2016	19	1088.3	1270	709.5	288	0	0	288
4/3/2016	20	1088.3	1270	709.6	288	0	0	288
4/3/2016	21	1088.3	1260	709.6	288	0	0	288
4/3/2016	22	1088.3	1260	709.4	288	0	0	288
4/3/2016	23	1088.3	1260	709.7	288	0	0	288
4/3/2016	24	1088.3	1270	709.7	288	0	0	288
4/4/2016	1	1088.4	1270	709.4	288	0	0	288
4/4/2016	2	1088.4	1260	709.0	289	0	0	289
4/4/2016	3	1088.4	1270	708.8	289	0	0	289
4/4/2016	4	1088.4	1260	708.6	289	0	0	289
4/4/2016	5	1088.4	1280	708.8	289	0	0	289
4/4/2016	6	1088.4	1270	708.6	290	0	0	290
4/4/2016	7	1088.4	1270	708.5	289	0	0	289
4/4/2016	8	1088.4	1270	709.0	289	0	0	289
4/4/2016	9	1088.4	1270	709.4	289	0	0	289
4/4/2016	10	1088.4	1260	709.4	290	0	0	290
4/4/2016	11	1088.4	1270	709.3	290	0	0	290
4/4/2016	12	1088.5	1260	709.2	290	0	0	290
4/4/2016	13	1088.5	1260	709.5	290	0	0	290
4/4/2016	14	1088.5	1270	709.5	290	0	0	290
4/4/2016	15	1088.5	1260	709.6	290	0	0	290
4/4/2016	16	1088.5	1260	709.4	290	0	0	290
4/4/2016	17	1088.5	1270	709.4	290	0	0	290
4/4/2016	18	1088.5	1270	709.7	290	0	0	290
4/4/2016	19	1088.5	1270	709.7	291	0	0	291
4/4/2016	20	1088.5	1270	709.5	291	0	0	291
4/4/2016	21	1088.5	1250	710.0	291	0	0	291
4/4/2016	22	1088.5	1250	709.9	291	0	0	291
4/4/2016	23	1088.5	1250	709.9	290	0	0	290
4/4/2016	24	1088.6	1250	710.3	291	0	0	291
4/5/2016	1	1088.6	1270	710.3	291	0	0	291
4/5/2016	2	1088.6	1260	709.6	291	0	0	291
4/5/2016	3	1088.6	1250	709.2	291	0	0	291

## 2016 Hourly Flow Data - 2nd Quarter

4/5/2016	4	1088.6	1260	709.0	291	0	0	291
4/5/2016	5	1088.6	1270	708.7	291	0	0	291
4/5/2016	6	1088.6	1270	708.6	291	0	0	291
4/5/2016	7	1088.6	1270	708.5	291	0	0	291
4/5/2016	8	1088.6	1270	709.2	291	0	0	291
4/5/2016	9	1088.6	1260	709.2	292	0	0	292
4/5/2016	10	1088.6	1270	709.5	291	0	0	291
4/5/2016	11	1088.6	1270	709.5	291	0	0	291
4/5/2016	12	1088.6	1260	709.5	292	0	0	292
4/5/2016	13	1088.7	1280	709.5	288	0	0	288
4/5/2016	14	1088.7	1260	709.5	286	0	0	286
4/5/2016	15	1088.7	1260	709.4	285	0	0	285
4/5/2016	16	1088.7	1260	709.6	286	0	0	286
4/5/2016	17	1088.7	1260	709.7	286	0	0	286
4/5/2016	18	1088.7	1270	709.8	286	0	0	286
4/5/2016	19	1088.7	1260	709.8	286	0	0	286
4/5/2016	20	1088.7	1260	709.7	287	0	0	287
4/5/2016	21	1088.7	1250	709.9	286	0	0	286
4/5/2016	22	1088.7	1250	709.9	286	0	0	286
4/5/2016	23	1088.7	1250	710.2	286	0	0	286
4/5/2016	24	1088.8	1250	710.3	287	0	0	287
4/6/2016	1	1088.8	1260	710.2	287	0	0	287
4/6/2016	2	1088.8	1250	709.7	286	0	0	286
4/6/2016	3	1088.8	1260	709.3	286	0	0	286
4/6/2016	4	1088.8	1270	708.9	287	0	0	287
4/6/2016	5	1088.8	1260	708.9	287	0	0	287
4/6/2016	6	1088.8	1260	708.8	286	0	0	286
4/6/2016	7	1088.8	1270	709.0	287	0	0	287
4/6/2016	8	1088.8	1250	709.2	287	0	0	287
4/6/2016	9	1088.8	1250	709.4	287	0	0	287
4/6/2016	10	1088.8	1260	709.6	287	0	0	287
4/6/2016	11	1088.8	1260	709.6	287	0	0	287
4/6/2016	12	1088.8	1260	709.5	287	0	0	287
4/6/2016	13	1088.9	1270	709.6	287	0	0	287
4/6/2016	14	1088.9	1270	709.8	287	0	0	287
4/6/2016	15	1088.9	1280	709.8	287	0	0	287
4/6/2016	16	1088.9	1280	709.6	287	0	0	287
4/6/2016	17	1088.9	1280	709.7	287	0	0	287
4/6/2016	18	1088.9	1280	709.8	286	0	0	286
4/6/2016	19	1088.9	1250	709.8	287	0	0	287
4/6/2016	20	1088.9	1270	709.7	287	0	0	287
4/6/2016	21	1088.9	1250	709.8	287	0	0	287
4/6/2016	22	1088.9	1240	709.7	287	0	0	287
4/6/2016	23	1088.9	1250	709.8	287	0	0	287
4/6/2016	24	1088.9	1250	709.8	287	0	0	287
4/7/2016	1	1088.9	1260	709.8	287	0	0	287
4/7/2016	2	1088.9	1260	709.4	287	0	0	287
4/7/2016	3	1088.9	1260	709.0	287	0	0	287
4/7/2016	4	1088.9	1260	708.6	288	0	0	288
4/7/2016	5	1088.9	1260	708.3	288	0	0	288
4/7/2016	6	1088.9	1260	708.2	287	0	0	287
4/7/2016	7	1089.0	1260	708.2	288	0	0	288

## 2016 Hourly Flow Data - 2nd Quarter

4/7/2016	8	1089.0	1270	708.5	288	0	0	288
4/7/2016	9	1089.0	1260	708.7	288	0	0	288
4/7/2016	10	1089.0	1250	708.9	288	0	0	288
4/7/2016	11	1089.0	1250	708.8	288	0	0	288
4/7/2016	12	1089.0	1260	708.4	288	0	0	288
4/7/2016	13	1089.0	1260	708.4	288	0	0	288
4/7/2016	14	1089.0	1260	708.6	288	0	0	288
4/7/2016	15	1089.0	1260	708.9	288	0	0	288
4/7/2016	16	1089.0	1270	708.7	288	0	0	288
4/7/2016	17	1089.0	1250	708.2	288	0	0	288
4/7/2016	18	1089.0	1240	708.0	288	0	0	288
4/7/2016	19	1089.0	1250	708.1	288	0	0	288
4/7/2016	20	1089.0	1250	708.5	288	0	0	288
4/7/2016	21	1089.0	1240	708.6	288	0	0	288
4/7/2016	22	1089.0	1250	708.4	288	0	0	288
4/7/2016	23	1089.1	1240	708.1	288	0	0	288
4/7/2016	24	1089.1	1240	708.0	289	0	0	289
4/8/2016	1	1089.1	1240	708.1	289	0	0	289
4/8/2016	2	1089.1	1250	708.2	289	0	0	289
4/8/2016	3	1089.1	1250	708.0	289	0	0	289
4/8/2016	4	1089.1	1250	708.0	289	0	0	289
4/8/2016	5	1089.1	1250	708.1	289	0	0	289
4/8/2016	6	1089.1	1250	708.4	289	0	0	289
4/8/2016	7	1089.1	1270	708.5	289	0	0	289
4/8/2016	8	1089.1	1260	708.4	289	0	0	289
4/8/2016	9	1089.1	1250	708.2	289	0	0	289
4/8/2016	10	1089.2	1250	708.3	289	0	0	289
4/8/2016	11	1089.2	1250	708.3	289	0	0	289
4/8/2016	12	1089.2	1250	708.4	289	0	0	289
4/8/2016	13	1089.2	1240	708.4	289	0	0	289
4/8/2016	14	1089.2	1270	708.5	289	0	0	289
4/8/2016	15	1089.2	1250	708.5	289	0	0	289
4/8/2016	16	1089.2	1250	708.2	289	0	0	289
4/8/2016	17	1089.2	1250	708.3	289	0	0	289
4/8/2016	18	1089.3	1260	708.2	289	0	0	289
4/8/2016	19	1089.3	1250	708.4	289	0	0	289
4/8/2016	20	1089.3	100	708.1	289	0	0	289
4/8/2016	21	1089.3	40	708.1	289	0	0	289
4/8/2016	22	1089.3	1250	708.4	289	0	0	289
4/8/2016	23	1089.3	1240	708.2	290	0	0	290
4/8/2016	24	1089.3	1240	708.1	290	0	0	290
4/9/2016	1	1089.3	1240	708.2	290	0	0	290
4/9/2016	2	1089.4	1240	708.2	290	0	0	290
4/9/2016	3	1089.4	1240	708.2	290	0	0	290
4/9/2016	4	1089.4	1250	708.3	291	0	0	291
4/9/2016	5	1089.4	1240	708.3	291	0	0	291
4/9/2016	6	1089.4	1260	708.1	291	0	0	291
4/9/2016	7	1089.4	1250	708.2	291	0	0	291
4/9/2016	8	1089.4	1250	708.1	291	0	0	291
4/9/2016	9	1089.4	1260	708.4	291	0	0	291
4/9/2016	10	1089.5	1250	708.2	291	0	0	291
4/9/2016	11	1089.5	1250	708.1	291	0	0	291



## 2016 Hourly Flow Data - 2nd Quarter

4/9/2016	12	1089.5	1260	708.2	291	0	0	291
4/9/2016	13	1089.5	1250	708.4	291	0	0	291
4/9/2016	14	1089.5	1260	708.6	291	0	0	291
4/9/2016	15	1089.5	1260	708.9	291	0	0	291
4/9/2016	16	1089.5	1270	708.8	291	0	0	291
4/9/2016	17	1089.5	1250	708.7	292	0	0	292
4/9/2016	18	1089.5	1250	708.6	292	0	0	292
4/9/2016	19	1089.6	1260	709.0	292	0	0	292
4/9/2016	20	1089.6	1260	709.1	292	0	0	292
4/9/2016	21	1089.6	1260	709.0	292	0	0	292
4/9/2016	22	1089.6	1260	709.0	292	0	0	292
4/9/2016	23	1089.6	1240	708.8	293	0	0	293
4/9/2016	24	1089.6	1240	708.1	293	0	0	293
4/10/2016	1	1089.7	1250	708.2	293	0	0	293
4/10/2016	2	1089.7	1260	709.2	293	0	0	293
4/10/2016	3	1089.7	1270	709.2	293	0	0	293
4/10/2016	4	1089.7	1270	709.4	293	0	0	293
4/10/2016	5	1089.7	1260	708.6	294	0	0	294
4/10/2016	6	1089.8	1250	708.4	293	0	0	293
4/10/2016	7	1089.8	1260	708.6	294	0	0	294
4/10/2016	8	1089.8	1260	708.8	294	0	0	294
4/10/2016	9	1089.8	1270	709.1	294	0	0	294
4/10/2016	10	1089.8	1260	708.5	294	0	0	294
4/10/2016	11	1089.8	1250	708.3	294	0	0	294
4/10/2016	12	1089.9	1250	708.3	294	0	0	294
4/10/2016	13	1089.9	1250	708.5	294	0	0	294
4/10/2016	14	1089.9	1250	708.6	294	0	0	294
4/10/2016	15	1089.9	1260	708.7	294	0	0	294
4/10/2016	16	1089.9	1260	708.9	294	0	0	294
4/10/2016	17	1089.9	1260	709.0	294	0	0	294
4/10/2016	18	1090.0	1270	709.2	294	0	0	294
4/10/2016	19	1090.0	1270	709.4	294	0	0	294
4/10/2016	20	1090.0	1270	709.5	295	0	0	295
4/10/2016	21	1090.0	1260	709.5	295	0	0	295
4/10/2016	22	1090.0	1260	709.5	295	0	0	295
4/10/2016	23	1090.0	1260	709.1	295	0	0	295
4/10/2016	24	1090.1	1260	709.1	295	0	0	295
4/11/2016	1	1090.1	1260	708.9	295	0	0	295
4/11/2016	2	1090.1	1260	709.0	296	0	0	296
4/11/2016	3	1090.1	1260	708.9	296	0	0	296
4/11/2016	4	1090.1	1260	708.9	296	0	0	296
4/11/2016	5	1090.1	1260	708.8	296	0	0	296
4/11/2016	6	1090.2	1280	708.7	296	0	0	296
4/11/2016	7	1090.2	1280	708.6	296	0	0	296
4/11/2016	8	1090.2	1270	708.7	296	0	0	296
4/11/2016	9	1090.2	1260	708.8	296	0	0	296
4/11/2016	10	1090.2	1260	708.7	296	0	0	296
4/11/2016	11	1090.3	1260	708.9	296	0	0	296
4/11/2016	12	1090.3	1260	709.1	296	0	0	296
4/11/2016	13	1090.3	1260	709.1	296	0	0	296
4/11/2016	14	1090.3	1260	709.0	296	0	0	296
4/11/2016	15	1090.3	1270	709.1	297	0	0	297

## 2016 Hourly Flow Data - 2nd Quarter

4/11/2016	16	1090.4	1250	709.0	296	0	0	296
4/11/2016	17	1090.4	1260	709.0	297	0	0	297
4/11/2016	18	1090.4	1260	708.9	297	0	0	297
4/11/2016	19	1090.4	1260	709.0	297	0	0	297
4/11/2016	20	1090.5	1270	709.0	297	0	0	297
4/11/2016	21	1090.5	1250	709.0	297	0	0	297
4/11/2016	22	1090.5	1250	709.0	297	0	0	297
4/11/2016	23	1090.5	1250	709.0	298	0	0	298
4/11/2016	24	1090.5	1250	709.0	298	0	0	298
4/12/2016	1	1090.5	1250	709.0	298	0	0	298
4/12/2016	2	1090.5	1250	709.1	298	0	0	298
4/12/2016	3	1090.5	1280	709.2	298	0	0	298
4/12/2016	4	1090.5	1280	709.3	298	0	0	298
4/12/2016	5	1090.6	1280	709.3	298	0	0	298
4/12/2016	6	1090.6	1280	709.1	298	0	0	298
4/12/2016	7	1090.6	1280	709.2	299	0	0	299
4/12/2016	8	1090.6	1270	709.2	299	0	0	299
4/12/2016	9	1090.6	1260	709.3	299	0	0	299
4/12/2016	10	1090.6	1260	709.4	299	0	0	299
4/12/2016	11	1090.6	1260	709.4	299	0	0	299
4/12/2016	12	1090.7	1270	709.4	299	0	0	299
4/12/2016	13	1090.7	1280	709.7	299	0	0	299
4/12/2016	14	1090.7	1260	709.7	299	0	0	299
4/12/2016	15	1090.7	1270	709.7	299	0	0	299
4/12/2016	16	1090.8	1270	709.8	299	0	0	299
4/12/2016	17	1090.8	1270	709.8	299	0	0	299
4/12/2016	18	1090.8	1270	709.8	299	0	0	299
4/12/2016	19	1090.8	1270	709.9	299	0	0	299
4/12/2016	20	1090.8	1270	709.9	300	0	0	300
4/12/2016	21	1090.8	1260	709.9	300	0	0	300
4/12/2016	22	1090.8	1260	709.9	300	0	0	300
4/12/2016	23	1090.8	1260	709.9	300	0	0	300
4/12/2016	24	1090.8	1250	710.2	300	0	0	300
4/13/2016	1	1090.9	1260	710.0	300	0	0	300
4/13/2016	2	1090.9	1260	709.9	300	0	0	300
4/13/2016	3	1090.9	1260	710.0	300	0	0	300
4/13/2016	4	1090.9	1260	709.9	300	0	0	300
4/13/2016	5	1090.9	1280	710.0	300	0	0	300
4/13/2016	6	1091.0	1280	710.3	300	0	0	300
4/13/2016	7	1091.0	1280	710.2	300	0	0	300
4/13/2016	8	1091.0	1270	710.3	301	0	0	301
4/13/2016	9	1091.0	1270	710.5	301	0	0	301
4/13/2016	10	1091.0	1280	710.5	301	0	0	301
4/13/2016	11	1091.0	1280	710.5	301	0	0	301
4/13/2016	12	1091.0	1290	710.6	300	0	0	300
4/13/2016	13	1091.0	1280	710.6	301	0	0	301
4/13/2016	14	1091.0	1270	710.5	290	0	0	290
4/13/2016	15	1091.0	1270	710.3	288	0	0	288
4/13/2016	16	1091.0	1210	710.3	288	0	0	288
4/13/2016	17	1091.0	1220	710.2	288	0	0	288
4/13/2016	18	1091.0	1230	710.1	288	0	0	288
4/13/2016	19	1091.0	1230	710.2	288	0	0	288

## 2016 Hourly Flow Data - 2nd Quarter

4/13/2016	20	1091.0	1230	710.3	289	0	0	289
4/13/2016	21	1091.0	1220	710.6	289	0	0	289
4/13/2016	22	1091.0	1200	710.6	289	0	0	289
4/13/2016	23	1091.0	1200	710.7	289	0	0	289
4/13/2016	24	1091.1	1200	710.8	289	0	0	289
4/14/2016	1	1091.1	1200	711.0	289	0	0	289
4/14/2016	2	1091.1	1200	711.0	289	0	0	289
4/14/2016	3	1091.1	1200	710.9	289	0	0	289
4/14/2016	4	1091.1	1210	710.9	289	0	0	289
4/14/2016	5	1091.1	1040	710.9	289	0	0	289
4/14/2016	6	1091.1	10	710.8	289	0	0	289
4/14/2016	7	1091.2	10	710.9	289	0	0	289
4/14/2016	8	1091.2	10	710.8	289	0	0	289
4/14/2016	9	1091.2	710	711.0	289	0	0	289
4/14/2016	10	1091.2	1210	710.8	290	0	0	290
4/14/2016	11	1091.2	1210	710.8	290	0	0	290
4/14/2016	12	1091.2	1220	710.7	290	0	0	290
4/14/2016	13	1091.3	1220	710.6	290	0	0	290
4/14/2016	14	1091.3	1210	710.5	290	0	0	290
4/14/2016	15	1091.3	1220	710.5	290	0	0	290
4/14/2016	16	1091.3	1230	710.4	290	0	0	290
4/14/2016	17	1091.3	1220	710.4	291	0	0	291
4/14/2016	18	1091.3	1230	710.5	291	0	0	291
4/14/2016	19	1091.4	1220	710.7	291	0	0	291
4/14/2016	20	1091.4	1240	710.9	291	0	0	291
4/14/2016	21	1091.4	1230	711.3	291	0	0	291
4/14/2016	22	1091.4	1220	711.4	291	0	0	291
4/14/2016	23	1091.4	1220	711.3	291	0	0	291
4/14/2016	24	1091.4	1210	711.2	291	0	0	291
4/15/2016	1	1091.4	1210	711.1	291	0	0	291
4/15/2016	2	1091.4	1210	711.0	291	0	0	291
4/15/2016	3	1091.4	1220	710.9	291	0	0	291
4/15/2016	4	1091.4	1220	710.9	291	0	0	291
4/15/2016	5	1091.4	1230	710.9	291	0	0	291
4/15/2016	6	1091.4	1240	711.0	291	0	0	291
4/15/2016	7	1091.4	1230	711.1	291	0	0	291
4/15/2016	8	1091.4	1220	711.2	292	0	0	292
4/15/2016	9	1091.4	1210	711.1	292	0	0	292
4/15/2016	10	1091.4	300	710.8	291	0	0	291
4/15/2016	11	1091.5	1280	710.8	292	0	0	292
4/15/2016	12	1091.4	1280	710.9	292	0	0	292
4/15/2016	13	1091.5	1290	710.9	292	0	0	292
4/15/2016	14	1091.5	1270	710.9	292	0	0	292
4/15/2016	15	1091.5	1270	710.8	289	0	0	289
4/15/2016	16	1091.5	1270	710.8	286	0	0	286
4/15/2016	17	1091.5	1280	710.8	286	0	0	286
4/15/2016	18	1091.5	1280	710.8	286	0	0	286
4/15/2016	19	1091.5	1280	710.8	286	0	0	286
4/15/2016	20	1091.5	1290	710.8	286	0	0	286
4/15/2016	21	1091.5	1280	710.7	286	0	0	286
4/15/2016	22	1091.6	1260	710.7	286	0	0	286
4/15/2016	23	1091.5	1280	710.9	286	0	0	286

## 2016 Hourly Flow Data - 2nd Quarter

4/15/2016	24	1091.5	1270	711.0	286	0	0	286
4/16/2016	1	1091.6	1290	711.2	286	0	0	286
4/16/2016	2	1091.6	1290	711.3	286	0	0	286
4/16/2016	3	1091.6	1280	711.4	286	0	0	286
4/16/2016	4	1091.6	1280	711.5	286	0	0	286
4/16/2016	5	1091.6	1280	711.5	287	0	0	287
4/16/2016	6	1091.6	1280	711.5	287	0	0	287
4/16/2016	7	1091.6	1280	711.4	286	0	0	286
4/16/2016	8	1091.6	1280	711.4	286	0	0	286
4/16/2016	9	1091.6	1280	711.3	287	0	0	287
4/16/2016	10	1091.6	1280	711.2	287	0	0	287
4/16/2016	11	1091.6	1280	711.1	287	0	0	287
4/16/2016	12	1091.6	1280	711.1	287	0	0	287
4/16/2016	13	1091.6	1270	711.1	287	0	0	287
4/16/2016	14	1091.6	1270	711.0	287	0	0	287
4/16/2016	15	1091.6	1280	710.7	286	0	0	286
4/16/2016	16	1091.6	1280	710.5	286	0	0	286
4/16/2016	17	1091.7	1280	710.4	287	0	0	287
4/16/2016	18	1091.7	1280	710.5	287	0	0	287
4/16/2016	19	1091.7	1280	710.6	287	0	0	287
4/16/2016	20	1091.7	1280	710.7	287	0	0	287
4/16/2016	21	1091.7	1270	710.8	287	0	0	287
4/16/2016	22	1091.7	1260	710.9	287	0	0	287
4/16/2016	23	1091.7	1270	711.0	287	0	0	287
4/16/2016	24	1091.7	1270	711.1	287	0	0	287
4/17/2016	1	1091.7	1280	711.1	287	0	0	287
4/17/2016	2	1091.7	1280	711.2	287	0	0	287
4/17/2016	3	1091.7	1270	711.1	287	0	0	287
4/17/2016	4	1091.7	1270	711.1	287	0	0	287
4/17/2016	5	1091.7	1280	711.1	287	0	0	287
4/17/2016	6	1091.8	1280	711.1	287	0	0	287
4/17/2016	7	1091.7	1270	711.1	287	0	0	287
4/17/2016	8	1091.7	1280	711.1	287	0	0	287
4/17/2016	9	1091.8	1270	711.0	287	0	0	287
4/17/2016	10	1091.8	1280	711.0	288	0	0	288
4/17/2016	11	1091.8	1280	711.1	287	0	0	287
4/17/2016	12	1091.8	1280	711.4	287	0	0	287
4/17/2016	13	1091.8	1280	711.5	287	0	0	287
4/17/2016	14	1091.8	1280	711.5	287	0	0	287
4/17/2016	15	1091.8	1280	711.6	287	0	0	287
4/17/2016	16	1091.8	1290	711.7	287	0	0	287
4/17/2016	17	1091.8	1290	711.7	287	0	0	287
4/17/2016	18	1091.8	1290	711.5	287	0	0	287
4/17/2016	19	1091.8	1280	711.4	287	0	0	287
4/17/2016	20	1091.8	1280	711.3	287	0	0	287
4/17/2016	21	1091.8	1280	711.4	288	0	0	288
4/17/2016	22	1091.9	1270	711.4	288	0	0	288
4/17/2016	23	1091.9	1270	711.4	288	0	0	288
4/17/2016	24	1091.9	1280	711.4	288	0	0	288
4/18/2016	1	1091.9	1280	711.4	288	0	0	288
4/18/2016	2	1091.9	1280	711.2	288	0	0	288
4/18/2016	3	1091.9	1280	711.2	288	0	0	288

## 2016 Hourly Flow Data - 2nd Quarter

4/18/2016	4	1091.9	1280	711.2	288	0	0	288
4/18/2016	5	1091.9	1280	711.0	288	0	0	288
4/18/2016	6	1091.9	1290	711.0	288	0	0	288
4/18/2016	7	1091.9	1280	711.1	288	0	0	288
4/18/2016	8	1091.9	1280	711.2	288	0	0	288
4/18/2016	9	1091.9	1290	711.5	288	0	0	288
4/18/2016	10	1091.9	1290	711.4	288	0	0	288
4/18/2016	11	1092.0	1290	711.3	288	0	0	288
4/18/2016	12	1092.0	1290	711.1	288	0	0	288
4/18/2016	13	1091.9	1280	711.0	288	0	0	288
4/18/2016	14	1092.0	1280	711.0	288	0	0	288
4/18/2016	15	1092.0	1270	711.0	288	0	0	288
4/18/2016	16	1092.0	1290	711.0	287	0	0	287
4/18/2016	17	1091.3	1280	711.1	288	0	0	288
4/18/2016	18	1091.9	1280	711.2	288	0	0	288
4/18/2016	19	1092.0	1280	711.0	288	0	0	288
4/18/2016	20	1092.0	1280	710.8	288	0	0	288
4/18/2016	21	1092.0	1270	710.5	288	0	0	288
4/18/2016	22	1092.0	1260	710.4	288	0	0	288
4/18/2016	23	1092.1	1260	710.4	288	0	0	288
4/18/2016	24	1092.1	1260	710.5	288	0	0	288
4/19/2016	1	1092.1	1270	710.5	289	0	0	289
4/19/2016	2	1092.1	1270	710.5	289	0	0	289
4/19/2016	3	1092.1	1280	710.5	289	0	0	289
4/19/2016	4	1092.1	1280	710.5	289	0	0	289
4/19/2016	5	1092.1	1290	710.7	289	0	0	289
4/19/2016	6	1092.1	1290	710.7	289	0	0	289
4/19/2016	7	1092.1	1280	710.6	289	0	0	289
4/19/2016	8	1092.1	1270	710.5	289	0	0	289
4/19/2016	9	1092.1	1270	710.8	289	0	0	289
4/19/2016	10	1092.2	1270	711.0	289	0	0	289
4/19/2016	11	1092.2	1280	711.0	289	0	0	289
4/19/2016	12	1092.2	1280	711.1	289	0	0	289
4/19/2016	13	1092.2	1290	711.0	287	0	0	287
4/19/2016	14	1092.2	1280	710.9	286	0	0	286
4/19/2016	15	1092.2	1280	710.9	286	0	0	286
4/19/2016	16	1092.2	1280	710.9	286	0	0	286
4/19/2016	17	1092.3	1280	710.9	286	0	0	286
4/19/2016	18	1092.3	1280	710.9	286	0	0	286
4/19/2016	19	1092.3	1280	710.9	286	0	0	286
4/19/2016	20	1092.3	1280	710.9	286	0	0	286
4/19/2016	21	1092.3	1270	711.1	287	0	0	287
4/19/2016	22	1092.4	1270	711.1	287	0	0	287
4/19/2016	23	1092.4	1270	711.2	287	0	0	287
4/19/2016	24	1092.4	1270	711.1	287	0	0	287
4/20/2016	1	1092.4	1280	711.0	287	0	0	287
4/20/2016	2	1092.4	1280	710.9	287	0	0	287
4/20/2016	3	1092.4	1280	710.9	287	0	0	287
4/20/2016	4	1092.4	1290	711.0	287	0	0	287
4/20/2016	5	1092.5	1280	711.0	288	0	0	288
4/20/2016	6	1092.5	1290	711.0	288	0	0	288
4/20/2016	7	1092.5	1280	711.0	288	0	0	288

## 2016 Hourly Flow Data - 2nd Quarter

4/20/2016	8	1092.5	1280	711.0	288	0	0	288
4/20/2016	9	1092.5	1280	711.0	288	0	0	288
4/20/2016	10	1092.5	1280	711.1	288	0	0	288
4/20/2016	11	1092.5	1270	710.9	288	0	0	288
4/20/2016	12	1092.6	1280	710.4	288	0	0	288
4/20/2016	13	1092.6	1270	710.3	288	0	0	288
4/20/2016	14	1092.6	1280	710.4	288	0	0	288
4/20/2016	15	1092.6	1280	710.4	288	0	0	288
4/20/2016	16	1092.6	1270	710.4	288	0	0	288
4/20/2016	17	1092.6	1280	710.4	288	0	0	288
4/20/2016	18	1092.7	1280	710.4	288	0	0	288
4/20/2016	19	1092.7	1270	710.5	289	0	0	289
4/20/2016	20	1092.7	300	710.4	288	0	0	288
4/20/2016	21	1092.7	20	710.4	288	0	0	288
4/20/2016	22	1092.8	10	710.4	288	0	0	288
4/20/2016	23	1092.8	470	710.3	288	0	0	288
4/20/2016	24	1092.9	1080	709.9	290	0	0	290
4/21/2016	1	1092.9	1080	709.9	290	0	0	290
4/21/2016	2	1092.9	1080	709.8	290	0	0	290
4/21/2016	3	1092.9	1090	710.0	290	0	0	290
4/21/2016	4	1092.9	1080	710.0	290	0	0	290
4/21/2016	5	1093.0	1080	710.2	290	0	0	290
4/21/2016	6	1093.0	1090	710.2	290	0	0	290
4/21/2016	7	1093.0	1090	710.3	290	0	0	290
4/21/2016	8	1093.0	1080	710.3	291	0	0	291
4/21/2016	9	1093.0	1090	710.4	291	0	0	291
4/21/2016	10	1093.1	1090	710.8	291	0	0	291
4/21/2016	11	1093.1	1200	711.7	291	0	0	291
4/21/2016	12	1093.1	1290	711.8	291	0	0	291
4/21/2016	13	1093.1	1280	711.3	291	0	0	291
4/21/2016	14	1093.1	1290	711.0	291	0	0	291
4/21/2016	15	1093.2	1280	711.3	293	0	0	293
4/21/2016	16	1093.2	1270	711.4	293	0	0	293
4/21/2016	17	1093.2	1270	711.5	293	0	0	293
4/21/2016	18	1093.2	1280	711.5	294	0	0	294
4/21/2016	19	1093.3	1270	711.6	294	0	0	294
4/21/2016	20	1093.3	1280	711.5	294	0	0	294
4/21/2016	21	1093.3	1270	711.5	294	0	0	294
4/21/2016	22	1093.4	1260	711.5	295	0	0	295
4/21/2016	23	1093.4	1270	711.6	295	0	0	295
4/21/2016	24	1093.5	1260	711.7	295	0	0	295
4/22/2016	1	1093.5	1270	711.7	295	0	0	295
4/22/2016	2	1093.5	1270	711.8	295	0	0	295
4/22/2016	3	1093.5	1270	711.7	295	0	0	295
4/22/2016	4	1093.6	1270	711.6	295	0	0	295
4/22/2016	5	1093.6	1270	711.6	295	0	0	295
4/22/2016	6	1093.6	1270	711.5	295	0	0	295
4/22/2016	7	1093.6	1280	711.5	296	0	0	296
4/22/2016	8	1093.7	1280	711.6	296	0	0	296
4/22/2016	9	1093.7	1280	711.5	296	0	0	296
4/22/2016	10	1093.7	1270	711.5	295	0	0	295
4/22/2016	11	1093.8	1270	711.5	295	0	0	295

## 2016 Hourly Flow Data - 2nd Quarter

4/22/2016	12	1093.8	1290	711.5	296	0	0	296
4/22/2016	13	1093.8	1270	711.5	296	0	0	296
4/22/2016	14	1093.8	1290	711.5	289	0	0	289
4/22/2016	15	1093.8	1280	711.5	286	0	0	286
4/22/2016	16	1093.9	1290	711.5	286	0	0	286
4/22/2016	17	1093.9	1270	711.5	287	0	0	287
4/22/2016	18	1094.0	1280	711.5	287	0	0	287
4/22/2016	19	1094.0	1270	711.5	288	0	0	288
4/22/2016	20	1094.0	1280	711.5	288	0	0	288
4/22/2016	21	1094.0	1260	711.5	288	0	0	288
4/22/2016	22	1094.0	1260	711.5	288	0	0	288
4/22/2016	23	1094.1	1260	711.5	289	0	0	289
4/22/2016	24	1094.1	1260	711.4	289	0	0	289
4/23/2016	1	1094.2	1260	711.2	289	0	0	289
4/23/2016	2	1094.1	1260	711.0	289	0	0	289
4/23/2016	3	1094.2	1260	710.2	289	0	0	289
4/23/2016	4	1094.2	1260	709.4	289	0	0	289
4/23/2016	5	1094.2	1250	709.2	289	0	0	289
4/23/2016	6	1094.2	1260	709.2	289	0	0	289
4/23/2016	7	1094.3	1250	709.1	289	0	0	289
4/23/2016	8	1094.3	1270	709.4	290	0	0	290
4/23/2016	9	1094.3	1280	710.0	290	0	0	290
4/23/2016	10	1094.4	1260	710.2	290	0	0	290
4/23/2016	11	1094.4	1270	710.3	290	0	0	290
4/23/2016	12	1094.4	1270	710.5	290	0	0	290
4/23/2016	13	1094.5	1280	710.9	290	0	0	290
4/23/2016	14	1094.5	1280	711.1	290	0	0	290
4/23/2016	15	1094.5	1270	711.1	290	0	0	290
4/23/2016	16	1094.5	1270	711.0	291	0	0	291
4/23/2016	17	1094.5	1270	711.0	291	0	0	291
4/23/2016	18	1094.5	1270	711.2	291	0	0	291
4/23/2016	19	1094.6	1270	711.4	291	0	0	291
4/23/2016	20	1094.6	1270	711.4	292	0	0	292
4/23/2016	21	1094.6	1270	711.4	292	0	0	292
4/23/2016	22	1094.6	1250	711.3	292	0	0	292
4/23/2016	23	1094.7	1260	711.3	292	0	0	292
4/23/2016	24	1094.7	1260	711.3	292	0	0	292
4/24/2016	1	1094.7	1260	711.3	292	0	0	292
4/24/2016	2	1094.7	1260	711.1	292	0	0	292
4/24/2016	3	1094.7	1260	710.9	292	0	0	292
4/24/2016	4	1094.8	1260	710.3	292	0	0	292
4/24/2016	5	1094.8	1260	709.9	292	0	0	292
4/24/2016	6	1094.8	1270	710.0	292	0	0	292
4/24/2016	7	1094.8	1260	709.9	292	0	0	292
4/24/2016	8	1094.9	1260	709.9	292	0	0	292
4/24/2016	9	1094.9	1270	710.1	292	0	0	292
4/24/2016	10	1094.9	1260	710.2	292	0	0	292
4/24/2016	11	1094.9	1260	710.3	292	0	0	292
4/24/2016	12	1094.9	1270	710.6	293	0	0	293
4/24/2016	13	1095.0	1260	711.0	293	0	0	293
4/24/2016	14	1095.0	1250	711.3	293	0	0	293
4/24/2016	15	1095.0	1260	711.4	293	0	0	293

## 2016 Hourly Flow Data - 2nd Quarter

4/24/2016	16	1095.0	1260	711.2	293	0	0	293
4/24/2016	17	1095.0	1270	711.3	293	0	0	293
4/24/2016	18	1095.1	1270	711.3	294	0	0	294
4/24/2016	19	1095.1	1260	711.3	294	0	0	294
4/24/2016	20	1095.1	1270	711.3	294	0	0	294
4/24/2016	21	1095.1	1260	711.3	294	0	0	294
4/24/2016	22	1095.1	1250	711.4	294	0	0	294
4/24/2016	23	1095.1	1250	711.3	294	0	0	294
4/24/2016	24	1095.2	1250	711.1	294	0	0	294
4/25/2016	1	1095.2	1250	710.7	294	0	0	294
4/25/2016	2	1095.2	1250	710.4	294	0	0	294
4/25/2016	3	1095.2	1250	710.4	294	0	0	294
4/25/2016	4	1095.2	1260	710.3	294	0	0	294
4/25/2016	5	1095.2	1270	710.3	294	0	0	294
4/25/2016	6	1095.2	1260	710.4	294	0	0	294
4/25/2016	7	1095.3	1260	710.4	294	0	0	294
4/25/2016	8	1095.3	1260	710.7	294	0	0	294
4/25/2016	9	1095.3	1260	710.8	294	0	0	294
4/25/2016	10	1095.3	1260	710.7	294	0	0	294
4/25/2016	11	1095.3	1260	710.7	295	0	0	295
4/25/2016	12	1095.4	1260	710.6	294	0	0	294
4/25/2016	13	1095.4	1270	710.6	295	0	0	295
4/25/2016	14	1095.4	1260	710.6	295	0	0	295
4/25/2016	15	1095.4	1260	710.6	295	0	0	295
4/25/2016	16	1095.4	1270	710.6	295	0	0	295
4/25/2016	17	1095.4	1260	710.6	295	0	0	295
4/25/2016	18	1095.4	1270	710.5	295	0	0	295
4/25/2016	19	1095.5	1280	710.4	295	0	0	295
4/25/2016	20	1095.5	1280	710.3	295	0	0	295
4/25/2016	21	1095.5	1260	710.6	295	0	0	295
4/25/2016	22	1095.5	1250	710.7	296	0	0	296
4/25/2016	23	1095.5	1250	710.9	296	0	0	296
4/25/2016	24	1095.5	1250	710.8	296	0	0	296
4/26/2016	1	1095.5	1250	710.8	296	0	0	296
4/26/2016	2	1095.5	1260	710.8	296	0	0	296
4/26/2016	3	1095.5	1260	710.7	296	0	0	296
4/26/2016	4	1095.5	1280	710.7	296	0	0	296
4/26/2016	5	1095.5	1250	710.5	296	0	0	296
4/26/2016	6	1095.5	1270	710.4	296	0	0	296
4/26/2016	7	1095.6	1270	710.5	296	0	0	296
4/26/2016	8	1095.6	1250	710.7	295	0	0	295
4/26/2016	9	1095.6	1250	710.8	295	0	0	295
4/26/2016	10	1095.6	1260	710.8	296	0	0	296
4/26/2016	11	1095.6	1270	710.8	296	0	0	296
4/26/2016	12	1095.6	1260	710.7	296	0	0	296
4/26/2016	13	1095.6	1260	710.7	296	0	0	296
4/26/2016	14	1095.6	1260	710.8	296	0	0	296
4/26/2016	15	1095.6	1260	710.7	296	0	0	296
4/26/2016	16	1095.6	1260	710.6	296	0	0	296
4/26/2016	17	1095.6	1260	710.6	296	0	0	296
4/26/2016	18	1095.6	1270	710.6	296	0	0	296
4/26/2016	19	1095.7	1270	710.6	296	0	0	296



## 2016 Hourly Flow Data - 2nd Quarter

4/26/2016	20	1095.7	1270	710.6	296	0	0	296
4/26/2016	21	1095.7	1260	710.7	296	0	0	296
4/26/2016	22	1095.7	1250	710.7	296	0	0	296
4/26/2016	23	1095.8	1250	710.7	297	0	0	297
4/26/2016	24	1095.7	1250	710.8	297	0	0	297
4/27/2016	1	1095.8	1260	710.8	297	0	0	297
4/27/2016	2	1095.8	1250	710.8	296	0	0	296
4/27/2016	3	1095.8	1260	710.7	297	0	0	297
4/27/2016	4	1095.8	1270	710.6	297	0	0	297
4/27/2016	5	1095.8	1260	710.5	297	0	0	297
4/27/2016	6	1095.8	1270	710.5	297	0	0	297
4/27/2016	7	1095.8	1270	710.5	297	0	0	297
4/27/2016	8	1095.8	1260	710.5	297	0	0	297
4/27/2016	9	1095.8	1260	710.5	297	0	0	297
4/27/2016	10	1095.9	1260	710.6	297	0	0	297
4/27/2016	11	1095.9	1260	710.8	297	1023	0	1320
4/27/2016	12	1095.9	1250	710.9	295	3003	0	3298
4/27/2016	13	1095.9	1250	711.3	156	3902	0	4058
4/27/2016	14	1095.9	1250	711.4	96	3898	0	3994
4/27/2016	15	1095.9	1250	711.4	83	3901	0	3984
4/27/2016	16	1095.9	1260	711.4	83	3906	0	3989
4/27/2016	17	1095.9	1260	711.4	83	3906	0	3989
4/27/2016	18	1095.9	1260	711.4	83	3904	0	3987
4/27/2016	19	1095.9	1250	711.4	83	3906	0	3989
4/27/2016	20	1095.9	1260	711.3	83	3908	0	3991
4/27/2016	21	1095.9	1250	711.4	83	3906	0	3989
4/27/2016	22	1095.9	1240	711.5	83	3906	0	3989
4/27/2016	23	1095.9	1250	711.6	83	3904	0	3987
4/27/2016	24	1095.9	1240	711.5	83	3909	0	3992
4/28/2016	1	1095.9	1250	711.4	83	3910	0	3993
4/28/2016	2	1095.9	1250	711.3	83	3906	0	3989
4/28/2016	3	1095.9	1250	711.3	83	3905	0	3988
4/28/2016	4	1095.9	1250	711.2	83	3909	0	3992
4/28/2016	5	1095.9	1250	711.2	83	3907	0	3990
4/28/2016	6	1095.9	1260	711.3	83	3903	0	3986
4/28/2016	7	1095.9	1270	711.4	83	3904	0	3987
4/28/2016	8	1095.9	1250	711.5	83	3905	0	3988
4/28/2016	9	1095.9	1260	711.5	83	3905	0	3987
4/28/2016	10	1095.9	1260	711.5	83	3901	0	3984
4/28/2016	11	1095.9	1250	711.4	83	3902	0	3985
4/28/2016	12	1095.9	1250	711.4	83	3906	0	3989
4/28/2016	13	1095.9	1260	711.3	83	3908	0	3991
4/28/2016	14	1095.9	1260	711.2	83	3906	0	3989
4/28/2016	15	1095.9	1260	711.3	83	3907	0	3990
4/28/2016	16	1095.9	1250	711.4	83	3910	0	3993
4/28/2016	17	1095.9	1250	711.4	83	3913	0	3996
4/28/2016	18	1095.9	1260	711.4	83	3912	0	3995
4/28/2016	19	1095.9	1260	711.5	83	3917	0	4000
4/28/2016	20	1095.9	1260	711.4	83	3921	0	4004
4/28/2016	21	1095.9	1250	711.4	83	3920	0	4003
4/28/2016	22	1095.9	1240	711.4	83	3920	0	4004
4/28/2016	23	1095.9	1240	711.3	83	3924	0	4007

## 2016 Hourly Flow Data - 2nd Quarter

4/28/2016	24	1095.9	1240	711.2	83	3921	0	4005
4/29/2016	1	1095.9	1250	711.2	83	3918	0	4002
4/29/2016	2	1095.9	1240	711.1	83	3916	0	3999
4/29/2016	3	1095.9	1240	711.1	83	3919	0	4002
4/29/2016	4	1095.9	1260	711.1	83	3920	0	4003
4/29/2016	5	1095.9	1250	711.1	83	3907	0	3990
4/29/2016	6	1095.9	1250	710.5	83	3695	0	3778
4/29/2016	7	1095.9	1250	710.2	83	3498	0	3581
4/29/2016	8	1095.9	1250	710.4	83	3371	0	3454
4/29/2016	9	1095.9	1250	710.8	83	3188	0	3271
4/29/2016	10	1095.9	1250	710.8	83	3002	0	3085
4/29/2016	11	1095.9	1250	710.8	83	2819	0	2902
4/29/2016	12	1095.9	1250	710.6	83	2672	0	2755
4/29/2016	13	1096.0	1260	710.4	83	2469	0	2552
4/29/2016	14	1095.9	1260	710.3	83	2282	0	2365
4/29/2016	15	1095.9	1240	710.3	83	2066	0	2150
4/29/2016	16	1096.0	1240	710.1	83	1849	0	1932
4/29/2016	17	1096.0	1250	710.2	83	1652	0	1735
4/29/2016	18	1096.0	1250	710.1	83	1453	0	1535
4/29/2016	19	1096.0	1260	710.0	83	1252	0	1335
4/29/2016	20	1096.0	1250	709.8	83	1057	0	1140
4/29/2016	21	1096.0	1260	709.5	83	950	0	1033
4/29/2016	22	1096.0	1240	709.7	83	950	0	1033
4/29/2016	23	1096.0	1240	709.7	83	951	0	1034
4/29/2016	24	1096.0	1230	709.6	83	951	0	1034
4/30/2016	1	1096.0	1240	709.4	83	952	0	1035
4/30/2016	2	1096.0	1230	709.2	83	953	0	1036
4/30/2016	3	1096.0	1240	709.1	83	954	0	1036
4/30/2016	4	1096.0	1230	709.0	83	954	0	1037
4/30/2016	5	1096.1	1230	708.7	83	955	0	1037
4/30/2016	6	1096.1	1230	708.6	83	929	0	1011
4/30/2016	7	1096.1	1240	708.5	83	880	0	963
4/30/2016	8	1096.1	1240	708.4	83	830	0	913
4/30/2016	9	1096.1	1240	708.5	83	780	0	862
4/30/2016	10	1096.1	1230	708.7	83	728	0	811
4/30/2016	11	1096.1	1240	708.6	83	679	0	762
4/30/2016	12	1096.1	1230	708.6	83	630	0	713
4/30/2016	13	1096.1	1230	708.7	83	580	0	663
4/30/2016	14	1096.1	1230	708.9	83	530	0	612
4/30/2016	15	1096.1	1240	709.0	83	479	0	562
4/30/2016	16	1096.1	1240	709.0	83	429	0	511
4/30/2016	17	1096.1	1250	709.3	83	390	0	473
4/30/2016	18	1096.1	1240	709.6	83	364	0	447
4/30/2016	19	1096.1	1240	709.6	83	339	0	422
4/30/2016	20	1096.1	1250	709.6	83	315	0	398
4/30/2016	21	1096.2	1240	709.6	83	303	0	386
4/30/2016	22	1096.1	1230	709.7	83	303	0	386
4/30/2016	23	1096.2	1240	709.9	83	303	0	386
4/30/2016	24	1096.2	1240	710.0	83	303	0	386
5/1/2016	1	1096.2	1240	709.9	83	304	0	386
5/1/2016	2	1096.2	1240	709.9	83	304	0	387
5/1/2016	3	1096.2	1250	710.0	83	304	0	387

## 2016 Hourly Flow Data - 2nd Quarter

5/1/2016	4	1096.2	1240	710.1	83	304	0	387
5/1/2016	5	1096.2	1240	710.0	83	304	0	387
5/1/2016	6	1096.2	1240	709.9	83	290	0	373
5/1/2016	7	1096.2	1240	710.1	83	265	0	348
5/1/2016	8	1096.3	1240	710.2	83	238	0	321
5/1/2016	9	1096.3	1250	710.3	83	215	21	319
5/1/2016	10	1096.3	1240	710.3	83	189	49	321
5/1/2016	11	1096.3	1230	710.3	83	164	66	314
5/1/2016	12	1096.3	1240	710.4	83	139	99	321
5/1/2016	13	1096.3	1240	710.5	83	113	102	297
5/1/2016	14	1096.3	1250	710.4	83	88	126	297
5/1/2016	15	1096.3	1240	710.5	83	63	154	300
5/1/2016	16	1096.3	1250	710.5	83	25	178	286
5/1/2016	17	1096.3	1260	710.7	83	0	202	285
5/1/2016	18	1096.3	1250	710.6	83	0	205	288
5/1/2016	19	1096.4	1250	710.5	83	0	206	289
5/1/2016	20	1096.4	1250	710.5	83	0	205	288
5/1/2016	21	1096.4	1250	710.5	83	0	205	289
5/1/2016	22	1096.4	1230	710.6	83	0	205	289
5/1/2016	23	1096.4	1230	710.6	83	0	205	289
5/1/2016	24	1096.4	1240	710.5	83	0	205	288
5/2/2016	1	1096.4	1240	710.1	83	0	204	287
5/2/2016	2	1096.4	1240	709.9	83	0	204	287
5/2/2016	3	1096.5	1240	709.8	83	0	203	286
5/2/2016	4	1096.5	1250	710.0	83	0	204	287
5/2/2016	5	1096.5	1250	710.2	83	0	204	287
5/2/2016	6	1096.5	1250	710.4	83	0	204	287
5/2/2016	7	1096.5	1240	710.6	83	0	205	288
5/2/2016	8	1096.5	1240	710.7	83	0	206	289
5/2/2016	9	1096.5	1240	710.9	83	0	207	290
5/2/2016	10	1096.5	1250	710.8	83	0	207	290
5/2/2016	11	1096.5	1250	710.8	83	0	206	290
5/2/2016	12	1096.5	1250	710.6	88	0	206	293
5/2/2016	13	1096.5	1230	710.5	88	0	206	293
5/2/2016	14	1096.5	1210	710.4	88	0	206	294
5/2/2016	15	1096.5	1220	710.5	88	0	205	293
5/2/2016	16	1096.6	1220	710.5	87	0	206	293
5/2/2016	17	1096.6	1220	710.2	88	0	204	292
5/2/2016	18	1096.6	1210	710.1	88	0	204	292
5/2/2016	19	1096.6	1220	710.2	88	0	203	291
5/2/2016	20	1096.6	1220	710.2	88	0	204	292
5/2/2016	21	1096.6	1210	710.2	88	0	204	292
5/2/2016	22	1096.6	1190	710.3	88	0	204	292
5/2/2016	23	1096.7	1190	710.2	88	0	204	293
5/2/2016	24	1096.7	1210	709.9	88	0	203	291
5/3/2016	1	1096.7	1200	709.8	88	0	203	291
5/3/2016	2	1096.7	1210	709.7	88	0	202	290
5/3/2016	3	1096.7	1210	709.6	88	0	202	290
5/3/2016	4	1096.8	1210	709.7	88	0	202	290
5/3/2016	5	1096.8	1210	709.6	89	0	202	290
5/3/2016	6	1096.8	1210	709.5	89	0	201	290
5/3/2016	7	1096.8	1210	709.3	88	0	201	290

## 2016 Hourly Flow Data - 2nd Quarter

5/3/2016	8	1096.8	1210	709.5	88	0	202	290
5/3/2016	9	1096.8	1230	709.6	89	0	202	291
5/3/2016	10	1096.8	1250	709.7	89	0	202	291
5/3/2016	11	1096.9	1260	710.1	89	0	203	292
5/3/2016	12	1096.9	1260	710.3	89	0	204	293
5/3/2016	13	1096.9	1270	710.3	90	0	204	294
5/3/2016	14	1096.9	1250	710.4	90	0	204	294
5/3/2016	15	1096.9	1130	710.4	89	0	204	294
5/3/2016	16	1096.9	1140	710.4	90	0	203	293
5/3/2016	17	1096.9	1130	710.4	90	0	202	292
5/3/2016	18	1097.0	1140	710.4	90	0	202	293
5/3/2016	19	1097.0	1130	710.1	90	0	202	292
5/3/2016	20	1097.0	1130	709.8	90	0	202	292
5/3/2016	21	1097.1	1120	709.9	90	0	202	293
5/3/2016	22	1097.1	1110	710.1	90	0	203	293
5/3/2016	23	1097.1	1120	710.1	90	0	203	293
5/3/2016	24	1097.1	1120	709.9	90	0	202	293
5/4/2016	1	1097.1	1120	709.9	91	0	202	293
5/4/2016	2	1097.2	1120	709.5	91	0	201	292
5/4/2016	3	1097.2	740	709.0	91	0	200	291
5/4/2016	4	1097.2	20	708.4	91	0	198	289
5/4/2016	5	1097.3	20	708.0	91	0	197	288
5/4/2016	6	1097.3	20	707.1	91	0	195	286
5/4/2016	7	1097.3	20	706.7	91	0	195	286
5/4/2016	8	1097.3	380	707.5	91	0	196	287
5/4/2016	9	1097.3	1160	708.4	91	0	198	289
5/4/2016	10	1097.4	1170	709.0	91	0	200	292
5/4/2016	11	1097.3	1220	709.6	91	0	202	293
5/4/2016	12	1097.4	1260	710.2	90	0	203	293
5/4/2016	13	1097.4	1690	710.3	90	0	203	293
5/4/2016	14	1097.4	2390	710.4	90	1046	205	1341
5/4/2016	15	1097.4	1140	710.6	91	4810	79	4980
5/4/2016	16	1097.4	1140	711.6	91	7625	0	7715
5/4/2016	17	1097.4	1140	712.1	90	8981	0	9072
5/4/2016	18	1097.4	1140	712.2	90	9014	0	9104
5/4/2016	19	1097.5	1130	712.0	90	9024	0	9114
5/4/2016	20	1097.5	1130	712.0	90	9008	0	9099
5/4/2016	21	1097.4	1120	712.0	90	9009	0	9099
5/4/2016	22	1097.5	1120	712.1	90	9024	0	9115
5/4/2016	23	1097.5	1120	712.2	90	9024	0	9114
5/4/2016	24	1097.5	1130	712.1	90	9021	0	9111
5/5/2016	1	1097.5	1130	712.0	90	9017	0	9108
5/5/2016	2	1097.4	1120	711.9	90	9014	0	9104
5/5/2016	3	1097.5	1130	711.9	90	9021	0	9111
5/5/2016	4	1097.5	1140	711.8	90	9030	0	9120
5/5/2016	5	1097.5	1140	711.8	90	9023	0	9113
5/5/2016	6	1097.5	1140	711.8	90	9027	0	9117
5/5/2016	7	1097.5	1130	711.8	90	9041	0	9131
5/5/2016	8	1097.5	1130	712.0	90	9041	0	9131
5/5/2016	9	1097.5	1400	712.1	90	9036	0	9126
5/5/2016	10	1097.5	2410	712.7	89	9035	0	9124
5/5/2016	11	1097.5	2400	712.8	89	9047	0	9136

## 2016 Hourly Flow Data - 2nd Quarter

5/5/2016	12	1097.5	2420	712.9	90	9042	0	9132
5/5/2016	13	1097.5	2400	712.9	89	9035	0	9124
5/5/2016	14	1097.5	2440	712.9	89	9027	0	9116
5/5/2016	15	1097.5	2380	712.9	89	9029	0	9118
5/5/2016	16	1097.5	2400	712.8	89	9036	0	9125
5/5/2016	17	1097.5	2400	712.8	89	9020	0	9109
5/5/2016	18	1097.4	2400	712.8	89	9016	0	9105
5/5/2016	19	1097.5	2390	712.8	89	9019	0	9108
5/5/2016	20	1097.5	2400	712.8	89	9026	0	9115
5/5/2016	21	1097.5	2390	712.8	89	9021	0	9110
5/5/2016	22	1097.4	2370	712.8	89	9013	0	9102
5/5/2016	23	1097.5	2360	712.8	89	9035	0	9124
5/5/2016	24	1097.5	2400	712.7	89	9032	0	9121
5/6/2016	1	1097.4	2400	712.7	89	9010	0	9099
5/6/2016	2	1097.4	2400	712.6	89	9014	0	9103
5/6/2016	3	1097.4	2390	712.5	88	9019	0	9108
5/6/2016	4	1097.5	2410	712.5	88	9015	0	9103
5/6/2016	5	1097.5	2410	712.5	88	9005	0	9094
5/6/2016	6	1097.4	2420	712.5	88	8997	0	9085
5/6/2016	7	1097.4	2400	712.5	89	9007	0	9096
5/6/2016	8	1097.5	2400	712.6	89	9008	0	9097
5/6/2016	9	1097.4	2410	712.6	89	8996	0	9085
5/6/2016	10	1097.4	2390	712.7	89	8993	0	9082
5/6/2016	11	1097.4	2380	712.7	89	8998	0	9087
5/6/2016	12	1097.4	2370	712.7	88	8996	0	9084
5/6/2016	13	1097.4	2370	712.6	89	8982	0	9071
5/6/2016	14	1097.4	2400	712.7	88	8963	0	9051
5/6/2016	15	1097.4	2400	712.7	88	8971	0	9059
5/6/2016	16	1097.4	2400	712.7	88	8972	0	9060
5/6/2016	17	1097.4	2360	712.6	88	8965	0	9054
5/6/2016	18	1097.4	2400	712.6	89	8947	0	9036
5/6/2016	19	1097.4	2370	712.6	88	8954	0	9043
5/6/2016	20	1097.4	2420	712.6	88	8970	0	9059
5/6/2016	21	1097.4	2370	712.6	88	8974	0	9062
5/6/2016	22	1097.4	2360	712.6	88	8966	0	9054
5/6/2016	23	1097.4	2360	712.6	88	8967	0	9055
5/6/2016	24	1097.4	2360	712.6	88	8975	0	9064
5/7/2016	1	1097.4	2390	712.6	88	8975	0	9064
5/7/2016	2	1097.4	2390	712.6	88	8960	0	9048
5/7/2016	3	1097.4	2400	712.6	88	8955	0	9043
5/7/2016	4	1097.4	2420	712.5	88	8969	0	9057
5/7/2016	5	1097.4	2410	712.5	88	8970	0	9058
5/7/2016	6	1097.4	2400	712.5	88	8956	0	9044
5/7/2016	7	1097.4	2370	712.4	88	8950	0	9038
5/7/2016	8	1097.4	2400	712.4	88	8961	0	9050
5/7/2016	9	1097.4	2410	712.4	88	8962	0	9050
5/7/2016	10	1097.4	2400	712.4	88	8948	0	9036
5/7/2016	11	1097.4	2380	712.4	88	8942	0	9030
5/7/2016	12	1097.4	2370	712.4	88	8948	0	9036
5/7/2016	13	1097.4	2380	712.4	88	8946	0	9034
5/7/2016	14	1097.4	2360	712.4	88	8940	0	9028
5/7/2016	15	1097.4	2380	712.4	88	8933	0	9021

## 2016 Hourly Flow Data - 2nd Quarter

5/7/2016	16	1097.4	2390	712.5	88	8937	0	9025
5/7/2016	17	1097.4	2380	712.5	88	8944	0	9032
5/7/2016	18	1097.4	2370	712.5	88	8948	0	9036
5/7/2016	19	1097.4	2380	712.5	88	8948	0	9036
5/7/2016	20	1097.4	2380	712.6	88	8958	0	9046
5/7/2016	21	1097.4	2390	712.6	88	8960	0	9048
5/7/2016	22	1097.4	2370	712.6	88	8969	0	9057
5/7/2016	23	1097.4	2360	712.5	88	8964	0	9052
5/7/2016	24	1097.4	2380	712.5	88	8964	0	9052
5/8/2016	1	1097.4	2380	712.5	88	8970	0	9058
5/8/2016	2	1097.4	2390	712.5	88	8974	0	9062
5/8/2016	3	1097.4	2370	712.5	88	8969	0	9057
5/8/2016	4	1097.4	2400	712.5	88	8970	0	9059
5/8/2016	5	1097.4	2410	712.5	88	8985	0	9073
5/8/2016	6	1097.4	2410	712.5	88	8992	0	9081
5/8/2016	7	1097.5	2400	712.5	89	9011	0	9099
5/8/2016	8	1097.5	2400	712.5	88	9013	0	9101
5/8/2016	9	1097.5	2420	712.5	88	9033	0	9122
5/8/2016	10	1097.5	2410	712.5	89	9043	0	9132
5/8/2016	11	1097.5	2400	712.4	89	9034	0	9122
5/8/2016	12	1097.5	2380	712.5	89	9031	0	9119
5/8/2016	13	1097.5	2380	712.5	89	9036	0	9124
5/8/2016	14	1097.5	2390	712.5	89	9034	0	9123
5/8/2016	15	1097.5	2420	712.5	88	9030	0	9118
5/8/2016	16	1097.5	2410	712.6	88	9022	0	9111
5/8/2016	17	1097.5	2410	712.6	89	9027	0	9115
5/8/2016	18	1097.5	2410	712.6	89	9038	0	9126
5/8/2016	19	1097.5	2420	712.6	88	9041	0	9129
5/8/2016	20	1097.5	2420	712.6	88	9035	0	9124
5/8/2016	21	1097.5	2410	712.6	88	9036	0	9125
5/8/2016	22	1097.5	2390	712.5	89	9027	0	9116
5/8/2016	23	1097.5	2380	712.6	88	9018	0	9106
5/8/2016	24	1097.5	2390	712.6	88	9013	0	9101
5/9/2016	1	1097.4	2400	712.7	88	9007	0	9096
5/9/2016	2	1097.4	2400	712.6	88	9007	0	9095
5/9/2016	3	1097.4	2400	712.5	88	9004	0	9091
5/9/2016	4	1097.4	2420	712.5	88	8999	0	9087
5/9/2016	5	1097.4	2420	712.5	88	8987	0	9075
5/9/2016	6	1097.4	2420	712.5	88	8993	0	9081
5/9/2016	7	1097.4	2420	712.5	88	9006	0	9094
5/9/2016	8	1097.4	2380	712.5	88	9002	0	9090
5/9/2016	9	1097.4	2390	712.5	88	8991	0	9079
5/9/2016	10	1097.4	2400	712.5	88	8995	0	9083
5/9/2016	11	1097.4	2410	712.5	88	8914	0	9002
5/9/2016	12	1097.4	2390	712.4	88	8768	0	8856
5/9/2016	13	1097.4	2370	712.4	88	8570	0	8658
5/9/2016	14	1097.4	2380	712.3	88	8390	0	8478
5/9/2016	15	1097.4	2380	712.2	88	8193	0	8281
5/9/2016	16	1097.4	2360	712.1	88	8002	0	8090
5/9/2016	17	1097.4	2390	712.1	88	7908	0	7996
5/9/2016	18	1097.4	2390	712.1	88	7902	0	7990
5/9/2016	19	1097.4	2400	712.1	88	7911	0	7999

## 2016 Hourly Flow Data - 2nd Quarter

5/9/2016	20	1097.4	2410	712.1	88	7915	0	8003
5/9/2016	21	1097.4	2380	712.1	88	7906	0	7994
5/9/2016	22	1097.4	2350	712.2	88	7895	0	7982
5/9/2016	23	1097.4	2370	712.2	88	7906	0	7993
5/9/2016	24	1097.4	2360	712.2	88	7908	0	7996
5/10/2016	1	1097.3	2380	712.2	88	7898	0	7986
5/10/2016	2	1097.3	2390	712.2	88	7892	0	7979
5/10/2016	3	1097.3	2400	712.3	88	7893	0	7981
5/10/2016	4	1097.4	2400	712.3	88	7893	0	7980
5/10/2016	5	1097.3	2410	712.3	87	7881	0	7968
5/10/2016	6	1097.3	2410	712.3	87	7870	0	7957
5/10/2016	7	1097.3	2410	712.3	88	7868	0	7956
5/10/2016	8	1097.3	2370	712.3	88	7869	0	7957
5/10/2016	9	1097.3	2350	712.3	87	7860	0	7947
5/10/2016	10	1097.3	2360	712.4	88	7845	0	7933
5/10/2016	11	1097.3	2370	712.4	88	7845	0	7933
5/10/2016	12	1097.3	2380	712.4	88	7849	0	7936
5/10/2016	13	1097.3	2390	712.4	88	7845	0	7932
5/10/2016	14	1097.3	2380	712.3	88	7832	0	7919
5/10/2016	15	1097.3	2420	712.3	87	7826	0	7913
5/10/2016	16	1097.3	2380	712.3	87	7827	0	7915
5/10/2016	17	1097.2	2370	712.2	87	7822	0	7910
5/10/2016	18	1097.2	2390	712.2	88	7813	0	7901
5/10/2016	19	1097.2	2390	712.2	87	7808	0	7895
5/10/2016	20	1097.2	2400	712.2	88	7808	0	7896
5/10/2016	21	1097.2	2370	712.2	88	7806	0	7894
5/10/2016	22	1097.2	2350	712.2	88	7803	0	7891
5/10/2016	23	1097.2	2360	712.4	88	7800	0	7887
5/10/2016	24	1097.2	2360	712.4	88	7798	0	7886
5/11/2016	1	1097.2	2390	712.5	87	7794	0	7881
5/11/2016	2	1097.2	2350	712.5	87	7788	0	7875
5/11/2016	3	1097.2	2390	712.4	87	7781	0	7868
5/11/2016	4	1097.2	2400	712.3	87	7774	0	7862
5/11/2016	5	1097.1	2410	712.2	87	7770	0	7857
5/11/2016	6	1097.1	2420	712.2	88	7763	0	7851
5/11/2016	7	1097.1	2400	712.3	87	7754	0	7841
5/11/2016	8	1097.1	2370	712.4	87	7752	0	7840
5/11/2016	9	1097.1	2350	712.5	87	7744	0	7832
5/11/2016	10	1097.1	2370	712.4	87	7739	0	7826
5/11/2016	11	1097.1	2370	712.4	87	7739	0	7826
5/11/2016	12	1097.1	2400	712.1	87	7740	0	7827
5/11/2016	13	1097.1	2390	712.1	87	7736	0	7823
5/11/2016	14	1097.1	2370	712.1	87	7727	0	7814
5/11/2016	15	1097.1	2410	712.1	87	7718	0	7805
5/11/2016	16	1097.1	2450	712.1	87	7711	0	7798
5/11/2016	17	1097.0	2440	712.1	87	7706	0	7793
5/11/2016	18	1097.0	2430	712.1	87	7691	0	7778
5/11/2016	19	1097.0	2420	712.1	87	7686	0	7773
5/11/2016	20	1097.0	2410	712.1	87	7681	0	7768
5/11/2016	21	1097.0	2410	712.2	87	7679	0	7766
5/11/2016	22	1097.0	2390	712.2	87	7675	0	7763
5/11/2016	23	1097.0	2400	712.2	87	7673	0	7761

## 2016 Hourly Flow Data - 2nd Quarter

5/11/2016	24	1097.0	2390	712.2	87	7675	0	7763
5/12/2016	1	1097.0	2410	712.2	87	7670	0	7757
5/12/2016	2	1097.0	2430	712.2	87	7667	0	7754
5/12/2016	3	1097.0	2430	712.3	87	7656	0	7743
5/12/2016	4	1097.0	2430	712.3	88	7653	0	7741
5/12/2016	5	1097.0	2440	712.3	87	7651	0	7738
5/12/2016	6	1097.0	2450	712.3	87	7638	0	7725
5/12/2016	7	1097.0	2430	712.3	87	7632	0	7719
5/12/2016	8	1097.0	2420	712.3	87	7628	0	7715
5/12/2016	9	1097.0	2410	712.2	87	7624	0	7712
5/12/2016	10	1097.0	2410	712.2	87	7621	0	7708
5/12/2016	11	1097.0	2430	712.2	87	7620	0	7707
5/12/2016	12	1097.0	2400	712.1	87	7614	0	7702
5/12/2016	13	1096.9	2420	712.1	87	7607	0	7694
5/12/2016	14	1096.9	2420	712.1	87	7607	0	7693
5/12/2016	15	1096.9	2420	712.1	87	7609	0	7696
5/12/2016	16	1096.9	2440	712.1	87	7604	0	7691
5/12/2016	17	1096.9	2430	712.1	87	7589	0	7676
5/12/2016	18	1096.9	2430	712.1	87	7509	0	7596
5/12/2016	19	1096.9	2410	712.1	87	7310	0	7396
5/12/2016	20	1096.9	2380	712.1	87	7096	0	7183
5/12/2016	21	1096.9	2390	712.0	87	6939	0	7026
5/12/2016	22	1096.9	2380	712.0	87	6937	0	7024
5/12/2016	23	1096.9	2400	712.1	87	6936	0	7023
5/12/2016	24	1096.9	2390	712.1	87	6935	0	7021
5/13/2016	1	1096.9	2430	712.1	87	6931	0	7018
5/13/2016	2	1096.9	2440	712.1	87	6927	0	7014
5/13/2016	3	1096.9	2420	712.0	87	6925	0	7012
5/13/2016	4	1096.9	2420	712.0	87	6924	0	7011
5/13/2016	5	1096.9	2430	712.0	87	6916	0	7003
5/13/2016	6	1096.9	2430	712.1	87	6911	0	6998
5/13/2016	7	1096.9	2420	712.1	87	6910	0	6997
5/13/2016	8	1096.8	2430	712.2	87	6906	0	6992
5/13/2016	9	1096.8	2420	712.2	87	6898	0	6985
5/13/2016	10	1096.8	2450	712.2	87	6888	0	6975
5/13/2016	11	1096.8	2450	712.2	87	6827	0	6913
5/13/2016	12	1096.8	2440	712.1	87	6654	0	6741
5/13/2016	13	1096.8	2440	712.0	86	6448	0	6535
5/13/2016	14	1096.8	2450	712.0	87	6264	0	6351
5/13/2016	15	1096.8	2430	711.9	87	6069	0	6156
5/13/2016	16	1096.8	2420	711.9	87	5910	0	5997
5/13/2016	17	1096.8	2400	711.6	87	5910	0	5997
5/13/2016	18	1096.8	2420	711.5	87	5909	0	5995
5/13/2016	19	1096.8	2410	711.5	86	5910	0	5997
5/13/2016	20	1096.8	2400	711.6	87	5910	0	5997
5/13/2016	21	1096.8	2390	711.6	87	5908	0	5995
5/13/2016	22	1096.8	2380	711.6	87	5907	0	5994
5/13/2016	23	1096.8	2390	711.6	86	5907	0	5994
5/13/2016	24	1096.8	2380	711.6	87	5908	0	5994
5/14/2016	1	1096.8	2390	711.5	87	5907	0	5994
5/14/2016	2	1096.8	2400	711.6	87	5906	0	5993
5/14/2016	3	1096.8	2430	711.5	87	5909	0	5996



## 2016 Hourly Flow Data - 2nd Quarter

5/14/2016	4	1096.8	2430	711.5	87	5907	0	5994
5/14/2016	5	1096.8	2400	711.5	87	5906	0	5993
5/14/2016	6	1096.8	2420	711.5	87	5912	0	5999
5/14/2016	7	1096.8	2400	711.5	87	5904	0	5991
5/14/2016	8	1096.8	2440	711.5	87	5899	0	5986
5/14/2016	9	1096.8	2440	711.5	87	5901	0	5988
5/14/2016	10	1096.8	2440	711.5	87	5903	0	5990
5/14/2016	11	1096.8	2410	711.5	87	5901	0	5988
5/14/2016	12	1096.8	2410	711.5	87	5900	0	5986
5/14/2016	13	1096.8	2420	711.5	87	5899	0	5986
5/14/2016	14	1096.8	2430	711.5	87	5910	0	5997
5/14/2016	15	1096.8	2410	711.5	87	5903	0	5989
5/14/2016	16	1096.8	2440	711.5	87	5901	0	5987
5/14/2016	17	1096.8	2440	711.5	87	5790	0	5877
5/14/2016	18	1096.8	2430	711.4	87	5605	0	5692
5/14/2016	19	1096.7	2410	711.4	87	5409	0	5496
5/14/2016	20	1096.8	2420	711.4	87	5202	0	5289
5/14/2016	21	1096.8	2420	711.3	87	5095	0	5182
5/14/2016	22	1096.8	2390	711.3	87	5108	0	5195
5/14/2016	23	1096.8	2380	711.4	87	5105	0	5192
5/14/2016	24	1096.8	2400	711.4	87	5097	0	5184
5/15/2016	1	1096.8	2390	711.4	87	5104	0	5192
5/15/2016	2	1096.8	2400	711.3	87	5105	0	5192
5/15/2016	3	1096.8	2400	711.2	87	5102	0	5190
5/15/2016	4	1096.8	2400	711.2	87	5097	0	5184
5/15/2016	5	1096.8	2390	711.2	87	5098	0	5185
5/15/2016	6	1096.8	2380	711.1	87	5104	0	5191
5/15/2016	7	1096.7	2400	711.1	88	5031	0	5118
5/15/2016	8	1096.8	2400	711.1	87	4999	0	5086
5/15/2016	9	1096.8	2440	711.1	87	4998	0	5086
5/15/2016	10	1096.8	2440	711.1	88	5002	0	5089
5/15/2016	11	1096.7	2440	711.1	87	4998	0	5085
5/15/2016	12	1096.7	2440	711.2	87	4993	0	5080
5/15/2016	13	1096.8	2450	711.2	87	4994	0	5082
5/15/2016	14	1096.8	2420	711.2	87	5001	0	5088
5/15/2016	15	1096.8	2440	711.1	87	5006	0	5093
5/15/2016	16	1096.7	2430	711.1	87	4996	0	5083
5/15/2016	17	1096.7	2440	711.1	87	4991	0	5078
5/15/2016	18	1096.8	2440	711.2	87	4992	0	5079
5/15/2016	19	1096.7	2430	711.2	87	4996	0	5083
5/15/2016	20	1096.7	2410	711.2	87	4992	0	5079
5/15/2016	21	1096.8	2400	711.2	87	4993	0	5081
5/15/2016	22	1096.8	2370	711.2	87	5001	0	5088
5/15/2016	23	1096.8	2370	711.2	87	5004	0	5091
5/15/2016	24	1096.8	2390	711.3	87	5001	0	5088
5/16/2016	1	1096.8	2400	711.3	87	4996	0	5083
5/16/2016	2	1096.8	2400	711.2	87	5000	0	5087
5/16/2016	3	1096.8	2410	711.2	87	5004	0	5091
5/16/2016	4	1096.8	2430	711.2	88	5002	0	5090
5/16/2016	5	1096.8	2440	711.1	88	5001	0	5089
5/16/2016	6	1096.8	2430	711.1	87	5002	0	5089
5/16/2016	7	1096.8	2440	711.2	87	5002	0	5090

## 2016 Hourly Flow Data - 2nd Quarter

5/16/2016	8	1096.8	2410	711.3	87	5000	0	5088
5/16/2016	9	1096.8	2420	711.2	87	4996	0	5083
5/16/2016	10	1096.8	2400	711.1	87	4844	0	4931
5/16/2016	11	1096.8	2390	711.1	88	4670	0	4757
5/16/2016	12	1096.8	2420	711.1	88	4469	0	4556
5/16/2016	13	1096.7	2370	711.0	88	4278	0	4365
5/16/2016	14	1096.8	2400	710.9	88	4095	0	4182
5/16/2016	15	1096.8	2410	710.9	87	4121	0	4208
5/16/2016	16	1096.8	2400	711.0	87	4000	0	4088
5/16/2016	17	1096.8	2390	711.0	87	4004	0	4091
5/16/2016	18	1096.8	2380	711.0	87	4010	0	4098
5/16/2016	19	1096.8	2430	711.1	88	4013	0	4101
5/16/2016	20	1096.8	2430	711.1	88	4015	0	4103
5/16/2016	21	1096.8	2400	711.0	88	4015	0	4102
5/16/2016	22	1096.9	2380	711.1	88	4019	0	4107
5/16/2016	23	1096.9	2370	711.2	88	4020	0	4108
5/16/2016	24	1096.9	2390	711.2	87	4018	0	4106
5/17/2016	1	1096.8	2390	711.1	88	4019	0	4107
5/17/2016	2	1096.9	2420	711.0	88	4020	0	4108
5/17/2016	3	1096.9	2390	710.9	88	4020	0	4108
5/17/2016	4	1096.9	2420	710.9	88	4020	0	4108
5/17/2016	5	1096.9	2430	710.8	88	4021	0	4109
5/17/2016	6	1096.9	2440	710.8	88	4021	0	4108
5/17/2016	7	1096.9	2420	710.8	87	4022	0	4109
5/17/2016	8	1096.9	2400	710.8	87	4021	0	4108
5/17/2016	9	1096.9	2390	710.8	88	4021	0	4109
5/17/2016	10	1096.9	2390	710.9	87	4018	0	4106
5/17/2016	11	1096.9	2420	710.9	87	4021	0	4109
5/17/2016	12	1096.9	2430	710.9	85	4021	0	4106
5/17/2016	13	1096.9	2420	710.9	85	4016	0	4101
5/17/2016	14	1096.9	2420	710.8	85	3806	0	3890
5/17/2016	15	1096.9	2430	710.8	85	3621	0	3706
5/17/2016	16	1096.9	2440	710.8	85	3427	0	3512
5/17/2016	17	1096.9	2420	710.8	85	3223	0	3308
5/17/2016	18	1096.9	2400	710.9	85	3018	0	3103
5/17/2016	19	1096.9	2380	710.9	85	3005	0	3090
5/17/2016	20	1096.9	2380	711.0	85	3006	0	3091
5/17/2016	21	1096.9	2400	711.1	85	3008	0	3093
5/17/2016	22	1096.9	2400	711.3	85	3011	0	3097
5/17/2016	23	1096.9	2380	711.5	86	3009	0	3094
5/17/2016	24	1096.9	2390	711.5	86	3009	0	3095
5/18/2016	1	1096.9	2390	711.4	85	3011	0	3097
5/18/2016	2	1096.9	2390	710.9	85	3011	0	3096
5/18/2016	3	1096.9	2410	710.5	86	3011	0	3096
5/18/2016	4	1096.9	2400	710.4	86	3014	0	3100
5/18/2016	5	1096.9	2400	710.4	85	3015	0	3100
5/18/2016	6	1096.9	2390	710.4	85	3013	0	3099
5/18/2016	7	1096.9	2410	710.5	85	3013	0	3098
5/18/2016	8	1096.9	2390	710.6	85	3014	0	3099
5/18/2016	9	1097.0	2380	710.7	85	3013	0	3098
5/18/2016	10	1096.9	2380	710.6	85	2995	0	3080
5/18/2016	11	1096.9	2410	710.7	86	2994	0	3080

## 2016 Hourly Flow Data - 2nd Quarter

5/18/2016	12	1097.0	2390	710.7	86	3000	0	3086
5/18/2016	13	1097.0	2390	710.7	86	3006	0	3092
5/18/2016	14	1097.0	2270	710.7	86	3009	0	3095
5/18/2016	15	1097.0	2420	710.7	86	3014	0	3100
5/18/2016	16	1097.0	2390	710.6	86	3015	0	3101
5/18/2016	17	1097.0	2380	710.6	86	2942	0	3028
5/18/2016	18	1097.0	2370	710.5	86	2740	0	2826
5/18/2016	19	1097.0	2380	710.4	86	2545	0	2632
5/18/2016	20	1097.0	2380	710.3	86	2405	0	2491
5/18/2016	21	1097.0	2350	710.2	86	2404	0	2490
5/18/2016	22	1097.0	2350	710.3	86	2405	0	2491
5/18/2016	23	1097.0	2350	710.2	86	2407	0	2492
5/18/2016	24	1097.0	2360	710.1	86	2408	0	2495
5/19/2016	1	1097.0	2370	710.1	86	2409	0	2495
5/19/2016	2	1097.0	2390	710.1	86	2408	0	2494
5/19/2016	3	1097.0	2400	710.1	86	2410	0	2496
5/19/2016	4	1097.1	2400	710.1	86	2412	0	2498
5/19/2016	5	1097.1	2410	710.1	86	2413	0	2498
5/19/2016	6	1097.1	2400	710.2	86	2413	0	2499
5/19/2016	7	1097.1	2370	710.2	86	2405	0	2491
5/19/2016	8	1097.1	2370	710.3	86	2205	0	2291
5/19/2016	9	1097.1	2350	710.1	86	2007	0	2094
5/19/2016	10	1097.1	2360	710.1	86	1923	0	2009
5/19/2016	11	1097.1	2380	710.0	86	1718	0	1804
5/19/2016	12	1097.1	2410	709.9	86	1599	0	1685
5/19/2016	13	1097.1	2370	709.8	86	1401	0	1487
5/19/2016	14	1097.1	2370	709.7	86	1203	0	1289
5/19/2016	15	1097.1	2380	709.6	86	1005	0	1091
5/19/2016	16	1097.1	2380	709.6	86	1004	0	1090
5/19/2016	17	1097.1	2370	709.5	86	1003	0	1089
5/19/2016	18	1097.1	2380	709.4	86	1004	0	1090
5/19/2016	19	1097.1	2380	709.5	86	1004	0	1091
5/19/2016	20	1097.1	2370	709.5	86	1004	0	1091
5/19/2016	21	1097.1	2380	709.5	86	1004	0	1091
5/19/2016	22	1097.1	2320	709.5	86	1004	0	1091
5/19/2016	23	1097.1	2340	709.4	86	1005	0	1091
5/19/2016	24	1097.2	2340	709.4	86	1005	0	1091
5/20/2016	1	1097.1	2360	709.4	86	1005	0	1091
5/20/2016	2	1097.1	2360	709.4	86	1005	0	1091
5/20/2016	3	1097.1	2360	709.5	86	1005	0	1091
5/20/2016	4	1097.2	2370	709.5	86	1005	0	1092
5/20/2016	5	1097.2	2400	709.4	86	1006	0	1092
5/20/2016	6	1097.2	2400	709.5	86	1006	0	1092
5/20/2016	7	1097.2	2380	709.5	86	1006	0	1093
5/20/2016	8	1097.2	2350	709.5	86	1006	0	1093
5/20/2016	9	1097.2	2380	709.6	86	1007	0	1093
5/20/2016	10	1097.2	2420	709.8	86	1002	0	1089
5/20/2016	11	1097.2	2360	709.8	86	954	0	1040
5/20/2016	12	1097.2	2400	709.7	87	904	0	990
5/20/2016	13	1097.2	2380	709.5	86	851	0	938
5/20/2016	14	1097.2	2400	709.5	86	805	0	892
5/20/2016	15	1097.2	2390	709.5	86	756	0	842

## 2016 Hourly Flow Data - 2nd Quarter

5/20/2016	16	1097.3	2400	709.5	87	707	0	793
5/20/2016	17	1097.3	2400	709.5	87	655	0	741
5/20/2016	18	1097.2	2430	709.5	86	604	0	690
5/20/2016	19	1097.3	2380	709.4	86	555	0	641
5/20/2016	20	1097.3	2410	709.3	86	505	0	591
5/20/2016	21	1097.3	2380	709.3	87	504	0	591
5/20/2016	22	1097.3	2360	709.5	87	504	0	591
5/20/2016	23	1097.3	2370	709.4	86	505	0	591
5/20/2016	24	1097.3	2360	709.2	86	505	0	591
5/21/2016	1	1097.3	2390	709.2	87	505	0	591
5/21/2016	2	1097.3	2370	709.1	86	505	0	592
5/21/2016	3	1097.3	2390	709.1	86	506	0	592
5/21/2016	4	1097.3	2380	709.1	86	506	0	592
5/21/2016	5	1097.3	2390	709.1	87	506	0	592
5/21/2016	6	1097.3	2390	709.2	86	506	0	592
5/21/2016	7	1097.3	2360	709.3	86	506	0	592
5/21/2016	8	1097.3	2380	709.2	86	505	0	591
5/21/2016	9	1097.3	2380	709.2	86	451	0	538
5/21/2016	10	1097.4	2400	709.2	86	451	0	537
5/21/2016	11	1097.3	2390	709.2	86	451	0	537
5/21/2016	12	1097.3	2370	709.2	86	451	0	537
5/21/2016	13	1097.3	2370	709.1	86	451	0	537
5/21/2016	14	1097.4	2380	709.1	86	431	0	517
5/21/2016	15	1097.3	2400	709.2	87	426	0	512
5/21/2016	16	1097.4	2400	709.2	86	426	0	512
5/21/2016	17	1097.4	2390	709.1	87	426	0	512
5/21/2016	18	1097.4	2420	709.2	87	425	0	512
5/21/2016	19	1097.4	2410	709.2	87	426	0	512
5/21/2016	20	1097.4	2370	709.1	87	426	0	512
5/21/2016	21	1097.4	2370	709.1	87	426	0	512
5/21/2016	22	1097.4	2340	709.1	86	426	0	512
5/21/2016	23	1097.4	2360	709.1	87	426	0	512
5/21/2016	24	1097.4	2390	709.1	87	426	0	513
5/22/2016	1	1097.4	2390	709.1	87	426	0	513
5/22/2016	2	1097.4	2380	709.1	87	426	0	513
5/22/2016	3	1097.5	2400	709.1	87	426	0	513
5/22/2016	4	1097.4	2410	709.1	87	426	0	513
5/22/2016	5	1097.4	2390	709.1	87	426	0	513
5/22/2016	6	1097.5	2390	709.1	87	427	0	513
5/22/2016	7	1097.5	2360	709.1	87	427	0	514
5/22/2016	8	1097.5	2390	709.2	87	427	0	514
5/22/2016	9	1097.5	2400	709.2	87	427	0	514
5/22/2016	10	1097.5	2400	709.2	87	427	0	514
5/22/2016	11	1097.5	2380	709.2	87	427	0	514
5/22/2016	12	1097.5	2360	709.2	87	428	0	514
5/22/2016	13	1097.5	2370	709.4	87	428	0	514
5/22/2016	14	1097.5	2360	709.3	87	428	0	515
5/22/2016	15	1097.5	2380	709.2	87	428	0	515
5/22/2016	16	1097.5	2400	709.6	87	428	0	515
5/22/2016	17	1097.5	2380	709.9	87	428	0	515
5/22/2016	18	1097.5	2380	709.5	87	428	0	515
5/22/2016	19	1097.5	2400	709.7	87	428	0	515

## 2016 Hourly Flow Data - 2nd Quarter

5/22/2016	20	1097.5	2410	709.8	87	428	0	515
5/22/2016	21	1097.5	2400	709.8	87	428	0	515
5/22/2016	22	1097.5	2340	709.9	87	428	0	515
5/22/2016	23	1097.6	2360	710.0	87	428	0	515
5/22/2016	24	1097.5	2400	710.3	87	428	0	515
5/23/2016	1	1097.5	2390	710.3	87	428	0	515
5/23/2016	2	1097.5	2370	710.2	87	427	0	515
5/23/2016	3	1097.6	2400	709.8	87	428	0	515
5/23/2016	4	1097.5	2380	709.5	87	428	0	515
5/23/2016	5	1097.5	2410	709.6	87	428	0	515
5/23/2016	6	1097.5	2390	709.6	87	428	0	515
5/23/2016	7	1097.6	2400	709.7	87	428	0	515
5/23/2016	8	1097.6	2360	710.4	87	428	0	515
5/23/2016	9	1097.6	2400	710.6	87	428	0	515
5/23/2016	10	1097.6	2390	709.7	87	428	0	515
5/23/2016	11	1097.6	2380	709.4	87	428	0	515
5/23/2016	12	1097.6	2380	709.5	87	428	0	515
5/23/2016	13	1097.6	2390	709.9	87	428	0	515
5/23/2016	14	1097.6	2380	709.9	87	428	0	516
5/23/2016	15	1097.6	2390	709.7	87	428	0	516
5/23/2016	16	1097.6	2370	709.8	87	429	0	516
5/23/2016	17	1097.6	2390	710.3	87	429	0	516
5/23/2016	18	1097.6	2400	710.5	87	429	0	516
5/23/2016	19	1097.6	2430	710.5	87	429	0	516
5/23/2016	20	1097.6	2400	710.9	87	429	0	516
5/23/2016	21	1097.6	2380	710.5	87	429	0	517
5/23/2016	22	1097.6	2350	710.3	87	429	0	517
5/23/2016	23	1097.6	2360	710.2	87	430	0	517
5/23/2016	24	1097.6	2390	710.1	87	430	0	517
5/24/2016	1	1097.6	2380	709.9	87	430	0	517
5/24/2016	2	1097.6	2380	709.9	88	430	0	517
5/24/2016	3	1097.6	2380	709.6	87	430	0	518
5/24/2016	4	1097.6	2390	709.5	87	430	0	518
5/24/2016	5	1097.6	2390	709.4	88	430	0	518
5/24/2016	6	1097.7	2390	709.3	87	431	0	518
5/24/2016	7	1097.7	2380	709.4	87	430	0	518
5/24/2016	8	1097.6	2370	709.8	87	430	0	518
5/24/2016	9	1097.6	2360	709.7	87	430	0	517
5/24/2016	10	1097.6	2370	709.8	87	430	0	517
5/24/2016	11	1097.7	2390	709.8	87	430	0	517
5/24/2016	12	1097.6	2400	709.9	87	430	0	517
5/24/2016	13	1097.6	2370	709.9	87	429	0	517
5/24/2016	14	1097.7	2380	709.9	87	430	0	517
5/24/2016	15	1097.7	2390	709.8	87	430	0	517
5/24/2016	16	1097.7	2360	709.9	87	430	0	517
5/24/2016	17	1097.7	2370	709.9	87	430	0	517
5/24/2016	18	1097.7	2400	709.9	87	431	0	518
5/24/2016	19	1097.7	2380	709.9	87	431	0	518
5/24/2016	20	1097.7	2400	709.9	87	431	0	518
5/24/2016	21	1097.7	2390	709.9	87	431	0	518
5/24/2016	22	1097.7	2370	710.0	87	431	0	519
5/24/2016	23	1097.7	2410	709.9	87	432	0	519

## 2016 Hourly Flow Data - 2nd Quarter

5/24/2016	24	1097.7	2370	709.5	87	432	0	519
5/25/2016	1	1097.7	2370	709.5	87	432	0	519
5/25/2016	2	1097.7	2370	709.4	88	432	0	519
5/25/2016	3	1097.7	2370	709.4	88	431	0	519
5/25/2016	4	1097.7	2390	709.4	88	432	0	519
5/25/2016	5	1097.7	2400	709.4	88	432	0	519
5/25/2016	6	1097.7	2400	709.3	88	432	0	519
5/25/2016	7	1097.7	2410	709.4	88	432	0	519
5/25/2016	8	1097.8	2330	709.6	88	432	0	519
5/25/2016	9	1097.8	2330	709.7	88	432	0	519
5/25/2016	10	1097.8	2350	709.8	88	432	0	519
5/25/2016	11	1097.8	2330	709.5	87	432	0	519
5/25/2016	12	1097.8	2340	709.4	87	432	0	519
5/25/2016	13	1097.8	2340	709.5	87	432	0	519
5/25/2016	14	1097.8	2360	709.7	87	432	0	519
5/25/2016	15	1097.8	2360	709.7	87	432	0	519
5/25/2016	16	1097.8	2360	709.5	87	432	0	519
5/25/2016	17	1097.8	2400	709.5	88	432	0	520
5/25/2016	18	1097.8	2410	709.5	88	432	0	520
5/25/2016	19	1097.8	2390	709.6	88	432	0	520
5/25/2016	20	1097.8	2410	709.6	88	432	0	520
5/25/2016	21	1097.8	2410	709.5	88	432	0	520
5/25/2016	22	1097.8	2370	709.6	88	433	0	521
5/25/2016	23	1097.8	2390	709.6	88	433	0	521
5/25/2016	24	1097.8	2410	709.4	88	433	0	521
5/26/2016	1	1097.9	2410	709.2	88	433	0	521
5/26/2016	2	1097.8	2400	709.1	88	434	0	522
5/26/2016	3	1097.9	2430	709.2	88	434	0	522
5/26/2016	4	1097.9	2400	709.2	88	434	0	522
5/26/2016	5	1097.9	2450	709.1	88	434	0	522
5/26/2016	6	1097.9	2450	709.2	88	433	0	522
5/26/2016	7	1097.9	2400	709.2	88	433	0	522
5/26/2016	8	1097.9	2370	709.4	88	433	0	521
5/26/2016	9	1097.9	2380	709.4	88	433	0	521
5/26/2016	10	1097.9	2410	709.4	88	433	0	521
5/26/2016	11	1097.9	2400	709.4	88	434	0	521
5/26/2016	12	1097.9	2390	709.4	87	434	0	521
5/26/2016	13	1097.9	2390	709.4	88	434	0	522
5/26/2016	14	1097.9	2390	709.5	88	434	0	522
5/26/2016	15	1097.9	2390	709.6	88	434	0	522
5/26/2016	16	1097.9	2400	709.7	88	434	0	522
5/26/2016	17	1097.9	2400	709.8	88	435	0	522
5/26/2016	18	1097.9	2410	709.9	88	434	0	522
5/26/2016	19	1097.9	2410	709.9	88	435	0	523
5/26/2016	20	1097.9	2410	709.9	88	435	0	523
5/26/2016	21	1097.9	2420	709.7	88	435	0	523
5/26/2016	22	1097.9	2370	709.8	88	435	0	523
5/26/2016	23	1097.9	2370	709.8	88	435	0	523
5/26/2016	24	1098.0	2380	709.8	88	435	0	524
5/27/2016	1	1097.9	2380	709.5	88	436	0	524
5/27/2016	2	1098.0	2400	709.3	88	436	0	524
5/27/2016	3	1098.0	2380	709.3	88	436	0	524

## 2016 Hourly Flow Data - 2nd Quarter

5/27/2016	4	1098.0	2400	709.5	88	436	0	524
5/27/2016	5	1098.0	2410	709.5	88	436	0	524
5/27/2016	6	1098.0	2390	709.4	88	436	0	524
5/27/2016	7	1098.0	2420	709.5	88	436	0	524
5/27/2016	8	1098.0	2410	709.4	88	436	0	524
5/27/2016	9	1098.0	2390	709.4	88	436	0	524
5/27/2016	10	1098.0	2390	709.6	88	436	0	524
5/27/2016	11	1098.0	2390	709.9	88	436	0	524
5/27/2016	12	1098.0	2380	710.0	88	436	0	524
5/27/2016	13	1098.0	2390	710.0	88	436	0	524
5/27/2016	14	1098.0	2410	710.1	88	436	0	524
5/27/2016	15	1098.0	2410	710.3	88	436	0	524
5/27/2016	16	1098.0	2390	710.1	88	436	0	524
5/27/2016	17	1098.0	2390	710.1	88	436	0	524
5/27/2016	18	1098.0	2400	710.2	88	436	0	525
5/27/2016	19	1098.0	2410	710.2	88	436	0	525
5/27/2016	20	1098.0	2420	710.4	88	437	0	525
5/27/2016	21	1098.0	2400	710.6	88	437	0	525
5/27/2016	22	1098.0	2380	710.8	88	437	0	525
5/27/2016	23	1098.0	2370	710.5	88	437	0	525
5/27/2016	24	1098.0	2390	710.5	88	437	0	525
5/28/2016	1	1098.0	2400	710.3	88	437	0	525
5/28/2016	2	1098.0	2410	709.9	88	437	0	525
5/28/2016	3	1098.0	2390	709.6	88	437	0	525
5/28/2016	4	1098.0	2400	709.8	88	437	0	525
5/28/2016	5	1098.0	2430	709.6	88	437	0	525
5/28/2016	6	1098.0	2400	709.4	88	437	0	525
5/28/2016	7	1098.0	2380	709.3	88	437	0	525
5/28/2016	8	1098.0	2390	709.7	88	437	0	525
5/28/2016	9	1098.0	2430	709.9	88	437	0	525
5/28/2016	10	1098.0	2400	710.2	88	437	0	525
5/28/2016	11	1098.0	2390	710.3	88	437	0	525
5/28/2016	12	1098.1	2410	710.1	88	437	0	525
5/28/2016	13	1098.1	2410	710.1	88	438	0	525
5/28/2016	14	1098.0	2400	710.2	88	437	0	525
5/28/2016	15	1098.1	2400	710.3	88	437	0	525
5/28/2016	16	1098.1	2420	710.4	88	437	0	526
5/28/2016	17	1098.1	2390	710.3	88	437	0	526
5/28/2016	18	1098.1	2410	710.2	88	437	0	526
5/28/2016	19	1098.1	2390	710.2	89	437	0	526
5/28/2016	20	1098.1	2410	710.2	88	438	0	526
5/28/2016	21	1098.1	2380	710.3	88	438	0	526
5/28/2016	22	1098.1	2390	710.3	88	438	0	526
5/28/2016	23	1098.1	2370	710.4	89	438	0	526
5/28/2016	24	1098.1	2390	710.4	88	438	0	527
5/29/2016	1	1098.1	2400	710.3	88	438	0	527
5/29/2016	2	1098.1	2410	709.9	88	439	0	527
5/29/2016	3	1098.1	2390	709.9	88	439	0	527
5/29/2016	4	1098.1	2400	710.0	88	439	0	527
5/29/2016	5	1098.1	2410	709.9	88	439	0	528
5/29/2016	6	1098.1	2390	709.7	88	439	0	527
5/29/2016	7	1098.1	2400	709.8	88	439	0	527

## 2016 Hourly Flow Data - 2nd Quarter

5/29/2016	8	1098.1	2410	709.8	88	439	0	527
5/29/2016	9	1098.1	2380	709.6	88	439	0	527
5/29/2016	10	1098.1	2410	709.6	88	439	0	527
5/29/2016	11	1098.1	2400	709.7	88	438	0	527
5/29/2016	12	1098.1	2410	709.4	88	438	0	527
5/29/2016	13	1098.1	2380	709.4	88	438	0	526
5/29/2016	14	1098.1	2360	709.4	88	439	0	527
5/29/2016	15	1098.1	2370	709.3	88	439	0	527
5/29/2016	16	1098.2	2370	709.1	88	439	0	527
5/29/2016	17	1098.2	2370	709.2	88	439	0	527
5/29/2016	18	1098.2	2350	709.2	88	439	0	527
5/29/2016	19	1098.2	2360	709.1	88	439	0	527
5/29/2016	20	1098.2	2350	709.2	89	439	0	527
5/29/2016	21	1098.2	2350	709.5	89	439	0	527
5/29/2016	22	1098.1	2360	709.6	89	439	0	527
5/29/2016	23	1098.1	2330	709.6	89	439	0	528
5/29/2016	24	1098.1	2360	709.6	89	439	0	528
5/30/2016	1	1098.2	2360	709.3	89	439	0	528
5/30/2016	2	1098.1	2360	709.4	89	440	0	528
5/30/2016	3	1098.1	2360	709.6	89	440	0	528
5/30/2016	4	1098.1	2390	709.7	89	440	0	529
5/30/2016	5	1098.2	2380	709.4	89	440	0	529
5/30/2016	6	1098.2	2370	709.3	88	440	0	528
5/30/2016	7	1098.1	2380	709.3	89	440	0	528
5/30/2016	8	1098.1	2390	709.5	88	439	0	528
5/30/2016	9	1098.2	2410	709.4	88	439	0	527
5/30/2016	10	1098.1	2410	709.3	88	439	0	527
5/30/2016	11	1098.1	2420	709.3	88	439	0	527
5/30/2016	12	1098.1	2380	709.4	88	438	0	527
5/30/2016	13	1098.1	2370	709.3	88	438	0	526
5/30/2016	14	1098.1	2350	709.2	88	438	0	526
5/30/2016	15	1098.1	2380	709.2	88	438	0	527
5/30/2016	16	1098.1	2400	709.2	88	438	0	527
5/30/2016	17	1098.2	2400	709.2	88	439	0	527
5/30/2016	18	1098.2	2380	709.2	88	439	0	527
5/30/2016	19	1098.2	2390	709.4	88	439	0	527
5/30/2016	20	1098.2	2380	709.8	89	439	0	527
5/30/2016	21	1098.2	2390	709.9	89	439	0	527
5/30/2016	22	1098.2	2370	709.8	89	439	0	528
5/30/2016	23	1098.2	2350	709.5	88	439	0	528
5/30/2016	24	1098.2	2350	709.3	89	439	0	528
5/31/2016	1	1098.2	2360	709.1	89	439	0	528
5/31/2016	2	1098.2	2360	709.1	89	439	0	528
5/31/2016	3	1098.2	2360	709.1	89	439	0	528
5/31/2016	4	1098.2	2380	709.1	88	439	0	528
5/31/2016	5	1098.2	2400	709.1	89	439	0	528
5/31/2016	6	1098.2	2410	709.5	88	439	0	528
5/31/2016	7	1098.2	2410	709.5	89	439	0	528
5/31/2016	8	1098.2	2410	709.4	88	439	0	527
5/31/2016	9	1098.2	2400	709.2	88	439	0	527
5/31/2016	10	1098.2	2410	709.1	88	439	0	527
5/31/2016	11	1098.2	2380	709.1	88	439	0	527



## 2016 Hourly Flow Data - 2nd Quarter

5/31/2016	12	1098.2	2380	709.1	88	439	0	527
5/31/2016	13	1098.2	2380	709.1	88	439	0	527
5/31/2016	14	1098.2	2390	709.1	88	439	0	527
5/31/2016	15	1098.2	2370	709.1	88	439	0	527
5/31/2016	16	1098.2	2360	709.1	88	439	0	527
5/31/2016	17	1098.2	2370	709.1	88	439	0	527
5/31/2016	18	1098.2	2370	709.2	88	440	0	528
5/31/2016	19	1098.2	2380	709.2	88	440	0	528
5/31/2016	20	1098.2	2380	709.2	88	440	0	528
5/31/2016	21	1098.2	2350	709.3	88	440	0	528
5/31/2016	22	1098.2	2360	709.5	88	440	0	528
5/31/2016	23	1098.2	2380	709.7	88	440	0	529
5/31/2016	24	1098.2	2380	709.9	88	441	0	529
6/1/2016	1	1098.2	2390	709.9	88	441	0	529
6/1/2016	2	1098.2	2380	709.9	88	441	0	529
6/1/2016	3	1098.3	2420	709.6	88	441	0	529
6/1/2016	4	1098.3	2410	709.3	88	441	0	530
6/1/2016	5	1098.2	2410	709.2	88	441	0	530
6/1/2016	6	1098.3	2430	709.2	88	441	0	529
6/1/2016	7	1098.3	2400	709.3	88	441	0	529
6/1/2016	8	1098.3	2420	709.8	88	441	0	529
6/1/2016	9	1098.3	1690	709.6	88	641	0	729
6/1/2016	10	1098.3	1080	709.4	88	919	0	1007
6/1/2016	11	1098.3	1080	709.2	88	920	0	1007
6/1/2016	12	1098.3	1210	708.8	88	920	0	1008
6/1/2016	13	1098.3	2290	709.8	88	919	0	1008
6/1/2016	14	1098.3	2320	710.1	88	920	0	1008
6/1/2016	15	1098.3	2320	710.1	88	920	0	1008
6/1/2016	16	1098.3	2300	710.0	89	920	0	1009
6/1/2016	17	1098.3	2290	709.8	88	921	0	1009
6/1/2016	18	1098.3	2320	709.8	89	921	0	1009
6/1/2016	19	1098.3	2320	709.9	88	922	0	1010
6/1/2016	20	1098.3	2290	709.9	88	922	0	1011
6/1/2016	21	1098.3	2300	710.0	88	923	0	1011
6/1/2016	22	1098.3	2280	710.2	88	923	0	1012
6/1/2016	23	1098.3	2290	710.1	88	924	0	1012
6/1/2016	24	1098.3	2290	709.9	89	924	0	1013
6/2/2016	1	1098.3	2310	709.7	89	925	0	1013
6/2/2016	2	1098.3	2300	709.5	89	925	0	1014
6/2/2016	3	1098.4	2320	709.4	89	925	0	1014
6/2/2016	4	1098.3	2290	709.3	89	925	0	1014
6/2/2016	5	1098.4	2330	709.5	89	926	0	1015
6/2/2016	6	1098.4	2310	709.5	89	926	0	1015
6/2/2016	7	1098.4	2310	709.4	89	926	0	1015
6/2/2016	8	1098.4	2290	709.4	89	927	0	1015
6/2/2016	9	1098.4	2330	709.5	89	928	0	1017
6/2/2016	10	1098.4	2330	709.5	89	932	0	1021
6/2/2016	11	1098.4	2390	709.5	89	933	0	1022
6/2/2016	12	1098.4	2410	709.5	89	934	0	1022
6/2/2016	13	1098.4	2380	709.5	88	1533	0	1622
6/2/2016	14	1098.4	2380	709.8	89	1920	0	2009
6/2/2016	15	1098.4	2360	709.9	88	1922	0	2010

## 2016 Hourly Flow Data - 2nd Quarter

6/2/2016	16	1098.4	2360	710.0	89	1923	0	2011
6/2/2016	17	1098.4	2340	710.1	89	1926	0	2015
6/2/2016	18	1098.4	2380	710.1	89	1927	0	2015
6/2/2016	19	1098.5	2340	710.1	89	1928	0	2017
6/2/2016	20	1098.5	2340	710.1	89	1930	0	2019
6/2/2016	21	1098.5	2340	710.1	89	1932	0	2021
6/2/2016	22	1098.5	2310	710.2	89	1932	0	2020
6/2/2016	23	1098.5	2320	710.2	89	1931	0	2019
6/2/2016	24	1098.5	2310	710.2	89	1931	0	2020
6/3/2016	1	1098.5	2350	710.0	89	1931	0	2019
6/3/2016	2	1098.5	2340	709.9	89	1930	0	2019
6/3/2016	3	1098.5	2350	709.8	89	1929	0	2018
6/3/2016	4	1098.5	2350	709.8	89	1930	0	2019
6/3/2016	5	1098.5	2370	709.9	89	1934	0	2022
6/3/2016	6	1098.5	2360	710.2	89	1933	0	2022
6/3/2016	7	1098.5	2370	710.1	89	1932	0	2021
6/3/2016	8	1098.5	2350	710.1	89	1934	0	2023
6/3/2016	9	1098.5	2360	710.1	89	1932	0	2021
6/3/2016	10	1098.5	2370	710.1	89	1931	0	2020
6/3/2016	11	1098.5	2340	710.2	89	2355	0	2444
6/3/2016	12	1098.5	2350	710.5	89	2917	0	3006
6/3/2016	13	1098.5	2340	710.5	89	2922	0	3010
6/3/2016	14	1098.5	2360	710.5	83	2924	0	3007
6/3/2016	15	1098.5	2340	710.5	82	2925	0	3008
6/3/2016	16	1098.5	2330	710.6	83	2925	0	3008
6/3/2016	17	1098.5	2350	710.6	82	2926	0	3009
6/3/2016	18	1098.5	2320	710.7	82	2928	0	3010
6/3/2016	19	1098.5	2310	710.8	82	2928	0	3010
6/3/2016	20	1098.5	2300	710.7	82	2928	0	3011
6/3/2016	21	1098.5	2310	710.6	82	2929	0	3011
6/3/2016	22	1098.5	2330	710.6	82	2929	0	3011
6/3/2016	23	1098.5	2320	710.6	82	2930	0	3012
6/3/2016	24	1098.5	2320	710.5	82	2932	0	3015
6/4/2016	1	1098.5	2350	710.5	82	2933	0	3015
6/4/2016	2	1098.5	2360	710.4	82	2933	0	3016
6/4/2016	3	1098.5	2360	710.4	82	2933	0	3016
6/4/2016	4	1098.5	2360	710.3	82	2933	0	3015
6/4/2016	5	1098.5	2350	710.3	82	2932	0	3014
6/4/2016	6	1098.5	2330	710.3	83	2931	0	3014
6/4/2016	7	1098.5	2360	710.3	82	2933	0	3015
6/4/2016	8	1098.5	2360	710.4	83	2934	0	3016
6/4/2016	9	1098.5	2370	710.5	82	2934	0	3016
6/4/2016	10	1098.5	2340	710.5	82	2934	0	3016
6/4/2016	11	1098.5	2350	710.6	82	2934	0	3016
6/4/2016	12	1098.5	2380	710.6	82	2934	0	3016
6/4/2016	13	1098.5	2340	710.6	82	2934	0	3016
6/4/2016	14	1098.5	2380	710.7	82	2934	0	3016
6/4/2016	15	1098.5	2360	710.7	82	2933	0	3016
6/4/2016	16	1098.5	2360	710.6	83	2933	0	3016
6/4/2016	17	1098.5	2350	710.6	82	2935	0	3018
6/4/2016	18	1098.5	2350	710.6	82	2937	0	3020
6/4/2016	19	1098.5	2350	710.6	83	2939	0	3022

## 2016 Hourly Flow Data - 2nd Quarter

6/4/2016	20	1098.5	2340	710.7	83	2941	0	3024
6/4/2016	21	1098.6	2330	710.7	83	2943	0	3025
6/4/2016	22	1098.6	2320	710.7	83	2944	0	3027
6/4/2016	23	1098.6	2330	710.7	83	2945	0	3028
6/4/2016	24	1098.6	2340	710.6	83	2945	0	3028
6/5/2016	1	1098.6	2340	710.5	83	2945	0	3028
6/5/2016	2	1098.6	2330	710.3	82	2946	0	3028
6/5/2016	3	1098.6	2340	710.3	82	2947	0	3029
6/5/2016	4	1098.6	2340	710.3	82	2947	0	3029
6/5/2016	5	1098.6	2330	710.2	83	2949	0	3032
6/5/2016	6	1098.6	2320	710.2	82	2948	0	3031
6/5/2016	7	1098.7	2330	710.2	83	2952	0	3034
6/5/2016	8	1098.7	2350	710.3	83	2954	0	3036
6/5/2016	9	1098.7	2360	710.4	83	2954	0	3037
6/5/2016	10	1098.7	2370	710.4	83	2953	0	3036
6/5/2016	11	1098.7	2370	710.4	82	2957	0	3040
6/5/2016	12	1098.7	2360	710.5	82	2957	0	3040
6/5/2016	13	1098.7	2380	710.7	83	2959	0	3041
6/5/2016	14	1098.7	2390	710.8	83	2960	0	3043
6/5/2016	15	1098.7	2380	710.8	83	2961	0	3044
6/5/2016	16	1098.7	2370	710.8	83	2961	0	3044
6/5/2016	17	1098.7	2360	710.8	83	2963	0	3046
6/5/2016	18	1098.7	2360	710.7	83	2964	0	3047
6/5/2016	19	1098.8	2350	710.7	83	2966	0	3049
6/5/2016	20	1098.8	2320	710.7	83	2968	0	3051
6/5/2016	21	1098.8	2330	710.8	83	2971	0	3054
6/5/2016	22	1098.8	2340	710.7	83	2973	0	3056
6/5/2016	23	1098.8	2330	710.6	83	2974	0	3057
6/5/2016	24	1098.8	2330	710.6	83	2976	0	3059
6/6/2016	1	1098.9	2340	710.5	83	2977	0	3060
6/6/2016	2	1098.9	2330	710.4	83	2979	0	3062
6/6/2016	3	1098.9	2350	710.4	83	2980	0	3063
6/6/2016	4	1098.9	2350	710.4	83	2982	0	3065
6/6/2016	5	1098.9	2360	710.4	83	2983	0	3066
6/6/2016	6	1098.9	2370	710.4	83	2985	0	3068
6/6/2016	7	1098.9	2360	710.4	83	2986	0	3069
6/6/2016	8	1098.9	2380	710.6	83	2987	0	3070
6/6/2016	9	1098.9	2360	710.5	83	2988	0	3072
6/6/2016	10	1098.9	2380	710.6	83	2990	0	3073
6/6/2016	11	1098.9	2350	710.6	83	2992	0	3075
6/6/2016	12	1098.9	2370	710.7	83	4334	0	4417
6/6/2016	13	1099.0	2360	711.3	83	5687	0	5770
6/6/2016	14	1099.0	2350	711.6	83	5917	0	6000
6/6/2016	15	1099.0	2310	711.6	83	5919	0	6002
6/6/2016	16	1099.0	2300	711.5	83	5920	0	6003
6/6/2016	17	1099.0	2300	711.6	83	5921	0	6004
6/6/2016	18	1099.0	2310	711.6	83	6713	0	6796
6/6/2016	19	1099.0	2320	711.9	82	6928	0	7011
6/6/2016	20	1099.0	2330	711.9	83	6928	0	7011
6/6/2016	21	1099.0	2330	712.0	82	6932	0	7014
6/6/2016	22	1099.0	2330	712.0	82	6933	0	7016
6/6/2016	23	1099.0	2340	712.1	82	6939	0	7021

## 2016 Hourly Flow Data - 2nd Quarter

6/6/2016	24	1099.0	2360	712.0	83	6940	0	7023
6/7/2016	1	1099.0	2370	711.9	82	6943	0	7025
6/7/2016	2	1099.0	2370	711.9	82	6942	0	7024
6/7/2016	3	1099.0	2330	711.9	83	6944	0	7027
6/7/2016	4	1099.0	2360	711.9	82	6943	0	7025
6/7/2016	5	1099.0	2360	711.9	82	6942	0	7025
6/7/2016	6	1099.0	2370	711.9	82	6940	0	7022
6/7/2016	7	1099.0	2370	711.9	82	6939	0	7021
6/7/2016	8	1099.0	2370	711.9	82	6941	0	7023
6/7/2016	9	1099.0	2350	711.8	82	6939	0	7021
6/7/2016	10	1099.0	2380	711.8	82	6936	0	7018
6/7/2016	11	1099.0	2380	711.9	82	6934	0	7016
6/7/2016	12	1099.0	2380	711.8	82	6748	0	6830
6/7/2016	13	1099.0	2400	711.8	82	6548	0	6630
6/7/2016	14	1099.0	2370	711.7	82	6349	0	6431
6/7/2016	15	1099.0	2350	711.8	82	6143	0	6225
6/7/2016	16	1099.0	2340	711.8	83	5943	0	6026
6/7/2016	17	1099.0	2360	711.8	83	5917	0	6000
6/7/2016	18	1099.0	2330	711.8	82	5914	0	5997
6/7/2016	19	1099.0	2330	711.7	82	5912	0	5994
6/7/2016	20	1099.0	2340	711.6	82	5915	0	5997
6/7/2016	21	1099.0	2320	711.6	83	5918	0	6001
6/7/2016	22	1099.0	2320	711.6	83	5919	0	6001
6/7/2016	23	1099.0	2340	711.6	82	5917	0	5999
6/7/2016	24	1099.0	2340	711.6	82	5918	0	6000
6/8/2016	1	1099.0	2350	711.6	82	5924	0	6006
6/8/2016	2	1099.0	2360	711.5	82	5925	0	6007
6/8/2016	3	1099.0	2360	711.5	82	5915	0	5997
6/8/2016	4	1099.0	2360	711.5	82	5911	0	5993
6/8/2016	5	1099.0	2340	711.5	83	5916	0	5999
6/8/2016	6	1099.0	2380	711.5	82	5916	0	5998
6/8/2016	7	1099.0	2360	711.5	82	5906	0	5989
6/8/2016	8	1099.0	2390	711.5	82	5908	0	5990
6/8/2016	9	1099.0	2380	711.5	82	5893	0	5975
6/8/2016	10	1099.0	2350	711.4	82	5756	0	5838
6/8/2016	11	1099.0	2360	711.4	82	5658	0	5740
6/8/2016	12	1099.0	2350	711.4	82	5593	0	5675
6/8/2016	13	1099.0	2330	711.4	82	5598	0	5680
6/8/2016	14	1099.0	2350	711.4	82	5503	0	5584
6/8/2016	15	1099.0	2350	711.4	82	5422	0	5503
6/8/2016	16	1099.0	2340	711.4	82	5239	0	5321
6/8/2016	17	1099.0	2350	711.3	82	5056	0	5138
6/8/2016	18	1099.0	2350	711.2	82	4860	0	4943
6/8/2016	19	1099.0	2340	711.1	82	4661	0	4743
6/8/2016	20	1099.0	2320	711.0	82	4450	0	4532
6/8/2016	21	1099.0	2320	711.0	82	4238	0	4320
6/8/2016	22	1099.0	2330	711.0	82	4055	0	4137
6/8/2016	23	1099.0	2330	710.9	82	4054	0	4136
6/8/2016	24	1099.0	2330	710.8	82	4052	0	4134
6/9/2016	1	1099.0	2340	710.8	82	4053	0	4135
6/9/2016	2	1099.0	2360	710.8	82	4054	0	4136
6/9/2016	3	1099.0	2330	710.8	82	4055	0	4137

## 2016 Hourly Flow Data - 2nd Quarter

6/9/2016	4	1099.0	2330	710.8	82	4053	0	4135
6/9/2016	5	1099.0	2380	710.9	82	4052	0	4134
6/9/2016	6	1099.0	2360	710.8	82	3962	0	4044
6/9/2016	7	1099.0	2350	710.7	82	3769	0	3852
6/9/2016	8	1099.0	2360	710.6	82	3621	0	3703
6/9/2016	9	1099.0	2340	710.6	82	3424	0	3506
6/9/2016	10	1099.0	2360	710.6	82	3251	0	3333
6/9/2016	11	1099.0	2340	710.6	82	3096	0	3179
6/9/2016	12	1099.0	2410	710.6	82	2909	0	2991
6/9/2016	13	1099.0	2400	710.5	83	2727	0	2809
6/9/2016	14	1099.0	2410	710.4	82	2543	0	2625
6/9/2016	15	1099.0	2410	710.6	83	2353	0	2435
6/9/2016	16	1099.0	2410	710.7	83	2159	0	2242
6/9/2016	17	1099.0	2430	710.5	83	1967	0	2049
6/9/2016	18	1099.0	2400	710.3	83	1926	0	2008
6/9/2016	19	1099.0	2400	710.2	83	1925	0	2007
6/9/2016	20	1099.1	2400	710.2	83	1926	0	2009
6/9/2016	21	1099.0	2410	710.2	83	1926	0	2009
6/9/2016	22	1099.0	2360	710.1	83	1926	0	2008
6/9/2016	23	1099.0	2380	710.2	83	1925	0	2008
6/9/2016	24	1099.0	2400	710.2	83	1926	0	2009
6/10/2016	1	1099.1	2400	710.2	83	1928	0	2011
6/10/2016	2	1099.1	2390	710.0	83	1927	0	2009
6/10/2016	3	1099.1	2420	710.0	82	1927	0	2009
6/10/2016	4	1099.0	2410	709.9	83	1926	0	2009
6/10/2016	5	1099.1	2410	709.9	83	1929	0	2011
6/10/2016	6	1099.1	2420	710.0	83	1927	0	2010
6/10/2016	7	1099.1	2410	710.0	83	1734	0	1817
6/10/2016	8	1099.0	2440	710.0	83	1548	0	1631
6/10/2016	9	1099.1	2410	710.1	83	1355	0	1438
6/10/2016	10	1099.1	2410	710.1	83	1158	0	1240
6/10/2016	11	1099.1	2420	710.0	83	957	0	1040
6/10/2016	12	1099.1	2400	709.7	83	906	0	989
6/10/2016	13	1099.1	2410	709.8	82	863	0	946
6/10/2016	14	1099.1	2380	709.8	83	806	0	888
6/10/2016	15	1099.1	2400	709.8	83	762	0	844
6/10/2016	16	1099.1	2390	709.9	83	718	0	801
6/10/2016	17	1099.1	2380	709.9	83	664	0	746
6/10/2016	18	1099.1	2370	709.8	83	659	0	742
6/10/2016	19	1099.1	2350	709.7	83	660	0	742
6/10/2016	20	1099.1	2360	709.6	83	660	0	743
6/10/2016	21	1099.1	2370	709.6	83	660	0	743
6/10/2016	22	1099.1	2350	709.5	83	660	0	743
6/10/2016	23	1099.1	2380	709.5	83	661	0	744
6/10/2016	24	1099.1	2390	709.5	83	661	0	744
6/11/2016	1	1099.1	2400	709.5	83	661	0	744
6/11/2016	2	1099.2	2400	709.5	83	662	0	744
6/11/2016	3	1099.2	2410	709.6	83	661	0	744
6/11/2016	4	1099.2	2400	709.6	83	662	0	745
6/11/2016	5	1099.2	2390	709.5	83	662	0	745
6/11/2016	6	1099.2	2390	709.4	83	662	0	745
6/11/2016	7	1099.2	2370	709.3	83	620	0	703

## 2016 Hourly Flow Data - 2nd Quarter

6/11/2016	8	1099.2	2390	709.3	83	577	0	660
6/11/2016	9	1099.2	2390	709.3	83	518	0	601
6/11/2016	10	1099.2	2400	709.4	83	474	0	557
6/11/2016	11	1099.2	2390	709.8	83	428	0	511
6/11/2016	12	1099.2	2400	710.0	83	406	0	489
6/11/2016	13	1099.2	2400	710.0	83	387	0	469
6/11/2016	14	1099.2	2370	709.9	83	369	0	452
6/11/2016	15	1099.2	2390	709.7	83	349	0	432
6/11/2016	16	1099.2	2380	709.6	83	333	0	416
6/11/2016	17	1099.2	2400	709.6	83	314	0	397
6/11/2016	18	1099.2	2400	709.7	83	313	0	396
6/11/2016	19	1099.2	2390	709.7	83	313	0	396
6/11/2016	20	1099.2	2400	709.6	83	313	0	396
6/11/2016	21	1099.2	2410	709.6	83	314	0	397
6/11/2016	22	1099.3	2400	709.5	83	314	0	397
6/11/2016	23	1099.2	2400	709.6	83	314	0	397
6/11/2016	24	1099.2	2420	709.9	83	314	0	398
6/12/2016	1	1099.2	2420	710.0	83	315	0	398
6/12/2016	2	1099.2	2420	709.8	83	315	0	398
6/12/2016	3	1099.3	2400	709.4	83	315	0	398
6/12/2016	4	1099.2	2390	709.2	83	314	0	398
6/12/2016	5	1099.2	2390	709.2	83	315	0	398
6/12/2016	6	1099.2	2420	709.5	83	314	0	398
6/12/2016	7	1099.3	2390	709.5	83	296	0	379
6/12/2016	8	1099.2	2380	709.5	83	275	0	358
6/12/2016	9	1099.2	2400	709.6	83	242	0	324
6/12/2016	10	1099.2	2390	709.5	83	220	0	303
6/12/2016	11	1099.3	2410	709.3	83	198	0	281
6/12/2016	12	1099.2	2390	709.4	82	152	0	235
6/12/2016	13	1099.2	2380	709.6	82	149	0	231
6/12/2016	14	1099.2	2400	709.7	83	138	0	221
6/12/2016	15	1099.2	2410	709.8	83	131	0	214
6/12/2016	16	1099.3	2390	709.7	83	129	0	211
6/12/2016	17	1099.2	2400	709.7	83	121	0	204
6/12/2016	18	1099.2	2400	709.7	83	121	0	204
6/12/2016	19	1099.3	2400	709.8	83	121	0	204
6/12/2016	20	1099.3	2390	709.9	83	121	0	204
6/12/2016	21	1099.3	2390	710.1	83	121	0	204
6/12/2016	22	1099.3	2380	709.9	83	121	0	204
6/12/2016	23	1099.3	2390	709.8	83	121	0	204
6/12/2016	24	1099.3	2380	709.7	83	121	0	204
6/13/2016	1	1099.3	2390	709.8	83	121	0	204
6/13/2016	2	1099.2	2390	709.6	83	120	0	204
6/13/2016	3	1099.3	2390	709.5	83	120	0	203
6/13/2016	4	1099.3	2390	709.4	83	119	0	203
6/13/2016	5	1099.3	2410	709.4	83	119	0	202
6/13/2016	6	1099.3	2430	709.3	83	118	0	202
6/13/2016	7	1099.3	2400	709.5	83	118	0	201
6/13/2016	8	1099.3	2390	709.7	83	118	0	201
6/13/2016	9	1099.3	2420	709.8	83	117	0	200
6/13/2016	10	1099.2	2400	709.9	83	117	0	200
6/13/2016	11	1099.2	2400	709.8	83	118	0	200

## 2016 Hourly Flow Data - 2nd Quarter

6/13/2016	12	1099.3	2400	709.7	83	117	0	200
6/13/2016	13	1099.3	2410	709.6	83	117	0	200
6/13/2016	14	1099.3	2390	709.5	83	128	0	211
6/13/2016	15	1099.3	2400	709.4	83	129	0	211
6/13/2016	16	1099.3	2370	709.3	83	128	0	211
6/13/2016	17	1099.3	2400	709.2	83	128	0	211
6/13/2016	18	1099.3	2390	709.2	83	128	0	211
6/13/2016	19	1099.3	2380	709.2	83	128	0	211
6/13/2016	20	1099.3	2390	709.2	83	128	0	211
6/13/2016	21	1099.3	2390	709.2	83	128	0	211
6/13/2016	22	1099.3	2390	709.3	83	128	0	211
6/13/2016	23	1099.3	2380	709.5	83	127	0	211
6/13/2016	24	1099.3	2380	709.5	83	127	0	211
6/14/2016	1	1099.3	2400	709.4	83	127	0	211
6/14/2016	2	1099.3	2400	709.4	83	127	0	210
6/14/2016	3	1099.3	2390	709.3	83	127	0	210
6/14/2016	4	1099.3	2380	709.2	83	127	0	210
6/14/2016	5	1099.3	2390	709.1	83	127	0	210
6/14/2016	6	1099.3	2410	709.1	83	127	0	210
6/14/2016	7	1099.3	2410	709.2	83	127	0	210
6/14/2016	8	1099.3	2390	709.3	83	127	0	210
6/14/2016	9	1099.3	2380	709.2	83	127	0	210
6/14/2016	10	1099.3	2380	709.2	83	127	0	210
6/14/2016	11	1099.3	2390	709.4	83	128	0	210
6/14/2016	12	1099.3	2370	709.6	83	127	0	210
6/14/2016	13	1099.3	2400	709.8	83	128	0	210
6/14/2016	14	1099.3	2410	709.9	83	128	0	210
6/14/2016	15	1099.3	2400	709.7	83	127	0	210
6/14/2016	16	1099.3	2410	709.6	83	127	0	210
6/14/2016	17	1099.3	2410	709.6	83	127	0	210
6/14/2016	18	1099.3	2430	709.6	83	127	0	210
6/14/2016	19	1099.3	2410	709.6	83	126	0	210
6/14/2016	20	1099.3	2390	709.6	83	126	0	209
6/14/2016	21	1099.3	2380	709.8	83	126	0	209
6/14/2016	22	1099.3	2370	709.9	83	126	0	209
6/14/2016	23	1099.3	2350	710.0	83	127	0	209
6/14/2016	24	1099.3	2350	710.1	83	126	0	209
6/15/2016	1	1099.3	920	709.5	83	127	0	209
6/15/2016	2	1099.3	840	709.1	83	126	0	209
6/15/2016	3	1099.3	840	709.1	83	126	0	209
6/15/2016	4	1099.3	840	709.3	83	127	0	209
6/15/2016	5	1099.3	850	709.5	83	127	0	209
6/15/2016	6	1099.3	860	709.4	82	127	0	209
6/15/2016	7	1099.3	2380	710.0	83	126	0	209
6/15/2016	8	1099.3	2370	710.2	83	126	0	209
6/15/2016	9	1099.3	2390	710.0	83	126	0	209
6/15/2016	10	1099.3	2400	710.0	83	126	0	209
6/15/2016	11	1099.3	2380	710.0	83	126	0	209
6/15/2016	12	1099.3	2370	710.0	82	126	0	208
6/15/2016	13	1099.3	2380	709.8	83	126	0	208
6/15/2016	14	1099.3	2380	709.7	83	126	0	209
6/15/2016	15	1099.3	2380	709.5	83	126	0	209

## 2016 Hourly Flow Data - 2nd Quarter

6/15/2016	16	1099.3	2390	709.5	83	126	0	209
6/15/2016	17	1099.4	2370	709.6	83	126	0	209
6/15/2016	18	1099.3	2380	709.7	83	126	0	209
6/15/2016	19	1099.4	2360	709.7	83	127	0	209
6/15/2016	20	1099.3	2370	709.6	83	126	0	209
6/15/2016	21	1099.3	2370	709.8	83	127	0	210
6/15/2016	22	1099.3	2360	710.0	83	127	0	210
6/15/2016	23	1099.3	1150	709.6	83	127	0	210
6/15/2016	24	1099.4	840	709.2	83	127	0	210
6/16/2016	1	1099.3	250	708.7	83	127	0	210
6/16/2016	2	1099.3	20	708.8	83	127	0	210
6/16/2016	3	1099.4	20	709.1	83	127	0	210
6/16/2016	4	1099.4	20	709.3	83	127	0	210
6/16/2016	5	1099.4	20	709.4	83	127	0	210
6/16/2016	6	1099.4	100	709.4	83	126	0	210
6/16/2016	7	1099.4	1120	709.7	82	127	0	209
6/16/2016	8	1099.4	2090	709.9	83	127	0	209
6/16/2016	9	1099.4	2390	709.8	83	127	0	209
6/16/2016	10	1099.4	2000	709.7	83	126	0	209
6/16/2016	11	1099.4	2430	709.7	83	126	0	209
6/16/2016	12	1099.4	2390	709.6	83	126	0	208
6/16/2016	13	1099.4	2410	709.5	83	126	1	209
6/16/2016	14	1099.4	2400	709.4	83	126	3	212
6/16/2016	15	1099.4	2390	709.5	83	126	0	209
6/16/2016	16	1099.4	2410	709.5	83	126	0	209
6/16/2016	17	1099.4	2440	709.5	83	126	0	209
6/16/2016	18	1099.4	2450	709.7	83	126	0	209
6/16/2016	19	1099.4	2420	709.8	83	126	0	209
6/16/2016	20	1099.4	2420	709.7	83	126	0	209
6/16/2016	21	1099.4	2410	709.7	83	126	0	209
6/16/2016	22	1099.4	2410	709.7	83	126	0	209
6/16/2016	23	1099.4	190	709.2	83	126	0	209
6/16/2016	24	1099.4	20	709.2	83	126	0	209
6/17/2016	1	1099.4	20	709.2	83	126	0	209
6/17/2016	2	1099.4	20	709.1	83	126	0	209
6/17/2016	3	1099.4	20	708.8	83	126	0	209
6/17/2016	4	1099.4	20	708.5	83	126	0	209
6/17/2016	5	1099.4	20	708.5	83	126	0	209
6/17/2016	6	1099.4	130	708.6	83	126	0	209
6/17/2016	7	1099.4	2380	709.6	83	126	0	209
6/17/2016	8	1099.4	2360	709.9	83	126	0	209
6/17/2016	9	1099.4	2340	709.9	83	126	0	208
6/17/2016	10	1099.4	2360	709.8	83	125	0	208
6/17/2016	11	1099.4	2340	709.6	83	125	0	208
6/17/2016	12	1099.4	2350	709.4	83	125	0	208
6/17/2016	13	1099.4	2360	709.3	83	125	0	208
6/17/2016	14	1099.4	2360	709.3	83	125	0	208
6/17/2016	15	1099.4	2370	709.4	83	125	0	208
6/17/2016	16	1099.3	2380	709.6	83	125	0	208
6/17/2016	17	1099.4	2360	709.7	83	125	0	208
6/17/2016	18	1099.4	2370	709.6	83	125	0	208
6/17/2016	19	1099.4	2340	709.4	83	125	0	208



## 2016 Hourly Flow Data - 2nd Quarter

6/17/2016	20	1099.4	2300	709.2	83	125	0	208
6/17/2016	21	1099.4	2330	709.2	83	125	0	208
6/17/2016	22	1099.4	2350	709.3	83	125	0	208
6/17/2016	23	1099.4	160	708.8	83	125	0	208
6/17/2016	24	1099.4	20	708.5	83	125	0	208
6/18/2016	1	1099.4	20	708.1	83	125	0	208
6/18/2016	2	1099.4	20	707.8	83	125	0	208
6/18/2016	3	1099.4	20	707.9	83	125	0	208
6/18/2016	4	1099.4	20	708.1	83	125	0	209
6/18/2016	5	1099.4	20	708.3	83	125	0	209
6/18/2016	6	1099.4	140	708.3	83	126	0	209
6/18/2016	7	1099.4	1120	708.7	83	126	0	209
6/18/2016	8	1099.4	1120	708.7	82	127	0	209
6/18/2016	9	1099.4	1390	708.7	82	127	0	209
6/18/2016	10	1099.4	2380	709.1	83	126	0	209
6/18/2016	11	1099.4	2380	708.9	83	126	0	209
6/18/2016	12	1099.4	2380	708.9	83	126	0	209
6/18/2016	13	1099.4	2400	708.9	83	126	0	209
6/18/2016	14	1099.4	2370	708.9	83	126	0	209
6/18/2016	15	1099.4	2360	708.9	83	126	0	209
6/18/2016	16	1099.5	2370	709.0	83	126	0	209
6/18/2016	17	1099.5	2370	708.9	83	126	0	209
6/18/2016	18	1099.5	2400	709.0	83	126	0	209
6/18/2016	19	1099.5	2370	709.0	83	126	0	209
6/18/2016	20	1099.5	2360	709.0	83	126	0	209
6/18/2016	21	1099.4	2380	709.2	83	126	0	209
6/18/2016	22	1099.4	2350	709.2	83	126	0	209
6/18/2016	23	1099.5	1030	708.8	83	126	0	209
6/18/2016	24	1099.5	20	708.1	83	126	0	209
6/19/2016	1	1099.5	20	708.0	83	126	0	209
6/19/2016	2	1099.5	20	708.8	83	126	0	209
6/19/2016	3	1099.5	20	709.0	83	126	0	209
6/19/2016	4	1099.5	20	709.1	83	126	0	209
6/19/2016	5	1099.5	20	708.5	83	126	0	209
6/19/2016	6	1099.5	10	708.4	83	126	0	209
6/19/2016	7	1099.5	10	708.9	83	125	0	209
6/19/2016	8	1099.5	20	709.2	83	125	0	208
6/19/2016	9	1099.5	20	709.0	83	124	0	208
6/19/2016	10	1099.5	20	708.7	83	124	0	208
6/19/2016	11	1099.5	20	708.3	83	124	0	207
6/19/2016	12	1099.5	20	708.3	83	124	0	207
6/19/2016	13	1099.5	20	708.4	83	123	0	207
6/19/2016	14	1099.5	20	708.9	84	123	0	207
6/19/2016	15	1099.5	20	709.3	83	124	0	207
6/19/2016	16	1099.5	20	709.7	83	124	0	207
6/19/2016	17	1099.5	20	709.7	83	124	0	207
6/19/2016	18	1099.5	20	709.4	84	124	0	208
6/19/2016	19	1099.5	20	709.0	83	125	0	208
6/19/2016	20	1099.5	20	708.8	84	125	0	208
6/19/2016	21	1099.5	20	708.7	84	125	0	208
6/19/2016	22	1099.5	20	709.0	84	125	0	209
6/19/2016	23	1099.5	20	709.4	84	125	0	209

## 2016 Hourly Flow Data - 2nd Quarter

6/19/2016	24	1099.6	20	709.4	84	126	0	209
6/20/2016	1	1099.6	20	709.1	84	125	0	209
6/20/2016	2	1099.6	20	708.2	84	125	0	209
6/20/2016	3	1099.6	20	707.9	84	125	0	209
6/20/2016	4	1099.6	20	708.1	84	125	0	209
6/20/2016	5	1099.6	20	708.6	84	125	0	209
6/20/2016	6	1099.6	100	708.7	84	125	0	209
6/20/2016	7	1099.6	2070	709.4	83	125	0	208
6/20/2016	8	1099.6	2240	709.8	83	125	0	208
6/20/2016	9	1099.6	2420	709.7	83	125	0	208
6/20/2016	10	1099.6	2430	709.7	83	125	0	208
6/20/2016	11	1099.6	2400	709.7	83	125	0	208
6/20/2016	12	1099.6	2380	709.8	83	125	0	208
6/20/2016	13	1099.6	2380	709.8	83	125	0	208
6/20/2016	14	1099.6	2370	709.7	83	125	0	208
6/20/2016	15	1099.6	2350	709.8	83	125	0	208
6/20/2016	16	1099.6	2360	709.8	83	124	0	208
6/20/2016	17	1099.6	2390	709.6	83	124	0	208
6/20/2016	18	1099.6	2350	709.5	84	124	0	208
6/20/2016	19	1099.6	2330	709.3	83	124	0	208
6/20/2016	20	1099.6	2310	709.2	84	124	0	208
6/20/2016	21	1099.6	2340	709.3	84	124	0	208
6/20/2016	22	1099.6	2330	709.3	83	125	0	208
6/20/2016	23	1099.6	110	708.8	84	124	0	208
6/20/2016	24	1099.6	150	708.7	84	124	0	208
6/21/2016	1	1099.6	2380	709.3	83	125	0	208
6/21/2016	2	1099.6	2330	709.1	83	125	0	208
6/21/2016	3	1099.6	2330	708.9	83	125	0	208
6/21/2016	4	1099.6	2360	708.9	84	124	0	208
6/21/2016	5	1099.6	2370	709.1	84	124	0	208
6/21/2016	6	1099.6	2380	709.3	84	124	0	208
6/21/2016	7	1099.6	2390	709.6	84	124	0	208
6/21/2016	8	1099.6	2390	709.8	84	124	0	208
6/21/2016	9	1099.6	2360	709.9	84	124	0	208
6/21/2016	10	1099.6	2380	709.8	84	124	0	208
6/21/2016	11	1099.6	2380	709.7	83	124	0	208
6/21/2016	12	1099.6	2370	709.6	83	124	0	207
6/21/2016	13	1099.6	2360	709.7	83	124	0	207
6/21/2016	14	1099.6	2360	709.6	83	124	0	207
6/21/2016	15	1099.6	2400	709.7	83	124	0	207
6/21/2016	16	1099.6	2370	709.6	83	124	0	207
6/21/2016	17	1099.6	2370	709.6	84	124	0	207
6/21/2016	18	1099.6	2350	709.7	83	124	0	207
6/21/2016	19	1099.6	2360	709.6	83	124	0	208
6/21/2016	20	1099.6	2350	709.6	83	124	0	208
6/21/2016	21	1099.6	2380	709.6	84	124	0	208
6/21/2016	22	1099.6	2370	709.5	84	125	0	208
6/21/2016	23	1099.6	2350	709.6	83	125	0	209
6/21/2016	24	1099.6	2350	709.6	83	125	0	209
6/22/2016	1	1099.6	2390	709.7	84	125	0	209
6/22/2016	2	1099.6	2380	709.7	84	125	0	209
6/22/2016	3	1099.6	2380	709.7	84	125	0	208

## 2016 Hourly Flow Data - 2nd Quarter

6/22/2016	4	1099.6	2380	709.6	84	125	0	208
6/22/2016	5	1099.6	2390	709.6	84	125	0	208
6/22/2016	6	1099.6	2380	709.6	84	124	0	208
6/22/2016	7	1099.6	2380	709.9	84	124	0	208
6/22/2016	8	1099.6	2370	710.1	84	124	0	208
6/22/2016	9	1099.6	2380	710.3	83	124	0	208
6/22/2016	10	1099.6	2380	710.5	84	124	0	208
6/22/2016	11	1099.6	2390	710.6	83	124	0	208
6/22/2016	12	1099.6	2380	710.6	83	124	0	207
6/22/2016	13	1099.6	2390	710.6	83	124	0	207
6/22/2016	14	1099.6	2400	710.6	83	124	0	207
6/22/2016	15	1099.6	2400	710.5	83	124	0	207
6/22/2016	16	1099.6	2370	710.5	83	124	0	207
6/22/2016	17	1099.6	2370	710.3	83	124	0	207
6/22/2016	18	1099.6	2370	709.8	83	124	0	207
6/22/2016	19	1099.6	2350	709.5	83	124	0	208
6/22/2016	20	1099.6	2350	709.2	83	124	0	208
6/22/2016	21	1099.6	2360	709.3	84	124	0	208
6/22/2016	22	1099.6	2360	709.5	83	125	0	208
6/22/2016	23	1099.6	2350	709.7	83	125	0	208
6/22/2016	24	1099.6	2320	709.2	84	125	0	208
6/23/2016	1	1099.6	2370	709.1	84	125	0	208
6/23/2016	2	1099.6	2360	709.1	84	125	0	208
6/23/2016	3	1099.6	2350	709.0	84	124	0	208
6/23/2016	4	1099.6	2370	709.2	84	124	0	208
6/23/2016	5	1099.6	2390	709.2	84	124	0	208
6/23/2016	6	1099.6	2420	709.2	84	124	0	208
6/23/2016	7	1099.6	2380	709.2	83	124	0	208
6/23/2016	8	1099.6	2370	709.1	83	124	0	208
6/23/2016	9	1099.6	2370	709.4	83	124	0	207
6/23/2016	10	1099.6	2390	709.8	84	124	0	207
6/23/2016	11	1099.6	2380	709.8	83	124	0	207
6/23/2016	12	1099.6	2390	709.6	83	124	0	207
6/23/2016	13	1099.6	2370	709.6	83	124	0	207
6/23/2016	14	1099.6	2380	709.6	83	123	0	207
6/23/2016	15	1099.6	2370	709.6	83	123	0	207
6/23/2016	16	1099.6	2370	709.4	83	123	0	207
6/23/2016	17	1099.6	2360	709.4	83	123	0	207
6/23/2016	18	1099.6	2380	709.3	84	124	0	207
6/23/2016	19	1099.6	2340	709.2	84	124	0	208
6/23/2016	20	1099.6	2340	709.2	83	124	0	208
6/23/2016	21	1099.7	2350	709.2	84	124	0	208
6/23/2016	22	1099.7	2350	709.3	84	125	0	209
6/23/2016	23	1099.7	2340	709.3	84	125	0	209
6/23/2016	24	1099.7	2340	709.3	84	125	0	209
6/24/2016	1	1099.7	2360	709.6	84	126	0	209
6/24/2016	2	1099.7	2350	709.5	84	126	0	209
6/24/2016	3	1099.7	2360	709.4	84	125	0	209
6/24/2016	4	1099.6	2360	709.2	84	125	0	209
6/24/2016	5	1099.7	2380	709.3	84	126	0	209
6/24/2016	6	1099.7	2390	709.4	84	125	0	209
6/24/2016	7	1099.7	2380	709.4	84	125	0	209

## 2016 Hourly Flow Data - 2nd Quarter

6/24/2016	8	1099.7	2390	709.6	84	125	0	209
6/24/2016	9	1099.7	2380	709.7	84	126	0	209
6/24/2016	10	1099.7	2360	709.8	84	125	0	209
6/24/2016	11	1099.7	2380	709.8	84	125	0	209
6/24/2016	12	1099.7	2380	709.8	84	125	0	209
6/24/2016	13	1099.7	2380	709.8	84	125	0	209
6/24/2016	14	1099.8	2380	709.7	84	125	0	209
6/24/2016	15	1099.7	2370	709.6	84	537	0	621
6/24/2016	16	1099.7	2390	709.7	84	1400	0	1484
6/24/2016	17	1099.7	2370	709.8	84	1401	0	1485
6/24/2016	18	1099.7	2400	709.9	84	1401	0	1485
6/24/2016	19	1099.7	2360	709.9	84	1401	0	1485
6/24/2016	20	1099.7	2360	710.0	84	1400	0	1484
6/24/2016	21	1099.7	2380	710.1	84	1399	0	1484
6/24/2016	22	1099.7	2410	710.2	84	1399	0	1483
6/24/2016	23	1099.7	2360	710.1	84	1399	0	1483
6/24/2016	24	1099.7	2370	710.1	84	1398	0	1482
6/25/2016	1	1099.7	2370	710.1	84	1398	0	1482
6/25/2016	2	1099.7	2360	710.0	84	1398	0	1482
6/25/2016	3	1099.7	2370	709.9	84	1399	0	1483
6/25/2016	4	1099.7	2420	709.9	84	1401	0	1485
6/25/2016	5	1099.7	2400	709.9	84	1401	0	1485
6/25/2016	6	1099.7	2380	709.9	84	1401	0	1485
6/25/2016	7	1099.7	2370	710.0	84	1401	0	1485
6/25/2016	8	1099.6	2410	710.0	84	1401	0	1485
6/25/2016	9	1099.6	2390	710.0	84	1401	0	1484
6/25/2016	10	1099.6	2380	710.0	84	1400	0	1484
6/25/2016	11	1099.6	2390	710.0	84	1400	0	1484
6/25/2016	12	1099.6	2380	710.1	84	1400	0	1484
6/25/2016	13	1099.6	2370	710.1	84	1400	0	1484
6/25/2016	14	1099.6	2380	710.2	83	1399	0	1483
6/25/2016	15	1099.6	2390	710.1	84	1398	0	1482
6/25/2016	16	1099.6	2390	710.1	84	1398	0	1481
6/25/2016	17	1099.6	2380	710.1	84	1398	0	1481
6/25/2016	18	1099.6	2380	710.1	84	1398	0	1481
6/25/2016	19	1099.6	2380	710.1	84	1398	0	1481
6/25/2016	20	1099.6	2350	710.1	84	1398	0	1481
6/25/2016	21	1099.6	2340	710.0	84	1398	0	1481
6/25/2016	22	1099.6	2360	709.8	84	1398	0	1481
6/25/2016	23	1099.6	2360	709.9	83	1398	0	1481
6/25/2016	24	1099.6	2360	709.9	83	1398	0	1481
6/26/2016	1	1099.6	2370	710.0	84	1397	0	1481
6/26/2016	2	1099.6	2370	710.1	83	1397	0	1480
6/26/2016	3	1099.6	2380	710.0	84	1397	0	1480
6/26/2016	4	1099.6	2360	709.9	84	1396	0	1480
6/26/2016	5	1099.6	2390	709.8	84	1396	0	1479
6/26/2016	6	1099.6	2370	709.7	84	1395	0	1479
6/26/2016	7	1099.6	2400	709.6	84	1395	0	1479
6/26/2016	8	1099.6	2400	709.6	84	1395	0	1478
6/26/2016	9	1099.6	2400	709.7	83	1395	0	1478
6/26/2016	10	1099.6	2370	709.8	84	1394	0	1478
6/26/2016	11	1099.6	2400	709.9	84	1394	0	1477

## 2016 Hourly Flow Data - 2nd Quarter

6/26/2016	12	1099.6	2390	709.8	83	1394	0	1477
6/26/2016	13	1099.6	2400	709.8	83	1394	0	1477
6/26/2016	14	1099.6	2410	709.8	83	1393	0	1477
6/26/2016	15	1099.6	2380	709.9	83	1393	0	1476
6/26/2016	16	1099.5	2360	710.2	84	1392	0	1476
6/26/2016	17	1099.5	2360	710.2	84	1392	0	1476
6/26/2016	18	1099.5	2350	710.1	84	1392	0	1476
6/26/2016	19	1099.5	2320	710.1	84	1392	0	1476
6/26/2016	20	1099.5	2330	710.2	83	1393	0	1476
6/26/2016	21	1099.5	2330	710.2	83	1392	0	1476
6/26/2016	22	1099.5	2350	710.1	83	1392	0	1476
6/26/2016	23	1099.5	2340	710.2	84	1392	0	1476
6/26/2016	24	1099.6	2340	710.2	84	1392	0	1475
6/27/2016	1	1099.5	2360	710.2	84	1392	0	1475
6/27/2016	2	1099.5	2370	710.1	84	1392	0	1475
6/27/2016	3	1099.6	2360	709.9	83	1392	0	1475
6/27/2016	4	1099.6	2390	709.7	83	1392	0	1475
6/27/2016	5	1099.5	2390	709.6	84	1392	0	1475
6/27/2016	6	1099.5	2390	709.6	83	1392	0	1475
6/27/2016	7	1099.6	2380	709.7	83	1392	0	1475
6/27/2016	8	1099.5	2420	709.8	83	1391	0	1475
6/27/2016	9	1099.5	2400	710.0	83	1391	0	1474
6/27/2016	10	1099.5	2410	710.0	83	1390	0	1473
6/27/2016	11	1099.5	2420	710.0	83	1217	0	1300
6/27/2016	12	1099.5	2400	709.9	83	1030	0	1113
6/27/2016	13	1099.5	2390	710.0	83	841	0	924
6/27/2016	14	1099.5	2380	710.3	83	780	0	862
6/27/2016	15	1099.5	2380	710.4	83	732	0	814
6/27/2016	16	1099.5	2410	710.6	83	676	0	759
6/27/2016	17	1099.5	2380	710.5	83	627	0	710
6/27/2016	18	1099.5	2370	710.6	83	581	0	664
6/27/2016	19	1099.6	2350	710.8	83	523	0	606
6/27/2016	20	1099.6	2340	710.3	83	475	0	558
6/27/2016	21	1099.5	2330	710.1	83	468	0	551
6/27/2016	22	1099.5	2340	709.9	83	468	0	552
6/27/2016	23	1099.6	2340	710.0	83	468	0	552
6/27/2016	24	1099.6	2340	709.7	83	469	0	552
6/28/2016	1	1099.6	2340	709.5	83	469	0	552
6/28/2016	2	1099.6	2350	709.5	83	514	0	597
6/28/2016	3	1099.6	2350	709.3	83	556	0	639
6/28/2016	4	1099.6	2380	709.1	83	554	0	637
6/28/2016	5	1099.6	2400	709.1	83	554	0	637
6/28/2016	6	1099.6	2390	709.1	83	573	0	656
6/28/2016	7	1099.6	2390	709.2	83	492	0	575
6/28/2016	8	1099.6	2390	709.4	83	390	0	473
6/28/2016	9	1099.6	2390	709.3	83	346	0	429
6/28/2016	10	1099.6	2380	709.1	83	345	0	428
6/28/2016	11	1099.6	2390	709.2	83	345	0	428
6/28/2016	12	1099.6	2360	709.2	83	721	0	804
6/28/2016	13	1099.6	2380	709.5	83	1269	0	1352
6/28/2016	14	1099.5	2380	709.6	83	1302	0	1385
6/28/2016	15	1099.6	2380	709.7	83	1301	0	1384

## 2016 Hourly Flow Data - 2nd Quarter

6/28/2016	16	1099.6	2350	709.8	83	1116	0	1199
6/28/2016	17	1099.6	2350	709.7	83	927	0	1010
6/28/2016	18	1099.6	2320	709.7	83	807	0	890
6/28/2016	19	1099.6	2330	709.5	83	759	0	842
6/28/2016	20	1099.6	2350	709.7	83	699	0	782
6/28/2016	21	1099.6	2340	709.7	83	695	0	778
6/28/2016	22	1099.6	2330	709.5	83	798	0	881
6/28/2016	23	1099.6	2340	709.4	83	802	0	885
6/28/2016	24	1099.6	2320	709.3	83	803	0	886
6/29/2016	1	1099.6	2350	709.4	83	803	0	886
6/29/2016	2	1099.6	2350	709.5	83	819	0	902
6/29/2016	3	1099.7	2370	709.5	83	907	0	990
6/29/2016	4	1099.7	2340	709.4	83	983	0	1066
6/29/2016	5	1099.7	2360	709.4	83	1030	0	1113
6/29/2016	6	1099.7	2400	709.4	83	1032	0	1115
6/29/2016	7	1099.7	2350	709.3	83	933	0	1016
6/29/2016	8	1099.7	2370	709.4	83	884	0	967
6/29/2016	9	1099.7	2400	709.5	83	795	0	878
6/29/2016	10	1099.7	2370	709.6	83	694	0	777
6/29/2016	11	1099.7	2360	709.6	83	589	0	672
6/29/2016	12	1099.7	2380	709.6	83	512	0	595
6/29/2016	13	1099.7	2360	709.5	83	460	0	543
6/29/2016	14	1099.7	2370	709.6	83	423	0	506
6/29/2016	15	1099.7	2340	709.5	83	397	0	480
6/29/2016	16	1099.7	2340	709.4	83	396	0	479
6/29/2016	17	1099.7	2350	709.4	83	375	0	458
6/29/2016	18	1099.7	2350	709.3	83	537	0	620
6/29/2016	19	1099.8	2350	709.4	83	1030	0	1113
6/29/2016	20	1099.8	2340	709.7	83	1367	0	1450
6/29/2016	21	1099.8	2330	709.8	83	1419	0	1502
6/29/2016	22	1099.8	2330	709.8	83	1419	0	1502
6/29/2016	23	1099.8	2340	709.7	83	1420	0	1503
6/29/2016	24	1099.8	2330	709.7	83	1419	0	1502
6/30/2016	1	1099.8	2350	709.7	83	1419	0	1502
6/30/2016	2	1099.8	2370	709.7	83	1420	0	1503
6/30/2016	3	1099.8	2380	709.7	83	1420	0	1503
6/30/2016	4	1099.9	2380	709.7	83	1421	0	1504
6/30/2016	5	1099.9	2390	709.7	83	1421	0	1504
6/30/2016	6	1099.9	2380	709.7	83	1421	0	1504
6/30/2016	7	1099.9	2360	709.6	83	1421	0	1504
6/30/2016	8	1099.9	2380	709.7	83	1421	0	1504
6/30/2016	9	1099.9	2380	709.6	83	1421	0	1504
6/30/2016	10	1099.9	2370	709.7	83	1631	0	1714
6/30/2016	11	1099.8	2370	710.0	83	2103	0	2186
6/30/2016	12	1099.8	2380	710.2	83	2644	0	2727
6/30/2016	13	1099.8	2370	710.3	83	2885	0	2968
6/30/2016	14	1099.8	2380	710.4	83	2900	0	2983
6/30/2016	15	1099.8	2350	710.4	83	2894	0	2977
6/30/2016	16	1099.8	2380	710.4	82	2894	0	2976
6/30/2016	17	1099.8	2360	710.6	82	2895	0	2977
6/30/2016	18	1099.8	2360	710.7	82	2896	0	2978
6/30/2016	19	1099.8	2380	710.8	82	2896	0	2978

## 2016 Hourly Flow Data - 2nd Quarter

6/30/2016	20	1099.8	2350	710.7	82	2897	0	2979
6/30/2016	21	1099.8	2350	710.6	82	2900	0	2982
6/30/2016	22	1099.8	2360	710.6	82	2899	0	2982
6/30/2016	23	1099.8	2360	710.6	82	2900	0	2982
6/30/2016	24	1099.8	2330	710.6	82	2900	0	2982