

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/1/2012	1	4.9	4.7	4.6	4.0	4.4	4.3	6.5	N/A
1/1/2012	2	4.9	4.7	4.6	4.0	4.4	4.3	6.5	N/A
1/1/2012	3	4.8	4.7	4.6	4.0	4.4	4.3	6.5	N/A
1/1/2012	4	4.8	4.7	4.6	4.0	4.4	4.3	6.5	N/A
1/1/2012	5	4.8	4.7	4.6	4.0	4.5	4.3	6.5	N/A
1/1/2012	6	4.8	4.7	4.6	4.0	4.5	4.3	6.5	N/A
1/1/2012	7	4.8	4.7	4.6	4.1	4.5	4.3	6.6	N/A
1/1/2012	8	4.8	4.7	4.6	4.1	4.5	4.3	6.2	N/A
1/1/2012	9	4.9	4.7	4.6	4.0	4.5	4.3	5.7	N/A
1/1/2012	10	5.0	4.8	4.7	4.1	4.5	4.4	5.8	N/A
1/1/2012	11	5.0	4.9	4.7	4.2	4.5	4.4	5.9	N/A
1/1/2012	12	5.0	5.0	4.9	4.5	4.6	4.5	6.0	N/A
1/1/2012	13	5.0	5.0	5.2	4.8	4.7	4.7	6.2	N/A
1/1/2012	14	5.0	5.0	5.4	4.8	4.7	4.7	6.3	N/A
1/1/2012	15	5.0	5.0	5.5	4.8	4.9	4.8	6.3	N/A
1/1/2012	16	5.0	5.0	5.6	4.8	5.2	5.0	6.3	N/A
1/1/2012	17	5.0	4.9	5.4	4.9	5.3	5.1	6.4	N/A
1/1/2012	18	4.9	4.9	5.3	4.9	5.4	5.2	6.4	N/A
1/1/2012	19	4.9	4.9	5.1	4.9	5.4	5.2	6.4	N/A
1/1/2012	20	4.9	4.8	4.9	4.9	5.3	5.2	6.4	N/A
1/1/2012	21	4.9	4.8	4.8	4.7	5.1	5.0	6.4	N/A
1/1/2012	22	4.9	4.8	4.7	4.5	4.9	4.8	6.4	N/A
1/1/2012	23	4.9	4.7	4.6	4.3	4.7	4.6	6.4	N/A
1/1/2012	24	4.8	4.7	4.5	4.1	4.6	4.5	6.4	N/A
1/2/2012	1	4.8	4.7	4.4	4.0	4.4	4.3	6.4	N/A
1/2/2012	2	4.8	4.7	4.4	3.9	4.3	4.2	6.5	N/A
1/2/2012	3	4.8	4.7	4.4	3.8	4.2	4.1	6.5	N/A
1/2/2012	4	4.8	4.7	4.5	3.7	4.2	4.0	6.5	N/A
1/2/2012	5	4.8	4.7	4.6	3.7	4.2	4.0	6.5	N/A
1/2/2012	6	4.8	4.7	4.7	3.7	4.2	4.0	6.5	N/A
1/2/2012	7	4.8	4.7	4.7	3.8	4.3	4.1	6.3	5.2
1/2/2012	8	4.7	4.7	4.7	3.9	4.4	4.2	5.9	5.2
1/2/2012	9	4.7	4.6	4.7	4.0	4.5	4.3	5.6	N/A
1/2/2012	10	4.7	4.6	4.7	4.1	4.5	4.4	5.7	N/A
1/2/2012	11	4.7	4.6	4.8	4.1	4.5	4.4	5.9	N/A
1/2/2012	12	4.7	4.6	4.9	4.3	4.6	4.5	6.0	N/A
1/2/2012	13	4.7	4.6	4.9	4.4	4.6	4.5	6.1	N/A
1/2/2012	14	4.7	4.7	5.0	4.5	4.7	4.6	6.1	N/A
1/2/2012	15	4.7	4.7	5.1	4.6	4.8	4.7	6.1	N/A
1/2/2012	16	4.7	4.7	5.1	4.6	4.9	4.7	6.2	N/A
1/2/2012	17	4.7	4.6	5.0	4.5	4.9	4.7	6.2	N/A
1/2/2012	18	4.7	4.6	4.9	4.5	4.9	4.8	6.2	N/A
1/2/2012	19	4.7	4.6	4.8	4.5	4.9	4.8	6.3	N/A
1/2/2012	20	4.7	4.6	4.7	4.5	4.8	4.7	6.3	N/A
1/2/2012	21	4.7	4.6	4.7	4.4	4.8	4.7	6.3	N/A
1/2/2012	22	4.7	4.6	4.7	4.4	4.7	4.6	6.3	N/A

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/2/2012	23	4.7	4.6	4.6	4.2	4.6	4.5	6.3	N/A
1/2/2012	24	4.6	4.5	4.5	4.1	4.5	4.4	6.3	N/A
1/3/2012	1	4.6	4.5	4.4	4.0	4.5	4.4	6.3	N/A
1/3/2012	2	4.6	4.5	4.4	4.0	4.4	4.3	6.3	N/A
1/3/2012	3	4.6	4.5	4.3	3.9	4.3	4.2	6.3	N/A
1/3/2012	4	4.5	4.5	4.2	3.7	4.3	4.1	6.3	N/A
1/3/2012	5	4.5	4.4	4.2	3.7	4.2	4.0	6.3	N/A
1/3/2012	6	4.5	4.4	4.1	3.7	4.1	4.0	6.2	N/A
1/3/2012	7	4.5	4.4	4.1	3.6	4.0	3.9	6.1	N/A
1/3/2012	8	4.5	4.4	4.0	3.5	3.9	3.8	5.9	N/A
1/3/2012	9	4.6	4.4	4.0	3.4	3.9	3.7	5.5	N/A
1/3/2012	10	4.6	4.5	4.1	3.5	3.9	3.7	5.5	N/A
1/3/2012	11	4.6	4.5	4.3	3.6	3.9	3.8	5.6	N/A
1/3/2012	12	4.6	4.6	4.5	3.7	4.0	3.9	5.7	N/A
1/3/2012	13	4.7	4.6	4.7	3.9	4.1	4.0	5.8	N/A
1/3/2012	14	4.7	4.7	5.0	4.2	4.3	4.2	5.9	N/A
1/3/2012	15	4.7	4.7	5.3	4.4	4.5	4.5	6.0	N/A
1/3/2012	16	4.7	4.7	5.2	4.4	4.7	4.5	6.0	N/A
1/3/2012	17	4.7	4.7	5.2	4.5	4.9	4.7	6.0	N/A
1/3/2012	18	4.7	4.7	5.1	4.6	5.1	4.9	6.1	N/A
1/3/2012	19	4.7	4.7	4.9	4.7	5.1	5.0	6.1	N/A
1/3/2012	20	4.7	4.7	4.9	4.7	5.1	5.0	6.1	N/A
1/3/2012	21	4.7	4.7	4.9	4.7	5.0	4.9	6.1	N/A
1/3/2012	22	4.7	4.7	4.8	4.6	4.9	4.8	6.1	N/A
1/3/2012	23	4.7	4.7	4.8	4.5	4.8	4.8	6.2	N/A
1/3/2012	24	4.7	4.7	4.7	4.4	4.8	4.7	6.2	N/A
1/4/2012	1	4.7	4.7	4.7	4.4	4.8	4.7	6.2	N/A
1/4/2012	2	4.7	4.7	4.8	4.4	4.7	4.6	6.2	N/A
1/4/2012	3	4.7	4.6	4.8	4.4	4.7	4.6	6.2	N/A
1/4/2012	4	4.7	4.6	4.8	4.4	4.7	4.6	6.2	N/A
1/4/2012	5	4.7	4.6	4.8	4.4	4.7	4.6	6.3	N/A
1/4/2012	6	4.7	4.6	4.8	4.4	4.8	4.6	6.3	N/A
1/4/2012	7	4.7	4.6	4.8	4.4	4.8	4.7	6.2	N/A
1/4/2012	8	4.7	4.6	4.8	4.5	4.8	4.7	5.9	N/A
1/4/2012	9	4.7	4.6	4.8	4.5	4.8	4.7	5.6	N/A
1/4/2012	10	4.7	4.6	4.8	4.5	4.8	4.7	5.7	N/A
1/4/2012	11	4.7	4.7	4.9	4.6	4.9	4.8	5.8	N/A
1/4/2012	12	4.7	4.7	5.2	4.9	4.9	4.9	5.9	N/A
1/4/2012	13	4.8	4.8	5.4	5.3	5.0	5.0	6.0	N/A
1/4/2012	14	4.8	4.8	5.5	5.2	5.1	5.1	6.1	N/A
1/4/2012	15	4.8	4.8	5.5	5.2	5.3	5.2	6.1	N/A
1/4/2012	16	4.8	4.8	5.5	5.3	5.5	5.4	6.2	N/A
1/4/2012	17	4.8	4.7	5.4	5.3	5.5	5.4	6.2	N/A
1/4/2012	18	4.8	4.7	5.3	5.3	5.5	5.4	6.2	N/A
1/4/2012	19	4.8	4.7	5.2	5.3	5.5	5.4	6.2	N/A
1/4/2012	20	4.8	4.7	5.1	5.2	5.4	5.3	6.2	N/A

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/4/2012	21	4.8	4.7	4.9	5.0	5.3	5.2	6.3	N/A
1/4/2012	22	4.8	4.7	4.8	4.8	5.2	5.1	6.3	N/A
1/4/2012	23	4.8	4.7	4.8	4.7	5.0	4.9	6.3	N/A
1/4/2012	24	4.8	4.7	4.8	4.7	4.9	4.8	6.3	N/A
1/5/2012	1	4.7	4.7	4.8	4.6	4.8	4.7	6.3	N/A
1/5/2012	2	4.7	4.7	4.7	4.4	4.8	4.6	6.3	N/A
1/5/2012	3	4.7	4.7	4.7	4.4	4.7	4.6	6.4	N/A
1/5/2012	4	4.7	4.7	4.7	4.4	4.7	4.5	6.4	N/A
1/5/2012	5	4.7	4.6	4.7	4.3	4.7	4.5	6.4	N/A
1/5/2012	6	4.7	4.6	4.8	4.2	4.7	4.5	6.3	N/A
1/5/2012	7	4.7	4.6	4.8	4.2	4.7	4.5	5.6	5.2
1/5/2012	8	4.8	4.6	4.7	4.2	4.7	4.5	5.4	4.7
1/5/2012	9	4.7	4.7	4.7	4.3	4.7	4.5	5.5	4.7
1/5/2012	10	4.7	4.7	4.7	4.3	4.7	4.6	5.5	4.6
1/5/2012	11	4.7	4.6	4.7	5.0	4.8	4.7	5.5	4.6
1/5/2012	12	4.7	4.7	5.1	5.7	4.8	4.8	5.6	4.6
1/5/2012	13	4.8	4.7	5.4	5.3	4.8	4.8	5.6	4.7
1/5/2012	14	4.9	4.8	5.6	4.9	4.8	4.9	5.7	4.8
1/5/2012	15	5.0	4.9	5.6	4.9	5.0	4.8	5.7	4.9
1/5/2012	16	5.1	5.0	5.4	4.9	5.3	5.1	5.8	5.1
1/5/2012	17	5.1	5.1	5.3	5.1	5.5	5.3	5.9	5.2
1/5/2012	18	5.2	5.1	5.1	5.1	5.5	5.3	6.0	5.3
1/5/2012	19	5.2	5.2	4.9	5.1	5.4	5.3	6.1	5.2
1/5/2012	20	5.2	5.2	4.9	5.0	5.2	5.2	6.2	5.2
1/5/2012	21	5.3	5.2	4.9	4.9	5.1	5.0	6.3	5.3
1/5/2012	22	5.5	5.3	4.9	4.7	4.9	4.8	6.4	5.5
1/5/2012	23	5.5	5.5	4.9	4.6	4.9	4.8	6.5	5.6
1/5/2012	24	5.5	5.5	4.9	4.5	4.9	4.7	6.6	N/A
1/6/2012	1	5.5	5.5	4.8	4.5	4.9	4.7	6.6	N/A
1/6/2012	2	5.5	5.5	4.9	4.5	4.8	4.7	6.7	N/A
1/6/2012	3	5.5	5.5	4.9	4.4	4.8	4.7	6.7	N/A
1/6/2012	4	5.5	5.5	5.0	4.4	4.8	4.6	6.8	N/A
1/6/2012	5	5.5	5.4	5.1	4.4	4.8	4.6	6.9	N/A
1/6/2012	6	5.4	5.4	5.1	4.4	4.8	4.6	6.8	N/A
1/6/2012	7	5.4	5.4	5.1	4.4	4.9	4.7	6.4	5.7
1/6/2012	8	5.2	5.3	5.0	4.4	4.9	4.7	5.8	5.2
1/6/2012	9	5.0	5.1	5.0	4.5	4.9	4.7	5.7	4.9
1/6/2012	10	5.0	5.0	5.0	4.5	4.9	4.8	5.7	4.9
1/6/2012	11	4.9	4.9	5.1	4.6	4.9	4.8	5.7	4.9
1/6/2012	12	4.9	4.9	5.3	5.2	5.0	4.9	5.7	4.9
1/6/2012	13	4.9	4.9	5.4	5.2	5.0	5.0	5.7	4.9
1/6/2012	14	5.0	4.9	5.4	5.0	5.1	5.0	5.7	5.0
1/6/2012	15	5.0	5.0	5.5	5.0	5.2	5.1	5.7	5.0
1/6/2012	16	5.0	5.0	5.4	5.0	5.3	5.2	5.8	5.1
1/6/2012	17	5.0	5.0	5.3	5.0	5.4	5.3	5.8	5.1
1/6/2012	18	5.0	4.9	5.2	5.1	5.4	5.3	5.9	5.0

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/6/2012	19	5.0	4.9	5.1	5.0	5.4	5.3	5.9	5.1
1/6/2012	20	5.1	5.0	5.0	5.0	5.3	5.2	6.0	5.2
1/6/2012	21	5.1	5.1	5.0	4.9	5.2	5.1	6.1	5.2
1/6/2012	22	5.1	5.1	5.0	4.8	5.1	5.0	6.1	5.2
1/6/2012	23	5.2	5.1	4.9	4.7	5.0	4.9	6.2	5.3
1/6/2012	24	5.2	5.1	4.8	4.6	4.9	4.8	6.2	5.2
1/7/2012	1	5.2	5.1	4.7	4.4	4.9	4.7	6.2	5.2
1/7/2012	2	5.2	5.1	4.6	4.3	4.8	4.7	6.2	N/A
1/7/2012	3	5.2	5.1	4.6	4.2	4.7	4.6	6.3	N/A
1/7/2012	4	5.2	5.1	4.5	4.1	4.6	4.4	6.3	N/A
1/7/2012	5	5.1	5.1	4.5	4.0	4.5	4.3	6.3	5.3
1/7/2012	6	5.1	5.0	4.4	3.9	4.4	4.2	6.3	5.2
1/7/2012	7	5.1	5.0	4.4	3.9	4.3	4.1	6.0	5.4
1/7/2012	8	5.0	5.0	4.4	3.8	4.3	4.1	5.8	5.1
1/7/2012	9	5.0	4.9	4.4	3.7	4.2	4.1	5.8	4.9
1/7/2012	10	5.0	4.9	4.4	3.8	4.2	4.1	5.8	4.9
1/7/2012	11	5.0	4.9	4.6	4.0	4.2	4.1	5.8	5.0
1/7/2012	12	5.0	5.0	4.8	4.1	4.3	4.2	5.8	5.1
1/7/2012	13	5.0	5.0	4.9	4.1	4.4	4.2	5.8	5.1
1/7/2012	14	5.1	5.0	5.0	4.1	4.5	4.4	5.9	5.0
1/7/2012	15	5.1	5.1	5.0	4.3	4.7	4.5	5.9	5.1
1/7/2012	16	5.2	5.1	5.0	4.3	4.8	4.6	5.9	5.2
1/7/2012	17	5.2	5.1	4.9	4.4	4.9	4.7	6.0	5.3
1/7/2012	18	5.3	5.2	4.9	4.4	4.9	4.7	6.1	5.3
1/7/2012	19	5.3	5.2	4.8	4.4	4.9	4.7	6.1	5.4
1/7/2012	20	5.3	5.3	4.8	4.4	4.8	4.7	6.2	5.4
1/7/2012	21	5.3	5.3	4.8	4.4	4.8	4.7	6.3	5.4
1/7/2012	22	5.4	5.3	4.9	4.4	4.8	4.7	6.4	5.4
1/7/2012	23	5.4	5.3	4.9	4.3	4.8	4.6	6.4	5.4
1/7/2012	24	5.4	5.3	4.9	4.3	4.8	4.6	6.5	5.4
1/8/2012	1	5.4	5.3	5.0	4.3	4.8	4.6	6.5	5.4
1/8/2012	2	5.4	5.3	5.0	4.4	4.8	4.6	6.5	5.5
1/8/2012	3	5.4	5.3	5.0	4.3	4.8	4.7	6.6	5.5
1/8/2012	4	5.4	5.3	4.9	4.4	4.9	4.7	6.6	5.5
1/8/2012	5	5.4	5.3	4.9	4.4	4.9	4.7	6.6	5.5
1/8/2012	6	5.3	5.3	5.0	4.4	4.9	4.7	6.7	N/A
1/8/2012	7	5.3	5.3	5.0	4.4	4.9	4.7	6.7	N/A
1/8/2012	8	5.3	5.3	5.1	4.5	4.9	4.8	6.5	N/A
1/8/2012	9	5.3	5.3	5.1	4.5	4.9	4.8	6.3	N/A
1/8/2012	10	5.3	5.2	5.2	4.6	4.9	4.8	6.3	5.2
1/8/2012	11	5.3	5.3	5.3	4.7	5.1	4.9	6.4	5.4
1/8/2012	12	5.3	5.3	5.5	4.9	5.1	5.1	6.5	5.4
1/8/2012	13	5.3	5.3	5.6	5.0	5.2	5.1	6.5	N/A
1/8/2012	14	5.3	5.3	5.7	5.1	5.4	5.3	6.6	N/A
1/8/2012	15	5.3	5.3	5.7	5.3	5.5	5.4	6.6	5.5
1/8/2012	16	5.3	5.3	5.6	5.3	5.6	5.5	6.7	5.6

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/8/2012	17	5.3	5.3	5.6	5.4	5.7	5.6	6.8	N/A
1/8/2012	18	5.3	5.2	5.5	5.3	5.7	5.6	6.8	N/A
1/8/2012	19	5.2	5.2	5.4	5.3	5.7	5.6	6.8	N/A
1/8/2012	20	5.2	5.2	5.3	5.3	5.6	5.5	6.8	N/A
1/8/2012	21	5.2	5.2	5.3	5.3	5.5	5.5	6.8	5.7
1/8/2012	22	5.2	5.2	5.3	5.2	5.5	5.4	6.8	N/A
1/8/2012	23	5.2	5.2	5.3	5.1	5.4	5.3	6.8	N/A
1/8/2012	24	5.2	5.2	5.3	5.1	5.4	5.3	6.8	N/A
1/9/2012	1	5.2	5.2	5.3	5.0	5.3	5.2	6.8	N/A
1/9/2012	2	5.1	5.1	5.2	5.0	5.3	5.2	6.8	5.6
1/9/2012	3	5.1	5.1	5.2	5.0	5.3	5.2	6.7	5.6
1/9/2012	4	5.1	5.1	5.2	5.0	5.3	5.2	6.7	5.7
1/9/2012	5	5.1	5.1	5.2	5.0	5.3	5.2	6.7	5.6
1/9/2012	6	5.1	5.1	5.2	5.0	5.3	5.2	6.6	5.7
1/9/2012	7	5.1	5.1	5.2	5.0	5.3	5.2	6.1	5.7
1/9/2012	8	5.1	5.1	5.2	4.9	5.3	5.2	5.8	5.1
1/9/2012	9	5.1	5.1	5.2	4.9	5.3	5.2	5.8	5.1
1/9/2012	10	5.0	5.1	5.2	5.0	5.3	5.2	5.8	5.1
1/9/2012	11	5.0	5.0	5.3	5.0	5.3	5.2	5.9	5.0
1/9/2012	12	5.0	5.0	5.3	5.1	5.3	5.2	5.9	5.1
1/9/2012	13	5.1	5.1	5.4	5.2	5.3	5.3	5.9	5.1
1/9/2012	14	5.2	5.1	5.4	5.2	5.4	5.3	5.9	5.2
1/9/2012	15	5.2	5.2	5.5	5.3	5.4	5.3	5.9	5.3
1/9/2012	16	5.3	5.2	5.5	5.3	5.5	5.4	6.0	5.3
1/9/2012	17	5.3	5.3	5.5	5.3	5.5	5.4	6.0	5.3
1/9/2012	18	5.3	5.3	5.4	5.2	5.5	5.4	6.1	5.3
1/9/2012	19	5.3	5.3	5.4	5.2	5.5	5.4	6.2	5.4
1/9/2012	20	5.3	5.3	5.3	5.2	5.5	5.4	6.2	5.4
1/9/2012	21	5.3	5.3	5.3	5.2	5.5	5.4	6.3	5.4
1/9/2012	22	5.4	5.3	5.3	5.1	5.4	5.3	6.3	5.4
1/9/2012	23	5.4	5.3	5.2	5.0	5.4	5.3	6.4	5.4
1/9/2012	24	5.4	5.4	5.2	4.9	5.3	5.2	6.4	5.4
1/10/2012	1	5.4	5.4	5.2	4.8	5.3	5.1	6.4	N/A
1/10/2012	2	5.4	5.4	5.3	4.7	5.2	5.1	6.4	N/A
1/10/2012	3	5.4	5.4	5.3	4.7	5.2	5.1	6.4	N/A
1/10/2012	4	5.4	5.4	5.2	4.7	5.2	5.0	6.4	N/A
1/10/2012	5	5.4	5.3	5.1	4.6	5.2	5.0	6.4	5.4
1/10/2012	6	5.4	5.3	4.9	4.6	5.1	5.0	6.5	5.4
1/10/2012	7	5.3	5.3	4.9	4.5	5.1	4.9	6.3	5.6
1/10/2012	8	5.3	5.3	4.8	4.5	5.0	4.8	6.0	5.3
1/10/2012	9	5.3	5.2	4.7	4.4	4.9	4.7	6.0	5.2
1/10/2012	10	5.2	5.2	4.7	4.3	4.8	4.6	6.0	5.2
1/10/2012	11	5.2	5.2	4.8	4.8	4.8	4.7	6.0	5.2
1/10/2012	12	5.2	5.2	5.2	5.6	4.8	4.8	6.0	5.2
1/10/2012	13	5.3	5.2	5.5	5.4	4.7	4.8	6.0	5.2
1/10/2012	14	5.3	5.2	5.6	4.8	4.8	4.8	6.0	5.3

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/10/2012	15	5.3	5.2	5.6	4.7	5.0	4.8	6.0	5.3
1/10/2012	16	5.3	5.2	5.4	4.6	5.2	5.0	6.0	5.3
1/10/2012	17	5.3	5.2	5.1	4.7	5.4	5.1	6.0	5.3
1/10/2012	18	5.3	5.2	4.8	4.6	5.4	5.1	6.1	5.3
1/10/2012	19	5.3	5.2	4.6	4.6	5.1	5.0	6.1	5.3
1/10/2012	20	5.3	5.2	4.5	4.4	4.9	4.8	6.1	5.3
1/10/2012	21	5.3	5.2	4.4	4.1	4.6	4.5	6.2	5.3
1/10/2012	22	5.3	5.1	4.3	3.9	4.5	4.3	6.2	5.2
1/10/2012	23	5.2	5.1	4.3	3.7	4.3	4.1	6.2	5.2
1/10/2012	24	5.2	5.1	4.3	3.6	4.2	4.0	6.3	N/A
1/11/2012	1	5.2	5.1	4.2	3.4	4.1	3.9	6.3	N/A
1/11/2012	2	5.1	5.0	4.2	3.4	4.0	3.8	6.3	N/A
1/11/2012	3	5.1	5.0	4.2	3.3	4.0	3.7	6.4	N/A
1/11/2012	4	5.1	4.9	4.1	3.2	3.9	3.7	6.4	N/A
1/11/2012	5	5.0	4.9	4.0	3.2	3.9	3.6	6.4	N/A
1/11/2012	6	5.0	4.9	4.0	3.1	3.8	3.6	6.4	N/A
1/11/2012	7	4.9	4.8	3.9	3.0	3.7	3.5	5.9	5.3
1/11/2012	8	4.9	4.8	3.9	3.0	3.6	3.4	5.6	4.9
1/11/2012	9	4.8	4.7	3.8	2.9	3.6	3.4	5.5	4.7
1/11/2012	10	4.7	4.6	3.7	2.9	3.5	3.3	5.5	4.6
1/11/2012	11	4.6	4.5	3.9	3.3	3.5	3.4	5.5	4.6
1/11/2012	12	4.7	4.5	4.1	3.9	3.5	3.5	5.5	4.6
1/11/2012	13	4.7	4.6	4.4	4.1	3.5	3.5	5.5	4.7
1/11/2012	14	4.8	4.7	4.8	3.8	3.7	3.7	5.5	4.7
1/11/2012	15	4.8	4.7	4.9	3.8	3.9	3.8	5.5	4.7
1/11/2012	16	4.8	4.7	4.8	3.6	4.2	3.9	5.5	4.8
1/11/2012	17	4.9	4.7	4.6	3.6	4.4	4.1	5.5	4.8
1/11/2012	18	4.9	4.7	4.4	3.6	4.5	4.2	5.6	4.9
1/11/2012	19	4.9	4.7	4.1	3.6	4.4	4.2	5.6	4.9
1/11/2012	20	4.9	4.7	4.0	3.6	4.3	4.1	5.7	4.9
1/11/2012	21	4.9	4.8	3.9	3.4	4.1	3.9	5.7	4.9
1/11/2012	22	4.9	4.8	3.8	3.2	3.9	3.7	5.8	4.9
1/11/2012	23	4.9	4.8	3.7	3.1	3.6	3.5	5.8	4.9
1/11/2012	24	4.9	4.7	3.7	2.9	3.5	3.3	5.8	4.8
1/12/2012	1	4.9	4.7	3.6	2.7	3.4	3.2	5.9	4.7
1/12/2012	2	4.8	4.7	3.6	2.6	3.3	3.1	5.9	4.7
1/12/2012	3	4.8	4.6	3.5	2.5	3.2	3.0	5.9	4.7
1/12/2012	4	4.7	4.6	3.5	2.5	3.2	3.0	5.9	N/A
1/12/2012	5	4.7	4.6	3.4	2.4	3.1	2.9	5.9	N/A
1/12/2012	6	4.7	4.6	3.5	2.4	3.1	2.9	5.9	N/A
1/12/2012	7	4.6	4.5	3.5	2.3	3.1	2.8	5.6	4.7
1/12/2012	8	4.5	4.4	3.4	2.3	3.0	2.7	5.2	4.5
1/12/2012	9	4.4	4.3	3.4	2.3	3.0	2.7	5.1	4.4
1/12/2012	10	4.2	4.2	3.4	2.3	3.0	2.8	5.0	4.2
1/12/2012	11	4.2	4.1	3.5	2.5	3.0	2.9	4.9	4.0
1/12/2012	12	4.2	4.1	3.8	2.7	3.0	2.9	4.8	4.0

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/12/2012	13	4.2	4.1	4.0	2.7	3.1	3.0	4.8	4.1
1/12/2012	14	4.3	4.2	4.2	2.9	3.3	3.1	4.8	4.2
1/12/2012	15	4.4	4.2	4.2	3.0	3.5	3.3	4.9	4.3
1/12/2012	16	4.4	4.3	4.1	3.1	3.7	3.5	4.9	4.5
1/12/2012	17	4.5	4.4	4.0	3.1	3.8	3.6	5.0	4.5
1/12/2012	18	4.5	4.4	3.9	3.1	3.9	3.6	5.0	4.5
1/12/2012	19	4.4	4.4	3.9	3.1	3.8	3.6	5.1	4.5
1/12/2012	20	4.4	4.3	3.8	3.2	3.7	3.6	5.1	4.5
1/12/2012	21	4.4	4.3	3.8	3.1	3.7	3.5	5.2	4.5
1/12/2012	22	4.4	4.3	3.8	3.0	3.6	3.4	5.3	4.5
1/12/2012	23	4.4	4.3	3.7	3.0	3.5	3.4	5.5	4.5
1/12/2012	24	4.4	4.3	3.6	2.9	3.5	3.3	5.5	4.2
1/13/2012	1	4.4	4.3	3.6	2.8	3.4	3.2	5.5	4.4
1/13/2012	2	4.4	4.3	3.5	2.7	3.4	3.1	5.5	4.5
1/13/2012	3	4.4	4.3	3.4	2.6	3.3	3.1	5.5	4.4
1/13/2012	4	4.4	4.2	3.5	2.6	3.2	3.1	5.5	4.5
1/13/2012	5	4.4	4.2	3.5	2.5	3.1	3.0	5.5	4.1
1/13/2012	6	4.4	4.2	3.5	2.5	3.1	2.9	5.5	4.5
1/13/2012	7	4.3	4.2	3.4	2.5	3.1	2.9	5.2	4.6
1/13/2012	8	4.2	4.1	3.3	2.4	3.0	2.8	4.9	4.1
1/13/2012	9	4.1	4.0	3.1	2.3	3.0	2.7	4.9	4.1
1/13/2012	10	4.0	4.0	3.2	2.4	3.0	2.8	4.9	4.0
1/13/2012	11	4.0	3.9	3.3	2.4	2.9	2.8	4.9	4.0
1/13/2012	12	4.0	3.9	3.5	2.5	2.9	2.8	4.9	4.0
1/13/2012	13	4.1	4.0	3.7	2.6	3.0	2.9	4.8	4.0
1/13/2012	14	4.1	4.0	3.9	2.7	3.1	3.0	4.8	4.1
1/13/2012	15	4.2	4.1	4.1	2.9	3.3	3.1	4.8	4.1
1/13/2012	16	4.2	4.1	4.1	3.0	3.5	3.3	4.9	4.1
1/13/2012	17	4.2	4.1	4.1	3.2	3.6	3.4	4.9	4.1
1/13/2012	18	4.2	4.1	4.0	3.4	3.8	3.6	5.0	4.1
1/13/2012	19	4.3	4.1	4.0	3.5	3.9	3.7	5.1	4.2
1/13/2012	20	4.3	4.2	3.9	3.5	3.9	3.7	5.2	4.3
1/13/2012	21	4.3	4.2	3.9	3.5	3.8	3.7	5.2	4.2
1/13/2012	22	4.3	4.2	3.9	3.5	3.7	3.6	5.3	4.3
1/13/2012	23	4.4	4.2	3.9	3.4	3.7	3.6	5.4	4.4
1/13/2012	24	4.4	4.3	3.9	3.4	3.7	3.5	5.4	4.4
1/14/2012	1	4.4	4.3	3.9	3.3	3.6	3.5	5.4	4.5
1/14/2012	2	4.4	4.3	3.9	3.3	3.7	3.5	5.5	4.4
1/14/2012	3	4.4	4.3	3.9	3.3	3.6	3.5	5.5	4.5
1/14/2012	4	4.4	4.3	3.9	3.3	3.6	3.5	5.5	4.5
1/14/2012	5	4.4	4.3	3.9	3.3	3.6	3.5	5.5	4.5
1/14/2012	6	4.4	4.3	3.9	3.3	3.6	3.5	5.6	4.6
1/14/2012	7	4.4	4.3	3.9	3.3	3.6	3.5	5.3	4.6
1/14/2012	8	4.3	4.2	3.9	3.3	3.6	3.5	5.0	4.3
1/14/2012	9	4.3	4.2	3.9	3.3	3.6	3.5	5.0	4.3
1/14/2012	10	4.3	4.2	3.9	3.4	3.7	3.5	5.0	4.3

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/14/2012	11	4.3	4.2	4.0	3.4	3.7	3.6	5.0	4.3
1/14/2012	12	4.4	4.3	4.1	3.5	3.7	3.6	5.1	4.4
1/14/2012	13	4.4	4.4	4.3	3.7	3.8	3.7	5.1	4.4
1/14/2012	14	4.4	4.4	4.5	3.8	3.9	3.9	5.1	4.4
1/14/2012	15	4.4	4.4	4.5	3.8	4.0	3.9	5.1	4.4
1/14/2012	16	4.5	4.4	4.5	3.9	4.2	4.0	5.1	4.4
1/14/2012	17	4.5	4.4	4.4	4.0	4.3	4.1	5.2	4.5
1/14/2012	18	4.5	4.4	4.1	3.9	4.3	4.1	5.2	4.5
1/14/2012	19	4.4	4.4	4.0	3.9	4.2	4.1	5.2	4.4
1/14/2012	20	4.4	4.4	3.9	3.8	4.1	4.0	5.3	4.4
1/14/2012	21	4.4	4.3	3.8	3.6	3.9	3.8	5.3	4.4
1/14/2012	22	4.4	4.3	3.7	3.5	3.8	3.6	5.3	4.4
1/14/2012	23	4.4	4.3	3.7	3.4	3.7	3.5	5.4	4.4
1/14/2012	24	4.4	4.3	3.6	3.3	3.6	3.4	5.4	4.3
1/15/2012	1	4.4	4.3	3.5	3.1	3.5	3.3	5.4	4.4
1/15/2012	2	4.3	4.2	3.5	3.0	3.4	3.2	5.5	4.2
1/15/2012	3	4.3	4.2	3.4	2.9	3.3	3.1	5.5	4.3
1/15/2012	4	4.3	4.1	3.4	2.8	3.2	3.0	5.6	4.2
1/15/2012	5	4.3	4.1	3.3	2.7	3.1	2.9	5.6	4.4
1/15/2012	6	4.3	4.1	3.2	2.6	3.0	2.8	5.6	4.3
1/15/2012	7	4.2	4.1	3.1	2.5	2.9	2.7	5.6	4.4
1/15/2012	8	4.2	4.0	3.1	2.5	2.8	2.6	5.4	4.4
1/15/2012	9	4.1	4.0	3.0	2.4	2.7	2.5	5.2	4.2
1/15/2012	10	4.0	4.0	2.9	2.3	2.6	2.4	5.2	4.0
1/15/2012	11	4.0	3.9	3.1	2.5	2.6	2.5	5.3	4.2
1/15/2012	12	4.0	3.9	3.4	3.0	2.6	2.6	5.3	4.1
1/15/2012	13	4.0	3.9	3.7	2.9	2.6	2.6	5.4	4.2
1/15/2012	14	4.0	4.0	4.1	2.7	2.8	2.8	5.5	4.4
1/15/2012	15	4.0	4.0	4.1	2.8	3.0	2.8	5.5	4.6
1/15/2012	16	4.0	3.9	4.0	3.0	3.4	3.0	5.6	4.2
1/15/2012	17	3.9	3.9	3.9	3.4	3.7	3.4	5.6	4.3
1/15/2012	18	3.9	3.8	3.7	3.5	3.7	3.5	5.4	4.4
1/15/2012	19	3.9	3.8	3.5	3.4	3.7	3.5	5.3	4.5
1/15/2012	20	3.9	3.8	3.5	3.4	3.6	3.5	5.2	4.0
1/15/2012	21	3.8	3.7	3.4	3.2	3.5	3.4	5.2	4.1
1/15/2012	22	3.8	3.7	3.3	3.1	3.3	3.2	5.2	4.1
1/15/2012	23	3.8	3.6	3.2	2.9	3.2	3.0	5.3	4.0
1/15/2012	24	3.8	3.6	3.0	2.8	3.1	2.9	5.3	4.0
1/16/2012	1	3.7	3.6	2.9	2.7	3.0	2.8	5.3	4.1
1/16/2012	2	3.7	3.5	2.8	2.6	2.8	2.6	5.4	4.1
1/16/2012	3	3.7	3.5	2.7	2.4	2.7	2.5	5.4	4.1
1/16/2012	4	3.6	3.5	2.7	2.3	2.5	2.3	5.4	4.2
1/16/2012	5	3.6	3.4	2.6	2.2	2.4	2.2	5.3	3.7
1/16/2012	6	3.5	3.4	2.5	2.0	2.3	2.1	5.2	4.1
1/16/2012	7	3.5	3.4	2.5	1.9	2.2	2.0	4.5	4.1
1/16/2012	8	3.3	3.3	2.4	1.9	2.1	1.9	4.1	3.2

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/16/2012	9	3.3	3.1	2.3	1.8	2.0	1.8	4.1	3.2
1/16/2012	10	3.3	3.1	2.3	1.7	2.0	1.8	4.2	3.2
1/16/2012	11	3.3	3.1	2.6	1.8	2.0	1.8	4.2	3.2
1/16/2012	12	3.2	3.1	2.7	1.8	2.0	1.9	4.3	3.2
1/16/2012	13	3.2	3.1	2.7	2.2	2.0	2.2	4.3	3.4
1/16/2012	14	3.2	3.1	3.0	2.2	2.3	2.3	4.4	3.5
1/16/2012	15	3.2	3.1	3.1	2.4	2.4	2.3	4.4	3.6
1/16/2012	16	3.2	3.1	3.1	2.6	2.6	2.4	4.5	3.5
1/16/2012	17	3.2	3.0	3.0	2.6	2.7	2.5	4.1	3.1
1/16/2012	18	3.2	3.0	2.8	2.6	2.6	2.5	3.8	3.1
1/16/2012	19	3.2	3.0	2.7	2.5	2.5	2.4	3.8	3.1
1/16/2012	20	3.2	3.0	2.6	2.4	2.4	2.3	3.8	3.1
1/16/2012	21	3.2	3.0	2.5	2.2	2.2	2.1	3.8	3.0
1/16/2012	22	3.1	2.9	2.5	2.0	2.0	2.0	3.9	3.0
1/16/2012	23	3.1	2.9	2.3	2.0	1.9	1.8	3.9	3.1
1/16/2012	24	3.1	2.9	2.3	1.9	1.8	1.7	3.9	2.9
1/17/2012	1	3.0	2.8	2.3	1.8	1.8	1.7	4.0	3.1
1/17/2012	2	3.0	2.8	2.2	1.7	1.7	1.6	4.1	3.1
1/17/2012	3	3.0	2.8	2.2	1.7	1.6	1.5	4.1	N/A
1/17/2012	4	3.0	2.8	2.2	1.6	1.6	1.5	4.2	N/A
1/17/2012	5	3.0	2.8	2.1	1.6	1.6	1.5	4.2	N/A
1/17/2012	6	2.9	2.8	2.2	1.5	1.5	1.4	4.2	3.0
1/17/2012	7	2.9	2.7	2.2	1.5	1.5	1.4	3.9	2.7
1/17/2012	8	2.8	2.6	2.3	1.6	1.5	1.4	3.4	2.7
1/17/2012	9	2.8	2.6	2.3	1.6	1.5	1.4	3.5	2.7
1/17/2012	10	2.8	2.7	2.5	1.7	1.6	1.6	3.7	2.8
1/17/2012	11	2.8	2.7	2.6	1.8	1.7	1.6	3.7	2.8
1/17/2012	12	2.8	2.7	2.8	1.9	1.9	1.8	3.7	2.9
1/17/2012	13	2.8	2.7	2.9	2.0	2.0	1.9	3.8	3.0
1/17/2012	14	2.8	2.7	2.9	2.2	2.2	2.0	3.8	3.1
1/17/2012	15	2.8	2.7	2.6	2.2	2.2	2.0	3.8	3.2
1/17/2012	16	2.8	2.7	2.7	2.3	2.3	2.2	3.8	2.8
1/17/2012	17	2.8	2.6	2.7	2.3	2.3	2.2	3.6	2.7
1/17/2012	18	2.8	2.6	2.8	2.3	2.3	2.2	3.4	2.7
1/17/2012	19	2.8	2.7	2.8	2.3	2.3	2.2	3.5	2.8
1/17/2012	20	2.9	2.8	2.8	2.3	2.3	2.2	3.5	2.9
1/17/2012	21	2.9	2.8	2.6	2.2	2.2	2.0	3.6	2.8
1/17/2012	22	2.9	2.8	2.4	2.2	2.2	2.0	3.7	2.8
1/17/2012	23	3.0	2.8	2.3	2.0	2.0	1.9	3.8	2.9
1/17/2012	24	3.0	2.8	2.2	1.9	1.9	1.8	3.8	3.0
1/18/2012	1	2.9	2.8	2.1	1.8	1.8	1.7	3.9	2.9
1/18/2012	2	2.9	2.7	2.1	1.6	1.6	1.5	3.9	2.6
1/18/2012	3	2.9	2.7	2.0	1.6	1.5	1.4	3.9	3.0
1/18/2012	4	2.9	2.7	1.9	1.5	1.4	1.3	4.0	2.7
1/18/2012	5	2.8	2.6	1.8	1.4	1.3	1.2	4.0	0.7
1/18/2012	6	2.8	2.5	1.7	1.2	1.2	1.0	4.0	2.7

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/18/2012	7	2.7	2.4	1.5	1.1	1.1	0.9	3.6	2.5
1/18/2012	8	2.6	2.3	1.4	0.9	0.9	0.7	3.3	2.5
1/18/2012	9	2.6	2.3	1.1	0.7	0.6	0.5	3.4	2.6
1/18/2012	10	2.8	2.6	0.9	0.5	0.3	0.1	3.6	2.5
1/18/2012	11	2.9	2.6	0.5	0.3	0.1	0.0	3.6	2.6
1/18/2012	12	2.9	2.7	0.6	0.2	0.0	0.0	3.6	3.0
1/18/2012	13	2.9	2.7	0.9	0.2	0.0	0.0	3.6	2.8
1/18/2012	14	2.9	2.8	1.2	0.2	0.0	0.0	3.7	3.0
1/18/2012	15	3.0	2.9	1.6	0.2	0.0	0.0	3.7	3.1
1/18/2012	16	3.1	3.0	1.7	0.2	0.1	0.0	3.8	3.3
1/18/2012	17	3.3	3.2	1.8	0.4	0.4	0.0	3.8	3.4
1/18/2012	18	3.3	3.2	1.7	0.6	0.6	0.3	3.9	3.3
1/18/2012	19	3.3	3.1	1.6	0.8	0.8	0.5	3.9	3.2
1/18/2012	20	3.2	3.0	1.5	0.9	0.8	0.6	3.9	3.1
1/18/2012	21	3.2	3.0	1.4	0.8	0.8	0.6	4.0	3.1
1/18/2012	22	3.2	3.0	1.4	0.8	0.7	0.6	4.0	3.1
1/18/2012	23	3.1	3.0	1.5	0.7	0.7	0.5	4.0	3.1
1/18/2012	24	3.2	3.0	1.5	0.7	0.6	0.5	4.1	3.0
1/19/2012	1	3.2	3.0	1.5	0.7	0.6	0.4	4.3	1.9
1/19/2012	2	3.2	3.0	1.5	0.7	0.7	0.5	4.3	2.9
1/19/2012	3	3.1	2.9	1.4	0.7	0.7	0.5	4.2	3.1
1/19/2012	4	3.1	2.9	1.4	0.7	0.7	0.4	4.2	N/A
1/19/2012	5	3.0	2.9	1.4	0.7	0.6	0.5	4.2	N/A
1/19/2012	6	3.0	2.7	1.4	0.7	0.6	0.5	3.9	2.7
1/19/2012	7	2.8	2.6	1.4	0.6	0.6	0.4	3.4	2.6
1/19/2012	8	2.8	2.6	1.5	0.6	0.6	0.4	3.5	2.7
1/19/2012	9	2.8	2.7	1.5	0.6	0.6	0.5	3.6	2.9
1/19/2012	10	3.0	2.9	1.6	0.7	0.7	0.5	3.7	3.2
1/19/2012	11	3.1	3.1	1.7	0.8	0.7	0.6	3.8	3.4
1/19/2012	12	3.3	3.3	1.9	0.9	0.8	0.7	3.9	3.5
1/19/2012	13	3.4	3.4	2.1	1.0	0.9	0.8	4.0	3.4
1/19/2012	14	3.4	3.3	2.2	1.1	1.0	0.9	4.0	3.4
1/19/2012	15	3.4	3.3	2.4	1.2	1.2	1.1	4.0	3.4
1/19/2012	16	3.3	3.2	2.5	1.3	1.3	1.1	4.0	3.4
1/19/2012	17	3.3	3.2	2.4	1.5	1.5	1.3	3.9	3.3
1/19/2012	18	3.3	3.2	2.4	1.6	1.6	1.4	3.9	3.2
1/19/2012	19	3.2	3.1	2.4	1.7	1.7	1.5	3.8	3.1
1/19/2012	20	3.2	3.1	2.3	1.7	1.7	1.6	3.8	3.1
1/19/2012	21	3.2	3.0	2.3	1.7	1.7	1.6	3.8	3.0
1/19/2012	22	3.1	3.0	2.3	1.7	1.7	1.6	3.7	3.0
1/19/2012	23	3.2	3.1	2.2	1.6	1.6	1.5	3.9	3.1
1/19/2012	24	3.3	3.1	2.1	1.6	1.6	1.4	4.1	3.1
1/20/2012	1	3.3	3.1	2.0	1.5	1.5	1.4	4.2	2.8
1/20/2012	2	3.2	3.1	2.0	1.5	1.5	1.3	4.2	2.8
1/20/2012	3	3.2	3.1	2.0	1.4	1.4	1.3	4.2	2.9
1/20/2012	4	3.2	3.1	2.1	1.3	1.3	1.2	4.3	3.2

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/20/2012	5	3.2	3.1	2.1	1.3	1.3	1.2	4.3	3.0
1/20/2012	6	3.2	3.0	2.1	1.3	1.3	1.2	4.0	3.0
1/20/2012	7	3.1	3.0	2.1	1.4	1.4	1.2	3.6	3.0
1/20/2012	8	3.1	2.9	2.1	1.4	1.4	1.3	3.6	3.0
1/20/2012	9	3.0	2.9	2.2	1.5	1.4	1.3	3.6	2.9
1/20/2012	10	3.0	2.9	2.3	1.5	1.5	1.4	3.6	2.9
1/20/2012	11	2.9	2.9	2.4	1.6	1.5	1.5	3.6	2.9
1/20/2012	12	2.9	2.8	2.5	1.7	1.6	1.5	3.6	2.8
1/20/2012	13	2.9	2.8	2.6	1.8	1.7	1.6	3.6	2.9
1/20/2012	14	2.9	2.9	2.6	1.8	1.8	1.7	3.6	2.9
1/20/2012	15	3.0	2.9	2.6	2.0	1.9	1.8	3.6	3.0
1/20/2012	16	3.1	3.0	2.5	2.0	2.0	1.9	3.6	3.1
1/20/2012	17	3.2	3.0	2.4	2.0	2.0	1.8	3.6	3.1
1/20/2012	18	3.2	3.0	2.2	1.9	1.9	1.8	3.6	3.1
1/20/2012	19	3.2	3.1	2.2	1.8	1.8	1.7	3.7	3.1
1/20/2012	20	3.2	3.1	2.2	1.7	1.7	1.6	3.7	3.1
1/20/2012	21	3.2	3.0	2.1	1.6	1.6	1.5	3.7	3.1
1/20/2012	22	3.2	3.0	2.1	1.6	1.6	1.4	3.8	3.1
1/20/2012	23	3.2	3.1	2.2	1.6	1.6	1.5	3.9	3.1
1/20/2012	24	3.2	3.1	2.4	1.6	1.6	1.5	4.1	3.1
1/21/2012	1	3.1	3.1	2.5	1.7	1.7	1.6	4.2	3.1
1/21/2012	2	3.1	3.0	2.6	1.8	1.8	1.7	4.2	2.9
1/21/2012	3	3.1	3.0	2.7	1.9	1.9	1.8	4.2	3.1
1/21/2012	4	3.1	3.0	2.8	2.1	2.0	1.9	4.2	3.1
1/21/2012	5	3.1	3.0	2.8	2.2	2.2	2.0	4.2	2.6
1/21/2012	6	3.0	3.0	2.8	2.3	2.3	2.2	3.9	3.0
1/21/2012	7	3.0	2.9	2.7	2.3	2.3	2.2	3.7	3.0
1/21/2012	8	3.0	2.9	2.7	2.3	2.3	2.2	3.7	2.9
1/21/2012	9	3.0	2.9	2.8	2.4	2.3	2.2	3.7	3.0
1/21/2012	10	3.0	3.0	2.9	2.4	2.4	2.3	3.8	3.0
1/21/2012	11	3.1	3.1	3.2	2.6	2.5	2.5	3.8	3.1
1/21/2012	12	3.1	3.2	3.6	2.7	2.6	2.6	3.9	3.2
1/21/2012	13	3.2	3.3	3.8	2.8	2.7	2.8	3.9	3.3
1/21/2012	14	3.3	3.4	3.9	3.0	3.0	2.9	4.0	3.4
1/21/2012	15	3.4	3.4	3.9	3.4	3.3	3.1	4.0	3.4
1/21/2012	16	3.4	3.5	3.8	3.6	3.5	3.4	4.0	3.5
1/21/2012	17	3.5	3.5	3.6	3.6	3.6	3.5	4.1	3.5
1/21/2012	18	3.5	3.6	3.5	3.6	3.6	3.5	4.1	3.6
1/21/2012	19	3.6	3.6	3.4	3.5	3.5	3.4	4.2	3.6
1/21/2012	20	3.6	3.6	3.4	3.4	3.4	3.4	4.2	3.7
1/21/2012	21	3.6	3.6	3.3	3.3	3.3	3.3	4.2	3.7
1/21/2012	22	3.6	3.6	3.3	3.2	3.2	3.1	4.3	3.6
1/21/2012	23	3.5	3.5	3.2	3.1	3.1	3.0	4.4	3.5
1/21/2012	24	3.5	3.5	3.2	3.1	3.1	3.0	4.5	3.7
1/22/2012	1	3.4	3.4	3.1	3.0	3.0	2.9	4.5	3.4
1/22/2012	2	3.4	3.4	3.0	3.0	3.0	2.9	4.5	N/A

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/22/2012	3	3.4	3.4	2.9	2.9	2.9	2.8	4.6	N/A
1/22/2012	4	3.4	3.3	2.9	2.8	2.8	2.7	4.6	N/A
1/22/2012	5	3.4	3.3	2.9	2.7	2.7	2.7	4.6	N/A
1/22/2012	6	3.4	3.3	2.9	2.6	2.6	2.6	4.6	N/A
1/22/2012	7	3.3	3.3	2.9	2.6	2.6	2.5	4.6	3.4
1/22/2012	8	3.3	3.3	3.0	2.6	2.6	2.5	4.5	3.4
1/22/2012	9	3.3	3.2	3.0	2.6	2.6	2.5	4.3	3.4
1/22/2012	10	3.2	3.2	3.1	2.7	2.7	2.6	4.4	3.4
1/22/2012	11	3.2	3.2	3.3	2.8	2.7	2.8	4.4	3.4
1/22/2012	12	3.2	3.2	3.2	2.7	2.7	2.6	4.5	3.4
1/22/2012	13	3.2	3.2	3.2	3.0	2.9	2.8	4.5	3.6
1/22/2012	14	3.2	3.2	3.3	3.0	3.0	2.9	4.6	N/A
1/22/2012	15	3.2	3.2	3.2	2.9	3.0	2.9	4.6	N/A
1/22/2012	16	3.2	3.1	3.1	2.9	3.0	2.8	4.7	3.5
1/22/2012	17	3.2	3.1	2.9	2.9	2.9	2.8	4.7	3.6
1/22/2012	18	3.2	3.1	2.8	2.8	2.8	2.7	4.8	3.6
1/22/2012	19	3.2	3.1	2.9	2.8	2.7	2.7	4.8	3.8
1/22/2012	20	3.2	3.2	3.0	2.7	2.7	2.7	4.8	N/A
1/22/2012	21	3.2	3.2	3.1	2.7	2.6	2.6	4.8	N/A
1/22/2012	22	3.2	3.1	3.0	2.7	2.6	2.6	4.8	N/A
1/22/2012	23	3.2	3.1	3.0	2.7	2.7	2.6	4.8	N/A
1/22/2012	24	3.2	3.1	3.0	2.8	2.8	2.7	4.9	N/A
1/23/2012	1	3.2	3.1	2.9	2.8	2.8	2.7	4.9	N/A
1/23/2012	2	3.2	3.1	2.8	2.7	2.7	2.7	4.8	N/A
1/23/2012	3	3.2	3.1	2.7	2.7	2.7	2.6	4.7	N/A
1/23/2012	4	3.1	3.0	2.6	2.6	2.6	2.5	4.7	N/A
1/23/2012	5	3.1	3.1	2.6	2.5	2.5	2.4	4.6	3.6
1/23/2012	6	3.0	2.9	2.7	2.4	2.4	2.4	4.0	2.9
1/23/2012	7	2.9	2.8	2.8	2.4	2.3	2.3	3.6	2.9
1/23/2012	8	2.9	2.9	2.9	2.4	2.4	2.3	3.6	2.9
1/23/2012	9	2.9	2.9	3.0	2.5	2.5	2.4	3.6	2.9
1/23/2012	10	2.9	2.9	3.1	2.6	2.6	2.5	3.6	2.8
1/23/2012	11	2.9	2.9	3.2	2.8	2.7	2.7	3.6	2.8
1/23/2012	12	2.9	3.0	3.5	3.0	2.9	3.0	3.6	2.9
1/23/2012	13	2.9	3.0	3.8	3.2	3.1	3.2	3.6	2.9
1/23/2012	14	3.0	3.1	4.0	3.4	3.3	3.3	3.6	3.0
1/23/2012	15	3.1	3.1	3.9	3.6	3.5	3.4	3.7	3.1
1/23/2012	16	3.1	3.1	3.7	3.7	3.7	3.6	3.7	3.1
1/23/2012	17	3.2	3.2	3.5	3.8	3.8	3.7	3.8	3.2
1/23/2012	18	3.2	3.2	3.4	3.7	3.7	3.7	3.8	3.2
1/23/2012	19	3.2	3.2	3.2	3.6	3.6	3.6	3.9	3.2
1/23/2012	20	3.3	3.2	3.1	3.4	3.4	3.4	3.9	3.3
1/23/2012	21	3.3	3.3	3.1	3.2	3.2	3.2	4.0	3.3
1/23/2012	22	3.3	3.4	3.1	3.1	3.1	3.1	4.1	3.5
1/23/2012	23	3.4	3.4	3.1	3.0	3.0	3.0	4.2	3.6
1/23/2012	24	3.6	3.6	3.1	2.9	2.9	2.9	4.4	3.7

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/24/2012	1	3.7	3.6	3.1	2.9	2.9	2.8	4.6	3.7
1/24/2012	2	3.7	3.6	3.1	2.9	2.8	2.8	4.8	3.7
1/24/2012	3	3.7	3.6	3.1	2.9	2.8	2.8	4.8	3.6
1/24/2012	4	3.6	3.6	3.2	2.8	2.8	2.7	4.7	3.8
1/24/2012	5	3.6	3.6	3.2	2.8	2.8	2.7	4.7	3.9
1/24/2012	6	3.6	3.6	3.2	2.9	2.8	2.8	4.6	3.6
1/24/2012	7	3.6	3.6	3.2	2.9	2.9	2.8	4.4	3.6
1/24/2012	8	3.5	3.5	3.3	2.9	2.9	2.9	4.3	3.5
1/24/2012	9	3.4	3.5	3.3	3.0	3.0	2.9	4.2	3.4
1/24/2012	10	3.4	3.4	3.4	3.1	3.0	3.0	4.1	3.4
1/24/2012	11	3.4	3.4	3.5	3.1	3.1	3.1	4.1	3.4
1/24/2012	12	3.4	3.5	3.6	3.3	3.2	3.2	4.1	3.4
1/24/2012	13	3.4	3.5	3.8	3.4	3.3	3.4	4.2	3.4
1/24/2012	14	3.4	3.5	4.0	3.5	3.5	3.5	4.2	3.4
1/24/2012	15	3.4	3.4	3.9	3.6	3.6	3.5	4.2	3.5
1/24/2012	16	3.5	3.4	3.5	3.6	3.6	3.5	4.2	3.5
1/24/2012	17	3.5	3.5	3.3	3.7	3.7	3.6	4.3	3.6
1/24/2012	18	3.5	3.5	3.1	3.6	3.5	3.5	4.3	3.7
1/24/2012	19	3.6	3.5	2.8	3.2	3.2	3.2	4.4	3.7
1/24/2012	20	3.7	3.6	2.9	3.1	3.1	3.1	4.4	3.7
1/24/2012	21	3.7	3.7	3.0	2.9	2.9	2.9	4.5	3.7
1/24/2012	22	3.7	3.7	3.0	2.7	2.7	2.7	4.6	3.8
1/24/2012	23	3.7	3.7	3.2	2.7	2.7	2.6	4.7	3.8
1/24/2012	24	3.8	3.8	3.3	2.8	2.7	2.7	4.7	3.7
1/25/2012	1	3.8	3.8	3.3	2.8	2.8	2.7	4.7	3.7
1/25/2012	2	3.8	3.7	3.4	2.9	2.9	2.8	4.8	3.6
1/25/2012	3	3.7	3.7	3.4	3.0	3.0	2.9	4.8	3.6
1/25/2012	4	3.7	3.7	3.4	3.1	3.1	3.0	4.8	3.4
1/25/2012	5	3.7	3.7	3.4	3.2	3.1	3.1	4.8	3.7
1/25/2012	6	3.7	3.7	3.4	3.2	3.2	3.1	4.7	3.7
1/25/2012	7	3.7	3.6	3.4	3.2	3.2	3.1	4.4	3.6
1/25/2012	8	3.6	3.6	3.5	3.3	3.3	3.2	4.3	3.6
1/25/2012	9	3.6	3.6	3.6	3.4	3.3	3.3	4.4	3.6
1/25/2012	10	3.6	3.7	4.0	3.5	3.4	3.5	4.4	3.6
1/25/2012	11	3.6	3.7	4.2	3.7	3.6	3.6	4.4	3.7
1/25/2012	12	3.7	3.8	4.4	3.9	3.9	3.9	4.4	3.7
1/25/2012	13	3.7	3.9	4.7	4.2	4.1	4.2	4.5	3.9
1/25/2012	14	3.8	4.0	4.9	4.5	4.4	4.4	4.5	3.9
1/25/2012	15	3.8	4.0	4.9	4.7	4.6	4.6	4.5	3.9
1/25/2012	16	3.9	4.0	4.7	4.9	4.8	4.8	4.5	4.0
1/25/2012	17	3.9	4.0	4.4	4.9	4.9	4.8	4.6	3.9
1/25/2012	18	3.9	4.0	4.1	4.9	4.9	4.8	4.6	3.9
1/25/2012	19	3.9	4.0	3.9	4.7	4.7	4.7	4.6	4.0
1/25/2012	20	3.9	4.0	3.8	4.4	4.4	4.5	4.7	4.0
1/25/2012	21	4.0	4.0	3.7	4.2	4.2	4.2	4.7	4.0
1/25/2012	22	4.0	4.1	3.6	4.0	4.0	4.0	4.7	4.1

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/25/2012	23	4.1	4.1	3.6	3.8	3.8	3.8	4.8	4.2
1/25/2012	24	4.1	4.2	3.6	3.7	3.7	3.7	4.9	4.2
1/26/2012	1	4.2	4.2	3.7	3.6	3.6	3.6	5.1	N/A
1/26/2012	2	4.1	4.2	3.7	3.6	3.6	3.6	5.2	N/A
1/26/2012	3	4.1	4.2	3.8	3.6	3.6	3.5	5.3	4.2
1/26/2012	4	4.1	4.1	3.9	3.6	3.6	3.5	5.2	4.2
1/26/2012	5	4.1	4.1	3.8	3.6	3.6	3.5	5.2	4.2
1/26/2012	6	4.1	4.1	3.7	3.7	3.6	3.5	5.0	4.1
1/26/2012	7	4.1	4.1	3.7	3.6	3.6	3.5	4.9	4.2
1/26/2012	8	4.1	4.1	3.6	3.6	3.6	3.5	4.9	4.1
1/26/2012	9	4.1	4.1	3.6	3.5	3.5	3.5	4.9	4.0
1/26/2012	10	4.0	4.0	3.9	3.7	3.6	3.6	4.9	4.0
1/26/2012	11	4.0	4.1	4.2	3.8	3.6	3.8	4.9	4.0
1/26/2012	12	4.1	4.1	4.6	3.9	3.7	3.9	4.9	4.1
1/26/2012	13	4.1	4.2	4.9	3.9	3.9	4.0	4.9	4.2
1/26/2012	14	4.2	4.2	5.0	4.2	4.2	4.2	4.9	4.2
1/26/2012	15	4.2	4.2	4.8	4.6	4.6	4.5	4.9	4.2
1/26/2012	16	4.2	4.2	4.4	4.9	4.9	4.7	4.9	4.2
1/26/2012	17	4.2	4.2	4.2	4.9	4.9	4.8	4.9	4.2
1/26/2012	18	4.2	4.2	3.9	4.7	4.7	4.7	4.9	4.2
1/26/2012	19	4.2	4.2	3.7	4.4	4.4	4.4	4.8	4.2
1/26/2012	20	4.2	4.2	3.6	4.1	4.1	4.1	4.8	4.2
1/26/2012	21	4.2	4.1	3.5	3.9	3.9	3.9	4.8	4.2
1/26/2012	22	4.1	4.1	3.4	3.6	3.6	3.6	4.8	4.2
1/26/2012	23	4.1	4.1	3.4	3.5	3.5	3.4	4.8	4.2
1/26/2012	24	4.1	4.1	3.3	3.3	3.3	3.3	4.9	4.1
1/27/2012	1	4.1	4.1	3.2	3.1	3.1	3.1	5.1	3.9
1/27/2012	2	4.1	4.0	3.1	3.0	3.0	3.0	5.2	3.6
1/27/2012	3	4.0	4.0	3.1	2.9	2.9	2.9	5.2	3.8
1/27/2012	4	4.0	3.9	3.0	2.8	2.8	2.7	5.1	4.0
1/27/2012	5	4.0	3.9	2.9	2.7	2.7	2.6	5.1	4.2
1/27/2012	6	4.0	3.9	2.9	2.6	2.6	2.5	4.9	4.0
1/27/2012	7	3.9	3.9	2.9	2.5	2.5	2.4	4.8	3.9
1/27/2012	8	3.9	3.8	2.8	2.5	2.5	2.4	4.6	3.9
1/27/2012	9	3.9	3.8	2.9	2.5	2.5	2.4	4.5	3.9
1/27/2012	10	3.9	3.9	3.2	2.6	2.5	2.5	4.6	4.0
1/27/2012	11	3.9	4.0	3.6	2.7	2.6	2.6	4.6	3.9
1/27/2012	12	3.9	4.0	4.0	2.9	2.7	2.8	4.7	3.9
1/27/2012	13	4.0	4.0	4.3	3.0	3.0	3.1	4.7	4.0
1/27/2012	14	4.0	4.1	4.5	3.4	3.3	3.3	4.8	4.2
1/27/2012	15	4.1	4.2	4.4	3.7	3.7	3.5	4.9	4.2
1/27/2012	16	4.2	4.2	4.2	4.1	4.1	3.9	4.9	4.3
1/27/2012	17	4.2	4.2	4.0	4.2	4.2	4.1	4.9	4.3
1/27/2012	18	4.2	4.2	3.7	4.2	4.2	4.1	5.0	4.3
1/27/2012	19	4.2	4.2	3.6	4.0	4.0	4.0	5.0	4.3
1/27/2012	20	4.2	4.2	3.4	3.8	3.8	3.8	5.0	4.3

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/27/2012	21	4.2	4.1	3.3	3.5	3.5	3.5	5.0	4.3
1/27/2012	22	4.2	4.1	3.3	3.3	3.3	3.3	5.1	4.2
1/27/2012	23	4.1	4.1	3.3	3.1	3.1	3.1	5.1	4.2
1/27/2012	24	4.1	4.1	3.3	3.1	3.0	3.0	5.1	4.2
1/28/2012	1	4.1	4.1	3.3	3.0	3.0	2.9	5.1	4.1
1/28/2012	2	4.1	4.0	3.3	3.0	3.0	2.9	5.1	4.0
1/28/2012	3	4.0	4.0	3.3	3.0	3.0	2.9	5.1	4.0
1/28/2012	4	4.0	4.0	3.2	3.0	3.0	2.9	5.1	4.0
1/28/2012	5	4.0	4.0	3.2	3.0	3.0	2.8	5.1	4.2
1/28/2012	6	4.0	3.9	3.2	2.9	2.9	2.8	5.0	3.9
1/28/2012	7	3.8	3.8	3.1	2.9	2.9	2.7	4.7	3.8
1/28/2012	8	3.8	3.7	3.1	2.9	2.8	2.7	4.5	3.7
1/28/2012	9	3.7	3.7	3.2	2.8	2.8	2.8	4.5	3.7
1/28/2012	10	3.7	3.7	3.3	2.9	2.9	2.8	4.5	3.8
1/28/2012	11	3.7	3.8	3.5	3.0	2.9	2.9	4.5	3.8
1/28/2012	12	3.8	3.8	3.7	3.0	3.0	3.0	4.5	3.8
1/28/2012	13	3.8	3.9	3.7	3.2	3.1	3.1	4.5	3.8
1/28/2012	14	3.8	3.9	4.0	3.4	3.4	3.3	4.6	3.9
1/28/2012	15	3.8	3.9	4.0	3.6	3.6	3.5	4.6	3.9
1/28/2012	16	3.9	3.9	4.0	3.7	3.7	3.6	4.6	4.0
1/28/2012	17	3.9	3.9	3.9	3.8	3.8	3.7	4.6	4.0
1/28/2012	18	3.9	3.9	3.8	3.9	3.9	3.8	4.7	3.9
1/28/2012	19	3.8	3.9	3.6	3.9	3.9	3.8	4.7	3.9
1/28/2012	20	3.9	3.9	3.6	3.8	3.8	3.8	4.7	4.0
1/28/2012	21	3.9	3.9	3.6	3.7	3.7	3.7	4.8	4.0
1/28/2012	22	3.9	3.9	3.6	3.6	3.6	3.6	4.8	4.0
1/28/2012	23	3.9	4.0	3.6	3.6	3.5	3.5	4.9	4.0
1/28/2012	24	3.9	4.0	3.6	3.5	3.5	3.5	4.9	3.6
1/29/2012	1	4.0	4.0	3.6	3.5	3.5	3.4	4.9	3.9
1/29/2012	2	3.9	4.0	3.5	3.5	3.5	3.4	4.9	3.6
1/29/2012	3	3.9	3.9	3.5	3.4	3.4	3.4	4.9	3.5
1/29/2012	4	3.9	3.9	3.4	3.3	3.4	3.3	4.9	3.8
1/29/2012	5	3.9	3.9	3.3	3.3	3.3	3.2	5.0	4.1
1/29/2012	6	3.9	3.9	3.3	3.2	3.2	3.2	5.0	4.1
1/29/2012	7	3.9	3.9	3.3	3.1	3.1	3.1	5.0	N/A
1/29/2012	8	3.8	3.9	3.3	3.1	3.1	3.0	5.0	3.9
1/29/2012	9	3.8	3.9	3.4	3.1	3.1	3.1	5.0	3.7
1/29/2012	10	3.8	3.9	3.6	3.3	3.2	3.2	5.0	3.7
1/29/2012	11	3.8	3.9	4.0	3.4	3.3	3.4	5.1	3.8
1/29/2012	12	3.8	4.0	4.2	3.5	3.4	3.5	5.1	N/A
1/29/2012	13	3.9	4.0	4.5	3.8	3.7	3.7	5.2	N/A
1/29/2012	14	3.9	4.0	4.7	4.2	4.1	4.0	5.2	N/A
1/29/2012	15	3.9	4.0	4.7	4.4	4.4	4.3	5.3	N/A
1/29/2012	16	3.9	4.0	4.6	4.7	4.6	4.5	5.4	N/A
1/29/2012	17	3.9	4.0	4.4	4.8	4.8	4.7	5.4	N/A
1/29/2012	18	3.9	4.0	4.2	4.8	4.8	4.8	5.4	N/A

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/29/2012	19	3.9	4.0	4.1	4.7	4.7	4.7	5.4	N/A
1/29/2012	20	3.9	3.9	4.0	4.6	4.5	4.6	5.4	N/A
1/29/2012	21	3.9	3.9	3.9	4.4	4.4	4.4	5.4	N/A
1/29/2012	22	3.9	3.9	3.9	4.2	4.2	4.2	5.5	N/A
1/29/2012	23	3.9	3.9	3.8	4.1	4.1	4.1	5.5	N/A
1/29/2012	24	3.9	3.9	3.9	4.0	4.0	4.0	5.5	N/A
1/30/2012	1	3.9	3.9	3.9	4.0	3.9	4.0	5.5	N/A
1/30/2012	2	3.9	3.9	4.0	4.0	3.9	3.9	5.4	N/A
1/30/2012	3	3.9	3.9	4.0	4.0	4.0	3.9	5.4	N/A
1/30/2012	4	3.9	3.9	3.9	4.0	4.0	3.9	5.3	4.2
1/30/2012	5	3.9	3.9	3.9	4.0	4.0	3.9	5.3	4.4
1/30/2012	6	3.9	3.9	3.7	4.0	4.0	3.9	4.8	3.9
1/30/2012	7	3.9	3.9	3.8	4.0	3.9	3.9	4.6	3.8
1/30/2012	8	3.8	3.9	3.8	3.9	3.9	3.9	4.6	3.8
1/30/2012	9	3.8	3.9	3.9	3.8	3.8	3.7	4.7	3.9
1/30/2012	10	3.8	4.0	4.1	4.0	3.9	4.0	4.7	3.9
1/30/2012	11	3.9	4.1	4.2	4.0	3.9	4.0	4.7	4.0
1/30/2012	12	4.0	4.1	4.5	4.2	4.1	4.1	4.7	4.0
1/30/2012	13	4.0	4.2	4.8	4.5	4.4	4.4	4.7	4.0
1/30/2012	14	4.0	4.2	5.2	4.8	4.7	4.9	4.7	4.1
1/30/2012	15	4.1	4.3	5.3	4.9	4.9	5.0	4.8	4.2
1/30/2012	16	4.2	4.3	5.1	5.3	5.2	5.1	4.8	4.3
1/30/2012	17	4.3	4.3	4.9	5.5	5.5	5.3	4.9	4.4
1/30/2012	18	4.3	4.4	4.6	5.6	5.5	5.5	5.0	4.4
1/30/2012	19	4.4	4.4	4.4	5.4	5.4	5.4	5.0	4.4
1/30/2012	20	4.4	4.5	4.2	5.2	5.2	5.3	5.1	4.5
1/30/2012	21	4.5	4.5	4.2	4.9	4.9	5.1	5.1	4.6
1/30/2012	22	4.5	4.5	4.2	4.7	4.7	4.8	5.2	4.6
1/30/2012	23	4.5	4.5	4.1	4.5	4.5	4.6	5.4	4.5
1/30/2012	24	4.5	4.5	4.2	4.4	4.4	4.4	5.5	4.5
1/31/2012	1	4.4	4.5	4.2	4.4	4.4	4.4	5.5	4.4
1/31/2012	2	4.4	4.5	4.1	4.3	4.3	4.2	5.5	4.3
1/31/2012	3	4.4	4.4	4.0	4.3	4.3	4.2	5.5	N/A
1/31/2012	4	4.4	4.4	3.9	4.2	4.2	4.2	5.5	N/A
1/31/2012	5	4.4	4.4	3.9	4.1	4.1	4.1	5.4	4.6
1/31/2012	6	4.4	4.4	3.8	4.0	4.0	4.0	5.4	4.4
1/31/2012	7	4.3	4.3	3.7	3.9	3.9	3.9	5.2	4.3
1/31/2012	8	4.2	4.2	3.7	3.8	3.8	3.8	5.1	4.2
1/31/2012	9	4.2	4.2	3.7	3.7	3.7	3.7	5.0	4.2
1/31/2012	10	4.2	4.2	4.0	3.9	3.7	3.8	5.0	4.1
1/31/2012	11	4.2	4.2	4.3	3.9	3.7	3.9	5.1	4.2
1/31/2012	12	4.2	4.3	4.7	4.0	3.8	4.0	5.3	4.3
1/31/2012	13	4.3	4.3	4.9	4.0	4.0	4.2	5.5	4.4
1/31/2012	14	4.3	4.4	5.1	4.4	4.4	4.4	5.6	4.2
1/31/2012	15	4.3	4.4	5.0	4.9	4.8	4.6	5.4	4.6
1/31/2012	16	4.3	4.4	4.8	5.3	5.2	5.1	5.3	4.4

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/31/2012	17	4.3	4.4	4.6	5.4	5.3	5.3	5.1	4.4
1/31/2012	18	4.3	4.4	4.5	5.3	5.3	5.3	5.1	4.4
1/31/2012	19	4.3	4.4	4.3	5.2	5.1	5.2	5.1	4.4
1/31/2012	20	4.3	4.4	4.2	4.9	4.9	5.0	5.1	4.4
1/31/2012	21	4.3	4.4	4.2	4.7	4.7	4.8	5.1	4.4
1/31/2012	22	4.4	4.4	4.2	4.6	4.6	4.6	5.1	4.5
1/31/2012	23	4.4	4.5	4.2	4.5	4.5	4.5	5.2	4.5
1/31/2012	24	4.4	4.5	4.2	4.4	4.4	4.4	5.2	4.5
2/1/2012	1	4.5	4.5	4.2	4.4	4.4	4.4	5.2	4.5
2/1/2012	2	4.5	4.5	4.2	4.4	4.4	4.4	5.2	4.5
2/1/2012	3	4.5	4.6	4.2	4.4	4.4	4.4	5.2	4.5
2/1/2012	4	4.5	4.5	4.3	4.4	4.4	4.4	5.2	4.5
2/1/2012	5	4.5	4.5	4.3	4.4	4.4	4.4	5.2	4.5
2/1/2012	6	4.5	4.5	4.3	4.5	4.4	4.4	5.2	4.5
2/1/2012	7	4.5	4.5	4.3	4.5	4.5	4.4	5.2	4.5
2/1/2012	8	4.5	4.5	4.2	4.5	4.5	4.4	5.2	4.5
2/1/2012	9	4.5	4.6	4.3	4.5	4.5	4.5	5.2	4.5
2/1/2012	10	4.5	4.6	4.4	4.6	4.5	4.5	5.3	4.6
2/1/2012	11	4.5	4.6	4.4	4.6	4.5	4.6	5.4	4.6
2/1/2012	12	4.6	4.8	4.7	4.8	4.7	4.9	5.4	4.7
2/1/2012	13	4.7	4.8	5.1	4.9	4.8	5.1	5.5	4.8
2/1/2012	14	4.8	4.9	5.3	5.0	4.9	5.1	5.6	4.9
2/1/2012	15	4.8	4.9	5.4	5.1	5.2	5.2	5.6	5.0
2/1/2012	16	4.9	5.0	5.2	5.4	5.4	5.3	5.7	5.1
2/1/2012	17	4.9	5.0	4.9	5.6	5.6	5.5	5.7	5.1
2/1/2012	18	4.9	5.0	4.6	5.6	5.6	5.5	5.7	5.1
2/1/2012	19	5.0	5.0	4.4	5.4	5.4	5.4	5.7	5.1
2/1/2012	20	5.0	5.0	4.3	5.2	5.2	5.2	5.7	5.1
2/1/2012	21	4.9	5.0	4.2	4.9	4.9	4.9	5.7	5.1
2/1/2012	22	4.9	5.0	4.1	4.6	4.6	4.7	5.7	5.0
2/1/2012	23	4.9	4.9	4.1	4.5	4.4	4.4	5.7	5.0
2/1/2012	24	4.9	4.9	4.0	4.3	4.3	4.3	5.6	4.9
2/2/2012	1	4.9	4.9	4.0	4.2	4.2	4.1	5.6	4.9
2/2/2012	2	4.9	4.9	4.0	4.1	4.1	4.0	5.6	4.9
2/2/2012	3	4.8	4.8	4.0	4.0	4.0	4.0	5.5	4.8
2/2/2012	4	4.8	4.8	4.0	4.0	4.0	3.9	5.5	4.8
2/2/2012	5	4.7	4.7	3.9	3.9	3.9	3.8	5.5	4.7
2/2/2012	6	4.7	4.7	3.9	3.9	3.9	3.8	5.4	4.7
2/2/2012	7	4.7	4.7	3.9	3.9	3.9	3.8	5.4	4.7
2/2/2012	8	4.6	4.6	3.9	3.9	3.9	3.8	5.3	4.6
2/2/2012	9	4.6	4.6	4.0	4.0	3.9	3.9	5.3	4.6
2/2/2012	10	4.6	4.7	4.3	4.1	4.0	4.0	5.4	4.6
2/2/2012	11	4.6	4.7	4.7	4.3	4.1	4.2	5.4	4.7
2/2/2012	12	4.6	4.8	4.9	4.4	4.3	4.4	5.4	4.7
2/2/2012	13	4.7	4.8	5.3	4.6	4.6	4.7	5.5	4.7
2/2/2012	14	4.7	4.8	5.5	4.9	4.9	4.9	5.5	4.8

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/2/2012	15	4.8	4.8	5.4	5.3	5.3	5.3	5.6	4.8
2/2/2012	16	4.8	4.8	5.1	5.6	5.6	5.4	5.6	4.9
2/2/2012	17	4.8	4.9	4.9	5.7	5.7	5.6	5.6	5.0
2/2/2012	18	4.9	4.9	4.6	5.6	5.6	5.6	5.6	5.0
2/2/2012	19	4.9	4.9	4.3	5.4	5.4	5.4	5.6	5.0
2/2/2012	20	4.9	4.9	4.2	5.1	5.1	5.2	5.6	5.0
2/2/2012	21	4.9	4.9	4.1	4.8	4.8	4.9	5.6	4.9
2/2/2012	22	4.8	4.8	4.0	4.5	4.5	4.6	5.6	4.9
2/2/2012	23	4.8	4.8	4.0	4.3	4.3	4.3	5.6	4.9
2/2/2012	24	4.8	4.8	3.9	4.2	4.1	4.1	5.6	4.9
2/3/2012	1	4.8	4.7	3.9	4.1	4.1	4.0	5.6	4.8
2/3/2012	2	4.7	4.7	3.8	4.0	4.0	3.9	5.5	4.8
2/3/2012	3	4.7	4.7	3.7	3.9	3.9	3.8	5.5	4.8
2/3/2012	4	4.7	4.6	3.7	3.8	3.8	3.7	5.5	4.7
2/3/2012	5	4.7	4.6	3.7	3.7	3.7	3.6	5.4	4.7
2/3/2012	6	4.6	4.6	3.6	3.6	3.6	3.6	5.4	4.6
2/3/2012	7	4.6	4.5	3.6	3.6	3.6	3.5	5.3	4.6
2/3/2012	8	4.6	4.5	3.6	3.5	3.5	3.4	5.3	4.6
2/3/2012	9	4.5	4.5	3.6	3.5	3.5	3.4	5.3	4.6
2/3/2012	10	4.6	4.6	3.9	3.6	3.5	3.5	5.3	4.6
2/3/2012	11	4.6	4.6	4.3	3.9	3.6	3.7	5.4	4.6
2/3/2012	12	4.6	4.7	4.7	3.8	3.6	3.9	5.5	4.7
2/3/2012	13	4.7	4.8	5.1	4.0	3.9	4.0	5.5	4.8
2/3/2012	14	4.8	4.8	5.3	4.4	4.4	4.3	5.6	4.9
2/3/2012	15	4.8	4.9	5.2	4.8	4.9	4.7	5.6	5.0
2/3/2012	16	4.9	4.9	4.9	5.3	5.3	5.1	5.7	5.0
2/3/2012	17	4.9	4.9	4.7	5.4	5.5	5.3	5.7	5.1
2/3/2012	18	4.9	4.9	4.4	5.4	5.4	5.3	5.7	5.1
2/3/2012	19	4.9	4.9	4.2	5.1	5.1	5.1	5.7	5.1
2/3/2012	20	4.9	4.9	4.0	4.8	4.8	4.9	5.7	5.0
2/3/2012	21	4.9	4.9	3.9	4.6	4.5	4.6	5.7	5.0
2/3/2012	22	4.9	4.9	3.9	4.3	4.3	4.3	5.6	4.9
2/3/2012	23	4.9	4.8	3.8	4.1	4.1	4.1	5.6	4.9
2/3/2012	24	4.8	4.8	3.7	3.9	3.9	3.9	5.6	4.9
2/4/2012	1	4.8	4.7	3.7	3.8	3.8	3.7	5.6	4.8
2/4/2012	2	4.8	4.7	3.6	3.7	3.7	3.6	5.5	4.8
2/4/2012	3	4.7	4.7	3.6	3.6	3.6	3.5	5.5	4.7
2/4/2012	4	4.7	4.6	3.6	3.5	3.5	3.4	5.4	4.7
2/4/2012	5	4.7	4.6	3.5	3.5	3.5	3.4	5.4	4.6
2/4/2012	6	4.6	4.6	3.5	3.5	3.4	3.3	5.3	4.6
2/4/2012	7	4.6	4.5	3.5	3.4	3.4	3.3	5.3	4.6
2/4/2012	8	4.5	4.5	3.5	3.4	3.4	3.2	5.3	4.5
2/4/2012	9	4.5	4.5	3.5	3.4	3.4	3.2	5.3	4.5
2/4/2012	10	4.5	4.5	3.9	3.6	3.5	3.5	5.3	4.5
2/4/2012	11	4.5	4.5	4.3	3.6	3.5	3.7	5.4	4.5
2/4/2012	12	4.6	4.6	4.7	3.8	3.6	3.8	5.4	4.6

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/4/2012	13	4.6	4.7	5.2	4.0	3.9	4.0	5.5	4.7
2/4/2012	14	4.7	4.8	5.3	4.4	4.4	4.4	5.5	4.8
2/4/2012	15	4.8	4.8	5.2	4.9	4.9	4.8	5.6	4.9
2/4/2012	16	4.8	4.9	4.9	5.4	5.4	5.2	5.7	4.9
2/4/2012	17	4.9	4.9	4.6	5.5	5.5	5.4	5.7	5.0
2/4/2012	18	4.9	4.9	4.4	5.4	5.4	5.4	5.7	5.0
2/4/2012	19	4.9	4.9	4.1	5.1	5.1	5.2	5.6	5.0
2/4/2012	20	4.9	4.9	4.0	4.8	4.8	4.9	5.6	5.0
2/4/2012	21	4.9	4.8	3.9	4.5	4.5	4.6	5.6	4.9
2/4/2012	22	4.9	4.8	3.7	4.2	4.2	4.2	5.6	4.9
2/4/2012	23	4.8	4.8	3.7	4.0	4.0	4.0	5.6	4.9
2/4/2012	24	4.8	4.7	3.7	3.8	3.8	3.8	5.6	4.8
2/5/2012	1	4.8	4.7	3.6	3.7	3.7	3.6	5.5	4.8
2/5/2012	2	4.7	4.7	3.6	3.6	3.6	3.5	5.5	4.7
2/5/2012	3	4.7	4.6	3.5	3.5	3.5	3.4	5.4	4.7
2/5/2012	4	4.7	4.6	3.5	3.5	3.5	3.4	5.4	4.6
2/5/2012	5	4.6	4.6	3.5	3.4	3.4	3.3	5.3	4.6
2/5/2012	6	4.6	4.5	3.5	3.4	3.4	3.3	5.3	4.6
2/5/2012	7	4.5	4.5	3.4	3.3	3.3	3.2	5.2	4.5
2/5/2012	8	4.5	4.5	3.4	3.3	3.3	3.2	5.2	4.5
2/5/2012	9	4.5	4.4	3.4	3.3	3.3	3.2	5.2	4.5
2/5/2012	10	4.4	4.4	3.8	3.5	3.4	3.4	5.3	4.5
2/5/2012	11	4.5	4.5	4.1	3.5	3.4	3.5	5.3	4.5
2/5/2012	12	4.5	4.6	4.6	3.7	3.5	3.7	5.4	4.6
2/5/2012	13	4.6	4.7	5.0	3.8	3.8	3.9	5.4	4.7
2/5/2012	14	4.7	4.8	5.1	4.3	4.2	4.2	5.5	4.8
2/5/2012	15	4.8	4.8	5.2	4.7	4.8	4.6	5.6	4.9
2/5/2012	16	4.9	4.9	4.9	5.2	5.2	4.9	5.6	4.9
2/5/2012	17	4.9	4.9	4.7	5.4	5.4	5.2	5.6	4.9
2/5/2012	18	4.9	4.9	4.4	5.3	5.4	5.3	5.6	5.0
2/5/2012	19	4.9	4.9	4.2	5.1	5.1	5.1	5.5	5.0
2/5/2012	20	4.9	4.9	4.0	4.9	4.8	4.9	5.5	4.9
2/5/2012	21	4.9	4.8	3.9	4.5	4.6	4.6	5.5	4.9
2/5/2012	22	4.8	4.8	3.8	4.3	4.3	4.3	5.5	4.8
2/5/2012	23	4.8	4.8	3.7	4.0	4.0	4.0	5.5	4.8
2/5/2012	24	4.8	4.7	3.7	3.9	3.9	3.8	5.5	4.8
2/6/2012	1	4.7	4.7	3.6	3.7	3.7	3.7	5.4	4.7
2/6/2012	2	4.7	4.6	3.6	3.6	3.6	3.5	5.4	4.6
2/6/2012	3	4.6	4.5	3.5	3.6	3.6	3.5	5.3	4.6
2/6/2012	4	4.6	4.5	3.5	3.5	3.5	3.4	5.3	4.5
2/6/2012	5	4.5	4.4	3.4	3.4	3.4	3.4	5.2	4.5
2/6/2012	6	4.5	4.4	3.4	3.4	3.3	3.3	5.2	4.4
2/6/2012	7	4.4	4.4	3.4	3.3	3.3	3.2	5.1	4.4
2/6/2012	8	4.4	4.3	3.4	3.3	3.2	3.2	5.1	4.4
2/6/2012	9	4.4	4.4	3.4	3.3	3.2	3.2	5.1	4.4
2/6/2012	10	4.3	4.4	3.6	3.3	3.3	3.2	5.2	4.3

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/6/2012	11	4.4	4.4	4.1	3.5	3.3	3.4	5.2	4.4
2/6/2012	12	4.4	4.4	4.5	3.6	3.4	3.6	5.3	4.5
2/6/2012	13	4.5	4.5	4.9	3.7	3.6	3.8	5.3	4.6
2/6/2012	14	4.6	4.6	5.1	4.1	4.1	4.1	5.4	4.7
2/6/2012	15	4.7	4.7	5.0	4.6	4.6	4.5	5.4	4.8
2/6/2012	16	4.7	4.7	4.7	5.1	5.0	4.8	5.5	4.8
2/6/2012	17	4.7	4.7	4.5	5.2	5.2	5.0	5.5	4.9
2/6/2012	18	4.8	4.7	4.1	5.1	5.2	5.1	5.5	4.8
2/6/2012	19	4.8	4.7	3.9	4.9	4.9	4.9	5.4	4.8
2/6/2012	20	4.8	4.7	3.8	4.6	4.6	4.6	5.4	4.8
2/6/2012	21	4.7	4.7	3.7	4.2	4.3	4.3	5.4	4.8
2/6/2012	22	4.7	4.7	3.6	4.0	4.0	4.0	5.4	4.8
2/6/2012	23	4.7	4.6	3.6	3.8	3.8	3.8	5.4	4.7
2/6/2012	24	4.6	4.6	3.6	3.7	3.7	3.6	5.4	4.7
2/7/2012	1	4.6	4.6	3.5	3.6	3.6	3.5	5.3	4.6
2/7/2012	2	4.6	4.5	3.5	3.5	3.5	3.4	5.3	4.6
2/7/2012	3	4.5	4.5	3.4	3.5	3.4	3.4	5.3	4.5
2/7/2012	4	4.5	4.4	3.4	3.4	3.4	3.3	5.2	4.5
2/7/2012	5	4.5	4.4	3.3	3.3	3.3	3.2	5.2	4.5
2/7/2012	6	4.4	4.4	3.3	3.2	3.2	3.1	5.2	4.4
2/7/2012	7	4.4	4.3	3.3	3.2	3.1	3.1	5.1	4.4
2/7/2012	8	4.4	4.3	3.2	3.1	3.1	3.0	5.1	4.4
2/7/2012	9	4.4	4.3	3.3	3.1	3.0	2.9	5.2	4.4
2/7/2012	10	4.4	4.4	3.6	3.2	3.1	3.1	5.2	4.4
2/7/2012	11	4.4	4.4	4.0	3.4	3.2	3.3	5.3	4.4
2/7/2012	12	4.4	4.5	4.4	3.5	3.3	3.5	5.3	4.5
2/7/2012	13	4.5	4.6	4.9	3.6	3.6	3.7	5.4	4.6
2/7/2012	14	4.6	4.7	5.1	4.1	4.1	4.1	5.4	4.7
2/7/2012	15	4.7	4.7	5.1	4.6	4.6	4.5	5.5	4.8
2/7/2012	16	4.7	4.7	4.8	5.1	5.1	4.9	5.5	4.9
2/7/2012	17	4.8	4.8	4.5	5.3	5.3	5.1	5.5	4.9
2/7/2012	18	4.8	4.8	4.2	5.2	5.2	5.2	5.5	4.9
2/7/2012	19	4.8	4.8	4.0	4.9	4.9	5.0	5.5	4.9
2/7/2012	20	4.8	4.7	3.8	4.7	4.7	4.7	5.5	4.8
2/7/2012	21	4.8	4.7	3.7	4.4	4.4	4.4	5.4	4.8
2/7/2012	22	4.7	4.7	3.7	4.1	4.1	4.1	5.4	4.8
2/7/2012	23	4.7	4.7	3.7	3.9	3.9	3.9	5.4	4.7
2/7/2012	24	4.7	4.7	3.7	3.8	3.8	3.8	5.4	4.7
2/8/2012	1	4.7	4.7	3.8	3.8	3.7	3.7	5.4	4.7
2/8/2012	2	4.6	4.6	3.9	3.8	3.7	3.7	5.4	4.7
2/8/2012	3	4.6	4.6	3.9	3.8	3.8	3.7	5.4	4.6
2/8/2012	4	4.6	4.6	4.0	3.9	3.9	3.8	5.4	4.6
2/8/2012	5	4.6	4.6	3.9	3.9	3.9	3.9	5.3	4.6
2/8/2012	6	4.6	4.6	3.9	4.0	4.0	3.9	5.3	4.6
2/8/2012	7	4.6	4.6	3.9	4.0	4.0	4.0	5.3	4.7
2/8/2012	8	4.6	4.7	4.0	4.1	4.1	4.0	5.3	4.7

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/8/2012	9	4.6	4.7	4.0	4.1	4.1	4.1	5.4	4.7
2/8/2012	10	4.7	4.7	4.1	4.2	4.1	4.1	5.4	4.7
2/8/2012	11	4.7	4.8	4.4	4.3	4.3	4.3	5.5	4.7
2/8/2012	12	4.7	4.9	4.7	4.5	4.4	4.5	5.5	4.8
2/8/2012	13	4.8	4.9	5.0	4.7	4.6	4.7	5.6	4.8
2/8/2012	14	4.8	4.9	5.2	4.9	4.9	5.0	5.6	4.9
2/8/2012	15	4.9	5.1	5.3	5.3	5.2	5.3	5.6	5.0
2/8/2012	16	4.9	5.1	5.1	5.5	5.5	5.4	5.7	5.0
2/8/2012	17	5.0	5.1	4.9	5.7	5.7	5.6	5.7	5.1
2/8/2012	18	5.0	5.1	4.8	5.7	5.7	5.7	5.7	5.1
2/8/2012	19	5.0	5.1	4.6	5.6	5.6	5.6	5.7	5.1
2/8/2012	20	5.0	5.1	4.5	5.5	5.5	5.5	5.7	5.1
2/8/2012	21	5.0	5.1	4.4	5.3	5.3	5.3	5.7	5.0
2/8/2012	22	5.0	5.0	4.4	5.1	5.1	5.2	5.6	5.0
2/8/2012	23	4.9	5.0	4.4	4.9	4.9	5.0	5.6	5.0
2/8/2012	24	4.9	5.0	4.4	4.9	4.9	4.9	5.6	4.9
2/9/2012	1	4.9	4.9	4.4	4.8	4.8	4.8	5.6	4.9
2/9/2012	2	4.9	4.9	4.3	4.8	4.7	4.8	5.6	4.9
2/9/2012	3	4.9	4.9	4.2	4.7	4.7	4.7	5.6	4.8
2/9/2012	4	4.8	4.8	4.2	4.7	4.7	4.6	5.5	4.8
2/9/2012	5	4.8	4.8	4.2	4.6	4.6	4.6	5.5	4.8
2/9/2012	6	4.8	4.8	4.1	4.6	4.6	4.6	5.5	4.8
2/9/2012	7	4.7	4.8	4.2	4.6	4.5	4.5	5.4	4.7
2/9/2012	8	4.7	4.8	4.2	4.5	4.5	4.5	5.4	4.7
2/9/2012	9	4.7	4.8	4.2	4.5	4.5	4.5	5.5	4.7
2/9/2012	10	4.7	4.8	4.2	4.6	4.5	4.5	5.5	4.7
2/9/2012	11	4.7	4.8	4.4	4.6	4.6	4.6	5.5	4.7
2/9/2012	12	4.7	4.9	4.5	4.7	4.7	4.7	5.5	4.8
2/9/2012	13	4.8	4.9	4.7	4.9	4.8	4.9	5.5	4.8
2/9/2012	14	4.8	4.9	4.8	5.1	5.0	5.0	5.6	4.9
2/9/2012	15	4.9	5.0	4.8	5.2	5.1	5.1	5.6	4.9
2/9/2012	16	4.9	5.0	4.7	5.4	5.3	5.3	5.6	4.9
2/9/2012	17	4.9	5.0	4.8	5.4	5.4	5.4	5.6	5.0
2/9/2012	18	4.9	5.0	4.7	5.4	5.4	5.4	5.6	5.0
2/9/2012	19	4.9	5.0	4.5	5.4	5.4	5.4	5.6	5.0
2/9/2012	20	4.9	5.0	4.4	5.4	5.3	5.4	5.6	5.0
2/9/2012	21	4.9	5.0	4.4	5.3	5.2	5.3	5.6	5.0
2/9/2012	22	4.9	5.0	4.4	5.1	5.1	5.2	5.6	5.0
2/9/2012	23	4.9	5.0	4.4	5.1	5.0	5.1	5.6	5.0
2/9/2012	24	4.9	5.0	4.4	5.0	4.9	5.0	5.6	5.0
2/10/2012	1	4.9	5.0	4.4	4.9	4.9	4.9	5.6	4.9
2/10/2012	2	4.9	5.0	4.3	4.9	4.9	4.9	5.6	4.9
2/10/2012	3	4.9	4.9	4.3	4.9	4.9	4.9	5.6	4.9
2/10/2012	4	4.9	4.9	4.3	4.9	4.9	4.9	5.6	4.9
2/10/2012	5	4.9	4.9	4.4	4.9	4.9	4.8	5.6	4.9
2/10/2012	6	4.9	4.9	4.3	4.9	4.8	4.8	5.6	4.9

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/10/2012	7	4.9	4.9	4.3	4.9	4.8	4.8	5.6	4.9
2/10/2012	8	4.9	4.9	4.4	4.9	4.8	4.8	5.6	4.9
2/10/2012	9	4.9	4.9	4.3	4.9	4.8	4.8	5.6	4.9
2/10/2012	10	4.8	4.9	4.2	4.8	4.8	4.8	5.6	4.9
2/10/2012	11	4.8	4.9	4.2	4.8	4.8	4.8	5.6	4.8
2/10/2012	12	4.8	4.9	4.3	4.9	4.8	4.9	5.6	4.8
2/10/2012	13	4.8	4.9	4.3	4.9	4.8	4.8	5.6	4.8
2/10/2012	14	4.8	4.9	4.4	4.9	4.9	4.9	5.6	4.9
2/10/2012	15	4.9	5.0	4.5	5.1	5.0	5.1	5.6	4.9
2/10/2012	16	4.9	5.0	4.5	5.2	5.1	5.1	5.6	4.9
2/10/2012	17	4.9	5.0	4.5	5.2	5.2	5.2	5.6	4.9
2/10/2012	18	4.9	5.0	4.4	5.3	5.3	5.2	5.6	4.9
2/10/2012	19	4.9	5.0	4.4	5.3	5.3	5.3	5.6	4.9
2/10/2012	20	4.9	5.0	4.3	5.2	5.2	5.2	5.6	4.9
2/10/2012	21	4.9	5.0	4.2	5.2	5.2	5.2	5.6	4.9
2/10/2012	22	4.9	5.0	4.3	5.1	5.1	5.1	5.6	4.9
2/10/2012	23	4.9	4.9	4.3	5.1	5.0	5.1	5.6	4.9
2/10/2012	24	4.9	4.9	4.2	5.1	5.0	5.0	5.6	4.9
2/11/2012	1	4.9	4.9	4.3	5.0	5.0	5.0	5.6	4.9
2/11/2012	2	4.9	4.9	4.3	5.0	5.0	5.0	5.6	4.9
2/11/2012	3	4.9	4.9	4.2	5.0	5.0	5.0	5.6	4.9
2/11/2012	4	4.9	4.9	4.3	5.0	5.0	5.0	5.6	4.9
2/11/2012	5	4.9	4.9	4.2	5.0	5.0	5.0	5.6	4.9
2/11/2012	6	4.9	4.9	4.2	5.0	5.0	5.0	5.6	4.9
2/11/2012	7	4.9	4.9	4.1	5.0	5.0	5.0	5.6	4.9
2/11/2012	8	4.9	4.9	4.2	5.0	5.0	5.0	5.6	4.9
2/11/2012	9	4.9	5.0	4.2	5.1	5.0	5.0	5.7	4.9
2/11/2012	10	4.9	5.1	4.3	5.1	5.1	5.1	5.7	4.9
2/11/2012	11	4.9	5.1	4.5	5.3	5.2	5.3	5.8	5.0
2/11/2012	12	5.0	5.2	5.1	5.4	5.3	5.5	5.8	5.1
2/11/2012	13	5.0	5.3	5.3	5.7	5.6	5.7	5.9	5.2
2/11/2012	14	5.1	5.3	5.3	5.9	5.8	5.9	5.9	5.2
2/11/2012	15	5.2	5.4	5.3	6.2	6.1	6.2	6.0	5.3
2/11/2012	16	5.2	5.4	5.4	6.4	6.4	6.3	6.0	5.4
2/11/2012	17	5.3	5.4	5.1	6.5	6.5	6.4	6.0	5.4
2/11/2012	18	5.3	5.4	5.0	6.5	6.4	6.5	6.0	5.4
2/11/2012	19	5.3	5.4	4.9	6.3	6.3	6.4	6.0	5.4
2/11/2012	20	5.3	5.4	4.7	6.1	6.1	6.2	6.0	5.4
2/11/2012	21	5.3	5.4	4.5	5.9	5.9	6.0	6.0	5.4
2/11/2012	22	5.3	5.3	4.5	5.8	5.7	5.8	6.0	5.3
2/11/2012	23	5.3	5.3	4.7	5.6	5.6	5.7	6.0	5.3
2/11/2012	24	5.2	5.3	4.6	5.6	5.5	5.6	6.0	5.3
2/12/2012	1	5.2	5.3	4.7	5.5	5.5	5.5	6.0	5.3
2/12/2012	2	5.2	5.3	4.6	5.5	5.5	5.5	5.9	5.2
2/12/2012	3	5.1	5.2	4.5	5.5	5.5	5.5	5.9	5.2
2/12/2012	4	5.1	5.2	4.6	5.5	5.4	5.5	5.9	5.2

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/12/2012	5	5.1	5.2	4.6	5.4	5.4	5.4	5.9	5.2
2/12/2012	6	5.1	5.2	4.6	5.4	5.4	5.4	5.9	5.1
2/12/2012	7	5.1	5.2	4.4	5.4	5.4	5.4	5.8	5.1
2/12/2012	8	5.1	5.2	4.6	5.4	5.3	5.3	5.9	5.1
2/12/2012	9	5.1	5.2	4.6	5.4	5.3	5.4	5.9	5.1
2/12/2012	10	5.1	5.3	4.5	5.4	5.3	5.4	5.9	5.2
2/12/2012	11	5.1	5.3	4.7	5.5	5.4	5.5	6.0	5.2
2/12/2012	12	5.1	5.4	5.0	5.8	5.6	5.7	6.0	5.3
2/12/2012	13	5.2	5.5	5.0	6.0	5.8	6.1	6.1	5.3
2/12/2012	14	5.2	5.5	5.2	6.2	6.1	6.3	6.1	5.4
2/12/2012	15	5.3	5.5	5.4	6.4	6.4	6.4	6.1	5.5
2/12/2012	16	5.3	5.5	5.2	6.6	6.6	6.5	6.2	5.5
2/12/2012	17	5.3	5.5	5.0	6.6	6.6	6.6	6.1	5.5
2/12/2012	18	5.3	5.5	4.7	6.5	6.5	6.6	6.1	5.5
2/12/2012	19	5.3	5.5	4.7	6.4	6.3	6.4	6.1	5.5
2/12/2012	20	5.3	5.5	4.6	6.1	6.1	6.2	6.1	5.5
2/12/2012	21	5.3	5.5	4.5	5.9	5.9	6.0	6.1	5.4
2/12/2012	22	5.3	5.5	4.4	5.8	5.7	5.8	6.1	5.4
2/12/2012	23	5.3	5.4	4.5	5.7	5.6	5.7	6.1	5.4
2/12/2012	24	5.3	5.4	4.5	5.6	5.6	5.6	6.1	5.4
2/13/2012	1	5.3	5.4	4.5	5.6	5.5	5.6	6.1	5.4
2/13/2012	2	5.3	5.4	4.6	5.5	5.5	5.5	6.1	5.4
2/13/2012	3	5.3	5.4	4.5	5.5	5.5	5.5	6.1	5.4
2/13/2012	4	5.3	5.4	4.6	5.5	5.5	5.5	6.1	5.3
2/13/2012	5	5.3	5.3	4.5	5.5	5.4	5.4	6.0	5.3
2/13/2012	6	5.3	5.3	4.5	5.4	5.4	5.4	6.0	5.3
2/13/2012	7	5.2	5.3	4.4	5.4	5.3	5.3	6.0	5.3
2/13/2012	8	5.3	5.3	4.4	5.4	5.3	5.3	6.0	5.3
2/13/2012	9	5.2	5.4	4.4	5.4	5.3	5.3	6.1	5.3
2/13/2012	10	5.2	5.4	4.6	5.4	5.4	5.5	6.1	5.3
2/13/2012	11	5.3	5.5	4.8	5.5	5.4	5.5	6.2	5.4
2/13/2012	12	5.3	5.6	5.1	5.8	5.6	5.7	6.2	5.4
2/13/2012	13	5.4	5.6	5.2	5.9	5.9	6.0	6.2	5.5
2/13/2012	14	5.4	5.6	5.3	6.3	6.2	6.3	6.3	5.6
2/13/2012	15	5.4	5.6	5.2	6.4	6.4	6.5	6.3	5.6
2/13/2012	16	5.5	5.6	5.1	6.7	6.7	6.6	6.3	5.7
2/13/2012	17	5.5	5.6	4.8	6.9	6.9	6.8	6.3	5.7
2/13/2012	18	5.5	5.6	4.7	6.8	6.8	6.8	6.3	5.7
2/13/2012	19	5.5	5.6	4.5	6.5	6.5	6.6	6.3	5.7
2/13/2012	20	5.5	5.6	4.4	6.2	6.2	6.3	6.3	5.6
2/13/2012	21	5.5	5.6	4.3	5.9	5.9	6.0	6.3	5.6
2/13/2012	22	5.5	5.5	4.2	5.6	5.6	5.6	6.3	5.5
2/13/2012	23	5.4	5.5	4.1	5.3	5.3	5.3	6.3	5.5
2/13/2012	24	5.4	5.4	4.0	5.1	5.1	5.1	6.2	5.4
2/14/2012	1	5.4	5.4	4.0	4.9	4.9	4.9	6.2	5.4
2/14/2012	2	5.3	5.3	4.0	4.8	4.8	4.8	6.1	5.3

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/14/2012	3	5.3	5.3	4.0	4.7	4.7	4.7	6.1	5.3
2/14/2012	4	5.2	5.2	4.0	4.6	4.6	4.6	6.0	5.3
2/14/2012	5	5.2	5.2	4.0	4.6	4.6	4.5	6.0	5.2
2/14/2012	6	5.2	5.2	3.9	4.5	4.5	4.5	5.9	5.2
2/14/2012	7	5.1	5.2	4.0	4.5	4.5	4.5	5.9	5.2
2/14/2012	8	5.1	5.1	4.0	4.5	4.5	4.5	5.9	5.1
2/14/2012	9	5.1	5.1	4.1	4.6	4.5	4.5	5.9	5.1
2/14/2012	10	5.0	5.1	4.0	4.6	4.6	4.6	5.9	5.1
2/14/2012	11	5.1	5.2	4.3	4.7	4.7	4.7	5.9	5.1
2/14/2012	12	5.1	5.3	4.3	4.9	4.8	4.9	5.9	5.2
2/14/2012	13	5.1	5.3	4.5	5.1	4.9	5.0	5.9	5.2
2/14/2012	14	5.1	5.4	4.5	5.3	5.2	5.3	6.0	5.2
2/14/2012	15	5.2	5.3	4.5	5.4	5.4	5.4	6.0	5.3
2/14/2012	16	5.2	5.3	4.5	5.6	5.6	5.6	6.0	5.3
2/14/2012	17	5.3	5.3	4.4	5.7	5.7	5.6	5.9	5.3
2/14/2012	18	5.3	5.3	4.3	5.7	5.7	5.6	5.9	5.3
2/14/2012	19	5.2	5.2	4.0	5.5	5.6	5.5	5.9	5.3
2/14/2012	20	5.2	5.2	4.0	5.3	5.3	5.3	5.9	5.2
2/14/2012	21	5.2	5.2	3.8	5.0	5.0	5.1	5.9	5.2
2/14/2012	22	5.1	5.1	3.7	4.7	4.8	4.8	5.9	5.2
2/14/2012	23	5.1	5.1	3.7	4.5	4.5	4.5	5.9	5.1
2/14/2012	24	5.0	5.0	3.6	4.4	4.4	4.3	5.8	5.1
2/15/2012	1	5.0	5.0	3.6	4.2	4.2	4.2	5.8	5.0
2/15/2012	2	5.0	4.9	3.5	4.1	4.1	4.1	5.7	4.9
2/15/2012	3	4.9	4.9	3.5	4.1	4.0	4.0	5.7	4.9
2/15/2012	4	4.9	4.8	3.5	4.0	4.0	3.9	5.6	4.9
2/15/2012	5	4.9	4.8	3.5	3.9	3.9	3.8	5.6	4.8
2/15/2012	6	4.8	4.7	3.4	3.8	3.9	3.7	5.5	4.8
2/15/2012	7	4.8	4.7	3.4	3.8	3.8	3.7	5.5	4.7
2/15/2012	8	4.7	4.7	3.4	3.8	3.8	3.7	5.5	4.7
2/15/2012	9	4.7	4.7	3.4	3.9	3.8	3.7	5.6	4.7
2/15/2012	10	4.7	4.7	3.8	4.1	3.9	4.0	5.7	4.8
2/15/2012	11	4.8	4.8	4.0	4.1	3.9	4.1	5.8	4.8
2/15/2012	12	4.9	5.0	4.3	4.3	4.1	4.3	5.8	5.0
2/15/2012	13	5.0	5.1	4.5	4.6	4.5	4.6	5.9	5.1
2/15/2012	14	5.1	5.2	4.6	5.1	5.0	5.0	6.0	5.3
2/15/2012	15	5.2	5.3	4.6	5.7	5.7	5.6	6.1	5.4
2/15/2012	16	5.3	5.4	4.6	6.2	6.2	6.0	6.1	5.4
2/15/2012	17	5.3	5.4	4.8	6.4	6.4	6.2	6.1	5.5
2/15/2012	18	5.3	5.4	4.8	6.3	6.3	6.3	6.0	5.4
2/15/2012	19	5.3	5.3	4.5	6.0	6.0	6.1	6.0	5.4
2/15/2012	20	5.3	5.3	4.2	5.7	5.7	5.7	6.0	5.4
2/15/2012	21	5.3	5.3	4.1	5.3	5.3	5.4	6.0	5.3
2/15/2012	22	5.2	5.2	4.0	5.0	5.0	5.1	6.0	5.2
2/15/2012	23	5.1	5.2	4.0	4.8	4.7	4.8	5.9	5.2
2/15/2012	24	5.1	5.1	3.9	4.6	4.6	4.6	5.9	5.1

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/16/2012	1	5.0	5.0	3.8	4.5	4.4	4.4	5.9	5.1
2/16/2012	2	5.0	5.0	3.9	4.4	4.4	4.3	5.8	5.0
2/16/2012	3	5.0	4.9	3.9	4.3	4.3	4.2	5.8	5.0
2/16/2012	4	4.9	4.9	3.9	4.3	4.3	4.2	5.7	5.0
2/16/2012	5	4.9	4.9	3.9	4.2	4.2	4.2	5.7	4.9
2/16/2012	6	4.9	4.9	3.8	4.2	4.2	4.2	5.7	4.9
2/16/2012	7	4.9	4.9	3.8	4.3	4.2	4.2	5.6	4.9
2/16/2012	8	4.9	4.9	3.8	4.3	4.2	4.2	5.6	4.9
2/16/2012	9	4.9	4.9	3.8	4.3	4.3	4.2	5.7	4.9
2/16/2012	10	4.9	4.9	4.0	4.4	4.3	4.3	5.7	4.9
2/16/2012	11	4.9	5.0	4.0	4.5	4.4	4.4	5.7	4.9
2/16/2012	12	4.9	5.1	4.2	4.6	4.5	4.6	5.8	5.0
2/16/2012	13	4.9	5.2	4.4	4.9	4.7	4.8	5.8	5.0
2/16/2012	14	5.0	5.2	4.7	5.1	5.0	5.0	5.8	5.1
2/16/2012	15	5.1	5.2	4.8	5.3	5.3	5.2	5.9	5.2
2/16/2012	16	5.1	5.2	4.6	5.5	5.5	5.4	5.9	5.2
2/16/2012	17	5.1	5.2	4.5	5.7	5.7	5.6	5.9	5.2
2/16/2012	18	5.1	5.2	4.4	5.7	5.7	5.7	5.9	5.2
2/16/2012	19	5.1	5.2	4.3	5.7	5.6	5.6	5.9	5.2
2/16/2012	20	5.1	5.2	4.2	5.5	5.5	5.6	5.9	5.2
2/16/2012	21	5.1	5.2	4.1	5.3	5.3	5.4	5.9	5.2
2/16/2012	22	5.1	5.2	4.2	5.2	5.2	5.2	5.9	5.2
2/16/2012	23	5.1	5.2	4.1	5.1	5.1	5.1	5.9	5.1
2/16/2012	24	5.1	5.1	4.2	5.1	5.0	5.0	5.9	5.1
2/17/2012	1	5.0	5.1	4.0	5.0	5.0	5.0	5.8	5.1
2/17/2012	2	5.0	5.1	4.3	5.0	5.0	4.9	5.8	5.1
2/17/2012	3	5.0	5.1	4.1	5.0	4.9	4.9	5.8	5.1
2/17/2012	4	5.0	5.1	4.0	5.0	4.9	4.9	5.8	5.1
2/17/2012	5	5.0	5.1	4.0	4.9	4.9	4.9	5.8	5.0
2/17/2012	6	5.0	5.0	4.0	4.9	4.9	4.9	5.7	5.0
2/17/2012	7	5.0	5.0	4.0	4.9	4.9	4.8	5.7	5.0
2/17/2012	8	4.9	5.0	4.0	4.9	4.8	4.8	5.7	4.9
2/17/2012	9	4.9	5.0	4.0	4.9	4.8	4.9	5.7	4.9
2/17/2012	10	4.9	5.1	4.1	4.9	4.9	4.9	5.8	5.0
2/17/2012	11	5.0	5.2	4.2	5.1	4.9	5.1	5.8	5.0
2/17/2012	12	5.0	5.2	4.5	5.2	5.1	5.1	5.8	5.1
2/17/2012	13	5.0	5.2	4.4	5.3	5.2	5.2	5.8	5.1
2/17/2012	14	5.0	5.2	4.4	5.5	5.4	5.4	5.8	5.2
2/17/2012	15	5.1	5.2	4.3	5.6	5.6	5.5	5.8	5.2
2/17/2012	16	5.1	5.2	4.2	5.6	5.6	5.6	5.8	5.2
2/17/2012	17	5.1	5.2	4.1	5.6	5.6	5.6	5.8	5.2
2/17/2012	18	5.1	5.1	3.9	5.5	5.5	5.5	5.8	5.2
2/17/2012	19	5.1	5.1	3.7	5.2	5.2	5.2	5.8	5.1
2/17/2012	20	5.0	5.0	3.5	4.9	5.0	4.9	5.8	5.1
2/17/2012	21	5.0	4.9	3.4	4.5	4.6	4.6	5.7	5.0
2/17/2012	22	4.9	4.9	3.5	4.4	4.4	4.5	5.7	4.9

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/17/2012	23	4.9	4.9	3.6	4.2	4.2	4.2	5.7	4.9
2/17/2012	24	4.9	4.9	3.6	4.1	4.1	4.0	5.7	4.9
2/18/2012	1	4.9	4.9	3.7	4.1	4.1	4.0	5.7	4.9
2/18/2012	2	4.9	4.9	3.6	4.2	4.2	4.1	5.7	4.8
2/18/2012	3	4.8	4.8	3.7	4.2	4.2	4.1	5.6	4.8
2/18/2012	4	4.8	4.8	3.8	4.3	4.3	4.1	5.6	4.8
2/18/2012	5	4.8	4.8	3.7	4.4	4.4	4.2	5.6	4.8
2/18/2012	6	4.8	4.8	3.7	4.4	4.4	4.2	5.6	4.8
2/18/2012	7	4.8	4.8	3.6	4.4	4.4	4.3	5.6	4.8
2/18/2012	8	4.8	4.8	3.6	4.4	4.4	4.3	5.6	4.8
2/18/2012	9	4.8	4.8	3.7	4.5	4.4	4.4	5.6	4.8
2/18/2012	10	4.8	4.9	3.9	4.5	4.4	4.5	5.7	4.8
2/18/2012	11	4.8	5.0	4.0	4.6	4.5	4.6	5.7	4.8
2/18/2012	12	4.9	5.1	4.2	4.8	4.7	4.8	5.7	4.9
2/18/2012	13	4.9	5.2	4.4	5.1	5.0	5.1	5.7	5.0
2/18/2012	14	5.0	5.3	4.5	5.4	5.4	5.4	5.7	5.1
2/18/2012	15	5.1	5.2	4.5	5.7	5.6	5.6	5.8	5.2
2/18/2012	16	5.1	5.3	4.3	5.9	5.8	5.7	5.8	5.2
2/18/2012	17	5.2	5.2	4.3	6.0	6.0	5.8	5.8	5.3
2/18/2012	18	5.2	5.2	4.3	6.0	6.0	5.9	5.9	5.3
2/18/2012	19	5.2	5.2	4.0	5.8	5.8	5.8	5.9	5.3
2/18/2012	20	5.2	5.2	3.9	5.5	5.5	5.6	5.9	5.3
2/18/2012	21	5.2	5.2	3.8	5.3	5.3	5.4	5.9	5.2
2/18/2012	22	5.1	5.2	3.7	5.1	5.1	5.1	5.9	5.2
2/18/2012	23	5.1	5.1	3.6	4.8	4.8	4.8	5.9	5.1
2/18/2012	24	5.1	5.1	3.6	4.6	4.6	4.6	5.8	5.1
2/19/2012	1	5.0	5.0	3.6	4.5	4.5	4.5	5.8	5.0
2/19/2012	2	5.0	5.0	3.6	4.4	4.4	4.4	5.7	5.0
2/19/2012	3	4.9	4.9	3.6	4.4	4.4	4.3	5.7	4.9
2/19/2012	4	4.9	4.9	3.5	4.3	4.3	4.2	5.6	4.9
2/19/2012	5	4.9	4.8	3.5	4.3	4.2	4.2	5.6	4.9
2/19/2012	6	4.9	4.8	3.4	4.2	4.2	4.1	5.6	4.8
2/19/2012	7	4.8	4.8	3.5	4.1	4.1	4.0	5.6	4.8
2/19/2012	8	4.8	4.8	3.4	4.1	4.0	4.0	5.6	4.8
2/19/2012	9	4.8	4.8	3.4	4.2	4.1	4.0	5.7	4.8
2/19/2012	10	4.8	4.9	3.6	4.2	4.1	4.2	5.7	4.8
2/19/2012	11	4.8	5.1	4.0	4.3	4.2	4.4	5.7	4.9
2/19/2012	12	4.9	5.2	4.1	4.6	4.5	4.5	5.7	5.0
2/19/2012	13	5.0	5.3	4.3	5.0	4.9	4.9	5.7	5.1
2/19/2012	14	5.0	5.3	4.5	5.4	5.4	5.3	5.8	5.1
2/19/2012	15	5.1	5.3	4.5	5.8	5.7	5.6	5.8	5.2
2/19/2012	16	5.1	5.3	4.3	6.1	6.0	5.9	5.8	5.3
2/19/2012	17	5.2	5.3	4.3	6.2	6.1	6.1	5.8	5.3
2/19/2012	18	5.2	5.2	4.4	6.1	6.1	6.1	5.9	5.2
2/19/2012	19	5.2	5.2	4.1	5.9	5.9	5.9	5.9	5.2
2/19/2012	20	5.2	5.2	4.1	5.7	5.7	5.8	5.9	5.2

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/19/2012	21	5.1	5.2	3.9	5.5	5.5	5.5	5.9	5.2
2/19/2012	22	5.1	5.2	3.8	5.3	5.3	5.3	5.9	5.1
2/19/2012	23	5.1	5.1	3.9	5.2	5.1	5.2	5.9	5.1
2/19/2012	24	5.1	5.1	3.7	5.0	5.0	5.0	5.8	5.1
2/20/2012	1	5.0	5.1	3.7	4.9	4.9	4.8	5.8	5.1
2/20/2012	2	5.0	5.0	3.6	4.8	4.8	4.7	5.8	5.0
2/20/2012	3	5.0	5.0	3.6	4.7	4.7	4.7	5.7	5.0
2/20/2012	4	4.9	5.0	3.6	4.6	4.6	4.6	5.7	4.9
2/20/2012	5	4.9	4.9	3.5	4.6	4.5	4.5	5.7	4.9
2/20/2012	6	4.9	4.9	3.7	4.5	4.5	4.5	5.7	4.9
2/20/2012	7	4.9	4.9	3.6	4.5	4.5	4.5	5.7	4.9
2/20/2012	8	4.9	4.9	3.6	4.6	4.5	4.5	5.7	4.9
2/20/2012	9	4.9	4.9	3.7	4.7	4.6	4.6	5.8	4.8
2/20/2012	10	4.8	5.0	3.9	5.0	4.7	4.8	5.8	4.9
2/20/2012	11	4.9	5.1	4.1	5.1	4.8	5.0	5.8	4.9
2/20/2012	12	4.9	5.3	4.5	5.1	4.9	5.2	5.8	5.0
2/20/2012	13	5.0	5.3	4.6	5.5	5.3	5.4	5.9	5.2
2/20/2012	14	5.1	5.3	4.9	5.9	5.8	5.8	5.9	5.3
2/20/2012	15	5.2	5.4	4.6	6.3	6.2	6.1	5.9	5.4
2/20/2012	16	5.3	5.4	4.8	6.6	6.6	6.4	6.0	5.4
2/20/2012	17	5.3	5.4	4.7	6.8	6.7	6.7	6.0	5.4
2/20/2012	18	5.4	5.4	4.6	6.7	6.7	6.7	6.0	5.5
2/20/2012	19	5.4	5.4	4.4	6.4	6.4	6.5	6.1	5.4
2/20/2012	20	5.4	5.4	4.3	6.2	6.2	6.3	6.1	5.4
2/20/2012	21	5.4	5.4	4.1	5.8	5.8	5.9	6.1	5.4
2/20/2012	22	5.3	5.4	4.0	5.6	5.6	5.7	6.1	5.3
2/20/2012	23	5.3	5.3	3.9	5.4	5.4	5.5	6.1	5.3
2/20/2012	24	5.2	5.3	4.0	5.3	5.3	5.3	6.0	5.3
2/21/2012	1	5.2	5.2	3.9	5.2	5.2	5.2	6.0	5.2
2/21/2012	2	5.1	5.2	3.9	5.2	5.2	5.1	5.9	5.2
2/21/2012	3	5.1	5.2	3.7	5.1	5.1	5.1	5.9	5.1
2/21/2012	4	5.1	5.1	3.6	5.1	5.1	5.1	5.8	5.1
2/21/2012	5	5.0	5.1	3.7	5.0	5.0	5.0	5.8	5.1
2/21/2012	6	5.0	5.0	3.6	4.9	4.9	4.9	5.8	5.0
2/21/2012	7	5.0	5.0	3.6	4.9	4.8	4.8	5.8	5.0
2/21/2012	8	4.9	5.0	3.6	4.8	4.8	4.8	5.8	5.0
2/21/2012	9	4.9	5.1	3.6	4.9	4.8	4.8	5.9	5.0
2/21/2012	10	4.9	5.1	3.9	5.0	4.9	5.0	5.9	5.0
2/21/2012	11	5.0	5.2	4.1	5.4	5.0	5.2	5.9	5.1
2/21/2012	12	5.0	5.4	4.4	5.5	5.2	5.4	5.9	5.2
2/21/2012	13	5.1	5.4	4.6	5.6	5.4	5.7	5.9	5.3
2/21/2012	14	5.3	5.5	5.2	6.0	5.9	5.9	6.0	5.4
2/21/2012	15	5.3	5.6	5.3	6.5	6.5	6.3	6.0	5.5
2/21/2012	16	5.2	5.5	5.0	6.8	6.8	6.6	6.0	5.5
2/21/2012	17	5.3	5.5	4.6	6.9	6.9	6.8	6.0	5.5
2/21/2012	18	5.4	5.5	4.4	6.8	6.8	6.8	6.0	5.5

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/21/2012	19	5.4	5.5	4.2	6.5	6.5	6.6	6.1	5.4
2/21/2012	20	5.4	5.4	4.1	6.2	6.2	6.3	6.1	5.4
2/21/2012	21	5.3	5.4	4.1	5.9	5.9	6.1	6.1	5.4
2/21/2012	22	5.3	5.4	4.0	5.7	5.7	5.8	6.1	5.4
2/21/2012	23	5.3	5.3	4.0	5.5	5.5	5.6	6.1	5.3
2/21/2012	24	5.3	5.3	4.0	5.5	5.4	5.5	6.1	5.3
2/22/2012	1	5.2	5.3	4.0	5.4	5.4	5.4	6.1	5.3
2/22/2012	2	5.2	5.3	3.9	5.4	5.4	5.4	6.1	5.3
2/22/2012	3	5.2	5.3	4.0	5.4	5.4	5.4	6.1	5.4
2/22/2012	4	5.2	5.4	4.1	5.5	5.4	5.5	6.1	5.3
2/22/2012	5	5.1	5.4	4.0	5.5	5.5	5.5	6.0	5.3
2/22/2012	6	5.1	5.3	4.1	5.6	5.6	5.5	6.1	5.3
2/22/2012	7	5.2	5.3	4.0	5.6	5.6	5.6	6.1	5.3
2/22/2012	8	5.2	5.4	3.9	5.7	5.6	5.6	6.1	5.3
2/22/2012	9	5.2	5.4	4.0	5.9	5.7	5.8	6.2	5.3
2/22/2012	10	5.2	5.4	4.3	6.0	5.7	5.9	6.2	5.3
2/22/2012	11	5.2	5.5	4.5	6.1	5.8	6.1	6.2	5.4
2/22/2012	12	5.3	5.7	5.0	6.1	5.9	6.2	6.3	5.5
2/22/2012	13	5.5	5.8	5.2	6.4	6.2	6.4	6.3	5.7
2/22/2012	14	5.6	5.9	5.5	6.8	6.7	6.8	6.3	5.8
2/22/2012	15	5.7	5.9	5.0	7.1	7.1	7.2	6.4	5.9
2/22/2012	16	5.7	5.9	5.1	7.5	7.4	7.4	6.5	6.0
2/22/2012	17	5.8	6.0	4.9	7.5	7.5	7.4	6.5	6.0
2/22/2012	18	5.8	5.9	4.6	7.3	7.3	7.3	6.6	6.0
2/22/2012	19	5.8	5.9	4.5	6.9	6.9	6.9	6.6	5.9
2/22/2012	20	5.7	5.8	4.5	6.5	6.5	6.6	6.6	5.9
2/22/2012	21	5.7	5.8	4.4	6.2	6.2	6.2	6.6	5.8
2/22/2012	22	5.6	5.7	4.3	5.8	5.8	5.9	6.5	5.7
2/22/2012	23	5.5	5.6	4.4	5.5	5.5	5.6	6.4	5.6
2/22/2012	24	5.5	5.6	4.2	5.4	5.4	5.4	6.3	5.5
2/23/2012	1	5.4	5.5	4.1	5.3	5.2	5.2	6.3	5.5
2/23/2012	2	5.4	5.4	4.2	5.2	5.2	5.1	6.2	5.4
2/23/2012	3	5.3	5.4	4.2	5.1	5.1	5.0	6.1	5.3
2/23/2012	4	5.3	5.3	4.1	5.0	5.0	4.9	6.1	5.3
2/23/2012	5	5.2	5.3	4.0	4.9	4.9	4.8	6.1	5.3
2/23/2012	6	5.2	5.2	4.0	4.9	4.8	4.8	6.1	5.2
2/23/2012	7	5.2	5.2	3.9	4.7	4.7	4.7	6.1	5.2
2/23/2012	8	5.2	5.2	3.9	4.7	4.6	4.6	6.1	5.2
2/23/2012	9	5.1	5.2	4.1	4.8	4.7	4.7	6.1	5.2
2/23/2012	10	5.2	5.3	4.2	5.1	4.7	4.9	6.1	5.2
2/23/2012	11	5.2	5.4	4.4	5.1	4.8	5.1	6.1	5.3
2/23/2012	12	5.3	5.7	4.6	5.3	5.0	5.3	6.1	5.5
2/23/2012	13	5.5	5.7	4.8	5.6	5.5	5.5	6.3	5.6
2/23/2012	14	5.6	5.8	4.8	6.3	6.2	6.1	6.4	5.7
2/23/2012	15	5.7	5.8	5.0	6.7	6.7	6.7	6.4	5.8
2/23/2012	16	5.7	5.9	4.6	7.0	7.0	6.9	6.4	5.9

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/23/2012	17	5.7	5.9	4.5	7.0	7.0	6.9	6.4	5.9
2/23/2012	18	5.7	5.8	4.5	6.9	6.8	6.8	6.4	5.9
2/23/2012	19	5.7	5.8	4.5	6.5	6.5	6.5	6.4	5.8
2/23/2012	20	5.7	5.8	4.4	6.2	6.1	6.2	6.4	5.7
2/23/2012	21	5.6	5.7	4.3	5.8	5.8	5.9	6.4	5.7
2/23/2012	22	5.6	5.7	4.2	5.5	5.5	5.6	6.4	5.6
2/23/2012	23	5.6	5.6	4.2	5.3	5.3	5.4	6.4	5.6
2/23/2012	24	5.5	5.6	4.2	5.2	5.2	5.2	6.4	5.5
2/24/2012	1	5.4	5.5	4.2	5.1	5.1	5.1	6.3	5.5
2/24/2012	2	5.4	5.4	4.1	5.1	5.1	5.1	6.3	5.4
2/24/2012	3	5.4	5.4	4.2	5.1	5.1	5.0	6.3	5.4
2/24/2012	4	5.4	5.4	4.2	5.1	5.1	5.1	6.2	5.4
2/24/2012	5	5.4	5.4	4.2	5.1	5.1	5.1	6.2	5.4
2/24/2012	6	5.4	5.4	4.2	5.1	5.1	5.1	6.2	5.4
2/24/2012	7	5.4	5.4	4.2	5.1	5.1	5.1	6.3	5.4
2/24/2012	8	5.4	5.5	4.2	5.1	5.1	5.1	6.4	5.4
2/24/2012	9	5.4	5.5	4.2	5.3	5.2	5.2	6.5	5.4
2/24/2012	10	5.4	5.6	4.2	5.4	5.3	5.3	6.5	5.5
2/24/2012	11	5.4	5.7	4.4	5.8	5.4	5.6	6.6	5.6
2/24/2012	12	5.4	5.8	4.4	5.8	5.6	5.7	6.6	5.7
2/24/2012	13	5.5	5.8	4.6	6.2	6.0	6.0	6.6	5.9
2/24/2012	14	5.5	5.8	4.8	6.4	6.3	6.3	6.6	5.9
2/24/2012	15	5.5	5.7	4.6	6.6	6.6	6.5	6.7	5.7
2/24/2012	16	5.6	5.7	4.7	6.8	6.8	6.7	6.5	5.7
2/24/2012	17	5.7	5.8	4.9	6.9	6.8	6.8	6.4	5.8
2/24/2012	18	5.7	5.8	4.7	6.7	6.7	6.8	6.4	5.8
2/24/2012	19	5.7	5.8	4.6	6.5	6.5	6.6	6.4	5.8
2/24/2012	20	5.7	5.8	4.6	6.2	6.2	6.3	6.4	5.8
2/24/2012	21	5.7	5.8	4.5	6.0	6.0	6.1	6.4	5.8
2/24/2012	22	5.7	5.8	4.5	5.8	5.8	5.9	6.4	5.8
2/24/2012	23	5.7	5.8	4.4	5.7	5.7	5.7	6.5	5.8
2/24/2012	24	5.7	5.8	4.4	5.7	5.7	5.7	6.5	5.7
2/25/2012	1	5.7	5.8	4.4	5.7	5.6	5.6	6.5	5.7
2/25/2012	2	5.6	5.7	4.3	5.7	5.6	5.6	6.4	5.7
2/25/2012	3	5.6	5.7	4.3	5.6	5.6	5.6	6.4	5.7
2/25/2012	4	5.6	5.7	4.4	5.6	5.6	5.6	6.4	5.7
2/25/2012	5	5.6	5.7	4.4	5.6	5.6	5.6	6.4	5.6
2/25/2012	6	5.6	5.7	4.4	5.6	5.6	5.6	6.4	5.6
2/25/2012	7	5.6	5.6	4.4	5.6	5.5	5.5	6.4	5.6
2/25/2012	8	5.6	5.6	4.4	5.6	5.5	5.5	6.4	5.6
2/25/2012	9	5.5	5.7	4.4	5.6	5.5	5.5	6.4	5.6
2/25/2012	10	5.5	5.8	4.5	5.6	5.5	5.6	6.4	5.6
2/25/2012	11	5.6	5.8	4.4	5.7	5.5	5.6	6.4	5.6
2/25/2012	12	5.6	5.9	4.5	5.8	5.7	5.7	6.5	5.7
2/25/2012	13	5.6	5.9	4.8	6.0	5.9	5.9	6.5	5.7
2/25/2012	14	5.7	5.9	4.9	6.4	6.2	6.4	6.5	5.8

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/25/2012	15	5.7	5.9	5.0	6.3	6.3	6.3	6.6	5.9
2/25/2012	16	5.8	5.9	5.0	6.5	6.5	6.5	6.6	5.9
2/25/2012	17	5.9	5.9	4.9	6.6	6.7	6.5	6.6	6.0
2/25/2012	18	5.9	5.9	4.6	6.6	6.6	6.5	6.5	5.9
2/25/2012	19	5.8	5.9	4.6	6.4	6.3	6.3	6.5	5.9
2/25/2012	20	5.8	5.8	4.4	6.1	6.0	6.0	6.4	5.8
2/25/2012	21	5.7	5.8	4.3	5.8	5.7	5.7	6.4	5.8
2/25/2012	22	5.7	5.7	4.3	5.5	5.4	5.4	6.3	5.7
2/25/2012	23	5.6	5.6	4.2	5.2	5.2	5.2	6.3	5.6
2/25/2012	24	5.5	5.5	4.1	5.0	5.0	4.9	6.2	5.5
2/26/2012	1	5.4	5.4	4.0	4.9	4.8	4.8	6.2	5.4
2/26/2012	2	5.4	5.3	4.0	4.7	4.7	4.6	6.1	5.3
2/26/2012	3	5.3	5.3	3.9	4.6	4.6	4.5	6.1	5.3
2/26/2012	4	5.3	5.2	3.9	4.5	4.5	4.4	6.0	5.3
2/26/2012	5	5.2	5.2	3.9	4.4	4.4	4.3	6.0	5.2
2/26/2012	6	5.2	5.2	3.8	4.3	4.3	4.2	5.9	5.2
2/26/2012	7	5.1	5.1	3.8	4.2	4.2	4.1	5.9	5.2
2/26/2012	8	5.1	5.1	3.8	4.2	4.2	4.1	5.8	5.1
2/26/2012	9	5.1	5.1	3.9	4.5	4.2	4.2	5.9	5.1
2/26/2012	10	5.1	5.3	4.1	4.6	4.3	4.4	6.0	5.2
2/26/2012	11	5.2	5.3	4.4	4.8	4.4	4.6	6.1	5.3
2/26/2012	12	5.3	5.7	4.7	5.0	4.6	4.8	6.1	5.4
2/26/2012	13	5.4	5.6	5.1	5.2	5.0	5.0	6.2	5.6
2/26/2012	14	5.5	5.7	5.1	5.6	5.6	5.4	6.3	5.7
2/26/2012	15	5.6	5.8	5.0	6.1	6.2	5.9	6.4	5.8
2/26/2012	16	5.7	5.8	4.9	6.5	6.6	6.4	6.5	5.8
2/26/2012	17	5.7	5.7	4.7	6.6	6.7	6.6	6.5	5.7
2/26/2012	18	5.7	5.7	4.5	6.6	6.6	6.6	6.4	5.7
2/26/2012	19	5.6	5.7	4.5	6.3	6.3	6.3	6.4	5.7
2/26/2012	20	5.6	5.7	4.3	6.0	5.9	6.0	6.4	5.7
2/26/2012	21	5.6	5.6	4.2	5.6	5.6	5.6	6.3	5.6
2/26/2012	22	5.6	5.6	4.1	5.3	5.3	5.3	6.3	5.6
2/26/2012	23	5.5	5.5	4.1	4.9	5.0	4.9	6.2	5.5
2/26/2012	24	5.4	5.4	4.0	4.7	4.7	4.7	6.2	5.4
2/27/2012	1	5.4	5.3	3.9	4.5	4.5	4.4	6.2	5.3
2/27/2012	2	5.3	5.2	3.8	4.3	4.3	4.2	6.1	5.2
2/27/2012	3	5.2	5.1	3.6	4.1	4.1	4.0	6.1	5.1
2/27/2012	4	5.1	5.0	3.5	4.0	4.0	3.8	6.0	5.1
2/27/2012	5	5.0	4.9	3.4	3.7	3.8	3.6	6.0	4.9
2/27/2012	6	4.9	4.8	3.3	3.6	3.6	3.5	6.0	N/A
2/27/2012	7	4.9	4.8	3.2	3.5	3.5	3.3	6.0	4.7
2/27/2012	8	4.8	4.7	3.2	3.4	3.3	3.2	6.0	4.8
2/27/2012	9	4.8	4.7	3.4	3.5	3.3	3.3	6.0	4.6
2/27/2012	10	4.7	4.8	3.7	3.6	3.3	3.4	6.0	4.7
2/27/2012	11	4.7	4.8	4.1	3.7	3.4	3.6	6.0	4.7
2/27/2012	12	4.7	5.1	4.4	4.2	3.6	3.8	5.9	3.6

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/27/2012	13	4.8	5.0	4.6	4.6	4.1	4.2	6.0	4.7
2/27/2012	14	4.9	4.9	4.8	5.0	4.8	4.7	5.9	4.8
2/27/2012	15	4.9	5.0	4.8	5.3	5.5	5.3	5.9	5.1
2/27/2012	16	4.9	5.0	4.6	5.8	6.0	5.8	5.9	5.5
2/27/2012	17	5.0	5.0	4.5	6.2	6.2	6.0	5.9	4.8
2/27/2012	18	5.0	5.0	4.4	6.2	6.2	6.1	5.9	4.7
2/27/2012	19	5.1	5.0	4.2	5.9	5.8	5.9	5.9	4.9
2/27/2012	20	5.0	5.0	3.9	5.5	5.4	5.5	6.0	5.1
2/27/2012	21	5.1	5.1	3.7	5.1	5.0	5.1	6.0	4.9
2/27/2012	22	5.2	5.1	3.7	4.7	4.6	4.7	6.0	N/A
2/27/2012	23	5.1	5.1	3.6	4.3	4.3	4.3	6.1	N/A
2/27/2012	24	5.1	5.1	3.6	4.1	4.0	4.0	6.1	N/A
2/28/2012	1	5.1	5.1	3.6	3.9	3.9	3.8	6.1	N/A
2/28/2012	2	5.1	5.0	3.5	3.8	3.8	3.7	6.1	N/A
2/28/2012	3	5.0	5.0	3.5	3.7	3.7	3.6	6.1	N/A
2/28/2012	4	5.0	4.9	3.5	3.7	3.7	3.6	6.1	N/A
2/28/2012	5	4.9	4.9	3.4	3.6	3.6	3.5	6.1	4.9
2/28/2012	6	4.9	4.8	3.4	3.6	3.6	3.5	6.1	4.5
2/28/2012	7	4.8	4.8	3.4	3.6	3.5	3.4	6.0	4.5
2/28/2012	8	4.8	4.8	3.4	3.6	3.5	3.5	6.0	4.8
2/28/2012	9	4.8	4.8	3.6	3.7	3.6	3.5	6.0	3.9
2/28/2012	10	4.7	4.9	3.8	3.9	3.6	3.7	6.0	4.4
2/28/2012	11	4.7	4.9	4.1	4.2	3.8	4.0	6.0	4.6
2/28/2012	12	4.7	5.1	4.3	4.4	4.0	4.2	6.0	5.0
2/28/2012	13	4.8	5.0	4.4	4.6	4.4	4.3	6.0	4.8
2/28/2012	14	4.8	5.0	4.5	5.1	5.0	4.8	5.9	4.8
2/28/2012	15	4.8	4.9	4.5	5.4	5.3	5.2	5.8	4.9
2/28/2012	16	4.8	4.9	4.4	5.6	5.6	5.4	5.8	4.8
2/28/2012	17	4.8	4.8	4.3	5.7	5.6	5.6	5.8	4.8
2/28/2012	18	4.8	4.8	4.1	5.5	5.5	5.5	5.8	4.8
2/28/2012	19	4.8	4.8	4.1	5.3	5.3	5.4	5.8	4.6
2/28/2012	20	4.8	4.8	3.9	5.1	5.0	5.1	5.8	4.8
2/28/2012	21	4.8	4.7	3.8	4.8	4.7	4.7	5.8	4.8
2/28/2012	22	4.7	4.7	3.7	4.6	4.5	4.5	5.7	4.6
2/28/2012	23	4.7	4.7	3.7	4.3	4.3	4.2	5.7	4.7
2/28/2012	24	4.7	4.6	3.4	3.9	4.0	3.9	5.7	N/A
2/29/2012	1	4.6	4.6	3.3	3.9	3.9	3.8	5.6	4.4
2/29/2012	2	4.6	4.6	3.3	3.7	3.7	3.7	5.6	4.5
2/29/2012	3	4.5	4.5	3.3	3.5	3.5	3.5	5.6	N/A
2/29/2012	4	4.5	4.5	3.4	3.5	3.5	3.5	5.5	N/A
2/29/2012	5	4.5	4.5	3.5	3.5	3.5	3.4	5.5	4.5
2/29/2012	6	4.4	4.4	3.6	3.6	3.6	3.5	5.5	4.4
2/29/2012	7	4.4	4.4	3.6	3.7	3.7	3.6	5.4	4.2
2/29/2012	8	4.4	4.4	3.6	3.8	3.8	3.6	5.4	4.2
2/29/2012	9	4.4	4.4	3.8	4.4	4.0	4.0	5.4	4.5
2/29/2012	10	4.4	4.5	4.0	4.5	4.1	4.2	5.4	4.4

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/29/2012	11	4.4	4.5	4.1	4.5	4.2	4.2	5.4	4.5
2/29/2012	12	4.3	4.6	4.3	4.7	4.4	4.5	5.5	4.6
2/29/2012	13	4.4	4.7	4.4	5.1	4.8	4.8	5.6	4.6
2/29/2012	14	4.4	4.7	4.5	5.3	5.1	5.2	5.6	4.8
2/29/2012	15	4.5	4.7	4.5	5.5	5.4	5.5	5.6	4.5
2/29/2012	16	4.5	4.6	4.4	5.7	5.7	5.6	5.6	4.6
2/29/2012	17	4.5	4.6	4.3	5.8	5.8	5.7	5.5	4.6
2/29/2012	18	4.6	4.6	4.2	5.7	5.7	5.7	5.6	4.5
2/29/2012	19	4.6	4.6	4.0	5.5	5.4	5.4	5.6	4.5
2/29/2012	20	4.5	4.5	3.8	5.2	5.1	5.2	5.6	4.5
2/29/2012	21	4.6	4.6	3.6	4.9	4.8	4.8	5.6	4.2
2/29/2012	22	4.6	4.6	3.5	4.6	4.5	4.5	5.6	4.1
2/29/2012	23	4.6	4.6	3.5	4.2	4.2	4.2	5.6	4.5
2/29/2012	24	4.6	4.6	3.4	4.1	4.0	4.0	5.6	4.5
3/1/2012	1	4.6	4.5	3.5	3.9	3.9	3.8	5.6	4.6
3/1/2012	2	4.6	4.5	3.4	3.8	3.7	3.7	5.6	4.4
3/1/2012	3	4.6	4.5	3.4	3.7	3.7	3.6	5.6	4.3
3/1/2012	4	4.5	4.5	3.4	3.6	3.6	3.5	5.6	4.3
3/1/2012	5	4.5	4.5	3.4	3.6	3.6	3.5	5.6	4.5
3/1/2012	6	4.5	4.4	3.4	3.6	3.6	3.5	5.6	4.5
3/1/2012	7	4.4	4.4	3.3	3.5	3.5	3.4	5.6	4.5
3/1/2012	8	4.4	4.3	3.3	3.5	3.5	3.4	5.5	4.3
3/1/2012	9	4.4	4.4	3.5	3.9	3.6	3.6	5.6	4.6
3/1/2012	10	4.4	4.5	3.9	4.2	3.6	3.8	5.6	4.4
3/1/2012	11	4.3	4.6	4.2	4.5	3.7	4.0	5.6	4.5
3/1/2012	12	4.4	4.9	4.6	5.0	4.1	4.3	5.6	4.7
3/1/2012	13	4.4	4.9	4.9	5.4	4.7	4.8	5.6	4.7
3/1/2012	14	4.5	4.8	5.2	5.7	5.4	5.4	5.6	4.6
3/1/2012	15	4.7	4.8	5.3	6.0	6.1	6.0	5.6	4.9
3/1/2012	16	4.7	4.8	4.9	6.4	6.6	6.5	5.6	4.8
3/1/2012	17	4.8	4.8	4.7	6.8	6.9	6.7	5.7	4.8
3/1/2012	18	4.9	4.9	4.5	6.8	6.8	6.8	5.7	4.8
3/1/2012	19	4.9	4.9	4.2	6.5	6.4	6.5	5.8	4.9
3/1/2012	20	4.9	4.9	4.1	6.1	5.9	6.1	5.8	4.9
3/1/2012	21	5.0	5.0	3.9	5.6	5.5	5.6	5.9	4.9
3/1/2012	22	5.0	5.1	3.8	5.2	5.0	5.2	5.9	5.0
3/1/2012	23	5.0	5.0	3.8	4.8	4.7	4.8	6.0	5.1
3/1/2012	24	5.0	5.0	3.7	4.5	4.4	4.5	6.0	5.0
3/2/2012	1	5.0	5.0	3.8	4.3	4.2	4.2	6.0	5.0
3/2/2012	2	4.9	4.9	3.7	4.2	4.1	4.1	6.0	5.0
3/2/2012	3	4.9	4.9	3.8	4.1	4.1	4.1	5.9	N/A
3/2/2012	4	4.9	4.9	3.8	4.1	4.1	4.0	5.9	N/A
3/2/2012	5	4.8	4.8	3.8	4.1	4.1	4.0	5.8	N/A
3/2/2012	6	4.7	4.7	3.7	4.1	4.1	4.0	5.8	N/A
3/2/2012	7	4.7	4.7	3.7	4.1	4.1	4.0	5.7	4.8
3/2/2012	8	4.7	4.7	3.7	4.2	4.1	4.0	5.7	4.9

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/2/2012	9	4.6	4.8	3.9	4.2	4.1	4.1	5.7	4.7
3/2/2012	10	4.5	4.7	4.0	4.3	4.1	4.2	5.7	4.8
3/2/2012	11	4.5	4.8	4.1	4.5	4.3	4.4	5.7	4.9
3/2/2012	12	4.5	4.9	4.4	4.8	4.6	4.7	5.8	5.0
3/2/2012	13	4.6	4.9	4.5	5.2	5.0	5.0	5.8	4.6
3/2/2012	14	4.5	4.8	4.7	5.5	5.4	5.4	5.8	4.8
3/2/2012	15	4.5	4.8	4.7	5.8	5.8	5.7	5.7	4.9
3/2/2012	16	4.6	4.7	4.7	6.1	6.1	6.0	5.7	4.9
3/2/2012	17	4.6	4.7	4.5	6.2	6.2	6.2	5.6	4.7
3/2/2012	18	4.6	4.7	4.5	6.2	6.2	6.2	5.6	4.7
3/2/2012	19	4.6	4.7	4.4	6.1	6.0	6.1	5.6	4.7
3/2/2012	20	4.6	4.7	4.2	5.8	5.8	5.9	5.7	4.8
3/2/2012	21	4.7	4.7	4.1	5.6	5.5	5.7	5.7	4.7
3/2/2012	22	4.7	4.8	4.0	5.3	5.3	5.4	5.7	4.7
3/2/2012	23	4.8	4.8	4.0	5.1	5.1	5.1	5.7	4.7
3/2/2012	24	4.8	4.8	4.0	4.9	4.9	4.9	5.7	4.8
3/3/2012	1	4.8	4.8	3.9	4.8	4.8	4.8	5.7	4.7
3/3/2012	2	4.9	4.9	3.9	4.7	4.7	4.7	5.8	4.7
3/3/2012	3	4.9	4.9	3.9	4.6	4.6	4.6	5.8	4.7
3/3/2012	4	4.9	4.9	3.8	4.5	4.5	4.5	5.8	4.8
3/3/2012	5	4.9	4.9	3.8	4.4	4.4	4.4	5.8	4.8
3/3/2012	6	4.9	4.9	3.8	4.4	4.3	4.3	5.9	4.7
3/3/2012	7	4.9	4.9	3.7	4.3	4.3	4.2	5.9	4.8
3/3/2012	8	4.9	4.9	3.9	4.4	4.3	4.3	5.9	4.9
3/3/2012	9	4.9	5.1	4.0	4.5	4.3	4.4	5.9	4.9
3/3/2012	10	4.9	5.1	4.1	4.5	4.4	4.5	6.0	4.9
3/3/2012	11	4.9	5.3	4.3	4.8	4.7	4.8	6.1	5.0
3/3/2012	12	5.0	5.4	4.5	5.3	5.1	5.2	6.1	5.1
3/3/2012	13	5.1	5.5	4.9	5.8	5.6	5.7	6.2	5.2
3/3/2012	14	5.2	5.6	5.2	6.3	6.2	6.2	6.3	5.3
3/3/2012	15	5.4	5.7	5.3	6.9	6.8	6.8	6.3	5.5
3/3/2012	16	5.5	5.8	5.4	7.4	7.3	7.4	6.4	5.6
3/3/2012	17	5.6	5.9	5.1	7.6	7.5	7.5	6.4	5.8
3/3/2012	18	5.7	5.9	5.0	7.6	7.6	7.6	6.5	5.9
3/3/2012	19	5.8	6.0	4.8	7.5	7.5	7.6	6.5	5.9
3/3/2012	20	5.9	6.0	4.7	7.3	7.2	7.4	6.6	6.0
3/3/2012	21	5.9	6.0	4.6	7.0	7.0	7.1	6.7	6.0
3/3/2012	22	5.8	6.0	4.5	6.7	6.7	6.8	6.7	6.0
3/3/2012	23	5.8	5.9	4.4	6.5	6.5	6.6	6.8	5.9
3/3/2012	24	5.7	5.9	4.4	6.3	6.3	6.3	6.8	5.9
3/4/2012	1	5.7	5.8	4.4	6.2	6.1	6.2	6.8	5.8
3/4/2012	2	5.7	5.8	4.3	6.1	6.0	6.1	6.7	6.3
3/4/2012	3	5.6	5.8	4.3	6.0	5.9	6.0	6.7	5.9
3/4/2012	4	5.6	5.7	4.3	5.9	5.9	5.9	6.7	5.7
3/4/2012	5	5.6	5.7	4.2	5.8	5.8	5.8	6.6	5.7
3/4/2012	6	5.6	5.7	4.2	5.7	5.7	5.7	6.6	5.7

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/4/2012	7	5.6	5.7	4.1	5.6	5.6	5.6	6.6	5.6
3/4/2012	8	5.6	5.7	4.1	5.5	5.5	5.5	6.6	5.5
3/4/2012	9	5.5	5.7	4.2	5.8	5.5	5.7	6.6	5.6
3/4/2012	10	5.5	5.9	4.5	5.9	5.6	5.8	6.7	5.6
3/4/2012	11	5.6	6.0	4.7	6.1	5.7	6.1	6.8	5.7
3/4/2012	12	5.7	6.3	5.2	6.4	6.1	6.4	6.8	5.8
3/4/2012	13	5.8	6.5	5.5	7.0	6.7	6.9	6.9	5.9
3/4/2012	14	5.9	6.3	5.8	7.6	7.5	7.6	7.0	6.0
3/4/2012	15	6.1	6.4	5.9	8.1	8.1	8.2	7.0	8.0
3/4/2012	16	6.2	6.4	5.7	8.6	8.6	8.6	7.1	6.3
3/4/2012	17	6.2	6.5	5.3	8.8	8.8	8.8	7.2	6.4
3/4/2012	18	6.3	6.5	5.0	8.7	8.7	8.7	7.3	6.5
3/4/2012	19	6.4	6.6	4.9	8.4	8.4	8.5	7.3	6.6
3/4/2012	20	6.5	6.7	4.7	8.0	7.9	8.1	7.4	6.7
3/4/2012	21	6.6	6.9	4.6	7.6	7.5	7.7	7.5	6.7
3/4/2012	22	6.7	6.9	4.5	7.2	7.2	7.3	7.6	6.4
3/4/2012	23	6.6	6.8	4.5	6.9	6.9	7.0	7.6	6.8
3/4/2012	24	6.5	6.7	4.4	6.7	6.7	6.7	7.6	6.6
3/5/2012	1	6.4	6.6	4.4	6.5	6.5	6.6	7.6	6.5
3/5/2012	2	6.3	6.5	4.5	6.4	6.4	6.4	7.5	N/A
3/5/2012	3	6.2	6.4	4.5	6.3	6.3	6.3	7.4	N/A
3/5/2012	4	6.1	6.3	4.3	6.3	6.3	6.2	7.3	6.1
3/5/2012	5	6.1	6.2	4.3	6.2	6.2	6.2	7.2	6.1
3/5/2012	6	6.0	6.2	4.3	6.2	6.2	6.1	7.2	6.0
3/5/2012	7	6.0	6.2	4.2	6.1	6.1	6.1	7.1	6.1
3/5/2012	8	6.0	6.2	4.2	6.1	6.1	6.0	7.1	6.1
3/5/2012	9	6.0	6.2	4.4	6.2	6.1	6.2	7.1	6.0
3/5/2012	10	6.0	6.3	4.4	6.5	6.2	6.3	7.1	6.0
3/5/2012	11	6.0	6.5	4.6	6.6	6.3	6.5	7.2	6.1
3/5/2012	12	6.1	6.8	5.0	7.0	6.6	6.8	7.2	6.2
3/5/2012	13	6.3	6.7	5.2	7.0	6.9	7.0	7.3	6.4
3/5/2012	14	6.4	6.8	5.4	7.4	6.6	6.8	7.3	6.5
3/5/2012	15	6.5	6.8	5.5	7.7	6.8	7.0	7.4	6.6
3/5/2012	16	6.6	6.8	5.3	7.9	6.9	7.0	7.5	6.7
3/5/2012	17	6.7	6.8	4.9	8.0	7.0	7.0	7.5	6.8
3/5/2012	18	6.8	7.0	4.8	7.9	7.1	7.1	7.6	7.0
3/5/2012	19	6.8	7.0	4.5	7.5	7.1	7.1	7.6	7.0
3/5/2012	20	6.7	6.9	4.4	7.0	7.0	7.0	7.7	6.9
3/5/2012	21	6.6	6.8	4.5	6.6	6.8	6.7	7.7	6.7
3/5/2012	22	6.5	6.6	4.3	6.2	6.6	6.5	7.6	6.6
3/5/2012	23	6.4	6.5	4.3	5.8	6.4	6.3	7.5	6.4
3/5/2012	24	6.2	6.3	4.2	5.6	6.2	6.1	7.3	6.2
3/6/2012	1	6.1	6.2	4.2	5.4	6.1	6.0	7.2	N/A
3/6/2012	2	6.0	6.1	4.1	5.4	5.9	5.9	7.0	6.0
3/6/2012	3	5.9	5.9	4.1	5.3	5.8	5.8	6.9	5.9
3/6/2012	4	5.8	5.8	4.1	5.2	5.7	5.7	6.8	5.8

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/6/2012	5	5.7	5.7	4.1	5.1	5.6	5.6	6.7	5.7
3/6/2012	6	5.7	5.7	4.0	5.0	5.6	5.5	6.7	5.6
3/6/2012	7	5.6	5.6	3.9	4.9	5.5	5.4	6.7	5.6
3/6/2012	8	5.6	5.6	3.9	4.8	5.5	5.4	6.7	5.5
3/6/2012	9	5.5	5.6	4.1	5.1	5.5	5.5	6.7	5.4
3/6/2012	10	5.5	5.7	4.1	5.2	5.5	5.5	6.7	5.6
3/6/2012	11	5.6	6.0	4.4	5.4	5.5	5.6	6.7	5.6
3/6/2012	12	5.6	6.2	4.7	5.7	5.6	5.7	6.7	5.7
3/6/2012	13	5.7	6.3	5.1	6.1	5.8	5.9	6.7	5.8
3/6/2012	14	5.7	6.1	5.4	6.5	5.9	6.1	6.7	5.8
3/6/2012	15	5.9	6.1	5.3	7.0	6.0	6.1	6.7	5.8
3/6/2012	16	5.9	6.0	5.3	7.5	6.1	6.3	6.7	5.9
3/6/2012	17	5.9	5.9	4.9	7.7	6.1	6.2	6.8	5.8
3/6/2012	18	5.9	5.9	4.7	7.6	6.2	6.3	6.8	5.8
3/6/2012	19	5.8	5.8	4.5	7.2	6.1	6.2	6.8	5.8
3/6/2012	20	5.8	5.8	4.3	6.7	6.0	6.1	6.8	5.9
3/6/2012	21	5.8	5.9	4.2	6.3	6.0	6.0	6.8	5.9
3/6/2012	22	5.8	5.8	4.1	5.8	5.9	5.9	6.8	5.9
3/6/2012	23	5.8	5.8	4.1	5.5	5.8	5.8	6.8	5.9
3/6/2012	24	5.8	5.8	4.1	5.2	5.8	5.7	6.7	5.8
3/7/2012	1	5.7	5.7	4.0	5.0	5.7	5.6	6.7	5.7
3/7/2012	2	5.7	5.6	4.1	4.9	5.6	5.5	6.6	5.7
3/7/2012	3	5.6	5.6	4.0	4.8	5.5	5.4	6.6	5.6
3/7/2012	4	5.5	5.5	3.9	4.7	5.4	5.4	6.5	5.6
3/7/2012	5	5.5	5.5	3.9	4.6	5.4	5.3	6.5	5.5
3/7/2012	6	5.5	5.4	3.8	4.6	5.3	5.3	6.4	5.5
3/7/2012	7	5.4	5.4	3.8	4.5	5.3	5.2	6.4	5.5
3/7/2012	8	5.4	5.4	3.8	4.5	5.3	5.2	6.5	5.4
3/7/2012	9	5.4	5.4	4.0	4.7	5.3	5.3	6.5	5.4
3/7/2012	10	5.4	5.6	4.2	4.8	5.4	5.4	6.6	5.4
3/7/2012	11	5.4	5.8	4.6	5.0	5.5	5.5	6.6	5.5
3/7/2012	12	5.5	6.1	5.1	5.4	5.5	5.6	6.7	5.7
3/7/2012	13	5.6	6.3	5.4	5.9	5.7	5.8	6.8	5.9
3/7/2012	14	5.6	6.1	5.7	6.4	5.8	6.0	6.8	6.0
3/7/2012	15	5.7	6.1	5.8	7.1	6.0	6.1	6.9	5.9
3/7/2012	16	5.8	6.0	5.3	7.6	6.1	6.3	6.8	5.8
3/7/2012	17	5.8	6.0	5.1	7.8	6.2	6.4	6.8	5.8
3/7/2012	18	5.8	5.9	4.7	7.7	6.3	6.4	6.7	5.8
3/7/2012	19	5.8	5.8	4.7	7.3	6.0	6.1	6.7	5.8
3/7/2012	20	5.8	5.8	4.4	6.9	5.9	6.1	6.7	5.8
3/7/2012	21	5.9	5.9	4.4	6.4	5.9	6.0	6.7	5.9
3/7/2012	22	5.9	6.0	4.3	6.1	6.0	6.0	6.7	6.0
3/7/2012	23	5.9	6.0	4.2	5.8	6.0	6.0	6.7	6.0
3/7/2012	24	5.9	5.9	4.1	5.4	5.9	5.9	6.7	6.0
3/8/2012	1	5.9	5.9	4.1	5.2	5.8	5.7	6.7	5.9
3/8/2012	2	5.8	5.8	4.2	5.1	5.8	5.6	6.7	5.9

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/8/2012	3	5.8	5.8	4.1	4.9	5.7	5.6	6.7	5.8
3/8/2012	4	5.7	5.7	4.1	4.9	5.7	5.5	6.7	5.8
3/8/2012	5	5.7	5.7	4.1	4.8	5.6	5.5	6.7	5.7
3/8/2012	6	5.7	5.7	4.2	4.8	5.6	5.5	6.7	5.7
3/8/2012	7	5.6	5.6	4.1	4.8	5.5	5.4	6.7	5.7
3/8/2012	8	5.6	5.6	4.2	4.9	5.5	5.4	6.7	5.6
3/8/2012	9	5.6	5.7	4.2	4.9	5.5	5.5	6.7	5.6
3/8/2012	10	5.6	5.7	4.3	5.1	5.6	5.5	6.7	5.6
3/8/2012	11	5.6	5.9	4.5	5.6	5.7	5.7	6.8	5.7
3/8/2012	12	5.6	6.0	5.1	6.0	5.7	5.8	6.8	5.9
3/8/2012	13	5.7	6.1	5.3	6.2	5.8	5.9	6.8	5.9
3/8/2012	14	5.7	6.1	5.5	6.4	5.9	6.0	6.8	5.9
3/8/2012	15	5.7	6.0	5.5	6.9	6.1	6.3	6.9	6.0
3/8/2012	16	5.8	5.9	5.6	7.1	6.1	6.3	6.9	6.0
3/8/2012	17	5.8	5.9	5.4	7.4	6.2	6.4	6.9	5.9
3/8/2012	18	5.8	5.9	5.2	7.4	6.3	6.4	6.9	5.8
3/8/2012	19	5.8	5.9	4.9	7.3	6.0	6.2	6.9	5.8
3/8/2012	20	5.9	5.9	4.7	7.0	6.1	6.2	6.8	5.9
3/8/2012	21	5.9	5.9	4.6	6.6	6.1	6.2	6.8	6.0
3/8/2012	22	6.0	6.0	4.4	6.3	6.1	6.1	6.8	6.1
3/8/2012	23	6.0	6.0	4.3	5.9	6.0	6.0	6.8	6.1
3/8/2012	24	6.0	6.0	4.3	5.6	6.0	5.9	6.8	6.1
3/9/2012	1	6.0	6.0	4.4	5.4	6.0	5.8	6.8	6.1
3/9/2012	2	6.0	6.0	4.3	5.2	5.9	5.8	6.8	6.0
3/9/2012	3	5.9	6.0	4.4	5.2	5.8	5.7	6.8	5.9
3/9/2012	4	5.9	5.9	4.3	5.2	5.8	5.6	6.8	5.8
3/9/2012	5	5.9	5.9	4.3	5.2	5.8	5.6	6.8	5.8
3/9/2012	6	5.8	5.8	4.4	5.2	5.7	5.6	6.8	5.8
3/9/2012	7	5.7	5.8	4.3	5.2	5.7	5.6	6.8	5.7
3/9/2012	8	5.7	5.7	4.3	5.3	5.6	5.5	6.8	5.7
3/9/2012	9	5.6	5.7	4.3	5.3	5.7	5.6	6.8	5.7
3/9/2012	10	5.6	5.7	4.4	5.4	5.7	5.6	6.8	5.7
3/9/2012	11	5.6	5.8	4.5	5.4	5.7	5.7	6.8	5.7
3/9/2012	12	5.6	5.9	4.7	5.6	5.7	5.7	6.8	5.8
3/9/2012	13	5.6	5.9	4.8	5.9	5.8	5.9	6.8	5.9
3/9/2012	14	5.6	6.0	5.1	6.2	5.9	6.0	6.8	6.1
3/9/2012	15	5.7	5.9	5.1	6.4	5.9	6.1	6.8	6.1
3/9/2012	16	5.7	6.0	5.2	6.6	6.0	6.2	6.8	6.0
3/9/2012	17	5.7	5.9	5.0	6.9	6.1	6.3	6.8	5.9
3/9/2012	18	5.8	5.9	5.0	7.0	6.1	6.3	6.8	5.8
3/9/2012	19	5.8	5.9	4.8	7.0	6.0	6.3	6.8	5.9
3/9/2012	20	5.8	5.9	4.7	6.9	6.2	6.5	6.8	6.0
3/9/2012	21	5.9	5.9	4.5	6.7	6.6	6.7	6.8	6.0
3/9/2012	22	5.9	6.0	4.5	6.5	6.4	6.5	6.8	5.9
3/9/2012	23	5.9	5.9	4.6	6.2	6.2	6.3	6.7	5.9
3/9/2012	24	5.9	5.9	4.5	6.0	6.0	6.1	6.7	5.9

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/10/2012	1	5.9	5.9	4.5	5.9	5.9	5.9	6.7	5.9
3/10/2012	2	5.8	5.9	4.5	5.9	5.8	5.8	6.7	5.9
3/10/2012	3	5.8	5.9	4.5	5.9	5.8	5.8	6.7	5.9
3/10/2012	4	5.8	5.9	4.5	5.8	5.8	5.8	6.7	5.8
3/10/2012	5	5.7	5.8	4.5	5.8	5.8	5.7	6.6	5.8
3/10/2012	6	5.7	5.8	4.4	5.7	5.7	5.7	6.6	5.7
3/10/2012	7	5.7	5.7	4.3	5.7	5.6	5.6	6.6	5.7
3/10/2012	8	5.6	5.8	4.4	5.7	5.6	5.6	6.6	5.7
3/10/2012	9	5.6	5.9	4.5	5.8	5.6	5.7	6.6	5.7
3/10/2012	10	5.7	6.0	4.7	5.9	5.7	5.9	6.6	5.8
3/10/2012	11	5.7	6.1	4.8	6.1	5.9	6.0	6.6	5.8
3/10/2012	12	5.8	6.1	5.1	6.4	6.3	6.3	6.7	5.9
3/10/2012	13	5.9	6.4	5.2	6.9	6.7	6.8	6.8	6.0
3/10/2012	14	6.0	6.4	5.3	7.2	7.1	7.2	6.9	6.2
3/10/2012	15	6.1	6.5	5.6	7.5	7.4	7.5	6.9	6.3
3/10/2012	16	6.2	6.5	5.5	7.7	7.6	7.6	7.0	6.4
3/10/2012	17	6.3	6.5	5.3	7.8	7.8	7.8	7.1	6.5
3/10/2012	18	6.3	6.5	5.1	7.9	7.8	7.8	7.2	6.5
3/10/2012	19	6.3	6.5	5.0	7.7	7.7	7.8	7.2	6.5
3/10/2012	20	6.3	6.4	4.9	7.5	7.5	7.6	7.2	6.4
3/10/2012	21	6.2	6.4	4.8	7.3	7.2	7.3	7.1	6.3
3/10/2012	22	6.2	6.3	4.8	7.0	7.0	7.1	7.1	6.3
3/10/2012	23	6.1	6.3	4.6	6.8	6.7	6.8	7.0	6.2
3/10/2012	24	6.1	6.2	4.7	6.6	6.6	6.6	7.0	6.2
3/11/2012	1	6.1	6.2	4.6	6.5	6.4	6.5	6.9	6.1
3/11/2012	2	6.0	6.1	4.6	6.4	6.4	6.4	6.9	6.1
3/11/2012	4	6.0	6.1	4.7	6.3	6.3	6.3	6.8	6.0
3/11/2012	5	6.0	6.0	4.6	6.3	6.3	6.2	6.8	6.0
3/11/2012	6	5.9	6.0	4.6	6.2	6.2	6.2	6.8	6.0
3/11/2012	7	5.9	6.0	4.6	6.2	6.2	6.2	6.8	5.9
3/11/2012	8	5.9	6.0	4.6	6.2	6.1	6.2	6.8	5.9
3/11/2012	9	5.9	6.0	4.6	6.2	6.1	6.2	6.8	5.9
3/11/2012	10	5.9	6.1	4.8	6.5	6.2	6.3	6.8	6.0
3/11/2012	11	5.9	6.3	5.0	6.9	6.3	6.6	6.8	6.1
3/11/2012	12	5.9	6.4	5.4	6.7	6.4	6.6	6.8	6.2
3/11/2012	13	6.0	6.4	5.4	6.8	6.7	6.7	6.9	6.3
3/11/2012	14	6.1	6.6	5.4	7.5	7.3	7.4	6.9	6.4
3/11/2012	15	6.2	6.6	5.5	7.5	7.5	7.7	7.0	6.5
3/11/2012	16	6.3	6.5	5.4	7.7	7.7	7.7	7.1	6.5
3/11/2012	17	6.4	6.5	5.2	7.8	7.8	7.6	7.1	6.6
3/11/2012	18	6.4	6.5	5.1	7.7	7.7	7.6	7.2	6.5
3/11/2012	19	6.4	6.4	4.9	7.4	7.3	7.3	7.3	6.4
3/11/2012	20	6.3	6.3	4.6	7.0	6.9	7.0	7.2	6.2
3/11/2012	21	6.2	6.2	4.6	6.6	6.6	6.6	7.1	6.2
3/11/2012	22	6.1	6.1	4.5	6.2	6.2	6.2	7.0	6.1
3/11/2012	23	6.0	6.0	4.4	5.9	5.8	5.8	7.0	5.9

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/11/2012	24	6.0	5.9	4.4	5.6	5.5	5.5	6.9	5.8
3/11/2012	1	5.9	5.8	4.4	5.4	5.3	5.3	6.8	5.8
3/12/2012	2	5.8	5.7	4.3	5.3	5.2	5.2	6.7	5.7
3/12/2012	3	5.7	5.7	4.3	5.2	5.1	5.1	6.6	5.7
3/12/2012	4	5.7	5.7	4.3	5.1	5.1	5.1	6.5	5.7
3/12/2012	5	5.7	5.7	4.3	5.1	5.1	5.0	6.5	5.7
3/12/2012	6	5.7	5.7	4.3	5.1	5.0	4.9	6.5	5.7
3/12/2012	7	5.7	5.7	4.3	5.0	5.0	4.9	6.5	5.7
3/12/2012	8	5.6	5.7	4.2	5.1	5.0	4.9	6.5	5.7
3/12/2012	9	5.6	5.7	4.3	5.1	5.1	5.0	6.5	5.7
3/12/2012	10	5.7	5.7	4.3	5.1	5.1	5.1	6.4	5.6
3/12/2012	11	5.6	5.6	4.3	5.2	5.1	5.1	6.4	5.6
3/12/2012	12	5.6	5.6	4.2	5.2	5.1	5.1	6.4	5.5
3/12/2012	13	5.6	5.6	4.2	5.2	5.2	5.1	6.4	5.5
3/12/2012	14	5.6	5.6	4.2	5.2	5.2	5.1	6.4	5.5
3/12/2012	15	5.5	5.6	4.2	5.3	5.2	5.2	6.3	5.5
3/12/2012	16	5.4	5.5	4.3	5.3	5.2	5.2	6.3	5.5
3/12/2012	17	5.4	5.5	4.4	5.3	5.3	5.2	6.3	5.5
3/12/2012	18	5.5	5.6	4.4	5.3	5.3	5.3	6.3	5.6
3/12/2012	19	5.5	5.6	4.4	5.4	5.4	5.3	6.3	5.6
3/12/2012	20	5.5	5.6	4.4	5.5	5.4	5.4	6.3	5.6
3/12/2012	21	5.5	5.6	4.4	5.5	5.5	5.5	6.3	5.6
3/12/2012	22	5.5	5.6	4.4	5.6	5.5	5.5	6.3	5.6
3/12/2012	23	5.5	5.6	4.5	5.6	5.6	5.6	6.3	5.6
3/12/2012	24	5.5	5.7	4.5	5.6	5.6	5.6	6.3	5.6
3/12/2012	1	5.6	5.7	4.4	5.7	5.7	5.6	6.3	5.7
3/13/2012	2	5.6	5.7	4.4	5.8	5.7	5.7	6.3	5.7
3/13/2012	3	5.6	5.7	4.4	5.8	5.8	5.8	6.3	5.7
3/13/2012	4	5.6	5.6	4.3	5.8	5.7	5.7	6.3	5.6
3/13/2012	5	5.6	5.6	4.2	5.7	5.7	5.6	6.3	5.6
3/13/2012	6	5.6	5.5	4.2	5.6	5.6	5.5	6.3	5.6
3/13/2012	7	5.5	5.5	4.1	5.5	5.4	5.4	6.3	5.5
3/13/2012	8	5.5	5.5	4.1	5.6	5.3	5.2	6.4	5.4
3/13/2012	9	5.5	5.5	4.2	5.8	5.3	5.4	6.4	5.4
3/13/2012	10	5.4	5.7	4.4	5.9	5.2	5.5	6.4	5.4
3/13/2012	11	5.4	6.0	4.8	6.1	5.3	5.6	6.4	5.6
3/13/2012	12	5.5	6.0	5.1	6.3	5.6	5.9	6.4	5.7
3/13/2012	13	5.6	6.1	5.4	6.8	6.3	6.4	6.4	5.8
3/13/2012	14	5.7	6.2	5.3	7.1	7.0	6.8	6.5	5.9
3/13/2012	15	5.8	6.2	5.3	7.5	7.5	7.5	6.5	6.0
3/13/2012	16	5.9	6.1	5.0	7.7	7.7	7.8	6.6	6.1
3/13/2012	17	6.0	6.2	4.8	7.7	7.7	7.7	6.6	6.2
3/13/2012	18	6.0	6.2	4.7	7.5	7.5	7.5	6.7	6.2
3/13/2012	19	6.1	6.1	4.5	7.2	7.1	7.2	6.7	6.1
3/13/2012	20	6.0	6.0	4.4	6.7	6.6	6.7	6.8	6.0
3/13/2012	21	6.0	5.9	4.3	6.3	6.2	6.3	6.8	5.9

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/13/2012	22	5.9	5.8	4.2	5.9	5.8	5.9	6.8	5.8
3/13/2012	23	5.8	5.7	4.2	5.5	5.5	5.6	6.7	5.7
3/13/2012	24	5.7	5.7	4.2	5.3	5.3	5.3	6.6	5.6
3/13/2012	1	5.7	5.6	4.2	5.2	5.1	5.1	6.6	5.6
3/14/2012	2	5.6	5.6	4.2	5.1	5.1	5.0	6.5	5.5
3/14/2012	3	5.5	5.5	4.2	5.1	5.0	5.0	6.5	5.5
3/14/2012	4	5.5	5.5	4.1	5.1	5.0	4.9	6.4	5.5
3/14/2012	5	5.5	5.5	4.1	5.0	5.0	4.9	6.3	5.5
3/14/2012	6	5.5	5.4	4.1	5.0	5.0	4.9	6.3	5.5
3/14/2012	7	5.5	5.4	4.1	5.0	4.9	4.9	6.3	5.5
3/14/2012	8	5.4	5.5	4.1	5.0	4.9	4.9	6.3	5.4
3/14/2012	9	5.4	5.5	4.1	5.0	4.9	4.9	6.3	5.4
3/14/2012	10	5.4	5.6	4.2	5.1	4.9	5.0	6.3	5.5
3/14/2012	11	5.4	5.7	4.3	5.3	5.1	5.2	6.3	5.5
3/14/2012	12	5.5	5.7	4.4	5.4	5.3	5.3	6.3	5.6
3/14/2012	13	5.5	5.7	4.5	5.6	5.6	5.6	6.3	5.6
3/14/2012	14	5.5	5.6	4.4	5.7	5.6	5.6	6.3	5.6
3/14/2012	15	5.6	5.7	4.3	5.8	5.7	5.7	6.3	5.6
3/14/2012	16	5.6	5.7	4.3	5.8	5.7	5.7	6.3	5.6
3/14/2012	17	5.6	5.6	4.3	5.8	5.7	5.7	6.3	5.6
3/14/2012	18	5.6	5.6	4.3	5.7	5.6	5.6	6.4	5.6
3/14/2012	19	5.6	5.6	4.3	5.6	5.6	5.6	6.4	5.6
3/14/2012	20	5.6	5.6	4.3	5.5	5.6	5.6	6.4	5.6
3/14/2012	21	5.6	5.6	4.3	5.5	5.6	5.6	6.4	5.6
3/14/2012	22	5.6	5.6	4.2	5.5	5.5	5.5	6.3	5.6
3/14/2012	23	5.5	5.6	4.3	5.5	5.5	5.5	6.3	5.5
3/14/2012	24	5.5	5.6	4.2	5.4	5.5	5.5	6.3	5.5
3/15/2012	1	5.5	5.5	4.3	5.4	5.5	5.5	6.3	5.5
3/15/2012	2	5.5	5.5	4.2	5.4	5.5	5.5	6.3	5.5
3/15/2012	3	5.5	5.5	4.2	5.4	5.5	5.5	6.3	5.5
3/15/2012	4	5.5	5.5	4.2	5.4	5.5	5.5	6.3	5.5
3/15/2012	5	5.5	5.5	4.2	5.4	5.5	5.5	6.3	5.5
3/15/2012	6	5.5	5.5	4.2	5.4	5.5	5.5	6.3	5.5
3/15/2012	7	5.5	5.5	4.2	5.4	5.5	5.5	6.3	5.5
3/15/2012	8	5.5	5.5	4.2	5.4	5.5	5.5	6.3	5.5
3/15/2012	9	5.5	5.6	4.2	5.5	5.5	5.5	6.3	5.5
3/15/2012	10	5.5	5.8	4.3	5.8	5.6	5.7	6.4	5.6
3/15/2012	11	5.5	5.8	4.4	6.0	5.7	5.8	6.4	5.6
3/15/2012	12	5.5	5.8	4.5	6.5	5.8	5.9	6.4	5.7
3/15/2012	13	5.6	5.9	4.6	6.3	5.8	5.9	6.4	5.7
3/15/2012	14	5.6	6.0	4.7	6.5	5.9	6.0	6.4	5.8
3/15/2012	15	5.7	6.0	4.7	6.8	6.0	6.1	6.5	5.9
3/15/2012	16	5.8	6.1	4.7	7.0	6.1	6.2	6.5	6.0
3/15/2012	17	5.9	6.2	4.7	7.0	6.2	6.3	6.6	6.1
3/15/2012	18	5.9	6.1	4.7	7.0	6.2	6.3	6.6	6.1
3/15/2012	19	6.0	6.1	4.7	7.1	6.2	6.3	6.7	6.1

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/15/2012	20	6.0	6.1	4.6	7.0	6.2	6.3	6.7	6.0
3/15/2012	21	6.0	6.1	4.5	6.9	6.1	6.2	6.7	6.0
3/15/2012	22	6.0	6.0	4.5	6.7	6.1	6.1	6.7	5.9
3/15/2012	23	5.9	5.9	4.4	6.5	6.0	6.1	6.7	5.9
3/15/2012	24	5.9	5.9	4.4	6.3	5.9	6.0	6.6	5.8
3/15/2012	1	5.8	5.8	4.4	6.2	5.8	5.9	6.6	5.8
3/16/2012	2	5.8	5.8	4.3	6.0	5.8	5.8	6.5	5.8
3/16/2012	3	5.7	5.7	4.3	5.9	5.7	5.8	6.5	5.7
3/16/2012	4	5.7	5.7	4.2	5.7	5.7	5.7	6.4	5.7
3/16/2012	5	5.6	5.7	4.2	5.7	5.7	5.7	6.4	5.7
3/16/2012	6	5.6	5.7	4.2	5.6	5.6	5.6	6.4	5.6
3/16/2012	7	5.6	5.6	4.2	5.5	5.6	5.6	6.5	5.6
3/16/2012	8	5.6	5.7	4.2	5.6	5.6	5.6	6.5	5.6
3/16/2012	9	5.6	5.8	4.3	5.7	5.7	5.7	6.5	5.7
3/16/2012	10	5.6	5.9	4.5	5.9	5.7	5.8	6.5	5.7
3/16/2012	11	5.6	6.2	4.8	6.6	5.9	6.0	6.6	5.8
3/16/2012	12	5.7	6.4	5.1	7.0	6.1	6.2	6.6	6.0
3/16/2012	13	5.9	6.7	5.3	7.3	6.3	6.5	6.6	6.2
3/16/2012	14	6.0	6.8	5.5	7.7	6.6	6.7	6.8	6.4
3/16/2012	15	6.2	6.8	5.6	8.1	6.8	7.0	6.9	6.6
3/16/2012	16	6.4	6.8	5.4	8.6	7.0	7.2	7.0	6.7
3/16/2012	17	6.5	6.8	5.1	8.8	7.0	7.2	7.1	6.8
3/16/2012	18	6.6	6.7	4.9	8.8	7.0	7.2	7.3	6.7
3/16/2012	19	6.6	6.7	4.7	8.4	6.9	7.1	7.4	6.7
3/16/2012	20	6.6	6.6	4.6	8.0	6.8	6.9	7.4	6.6
3/16/2012	21	6.5	6.6	4.5	7.6	6.6	6.8	7.4	6.5
3/16/2012	22	6.4	6.5	4.4	7.2	6.6	6.6	7.3	6.5
3/16/2012	23	6.4	6.4	4.4	6.8	6.4	6.5	7.2	6.4
3/16/2012	24	6.3	6.4	4.4	6.6	6.3	6.4	7.2	6.3
3/16/2012	1	6.2	6.3	4.4	6.4	6.3	6.3	7.1	6.3
3/17/2012	2	6.2	6.3	4.4	6.4	6.3	6.3	7.0	6.3
3/17/2012	3	6.2	6.3	4.4	6.3	6.3	6.3	7.0	6.2
3/17/2012	4	6.2	6.2	4.3	6.2	6.2	6.2	6.9	6.2
3/17/2012	5	6.2	6.2	4.2	6.2	6.2	6.1	6.9	6.2
3/17/2012	6	6.1	6.0	4.0	5.9	6.0	6.0	6.9	6.0
3/17/2012	7	6.1	6.0	4.0	5.8	5.9	5.9	6.9	5.9
3/17/2012	8	6.0	6.1	4.1	5.8	5.9	5.9	6.9	5.9
3/17/2012	9	5.9	6.1	4.3	5.8	5.9	5.9	6.8	6.0
3/17/2012	10	5.9	6.3	4.5	6.1	6.0	6.1	6.8	6.1
3/17/2012	11	6.0	6.5	4.7	6.5	6.2	6.3	6.8	6.2
3/17/2012	12	6.0	6.5	4.7	6.5	6.3	6.3	6.8	6.3
3/17/2012	13	6.2	6.6	4.9	6.9	6.5	6.5	6.9	6.4
3/17/2012	14	6.3	6.8	4.9	7.4	6.7	6.8	7.0	6.6
3/17/2012	15	6.4	6.8	4.9	7.5	6.8	6.9	7.1	6.7
3/17/2012	16	6.5	6.9	4.9	7.7	6.9	7.0	7.2	6.8
3/17/2012	17	6.6	6.9	4.8	7.8	7.0	7.0	7.3	6.8

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/17/2012	18	6.7	6.8	4.7	7.7	6.9	7.0	7.4	6.8
3/17/2012	19	6.7	6.7	4.6	7.6	6.8	6.9	7.5	6.7
3/17/2012	20	6.6	6.6	4.4	7.3	6.7	6.7	7.4	6.5
3/17/2012	21	6.5	6.5	4.4	7.0	6.5	6.5	7.3	6.4
3/17/2012	22	6.4	6.3	4.3	6.6	6.4	6.4	7.2	6.3
3/17/2012	23	6.3	6.2	4.3	6.3	6.2	6.2	7.1	6.2
3/17/2012	24	6.2	6.1	4.2	6.0	6.1	6.1	7.0	6.1
3/17/2012	1	6.1	6.0	4.2	5.8	6.0	6.0	6.9	6.1
3/18/2012	2	6.0	6.0	4.2	5.6	5.9	5.9	6.9	6.0
3/18/2012	3	6.0	5.9	4.2	5.5	5.8	5.8	6.8	5.9
3/18/2012	4	5.9	5.8	4.1	5.4	5.8	5.7	6.7	5.9
3/18/2012	5	5.9	5.8	4.1	5.2	5.8	5.7	6.7	5.9
3/18/2012	6	5.9	5.8	4.1	5.1	5.7	5.7	6.6	5.8
3/18/2012	7	5.8	5.8	4.1	5.1	5.6	5.6	6.6	5.7
3/18/2012	8	5.8	5.8	4.1	5.2	5.6	5.6	6.6	5.7
3/18/2012	9	5.7	5.8	4.2	5.5	5.6	5.6	6.5	5.7
3/18/2012	10	5.6	5.9	4.4	5.7	5.7	5.7	6.5	5.7
3/18/2012	11	5.6	6.1	4.6	6.1	5.8	5.8	6.4	5.9
3/18/2012	12	5.7	6.4	4.8	6.4	6.0	6.1	6.5	6.1
3/18/2012	13	5.9	6.7	5.1	6.8	6.3	6.4	6.6	6.3
3/18/2012	14	6.0	6.9	5.3	7.3	6.6	6.7	6.8	6.5
3/18/2012	15	6.2	6.8	5.3	7.7	6.8	6.9	6.9	6.6
3/18/2012	16	6.4	6.8	5.2	8.2	7.0	7.1	7.1	6.8
3/18/2012	17	6.6	6.8	5.0	8.5	7.0	7.2	7.2	6.8
3/18/2012	18	6.6	6.8	4.8	8.5	7.1	7.2	7.3	6.8
3/18/2012	19	6.7	6.8	4.6	8.3	7.0	7.1	7.5	6.8
3/18/2012	20	6.6	6.7	4.5	7.9	6.8	6.9	7.5	6.7
3/18/2012	21	6.6	6.6	4.4	7.4	6.6	6.8	7.4	6.5
3/18/2012	22	6.5	6.5	4.4	7.0	6.5	6.6	7.3	6.4
3/18/2012	23	6.4	6.4	4.3	6.6	6.3	6.4	7.2	6.3
3/18/2012	24	6.3	6.3	4.3	6.3	6.2	6.2	7.1	6.2
3/18/2012	1	6.2	6.1	4.3	6.1	6.1	6.1	7.0	6.1
3/19/2012	2	6.1	6.1	4.3	5.9	6.0	6.0	6.9	6.0
3/19/2012	3	6.0	6.0	4.2	5.8	5.9	5.9	6.8	5.9
3/19/2012	4	6.0	5.9	4.2	5.6	5.9	5.8	6.8	5.9
3/19/2012	5	5.9	5.8	4.2	5.5	5.8	5.8	6.7	5.9
3/19/2012	6	5.9	5.8	4.1	5.3	5.8	5.7	6.7	5.9
3/19/2012	7	5.9	5.8	4.1	5.2	5.7	5.7	6.7	5.8
3/19/2012	8	5.8	5.8	4.1	5.4	5.7	5.7	6.7	5.8
3/19/2012	9	5.8	6.0	4.3	5.7	5.8	5.8	6.7	5.9
3/19/2012	10	5.8	6.2	4.5	6.0	5.9	5.9	6.7	6.0
3/19/2012	11	5.9	6.5	4.8	6.3	6.1	6.1	6.7	6.1
3/19/2012	12	6.0	6.7	5.1	6.7	6.3	6.3	6.8	6.3
3/19/2012	13	6.1	7.0	5.3	7.3	6.5	6.6	6.9	6.5
3/19/2012	14	6.3	7.1	5.4	7.6	6.8	6.9	7.0	6.7
3/19/2012	15	6.5	7.0	5.3	8.1	7.1	7.2	7.2	6.9

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/19/2012	16	6.7	7.0	5.3	8.5	7.2	7.3	7.3	6.9
3/19/2012	17	6.7	7.0	5.0	8.7	7.2	7.3	7.4	7.0
3/19/2012	18	6.8	7.0	4.8	8.5	7.2	7.3	7.6	7.0
3/19/2012	19	6.8	6.9	4.7	8.2	7.1	7.2	7.7	6.9
3/19/2012	20	6.8	6.8	4.6	7.8	6.9	7.0	7.7	6.8
3/19/2012	21	6.7	6.7	4.5	7.3	6.7	6.8	7.6	6.7
3/19/2012	22	6.6	6.6	4.5	7.0	6.6	6.7	7.5	6.6
3/19/2012	23	6.5	6.5	4.4	6.6	6.5	6.5	7.5	6.5
3/19/2012	24	6.5	6.5	4.4	6.4	6.4	6.5	7.4	6.5
3/19/2012	1	6.4	6.4	4.4	6.3	6.4	6.4	7.3	6.4
3/20/2012	2	6.4	6.4	4.4	6.2	6.4	6.3	7.2	6.4
3/20/2012	3	6.3	6.4	4.4	6.2	6.3	6.3	7.2	6.4
3/20/2012	4	6.3	6.4	4.4	6.2	6.3	6.3	7.1	6.3
3/20/2012	5	6.3	6.3	4.4	6.1	6.3	6.3	7.1	6.3
3/20/2012	6	6.2	6.3	4.4	6.1	6.3	6.3	7.1	6.3
3/20/2012	7	6.2	6.3	4.4	6.1	6.2	6.2	7.1	6.3
3/20/2012	8	6.2	6.3	4.4	6.2	6.2	6.2	7.0	6.2
3/20/2012	9	6.2	6.4	4.5	6.3	6.2	6.3	7.0	6.2
3/20/2012	10	6.2	6.5	4.6	6.8	6.3	6.4	7.0	6.3
3/20/2012	11	6.2	6.5	4.8	6.8	6.4	6.5	7.0	6.3
3/20/2012	12	6.2	6.7	4.9	7.3	6.5	6.6	7.0	6.4
3/20/2012	13	6.3	6.9	5.2	7.8	6.7	6.9	7.1	6.6
3/20/2012	14	6.4	6.9	5.3	7.9	6.9	7.0	7.1	6.7
3/20/2012	15	6.5	7.0	5.2	8.1	7.0	7.1	7.2	6.8
3/20/2012	16	6.6	6.9	5.1	8.3	7.1	7.2	7.3	6.9
3/20/2012	17	6.7	6.9	4.9	8.4	7.0	7.2	7.3	6.8
3/20/2012	18	6.7	6.8	4.8	8.3	6.9	7.1	7.4	6.7
3/20/2012	19	6.6	6.7	4.6	8.0	6.8	6.9	7.5	6.6
3/20/2012	20	6.6	6.6	4.5	7.6	6.7	6.8	7.4	6.5
3/20/2012	21	6.5	6.5	4.4	7.2	6.5	6.6	7.4	6.4
3/20/2012	22	6.4	6.4	4.3	6.7	6.3	6.4	7.3	6.3
3/20/2012	23	6.3	6.2	4.4	6.4	6.2	6.2	7.2	6.2
3/20/2012	24	6.2	6.1	4.3	6.1	6.1	6.1	7.1	6.1
3/20/2012	1	6.1	6.1	4.3	5.9	6.1	6.0	7.0	6.1
3/21/2012	2	6.1	6.0	4.3	5.7	6.0	5.9	6.9	6.0
3/21/2012	3	6.0	6.0	4.3	5.6	5.9	5.8	6.8	6.0
3/21/2012	4	6.0	5.9	4.2	5.5	5.9	5.8	6.8	6.0
3/21/2012	5	6.0	5.9	4.3	5.4	5.8	5.8	6.8	5.9
3/21/2012	6	6.0	5.9	4.2	5.3	5.8	5.8	6.8	5.9
3/21/2012	7	5.9	5.9	4.2	5.3	5.8	5.7	6.8	5.9
3/21/2012	8	5.9	5.9	4.2	5.4	5.8	5.8	6.7	5.9
3/21/2012	9	5.9	6.1	4.4	5.7	5.8	5.8	6.7	5.9
3/21/2012	10	5.9	6.3	4.6	6.2	5.9	5.9	6.7	5.9
3/21/2012	11	5.9	6.5	4.9	6.6	6.1	6.1	6.7	6.1
3/21/2012	12	6.0	6.6	5.2	6.7	6.2	6.3	6.8	6.3
3/21/2012	13	6.1	6.7	5.3	7.1	6.4	6.5	6.9	6.4

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/21/2012	14	6.3	6.7	5.3	7.5	6.6	6.7	7.0	6.5
3/21/2012	15	6.4	6.8	5.0	8.0	6.8	6.9	7.1	6.7
3/21/2012	16	6.5	6.8	4.9	8.1	6.9	7.0	7.2	6.7
3/21/2012	17	6.6	6.8	4.8	8.2	6.9	7.0	7.3	6.7
3/21/2012	18	6.6	6.8	4.7	8.0	6.9	7.0	7.4	6.7
3/21/2012	19	6.6	6.7	4.6	7.8	6.8	6.9	7.5	6.7
3/21/2012	20	6.6	6.7	4.6	7.5	6.7	6.8	7.5	6.6
3/21/2012	21	6.6	6.6	4.5	7.2	6.6	6.7	7.4	6.5
3/21/2012	22	6.5	6.5	4.4	6.9	6.5	6.6	7.4	6.5
3/21/2012	23	6.4	6.5	4.4	6.7	6.4	6.5	7.3	6.4
3/21/2012	24	6.4	6.4	4.4	6.5	6.4	6.4	7.2	6.4
3/21/2012	1	6.3	6.3	4.4	6.4	6.3	6.3	7.2	6.3
3/22/2012	2	6.3	6.3	4.4	6.3	6.3	6.3	7.1	6.3
3/22/2012	3	6.2	6.3	4.3	6.2	6.2	6.2	7.1	6.2
3/22/2012	4	6.2	6.2	4.4	6.2	6.2	6.2	7.1	6.2
3/22/2012	5	6.2	6.2	4.4	6.1	6.2	6.2	7.0	6.2
3/22/2012	6	6.1	6.2	4.3	6.0	6.1	6.1	7.0	6.2
3/22/2012	7	6.1	6.1	4.3	6.0	6.1	6.1	7.0	6.1
3/22/2012	8	6.1	6.2	4.4	6.3	6.1	6.1	7.0	6.1
3/22/2012	9	6.1	6.4	4.6	6.7	6.2	6.2	7.0	6.1
3/22/2012	10	6.1	6.5	4.7	6.9	6.3	6.3	7.0	6.3
3/22/2012	11	6.1	6.8	5.0	7.1	6.4	6.5	7.0	6.4
3/22/2012	12	6.3	7.1	5.2	7.7	6.7	6.8	7.1	6.6
3/22/2012	13	6.4	7.2	5.4	8.1	6.9	7.0	7.2	6.8
3/22/2012	14	6.6	7.2	5.4	8.4	7.1	7.3	7.3	7.0
3/22/2012	15	6.7	7.3	5.5	8.8	7.3	7.5	7.5	7.1
3/22/2012	16	6.9	7.3	5.3	9.1	7.4	7.6	7.6	7.2
3/22/2012	17	7.0	7.3	5.2	9.1	7.5	7.6	7.7	7.2
3/22/2012	18	7.0	7.2	5.0	9.0	7.4	7.6	7.8	7.1
3/22/2012	19	7.0	7.1	4.8	8.8	7.2	7.4	7.9	7.0
3/22/2012	20	6.9	7.0	4.7	8.3	7.0	7.2	7.8	6.9
3/22/2012	21	6.8	6.8	4.5	7.9	6.9	7.0	7.7	6.7
3/22/2012	22	6.7	6.7	4.5	7.5	6.7	6.8	7.6	6.6
3/22/2012	23	6.6	6.6	4.5	7.1	6.5	6.6	7.5	6.5
3/22/2012	24	6.5	6.4	4.4	6.8	6.4	6.5	7.4	6.4
3/22/2012	1	6.4	6.3	4.4	6.5	6.3	6.3	7.3	6.3
3/23/2012	2	6.3	6.3	4.3	6.3	6.2	6.2	7.2	6.2
3/23/2012	3	6.2	6.2	4.3	6.1	6.1	6.1	7.1	6.2
3/23/2012	4	6.2	6.1	4.3	5.9	6.1	6.1	7.0	6.1
3/23/2012	5	6.1	6.1	4.2	5.8	6.0	6.0	7.0	6.1
3/23/2012	6	6.1	6.0	4.2	5.7	5.9	5.9	7.0	6.0
3/23/2012	7	6.0	5.9	4.2	5.6	5.9	5.8	6.9	5.9
3/23/2012	8	6.0	6.0	4.3	5.8	5.9	5.8	6.9	5.9
3/23/2012	9	5.9	6.1	4.4	6.2	5.9	5.9	6.9	5.9
3/23/2012	10	5.9	6.4	4.6	6.5	6.0	6.1	6.8	6.1
3/23/2012	11	5.9	6.6	4.8	6.8	6.2	6.3	6.8	6.2

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/23/2012	12	6.1	6.9	5.1	7.3	6.4	6.5	7.0	6.4
3/23/2012	13	6.3	7.2	5.3	7.6	6.7	6.9	7.1	6.7
3/23/2012	14	6.5	7.4	5.4	8.2	7.1	7.3	7.3	6.9
3/23/2012	15	6.7	7.3	5.4	8.6	7.4	7.6	7.5	7.2
3/23/2012	16	6.9	7.3	5.4	9.1	7.6	7.8	7.7	7.3
3/23/2012	17	7.1	7.4	5.1	9.4	7.6	7.8	7.8	7.4
3/23/2012	18	7.2	7.4	4.9	9.4	7.6	7.8	8.0	7.4
3/23/2012	19	7.2	7.3	4.8	9.1	7.6	7.7	8.2	7.3
3/23/2012	20	7.2	7.3	4.7	8.7	7.4	7.6	8.1	7.2
3/23/2012	21	7.1	7.1	4.5	8.2	7.2	7.3	8.0	7.0
3/23/2012	22	7.0	7.0	4.5	7.7	7.0	7.1	7.8	6.8
3/23/2012	23	6.9	6.8	4.5	7.2	6.7	6.8	7.7	6.7
3/23/2012	24	6.7	6.7	4.4	6.9	6.6	6.6	7.6	6.6
3/23/2012	1	6.6	6.6	4.4	6.7	6.5	6.5	7.5	6.5
3/24/2012	2	6.5	6.5	4.4	6.5	6.4	6.4	7.4	6.4
3/24/2012	3	6.5	6.4	4.3	6.3	6.3	6.3	7.3	6.4
3/24/2012	4	6.4	6.3	4.3	6.1	6.3	6.2	7.2	6.3
3/24/2012	5	6.3	6.3	4.3	6.0	6.2	6.2	7.2	6.2
3/24/2012	6	6.3	6.2	4.3	5.9	6.1	6.1	7.2	6.2
3/24/2012	7	6.2	6.2	4.3	5.8	6.1	6.1	7.1	6.2
3/24/2012	8	6.2	6.3	4.3	5.8	6.1	6.1	7.1	6.2
3/24/2012	9	6.2	6.4	4.4	6.1	6.2	6.2	7.1	6.2
3/24/2012	10	6.2	6.5	4.5	6.3	6.3	6.3	7.1	6.3
3/24/2012	11	6.2	6.8	4.7	6.8	6.4	6.5	7.1	6.4
3/24/2012	12	6.3	7.0	4.8	7.2	6.6	6.7	7.2	6.6
3/24/2012	13	6.4	7.3	5.2	7.8	6.8	7.0	7.3	6.8
3/24/2012	14	6.6	7.5	5.4	8.1	7.1	7.2	7.5	7.0
3/24/2012	15	6.8	7.4	5.5	8.3	7.3	7.5	7.6	7.2
3/24/2012	16	6.9	7.4	5.4	8.9	7.6	7.7	7.8	7.3
3/24/2012	17	7.1	7.5	5.2	9.3	7.6	7.8	7.9	7.4
3/24/2012	18	7.2	7.4	5.1	9.4	7.6	7.8	8.1	7.4
3/24/2012	19	7.2	7.4	4.9	9.2	7.6	7.7	8.2	7.3
3/24/2012	20	7.2	7.3	4.7	8.8	7.4	7.6	8.1	7.2
3/24/2012	21	7.1	7.2	4.6	8.5	7.3	7.4	8.0	7.1
3/24/2012	22	7.0	7.1	4.5	8.1	7.1	7.2	7.9	7.0
3/24/2012	23	6.9	6.9	4.5	7.6	6.9	7.0	7.8	6.8
3/24/2012	24	6.8	6.8	4.4	7.2	6.8	6.8	7.7	6.7
3/24/2012	1	6.7	6.7	4.4	7.0	6.7	6.7	7.6	6.7
3/25/2012	2	6.6	6.6	4.4	6.7	6.6	6.6	7.5	6.6
3/25/2012	3	6.6	6.6	4.3	6.6	6.5	6.5	7.4	6.6
3/25/2012	4	6.5	6.5	4.3	6.4	6.5	6.5	7.4	6.5
3/25/2012	5	6.5	6.5	4.3	6.3	6.4	6.4	7.4	6.5
3/25/2012	6	6.5	6.4	4.3	6.1	6.4	6.3	7.3	6.4
3/25/2012	7	6.4	6.4	4.3	6.1	6.3	6.3	7.3	6.4
3/25/2012	8	6.4	6.5	4.3	6.0	6.3	6.3	7.2	6.3
3/25/2012	9	6.3	6.4	4.4	6.1	6.3	6.3	7.2	6.3

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/25/2012	10	6.3	6.6	4.5	6.5	6.4	6.4	7.2	6.4
3/25/2012	11	6.3	6.7	4.6	6.7	6.5	6.5	7.2	6.5
3/25/2012	12	6.4	7.1	4.9	7.5	6.7	6.8	7.3	6.6
3/25/2012	13	6.5	7.4	5.1	8.0	6.9	7.1	7.5	6.9
3/25/2012	14	6.7	7.6	5.3	8.2	7.2	7.4	7.6	7.1
3/25/2012	15	6.9	7.5	5.4	8.6	7.5	7.7	7.8	7.3
3/25/2012	16	7.1	7.6	5.3	9.1	7.7	7.9	7.9	7.5
3/25/2012	17	7.3	7.6	5.2	9.6	7.8	8.0	8.1	7.6
3/25/2012	18	7.4	7.6	5.1	9.7	7.8	8.1	8.2	7.6
3/25/2012	19	7.4	7.6	4.9	9.6	7.8	8.0	8.3	7.5
3/25/2012	20	7.4	7.5	4.8	9.3	7.7	7.9	8.3	7.4
3/25/2012	21	7.3	7.4	4.7	8.9	7.5	7.7	8.2	7.3
3/25/2012	22	7.2	7.3	4.6	8.5	7.3	7.5	8.1	7.2
3/25/2012	23	7.1	7.2	4.7	8.1	7.2	7.3	8.0	7.0
3/25/2012	24	7.0	7.1	4.6	7.8	7.1	7.2	8.0	7.0
3/25/2012	1	6.9	7.0	4.6	7.6	7.0	7.1	7.9	6.9
3/26/2012	2	6.9	6.9	4.6	7.4	7.0	7.0	7.8	6.9
3/26/2012	3	6.8	6.9	4.6	7.3	7.0	7.0	7.7	6.9
3/26/2012	4	6.9	6.9	4.5	7.2	6.9	7.0	7.7	6.9
3/26/2012	5	6.9	6.9	4.5	7.1	6.9	6.9	7.8	6.9
3/26/2012	6	6.8	6.9	4.5	6.9	6.8	6.9	7.8	6.8
3/26/2012	7	6.8	6.9	4.5	6.9	6.8	6.8	7.8	6.8
3/26/2012	8	6.8	6.9	4.6	6.8	6.8	6.8	7.8	6.8
3/26/2012	9	6.7	6.9	4.6	6.8	6.8	6.8	7.8	6.8
3/26/2012	10	6.7	7.0	4.6	6.9	6.8	6.9	7.8	6.8
3/26/2012	11	6.7	7.1	4.7	7.1	6.9	7.0	7.9	6.9
3/26/2012	12	6.8	7.2	4.8	7.3	6.9	7.0	7.9	6.9
3/26/2012	13	6.8	7.2	4.9	7.5	7.0	7.1	7.9	6.9
3/26/2012	14	6.9	7.4	4.9	8.0	7.1	7.3	8.0	7.0
3/26/2012	15	6.9	7.5	5.1	8.2	7.2	7.3	8.0	7.0
3/26/2012	16	7.0	7.4	5.1	8.4	7.2	7.4	8.0	7.0
3/26/2012	17	7.1	7.4	5.0	8.6	7.4	7.5	8.1	7.2
3/26/2012	18	7.2	7.4	4.9	8.7	7.5	7.6	8.1	7.3
3/26/2012	19	7.2	7.5	4.8	8.7	7.6	7.7	8.2	7.4
3/26/2012	20	7.3	7.5	4.7	8.6	7.6	7.7	8.2	7.4
3/26/2012	21	7.4	7.5	4.7	8.4	7.6	7.7	8.3	7.5
3/26/2012	22	7.4	7.5	4.6	8.0	7.6	7.6	8.3	7.5
3/26/2012	23	7.4	7.5	4.6	7.7	7.5	7.5	8.4	7.5
3/26/2012	24	7.4	7.4	4.6	7.4	7.4	7.4	8.4	7.4
3/26/2012	1	7.3	7.4	4.6	7.1	7.3	7.3	8.4	7.3
3/27/2012	2	7.3	7.3	4.5	6.9	7.2	7.2	8.3	7.3
3/27/2012	3	7.2	7.2	4.5	6.8	7.2	7.1	8.2	7.2
3/27/2012	4	7.1	7.2	4.6	6.7	7.1	7.1	8.2	7.1
3/27/2012	5	7.1	7.1	4.5	6.6	7.0	7.0	8.1	7.1
3/27/2012	6	7.1	7.1	4.6	6.6	7.0	6.9	8.1	7.0
3/27/2012	7	7.0	7.0	4.6	6.6	6.9	6.9	8.0	7.0

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/27/2012	8	6.9	7.0	4.6	6.6	6.9	6.9	7.9	7.0
3/27/2012	9	6.9	7.0	4.7	6.7	7.0	6.9	7.9	6.9
3/27/2012	10	6.9	7.1	4.7	6.8	7.0	7.0	7.9	7.0
3/27/2012	11	6.9	7.1	4.7	7.0	6.9	7.0	7.9	6.9
3/27/2012	12	6.9	7.1	4.8	7.1	7.0	7.0	7.9	7.0
3/27/2012	13	6.9	7.0	4.7	7.2	7.0	7.1	7.9	7.0
3/27/2012	14	6.9	7.0	4.7	7.3	7.0	7.0	7.9	6.9
3/27/2012	15	6.9	7.0	4.7	7.4	7.0	7.1	7.9	6.9
3/27/2012	16	6.9	7.0	4.7	7.4	7.0	7.1	7.9	6.9
3/27/2012	17	6.9	7.0	4.7	7.4	7.0	7.0	7.9	6.9
3/27/2012	18	6.9	6.9	4.7	7.3	6.9	7.0	7.9	6.9
3/27/2012	19	6.8	6.9	4.7	7.2	6.9	7.0	7.8	6.9
3/27/2012	20	6.8	6.9	4.7	7.2	6.9	6.9	7.8	6.9
3/27/2012	21	6.8	6.9	4.7	7.1	6.9	6.9	7.8	6.9
3/27/2012	22	6.8	6.9	4.7	7.1	6.9	6.9	7.8	6.9
3/27/2012	23	6.8	6.9	4.7	7.0	6.8	6.9	7.8	6.8
3/27/2012	24	6.7	6.9	4.7	7.0	6.8	6.9	7.7	6.8
3/27/2012	1	6.7	6.8	4.7	6.9	6.8	6.8	7.7	6.8
3/28/2012	2	6.7	6.8	4.7	6.9	6.8	6.8	7.7	6.8
3/28/2012	3	6.7	6.8	4.7	6.9	6.8	6.8	7.7	6.8
3/28/2012	4	6.7	6.8	4.7	6.9	6.8	6.8	7.7	6.7
3/28/2012	5	6.7	6.8	4.7	6.9	6.7	6.8	7.7	6.7
3/28/2012	6	6.7	6.8	4.7	6.9	6.8	6.8	7.7	6.7
3/28/2012	7	6.7	6.8	4.7	6.9	6.8	6.8	7.6	6.7
3/28/2012	8	6.7	6.8	4.7	6.9	6.8	6.8	7.6	6.7
3/28/2012	9	6.7	7.0	4.9	7.3	6.8	6.9	7.7	6.8
3/28/2012	10	6.7	7.2	5.1	7.6	6.9	7.0	7.7	6.9
3/28/2012	11	6.7	7.4	5.3	7.8	6.9	7.1	7.7	6.9
3/28/2012	12	6.9	7.4	5.5	8.0	7.0	7.2	7.8	7.0
3/28/2012	13	7.0	7.5	5.6	8.4	7.2	7.4	7.8	7.1
3/28/2012	14	7.0	7.5	8.6	8.9	7.3	7.5	7.9	7.1
3/28/2012	15	7.1	7.6	8.4	9.3	7.5	7.7	7.9	7.3
3/28/2012	16	7.2	7.7	8.4	9.4	7.7	7.9	8.1	7.4
3/28/2012	17	7.4	7.8	8.1	9.3	7.8	8.0	8.2	7.6
3/28/2012	18	7.5	7.8	8.0	9.2	7.9	8.0	8.3	7.7
3/28/2012	19	7.6	7.9	7.7	9.0	7.9	8.1	8.4	7.8
3/28/2012	20	7.7	7.9	7.4	8.8	8.0	8.1	8.5	7.9
3/28/2012	21	7.8	8.0	7.2	8.6	8.0	8.1	8.6	7.9
3/28/2012	22	7.8	7.9	7.1	8.3	8.0	8.0	8.7	7.9
3/28/2012	23	7.7	7.9	7.1	8.1	7.9	7.9	8.8	7.8
3/28/2012	24	7.7	7.8	7.1	7.9	7.8	7.8	8.8	7.8
3/28/2012	1	7.6	7.8	7.1	7.7	7.7	7.7	8.7	7.7
3/29/2012	2	7.6	7.7	7.1	7.6	7.7	7.7	8.6	7.7
3/29/2012	3	7.6	7.6	7.0	7.5	7.6	7.6	8.6	7.6
3/29/2012	4	7.5	7.6	7.0	7.5	7.5	7.5	8.5	7.5
3/29/2012	5	7.4	7.5	6.9	7.4	7.5	7.5	8.5	7.5

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/29/2012	6	7.4	7.5	6.9	7.4	7.4	7.4	8.4	7.4
3/29/2012	7	7.3	7.4	6.9	7.4	7.4	7.4	8.4	7.4
3/29/2012	8	7.3	7.6	7.1	7.7	7.4	7.5	8.4	7.3
3/29/2012	9	7.3	7.6	7.2	7.8	7.4	7.5	8.4	7.4
3/29/2012	10	7.3	7.6	7.3	7.7	7.4	7.5	8.4	7.4
3/29/2012	11	7.3	7.6	7.4	7.9	7.4	7.5	8.4	7.4
3/29/2012	12	7.3	7.7	7.4	8.2	7.5	7.6	8.4	7.4
3/29/2012	13	7.3	7.7	7.4	8.4	7.6	7.7	8.4	7.5
3/29/2012	14	7.4	7.7	7.3	8.5	7.6	7.8	8.4	7.5
3/29/2012	15	7.4	7.9	7.3	8.7	7.8	7.9	8.4	7.6
3/29/2012	16	7.5	7.8	7.4	8.8	7.8	7.9	8.4	7.6
3/29/2012	17	7.5	7.8	7.2	8.8	7.8	8.0	8.4	7.7
3/29/2012	18	7.6	7.8	7.1	8.8	7.8	8.0	8.5	7.7
3/29/2012	19	7.6	7.8	7.0	8.7	7.9	8.0	8.5	7.7
3/29/2012	20	7.6	7.8	7.0	8.6	7.8	8.0	8.5	7.7
3/29/2012	21	7.6	7.7	7.0	8.5	7.8	7.9	8.6	7.7
3/29/2012	22	7.6	7.7	6.7	8.4	7.8	7.8	8.6	7.7
3/29/2012	23	7.6	7.7	6.6	8.2	7.7	7.8	8.6	7.6
3/29/2012	24	7.5	7.6	6.6	8.0	7.6	7.7	8.5	7.6
3/29/2012	1	7.5	7.6	6.6	7.8	7.6	7.6	8.5	7.5
3/30/2012	2	7.4	7.5	6.6	7.7	7.5	7.5	8.4	7.4
3/30/2012	3	7.4	7.4	6.6	7.6	7.4	7.4	8.4	7.4
3/30/2012	4	7.3	7.4	6.5	7.5	7.4	7.4	8.3	7.3
3/30/2012	5	7.3	7.3	6.6	7.5	7.3	7.3	8.3	7.3
3/30/2012	6	7.2	7.3	6.5	7.5	7.3	7.3	8.2	7.2
3/30/2012	7	7.2	7.3	6.5	7.5	7.2	7.3	8.2	7.2
3/30/2012	8	7.1	7.3	6.6	7.5	7.2	7.3	8.2	7.2
3/30/2012	9	7.1	7.3	6.9	7.5	7.2	7.2	8.1	7.1
3/30/2012	10	7.1	7.4	7.0	7.7	7.2	7.3	8.1	7.1
3/30/2012	11	7.1	7.5	7.4	8.1	7.3	7.4	8.1	7.2
3/30/2012	12	7.1	7.7	7.6	8.3	7.4	7.5	8.2	7.3
3/30/2012	13	7.2	8.1	8.1	8.9	7.6	7.8	8.3	7.4
3/30/2012	14	7.3	8.2	8.2	9.1	7.7	7.9	8.5	7.6
3/30/2012	15	7.5	8.1	8.3	9.3	8.0	8.2	8.6	7.8
3/30/2012	16	7.7	8.2	8.1	9.6	8.2	8.3	8.7	7.9
3/30/2012	17	7.8	8.3	7.7	9.9	8.3	8.4	8.8	8.1
3/30/2012	18	8.0	8.3	7.2	9.9	8.4	8.5	8.9	8.2
3/30/2012	19	8.1	8.2	6.9	9.7	8.4	8.5	9.0	8.2
3/30/2012	20	8.1	8.2	6.6	9.3	8.3	8.4	9.0	8.2
3/30/2012	21	8.1	8.2	6.5	8.9	8.3	8.3	9.0	8.2
3/30/2012	22	8.1	8.2	6.4	8.5	8.2	8.2	8.9	8.1
3/30/2012	23	8.0	8.1	6.4	8.1	8.1	8.1	8.9	8.1
3/30/2012	24	8.0	8.0	6.4	7.8	7.9	7.9	8.9	8.0
3/30/2012	1	7.9	7.9	6.4	7.6	7.9	7.8	8.9	7.9
3/31/2012	2	7.8	7.8	6.4	7.5	7.7	7.7	8.8	7.8
3/31/2012	3	7.6	7.6	6.3	7.5	7.6	7.6	8.8	7.6

2012 1st Quarter Hourly Temperature Data

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/31/2012	4	7.5	7.5	6.4	7.5	7.5	7.5	8.7	7.4
3/31/2012	5	7.4	7.4	6.4	7.5	7.4	7.4	8.6	7.3
3/31/2012	6	7.3	7.3	6.3	7.4	7.3	7.3	8.6	7.3
3/31/2012	7	7.2	7.3	6.1	7.4	7.3	7.3	8.5	7.3
3/31/2012	8	7.2	7.3	6.0	7.4	7.3	7.3	8.4	7.3
3/31/2012	9	7.2	7.4	6.0	7.4	7.3	7.3	8.3	7.3
3/31/2012	10	7.2	7.4	6.1	7.4	7.3	7.3	8.3	7.3
3/31/2012	11	7.2	7.5	6.3	7.5	7.3	7.3	8.2	7.3
3/31/2012	12	7.2	7.6	6.4	7.5	7.3	7.4	8.2	7.3
3/31/2012	13	7.3	7.7	6.6	7.7	7.4	7.5	8.3	7.4
3/31/2012	14	7.3	7.7	6.7	7.8	7.4	7.5	8.3	7.4
3/31/2012	15	7.3	7.6	6.8	7.9	7.5	7.5	8.3	7.4
3/31/2012	16	7.4	7.6	6.6	8.1	7.5	7.6	8.3	7.5
3/31/2012	17	7.4	7.6	6.5	8.3	7.6	7.7	8.4	7.5
3/31/2012	18	7.4	7.6	6.5	8.4	7.6	7.7	8.4	7.5
3/31/2012	19	7.4	7.5	6.3	8.3	7.6	7.7	8.4	7.5
3/31/2012	20	7.4	7.5	6.2	8.1	7.6	7.6	8.4	7.5
3/31/2012	21	7.4	7.5	6.2	7.9	7.5	7.6	8.4	7.5
3/31/2012	22	7.4	7.5	6.1	7.7	7.5	7.5	8.3	7.5
3/31/2012	23	7.4	7.4	6.1	7.4	7.4	7.4	8.3	7.4
3/31/2012	24	7.4	7.4	6.0	7.3	7.4	7.4	8.3	7.4