

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto- (Deg. C)	Top of Reach 1- Logger- (Deg. C)	End of Reach 1- Logger- (Deg. C)	End of Reach 3- Logger- (Deg. C)	Top of Reach 4- Logger- (Deg. C)	End of Reach 4- Logger- (Deg. C)	Tailrace at Pump Intake- Auto- (Deg. C)	Tailrace at Pump Intake- Logger- (Deg. C)
1/1/2010	1	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/1/2010	2	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/1/2010	3	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/1/2010	4	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/1/2010	5	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/1/2010	6	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/1/2010	7	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/1/2010	8	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/1/2010	9	5.0	4.8	N/A	N/A	N/A	N/A	4.4	N/A
1/1/2010	10	5.0	4.8	N/A	N/A	N/A	N/A	4.4	N/A
1/1/2010	11	5.0	4.8	N/A	N/A	N/A	N/A	4.4	N/A
1/1/2010	12	5.0	4.9	N/A	N/A	N/A	N/A	4.4	N/A
1/1/2010	13	5.0	4.9	N/A	N/A	N/A	N/A	4.5	N/A
1/1/2010	14	5.0	4.9	N/A	N/A	N/A	N/A	4.5	N/A
1/1/2010	15	5.0	4.9	N/A	N/A	N/A	N/A	4.5	N/A
1/1/2010	16	5.0	4.9	N/A	N/A	N/A	N/A	4.5	N/A
1/1/2010	17	5.0	4.9	N/A	N/A	N/A	N/A	4.5	N/A
1/1/2010	18	5.0	4.9	N/A	N/A	N/A	N/A	4.5	N/A
1/1/2010	19	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A
1/1/2010	20	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A
1/1/2010	21	5.0	4.9	N/A	N/A	N/A	N/A	4.5	N/A
1/1/2010	22	5.0	4.9	N/A	N/A	N/A	N/A	4.5	N/A
1/1/2010	23	5.0	4.9	N/A	N/A	N/A	N/A	4.5	N/A
1/1/2010	24	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/2/2010	1	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/2/2010	2	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/2/2010	3	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/2/2010	4	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/2/2010	5	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/2/2010	6	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/2/2010	7	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/2/2010	8	5.1	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/2/2010	9	5.3	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/2/2010	10	5.3	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/2/2010	11	5.4	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/2/2010	12	5.5	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/2/2010	13	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/2/2010	14	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/2/2010	15	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/2/2010	16	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/2/2010	17	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/2/2010	18	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/2/2010	19	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/2/2010	20	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/2/2010	21	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/2/2010	22	5.5	5.2	N/A	N/A	N/A	N/A	4.9	N/A

## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/2/2010	23	5.5	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/2/2010	24	5.4	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	1	5.3	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	2	5.3	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	3	5.3	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	4	5.4	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	5	5.5	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	6	5.5	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	7	5.5	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	8	5.5	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	9	5.4	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	10	5.4	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	11	5.4	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	12	5.5	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	13	5.5	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	14	5.5	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	15	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	16	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	17	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	18	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	19	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	20	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/3/2010	21	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/3/2010	22	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/3/2010	23	5.6	5.2	N/A	N/A	N/A	N/A	5.0	N/A
1/3/2010	24	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	1	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	2	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	3	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	4	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	5	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	6	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	7	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	8	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	9	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	10	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	11	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	12	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	13	5.5	5.2	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	14	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/4/2010	15	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/4/2010	16	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/4/2010	17	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/4/2010	18	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/4/2010	19	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/4/2010	20	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/4/2010	21	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/4/2010	22	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/4/2010	23	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/4/2010	24	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	1	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	2	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	3	5.5	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	4	5.5	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	5	5.5	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	6	5.5	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	7	5.5	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	8	5.5	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	9	5.5	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	10	5.5	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	11	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	12	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	13	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	14	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/5/2010	15	5.6	5.4	N/A	N/A	N/A	N/A	5.0	N/A
1/5/2010	16	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/5/2010	17	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/5/2010	18	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/5/2010	19	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/5/2010	20	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/5/2010	21	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/5/2010	22	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/5/2010	23	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/5/2010	24	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/6/2010	1	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/6/2010	2	5.5	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/6/2010	3	5.4	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/6/2010	4	5.1	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/6/2010	5	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/6/2010	6	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/6/2010	7	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/6/2010	8	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/6/2010	9	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/6/2010	10	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/6/2010	11	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/6/2010	12	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/6/2010	13	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/6/2010	14	5.0	4.8	N/A	N/A	N/A	N/A	4.6	N/A
1/6/2010	15	5.0	4.8	N/A	N/A	N/A	N/A	4.6	N/A
1/6/2010	16	5.0	4.8	N/A	N/A	N/A	N/A	4.6	N/A
1/6/2010	17	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A
1/6/2010	18	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A

## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/6/2010	19	5.0	4.7	N/A	N/A	N/A	N/A	4.5	N/A
1/6/2010	20	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/6/2010	21	5.0	4.6	N/A	N/A	N/A	N/A	4.4	N/A
1/6/2010	22	5.0	4.6	N/A	N/A	N/A	N/A	4.4	N/A
1/6/2010	23	4.9	4.6	N/A	N/A	N/A	N/A	4.4	N/A
1/6/2010	24	4.7	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/7/2010	1	4.5	4.5	N/A	N/A	N/A	N/A	4.3	N/A
1/7/2010	2	4.4	4.5	N/A	N/A	N/A	N/A	4.3	N/A
1/7/2010	3	4.4	4.5	N/A	N/A	N/A	N/A	4.2	N/A
1/7/2010	4	4.4	4.4	N/A	N/A	N/A	N/A	4.2	N/A
1/7/2010	5	4.4	4.4	N/A	N/A	N/A	N/A	4.2	N/A
1/7/2010	6	4.4	4.4	N/A	N/A	N/A	N/A	4.2	N/A
1/7/2010	7	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/7/2010	8	4.4	4.3	N/A	N/A	N/A	N/A	4.1	N/A
1/7/2010	9	4.4	4.3	N/A	N/A	N/A	N/A	4.1	N/A
1/7/2010	10	4.4	4.3	N/A	N/A	N/A	N/A	4.1	N/A
1/7/2010	11	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/7/2010	12	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/7/2010	13	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/7/2010	14	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/7/2010	15	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/7/2010	16	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/7/2010	17	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/7/2010	18	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/7/2010	19	4.4	4.2	N/A	N/A	N/A	N/A	3.9	N/A
1/7/2010	20	4.4	4.2	N/A	N/A	N/A	N/A	3.9	N/A
1/7/2010	21	4.4	4.2	N/A	N/A	N/A	N/A	3.9	N/A
1/7/2010	22	4.4	4.2	N/A	N/A	N/A	N/A	3.9	N/A
1/7/2010	23	4.4	4.2	N/A	N/A	N/A	N/A	3.9	N/A
1/7/2010	24	4.4	4.2	N/A	N/A	N/A	N/A	3.9	N/A
1/8/2010	1	4.4	4.2	N/A	N/A	N/A	N/A	3.9	N/A
1/8/2010	2	4.4	4.2	N/A	N/A	N/A	N/A	3.9	N/A
1/8/2010	3	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	4	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	5	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	6	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	7	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	8	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	9	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	10	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	11	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	12	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	13	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	14	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	15	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	16	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A

## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto- (Deg. C)	Top of Reach 1-Logger- (Deg. C)	End of Reach 1-Logger- (Deg. C)	End of Reach 3-Logger- (Deg. C)	Top of Reach 4-Logger- (Deg. C)	End of Reach 4-Logger- (Deg. C)	Tailrace at Pump Intake-Auto- (Deg. C)	Tailrace at Pump Intake-Logger- (Deg. C)
1/8/2010	17	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	18	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	19	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	20	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	21	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	22	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	23	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/8/2010	24	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	1	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	2	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	3	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	4	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	5	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	6	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	7	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	8	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	9	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	10	4.4	4.2	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	11	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	12	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	13	4.4	4.4	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	14	4.4	4.4	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	15	4.4	4.4	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	16	4.4	4.4	N/A	N/A	N/A	N/A	4.0	N/A
1/9/2010	17	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/9/2010	18	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/9/2010	19	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/9/2010	20	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/9/2010	21	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/9/2010	22	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/9/2010	23	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/9/2010	24	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/10/2010	1	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	2	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	3	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	4	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	5	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	6	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	7	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	8	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	9	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	10	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	11	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	12	4.4	4.3	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	13	4.4	4.4	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	14	4.4	4.4	N/A	N/A	N/A	N/A	4.0	N/A

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/10/2010	15	4.4	4.4	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	16	4.4	4.4	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	17	4.4	4.4	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	18	4.4	4.4	N/A	N/A	N/A	N/A	4.0	N/A
1/10/2010	19	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/10/2010	20	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/10/2010	21	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/10/2010	22	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/10/2010	23	4.4	4.4	N/A	N/A	N/A	N/A	4.1	N/A
1/10/2010	24	4.4	4.4	N/A	N/A	N/A	N/A	4.2	N/A
1/11/2010	1	4.4	4.4	N/A	N/A	N/A	N/A	4.2	N/A
1/11/2010	2	4.4	4.5	N/A	N/A	N/A	N/A	4.2	N/A
1/11/2010	3	4.4	4.5	N/A	N/A	N/A	N/A	4.2	N/A
1/11/2010	4	4.4	4.5	N/A	N/A	N/A	N/A	4.2	N/A
1/11/2010	5	4.4	4.5	N/A	N/A	N/A	N/A	4.2	N/A
1/11/2010	6	4.4	4.5	N/A	N/A	N/A	N/A	4.3	N/A
1/11/2010	7	4.4	4.5	N/A	N/A	N/A	N/A	4.3	N/A
1/11/2010	8	4.4	4.5	N/A	N/A	N/A	N/A	4.3	N/A
1/11/2010	9	4.4	4.6	N/A	N/A	N/A	N/A	4.4	N/A
1/11/2010	10	4.4	4.6	N/A	N/A	N/A	N/A	4.5	N/A
1/11/2010	11	4.5	4.6	N/A	N/A	N/A	N/A	4.5	N/A
1/11/2010	12	4.5	4.6	N/A	N/A	N/A	N/A	4.6	N/A
1/11/2010	13	4.5	4.6	N/A	N/A	N/A	N/A	4.5	N/A
1/11/2010	14	4.6	4.6	N/A	N/A	N/A	N/A	4.5	N/A
1/11/2010	15	4.7	4.7	N/A	N/A	N/A	N/A	4.5	N/A
1/11/2010	16	4.8	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/11/2010	17	4.8	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/11/2010	18	4.7	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/11/2010	19	4.6	4.6	N/A	N/A	N/A	N/A	4.4	N/A
1/11/2010	20	4.6	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/11/2010	21	4.5	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/11/2010	22	4.5	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/11/2010	23	4.5	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/11/2010	24	4.5	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/12/2010	1	4.5	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/12/2010	2	4.5	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/12/2010	3	4.5	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/12/2010	4	4.6	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/12/2010	5	4.6	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/12/2010	6	4.7	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/12/2010	7	4.7	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/12/2010	8	4.7	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/12/2010	9	4.7	4.6	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	10	4.9	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	11	4.9	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	12	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/12/2010	13	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	14	5.0	4.8	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	15	5.0	4.8	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	16	5.0	4.8	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	17	5.0	4.8	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	18	5.0	4.8	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	19	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	20	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	21	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	22	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	23	4.9	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/12/2010	24	4.9	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/13/2010	1	4.8	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/13/2010	2	4.8	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/13/2010	3	4.7	4.7	N/A	N/A	N/A	N/A	4.3	N/A
1/13/2010	4	4.7	4.6	N/A	N/A	N/A	N/A	4.3	N/A
1/13/2010	5	4.8	4.7	N/A	N/A	N/A	N/A	4.3	N/A
1/13/2010	6	4.7	4.7	N/A	N/A	N/A	N/A	4.3	N/A
1/13/2010	7	4.8	4.6	N/A	N/A	N/A	N/A	4.4	N/A
1/13/2010	8	4.8	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/13/2010	9	4.9	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/13/2010	10	4.9	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/13/2010	11	4.9	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/13/2010	12	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/13/2010	13	5.0	4.7	N/A	N/A	N/A	N/A	4.4	N/A
1/13/2010	14	5.0	4.8	N/A	N/A	N/A	N/A	4.4	N/A
1/13/2010	15	5.0	4.8	N/A	N/A	N/A	N/A	4.4	N/A
1/13/2010	16	5.0	4.8	N/A	N/A	N/A	N/A	4.4	N/A
1/13/2010	17	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A
1/13/2010	18	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A
1/13/2010	19	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A
1/13/2010	20	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A
1/13/2010	21	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A
1/13/2010	22	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A
1/13/2010	23	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A
1/13/2010	24	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A
1/14/2010	1	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A
1/14/2010	2	5.0	4.8	N/A	N/A	N/A	N/A	4.5	N/A
1/14/2010	3	5.0	4.9	N/A	N/A	N/A	N/A	4.5	N/A
1/14/2010	4	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/14/2010	5	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/14/2010	6	5.0	4.8	N/A	N/A	N/A	N/A	4.6	N/A
1/14/2010	7	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/14/2010	8	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/14/2010	9	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/14/2010	10	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A

## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/14/2010	11	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/14/2010	12	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/14/2010	13	5.0	5.0	N/A	N/A	N/A	N/A	4.6	N/A
1/14/2010	14	5.0	5.0	N/A	N/A	N/A	N/A	4.6	N/A
1/14/2010	15	5.0	5.0	N/A	N/A	N/A	N/A	4.6	N/A
1/14/2010	16	5.0	5.0	N/A	N/A	N/A	N/A	4.6	N/A
1/14/2010	17	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/14/2010	18	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/14/2010	19	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/14/2010	20	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/14/2010	21	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/14/2010	22	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/14/2010	23	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/14/2010	24	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	1	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	2	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	3	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	4	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	5	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	6	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	7	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	8	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	9	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	10	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	11	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	12	5.0	5.1	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	13	5.0	5.1	N/A	N/A	N/A	N/A	4.7	N/A
1/15/2010	14	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/15/2010	15	5.0	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/15/2010	16	5.0	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/15/2010	17	5.0	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/15/2010	18	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/15/2010	19	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/15/2010	20	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/15/2010	21	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/15/2010	22	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/15/2010	23	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/15/2010	24	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/16/2010	1	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/16/2010	2	5.0	5.0	N/A	N/A	N/A	N/A	4.8	N/A
1/16/2010	3	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	4	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	5	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	6	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	7	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	8	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A



## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/16/2010	9	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	10	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	11	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/16/2010	12	5.0	4.9	N/A	N/A	N/A	N/A	4.6	N/A
1/16/2010	13	5.0	5.0	N/A	N/A	N/A	N/A	4.6	N/A
1/16/2010	14	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	15	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	16	5.0	5.1	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	17	5.0	5.1	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	18	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	19	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	20	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	21	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	22	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	23	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/16/2010	24	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	1	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	2	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	3	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	4	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	5	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	6	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	7	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	8	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	9	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	10	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	11	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	12	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	13	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	14	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	15	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	16	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	17	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	18	5.0	5.0	N/A	N/A	N/A	N/A	4.6	N/A
1/17/2010	19	5.0	5.0	N/A	N/A	N/A	N/A	4.6	N/A
1/17/2010	20	5.0	5.0	N/A	N/A	N/A	N/A	4.6	N/A
1/17/2010	21	5.0	5.0	N/A	N/A	N/A	N/A	4.6	N/A
1/17/2010	22	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	23	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/17/2010	24	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/18/2010	1	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/18/2010	2	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/18/2010	3	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/18/2010	4	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/18/2010	5	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/18/2010	6	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/18/2010	7	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/18/2010	8	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/18/2010	9	5.0	5.0	N/A	N/A	N/A	N/A	4.8	N/A
1/18/2010	10	5.0	5.0	N/A	N/A	N/A	N/A	4.8	N/A
1/18/2010	11	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/18/2010	12	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/18/2010	13	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/18/2010	14	5.0	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/18/2010	15	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/18/2010	16	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/18/2010	17	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/18/2010	18	5.1	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/18/2010	19	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/18/2010	20	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/18/2010	21	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/18/2010	22	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/18/2010	23	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/18/2010	24	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	1	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	2	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	3	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	4	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	5	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	6	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	7	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	8	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	9	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	10	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	11	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	12	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	13	5.1	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	14	5.3	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	15	5.5	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	16	5.6	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/19/2010	17	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/19/2010	18	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/19/2010	19	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/19/2010	20	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/19/2010	21	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/19/2010	22	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/19/2010	23	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/19/2010	24	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/20/2010	1	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/20/2010	2	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/20/2010	3	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/20/2010	4	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/20/2010	5	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/20/2010	6	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/20/2010	7	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/20/2010	8	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/20/2010	9	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/20/2010	10	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/20/2010	11	5.6	5.4	N/A	N/A	N/A	N/A	5.0	N/A
1/20/2010	12	5.6	5.4	N/A	N/A	N/A	N/A	5.0	N/A
1/20/2010	13	5.6	5.5	N/A	N/A	N/A	N/A	5.0	N/A
1/20/2010	14	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/20/2010	15	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/20/2010	16	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/20/2010	17	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/20/2010	18	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/20/2010	19	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/20/2010	20	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/20/2010	21	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/20/2010	22	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/20/2010	23	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/20/2010	24	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	1	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	2	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	3	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	4	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	5	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	6	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	7	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	8	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	9	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	10	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	11	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	12	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	13	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/21/2010	14	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/21/2010	15	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/21/2010	16	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/21/2010	17	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/21/2010	18	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/21/2010	19	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
1/21/2010	20	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
1/21/2010	21	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
1/21/2010	22	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
1/21/2010	23	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/21/2010	24	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	1	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	2	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/22/2010	3	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	4	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	5	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	6	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	7	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	8	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	9	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	10	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	11	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	12	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	13	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	14	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	15	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	16	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/22/2010	17	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
1/22/2010	18	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
1/22/2010	19	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
1/22/2010	20	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
1/22/2010	21	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
1/22/2010	22	5.6	5.5	N/A	N/A	N/A	N/A	5.3	N/A
1/22/2010	23	5.6	5.5	N/A	N/A	N/A	N/A	5.3	N/A
1/22/2010	24	5.6	5.5	N/A	N/A	N/A	N/A	5.3	N/A
1/23/2010	1	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	2	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	3	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	4	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	5	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	6	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	7	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	8	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/23/2010	9	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/23/2010	10	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/23/2010	11	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/23/2010	12	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/23/2010	13	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/23/2010	14	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/23/2010	15	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	16	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	17	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	18	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	19	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	20	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	21	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	22	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	23	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/23/2010	24	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/24/2010	1	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/24/2010	2	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/24/2010	3	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/24/2010	4	5.6	5.3	N/A	N/A	N/A	N/A	5.1	N/A
1/24/2010	5	5.6	5.3	N/A	N/A	N/A	N/A	5.1	N/A
1/24/2010	6	5.6	5.3	N/A	N/A	N/A	N/A	5.1	N/A
1/24/2010	7	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/24/2010	8	5.4	5.2	N/A	N/A	N/A	N/A	5.0	N/A
1/24/2010	9	5.2	5.2	N/A	N/A	N/A	N/A	5.0	N/A
1/24/2010	10	5.1	5.2	N/A	N/A	N/A	N/A	5.0	N/A
1/24/2010	11	5.1	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/24/2010	12	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/24/2010	13	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/24/2010	14	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/24/2010	15	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/24/2010	16	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/24/2010	17	5.0	5.1	N/A	N/A	N/A	N/A	4.9	N/A
1/24/2010	18	5.0	5.1	N/A	N/A	N/A	N/A	4.9	N/A
1/24/2010	19	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/24/2010	20	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/24/2010	21	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/24/2010	22	5.0	5.0	N/A	N/A	N/A	N/A	4.8	N/A
1/24/2010	23	5.0	5.0	N/A	N/A	N/A	N/A	4.8	N/A
1/24/2010	24	5.0	5.0	N/A	N/A	N/A	N/A	4.8	N/A
1/25/2010	1	5.0	5.0	N/A	N/A	N/A	N/A	4.8	N/A
1/25/2010	2	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/25/2010	3	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/25/2010	4	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/25/2010	5	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/25/2010	6	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/25/2010	7	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/25/2010	8	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/25/2010	9	5.0	4.9	N/A	N/A	N/A	N/A	4.7	N/A
1/25/2010	10	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/25/2010	11	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/25/2010	12	5.0	5.1	N/A	N/A	N/A	N/A	4.7	N/A
1/25/2010	13	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/25/2010	14	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/25/2010	15	5.0	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/25/2010	16	5.0	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/25/2010	17	5.0	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/25/2010	18	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/25/2010	19	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/25/2010	20	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/25/2010	21	5.1	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/25/2010	22	5.2	5.2	N/A	N/A	N/A	N/A	4.9	N/A

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/25/2010	23	5.2	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/25/2010	24	5.1	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	1	5.1	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	2	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	3	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	4	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	5	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	6	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	7	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	8	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	9	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	10	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	11	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	12	5.0	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	13	5.2	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	14	5.4	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	15	5.5	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/26/2010	16	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/26/2010	17	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/26/2010	18	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/26/2010	19	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/26/2010	20	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/26/2010	21	5.4	5.2	N/A	N/A	N/A	N/A	5.0	N/A
1/26/2010	22	5.3	5.2	N/A	N/A	N/A	N/A	5.0	N/A
1/26/2010	23	5.1	5.2	N/A	N/A	N/A	N/A	5.0	N/A
1/26/2010	24	5.1	5.2	N/A	N/A	N/A	N/A	5.0	N/A
1/27/2010	1	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	2	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	3	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	4	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	5	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	6	5.0	5.1	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	7	5.0	5.1	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	8	5.0	5.1	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	9	5.0	5.1	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	10	5.0	5.1	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	11	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/27/2010	12	5.0	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/27/2010	13	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	14	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	15	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	16	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	17	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	18	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	19	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	20	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A

## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/27/2010	21	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	22	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/27/2010	23	5.0	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/27/2010	24	5.0	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/28/2010	1	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/28/2010	2	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/28/2010	3	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/28/2010	4	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/28/2010	5	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/28/2010	6	5.0	5.0	N/A	N/A	N/A	N/A	4.8	N/A
1/28/2010	7	5.0	5.0	N/A	N/A	N/A	N/A	4.8	N/A
1/28/2010	8	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/28/2010	9	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/28/2010	10	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/28/2010	11	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/28/2010	12	5.0	5.0	N/A	N/A	N/A	N/A	4.7	N/A
1/28/2010	13	5.0	5.1	N/A	N/A	N/A	N/A	4.7	N/A
1/28/2010	14	5.0	5.1	N/A	N/A	N/A	N/A	4.7	N/A
1/28/2010	15	5.0	5.1	N/A	N/A	N/A	N/A	4.7	N/A
1/28/2010	16	5.0	5.1	N/A	N/A	N/A	N/A	4.7	N/A
1/28/2010	17	5.0	5.1	N/A	N/A	N/A	N/A	4.7	N/A
1/28/2010	18	5.0	5.1	N/A	N/A	N/A	N/A	4.7	N/A
1/28/2010	19	5.0	5.1	N/A	N/A	N/A	N/A	4.7	N/A
1/28/2010	20	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/28/2010	21	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/28/2010	22	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/28/2010	23	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/28/2010	24	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	1	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	2	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	3	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	4	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	5	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	6	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	7	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	8	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	9	5.0	5.0	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	10	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	11	5.0	5.1	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	12	5.0	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	13	5.0	5.2	N/A	N/A	N/A	N/A	4.8	N/A
1/29/2010	14	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/29/2010	15	5.0	5.2	N/A	N/A	N/A	N/A	4.9	N/A
1/29/2010	16	5.1	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/29/2010	17	5.2	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/29/2010	18	5.3	5.3	N/A	N/A	N/A	N/A	4.9	N/A

## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/29/2010	19	5.4	5.3	N/A	N/A	N/A	N/A	4.9	N/A
1/29/2010	20	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/29/2010	21	5.4	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/29/2010	22	5.4	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/29/2010	23	5.4	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/29/2010	24	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/30/2010	1	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/30/2010	2	5.5	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/30/2010	3	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/30/2010	4	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/30/2010	5	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/30/2010	6	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/30/2010	7	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/30/2010	8	5.6	5.3	N/A	N/A	N/A	N/A	5.0	N/A
1/30/2010	9	5.6	5.3	N/A	N/A	N/A	N/A	5.1	N/A
1/30/2010	10	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/30/2010	11	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/30/2010	12	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/30/2010	13	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
1/30/2010	14	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
1/30/2010	15	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/30/2010	16	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/30/2010	17	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/30/2010	18	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/30/2010	19	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/30/2010	20	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/30/2010	21	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/30/2010	22	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/30/2010	23	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/30/2010	24	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	1	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	2	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	3	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	4	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	5	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	6	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	7	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	8	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	9	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	10	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	11	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	12	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	13	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	14	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	15	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	16	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A



## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
1/31/2010	17	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	18	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	19	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	20	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	21	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	22	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	23	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
1/31/2010	24	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	1	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	2	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	3	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	4	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	5	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	6	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	7	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	8	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	9	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	10	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	11	5.6	5.4	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	12	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	13	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	14	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	15	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	16	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	17	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	18	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/1/2010	19	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
2/1/2010	20	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
2/1/2010	21	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/1/2010	22	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/1/2010	23	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/1/2010	24	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/2/2010	1	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/2/2010	2	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/2/2010	3	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/2/2010	4	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/2/2010	5	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/2/2010	6	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/2/2010	7	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/2/2010	8	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/2/2010	9	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/2/2010	10	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/2/2010	11	5.6	5.4	N/A	N/A	N/A	N/A	5.1	N/A
2/2/2010	12	5.6	5.5	N/A	N/A	N/A	N/A	5.1	N/A
2/2/2010	13	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/2/2010	14	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/2/2010	15	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
2/2/2010	16	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/2/2010	17	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/2/2010	18	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/2/2010	19	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/2/2010	20	5.6	5.5	N/A	N/A	N/A	N/A	5.3	N/A
2/2/2010	21	5.6	5.5	N/A	N/A	N/A	N/A	5.3	N/A
2/2/2010	22	5.6	5.5	N/A	N/A	N/A	N/A	5.3	N/A
2/2/2010	23	5.6	5.5	N/A	N/A	N/A	N/A	5.3	N/A
2/2/2010	24	5.6	5.5	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	1	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	2	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	3	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	4	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	5	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	6	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	7	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	8	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	9	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	10	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	11	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	12	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	13	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	14	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	15	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	16	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	17	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	18	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	19	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	20	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	21	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	22	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	23	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/3/2010	24	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	1	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	2	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	3	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	4	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	5	5.6	5.5	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	6	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/4/2010	7	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/4/2010	8	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/4/2010	9	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/4/2010	10	5.6	5.5	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	11	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	12	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/4/2010	13	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	14	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	15	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	16	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	17	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	18	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	19	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	20	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	21	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	22	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	23	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/4/2010	24	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	1	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	2	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	3	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	4	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	5	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
2/5/2010	6	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
2/5/2010	7	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
2/5/2010	8	5.6	5.6	N/A	N/A	N/A	N/A	5.2	N/A
2/5/2010	9	5.6	5.5	N/A	N/A	N/A	N/A	5.2	N/A
2/5/2010	10	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	11	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	12	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	13	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	14	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	15	5.6	5.7	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	16	5.6	5.7	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	17	5.6	5.7	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	18	5.6	5.7	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	19	5.6	5.7	N/A	N/A	N/A	N/A	5.3	N/A
2/5/2010	20	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/5/2010	21	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/5/2010	22	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/5/2010	23	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/5/2010	24	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/6/2010	1	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/6/2010	2	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/6/2010	3	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/6/2010	4	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/6/2010	5	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/6/2010	6	5.6	5.7	N/A	N/A	N/A	N/A	5.3	N/A
2/6/2010	7	5.6	5.7	N/A	N/A	N/A	N/A	5.3	N/A
2/6/2010	8	5.6	5.6	N/A	N/A	N/A	N/A	5.4	N/A
2/6/2010	9	5.6	5.6	N/A	N/A	N/A	N/A	5.4	N/A
2/6/2010	10	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A

## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/6/2010	11	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/6/2010	12	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/6/2010	13	5.9	5.8	N/A	N/A	N/A	N/A	5.4	N/A
2/6/2010	14	6.1	5.8	N/A	N/A	N/A	N/A	5.5	N/A
2/6/2010	15	6.1	5.8	N/A	N/A	N/A	N/A	5.5	N/A
2/6/2010	16	6.1	5.8	N/A	N/A	N/A	N/A	5.5	N/A
2/6/2010	17	6.1	5.8	N/A	N/A	N/A	N/A	5.5	N/A
2/6/2010	18	6.1	5.8	N/A	N/A	N/A	N/A	5.5	N/A
2/6/2010	19	6.1	5.8	N/A	N/A	N/A	N/A	5.5	N/A
2/6/2010	20	6.1	5.8	N/A	N/A	N/A	N/A	5.5	N/A
2/6/2010	21	6.1	5.8	N/A	N/A	N/A	N/A	5.5	N/A
2/6/2010	22	6.1	5.8	N/A	N/A	N/A	N/A	5.5	N/A
2/6/2010	23	6.1	5.7	N/A	N/A	N/A	N/A	5.5	N/A
2/6/2010	24	6.1	5.7	N/A	N/A	N/A	N/A	5.5	N/A
2/7/2010	1	6.0	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	2	5.8	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	3	5.7	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	4	5.6	5.6	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	5	5.6	5.6	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	6	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/7/2010	7	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/7/2010	8	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/7/2010	9	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/7/2010	10	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/7/2010	11	5.6	5.6	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	12	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	13	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	14	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	15	5.8	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	16	6.0	5.8	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	17	6.0	5.8	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	18	6.0	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	19	6.1	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	20	6.0	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	21	6.0	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	22	5.9	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	23	5.7	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/7/2010	24	5.7	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	1	5.7	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	2	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	3	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	4	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	5	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	6	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	7	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	8	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/8/2010	9	5.6	5.6	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	10	5.6	5.6	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	11	5.6	5.6	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	12	5.6	5.6	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	13	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	14	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	15	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	16	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	17	5.7	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	18	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	19	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	20	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	21	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	22	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	23	5.6	5.7	N/A	N/A	N/A	N/A	5.4	N/A
2/8/2010	24	5.6	5.6	N/A	N/A	N/A	N/A	5.4	N/A
2/9/2010	1	5.6	5.6	N/A	N/A	N/A	N/A	5.4	N/A
2/9/2010	2	5.6	5.6	N/A	N/A	N/A	N/A	5.4	N/A
2/9/2010	3	5.6	5.6	N/A	N/A	N/A	N/A	5.4	N/A
2/9/2010	4	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/9/2010	5	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/9/2010	6	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/9/2010	7	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/9/2010	8	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/9/2010	9	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/9/2010	10	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/9/2010	11	5.6	5.6	N/A	N/A	N/A	N/A	5.3	N/A
2/9/2010	12	5.6	5.6	N/A	N/A	N/A	N/A	5.4	6.3
2/9/2010	13	5.6	5.6	N/A	6.3	6.3	6.6	5.4	6.2
2/9/2010	14	5.6	5.7	N/A	6.6	6.6	7.0	5.4	6.2
2/9/2010	15	5.6	5.7	N/A	6.8	6.9	6.7	5.4	6.2
2/9/2010	16	5.7	5.7	N/A	7.0	7.1	6.7	5.4	6.3
2/9/2010	17	5.8	5.7	N/A	6.9	7.1	6.9	5.4	6.0
2/9/2010	18	5.9	5.7	N/A	6.9	7.1	6.8	5.4	5.9
2/9/2010	19	5.8	5.7	N/A	6.7	6.9	6.8	5.4	5.9
2/9/2010	20	5.7	5.7	N/A	6.5	6.7	6.6	5.4	6.2
2/9/2010	21	5.6	5.7	N/A	6.2	6.5	N/A	5.4	6.3
2/9/2010	22	5.6	5.6	N/A	5.9	6.2	N/A	5.4	6.3
2/9/2010	23	5.6	5.6	N/A	5.6	5.9	N/A	5.4	6.2
2/9/2010	24	5.6	5.6	N/A	5.4	5.6	N/A	5.4	6.2
2/10/2010	1	5.6	5.6	N/A	5.2	5.4	N/A	5.4	6.2
2/10/2010	2	5.6	5.6	N/A	5.1	5.3	5.0	5.4	6.2
2/10/2010	3	5.6	5.5	N/A	4.9	5.2	4.9	5.4	6.1
2/10/2010	4	5.6	5.5	N/A	4.9	5.1	5.0	5.3	6.2
2/10/2010	5	5.6	5.5	N/A	4.8	5.0	4.9	5.3	6.1
2/10/2010	6	5.6	5.5	N/A	4.7	4.9	4.8	5.3	5.9

## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/10/2010	7	5.6	5.5	N/A	4.6	4.9	4.8	5.3	5.9
2/10/2010	8	5.6	5.5	N/A	4.7	4.9	4.7	5.3	6.0
2/10/2010	9	5.6	5.5	N/A	5.1	5.0	4.9	5.3	6.1
2/10/2010	10	5.6	5.5	N/A	5.3	5.1	5.2	5.3	5.9
2/10/2010	11	5.6	5.5	N/A	5.2	5.1	5.4	5.3	6.1
2/10/2010	12	5.6	5.6	N/A	5.3	5.3	5.6	5.3	6.0
2/10/2010	13	5.6	5.6	N/A	5.5	5.5	6.0	5.3	6.2
2/10/2010	14	5.6	5.6	N/A	5.8	5.8	6.2	5.3	6.3
2/10/2010	15	5.6	5.6	N/A	6.1	6.1	6.1	5.3	6.2
2/10/2010	16	5.6	5.7	N/A	6.3	6.4	6.2	5.3	6.1
2/10/2010	17	5.6	5.7	N/A	6.4	6.5	6.1	5.3	6.1
2/10/2010	18	5.6	5.7	N/A	6.4	6.6	6.0	5.4	6.1
2/10/2010	19	5.6	5.7	N/A	6.4	6.6	5.9	5.4	6.3
2/10/2010	20	5.6	5.6	N/A	6.3	6.5	5.8	5.4	6.2
2/10/2010	21	5.6	5.6	N/A	6.2	6.4	5.7	5.4	6.2
2/10/2010	22	5.6	5.6	N/A	6.1	6.3	6.2	5.4	6.2
2/10/2010	23	5.6	5.6	N/A	6.0	6.2	6.1	5.4	6.2
2/10/2010	24	5.6	5.6	N/A	5.9	6.1	N/A	5.4	6.2
2/11/2010	1	5.6	5.6	N/A	5.8	6.0	N/A	5.4	6.2
2/11/2010	2	5.6	5.6	N/A	5.8	6.0	N/A	5.4	6.2
2/11/2010	3	5.6	5.6	N/A	5.8	5.9	N/A	5.4	6.2
2/11/2010	4	5.6	5.6	N/A	5.8	5.9	N/A	5.4	6.2
2/11/2010	5	5.6	5.6	N/A	5.7	5.9	5.7	5.4	6.1
2/11/2010	6	5.6	5.6	N/A	5.7	5.9	5.7	5.4	6.2
2/11/2010	7	5.6	5.6	N/A	5.7	5.9	5.7	5.4	6.0
2/11/2010	8	5.6	5.6	N/A	5.7	5.9	5.7	5.4	6.2
2/11/2010	9	5.6	5.6	N/A	5.8	5.9	5.8	5.4	6.2
2/11/2010	10	5.6	5.6	N/A	5.8	5.9	5.8	5.4	6.2
2/11/2010	11	5.6	5.6	N/A	5.8	5.9	5.9	5.4	6.1
2/11/2010	12	5.6	5.7	N/A	5.8	6.0	6.0	5.4	6.2
2/11/2010	13	5.6	5.7	N/A	5.9	6.0	N/A	5.4	6.2
2/11/2010	14	5.6	5.7	N/A	6.0	6.1	N/A	5.4	6.2
2/11/2010	15	5.6	5.7	N/A	6.0	6.2	N/A	5.4	6.2
2/11/2010	16	5.6	5.7	N/A	6.1	6.2	N/A	5.4	6.3
2/11/2010	17	5.6	5.7	N/A	6.2	6.3	6.0	5.4	6.1
2/11/2010	18	5.6	5.7	N/A	6.2	6.3	6.1	5.4	6.1
2/11/2010	19	5.6	5.7	N/A	6.2	6.3	6.1	5.4	6.1
2/11/2010	20	5.6	5.7	N/A	6.1	6.2	6.1	5.4	6.2
2/11/2010	21	5.6	5.7	N/A	6.1	6.2	5.9	5.4	6.3
2/11/2010	22	5.6	5.7	N/A	6.0	6.1	N/A	5.4	6.2
2/11/2010	23	5.6	5.7	N/A	5.9	6.1	N/A	5.4	6.2
2/11/2010	24	5.6	5.6	N/A	5.9	6.1	N/A	5.4	6.2
2/12/2010	1	5.6	5.6	N/A	5.9	6.0	N/A	5.4	6.2
2/12/2010	2	5.6	5.6	N/A	5.9	6.0	N/A	5.4	6.2
2/12/2010	3	5.6	5.6	N/A	5.9	6.0	N/A	5.4	6.2
2/12/2010	4	5.6	5.6	N/A	5.9	6.0	5.8	5.4	6.2

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/12/2010	5	5.6	5.6	N/A	5.9	6.0	5.8	5.3	6.2
2/12/2010	6	5.6	5.6	N/A	5.9	6.0	5.9	5.3	6.0
2/12/2010	7	5.6	5.6	N/A	5.9	6.0	5.9	5.3	6.1
2/12/2010	8	5.6	5.6	N/A	5.9	6.0	5.9	5.3	6.1
2/12/2010	9	5.6	5.6	N/A	5.9	6.1	6.0	5.3	6.2
2/12/2010	10	5.6	5.6	N/A	6.0	6.1	N/A	5.4	6.2
2/12/2010	11	5.6	5.6	N/A	6.0	6.1	N/A	5.4	6.2
2/12/2010	12	5.6	5.6	N/A	6.1	6.2	N/A	5.4	6.2
2/12/2010	13	5.6	5.7	N/A	6.2	6.3	N/A	5.4	6.3
2/12/2010	14	5.6	5.7	N/A	6.3	6.3	N/A	5.4	6.3
2/12/2010	15	5.6	5.7	N/A	6.3	6.4	N/A	5.4	6.3
2/12/2010	16	5.6	5.7	N/A	6.3	6.4	N/A	5.4	6.2
2/12/2010	17	5.6	5.7	N/A	6.3	6.4	N/A	5.4	6.2
2/12/2010	18	5.6	5.7	N/A	6.3	6.4	N/A	5.4	6.1
2/12/2010	19	5.6	5.7	N/A	6.3	6.4	N/A	5.4	6.2
2/12/2010	20	5.6	5.7	N/A	6.2	6.3	N/A	5.4	6.2
2/12/2010	21	5.6	5.7	N/A	6.1	6.3	N/A	5.4	6.2
2/12/2010	22	5.6	5.6	N/A	6.1	6.2	N/A	5.4	6.3
2/12/2010	23	5.6	5.7	N/A	5.9	6.1	N/A	5.4	6.2
2/12/2010	24	5.6	5.6	N/A	5.9	6.0	N/A	5.4	6.3
2/13/2010	1	5.6	5.6	N/A	5.8	6.0	N/A	5.4	6.2
2/13/2010	2	5.6	5.6	N/A	5.8	5.9	N/A	5.4	6.3
2/13/2010	3	5.6	5.6	N/A	5.8	5.9	N/A	5.4	6.1
2/13/2010	4	5.6	5.6	N/A	5.8	6.0	N/A	5.4	6.3
2/13/2010	5	5.6	5.6	N/A	5.8	6.0	N/A	5.4	6.2
2/13/2010	6	5.6	5.6	N/A	5.8	6.0	N/A	5.4	6.2
2/13/2010	7	5.6	5.6	N/A	5.8	6.0	N/A	5.4	6.2
2/13/2010	8	5.6	5.6	N/A	5.9	6.0	N/A	5.4	6.2
2/13/2010	9	5.6	5.6	N/A	6.1	6.1	N/A	5.4	6.3
2/13/2010	10	5.6	5.6	N/A	6.1	6.2	N/A	5.4	6.2
2/13/2010	11	5.6	5.7	N/A	6.2	6.3	N/A	5.4	6.2
2/13/2010	12	5.6	5.7	N/A	6.5	6.5	N/A	5.5	6.2
2/13/2010	13	5.8	5.7	N/A	6.7	6.7	N/A	5.5	6.3
2/13/2010	14	6.1	5.8	N/A	6.9	7.0	N/A	5.5	6.2
2/13/2010	15	6.1	5.8	N/A	7.1	7.2	N/A	5.5	6.2
2/13/2010	16	6.1	5.9	N/A	7.3	7.4	N/A	5.5	6.3
2/13/2010	17	6.1	5.9	N/A	7.3	7.4	N/A	5.5	6.2
2/13/2010	18	6.1	5.9	N/A	7.3	7.4	N/A	5.5	6.2
2/13/2010	19	6.1	5.9	N/A	7.1	7.3	N/A	5.6	6.2
2/13/2010	20	6.1	5.9	N/A	6.9	7.1	N/A	5.6	6.3
2/13/2010	21	6.1	5.9	N/A	6.7	6.9	N/A	5.6	6.2
2/13/2010	22	6.1	5.9	N/A	6.6	6.7	N/A	5.6	6.3
2/13/2010	23	6.1	5.9	N/A	6.5	6.6	N/A	5.6	6.1
2/13/2010	24	6.1	5.9	N/A	6.4	6.5	N/A	5.6	6.1
2/14/2010	1	6.1	5.9	N/A	6.4	6.5	N/A	5.6	6.2
2/14/2010	2	6.1	5.9	N/A	6.3	6.5	N/A	5.6	6.1

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/14/2010	3	6.1	5.9	N/A	6.3	6.4	N/A	5.6	6.2
2/14/2010	4	6.1	5.8	N/A	6.3	6.4	N/A	5.6	6.2
2/14/2010	5	6.1	5.8	N/A	6.3	6.4	N/A	5.6	6.2
2/14/2010	6	6.1	5.8	N/A	6.2	6.4	N/A	5.6	6.2
2/14/2010	7	6.1	5.8	N/A	6.2	6.4	N/A	5.6	6.3
2/14/2010	8	6.1	5.8	N/A	6.2	6.4	N/A	5.6	6.2
2/14/2010	9	6.1	5.8	N/A	6.3	6.4	N/A	5.6	6.2
2/14/2010	10	6.1	5.9	N/A	6.3	6.4	N/A	5.6	6.2
2/14/2010	11	6.1	5.9	N/A	6.4	6.5	N/A	5.6	6.2
2/14/2010	12	6.1	5.9	N/A	6.5	6.6	N/A	5.6	6.2
2/14/2010	13	6.1	5.9	N/A	6.6	6.7	N/A	5.6	6.2
2/14/2010	14	6.1	5.9	N/A	6.8	6.8	N/A	5.6	6.3
2/14/2010	15	6.1	5.9	N/A	6.8	6.9	N/A	5.6	6.3
2/14/2010	16	6.1	5.9	N/A	6.9	7.0	N/A	5.6	6.2
2/14/2010	17	6.1	6.0	N/A	6.9	7.0	N/A	5.6	6.3
2/14/2010	18	6.1	6.0	N/A	6.9	7.0	N/A	5.6	6.2
2/14/2010	19	6.1	6.0	N/A	6.8	7.0	N/A	5.6	6.2
2/14/2010	20	6.1	5.9	N/A	6.7	6.9	N/A	5.7	6.2
2/14/2010	21	6.1	5.9	N/A	6.6	6.8	N/A	5.7	6.2
2/14/2010	22	6.1	5.9	N/A	6.4	6.6	N/A	5.7	6.2
2/14/2010	23	6.1	5.9	N/A	6.3	6.4	N/A	5.7	6.3
2/14/2010	24	6.1	5.9	N/A	6.2	6.3	N/A	5.6	6.3
2/15/2010	1	6.1	5.9	N/A	6.1	6.2	N/A	5.6	6.3
2/15/2010	2	6.1	5.9	N/A	6.0	6.2	N/A	5.6	6.3
2/15/2010	3	6.1	5.9	N/A	6.0	6.1	N/A	5.6	6.3
2/15/2010	4	6.1	5.9	N/A	6.0	6.1	N/A	5.6	6.3
2/15/2010	5	6.1	5.8	N/A	6.0	6.1	N/A	5.6	6.2
2/15/2010	6	6.1	5.8	N/A	6.0	6.1	N/A	5.6	6.2
2/15/2010	7	6.1	5.8	N/A	6.0	6.2	N/A	5.6	6.2
2/15/2010	8	6.1	5.8	N/A	6.1	6.2	6.0	5.7	6.2
2/15/2010	9	6.1	5.8	N/A	6.1	6.3	6.1	5.7	6.2
2/15/2010	10	6.1	5.8	N/A	6.3	6.4	6.4	5.8	6.3
2/15/2010	11	6.1	5.9	N/A	6.5	6.5	6.7	5.8	6.3
2/15/2010	12	6.1	5.9	N/A	6.6	6.6	6.5	5.9	6.2
2/15/2010	13	6.1	5.9	N/A	6.7	6.8	6.6	5.9	6.2
2/15/2010	14	6.1	5.9	N/A	6.9	7.0	6.7	5.9	6.3
2/15/2010	15	6.1	6.0	N/A	7.0	7.1	6.7	5.8	6.2
2/15/2010	16	6.1	6.0	N/A	7.0	7.2	6.4	5.8	6.3
2/15/2010	17	6.1	6.0	N/A	7.0	7.1	6.9	5.7	6.3
2/15/2010	18	6.1	6.0	N/A	6.9	7.1	6.9	5.7	6.3
2/15/2010	19	6.1	6.0	N/A	6.8	7.0	6.9	5.7	6.3
2/15/2010	20	6.1	6.0	N/A	6.7	6.9	6.9	5.7	6.3
2/15/2010	21	6.1	6.0	N/A	6.6	6.7	6.7	5.7	6.3
2/15/2010	22	6.1	6.0	N/A	6.5	6.6	N/A	5.7	6.3
2/15/2010	23	6.1	5.9	N/A	6.4	6.6	N/A	5.7	6.2
2/15/2010	24	6.1	5.9	N/A	6.4	6.5	N/A	5.7	6.3



## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/16/2010	1	6.1	5.9	N/A	6.4	6.5	N/A	5.7	6.3
2/16/2010	2	6.1	5.9	N/A	6.4	6.5	N/A	5.7	6.3
2/16/2010	3	6.1	5.9	N/A	6.3	6.5	N/A	5.7	6.3
2/16/2010	4	6.1	5.9	N/A	6.3	6.4	N/A	5.7	6.3
2/16/2010	5	6.1	5.9	N/A	6.3	6.4	N/A	5.8	6.3
2/16/2010	6	6.1	5.9	N/A	6.3	6.4	N/A	5.8	6.3
2/16/2010	7	6.1	5.9	N/A	6.3	6.4	6.2	5.8	6.2
2/16/2010	8	6.1	5.9	N/A	6.3	6.4	6.2	5.8	6.2
2/16/2010	9	6.1	5.9	N/A	6.4	6.5	6.2	5.9	6.2
2/16/2010	10	6.1	5.9	N/A	6.5	6.5	6.6	6.0	6.2
2/16/2010	11	6.1	5.9	N/A	6.6	6.6	N/A	6.0	6.2
2/16/2010	12	6.1	6.0	N/A	6.8	6.9	N/A	6.1	6.3
2/16/2010	13	6.1	6.0	N/A	6.9	7.0	N/A	6.2	6.3
2/16/2010	14	6.1	6.1	N/A	7.0	7.1	N/A	6.3	N/A
2/16/2010	15	6.1	6.1	N/A	7.0	7.2	N/A	6.4	N/A
2/16/2010	16	6.1	6.1	N/A	7.1	7.3	7.0	6.4	N/A
2/16/2010	17	6.1	6.1	N/A	7.2	7.3	6.3	6.5	6.2
2/16/2010	18	6.1	6.1	N/A	7.1	7.2	7.0	6.4	6.3
2/16/2010	19	6.1	6.1	N/A	6.9	7.0	7.1	6.4	6.3
2/16/2010	20	6.1	6.0	N/A	6.6	6.8	6.8	6.4	6.3
2/16/2010	21	6.1	6.0	N/A	6.4	6.6	5.5	6.4	N/A
2/16/2010	22	6.1	6.0	N/A	6.2	6.3	6.0	6.4	6.2
2/16/2010	23	6.1	5.9	N/A	5.9	6.1	5.8	6.4	6.2
2/16/2010	24	6.1	5.9	N/A	5.8	6.0	5.6	6.4	6.2
2/17/2010	1	6.1	5.9	N/A	5.7	5.9	N/A	6.4	6.2
2/17/2010	2	6.1	5.9	N/A	5.6	5.8	N/A	6.4	6.1
2/17/2010	3	6.1	5.9	N/A	5.5	5.7	N/A	6.4	6.1
2/17/2010	4	6.1	5.8	N/A	5.4	5.6	N/A	6.4	6.2
2/17/2010	5	6.1	5.8	N/A	5.4	5.5	5.3	6.4	6.3
2/17/2010	6	6.1	5.8	N/A	5.3	5.4	5.3	6.4	6.3
2/17/2010	7	6.1	5.8	N/A	5.2	5.4	5.2	6.4	6.4
2/17/2010	8	6.1	5.7	N/A	5.2	5.3	5.2	6.4	6.4
2/17/2010	9	6.1	5.7	N/A	5.5	5.4	5.5	6.4	6.4
2/17/2010	10	6.1	5.7	N/A	5.7	5.5	N/A	6.5	6.2
2/17/2010	11	6.1	5.8	N/A	5.8	5.6	N/A	6.5	N/A
2/17/2010	12	6.1	5.8	N/A	5.9	5.8	N/A	6.5	N/A
2/17/2010	13	6.1	5.9	N/A	6.3	6.3	N/A	6.6	6.3
2/17/2010	14	6.1	5.9	N/A	6.8	6.9	N/A	6.6	6.3
2/17/2010	15	6.1	6.0	N/A	7.4	7.5	N/A	6.7	6.3
2/17/2010	16	6.1	6.0	N/A	7.8	7.8	N/A	6.7	6.2
2/17/2010	17	6.1	6.0	N/A	7.8	7.9	N/A	6.7	6.2
2/17/2010	18	6.1	6.0	N/A	7.6	7.8	N/A	6.7	6.2
2/17/2010	19	6.1	6.0	N/A	7.3	7.5	7.4	6.6	6.3
2/17/2010	20	6.1	6.0	N/A	6.9	7.1	7.1	6.6	6.3
2/17/2010	21	6.1	6.0	N/A	6.5	6.8	6.8	6.6	6.3
2/17/2010	22	6.1	6.0	N/A	6.2	6.4	N/A	6.6	6.3

## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/17/2010	23	6.1	6.0	N/A	5.9	6.1	N/A	6.5	6.2
2/17/2010	24	6.1	6.0	N/A	5.7	5.9	N/A	6.5	N/A
2/18/2010	1	6.1	6.0	N/A	5.5	5.7	N/A	6.5	N/A
2/18/2010	2	6.1	6.0	N/A	5.4	5.6	N/A	6.5	6.2
2/18/2010	3	6.1	5.9	N/A	5.3	5.5	N/A	6.5	6.2
2/18/2010	4	6.1	5.9	N/A	5.2	5.4	5.1	6.5	6.3
2/18/2010	5	6.1	5.9	N/A	5.2	5.3	5.1	6.5	6.3
2/18/2010	6	6.1	5.9	N/A	5.1	5.3	5.1	6.5	6.3
2/18/2010	7	6.1	5.9	N/A	5.1	5.2	5.0	6.5	6.4
2/18/2010	8	6.1	5.8	N/A	5.1	5.2	4.9	6.5	6.4
2/18/2010	9	6.1	5.8	N/A	5.4	5.3	5.3	6.5	6.4
2/18/2010	10	6.1	5.8	N/A	5.4	6.4	6.0	6.5	6.4
2/18/2010	11	6.1	5.9	N/A	5.5	6.5	6.7	6.5	6.5
2/18/2010	12	6.1	5.9	N/A	5.8	6.5	6.9	6.6	6.4
2/18/2010	13	6.1	6.0	N/A	6.9	6.6	N/A	6.6	N/A
2/18/2010	14	6.1	6.1	N/A	7.2	6.6	N/A	6.6	N/A
2/18/2010	15	6.1	6.1	N/A	7.3	6.6	N/A	6.6	N/A
2/18/2010	16	6.1	6.2	N/A	7.5	6.7	N/A	6.5	N/A
2/18/2010	17	6.1	6.2	N/A	7.6	6.8	N/A	6.5	6.4
2/18/2010	18	6.1	6.2	N/A	7.4	6.6	6.6	6.4	6.4
2/18/2010	19	6.1	6.2	N/A	7.2	6.4	6.5	6.3	6.5
2/18/2010	20	6.1	6.2	N/A	6.9	6.4	6.5	6.0	6.5
2/18/2010	21	6.1	6.1	N/A	6.6	6.4	6.4	6.2	6.6
2/18/2010	22	6.1	6.1	N/A	6.2	6.4	N/A	6.3	N/A
2/18/2010	23	6.1	6.1	N/A	5.9	6.4	N/A	6.3	N/A
2/18/2010	24	6.1	6.0	N/A	5.8	6.4	N/A	6.3	6.5
2/19/2010	1	6.1	6.0	N/A	5.6	6.3	N/A	6.3	6.6
2/19/2010	2	6.1	6.0	N/A	5.5	6.3	N/A	6.3	N/A
2/19/2010	3	6.1	6.0	N/A	5.4	6.2	N/A	6.2	N/A
2/19/2010	4	6.1	5.9	N/A	5.3	6.2	5.9	6.2	6.6
2/19/2010	5	6.1	5.9	N/A	5.2	6.1	5.9	6.2	6.6
2/19/2010	6	6.1	5.9	N/A	5.1	6.0	5.8	6.1	6.6
2/19/2010	7	6.1	5.9	N/A	5.1	5.9	5.8	6.0	6.6
2/19/2010	8	6.1	5.8	N/A	5.0	6.0	5.7	5.9	6.4
2/19/2010	9	6.1	5.8	N/A	5.1	6.0	6.1	5.9	6.3
2/19/2010	10	6.1	5.8	N/A	5.2	6.1	6.0	5.8	6.6
2/19/2010	11	6.1	5.9	N/A	5.4	6.2	6.4	5.9	6.7
2/19/2010	12	6.1	6.0	6.9	5.6	6.2	6.5	6.1	6.6
2/19/2010	13	6.1	6.1	7.5	6.0	6.4	6.4	5.7	6.6
2/19/2010	14	6.1	6.1	7.9	6.5	6.7	6.6	5.7	6.6
2/19/2010	15	6.1	6.2	8.0	7.0	7.2	7.0	5.8	6.6
2/19/2010	16	6.1	6.2	7.5	7.4	7.6	7.3	5.8	6.6
2/19/2010	17	6.1	6.2	7.1	7.5	7.7	7.4	5.8	6.6
2/19/2010	18	6.1	6.2	6.7	7.3	7.6	7.3	5.8	6.5
2/19/2010	19	6.1	6.2	6.3	7.0	7.2	7.2	5.9	6.5
2/19/2010	20	6.1	6.2	6.0	6.7	6.9	7.1	5.9	6.5

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/19/2010	21	6.1	6.2	5.8	6.3	6.6	6.8	5.9	6.4
2/19/2010	22	6.1	6.2	5.7	6.0	6.2	6.4	5.9	6.5
2/19/2010	23	6.1	6.2	5.6	5.7	5.9	6.0	5.9	6.5
2/19/2010	24	6.1	6.2	5.5	5.5	5.7	5.7	5.8	6.4
2/20/2010	1	6.1	6.1	5.4	5.4	5.6	5.5	5.8	6.4
2/20/2010	2	6.1	6.1	5.4	5.3	5.5	5.4	5.8	6.5
2/20/2010	3	6.1	6.0	5.3	5.2	5.4	5.3	5.7	6.4
2/20/2010	4	6.1	6.0	5.3	5.1	5.3	5.2	5.7	6.4
2/20/2010	5	6.1	6.0	5.3	5.0	5.3	5.2	5.7	6.4
2/20/2010	6	6.1	5.9	5.2	4.9	5.2	5.1	5.7	6.4
2/20/2010	7	6.1	5.9	5.2	4.9	5.1	5.0	5.7	6.3
2/20/2010	8	6.1	5.9	5.2	4.9	5.1	4.9	5.7	6.3
2/20/2010	9	6.1	5.9	5.4	5.3	5.2	5.3	5.7	6.3
2/20/2010	10	6.1	5.9	5.8	5.4	5.2	5.5	5.6	6.5
2/20/2010	11	6.1	6.0	6.4	5.6	5.4	5.8	5.6	6.5
2/20/2010	12	6.1	6.1	7.2	5.7	5.7	6.0	5.6	6.4
2/20/2010	13	6.1	6.1	7.7	6.1	6.2	6.3	5.6	6.4
2/20/2010	14	6.1	6.1	7.9	6.6	6.8	6.8	5.7	6.4
2/20/2010	15	6.1	6.2	7.9	7.2	7.4	7.1	5.7	6.4
2/20/2010	16	6.1	6.2	7.5	7.5	7.7	7.4	5.7	6.4
2/20/2010	17	6.1	6.2	7.0	7.6	7.7	7.5	5.7	6.4
2/20/2010	18	6.1	6.1	6.6	7.3	7.5	7.4	5.8	6.4
2/20/2010	19	6.1	6.1	6.2	7.0	7.2	7.2	5.8	6.4
2/20/2010	20	6.1	6.1	5.9	6.6	6.8	6.9	5.8	6.4
2/20/2010	21	6.1	6.1	5.7	6.2	6.4	6.5	5.8	6.4
2/20/2010	22	6.1	6.1	5.5	5.8	6.1	6.2	5.8	6.4
2/20/2010	23	6.1	6.1	5.4	5.6	5.8	5.8	5.8	6.4
2/20/2010	24	6.1	6.0	5.4	5.4	5.6	5.6	5.7	6.4
2/21/2010	1	6.1	6.0	5.3	5.3	5.5	5.4	5.7	6.3
2/21/2010	2	6.1	6.0	5.3	5.1	5.4	5.3	5.7	6.3
2/21/2010	3	6.1	5.9	5.2	5.1	5.3	5.2	5.7	6.3
2/21/2010	4	6.1	5.9	5.2	5.0	5.2	5.1	5.6	6.3
2/21/2010	5	6.1	5.8	5.1	4.9	5.1	5.0	5.6	6.3
2/21/2010	6	6.1	5.8	5.1	4.8	5.1	4.9	5.6	6.3
2/21/2010	7	6.1	5.8	5.1	4.8	5.0	4.9	5.6	6.3
2/21/2010	8	6.1	5.8	5.1	4.8	4.9	4.9	5.6	6.3
2/21/2010	9	6.1	5.8	5.3	5.1	5.0	5.2	5.6	6.3
2/21/2010	10	6.1	5.8	5.8	5.3	5.1	5.4	5.6	6.3
2/21/2010	11	6.1	5.9	6.4	5.5	5.3	5.6	5.5	6.4
2/21/2010	12	6.1	6.0	7.1	5.7	5.6	5.9	5.5	6.3
2/21/2010	13	6.1	6.0	7.7	6.0	6.1	6.2	5.5	6.3
2/21/2010	14	6.1	6.1	8.0	6.6	6.8	6.7	5.6	6.3
2/21/2010	15	6.1	6.1	8.0	7.1	7.3	7.1	5.6	6.3
2/21/2010	16	6.1	6.1	7.5	7.5	7.7	7.4	5.6	6.3
2/21/2010	17	6.1	6.1	7.1	7.6	7.8	7.5	5.7	6.3
2/21/2010	18	6.1	6.1	6.6	7.4	7.6	7.5	5.7	6.3

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/21/2010	19	6.1	6.1	6.2	7.0	7.2	7.2	5.8	6.3
2/21/2010	20	6.1	6.1	5.9	6.6	6.8	7.0	5.8	6.3
2/21/2010	21	6.1	6.1	5.6	6.2	6.5	6.5	5.8	6.3
2/21/2010	22	6.1	6.1	5.5	5.9	6.1	6.2	5.8	6.3
2/21/2010	23	6.1	6.0	5.4	5.6	5.8	5.8	5.8	6.3
2/21/2010	24	6.1	6.0	5.4	5.4	5.6	5.6	5.7	6.3
2/22/2010	1	6.1	6.0	5.3	5.3	5.5	5.4	5.7	6.3
2/22/2010	2	6.1	6.0	5.3	5.1	5.3	5.3	5.7	6.3
2/22/2010	3	6.1	5.9	5.2	5.1	5.3	5.2	5.7	6.3
2/22/2010	4	6.1	5.9	5.2	5.0	5.2	5.1	5.7	6.3
2/22/2010	5	6.1	5.9	5.1	4.9	5.1	5.0	5.7	6.3
2/22/2010	6	6.1	5.8	5.1	4.8	5.1	4.9	5.6	6.2
2/22/2010	7	6.1	5.8	5.0	4.8	5.0	4.8	5.6	6.2
2/22/2010	8	6.1	5.8	5.0	4.8	4.9	4.8	5.6	6.2
2/22/2010	9	6.1	5.8	5.3	5.1	5.0	5.1	5.6	6.2
2/22/2010	10	6.1	5.8	5.8	5.3	5.1	5.5	5.6	6.3
2/22/2010	11	6.1	5.9	6.4	5.4	5.3	5.8	5.6	6.3
2/22/2010	12	6.1	6.0	7.0	5.5	5.6	6.1	5.6	6.3
2/22/2010	13	6.1	6.0	7.6	6.0	6.1	6.3	5.6	6.4
2/22/2010	14	6.1	6.1	8.0	6.6	6.8	6.7	5.6	6.4
2/22/2010	15	6.1	6.1	8.0	7.1	7.3	7.2	5.7	6.4
2/22/2010	16	6.1	6.1	7.6	7.5	7.7	7.4	5.7	6.4
2/22/2010	17	6.1	6.1	7.1	7.6	7.8	7.5	5.7	6.3
2/22/2010	18	6.1	6.1	6.7	7.4	7.6	7.5	5.8	6.3
2/22/2010	19	6.1	6.1	6.3	7.0	7.3	7.3	5.8	6.3
2/22/2010	20	6.1	6.1	5.9	6.7	6.9	7.0	5.8	6.3
2/22/2010	21	6.1	6.1	5.7	6.3	6.5	6.6	5.8	6.4
2/22/2010	22	6.1	6.1	5.6	5.9	6.2	6.3	5.8	6.3
2/22/2010	23	6.1	6.1	5.5	5.7	5.9	5.9	5.8	6.3
2/22/2010	24	6.1	6.0	5.4	5.4	5.7	5.6	5.8	6.3
2/23/2010	1	6.1	6.0	5.3	5.3	5.5	5.5	5.7	6.3
2/23/2010	2	6.1	6.0	5.3	5.2	5.4	5.3	5.7	6.3
2/23/2010	3	6.1	6.0	5.3	5.1	5.3	5.3	5.7	6.4
2/23/2010	4	6.1	5.9	5.3	5.0	5.2	5.1	5.7	6.3
2/23/2010	5	6.1	5.9	5.2	5.0	5.2	5.1	5.6	6.3
2/23/2010	6	6.1	5.9	5.2	5.0	5.1	5.0	5.6	6.2
2/23/2010	7	6.1	5.8	5.1	4.9	5.1	4.9	5.6	6.2
2/23/2010	8	6.1	5.9	5.2	4.9	5.1	4.9	5.6	6.2
2/23/2010	9	6.1	5.9	5.5	5.3	5.2	5.4	5.6	6.3
2/23/2010	10	6.1	5.9	5.9	5.3	5.2	5.5	5.6	6.3
2/23/2010	11	6.1	6.0	6.2	5.4	5.4	5.5	5.6	6.3
2/23/2010	12	6.1	6.0	6.6	5.7	5.7	5.7	5.6	6.4
2/23/2010	13	6.1	6.0	6.8	6.1	6.2	6.1	5.6	6.3
2/23/2010	14	6.1	6.1	6.9	6.5	6.5	6.4	5.6	6.3
2/23/2010	15	6.1	6.1	7.0	6.7	6.8	6.7	5.6	6.3
2/23/2010	16	6.1	6.1	6.9	6.8	6.9	6.8	5.6	6.3

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/23/2010	17	6.1	6.1	6.7	6.8	7.0	6.9	5.7	6.3
2/23/2010	18	6.1	6.1	6.5	6.8	6.9	6.8	5.7	6.3
2/23/2010	19	6.1	6.0	6.3	6.6	6.8	6.8	5.7	6.2
2/23/2010	20	6.1	6.0	6.2	6.5	6.7	6.6	5.7	6.3
2/23/2010	21	6.1	6.0	6.1	6.3	6.5	6.6	5.7	6.3
2/23/2010	22	6.1	6.0	6.0	6.2	6.4	6.4	5.7	6.3
2/23/2010	23	6.1	6.0	6.0	6.1	6.2	6.3	5.7	6.3
2/23/2010	24	6.1	6.0	6.0	6.0	6.1	6.2	5.6	6.3
2/24/2010	1	6.1	6.0	6.0	5.9	6.1	6.1	5.6	6.3
2/24/2010	2	6.1	6.0	6.0	5.9	6.1	6.0	5.6	6.3
2/24/2010	3	6.1	6.0	6.0	5.9	6.1	6.0	5.6	6.3
2/24/2010	4	6.1	5.9	6.0	5.9	6.1	6.0	5.6	6.3
2/24/2010	5	6.1	5.9	5.9	5.9	6.0	5.9	5.6	6.2
2/24/2010	6	6.1	5.9	5.9	5.9	6.0	5.9	5.6	6.2
2/24/2010	7	6.1	5.9	5.9	5.8	6.0	5.9	5.6	6.2
2/24/2010	8	6.1	5.9	5.9	5.9	6.0	5.9	5.6	6.2
2/24/2010	9	6.1	5.9	6.0	5.9	6.0	6.0	5.6	6.3
2/24/2010	10	6.1	5.9	6.2	6.1	6.1	6.2	5.6	6.3
2/24/2010	11	6.1	6.0	6.4	6.2	6.2	6.3	5.6	6.3
2/24/2010	12	6.1	6.0	6.7	6.5	6.4	6.7	5.6	6.3
2/24/2010	13	6.1	6.1	7.4	6.6	6.6	7.1	5.6	6.3
2/24/2010	14	6.1	6.1	7.7	6.7	6.9	7.2	5.6	6.4
2/24/2010	15	6.1	6.2	7.5	7.1	7.3	7.2	5.7	6.3
2/24/2010	16	6.1	6.2	7.3	7.5	7.6	7.4	5.7	6.3
2/24/2010	17	6.1	6.2	7.2	7.5	7.7	7.5	5.7	6.3
2/24/2010	18	6.1	6.2	6.8	7.3	7.5	7.3	5.8	6.3
2/24/2010	19	6.1	6.2	6.5	7.1	7.3	7.3	5.8	6.3
2/24/2010	20	6.1	6.2	6.3	6.9	7.1	7.1	5.8	6.3
2/24/2010	21	6.1	6.1	6.1	6.7	6.8	6.9	5.8	6.3
2/24/2010	22	6.1	6.1	6.0	6.3	6.6	6.6	5.8	6.3
2/24/2010	23	6.1	6.1	5.8	6.1	6.3	6.3	5.8	6.3
2/24/2010	24	6.1	6.1	5.7	5.9	6.1	6.1	5.8	6.3
2/25/2010	1	6.1	6.1	5.6	5.7	5.9	5.9	5.8	6.3
2/25/2010	2	6.1	6.1	5.6	5.6	5.8	5.8	5.8	6.3
2/25/2010	3	6.1	6.1	5.5	5.5	5.7	5.6	5.8	6.3
2/25/2010	4	6.1	6.0	5.5	5.4	5.6	5.5	5.8	6.3
2/25/2010	5	6.1	6.0	5.5	5.3	5.5	5.4	5.8	6.3
2/25/2010	6	6.1	6.0	5.4	5.3	5.5	5.4	5.8	6.3
2/25/2010	7	6.1	5.9	5.4	5.3	5.4	5.3	5.8	6.2
2/25/2010	8	6.1	5.9	5.4	5.3	5.4	5.3	5.8	6.2
2/25/2010	9	6.1	6.0	5.6	5.7	5.5	5.7	5.8	6.3
2/25/2010	10	6.1	6.0	6.2	5.6	5.6	6.0	5.8	6.3
2/25/2010	11	6.1	6.1	6.9	5.9	5.8	6.2	5.8	6.4
2/25/2010	12	6.1	6.2	7.5	6.2	6.2	6.5	5.8	6.3
2/25/2010	13	6.1	6.4	8.4	6.8	6.8	7.0	5.8	6.4
2/25/2010	14	6.1	6.3	8.7	7.4	7.5	7.5	5.8	6.4

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/25/2010	15	6.3	6.4	8.8	7.9	8.1	7.9	5.9	6.4
2/25/2010	16	6.6	6.4	8.3	8.4	8.5	8.2	6.0	6.4
2/25/2010	17	6.7	6.5	7.8	8.5	8.6	8.3	6.0	6.3
2/25/2010	18	6.7	6.5	7.2	8.2	8.4	8.3	6.1	6.4
2/25/2010	19	6.7	6.5	6.8	7.9	8.1	8.0	6.1	6.5
2/25/2010	20	6.7	6.5	6.5	7.5	7.7	7.7	6.2	6.4
2/25/2010	21	6.7	6.5	6.4	7.1	7.2	7.4	6.2	6.4
2/25/2010	22	6.7	6.4	6.3	6.7	6.9	7.0	6.2	6.3
2/25/2010	23	6.7	6.4	6.2	6.5	6.7	6.7	6.2	6.3
2/25/2010	24	6.7	6.4	6.3	6.3	6.5	6.5	6.1	6.3
2/26/2010	1	6.7	6.4	6.3	6.3	6.4	6.4	6.1	6.3
2/26/2010	2	6.7	6.4	6.3	6.2	6.4	6.4	6.1	6.3
2/26/2010	3	6.6	6.4	6.3	6.2	6.4	6.3	6.1	6.3
2/26/2010	4	6.6	6.4	6.3	6.2	6.4	6.3	6.1	6.3
2/26/2010	5	6.5	6.4	6.3	6.2	6.4	6.3	6.1	6.3
2/26/2010	6	6.4	6.4	6.3	6.2	6.4	6.3	6.1	6.4
2/26/2010	7	6.3	6.4	6.3	6.2	6.4	6.3	6.1	6.4
2/26/2010	8	6.3	6.4	6.3	6.2	6.4	6.4	6.1	6.3
2/26/2010	9	6.3	6.4	6.4	6.3	6.4	6.4	6.0	6.3
2/26/2010	10	6.3	6.4	6.5	6.3	6.5	6.5	6.0	6.3
2/26/2010	11	6.2	6.4	6.6	6.4	6.5	6.5	6.0	6.3
2/26/2010	12	6.2	6.3	6.6	6.4	6.5	6.5	6.0	6.4
2/26/2010	13	6.2	6.3	6.6	6.5	6.5	6.6	6.0	6.3
2/26/2010	14	6.2	6.3	6.6	6.5	6.6	6.6	6.0	6.4
2/26/2010	15	6.2	6.3	6.5	6.5	6.6	6.6	6.0	6.4
2/26/2010	16	6.1	6.3	6.5	6.5	6.6	6.6	6.0	6.3
2/26/2010	17	6.1	6.3	6.4	6.4	6.6	6.6	6.0	6.3
2/26/2010	18	6.2	6.3	6.3	6.4	6.5	6.5	6.0	6.3
2/26/2010	19	6.1	6.3	6.3	6.3	6.5	6.4	6.0	6.4
2/26/2010	20	6.1	6.3	6.2	6.2	6.4	6.3	6.0	6.4
2/26/2010	21	6.1	6.3	6.2	6.2	6.3	6.3	6.0	6.3
2/26/2010	22	6.1	6.3	6.2	6.1	6.3	6.3	6.0	6.4
2/26/2010	23	6.1	6.3	6.2	6.1	6.3	6.2	6.0	6.3
2/26/2010	24	6.1	6.2	6.2	6.1	6.2	6.2	6.0	6.3
2/27/2010	1	6.1	6.2	6.2	6.0	6.2	6.2	5.9	6.3
2/27/2010	2	6.1	6.2	6.2	6.1	6.2	6.2	5.9	6.3
2/27/2010	3	6.1	6.2	6.2	6.1	6.2	6.2	5.9	6.3
2/27/2010	4	6.1	6.2	6.2	6.1	6.2	6.2	5.9	6.4
2/27/2010	5	6.1	6.2	6.2	6.1	6.2	6.2	5.8	6.4
2/27/2010	6	6.1	6.1	6.2	6.1	6.2	6.2	5.8	6.4
2/27/2010	7	6.1	6.1	6.2	6.1	6.3	6.2	5.8	6.4
2/27/2010	8	6.1	6.2	6.3	6.2	6.3	6.3	5.8	6.3
2/27/2010	9	6.1	6.2	6.4	6.3	6.4	6.4	5.8	6.3
2/27/2010	10	6.1	6.2	6.7	6.5	6.5	6.6	5.8	6.3
2/27/2010	11	6.1	6.2	6.9	6.6	6.6	6.7	5.9	6.4
2/27/2010	12	6.1	6.3	7.2	6.8	6.8	6.9	5.9	6.4

## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
2/27/2010	13	6.1	6.3	7.3	7.0	7.1	7.1	5.9	6.4
2/27/2010	14	6.1	6.3	7.4	7.3	7.3	7.3	5.9	6.4
2/27/2010	15	6.1	6.3	7.4	7.3	7.4	7.5	5.9	6.4
2/27/2010	16	6.1	6.4	7.4	7.4	7.5	7.5	5.9	6.3
2/27/2010	17	6.2	6.4	7.3	7.4	7.5	7.5	6.0	6.3
2/27/2010	18	6.2	6.4	7.1	7.3	7.5	7.5	6.0	6.3
2/27/2010	19	6.2	6.3	6.8	7.3	7.4	7.4	6.0	6.4
2/27/2010	20	6.2	6.3	6.6	7.1	7.3	7.3	6.0	6.4
2/27/2010	21	6.2	6.3	6.4	6.9	7.1	7.0	6.0	6.4
2/27/2010	22	6.2	6.3	6.2	6.6	6.8	6.9	6.0	6.4
2/27/2010	23	6.2	6.3	6.1	6.4	6.6	6.6	6.0	6.3
2/27/2010	24	6.1	6.3	5.9	6.2	6.4	6.4	6.0	6.3
2/28/2010	1	6.1	6.2	5.8	6.0	6.2	6.2	6.0	6.3
2/28/2010	2	6.1	6.2	5.8	5.9	6.1	6.1	6.0	6.3
2/28/2010	3	6.1	6.2	5.9	5.8	6.0	6.0	6.0	6.3
2/28/2010	4	6.1	6.2	6.0	5.8	5.9	5.9	6.0	6.3
2/28/2010	5	6.1	6.2	6.1	5.8	5.9	5.9	5.9	6.4
2/28/2010	6	6.1	6.2	6.2	5.9	6.0	5.9	5.9	6.3
2/28/2010	7	6.1	6.2	6.2	6.0	6.1	6.0	5.9	6.3
2/28/2010	8	6.1	6.2	6.3	6.1	6.2	6.2	5.9	6.3
2/28/2010	9	6.1	6.2	6.4	6.2	6.3	6.3	5.9	6.3
2/28/2010	10	6.1	6.2	6.6	6.5	6.5	6.6	6.0	6.3
2/28/2010	11	6.1	6.3	7.0	6.8	6.7	6.9	6.0	6.4
2/28/2010	12	6.1	6.4	7.6	6.9	6.9	7.2	6.0	6.4
2/28/2010	13	6.1	6.4	8.0	7.2	7.3	7.4	6.1	6.4
2/28/2010	14	6.4	6.5	8.4	7.4	7.6	7.8	6.1	6.4
2/28/2010	15	6.7	6.5	8.6	7.8	8.0	8.0	6.1	6.4
2/28/2010	16	6.7	6.5	8.3	8.2	8.3	8.2	6.2	6.3
2/28/2010	17	6.7	6.5	7.8	8.3	8.4	8.2	6.2	6.5
2/28/2010	18	6.7	6.5	7.4	8.2	8.3	8.2	6.2	6.5
2/28/2010	19	6.7	6.5	7.0	7.9	8.1	7.9	6.2	6.5
2/28/2010	20	6.7	6.5	6.7	7.5	7.7	7.7	6.2	6.5
2/28/2010	21	6.7	6.5	6.5	7.2	7.4	7.5	6.2	6.4
2/28/2010	22	6.7	6.5	6.3	6.9	7.1	7.2	6.2	6.3
2/28/2010	23	6.7	6.5	6.3	6.6	6.8	6.9	6.2	6.3
2/28/2010	24	6.7	6.5	6.3	6.4	6.6	6.7	6.2	6.3
3/1/2010	1	6.7	6.4	6.2	6.3	6.5	6.5	6.2	6.3
3/1/2010	2	6.7	6.4	6.2	6.2	6.4	6.3	6.2	6.3
3/1/2010	3	6.7	6.4	6.1	6.2	6.3	6.3	6.1	6.3
3/1/2010	4	6.6	6.4	6.1	6.1	6.3	6.2	6.1	6.4
3/1/2010	5	6.5	6.4	6.1	6.1	6.2	6.1	6.1	6.4
3/1/2010	6	6.4	6.3	6.0	6.0	6.2	6.1	6.1	6.4
3/1/2010	7	6.3	6.3	6.1	6.0	6.2	6.1	6.1	6.4
3/1/2010	8	6.2	6.3	6.2	6.1	6.2	6.3	6.1	6.4
3/1/2010	9	6.2	6.4	6.5	6.2	6.3	6.4	6.1	6.4
3/1/2010	10	6.2	6.4	6.9	6.6	6.5	6.7	6.1	6.4

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
3/1/2010	11	6.4	6.5	7.4	6.8	6.7	7.0	6.2	6.5
3/1/2010	12	6.6	6.5	7.9	7.1	7.1	7.2	6.2	6.5
3/1/2010	13	6.7	6.6	8.3	7.5	7.5	7.7	6.2	6.5
3/1/2010	14	6.7	6.7	8.6	7.8	7.9	8.0	6.3	6.4
3/1/2010	15	6.7	6.7	8.7	8.2	8.3	8.2	6.3	6.4
3/1/2010	16	6.7	6.7	8.4	8.5	8.6	8.5	6.4	6.4
3/1/2010	17	6.7	6.8	8.1	8.6	8.8	8.6	6.4	6.5
3/1/2010	18	6.7	6.8	7.6	8.5	8.6	8.6	6.4	6.6
3/1/2010	19	6.7	6.8	7.2	8.2	8.4	8.5	6.4	6.6
3/1/2010	20	6.7	6.7	7.0	7.9	8.1	8.2	6.4	6.6
3/1/2010	21	6.7	6.7	6.8	7.5	7.7	7.8	6.4	6.5
3/1/2010	22	6.7	6.7	6.7	7.2	7.4	7.5	6.4	6.4
3/1/2010	23	6.7	6.7	6.6	7.0	7.2	7.3	6.4	6.4
3/1/2010	24	6.7	6.7	6.6	6.8	7.0	7.2	6.4	6.6
3/2/2010	1	6.7	6.7	6.6	6.7	6.9	6.9	6.4	6.4
3/2/2010	2	6.7	6.7	6.6	6.7	6.8	6.8	6.4	6.4
3/2/2010	3	6.7	6.6	6.6	6.6	6.8	6.7	6.3	6.5
3/2/2010	4	6.7	6.6	6.6	6.6	6.8	6.7	6.3	6.6
3/2/2010	5	6.7	6.6	6.5	6.6	6.7	6.7	6.3	6.5
3/2/2010	6	6.7	6.6	6.5	6.6	6.7	6.7	6.3	6.5
3/2/2010	7	6.7	6.6	6.5	6.5	6.7	6.6	6.3	6.6
3/2/2010	8	6.7	6.6	6.6	6.6	6.7	6.7	6.3	6.5
3/2/2010	9	6.7	6.6	6.9	6.9	6.8	7.0	6.3	6.5
3/2/2010	10	6.7	6.6	7.3	7.0	6.9	7.2	6.3	6.5
3/2/2010	11	6.7	6.7	7.7	7.2	7.1	7.4	6.3	6.5
3/2/2010	12	6.7	6.8	8.3	7.7	7.6	7.9	6.3	6.6
3/2/2010	13	6.7	6.9	8.9	7.9	7.9	8.1	6.4	6.5
3/2/2010	14	6.7	6.9	8.7	8.4	8.4	8.2	6.4	6.5
3/2/2010	15	6.8	6.9	8.6	8.8	8.9	8.6	6.4	6.5
3/2/2010	16	6.9	6.9	8.4	8.8	9.0	8.9	6.5	6.4
3/2/2010	17	7.1	6.9	7.9	8.7	8.8	8.8	6.5	6.5
3/2/2010	18	7.2	6.9	7.6	8.5	8.6	8.6	6.6	6.6
3/2/2010	19	7.2	6.9	7.3	8.2	8.3	8.4	6.6	6.6
3/2/2010	20	7.2	6.9	7.0	7.9	8.0	8.2	6.5	6.7
3/2/2010	21	7.1	6.9	6.9	7.6	7.7	7.8	6.5	6.5
3/2/2010	22	7.1	6.9	6.9	7.3	7.5	7.6	6.5	6.4
3/2/2010	23	7.1	6.9	7.0	7.2	7.3	7.4	6.5	6.4
3/2/2010	24	7.1	6.9	7.0	7.1	7.3	7.3	6.5	6.4
3/3/2010	1	7.0	6.9	7.0	7.1	7.2	7.2	6.5	6.4
3/3/2010	2	6.9	6.9	7.0	7.1	7.2	7.2	6.5	6.4
3/3/2010	3	6.9	6.9	7.0	7.1	7.2	7.2	6.5	6.4
3/3/2010	4	6.9	6.9	7.0	7.1	7.2	7.2	6.5	6.3
3/3/2010	5	6.8	6.8	6.9	7.0	7.2	7.2	6.5	6.4
3/3/2010	6	6.8	6.8	7.0	7.0	7.2	7.2	6.5	6.5
3/3/2010	7	6.7	6.8	7.0	7.0	7.2	7.1	6.5	6.8
3/3/2010	8	6.7	6.8	7.0	7.0	7.2	7.1	6.5	6.7



## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
3/3/2010	9	6.7	6.8	7.0	7.1	7.2	7.2	6.5	6.5
3/3/2010	10	6.7	6.8	7.1	7.2	7.3	7.4	6.5	6.4
3/3/2010	11	6.7	6.9	7.5	7.4	7.4	7.6	6.5	6.5
3/3/2010	12	6.7	6.9	7.6	7.5	7.5	7.8	6.5	6.7
3/3/2010	13	6.8	6.9	7.9	7.8	7.8	8.2	6.5	6.6
3/3/2010	14	7.0	7.0	8.3	7.9	8.0	8.5	6.5	6.5
3/3/2010	15	7.2	7.0	8.3	8.0	8.2	8.4	6.6	6.4
3/3/2010	16	7.2	7.0	8.1	8.2	8.3	8.3	6.6	6.4
3/3/2010	17	7.2	7.0	7.7	8.2	8.4	8.3	6.6	6.4
3/3/2010	18	7.2	7.0	7.4	8.0	8.2	8.2	6.6	6.7
3/3/2010	19	7.2	7.0	7.2	7.8	8.0	8.0	6.6	6.7
3/3/2010	20	7.2	7.0	6.9	7.5	7.7	7.9	6.6	6.8
3/3/2010	21	7.2	7.0	6.8	7.3	7.5	7.6	6.6	6.6
3/3/2010	22	7.2	7.0	6.6	7.0	7.2	7.4	6.6	6.8
3/3/2010	23	7.2	6.9	6.6	6.8	7.0	7.1	6.6	6.4
3/3/2010	24	7.2	6.9	6.5	6.6	6.8	6.8	6.6	6.4
3/4/2010	1	7.2	6.9	6.4	6.5	6.7	6.7	6.6	6.4
3/4/2010	2	7.1	6.8	6.3	6.4	6.6	6.5	6.6	6.4
3/4/2010	3	6.8	6.8	6.3	6.3	6.5	6.4	6.5	6.4
3/4/2010	4	6.7	6.7	6.2	6.2	6.4	6.3	6.5	6.5
3/4/2010	5	6.7	6.7	6.2	6.1	6.3	6.2	6.5	6.5
3/4/2010	6	6.7	6.7	6.1	6.0	6.2	6.2	6.4	6.4
3/4/2010	7	6.7	6.6	6.1	6.0	6.2	6.1	6.4	6.6
3/4/2010	8	6.7	6.6	6.2	6.3	6.2	6.3	6.4	6.5
3/4/2010	9	6.7	6.6	6.6	6.5	6.3	6.7	6.3	6.5
3/4/2010	10	6.7	6.7	7.2	6.8	6.5	6.9	6.3	6.6
3/4/2010	11	6.7	6.8	7.9	6.9	6.7	7.4	6.4	6.6
3/4/2010	12	6.7	6.9	8.6	7.3	7.1	7.6	6.4	6.6
3/4/2010	13	6.8	7.0	9.3	7.8	7.8	8.0	6.5	6.6
3/4/2010	14	7.2	7.1	9.6	8.3	8.5	8.4	6.6	6.6
3/4/2010	15	7.2	7.1	9.6	8.8	9.1	8.9	6.6	6.5
3/4/2010	16	7.2	7.1	9.1	9.3	9.4	9.2	6.7	6.4
3/4/2010	17	7.2	7.2	8.4	9.3	9.5	9.3	6.8	6.4
3/4/2010	18	7.2	7.2	8.0	9.0	9.2	9.2	6.8	6.4
3/4/2010	19	7.2	7.2	7.5	8.6	8.8	8.9	6.8	6.5
3/4/2010	20	7.2	7.2	7.1	8.1	8.3	8.5	6.8	6.8
3/4/2010	21	7.2	7.2	6.9	7.7	7.9	8.0	6.8	6.5
3/4/2010	22	7.2	7.2	6.7	7.3	7.5	7.6	6.8	6.4
3/4/2010	23	7.2	7.1	6.6	6.9	7.2	7.2	6.8	6.4
3/4/2010	24	7.2	7.1	6.5	6.7	6.9	6.9	6.8	6.5
3/5/2010	1	7.2	7.1	6.4	6.5	6.7	6.7	6.8	6.5
3/5/2010	2	7.2	7.1	6.4	6.4	6.6	6.6	6.8	6.5
3/5/2010	3	7.2	7.0	6.3	6.2	6.5	6.4	6.7	6.6
3/5/2010	4	7.2	7.0	6.3	6.2	6.4	6.3	6.7	6.6
3/5/2010	5	7.2	6.9	6.2	6.1	6.3	6.2	6.7	6.4
3/5/2010	6	7.2	6.9	6.2	6.0	6.2	6.1	6.6	6.7

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
3/5/2010	7	7.2	6.9	6.2	6.0	6.2	6.1	6.6	6.9
3/5/2010	8	7.2	6.9	6.3	6.2	6.2	6.2	6.6	6.8
3/5/2010	9	7.2	6.9	6.6	6.3	6.3	6.4	6.6	6.8
3/5/2010	10	7.2	6.9	7.0	6.6	6.5	6.8	6.6	6.6
3/5/2010	11	7.2	7.0	7.6	7.1	6.8	7.3	6.6	6.6
3/5/2010	12	7.2	7.1	8.4	7.4	7.2	7.6	6.7	6.6
3/5/2010	13	7.2	7.2	9.0	7.7	7.7	7.9	6.7	6.5
3/5/2010	14	7.2	7.3	9.4	8.1	8.3	8.3	6.8	6.5
3/5/2010	15	7.2	7.3	9.6	8.6	8.8	8.8	6.9	6.5
3/5/2010	16	7.2	7.3	9.2	9.1	9.2	9.0	6.9	6.5
3/5/2010	17	7.2	7.4	8.6	9.2	9.4	9.2	7.0	6.5
3/5/2010	18	7.2	7.4	8.0	9.1	9.3	9.1	7.0	6.6
3/5/2010	19	7.2	7.3	7.6	8.7	8.9	8.9	7.0	N/A
3/5/2010	20	7.2	7.3	7.2	8.2	8.4	8.7	7.0	N/A
3/5/2010	21	7.2	7.3	7.0	7.8	8.0	8.1	7.0	6.6
3/5/2010	22	7.2	7.3	6.9	7.4	7.6	7.7	7.0	6.5
3/5/2010	23	7.2	7.2	6.7	7.1	7.3	7.4	6.9	6.4
3/5/2010	24	7.2	7.2	6.6	6.8	7.1	7.1	6.9	6.5
3/6/2010	1	7.2	7.2	6.6	6.7	6.9	6.9	6.9	6.5
3/6/2010	2	7.2	7.1	6.5	6.5	6.7	6.7	6.9	6.5
3/6/2010	3	7.2	7.1	6.4	6.4	6.6	6.5	6.8	6.5
3/6/2010	4	7.2	7.1	6.3	6.2	6.5	6.4	6.8	6.5
3/6/2010	5	7.2	7.0	6.3	6.2	6.4	6.3	6.8	6.5
3/6/2010	6	7.2	7.0	6.2	6.1	6.3	6.2	6.7	6.5
3/6/2010	7	7.2	7.0	6.2	6.0	6.2	6.1	6.7	6.6
3/6/2010	8	7.2	6.9	6.2	6.3	6.2	6.2	6.7	N/A
3/6/2010	9	7.2	7.0	6.7	6.6	6.3	6.6	6.6	6.7
3/6/2010	10	7.2	7.1	7.4	6.7	6.4	6.8	6.7	6.5
3/6/2010	11	7.2	7.2	8.1	7.0	6.7	7.1	6.7	6.5
3/6/2010	12	7.2	7.3	8.9	7.5	7.2	7.5	6.8	6.5
3/6/2010	13	7.2	7.4	9.5	8.0	8.0	8.0	6.9	6.5
3/6/2010	14	7.2	7.4	9.9	8.6	8.7	8.7	6.9	6.5
3/6/2010	15	7.3	7.5	9.9	9.2	9.3	9.2	7.0	6.5
3/6/2010	16	7.7	7.5	9.5	9.5	9.7	9.5	7.1	6.5
3/6/2010	17	7.8	7.5	8.8	9.6	9.8	9.6	7.2	6.5
3/6/2010	18	7.8	7.5	8.3	9.4	9.6	9.6	7.2	6.5
3/6/2010	19	7.8	7.5	7.8	8.9	9.1	9.2	7.2	6.6
3/6/2010	20	7.8	7.5	7.4	8.5	8.7	8.8	7.2	6.7
3/6/2010	21	7.8	7.5	7.2	8.0	8.2	8.4	7.2	6.5
3/6/2010	22	7.8	7.5	7.0	7.6	7.8	7.9	7.1	6.5
3/6/2010	23	7.7	7.4	6.9	7.3	7.5	7.6	7.1	6.5
3/6/2010	24	7.5	7.4	6.8	7.0	7.2	7.3	7.1	6.5
3/7/2010	1	7.3	7.4	6.7	6.8	7.0	7.0	7.1	6.5
3/7/2010	2	7.2	7.3	6.6	6.6	6.9	6.8	7.1	6.5
3/7/2010	3	7.2	7.3	6.5	6.5	6.7	6.7	7.0	6.5
3/7/2010	4	7.2	7.2	6.5	6.4	6.6	6.5	7.0	6.5

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
3/7/2010	5	7.2	7.2	6.4	6.3	6.5	6.4	7.0	6.5
3/7/2010	6	7.2	7.2	6.4	6.2	6.4	6.3	6.9	6.5
3/7/2010	7	7.2	7.1	6.3	6.2	6.4	6.3	6.9	6.5
3/7/2010	8	7.2	7.1	6.4	6.4	6.4	6.4	6.9	6.5
3/7/2010	9	7.2	7.2	6.9	6.7	6.5	6.8	6.8	6.7
3/7/2010	10	7.2	7.2	7.4	6.9	6.6	7.1	6.8	6.7
3/7/2010	11	7.2	7.3	8.2	7.1	6.8	7.3	6.9	6.6
3/7/2010	12	7.2	7.4	9.0	7.5	7.3	7.6	7.0	6.5
3/7/2010	13	7.2	7.5	9.6	8.1	8.0	8.1	7.0	6.6
3/7/2010	14	7.4	7.5	9.7	8.8	8.8	8.7	7.1	6.5
3/7/2010	15	7.8	7.6	9.6	9.3	9.4	9.2	7.2	6.5
3/7/2010	16	7.8	7.7	9.2	9.6	9.7	9.5	7.2	6.6
3/7/2010	17	7.8	7.7	8.8	9.6	9.7	9.7	7.3	6.5
3/7/2010	18	7.8	7.6	8.3	9.4	9.5	9.6	7.3	6.5
3/7/2010	19	7.8	7.6	7.9	9.0	9.2	9.2	7.3	6.8
3/7/2010	20	7.8	7.6	7.6	8.6	8.7	8.9	7.3	6.6
3/7/2010	21	7.8	7.6	7.4	8.1	8.3	8.5	7.3	6.6
3/7/2010	22	7.8	7.5	7.3	7.8	8.0	8.1	7.2	6.5
3/7/2010	23	7.8	7.5	7.2	7.6	7.7	7.9	7.2	6.6
3/7/2010	24	7.8	7.5	7.1	7.3	7.5	7.6	7.2	6.6
3/8/2010	1	7.8	7.5	7.1	7.2	7.4	7.4	7.2	6.5
3/8/2010	2	7.6	7.5	7.2	7.2	7.3	7.3	7.2	6.6
3/8/2010	3	7.5	7.4	7.2	7.1	7.3	7.3	7.1	6.6
3/8/2010	4	7.3	7.4	7.2	7.1	7.3	7.2	7.1	6.6
3/8/2010	5	7.2	7.4	7.2	7.1	7.3	7.2	7.1	6.8
3/8/2010	6	7.2	7.4	7.2	7.1	7.3	7.1	7.0	N/A
3/8/2010	7	7.2	7.3	7.2	7.2	7.3	7.2	7.0	N/A
3/8/2010	8	7.2	7.3	7.2	7.2	7.3	7.3	7.0	6.6
3/8/2010	9	7.2	7.3	7.3	7.4	7.4	7.5	7.0	6.6
3/8/2010	10	7.2	7.3	7.6	7.9	7.5	8.0	7.0	N/A
3/8/2010	11	7.2	7.4	8.4	7.8	7.7	8.2	7.0	N/A
3/8/2010	12	7.2	7.5	9.1	8.0	7.9	8.5	7.0	6.8
3/8/2010	13	7.2	7.6	9.7	8.3	8.3	8.6	7.0	6.6
3/8/2010	14	7.3	7.4	9.7	8.9	9.0	9.1	7.1	N/A
3/8/2010	15	7.2	7.5	9.4	9.1	9.4	9.2	7.1	N/A
3/8/2010	16	7.4	7.5	8.8	9.3	9.5	8.9	7.1	6.7
3/8/2010	17	7.7	7.5	8.3	9.1	9.3	9.2	7.1	6.6
3/8/2010	18	7.7	7.5	8.0	8.8	9.0	8.9	7.1	6.5
3/8/2010	19	7.7	7.5	7.6	8.4	8.6	8.6	7.1	N/A
3/8/2010	20	7.6	7.4	7.3	7.9	8.2	8.2	7.1	6.9
3/8/2010	21	7.5	7.4	7.0	7.6	7.8	7.9	7.1	6.7
3/8/2010	22	7.3	7.4	6.8	7.3	7.5	7.6	7.1	6.6
3/8/2010	23	7.2	7.3	6.7	7.0	7.2	7.2	7.0	6.5
3/8/2010	24	7.2	7.3	6.6	6.7	7.0	7.0	7.0	6.5
3/9/2010	1	7.2	7.3	6.6	6.6	6.8	6.8	7.0	6.6
3/9/2010	2	7.2	7.2	6.5	6.4	6.6	6.6	7.0	6.6

## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
3/9/2010	3	7.2	7.2	6.4	6.3	6.5	6.4	7.0	6.6
3/9/2010	4	7.2	7.2	6.3	6.2	6.4	6.3	7.0	6.6
3/9/2010	5	7.2	7.1	6.2	6.1	6.3	6.2	7.0	6.6
3/9/2010	6	7.2	7.1	6.1	5.9	6.2	6.0	6.9	6.9
3/9/2010	7	7.2	7.1	6.0	5.8	6.1	5.8	6.9	N/A
3/9/2010	8	7.2	7.1	6.1	6.2	6.1	6.1	6.9	6.6
3/9/2010	9	7.2	7.1	6.6	6.3	6.1	6.4	6.9	6.6
3/9/2010	10	7.2	7.2	7.2	6.4	6.2	7.0	6.9	N/A
3/9/2010	11	7.2	7.3	7.9	6.8	6.5	7.3	6.9	N/A
3/9/2010	12	7.2	7.4	8.7	7.2	6.9	7.2	7.0	6.7
3/9/2010	13	7.2	7.4	9.0	7.7	7.6	7.6	7.0	6.7
3/9/2010	14	7.2	7.4	9.4	8.2	8.3	8.2	7.0	6.6
3/9/2010	15	7.3	7.5	9.1	8.7	8.8	8.5	7.1	6.7
3/9/2010	16	7.4	7.5	8.7	8.9	9.1	8.7	7.1	N/A
3/9/2010	17	7.6	7.5	8.1	8.9	9.0	8.6	7.1	N/A
3/9/2010	18	7.7	7.4	7.7	8.6	8.8	8.6	7.1	N/A
3/9/2010	19	7.5	7.4	7.3	8.1	8.3	8.3	7.1	N/A
3/9/2010	20	7.3	7.4	6.9	7.7	7.9	8.1	7.1	N/A
3/9/2010	21	7.2	7.3	6.6	7.3	7.5	7.6	7.1	6.8
3/9/2010	22	7.2	7.3	6.5	6.9	7.1	7.2	7.1	6.7
3/9/2010	23	7.2	7.3	6.4	6.5	6.8	6.8	7.0	6.7
3/9/2010	24	7.2	7.2	6.3	6.3	6.6	6.5	7.0	6.7
3/10/2010	1	7.2	7.2	6.3	6.2	6.4	6.4	7.0	6.6
3/10/2010	2	7.2	7.2	6.4	6.1	6.3	6.2	7.0	6.6
3/10/2010	3	7.2	7.2	6.4	6.0	6.2	6.2	6.9	6.8
3/10/2010	4	7.2	7.1	6.4	6.0	6.2	6.1	6.9	6.8
3/10/2010	5	7.2	7.1	6.3	6.1	6.2	6.1	6.8	6.7
3/10/2010	6	7.2	7.0	6.3	6.0	6.2	6.1	6.8	6.6
3/10/2010	7	7.2	7.0	6.3	6.0	6.2	6.1	6.8	N/A
3/10/2010	8	7.2	6.9	6.3	6.2	6.2	6.3	6.7	6.7
3/10/2010	9	7.2	7.0	6.6	6.4	6.3	6.6	6.7	6.7
3/10/2010	10	7.2	7.1	7.2	6.5	6.4	6.9	6.7	6.7
3/10/2010	11	7.2	7.1	8.0	7.0	6.6	7.1	6.8	6.7
3/10/2010	12	7.2	7.2	8.3	7.1	7.0	7.1	6.8	6.8
3/10/2010	13	7.2	7.3	9.0	7.7	7.7	7.8	6.9	6.8
3/10/2010	14	7.2	7.3	9.5	8.1	8.2	8.3	6.9	6.7
3/10/2010	15	7.2	7.4	9.4	8.5	8.7	8.7	6.9	6.7
3/10/2010	16	7.2	7.4	9.1	9.0	9.1	8.8	7.0	6.7
3/10/2010	17	7.2	7.3	8.6	9.0	9.2	8.9	7.0	6.7
3/10/2010	18	7.2	7.3	8.0	8.8	9.0	8.8	7.0	N/A
3/10/2010	19	7.2	7.3	7.5	8.5	8.7	8.6	7.0	N/A
3/10/2010	20	7.2	7.3	7.2	8.2	8.3	8.4	7.0	N/A
3/10/2010	21	7.2	7.3	7.0	7.7	7.9	8.1	7.0	6.7
3/10/2010	22	7.2	7.3	7.0	7.3	7.6	7.7	7.0	6.7
3/10/2010	23	7.2	7.3	6.9	7.1	7.3	7.3	7.0	6.7
3/10/2010	24	7.2	7.3	6.8	6.9	7.1	7.1	7.0	6.7

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto- (Deg. C)	Top of Reach 1-Logger- (Deg. C)	End of Reach 1-Logger- (Deg. C)	End of Reach 3-Logger- (Deg. C)	Top of Reach 4-Logger- (Deg. C)	End of Reach 4-Logger- (Deg. C)	Tailrace at Pump Intake-Auto- (Deg. C)	Tailrace at Pump Intake-Logger- (Deg. C)
3/11/2010	1	7.2	7.3	6.8	6.8	7.0	6.9	7.0	6.8
3/11/2010	2	7.2	7.3	6.8	6.7	6.9	6.8	7.0	6.8
3/11/2010	3	7.2	7.2	6.7	6.6	6.8	6.8	7.0	N/A
3/11/2010	4	7.2	7.2	6.7	6.6	6.8	6.7	7.0	N/A
3/11/2010	5	7.2	7.2	6.7	6.5	6.7	6.6	6.9	6.9
3/11/2010	6	7.2	7.1	6.7	6.5	6.7	6.6	6.9	6.8
3/11/2010	7	7.2	7.1	6.7	6.5	6.7	6.6	6.9	6.9
3/11/2010	8	7.2	7.1	6.8	6.6	6.7	6.6	6.9	N/A
3/11/2010	9	7.2	7.1	6.9	6.6	6.7	6.7	6.8	N/A
3/11/2010	10	7.2	7.1	7.1	6.8	6.8	6.9	6.8	6.8
3/11/2010	11	7.2	7.1	7.3	6.9	7.0	7.0	6.9	6.7
3/11/2010	12	7.2	7.2	7.5	7.1	7.1	7.2	6.9	6.8
3/11/2010	13	7.2	7.2	7.7	7.3	7.4	7.5	6.9	6.8
3/11/2010	14	7.2	7.2	8.0	7.5	7.6	7.6	6.9	6.8
3/11/2010	15	7.2	7.2	8.0	7.7	7.7	7.7	6.9	6.9
3/11/2010	16	7.2	7.3	8.0	7.8	7.9	7.8	6.9	6.8
3/11/2010	17	7.2	7.2	7.8	7.8	8.0	7.9	6.9	6.7
3/11/2010	18	7.2	7.2	7.5	7.8	8.0	7.8	6.9	6.9
3/11/2010	19	7.2	7.2	7.2	7.7	7.9	7.7	6.9	7.0
3/11/2010	20	7.2	7.2	7.1	7.5	7.7	7.7	6.9	6.8
3/11/2010	21	7.2	7.2	7.0	7.3	7.5	7.5	6.9	6.8
3/11/2010	22	7.2	7.2	6.9	7.1	7.3	7.4	6.9	6.7
3/11/2010	23	7.2	7.1	6.9	7.0	7.2	7.2	6.9	6.7
3/11/2010	24	7.2	7.1	6.9	6.9	7.1	7.1	6.8	6.7
3/12/2010	1	7.2	7.1	7.0	6.9	7.1	7.0	6.8	6.8
3/12/2010	2	7.2	7.1	7.0	6.9	7.0	7.0	6.8	6.8
3/12/2010	3	7.2	7.0	7.0	6.9	7.1	7.0	6.8	6.8
3/12/2010	4	7.2	7.0	7.0	6.9	7.1	7.0	6.8	6.8
3/12/2010	5	7.2	7.0	7.0	6.9	7.1	7.0	6.7	6.8
3/12/2010	6	7.2	7.0	6.9	6.9	7.1	7.0	6.7	6.8
3/12/2010	7	7.2	7.0	6.9	6.9	7.1	7.0	6.7	6.9
3/12/2010	8	7.2	7.0	7.0	7.0	7.1	7.2	6.7	6.8
3/12/2010	9	7.2	7.0	7.2	7.1	7.1	7.3	6.7	6.8
3/12/2010	10	7.2	7.0	7.4	7.2	7.3	7.5	6.7	6.8
3/12/2010	11	7.2	7.1	7.7	7.4	7.4	7.5	6.7	6.9
3/12/2010	12	7.2	7.1	8.0	7.7	7.7	7.9	6.7	6.9
3/12/2010	13	7.2	7.1	8.1	7.8	7.9	7.9	6.7	6.8
3/12/2010	14	7.2	7.1	8.0	8.0	7.5	7.7	6.8	6.8
3/12/2010	15	7.2	7.1	7.9	8.1	8.2	8.1	6.8	6.7
3/12/2010	16	7.2	7.1	7.7	8.1	8.2	8.2	6.8	6.7
3/12/2010	17	7.2	7.1	7.6	8.0	8.1	8.1	6.8	N/A
3/12/2010	18	7.2	7.1	7.4	7.8	8.0	8.1	6.8	N/A
3/12/2010	19	7.2	7.1	7.3	7.7	7.8	7.9	6.8	N/A
3/12/2010	20	7.2	7.1	7.2	7.5	7.7	7.6	6.8	N/A
3/12/2010	21	7.2	7.1	7.0	7.3	7.5	7.5	6.8	6.8
3/12/2010	22	7.2	7.1	6.9	7.1	7.3	7.3	6.8	6.8

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
3/12/2010	23	7.2	7.1	6.8	7.0	7.2	7.2	6.8	6.8
3/12/2010	24	7.2	7.0	6.8	6.9	7.0	7.0	6.8	6.7
3/13/2010	1	7.2	7.0	6.7	6.7	6.9	6.9	6.8	6.8
3/13/2010	2	7.2	6.9	6.6	6.6	6.8	6.7	6.7	6.8
3/13/2010	3	7.2	6.9	6.4	6.5	6.7	6.6	6.7	6.7
3/13/2010	4	7.2	6.9	6.3	6.4	6.6	6.5	6.7	6.8
3/13/2010	5	7.2	6.8	6.2	6.2	6.4	6.4	6.7	6.8
3/13/2010	6	6.9	6.8	6.1	6.1	6.3	6.2	6.6	6.9
3/13/2010	7	6.8	6.8	6.1	6.1	6.3	6.3	6.6	6.9
3/13/2010	8	6.7	6.8	6.4	6.2	6.2	6.4	6.6	6.9
3/13/2010	9	6.7	6.9	6.7	6.6	6.3	6.6	6.6	6.8
3/13/2010	10	6.8	6.9	7.4	6.8	6.6	6.9	6.6	6.8
3/13/2010	11	7.1	7.0	8.1	7.0	6.8	7.3	6.7	6.8
3/13/2010	12	7.2	7.2	8.9	7.4	7.2	7.5	6.7	6.8
3/13/2010	13	7.2	7.2	9.1	8.1	8.0	8.1	6.8	6.8
3/13/2010	14	7.2	7.3	9.6	8.5	8.6	8.7	6.9	6.8
3/13/2010	15	7.2	7.3	9.7	8.8	9.1	8.9	6.9	6.9
3/13/2010	16	7.2	7.3	9.3	9.1	9.3	9.1	7.0	6.8
3/13/2010	17	7.2	7.3	8.6	9.3	9.4	9.2	7.0	6.8
3/13/2010	18	7.2	7.4	8.1	9.1	9.2	9.2	7.0	6.7
3/13/2010	19	7.2	7.4	7.7	8.6	8.9	8.9	7.0	6.9
3/13/2010	20	7.2	7.4	7.2	8.2	8.4	8.5	7.0	6.8
3/13/2010	21	7.2	7.3	7.0	7.7	8.0	8.1	7.0	6.8
3/13/2010	22	7.2	7.3	6.8	7.4	7.6	7.7	7.0	6.7
3/13/2010	23	7.2	7.3	6.7	7.0	7.3	7.3	7.0	6.7
3/13/2010	24	7.2	7.2	6.6	6.8	7.0	7.0	7.0	6.8
3/14/2010	1	7.2	7.2	6.5	6.5	6.8	6.8	7.0	6.8
3/14/2010	2	7.2	7.2	6.4	6.4	6.6	6.6	7.0	6.8
3/14/2010	4	7.2	7.1	6.3	6.2	6.4	6.3	7.0	6.8
3/14/2010	5	7.2	7.1	6.3	6.2	6.3	6.3	6.9	6.8
3/14/2010	6	7.2	7.0	6.3	6.1	6.3	6.2	6.9	6.8
3/14/2010	7	7.2	7.0	6.3	6.1	6.2	6.2	6.9	6.8
3/14/2010	8	7.2	7.0	6.4	6.4	6.3	6.4	6.8	6.8
3/14/2010	9	7.2	7.1	6.9	6.8	6.4	6.7	6.8	6.9
3/14/2010	10	7.2	7.1	7.5	6.9	6.5	7.1	6.8	6.9
3/14/2010	11	7.2	7.2	8.2	7.0	6.8	7.4	6.8	6.9
3/14/2010	12	7.2	7.3	9.1	7.5	7.4	7.7	6.9	6.9
3/14/2010	13	7.2	7.3	9.7	8.2	8.1	8.2	6.9	6.8
3/14/2010	14	7.2	7.4	9.9	8.8	8.9	8.8	7.0	6.8
3/14/2010	15	7.2	7.4	9.7	9.3	7.7	8.2	7.0	6.8
3/14/2010	16	7.2	7.4	9.2	9.6	7.7	8.0	7.1	6.9
3/14/2010	17	7.2	7.5	8.7	9.6	7.8	8.1	7.1	6.9
3/14/2010	18	7.4	7.5	8.3	9.4	7.8	8.0	7.1	6.9
3/14/2010	19	7.6	7.4	7.9	9.1	7.7	7.9	7.1	6.9
3/14/2010	20	7.5	7.4	7.6	8.6	7.7	7.9	7.1	6.9
3/14/2010	21	7.3	7.4	7.4	8.3	7.7	7.8	7.1	6.8

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
3/14/2010	22	7.3	7.4	7.3	7.9	7.6	7.7	7.1	6.8
3/14/2010	23	7.3	7.4	7.3	7.7	7.6	7.6	7.1	6.9
3/14/2010	24	7.3	7.4	7.3	7.5	7.6	7.6	7.1	6.9
3/15/2010	1	7.2	7.4	7.3	7.4	7.5	7.6	7.1	6.9
3/15/2010	2	7.2	7.4	7.3	7.3	7.5	7.5	7.1	6.9
3/15/2010	3	7.2	7.4	7.3	7.3	7.5	7.5	7.1	7.0
3/15/2010	4	7.2	7.3	7.3	7.3	7.5	7.5	7.1	7.0
3/15/2010	5	7.2	7.3	7.3	7.3	7.5	7.5	7.1	7.1
3/15/2010	6	7.2	7.3	7.2	7.3	7.4	7.4	7.1	7.1
3/15/2010	7	7.2	7.3	7.2	7.3	7.4	7.5	7.0	7.2
3/15/2010	8	7.2	7.3	7.3	7.4	7.4	7.5	7.0	7.2
3/15/2010	9	7.2	7.3	7.7	7.5	7.5	7.6	7.0	7.1
3/15/2010	10	7.2	7.4	8.1	7.7	7.5	7.7	7.0	7.1
3/15/2010	11	7.2	7.5	8.7	7.9	7.6	7.8	7.1	7.2
3/15/2010	12	7.2	7.6	9.4	8.1	7.7	7.9	7.1	7.2
3/15/2010	13	7.3	7.7	9.8	8.7	7.8	8.1	7.2	7.2
3/15/2010	14	7.7	7.7	10.1	9.2	7.9	8.2	7.2	7.2
3/15/2010	15	7.8	7.8	9.9	9.7	8.0	8.3	7.3	7.1
3/15/2010	16	7.8	7.8	9.7	10.0	8.1	8.4	7.4	7.1
3/15/2010	17	7.8	7.9	9.2	10.0	8.1	8.4	7.4	7.1
3/15/2010	18	7.8	7.9	8.8	9.8	8.2	8.4	7.5	7.3
3/15/2010	19	7.8	7.9	8.4	9.5	8.2	8.4	7.5	7.4
3/15/2010	20	7.8	7.9	8.1	9.2	8.1	8.3	7.5	7.4
3/15/2010	21	7.8	7.9	7.9	8.8	8.1	8.2	7.5	7.1
3/15/2010	22	7.8	7.8	7.8	8.4	8.0	8.1	7.5	7.1
3/15/2010	23	7.8	7.8	7.7	8.1	8.0	8.1	7.5	7.2
3/15/2010	24	7.8	7.8	7.7	8.0	8.0	8.0	7.5	7.3
3/16/2010	1	7.8	7.8	7.6	7.8	7.9	7.9	7.5	7.2
3/16/2010	2	7.8	7.8	7.5	7.7	7.9	7.9	7.5	7.2
3/16/2010	3	7.8	7.7	7.4	7.6	7.9	7.8	7.5	7.4
3/16/2010	4	7.8	7.7	7.3	7.5	7.8	7.8	7.4	7.4
3/16/2010	5	7.8	7.7	7.3	7.4	7.8	7.8	7.4	7.3
3/16/2010	6	7.8	7.6	7.3	7.4	7.8	7.7	7.4	7.4
3/16/2010	7	7.8	7.6	7.4	7.3	7.7	7.7	7.4	7.4
3/16/2010	8	7.8	7.6	7.6	7.4	7.7	7.8	7.4	7.4
3/16/2010	9	7.8	7.7	7.9	7.6	7.8	7.9	7.3	7.3
3/16/2010	10	7.8	7.7	8.4	7.8	7.8	8.0	7.3	7.2
3/16/2010	11	7.8	7.8	9.1	8.2	7.9	8.1	7.4	7.2
3/16/2010	12	7.8	7.9	9.7	8.6	8.0	8.2	7.4	7.2
3/16/2010	13	7.8	8.0	10.1	9.0	8.1	8.3	7.5	7.3
3/16/2010	14	7.8	8.0	10.1	9.7	8.2	8.5	7.5	7.2
3/16/2010	15	7.8	8.1	10.2	10.1	8.3	8.7	7.6	7.2
3/16/2010	16	8.2	8.2	10.0	10.2	8.4	8.7	7.6	7.2
3/16/2010	17	8.3	8.2	9.5	10.2	8.4	8.7	7.7	7.2
3/16/2010	18	8.3	8.1	9.1	10.1	8.4	8.6	7.7	7.3
3/16/2010	19	8.3	8.1	8.6	9.8	8.4	8.6	7.7	7.5

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
3/16/2010	20	8.3	8.1	8.2	9.3	8.3	8.5	7.7	7.4
3/16/2010	21	8.3	8.1	8.0	9.0	8.3	8.4	7.7	7.3
3/16/2010	22	8.3	8.0	7.8	8.6	8.2	8.3	7.7	7.2
3/16/2010	23	8.3	8.0	7.6	8.2	8.2	8.2	7.7	7.2
3/16/2010	24	8.3	8.0	7.5	8.0	8.1	8.1	7.7	7.2
3/17/2010	1	8.3	8.0	7.4	7.8	8.1	8.1	7.7	7.2
3/17/2010	2	8.3	7.9	7.3	7.6	8.0	8.0	7.7	7.2
3/17/2010	3	8.2	7.8	7.3	7.5	7.9	7.8	7.6	7.2
3/17/2010	4	7.8	7.8	7.2	7.3	7.8	7.7	7.6	7.3
3/17/2010	5	7.8	7.7	7.2	7.3	7.7	7.7	7.5	7.3
3/17/2010	6	7.8	7.6	7.2	7.2	7.7	7.6	7.5	7.3
3/17/2010	7	7.8	7.6	7.1	7.1	7.7	7.6	7.4	7.3
3/17/2010	8	7.8	7.6	7.3	7.2	7.7	7.7	7.4	7.3
3/17/2010	9	7.8	7.7	7.7	7.3	7.7	7.7	7.3	7.3
3/17/2010	10	7.8	7.7	8.1	7.4	7.7	7.8	7.3	7.3
3/17/2010	11	7.8	7.8	8.8	7.8	7.8	8.0	7.4	7.4
3/17/2010	12	7.8	7.9	9.7	8.2	7.9	8.1	7.4	7.4
3/17/2010	13	7.8	8.0	10.2	8.7	8.1	8.2	7.5	7.3
3/17/2010	14	7.8	8.1	10.7	9.3	8.2	8.5	7.5	7.3
3/17/2010	15	8.1	8.1	10.7	9.9	8.3	8.7	7.6	7.5
3/17/2010	16	8.3	8.1	10.2	10.2	8.4	8.6	7.7	7.7
3/17/2010	17	8.3	8.1	9.2	10.3	8.5	8.7	7.7	7.3
3/17/2010	18	8.3	8.1	8.6	10.0	8.5	8.7	7.8	7.3
3/17/2010	19	8.3	8.1	8.0	9.5	8.5	8.6	7.7	7.8
3/17/2010	20	8.3	8.1	7.6	8.9	8.4	8.5	7.7	7.4
3/17/2010	21	8.3	8.1	7.3	8.4	8.4	8.4	7.7	7.4
3/17/2010	22	8.3	8.1	7.2	7.9	8.2	8.2	7.7	7.3
3/17/2010	23	8.3	8.0	7.1	7.5	8.1	8.0	7.7	7.3
3/17/2010	24	8.3	7.9	7.1	7.3	7.9	7.9	7.6	7.7
3/18/2010	1	8.3	7.8	7.0	7.1	7.8	7.7	7.6	7.5
3/18/2010	2	8.0	7.8	7.0	7.0	7.7	7.6	7.6	7.4
3/18/2010	3	7.8	7.7	6.9	6.9	7.7	7.6	7.5	7.4
3/18/2010	4	7.8	7.6	6.9	6.8	7.7	7.5	7.4	7.5
3/18/2010	5	7.8	7.6	6.8	6.7	7.6	7.5	7.4	7.5
3/18/2010	6	7.8	7.5	6.7	6.6	7.5	7.4	7.3	7.4
3/18/2010	7	7.8	7.4	6.7	6.6	7.4	7.3	7.2	7.4
3/18/2010	8	7.6	7.4	6.9	6.8	7.4	7.4	7.1	7.4
3/18/2010	9	7.2	7.4	7.4	6.9	7.4	7.5	7.1	7.4
3/18/2010	10	7.2	7.5	8.0	7.1	7.5	7.6	7.1	7.4
3/18/2010	11	7.2	7.5	8.8	7.4	7.6	7.8	7.1	7.5
3/18/2010	12	7.2	7.6	9.6	7.9	7.7	7.9	7.2	7.5
3/18/2010	13	7.3	7.7	10.2	8.6	7.8	8.1	7.2	7.5
3/18/2010	14	7.7	7.8	10.6	9.2	7.9	8.2	7.3	7.4
3/18/2010	15	7.8	7.8	10.5	9.8	8.0	8.3	7.3	7.4
3/18/2010	16	7.8	7.8	10.1	10.2	8.2	8.4	7.4	7.4
3/18/2010	17	7.8	7.8	9.3	10.3	8.2	8.5	7.4	7.4



## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto- (Deg. C)	Top of Reach 1-Logger- (Deg. C)	End of Reach 1-Logger- (Deg. C)	End of Reach 3-Logger- (Deg. C)	Top of Reach 4-Logger- (Deg. C)	End of Reach 4-Logger- (Deg. C)	Tailrace at Pump Intake-Auto- (Deg. C)	Tailrace at Pump Intake-Logger- (Deg. C)
3/18/2010	18	7.8	7.8	8.8	10.1	8.2	8.5	7.4	7.4
3/18/2010	19	7.8	7.8	8.2	9.6	8.2	8.4	7.4	7.5
3/18/2010	20	7.8	7.8	7.8	9.0	8.1	8.2	7.4	7.4
3/18/2010	21	7.8	7.8	7.5	8.6	8.0	8.1	7.4	7.4
3/18/2010	22	7.8	7.7	7.3	8.1	7.9	8.0	7.4	7.4
3/18/2010	23	7.8	7.7	7.1	7.7	7.9	7.8	7.4	7.3
3/18/2010	24	7.8	7.6	7.0	7.4	7.8	7.8	7.4	7.3
3/19/2010	1	7.8	7.6	6.9	7.2	7.8	7.7	7.4	7.4
3/19/2010	2	7.8	7.6	6.9	7.0	7.7	7.6	7.4	7.4
3/19/2010	3	7.8	7.5	6.8	6.9	7.7	7.6	7.4	7.4
3/19/2010	4	7.8	7.5	6.7	6.7	7.6	7.5	7.3	7.4
3/19/2010	5	7.8	7.5	6.6	6.6	7.6	7.4	7.3	7.4
3/19/2010	6	7.8	7.4	6.5	6.5	7.5	7.4	7.3	7.5
3/19/2010	7	7.8	7.4	6.5	6.5	7.5	7.3	7.2	7.5
3/19/2010	8	7.6	7.4	6.8	6.6	7.5	7.5	7.2	7.5
3/19/2010	9	7.4	7.5	7.3	6.7	7.6	7.6	7.2	7.5
3/19/2010	10	7.3	7.6	8.0	6.9	7.6	7.7	7.2	7.4
3/19/2010	11	7.6	7.7	8.8	7.2	7.7	7.8	7.3	7.4
3/19/2010	12	7.8	7.8	9.7	7.8	7.9	8.0	7.3	7.5
3/19/2010	13	7.8	7.9	10.3	8.5	8.0	8.2	7.4	7.5
3/19/2010	14	7.8	8.0	10.6	9.2	8.2	8.4	7.5	7.5
3/19/2010	15	7.8	8.0	10.6	9.8	8.3	8.6	7.5	7.4
3/19/2010	16	8.0	8.1	10.3	10.2	8.4	8.7	7.6	7.4
3/19/2010	17	8.3	8.1	9.5	10.3	8.4	8.7	7.7	7.4
3/19/2010	18	8.3	8.1	8.9	10.1	8.4	8.6	7.7	7.5
3/19/2010	19	8.3	8.0	8.3	9.7	8.4	8.5	7.7	7.6
3/19/2010	20	8.3	8.0	7.9	9.2	8.3	8.4	7.7	7.5
3/19/2010	21	8.3	7.9	7.5	8.7	8.2	8.3	7.6	7.4
3/19/2010	22	8.3	7.9	7.3	8.1	8.1	8.1	7.6	7.4
3/19/2010	23	8.1	7.8	7.2	7.7	8.0	8.0	7.6	7.4
3/19/2010	24	7.8	7.8	7.1	7.4	7.9	7.9	7.6	7.4
3/20/2010	1	7.8	7.7	6.9	7.2	7.9	7.8	7.6	7.4
3/20/2010	2	7.8	7.7	6.8	7.0	7.8	7.7	7.5	7.4
3/20/2010	3	7.8	7.6	6.8	6.8	7.8	7.6	7.5	7.4
3/20/2010	4	7.8	7.6	6.7	6.7	7.7	7.6	7.4	7.4
3/20/2010	5	7.8	7.6	6.6	6.6	7.7	7.5	7.4	7.4
3/20/2010	6	7.8	7.5	6.6	6.5	7.6	7.5	7.4	7.5
3/20/2010	7	7.8	7.5	6.6	6.5	7.6	7.4	7.3	7.5
3/20/2010	8	7.8	7.5	6.9	6.5	7.6	7.5	7.3	7.6
3/20/2010	9	7.8	7.6	7.4	6.7	7.6	7.6	7.3	7.5
3/20/2010	10	7.8	7.7	8.0	7.0	7.7	7.7	7.3	7.4
3/20/2010	11	7.8	7.8	8.9	7.4	7.8	7.9	7.3	7.4
3/20/2010	12	7.8	7.9	9.8	7.9	7.9	8.0	7.4	7.4
3/20/2010	13	7.8	7.9	10.2	8.6	8.0	8.2	7.4	7.5
3/20/2010	14	7.8	8.0	10.3	9.4	8.2	8.4	7.5	7.5
3/20/2010	15	7.8	8.1	10.4	9.9	8.3	8.6	7.6	7.4

## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
3/20/2010	16	8.0	8.1	10.1	10.2	8.3	8.7	7.6	7.4
3/20/2010	17	8.3	8.1	9.6	10.3	8.4	8.7	7.7	7.4
3/20/2010	18	8.3	8.1	9.2	10.1	8.4	8.7	7.7	7.4
3/20/2010	19	8.3	8.1	8.7	9.8	8.4	8.6	7.7	7.5
3/20/2010	20	8.3	8.1	8.2	9.4	8.3	8.5	7.7	7.4
3/20/2010	21	8.3	8.0	7.9	9.0	8.3	8.4	7.7	7.4
3/20/2010	22	8.3	8.0	7.8	8.6	8.2	8.3	7.7	7.4
3/20/2010	23	8.3	8.0	7.7	8.2	8.2	8.2	7.7	7.4
3/20/2010	24	8.3	8.0	7.6	8.0	8.1	8.1	7.7	7.4
3/21/2010	1	8.3	7.9	7.5	7.8	8.0	8.0	7.7	7.4
3/21/2010	2	8.3	7.9	7.6	7.6	8.0	8.0	7.7	7.5
3/21/2010	3	8.0	7.9	7.6	7.6	8.0	7.9	7.7	7.4
3/21/2010	4	7.8	7.9	7.6	7.5	8.0	7.9	7.6	7.5
3/21/2010	5	7.8	7.8	7.6	7.5	7.9	7.9	7.6	7.4
3/21/2010	6	7.8	7.8	7.6	7.5	7.9	7.9	7.6	7.4
3/21/2010	7	7.8	7.8	7.6	7.5	7.9	7.9	7.6	7.4
3/21/2010	8	7.8	7.8	7.6	7.6	7.9	7.9	7.5	7.5
3/21/2010	9	7.8	7.8	7.8	7.6	7.9	7.9	7.5	7.5
3/21/2010	10	7.8	7.9	8.1	7.8	7.9	8.0	7.5	7.4
3/21/2010	11	7.8	7.9	8.4	8.0	8.0	8.1	7.5	7.4
3/21/2010	12	7.8	7.9	8.8	8.3	8.1	8.3	7.6	7.5
3/21/2010	13	7.8	8.0	9.4	8.7	8.1	8.4	7.6	7.5
3/21/2010	14	7.8	8.0	9.6	9.2	8.2	8.5	7.6	7.5
3/21/2010	15	7.8	8.0	9.4	9.6	8.4	8.7	7.6	7.5
3/21/2010	16	8.0	8.0	9.3	9.6	8.4	8.7	7.6	7.5
3/21/2010	17	8.2	8.1	8.9	9.5	8.4	8.7	7.7	7.5
3/21/2010	18	8.3	8.1	8.5	9.2	8.4	8.6	7.7	7.5
3/21/2010	19	8.3	8.1	8.2	8.9	8.3	8.5	7.6	7.9
3/21/2010	20	8.3	8.0	7.9	8.5	8.2	8.3	7.6	7.4
3/21/2010	21	8.3	8.0	7.7	8.1	8.1	8.2	7.6	7.4
3/21/2010	22	8.3	8.0	7.6	7.9	8.1	8.0	7.6	7.5
3/21/2010	23	8.3	7.9	7.5	7.7	8.0	7.9	7.6	7.5
3/21/2010	24	8.0	7.9	7.5	7.6	7.9	7.9	7.6	7.5
3/22/2010	1	7.8	7.8	7.5	7.5	7.9	7.8	7.6	7.5
3/22/2010	2	7.8	7.8	7.5	7.5	7.8	7.8	7.6	7.5
3/22/2010	3	7.8	7.7	7.5	7.5	7.8	7.7	7.5	7.5
3/22/2010	4	7.8	7.7	7.4	7.4	7.8	7.7	7.5	7.5
3/22/2010	5	7.8	7.6	7.3	7.4	7.7	7.6	7.4	7.6
3/22/2010	6	7.8	7.6	7.2	7.3	7.7	7.6	7.4	7.5
3/22/2010	7	7.8	7.5	7.2	7.3	7.7	7.6	7.4	7.6
3/22/2010	8	7.8	7.6	7.4	7.4	7.7	7.7	7.3	7.5
3/22/2010	9	7.8	7.6	7.8	7.4	7.7	7.8	7.3	7.5
3/22/2010	10	7.8	7.7	8.5	7.8	7.8	8.0	7.4	7.5
3/22/2010	11	7.8	7.9	9.3	8.3	8.0	8.3	7.4	7.7
3/22/2010	12	7.8	8.0	10.0	9.1	8.2	8.5	7.5	7.6
3/22/2010	13	7.8	8.1	10.2	9.9	8.4	8.8	7.6	7.5

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
3/22/2010	14	8.1	8.3	10.4	10.2	8.6	9.0	7.7	7.5
3/22/2010	15	8.3	8.3	10.5	10.4	8.6	9.1	7.7	7.9
3/22/2010	16	8.3	8.4	10.3	10.4	8.6	8.9	7.8	7.6
3/22/2010	17	8.3	8.4	9.7	10.4	8.7	8.9	7.9	7.4
3/22/2010	18	8.3	8.4	9.2	10.1	8.7	8.9	8.0	7.5
3/22/2010	19	8.3	8.4	8.7	9.8	8.7	8.8	8.0	7.4
3/22/2010	20	8.3	8.4	8.3	9.5	8.6	8.8	8.0	7.2
3/22/2010	21	8.3	8.4	8.0	9.0	8.6	8.7	8.0	7.5
3/22/2010	22	8.3	8.3	7.8	8.6	8.5	8.6	8.0	7.5
3/22/2010	23	8.3	8.3	7.7	8.2	8.5	8.4	8.0	7.5
3/22/2010	24	8.3	8.3	7.6	7.9	8.4	8.3	8.0	7.5
3/23/2010	1	8.3	8.2	7.5	7.7	8.3	8.2	8.0	7.7
3/23/2010	2	8.3	8.2	7.5	7.6	8.2	8.2	8.0	7.5
3/23/2010	3	8.3	8.1	7.4	7.4	8.1	8.1	7.9	7.5
3/23/2010	4	8.3	8.0	7.3	7.3	8.1	8.0	7.9	7.6
3/23/2010	5	8.3	8.0	7.2	7.3	8.0	7.9	7.8	N/A
3/23/2010	6	8.3	7.9	7.2	7.2	8.0	7.8	7.8	N/A
3/23/2010	7	8.3	7.9	7.1	7.2	8.0	7.9	7.7	7.7
3/23/2010	8	7.9	7.9	7.5	7.3	8.0	8.0	7.7	7.6
3/23/2010	9	7.8	7.9	8.0	7.4	8.0	8.0	7.6	7.5
3/23/2010	10	7.8	8.0	8.7	7.6	8.0	8.2	7.6	7.6
3/23/2010	11	7.8	8.1	9.5	8.0	8.1	8.4	7.7	N/A
3/23/2010	12	8.0	8.2	10.4	8.6	8.3	8.5	7.7	7.7
3/23/2010	13	8.3	8.3	11.0	9.4	8.5	8.7	7.8	7.6
3/23/2010	14	8.3	8.5	11.2	10.1	8.6	8.9	7.9	7.5
3/23/2010	15	8.3	8.5	11.3	10.6	8.7	9.1	8.0	7.6
3/23/2010	16	8.3	8.6	10.9	11.0	8.8	9.2	8.0	N/A
3/23/2010	17	8.3	8.6	10.2	11.1	8.9	9.2	8.1	7.6
3/23/2010	18	8.6	8.6	9.6	10.9	9.0	9.2	8.2	7.5
3/23/2010	19	8.9	8.6	9.1	10.5	9.0	9.2	8.2	7.6
3/23/2010	20	8.9	8.7	8.6	10.0	8.9	9.1	8.2	7.6
3/23/2010	21	8.9	8.6	8.3	9.5	8.8	8.9	8.2	7.7
3/23/2010	22	8.9	8.6	8.1	8.9	8.7	8.8	8.2	7.4
3/23/2010	23	8.9	8.5	8.0	8.6	8.7	8.7	8.2	7.4
3/23/2010	24	8.6	8.5	7.9	8.2	8.6	8.6	8.2	7.5
3/24/2010	1	8.4	8.4	7.8	8.0	8.6	8.5	8.2	7.5
3/24/2010	2	8.3	8.4	7.7	7.9	8.5	8.5	8.2	7.5
3/24/2010	3	8.3	8.3	7.7	7.8	8.5	8.4	8.2	7.6
3/24/2010	4	8.3	8.3	7.6	7.7	8.4	8.3	8.2	7.7
3/24/2010	5	8.3	8.2	7.6	7.6	8.4	8.3	8.1	N/A
3/24/2010	6	8.3	8.2	7.5	7.5	8.3	8.2	8.1	N/A
3/24/2010	7	8.3	8.2	7.5	7.5	8.3	8.3	8.1	7.7
3/24/2010	8	8.3	8.2	7.7	7.6	8.3	8.3	8.0	7.6
3/24/2010	9	8.3	8.3	8.2	7.7	8.4	8.4	8.0	7.6
3/24/2010	10	8.3	8.4	8.9	8.0	8.4	8.5	8.0	7.6
3/24/2010	11	8.3	8.4	9.5	8.2	8.5	8.6	8.1	7.9

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
3/24/2010	12	8.3	8.5	10.2	8.8	8.6	8.8	8.2	7.7
3/24/2010	13	8.3	8.6	10.9	9.5	8.8	9.0	8.3	N/A
3/24/2010	14	8.3	8.7	11.2	10.0	8.9	9.2	8.4	7.7
3/24/2010	15	8.6	8.8	11.3	10.6	9.0	9.3	8.5	7.5
3/24/2010	16	8.9	8.9	11.1	11.0	9.1	9.4	8.4	7.9
3/24/2010	17	8.9	8.9	10.4	11.1	9.1	9.4	8.4	N/A
3/24/2010	18	8.9	8.8	9.9	10.9	9.2	9.4	8.5	7.7
3/24/2010	19	8.9	8.8	9.3	10.6	9.1	9.4	8.5	7.4
3/24/2010	20	8.9	8.8	8.9	10.1	9.1	9.3	8.5	7.4
3/24/2010	21	8.9	8.8	8.5	9.7	9.0	9.1	8.5	7.4
3/24/2010	22	8.9	8.7	8.3	9.2	8.9	9.0	8.5	7.4
3/24/2010	23	8.9	8.7	8.2	8.8	8.9	8.9	8.5	7.4
3/24/2010	24	8.9	8.7	8.1	8.5	8.8	8.8	8.4	7.6
3/25/2010	1	8.9	8.7	8.1	8.3	8.8	8.7	8.4	7.6
3/25/2010	2	8.9	8.6	8.2	8.2	8.7	8.7	8.4	7.5
3/25/2010	3	8.9	8.6	8.2	8.2	8.7	8.6	8.4	7.5
3/25/2010	4	8.9	8.6	8.2	8.1	8.7	8.6	8.4	7.6
3/25/2010	5	8.8	8.5	8.2	8.1	8.6	8.6	8.4	7.6
3/25/2010	6	8.7	8.5	8.2	8.1	8.6	8.6	8.3	7.9
3/25/2010	7	8.5	8.5	8.2	8.2	8.6	8.6	8.3	7.6
3/25/2010	8	8.4	8.5	8.3	8.2	8.6	8.6	8.3	7.5
3/25/2010	9	8.4	8.6	8.7	8.5	8.7	8.8	8.3	7.6
3/25/2010	10	8.3	8.6	9.4	8.6	8.7	8.9	8.2	7.8
3/25/2010	11	8.4	8.7	9.9	8.8	8.8	8.9	8.2	7.9
3/25/2010	12	8.6	8.8	10.5	9.5	8.9	9.1	8.3	7.7
3/25/2010	13	8.9	8.8	10.9	9.9	9.0	9.1	8.3	7.6
3/25/2010	14	8.9	8.9	10.5	10.2	9.1	9.2	8.4	7.7
3/25/2010	15	8.9	8.9	10.1	10.6	9.2	9.4	8.4	N/A
3/25/2010	16	8.9	8.9	9.9	10.5	9.2	9.4	8.5	N/A
3/25/2010	17	8.9	8.9	9.5	10.3	9.2	9.3	8.5	7.7
3/25/2010	18	8.9	8.9	9.3	10.0	9.1	9.3	8.6	7.6
3/25/2010	19	8.9	8.9	9.0	9.8	9.1	9.2	8.6	7.6
3/25/2010	20	8.9	8.8	8.8	9.4	9.0	9.1	8.6	7.6
3/25/2010	21	8.9	8.8	8.6	9.2	9.0	9.0	8.5	7.7
3/25/2010	22	8.9	8.7	8.4	9.0	8.9	9.0	8.5	7.6
3/25/2010	23	8.9	8.7	8.3	8.7	8.9	8.8	8.5	7.6
3/25/2010	24	8.9	8.7	8.2	8.5	8.8	8.8	8.4	7.8
3/26/2010	1	8.9	8.6	8.1	8.3	8.7	8.7	8.4	7.6
3/26/2010	2	8.9	8.6	8.1	8.2	8.7	8.6	8.4	7.6
3/26/2010	3	8.8	8.5	8.0	8.1	8.6	8.6	8.3	7.7
3/26/2010	4	8.7	8.5	8.0	8.0	8.6	8.5	8.4	7.8
3/26/2010	5	8.5	8.5	8.0	8.0	8.6	8.5	8.4	7.7
3/26/2010	6	8.4	8.5	8.0	8.0	8.5	8.5	8.4	N/A
3/26/2010	7	8.3	8.4	8.0	8.0	8.5	8.5	8.5	N/A
3/26/2010	8	8.3	8.5	8.2	8.1	8.5	8.6	8.5	7.9
3/26/2010	9	8.3	8.5	8.8	8.4	8.5	8.7	8.5	7.8

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto- (Deg. C)	Top of Reach 1-Logger- (Deg. C)	End of Reach 1-Logger- (Deg. C)	End of Reach 3-Logger- (Deg. C)	Top of Reach 4-Logger- (Deg. C)	End of Reach 4-Logger- (Deg. C)	Tailrace at Pump Intake-Auto- (Deg. C)	Tailrace at Pump Intake-Logger- (Deg. C)
3/26/2010	10	8.3	8.6	9.5	8.6	8.6	8.8	8.6	7.7
3/26/2010	11	8.3	8.7	10.3	8.9	8.7	8.9	8.6	7.8
3/26/2010	12	8.4	8.8	11.1	9.5	8.8	9.2	8.6	N/A
3/26/2010	13	8.7	8.9	11.7	10.2	9.0	9.3	8.7	7.9
3/26/2010	14	8.9	9.0	12.1	10.9	9.2	9.5	8.7	7.8
3/26/2010	15	8.9	9.1	12.0	11.3	9.4	9.7	8.7	7.8
3/26/2010	16	8.9	9.2	11.6	11.7	9.4	9.8	8.8	N/A
3/26/2010	17	9.3	9.2	10.7	11.7	9.5	9.8	8.8	7.9
3/26/2010	18	9.4	9.2	10.0	11.4	9.5	9.8	8.8	7.8
3/26/2010	19	9.4	9.1	9.4	11.0	9.5	9.7	8.8	7.8
3/26/2010	20	9.4	9.1	8.9	10.4	9.4	9.6	8.8	7.9
3/26/2010	21	9.4	9.1	8.6	9.9	9.3	9.4	8.8	7.9
3/26/2010	22	9.4	9.1	8.4	9.3	9.3	9.3	8.8	7.7
3/26/2010	23	9.4	9.1	8.3	8.9	9.3	9.2	8.8	7.8
3/26/2010	24	9.4	9.1	8.2	8.5	9.2	9.1	8.8	7.8
3/27/2010	1	9.4	9.0	8.1	8.3	9.1	9.0	8.8	7.8
3/27/2010	2	9.3	8.9	8.0	8.1	9.0	8.9	8.8	7.8
3/27/2010	3	9.0	8.8	8.0	8.0	8.9	8.8	8.7	7.8
3/27/2010	4	8.9	8.7	7.9	7.9	8.8	8.7	8.7	7.8
3/27/2010	5	8.9	8.7	7.8	7.8	8.7	8.6	8.6	7.7
3/27/2010	6	8.9	8.6	7.7	7.7	8.6	8.5	8.5	7.9
3/27/2010	7	8.9	8.6	7.7	7.7	8.6	8.5	8.5	7.8
3/27/2010	8	8.9	8.6	8.0	7.8	8.6	8.6	8.4	7.8
3/27/2010	9	8.7	8.6	8.5	8.1	8.6	8.7	8.3	7.9
3/27/2010	10	8.5	8.7	9.2	8.2	8.7	8.8	8.3	7.9
3/27/2010	11	8.5	8.7	9.9	8.5	8.8	8.9	8.3	7.8
3/27/2010	12	8.7	8.9	10.7	9.1	8.9	9.1	8.4	7.8
3/27/2010	13	8.9	8.9	11.1	9.8	9.1	9.3	8.4	7.8
3/27/2010	14	8.9	9.0	11.3	10.4	9.2	9.5	8.5	N/A
3/27/2010	15	8.9	9.1	11.2	10.9	9.3	9.6	8.6	N/A
3/27/2010	16	8.9	9.2	10.8	11.1	9.4	9.7	8.7	7.8
3/27/2010	17	9.3	9.2	10.4	11.1	9.5	9.7	8.7	7.8
3/27/2010	18	9.4	9.2	9.9	10.9	9.5	9.7	8.8	7.9
3/27/2010	19	9.4	9.2	9.5	10.6	9.5	9.7	8.8	7.8
3/27/2010	20	9.4	9.2	9.2	10.2	9.4	9.6	8.8	7.7
3/27/2010	21	9.4	9.2	8.9	9.8	9.4	9.5	8.8	7.8
3/27/2010	22	9.4	9.1	8.7	9.4	9.4	9.4	8.8	7.9
3/27/2010	23	9.4	9.1	8.6	9.1	9.3	9.3	8.8	7.8
3/27/2010	24	9.4	9.1	8.6	8.9	9.3	9.2	8.8	7.7
3/28/2010	1	9.4	9.1	8.6	8.7	9.2	9.2	8.8	7.9
3/28/2010	2	9.4	9.1	8.5	8.6	9.2	9.1	8.8	7.9
3/28/2010	3	9.4	9.0	8.5	8.5	9.1	9.1	8.8	7.8
3/28/2010	4	9.3	9.0	8.5	8.5	9.1	9.0	8.8	7.8
3/28/2010	5	9.1	9.0	8.5	8.5	9.1	9.0	8.7	7.9
3/28/2010	6	9.0	9.0	8.5	8.5	9.0	9.0	8.7	7.8
3/28/2010	7	8.9	8.9	8.5	8.5	9.0	9.0	8.7	7.8

## 2010 Chelan River Hourly Temperature Data

1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
3/28/2010	8	8.9	8.9	8.6	8.5	9.0	9.0	8.6	7.9
3/28/2010	9	8.9	8.9	8.7	8.6	9.0	9.0	8.6	7.9
3/28/2010	10	8.9	8.9	9.1	8.8	9.0	9.1	8.6	7.9
3/28/2010	11	8.9	9.0	9.7	9.2	9.1	9.3	8.6	7.9
3/28/2010	12	8.9	9.1	10.7	9.5	9.2	9.4	8.6	7.9
3/28/2010	13	8.9	9.1	11.1	9.8	9.3	9.4	8.7	7.9
3/28/2010	14	8.9	9.1	11.0	10.3	9.3	9.5	8.7	8.0
3/28/2010	15	9.3	9.2	10.7	10.8	9.4	9.6	8.8	7.9
3/28/2010	16	9.4	9.2	10.2	10.9	9.5	9.7	8.8	7.9
3/28/2010	17	9.4	9.2	9.9	10.8	9.5	9.7	8.8	7.9
3/28/2010	18	9.4	9.2	9.6	10.5	9.5	9.6	8.9	8.2
3/28/2010	19	9.4	9.2	9.4	10.2	9.4	9.6	8.9	8.1
3/28/2010	20	9.4	9.2	9.2	9.9	9.4	9.5	8.9	8.0
3/28/2010	21	9.4	9.2	9.0	9.6	9.4	9.4	8.9	7.9
3/28/2010	22	9.4	9.1	8.9	9.4	9.3	9.4	8.9	8.0
3/28/2010	23	9.4	9.1	8.8	9.2	9.3	9.3	8.9	8.0
3/28/2010	24	9.4	9.1	8.8	9.0	9.3	9.3	8.9	7.9
3/29/2010	1	9.4	9.2	8.8	8.9	9.3	9.3	8.9	7.9
3/29/2010	2	9.4	9.1	8.8	8.9	9.2	9.2	8.9	7.9
3/29/2010	3	9.4	9.1	8.7	8.8	9.2	9.1	8.9	7.9
3/29/2010	4	9.4	9.0	8.6	8.7	9.1	9.0	8.9	7.9
3/29/2010	5	9.2	8.9	8.5	8.7	9.0	9.0	8.8	8.0
3/29/2010	6	8.9	8.9	8.5	8.6	8.9	8.9	8.8	8.1
3/29/2010	7	8.9	8.9	8.5	8.6	9.0	9.0	8.8	8.2
3/29/2010	8	8.9	8.8	8.8	8.6	8.9	8.9	8.8	8.2
3/29/2010	9	8.9	8.8	8.8	8.6	8.9	8.9	8.8	8.0
3/29/2010	10	8.9	8.8	9.0	8.8	8.9	9.0	8.7	8.1
3/29/2010	11	8.9	8.9	9.6	9.0	8.9	9.1	8.7	N/A
3/29/2010	12	8.9	9.0	10.1	9.5	9.0	9.3	8.6	N/A
3/29/2010	13	8.9	9.0	10.9	9.7	9.1	9.4	8.6	8.1
3/29/2010	14	8.9	9.0	11.2	10.1	9.2	9.3	8.5	8.1
3/29/2010	15	8.9	9.0	11.1	10.6	9.3	9.5	8.6	8.0
3/29/2010	16	8.9	9.1	10.5	10.9	9.4	9.6	8.6	8.0
3/29/2010	17	9.2	9.2	10.0	10.9	9.4	9.6	8.6	8.0
3/29/2010	18	9.4	9.1	9.4	10.6	9.4	9.6	8.7	8.1
3/29/2010	19	9.4	9.1	9.0	10.2	9.4	9.5	8.7	8.0
3/29/2010	20	9.4	9.0	8.7	9.8	9.3	9.4	8.7	7.9
3/29/2010	21	9.4	9.0	8.4	9.3	9.2	9.2	8.8	7.9
3/29/2010	22	9.2	8.9	8.3	8.9	9.1	9.1	8.8	7.8
3/29/2010	23	9.0	8.9	8.2	8.6	9.0	9.0	8.8	8.0
3/29/2010	24	8.9	8.8	8.1	8.3	8.9	8.8	8.7	7.8
3/30/2010	1	8.9	8.7	8.0	8.1	8.8	8.7	8.6	7.8
3/30/2010	2	8.9	8.7	8.0	8.0	8.7	8.6	8.5	7.9
3/30/2010	3	8.9	8.6	7.9	7.9	8.6	8.5	8.4	7.9
3/30/2010	4	8.9	8.5	7.8	7.8	8.6	8.5	8.3	8.0
3/30/2010	5	8.9	8.4	7.7	7.7	8.5	8.4	8.3	8.0

## 2010 Chelan River Hourly Temperature Data

### 1st Quarter Report

Date	Hour	Low Level Outlet Pipe-Auto (Deg. C)	Top of Reach 1-Logger (Deg. C)	End of Reach 1-Logger (Deg. C)	End of Reach 3-Logger (Deg. C)	Top of Reach 4-Logger (Deg. C)	End of Reach 4-Logger (Deg. C)	Tailrace at Pump Intake-Auto (Deg. C)	Tailrace at Pump Intake-Logger (Deg. C)
3/30/2010	6	8.5	8.4	7.6	7.7	8.5	8.3	8.2	8.0
3/30/2010	7	8.3	8.4	7.6	7.7	8.4	8.4	8.2	8.1
3/30/2010	8	8.3	8.4	8.0	7.7	8.4	8.4	8.2	8.0
3/30/2010	9	8.3	8.4	8.6	7.9	8.5	8.5	8.2	7.8
3/30/2010	10	8.3	8.5	9.3	8.1	8.5	8.6	8.2	7.9
3/30/2010	11	8.3	8.7	10.3	8.4	8.6	8.8	8.2	8.0
3/30/2010	12	8.3	8.8	11.0	9.2	8.7	9.0	8.2	8.0
3/30/2010	13	8.5	8.7	11.1	9.8	8.8	8.9	8.2	N/A
3/30/2010	14	8.9	8.8	10.7	10.5	9.0	9.3	8.2	8.1
3/30/2010	15	8.9	8.8	10.4	10.7	9.1	9.3	8.3	8.1
3/30/2010	16	8.9	8.8	9.9	10.6	9.1	9.3	8.3	8.1
3/30/2010	17	8.9	8.8	9.4	10.4	9.1	9.3	8.3	8.1
3/30/2010	18	8.9	8.8	9.0	10.0	9.0	9.2	8.3	N/A
3/30/2010	19	8.9	8.7	8.6	9.6	9.0	9.0	8.4	8.1
3/30/2010	20	8.9	8.7	8.2	9.1	8.9	9.0	8.4	N/A
3/30/2010	21	8.9	8.7	8.0	8.7	8.9	8.9	8.4	N/A
3/30/2010	22	8.9	8.7	7.9	8.4	8.8	8.7	8.5	N/A
3/30/2010	23	8.9	8.6	7.9	8.1	8.7	8.6	8.4	8.1
3/30/2010	24	8.9	8.5	7.8	7.9	8.6	8.5	8.4	8.1
3/31/2010	1	8.7	8.4	7.7	7.8	8.5	8.4	8.3	8.0
3/31/2010	2	8.4	8.4	7.6	7.7	8.5	8.4	8.2	8.0
3/31/2010	3	8.3	8.3	7.5	7.6	8.4	8.3	8.2	8.1
3/31/2010	4	8.3	8.3	7.4	7.4	8.4	8.2	8.1	7.9
3/31/2010	5	8.3	8.2	7.3	7.3	8.3	8.2	8.1	8.1
3/31/2010	6	8.3	8.2	7.2	7.2	8.3	8.2	8.0	8.1
3/31/2010	7	8.3	8.2	7.2	7.2	8.3	8.2	8.1	8.2
3/31/2010	8	8.3	8.2	7.6	7.3	8.3	8.3	8.1	8.1
3/31/2010	9	8.3	8.3	8.1	7.5	8.4	8.4	8.1	8.0
3/31/2010	10	8.3	8.4	8.9	7.7	8.4	8.5	8.2	N/A
3/31/2010	11	8.3	8.5	9.8	8.2	8.6	8.7	8.2	N/A
3/31/2010	12	8.3	8.6	10.7	8.9	8.8	9.0	8.3	N/A
3/31/2010	13	8.3	8.6	11.4	9.7	9.0	9.3	8.6	N/A
3/31/2010	14	8.3	8.7	11.8	10.3	8.7	9.2	8.9	8.0
3/31/2010	15	8.4	8.9	11.5	11.0	9.1	9.4	9.0	8.1
3/31/2010	16	8.9	9.1	11.1	11.3	9.2	9.5	8.3	7.9
3/31/2010	17	8.9	9.0	10.3	11.3	9.2	9.5	8.2	8.1
3/31/2010	18	9.0	9.0	9.8	11.0	9.2	9.5	8.3	7.8
3/31/2010	19	8.9	8.9	9.2	10.6	9.2	9.4	8.4	7.9
3/31/2010	20	8.9	8.9	8.8	10.1	9.2	9.3	8.4	8.0
3/31/2010	21	8.9	8.9	8.5	9.6	9.1	9.2	8.5	N/A
3/31/2010	22	8.9	8.9	8.3	9.1	9.1	9.1	8.6	N/A
3/31/2010	23	8.9	8.8	8.1	8.7	9.0	9.0	8.6	N/A
3/31/2010	24	8.9	8.8	8.0	8.4	8.9	8.9	8.6	8.1