

From: [Hopkins, Scott](#)
To: "[Ashley Rawhouser](#)"; "[bgoedde@cityofchelan.us](#)"; "[Breean Zimmerman](#)"; [Buehn, Scott](#); "[Carl Merkle](#)"; [Clement, Marcie](#); "[David Bowen](#)"; "[Emily Johnson](#)"; "[Graham Simon](#)"; "[Hugh Anthony](#)"; "[Jim Pacheco](#)"; "[Justin Yeager](#)"; "[Kari Grover Wier](#)"; "[Mark Peterschmidt](#)"; [Osborn, Jeff](#); "[warp@yakamafish-nsn.gov](#)"; "[Phil Archibald](#)"; "[robin@mansonparks.com](#)"; "[Ryan Layton@parks.wa.gov](#)"; [Smith, Michelle](#); "[Steve Lewis](#)"; "[Thomas O'Keefe](#)"; [Towey, Bill](#); "[Travis Maitland](#)"; [Underwood, Alene](#); [Von Reis, Charles](#); [Willard, Catherine](#); "[Chuck Brushwood](#)"; "[Mayfield, Mariah - FS](#)"; "[Kevin Wright](#)"; "[Esh, Nathan](#)"; "[randi_riggs@fws.gov](#)"; [Wasniewski, John](#); "[jamesurness@hotmail.com](#)"; "[wfarris@cityofchelan.us](#)"
Cc: [Whiteman, Martha](#)
Subject: Chelan River Flow Monitoring Data - 2020 1st Quarterly Reports
Date: Tuesday, April 28, 2020 10:38:35 AM
Attachments: [2020 Daily Average Flow Data 1st Quarterly Report.pdf](#)
[2020 Hourly Flow Data 1st Quarterly Report.pdf](#)
[image001.png](#)

PUBLIC UTILITY DISTRICT NO. 1 of CHELAN COUNTY
P.O. Box 1231, Wenatchee, WA 98807-1231 • 327 N. Wenatchee Ave., Wenatchee, WA 98801
(509) 663-8121 • Toll free 1-888-663-8121 • www.chelanpud.org

To: Chelan River Fishery Forum:
Washington Department of Ecology
Washington Department of Fish and Wildlife
United States Forest Service
National Park Service
United States Fish and Wildlife Service
National Marine Fisheries Service
CCT (Colville)
YN (Yakama)
CTUIR (Umatilla tribe)
Lake Chelan Sportsman Association
United States Geological Survey
Washington State Parks and Recreation Commission
Washington State Recreation and Conservation Office
City of Chelan
Manson Parks and Recreation Department
Lake Chelan Recreation Association
American Whitewater

From: Scott Hopkins, Fisheries Biologist II
Public Utility District No. 1 of Chelan County (Chelan PUD)
scott.hopkins@chelanpud.org
(509)661-4763

Re: Lake Chelan Hydroelectric Project No. 637 (Project)
License Article 405a - Hourly and Daily Average Flow Data 1st
Quarter Reports

Dear Chelan River Fishery Forum and Other Parties:

This email is to provide you, in the attached files, with the written flow information for the 1st Quarter. These reports contains data for surface elevations at the Chelan Dam Forebay and Powerhouse Tailrace and flows from the Powerhouse, Low Level Outlet, Spillway, Pump Station, and Total Reach 4 flows.

This information will be posted to the Chelan County PUD external website under "River Flows, Water Temperatures and Total Dissolved Gas" (link below). <https://www.chelanpud.org/parks-and-recreation/river-flows-and-water-temperatures>

Data during times of maintenance or calibration events have been denoted with "NA" to designate these periods when data was either unavailable or inaccurate. Noteworthy events labeled with "NA" are explained below.

- There were no missing data points.

Please feel free to call or email any questions or concerns.



Scott Hopkins

Fisheries Biologist II
Chelan County P.U.D.

P: (509) 661-4763

C: (509) 630-2708

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/1/2020	1	1088.7	1070	707.5	85	0	0	85
1/1/2020	2	1088.7	1070	707.5	85	0	0	85
1/1/2020	3	1088.7	990	707.4	85	0	0	85
1/1/2020	4	1088.7	820	707.1	85	0	0	85
1/1/2020	5	1088.7	830	707.1	85	0	0	85
1/1/2020	6	1088.7	830	707.1	85	0	0	85
1/1/2020	7	1088.8	830	707.1	85	0	0	85
1/1/2020	8	1088.8	830	707.3	85	0	0	85
1/1/2020	9	1088.7	820	707.2	85	0	0	85
1/1/2020	10	1088.7	830	707.3	85	0	0	85
1/1/2020	11	1088.8	830	707.4	85	0	0	85
1/1/2020	12	1088.8	830	707.4	85	0	0	85
1/1/2020	13	1088.7	820	707.4	85	0	0	85
1/1/2020	14	1088.7	830	707.4	85	0	0	85
1/1/2020	15	1088.8	830	707.5	85	0	0	85
1/1/2020	16	1088.8	840	707.5	85	0	0	85
1/1/2020	17	1088.7	840	707.4	85	0	0	85
1/1/2020	18	1088.7	830	707.7	85	0	0	85
1/1/2020	19	1088.7	830	707.6	85	0	0	85
1/1/2020	20	1088.7	830	707.5	85	0	0	85
1/1/2020	21	1088.7	820	707.8	85	0	0	85
1/1/2020	22	1088.7	820	707.7	85	0	0	85
1/1/2020	23	1088.8	830	707.7	85	0	0	85
1/1/2020	24	1088.8	820	707.3	85	0	0	85
1/2/2020	1	1088.7	830	707.4	85	0	0	85
1/2/2020	2	1088.8	830	707.6	85	0	0	85
1/2/2020	3	1088.8	830	707.6	85	0	0	85
1/2/2020	4	1088.8	830	707.8	85	0	0	85
1/2/2020	5	1088.8	830	708.2	85	0	0	85
1/2/2020	6	1088.8	830	708.3	85	0	0	85
1/2/2020	7	1088.8	1080	708.4	85	0	0	85
1/2/2020	8	1088.8	1080	708.5	85	0	0	85
1/2/2020	9	1088.7	1080	708.3	85	0	0	85
1/2/2020	10	1088.7	1070	708.3	85	0	0	85
1/2/2020	11	1088.8	1080	708.4	85	0	0	85
1/2/2020	12	1088.7	1080	708.1	85	0	0	85
1/2/2020	13	1088.7	1080	708.0	85	0	0	85
1/2/2020	14	1088.7	1080	707.9	85	0	0	85
1/2/2020	15	1088.7	1080	708.0	85	0	0	85
1/2/2020	16	1088.7	1090	708.0	85	0	0	85
1/2/2020	17	1088.7	1080	708.0	85	0	0	85
1/2/2020	18	1088.7	1080	708.1	85	0	0	85
1/2/2020	19	1088.7	1080	708.0	85	0	0	85
1/2/2020	20	1088.7	1070	708.0	85	0	0	85
1/2/2020	21	1088.7	1070	708.1	85	0	0	85
1/2/2020	22	1088.7	1070	707.9	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/2/2020	23	1088.7	830	707.7	85	0	0	85
1/2/2020	24	1088.7	830	707.4	85	0	0	85
1/3/2020	1	1088.7	830	707.3	85	0	0	85
1/3/2020	2	1088.7	830	707.4	85	0	0	85
1/3/2020	3	1088.7	830	707.5	85	0	0	85
1/3/2020	4	1088.7	840	707.6	85	0	0	85
1/3/2020	5	1088.7	840	707.8	85	0	0	85
1/3/2020	6	1088.7	830	708.3	85	0	0	85
1/3/2020	7	1088.7	1070	708.1	85	0	0	85
1/3/2020	8	1088.7	1080	708.1	85	0	0	85
1/3/2020	9	1088.7	1080	708.4	85	0	0	85
1/3/2020	10	1088.7	1070	708.4	85	0	0	85
1/3/2020	11	1088.7	1070	708.3	85	0	0	85
1/3/2020	12	1088.7	1080	708.3	85	0	0	85
1/3/2020	13	1088.7	1080	708.0	85	0	0	85
1/3/2020	14	1088.7	1080	707.9	85	0	0	85
1/3/2020	15	1088.7	1080	707.8	85	0	0	85
1/3/2020	16	1088.7	1080	707.7	85	0	0	85
1/3/2020	17	1088.7	1080	708.1	85	0	0	85
1/3/2020	18	1088.7	1080	708.4	85	0	0	85
1/3/2020	19	1088.7	1080	708.3	85	0	0	85
1/3/2020	20	1088.7	1080	708.5	85	0	0	85
1/3/2020	21	1088.7	1080	708.7	85	0	0	85
1/3/2020	22	1088.6	1080	708.9	85	0	0	85
1/3/2020	23	1088.6	840	708.7	85	0	0	85
1/3/2020	24	1088.7	830	708.0	85	0	0	85
1/4/2020	1	1088.7	830	708.0	85	0	0	85
1/4/2020	2	1088.7	840	708.3	85	0	0	85
1/4/2020	3	1088.7	840	708.6	85	0	0	85
1/4/2020	4	1088.7	840	708.9	86	0	0	86
1/4/2020	5	1088.7	840	708.7	85	0	0	85
1/4/2020	6	1088.7	840	708.9	85	0	0	85
1/4/2020	7	1088.7	840	708.6	85	0	0	85
1/4/2020	8	1088.7	830	708.6	85	0	0	85
1/4/2020	9	1088.7	830	708.9	85	0	0	85
1/4/2020	10	1088.7	830	708.8	85	0	0	85
1/4/2020	11	1088.7	830	708.8	85	0	0	85
1/4/2020	12	1088.7	830	708.8	85	0	0	85
1/4/2020	13	1088.7	830	708.9	85	0	0	85
1/4/2020	14	1088.7	970	709.0	85	0	0	85
1/4/2020	15	1088.7	1080	709.4	85	0	0	85
1/4/2020	16	1088.7	1080	709.3	85	0	0	85
1/4/2020	17	1088.7	1080	709.6	85	0	0	85
1/4/2020	18	1088.7	1080	709.7	85	0	0	85
1/4/2020	19	1088.7	1080	710.0	85	0	0	85
1/4/2020	20	1088.7	1090	710.1	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/4/2020	21	1088.7	1080	710.0	85	0	0	85
1/4/2020	22	1088.6	1080	709.8	85	0	0	85
1/4/2020	23	1088.7	840	709.4	85	0	0	85
1/4/2020	24	1088.6	830	708.6	85	0	0	85
1/5/2020	1	1088.6	830	708.3	85	0	0	85
1/5/2020	2	1088.6	830	708.2	86	0	0	86
1/5/2020	3	1088.6	830	708.1	85	0	0	85
1/5/2020	4	1088.6	830	708.2	85	0	0	85
1/5/2020	5	1088.6	840	708.3	86	0	0	86
1/5/2020	6	1088.6	840	708.7	85	0	0	85
1/5/2020	7	1088.6	840	709.4	85	0	0	85
1/5/2020	8	1088.6	830	709.6	85	0	0	85
1/5/2020	9	1088.6	830	709.5	85	0	0	85
1/5/2020	10	1088.6	830	709.5	85	0	0	85
1/5/2020	11	1088.6	830	709.3	85	0	0	85
1/5/2020	12	1088.6	830	709.0	85	0	0	85
1/5/2020	13	1088.6	830	708.8	85	0	0	85
1/5/2020	14	1088.6	840	708.3	85	0	0	85
1/5/2020	15	1088.6	840	708.1	85	0	0	85
1/5/2020	16	1088.6	840	708.2	85	0	0	85
1/5/2020	17	1088.6	840	708.1	85	0	0	85
1/5/2020	18	1088.6	830	707.9	85	0	0	85
1/5/2020	19	1088.6	830	707.9	85	0	0	85
1/5/2020	20	1088.6	830	707.8	85	0	0	85
1/5/2020	21	1088.6	830	707.7	85	0	0	85
1/5/2020	22	1088.6	820	707.7	85	0	0	85
1/5/2020	23	1088.6	830	707.6	85	0	0	85
1/5/2020	24	1088.6	830	707.2	85	0	0	85
1/6/2020	1	1088.6	840	707.3	85	0	0	85
1/6/2020	2	1088.6	830	707.2	85	0	0	85
1/6/2020	3	1088.6	830	707.3	85	0	0	85
1/6/2020	4	1088.6	830	707.4	85	0	0	85
1/6/2020	5	1088.6	840	707.6	85	0	0	85
1/6/2020	6	1088.6	840	707.8	85	0	0	85
1/6/2020	7	1088.6	2140	708.6	85	0	0	85
1/6/2020	8	1088.6	2390	709.0	85	0	0	85
1/6/2020	9	1088.6	2390	709.0	85	0	0	85
1/6/2020	10	1088.6	2390	709.1	85	0	0	85
1/6/2020	11	1088.6	2380	709.1	85	0	0	85
1/6/2020	12	1088.6	2400	709.1	85	0	0	85
1/6/2020	13	1088.6	2390	708.9	85	0	0	85
1/6/2020	14	1088.6	2390	708.8	85	0	0	85
1/6/2020	15	1088.6	2400	708.7	85	0	0	85
1/6/2020	16	1088.6	2430	708.7	85	0	0	85
1/6/2020	17	1088.6	2420	708.8	85	0	0	85
1/6/2020	18	1088.6	2400	708.8	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/6/2020	19	1088.6	2400	708.8	85	0	0	85
1/6/2020	20	1088.6	2390	708.8	85	0	0	85
1/6/2020	21	1088.6	2390	708.9	85	0	0	85
1/6/2020	22	1088.6	2390	709.0	85	0	0	85
1/6/2020	23	1088.6	1280	708.5	85	0	0	85
1/6/2020	24	1088.6	830	707.7	85	0	0	85
1/7/2020	1	1088.6	830	707.6	85	0	0	85
1/7/2020	2	1088.6	840	707.5	85	0	0	85
1/7/2020	3	1088.6	830	707.4	85	0	0	85
1/7/2020	4	1088.6	830	707.5	85	0	0	85
1/7/2020	5	1088.6	840	707.5	85	0	0	85
1/7/2020	6	1088.6	840	707.5	85	0	0	85
1/7/2020	7	1088.6	870	707.9	85	0	0	85
1/7/2020	8	1088.6	2300	709.0	85	0	0	85
1/7/2020	9	1088.6	2390	709.0	85	0	0	85
1/7/2020	10	1088.6	2400	709.1	85	0	0	85
1/7/2020	11	1088.6	2400	709.1	85	0	0	85
1/7/2020	12	1088.6	2400	709.2	85	0	0	85
1/7/2020	13	1088.6	2410	709.2	85	0	0	85
1/7/2020	14	1088.6	2400	709.3	85	0	0	85
1/7/2020	15	1088.6	2400	709.3	85	0	0	85
1/7/2020	16	1088.6	2410	709.3	85	0	0	85
1/7/2020	17	1088.6	2410	709.3	85	0	0	85
1/7/2020	18	1088.6	2400	709.3	85	0	0	85
1/7/2020	19	1088.6	2400	708.9	85	0	0	85
1/7/2020	20	1088.6	2400	708.8	85	0	0	85
1/7/2020	21	1088.6	2390	708.9	85	0	0	85
1/7/2020	22	1088.6	2400	709.1	85	0	0	85
1/7/2020	23	1088.5	940	708.2	85	0	0	85
1/7/2020	24	1088.6	830	707.6	85	0	0	85
1/8/2020	1	1088.6	840	707.8	85	0	0	85
1/8/2020	2	1088.6	840	707.7	85	0	0	85
1/8/2020	3	1088.6	840	707.5	85	0	0	85
1/8/2020	4	1088.5	840	707.5	85	0	0	85
1/8/2020	5	1088.5	840	707.7	85	0	0	85
1/8/2020	6	1088.5	890	707.8	85	0	0	85
1/8/2020	7	1088.5	2410	708.8	85	0	0	85
1/8/2020	8	1088.5	2390	709.0	85	0	0	85
1/8/2020	9	1088.5	2400	709.0	85	0	0	85
1/8/2020	10	1088.5	2390	709.0	85	0	0	85
1/8/2020	11	1088.5	2400	708.9	85	0	0	85
1/8/2020	12	1088.5	2400	708.9	85	0	0	85
1/8/2020	13	1088.5	2400	708.8	85	0	0	85
1/8/2020	14	1088.5	2410	708.8	85	0	0	85
1/8/2020	15	1088.5	2410	708.7	85	0	0	85
1/8/2020	16	1088.5	2420	708.7	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/8/2020	17	1088.5	2410	708.8	85	0	0	85
1/8/2020	18	1088.5	2420	708.9	85	0	0	85
1/8/2020	19	1088.5	2400	708.9	85	0	0	85
1/8/2020	20	1088.5	2410	708.9	85	0	0	85
1/8/2020	21	1088.5	2400	709.0	85	0	0	85
1/8/2020	22	1088.5	2390	709.1	85	0	0	85
1/8/2020	23	1088.5	920	708.5	85	0	0	85
1/8/2020	24	1088.5	840	707.9	85	0	0	85
1/9/2020	1	1088.5	850	708.0	85	0	0	85
1/9/2020	2	1088.5	840	708.1	85	0	0	85
1/9/2020	3	1088.5	840	708.1	85	0	0	85
1/9/2020	4	1088.5	840	708.1	85	0	0	85
1/9/2020	5	1088.5	850	708.0	85	0	0	85
1/9/2020	6	1088.5	840	708.2	85	0	0	85
1/9/2020	7	1088.5	2320	709.1	85	0	0	85
1/9/2020	8	1088.5	2400	709.2	85	0	0	85
1/9/2020	9	1088.5	2390	709.4	85	0	0	85
1/9/2020	10	1088.5	2400	709.4	85	0	0	85
1/9/2020	11	1088.5	2390	709.6	85	0	0	85
1/9/2020	12	1088.5	2390	709.6	85	0	0	85
1/9/2020	13	1088.5	2400	709.5	85	0	0	85
1/9/2020	14	1088.5	2410	709.4	85	0	0	85
1/9/2020	15	1088.5	2400	709.3	85	0	0	85
1/9/2020	16	1088.5	2410	709.3	85	0	0	85
1/9/2020	17	1088.5	2390	709.5	85	0	0	85
1/9/2020	18	1088.5	2380	709.6	85	0	0	85
1/9/2020	19	1088.5	2180	709.6	85	0	0	85
1/9/2020	20	1088.5	2100	709.7	85	0	0	85
1/9/2020	21	1088.5	2400	709.7	85	0	0	85
1/9/2020	22	1088.5	2390	709.9	85	0	0	85
1/9/2020	23	1088.5	920	709.4	85	0	0	85
1/9/2020	24	1088.5	840	708.6	85	0	0	85
1/10/2020	1	1088.5	830	708.2	85	0	0	85
1/10/2020	2	1088.5	840	708.3	85	0	0	85
1/10/2020	3	1088.5	840	708.2	85	0	0	85
1/10/2020	4	1088.4	840	708.4	85	0	0	85
1/10/2020	5	1088.4	850	708.3	85	0	0	85
1/10/2020	6	1088.4	870	708.5	85	0	0	85
1/10/2020	7	1088.4	2400	709.5	85	0	0	85
1/10/2020	8	1088.4	2000	709.8	85	0	0	85
1/10/2020	9	1088.4	2390	709.8	85	0	0	85
1/10/2020	10	1088.4	2390	709.9	85	0	0	85
1/10/2020	11	1088.4	2410	709.7	85	0	0	85
1/10/2020	12	1088.4	2400	709.6	85	0	0	85
1/10/2020	13	1088.4	2400	709.5	85	0	0	85
1/10/2020	14	1088.4	2400	709.4	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/10/2020	15	1088.4	2400	709.4	85	0	0	85
1/10/2020	16	1088.4	2410	709.4	85	0	0	85
1/10/2020	17	1088.4	2400	709.4	85	0	0	85
1/10/2020	18	1088.4	2410	709.4	85	0	0	85
1/10/2020	19	1088.4	2400	709.3	85	0	0	85
1/10/2020	20	1088.4	2390	709.3	85	0	0	85
1/10/2020	21	1088.4	2390	709.3	85	0	0	85
1/10/2020	22	1088.4	2390	709.2	85	0	0	85
1/10/2020	23	1088.4	890	708.3	85	0	0	85
1/10/2020	24	1088.4	830	707.7	85	0	0	85
1/11/2020	1	1088.4	840	707.6	85	0	0	85
1/11/2020	2	1088.4	840	707.8	85	0	0	85
1/11/2020	3	1088.4	840	707.6	85	0	0	85
1/11/2020	4	1088.4	840	707.6	85	0	0	85
1/11/2020	5	1088.4	840	707.5	85	0	0	85
1/11/2020	6	1088.4	900	707.5	85	0	0	85
1/11/2020	7	1088.4	2410	708.7	85	0	0	85
1/11/2020	8	1088.4	2410	708.7	85	0	0	85
1/11/2020	9	1088.4	2390	708.7	85	0	0	85
1/11/2020	10	1088.4	2390	708.7	85	0	0	85
1/11/2020	11	1088.4	2390	708.7	85	0	0	85
1/11/2020	12	1088.4	2390	708.7	85	0	0	85
1/11/2020	13	1088.4	2400	708.7	85	0	0	85
1/11/2020	14	1088.4	2400	708.8	85	0	0	85
1/11/2020	15	1088.4	2410	708.8	85	0	0	85
1/11/2020	16	1088.4	2420	708.8	85	0	0	85
1/11/2020	17	1088.4	2400	708.9	85	0	0	85
1/11/2020	18	1088.4	2390	709.1	85	0	0	85
1/11/2020	19	1088.4	2390	709.0	85	0	0	85
1/11/2020	20	1088.4	2390	708.9	85	0	0	85
1/11/2020	21	1088.4	2400	708.9	85	0	0	85
1/11/2020	22	1088.4	2390	708.9	85	0	0	85
1/11/2020	23	1088.4	890	707.9	85	0	0	85
1/11/2020	24	1088.4	830	707.4	85	0	0	85
1/12/2020	1	1088.4	830	707.5	85	0	0	85
1/12/2020	2	1088.4	830	707.4	85	0	0	85
1/12/2020	3	1088.4	840	707.4	85	0	0	85
1/12/2020	4	1088.4	830	707.7	85	0	0	85
1/12/2020	5	1088.4	840	707.7	85	0	0	85
1/12/2020	6	1088.3	850	708.0	85	0	0	85
1/12/2020	7	1088.3	840	708.4	85	0	0	85
1/12/2020	8	1088.3	840	708.8	85	0	0	85
1/12/2020	9	1088.3	830	709.2	85	0	0	85
1/12/2020	10	1088.3	840	709.3	85	0	0	85
1/12/2020	11	1088.3	840	709.2	85	0	0	85
1/12/2020	12	1088.3	840	709.2	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/12/2020	13	1088.3	840	708.9	85	0	0	85
1/12/2020	14	1088.3	840	708.5	85	0	0	85
1/12/2020	15	1088.3	840	708.8	85	0	0	85
1/12/2020	16	1088.3	850	709.2	85	0	0	85
1/12/2020	17	1088.4	840	708.7	85	0	0	85
1/12/2020	18	1088.4	840	708.8	85	0	0	85
1/12/2020	19	1088.3	830	708.7	85	0	0	85
1/12/2020	20	1088.3	830	708.6	85	0	0	85
1/12/2020	21	1088.4	830	708.6	85	0	0	85
1/12/2020	22	1088.4	830	708.5	85	0	0	85
1/12/2020	23	1088.4	840	708.3	85	0	0	85
1/12/2020	24	1088.4	850	707.6	85	0	0	85
1/13/2020	1	1088.4	2400	708.7	85	0	0	85
1/13/2020	2	1088.3	2410	708.8	85	0	0	85
1/13/2020	3	1088.3	2400	708.9	85	0	0	85
1/13/2020	4	1088.3	2410	709.2	85	0	0	85
1/13/2020	5	1088.3	2410	709.3	85	0	0	85
1/13/2020	6	1088.3	2410	709.1	85	0	0	85
1/13/2020	7	1088.3	2400	709.3	85	0	0	85
1/13/2020	8	1088.3	2310	709.0	85	0	0	85
1/13/2020	9	1088.3	2390	709.2	85	0	0	85
1/13/2020	10	1088.3	2390	709.4	85	0	0	85
1/13/2020	11	1088.2	2310	709.3	85	0	0	85
1/13/2020	12	1088.2	2390	709.6	85	0	0	85
1/13/2020	13	1088.3	2390	709.6	85	0	0	85
1/13/2020	14	1088.2	2390	709.6	85	0	0	85
1/13/2020	15	1088.2	2380	709.4	85	0	0	85
1/13/2020	16	1088.2	2390	709.5	85	0	0	85
1/13/2020	17	1088.2	2400	709.7	85	0	0	85
1/13/2020	18	1088.2	2390	710.0	85	0	0	85
1/13/2020	19	1088.2	2400	710.4	85	0	0	85
1/13/2020	20	1088.2	2390	710.3	85	0	0	85
1/13/2020	21	1088.2	2290	710.0	85	0	0	85
1/13/2020	22	1088.2	2270	709.8	85	0	0	85
1/13/2020	23	1088.2	2390	709.7	85	0	0	85
1/13/2020	24	1088.2	2390	709.5	85	0	0	85
1/14/2020	1	1088.2	2400	709.4	85	0	0	85
1/14/2020	2	1088.2	2400	709.1	85	0	0	85
1/14/2020	3	1088.2	2400	709.2	85	0	0	85
1/14/2020	4	1088.2	2400	709.1	85	0	0	85
1/14/2020	5	1088.2	2400	709.1	85	0	0	85
1/14/2020	6	1088.2	2400	709.3	85	0	0	85
1/14/2020	7	1088.1	2400	709.6	85	0	0	85
1/14/2020	8	1088.1	2400	709.9	85	0	0	85
1/14/2020	9	1088.1	2330	710.1	85	0	0	85
1/14/2020	10	1088.1	2390	710.1	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/14/2020	11	1088.1	2390	710.1	85	0	0	85
1/14/2020	12	1088.1	2350	710.0	85	0	0	85
1/14/2020	13	1088.1	2400	710.1	85	0	0	85
1/14/2020	14	1088.1	2390	710.1	85	0	0	85
1/14/2020	15	1088.1	2400	710.1	85	0	0	85
1/14/2020	16	1088.1	2390	710.3	85	0	0	85
1/14/2020	17	1088.1	2400	710.5	85	0	0	85
1/14/2020	18	1088.1	2400	710.7	85	0	0	85
1/14/2020	19	1088.1	2400	710.5	85	0	0	85
1/14/2020	20	1088.1	2400	710.1	85	0	0	85
1/14/2020	21	1088.1	2390	709.5	85	0	0	85
1/14/2020	22	1088.1	2390	709.5	85	0	0	85
1/14/2020	23	1088.1	2390	709.2	85	0	0	85
1/14/2020	24	1088.0	2390	709.0	85	0	0	85
1/15/2020	1	1088.0	2390	708.8	85	0	0	85
1/15/2020	2	1088.0	2400	708.7	85	0	0	85
1/15/2020	3	1088.0	2410	708.7	85	0	0	85
1/15/2020	4	1088.0	2390	708.7	85	0	0	85
1/15/2020	5	1088.0	2400	708.7	85	0	0	85
1/15/2020	6	1088.0	2390	708.7	85	0	0	85
1/15/2020	7	1088.0	2410	708.8	85	0	0	85
1/15/2020	8	1088.0	2400	709.0	85	0	0	85
1/15/2020	9	1088.0	2390	709.0	85	0	0	85
1/15/2020	10	1088.0	2390	709.0	85	0	0	85
1/15/2020	11	1088.0	2390	708.9	85	0	0	85
1/15/2020	12	1088.0	2390	709.1	85	0	0	85
1/15/2020	13	1088.0	2400	709.1	85	0	0	85
1/15/2020	14	1088.0	2400	708.9	85	0	0	85
1/15/2020	15	1088.0	2410	708.9	85	0	0	85
1/15/2020	16	1088.0	2410	708.9	85	0	0	85
1/15/2020	17	1088.0	2410	709.1	85	0	0	85
1/15/2020	18	1088.0	2400	709.4	85	0	0	85
1/15/2020	19	1088.0	2390	709.3	85	0	0	85
1/15/2020	20	1088.0	2390	709.3	85	0	0	85
1/15/2020	21	1088.0	2390	709.5	85	0	0	85
1/15/2020	22	1088.0	2390	709.7	85	0	0	85
1/15/2020	23	1088.0	2390	709.5	85	0	0	85
1/15/2020	24	1088.0	2390	709.1	85	0	0	85
1/16/2020	1	1088.0	2400	709.3	85	0	0	85
1/16/2020	2	1088.0	2400	709.8	85	0	0	85
1/16/2020	3	1088.0	2400	710.0	85	0	0	85
1/16/2020	4	1088.0	2400	710.2	85	0	0	85
1/16/2020	5	1088.0	2400	710.2	85	0	0	85
1/16/2020	6	1088.0	2400	710.1	85	0	0	85
1/16/2020	7	1088.0	2400	710.0	85	0	0	85
1/16/2020	8	1088.0	2400	710.1	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/16/2020	9	1088.0	2400	710.3	85	0	0	85
1/16/2020	10	1088.0	2400	710.0	85	0	0	85
1/16/2020	11	1088.0	2390	709.7	85	0	0	85
1/16/2020	12	1088.0	2380	709.3	85	0	0	85
1/16/2020	13	1088.0	2390	709.4	85	0	0	85
1/16/2020	14	1088.0	2400	709.2	85	0	0	85
1/16/2020	15	1087.9	2390	709.1	85	0	0	85
1/16/2020	16	1087.9	2410	708.8	85	0	0	85
1/16/2020	17	1087.9	2410	709.0	85	0	0	85
1/16/2020	18	1087.9	2410	709.2	85	0	0	85
1/16/2020	19	1087.9	2390	709.2	85	0	0	85
1/16/2020	20	1087.9	2400	709.1	85	0	0	85
1/16/2020	21	1087.9	2400	709.3	85	0	0	85
1/16/2020	22	1087.9	2390	709.5	84	0	0	84
1/16/2020	23	1087.9	2390	709.5	85	0	0	85
1/16/2020	24	1087.9	2400	709.5	85	0	0	85
1/17/2020	1	1087.9	2400	709.4	85	0	0	85
1/17/2020	2	1087.9	2390	709.4	85	0	0	85
1/17/2020	3	1087.9	2400	709.6	85	0	0	85
1/17/2020	4	1087.9	2400	709.5	85	0	0	85
1/17/2020	5	1087.9	2400	709.5	85	0	0	85
1/17/2020	6	1087.9	2400	709.7	85	0	0	85
1/17/2020	7	1087.9	2400	709.6	85	0	0	85
1/17/2020	8	1087.9	2400	709.6	85	0	0	85
1/17/2020	9	1087.9	2390	709.5	85	0	0	85
1/17/2020	10	1087.9	2400	709.4	85	0	0	85
1/17/2020	11	1087.9	2390	709.3	85	0	0	85
1/17/2020	12	1087.9	2390	709.5	85	0	0	85
1/17/2020	13	1087.8	2400	709.5	85	0	0	85
1/17/2020	14	1087.8	2400	709.5	85	0	0	85
1/17/2020	15	1087.8	2400	709.5	85	0	0	85
1/17/2020	16	1087.8	2400	709.4	85	0	0	85
1/17/2020	17	1087.8	2400	709.4	86	0	0	86
1/17/2020	18	1087.8	2400	709.3	85	0	0	85
1/17/2020	19	1087.8	2390	709.2	85	0	0	85
1/17/2020	20	1087.8	2400	709.1	85	0	0	85
1/17/2020	21	1087.8	2390	709.0	85	0	0	85
1/17/2020	22	1087.8	2390	709.1	85	0	0	85
1/17/2020	23	1087.8	2390	708.9	85	0	0	85
1/17/2020	24	1087.8	2390	708.8	85	0	0	85
1/18/2020	1	1087.8	880	707.6	85	0	0	85
1/18/2020	2	1087.8	830	707.3	85	0	0	85
1/18/2020	3	1087.8	830	707.4	85	0	0	85
1/18/2020	4	1087.8	830	707.4	85	0	0	85
1/18/2020	5	1087.8	840	707.4	85	0	0	85
1/18/2020	6	1087.8	840	707.4	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/18/2020	7	1087.8	2380	708.6	85	0	0	85
1/18/2020	8	1087.8	2410	708.8	85	0	0	85
1/18/2020	9	1087.8	2400	708.8	85	0	0	85
1/18/2020	10	1087.8	2400	709.0	85	0	0	85
1/18/2020	11	1087.8	2390	709.0	85	0	0	85
1/18/2020	12	1087.8	2390	709.1	85	0	0	85
1/18/2020	13	1087.8	2390	709.4	85	0	0	85
1/18/2020	14	1087.8	2390	709.5	85	0	0	85
1/18/2020	15	1087.8	2400	709.7	85	0	0	85
1/18/2020	16	1087.8	2400	709.8	85	0	0	85
1/18/2020	17	1087.8	2400	709.9	85	0	0	85
1/18/2020	18	1087.8	2400	710.0	85	0	0	85
1/18/2020	19	1087.8	2400	710.1	85	0	0	85
1/18/2020	20	1087.8	2400	709.9	85	0	0	85
1/18/2020	21	1087.7	2400	709.8	85	0	0	85
1/18/2020	22	1087.7	2400	709.7	85	0	0	85
1/18/2020	23	1087.7	890	709.0	85	0	0	85
1/18/2020	24	1087.7	830	708.3	85	0	0	85
1/19/2020	1	1087.7	840	708.1	85	0	0	85
1/19/2020	2	1087.7	840	707.9	85	0	0	85
1/19/2020	3	1087.7	840	707.9	85	0	0	85
1/19/2020	4	1087.7	840	707.7	85	0	0	85
1/19/2020	5	1087.7	840	707.4	85	0	0	85
1/19/2020	6	1087.7	840	707.4	85	0	0	85
1/19/2020	7	1087.7	840	707.5	85	0	0	85
1/19/2020	8	1087.7	830	707.9	85	0	0	85
1/19/2020	9	1087.7	830	708.0	85	0	0	85
1/19/2020	10	1087.7	830	708.0	85	0	0	85
1/19/2020	11	1087.7	840	708.1	85	0	0	85
1/19/2020	12	1087.7	830	708.1	85	0	0	85
1/19/2020	13	1087.7	840	708.1	85	0	0	85
1/19/2020	14	1087.7	840	708.1	85	0	0	85
1/19/2020	15	1087.7	840	708.2	85	0	0	85
1/19/2020	16	1087.7	840	708.3	85	0	0	85
1/19/2020	17	1087.7	840	708.3	85	0	0	85
1/19/2020	18	1087.7	840	708.5	85	0	0	85
1/19/2020	19	1087.7	830	708.6	85	0	0	85
1/19/2020	20	1087.7	840	708.6	85	0	0	85
1/19/2020	21	1087.7	830	708.8	85	0	0	85
1/19/2020	22	1087.7	830	708.6	85	0	0	85
1/19/2020	23	1087.7	830	708.6	85	0	0	85
1/19/2020	24	1087.7	840	708.1	85	0	0	85
1/20/2020	1	1087.7	840	708.0	85	0	0	85
1/20/2020	2	1087.7	840	708.1	85	0	0	85
1/20/2020	3	1087.7	840	708.3	85	0	0	85
1/20/2020	4	1087.7	840	708.4	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/20/2020	5	1087.7	840	708.4	85	0	0	85
1/20/2020	6	1087.7	870	708.6	85	0	0	85
1/20/2020	7	1087.7	2400	709.4	85	0	0	85
1/20/2020	8	1087.7	2400	709.7	85	0	0	85
1/20/2020	9	1087.7	2400	709.9	85	0	0	85
1/20/2020	10	1087.7	2400	710.0	85	0	0	85
1/20/2020	11	1087.7	2400	710.0	85	0	0	85
1/20/2020	12	1087.7	2400	710.1	85	0	0	85
1/20/2020	13	1087.7	2400	710.0	85	0	0	85
1/20/2020	14	1087.6	2400	710.0	85	0	0	85
1/20/2020	15	1087.6	2400	710.0	85	0	0	85
1/20/2020	16	1087.6	2400	710.1	85	0	0	85
1/20/2020	17	1087.6	2400	710.1	85	0	0	85
1/20/2020	18	1087.6	2400	710.1	85	0	0	85
1/20/2020	19	1087.6	2400	709.9	85	0	0	85
1/20/2020	20	1087.6	2400	709.8	85	0	0	85
1/20/2020	21	1087.6	2400	709.9	85	0	0	85
1/20/2020	22	1087.6	2400	709.7	85	0	0	85
1/20/2020	23	1087.6	900	709.1	85	0	0	85
1/20/2020	24	1087.6	830	709.1	85	0	0	85
1/21/2020	1	1087.6	840	708.8	85	0	0	85
1/21/2020	2	1087.6	830	708.6	85	0	0	85
1/21/2020	3	1087.6	840	708.7	85	0	0	85
1/21/2020	4	1087.6	830	708.6	85	0	0	85
1/21/2020	5	1087.6	840	708.5	85	0	0	85
1/21/2020	6	1087.6	860	708.5	85	0	0	85
1/21/2020	7	1087.6	2360	709.3	85	0	0	85
1/21/2020	8	1087.6	2400	709.6	85	0	0	85
1/21/2020	9	1087.6	2400	709.7	85	0	0	85
1/21/2020	10	1087.6	2400	709.5	85	0	0	85
1/21/2020	11	1087.6	2390	709.5	85	0	0	85
1/21/2020	12	1087.6	2400	709.5	85	0	0	85
1/21/2020	13	1087.6	2400	709.4	85	0	0	85
1/21/2020	14	1087.6	2400	709.2	85	0	0	85
1/21/2020	15	1087.6	2390	709.1	85	0	0	85
1/21/2020	16	1087.6	2390	709.1	85	0	0	85
1/21/2020	17	1087.6	2400	709.0	85	0	0	85
1/21/2020	18	1087.5	2390	709.0	85	0	0	85
1/21/2020	19	1087.5	2390	709.2	85	0	0	85
1/21/2020	20	1087.5	2390	709.5	85	0	0	85
1/21/2020	21	1087.5	2390	709.6	85	0	0	85
1/21/2020	22	1087.5	2390	709.5	85	0	0	85
1/21/2020	23	1087.5	880	708.9	85	0	0	85
1/21/2020	24	1087.5	830	708.5	85	0	0	85
1/22/2020	1	1087.5	840	708.6	85	0	0	85
1/22/2020	2	1087.5	840	709.2	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/22/2020	3	1087.5	840	709.1	85	0	0	85
1/22/2020	4	1087.5	840	709.3	85	0	0	85
1/22/2020	5	1087.5	850	709.4	85	0	0	85
1/22/2020	6	1087.5	960	709.7	85	0	0	85
1/22/2020	7	1087.5	2400	710.2	85	0	0	85
1/22/2020	8	1087.5	2400	710.5	85	0	0	85
1/22/2020	9	1087.5	2400	710.3	85	0	0	85
1/22/2020	10	1087.5	2400	710.1	85	0	0	85
1/22/2020	11	1087.5	2400	710.0	85	0	0	85
1/22/2020	12	1087.5	2400	709.9	85	0	0	85
1/22/2020	13	1087.5	2400	709.6	85	0	0	85
1/22/2020	14	1087.5	2400	709.4	85	0	0	85
1/22/2020	15	1087.5	2400	709.3	85	0	0	85
1/22/2020	16	1087.5	2410	709.2	85	0	0	85
1/22/2020	17	1087.5	2400	709.2	85	0	0	85
1/22/2020	18	1087.5	2400	709.1	85	0	0	85
1/22/2020	19	1087.5	2390	709.2	85	0	0	85
1/22/2020	20	1087.5	2400	709.3	85	0	0	85
1/22/2020	21	1087.5	2400	709.2	85	0	0	85
1/22/2020	22	1087.5	2390	709.0	85	0	0	85
1/22/2020	23	1087.5	890	708.2	85	0	0	85
1/22/2020	24	1087.5	830	707.5	85	0	0	85
1/23/2020	1	1087.5	1080	707.5	85	0	0	85
1/23/2020	2	1087.5	1080	707.5	85	0	0	85
1/23/2020	3	1087.5	1080	707.5	85	0	0	85
1/23/2020	4	1087.5	1080	707.5	85	0	0	85
1/23/2020	5	1087.5	1080	707.7	85	0	0	85
1/23/2020	6	1087.5	1140	708.2	85	0	0	85
1/23/2020	7	1087.5	2400	709.0	85	0	0	85
1/23/2020	8	1087.5	2390	709.0	85	0	0	85
1/23/2020	9	1087.5	2390	709.2	85	0	0	85
1/23/2020	10	1087.5	2390	709.3	85	0	0	85
1/23/2020	11	1087.5	2400	709.3	85	0	0	85
1/23/2020	12	1087.5	2390	709.3	85	0	0	85
1/23/2020	13	1087.5	2400	709.3	85	0	0	85
1/23/2020	14	1087.5	2400	709.5	85	0	0	85
1/23/2020	15	1087.5	2400	709.6	85	0	0	85
1/23/2020	16	1087.5	2400	709.6	85	0	0	85
1/23/2020	17	1087.5	2400	709.6	85	0	0	85
1/23/2020	18	1087.4	2400	709.4	85	0	0	85
1/23/2020	19	1087.5	2390	709.3	85	0	0	85
1/23/2020	20	1087.5	2400	709.2	85	0	0	85
1/23/2020	21	1087.4	2400	709.2	85	0	0	85
1/23/2020	22	1087.4	2390	709.3	85	0	0	85
1/23/2020	23	1087.4	1130	708.6	85	0	0	85
1/23/2020	24	1087.4	1080	707.9	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/24/2020	1	1087.4	1080	707.7	85	0	0	85
1/24/2020	2	1087.4	1080	707.5	85	0	0	85
1/24/2020	3	1087.4	1080	707.5	85	0	0	85
1/24/2020	4	1087.4	1080	707.5	85	0	0	85
1/24/2020	5	1087.4	1090	707.5	85	0	0	85
1/24/2020	6	1087.4	1100	707.5	85	0	0	85
1/24/2020	7	1087.4	2400	708.6	85	0	0	85
1/24/2020	8	1087.4	2400	708.8	85	0	0	85
1/24/2020	9	1087.4	2390	708.9	85	0	0	85
1/24/2020	10	1087.4	2390	709.0	85	0	0	85
1/24/2020	11	1087.4	2400	709.2	85	0	0	85
1/24/2020	12	1087.4	2400	709.3	85	0	0	85
1/24/2020	13	1087.4	2400	709.3	85	0	0	85
1/24/2020	14	1087.4	2400	709.2	85	0	0	85
1/24/2020	15	1087.4	2400	709.2	85	0	0	85
1/24/2020	16	1087.4	2400	709.3	85	0	0	85
1/24/2020	17	1087.4	2400	709.3	85	0	0	85
1/24/2020	18	1087.4	2400	709.2	85	0	0	85
1/24/2020	19	1087.4	2390	709.1	85	0	0	85
1/24/2020	20	1087.4	2400	709.1	85	0	0	85
1/24/2020	21	1087.4	2390	709.2	85	0	0	85
1/24/2020	22	1087.4	2400	709.3	85	0	0	85
1/24/2020	23	1087.4	1160	708.9	85	0	0	85
1/24/2020	24	1087.4	1080	708.2	85	0	0	85
1/25/2020	1	1087.4	1080	708.3	85	0	0	85
1/25/2020	2	1087.4	1080	708.2	85	0	0	85
1/25/2020	3	1087.4	1080	707.9	85	0	0	85
1/25/2020	4	1087.4	1080	707.9	85	0	0	85
1/25/2020	5	1087.3	1090	707.8	85	0	0	85
1/25/2020	6	1087.4	1100	707.9	85	0	0	85
1/25/2020	7	1087.3	2390	708.8	85	0	0	85
1/25/2020	8	1087.3	2400	709.1	85	0	0	85
1/25/2020	9	1087.3	2390	709.2	85	0	0	85
1/25/2020	10	1087.3	2390	709.2	85	0	0	85
1/25/2020	11	1087.3	2400	709.3	85	0	0	85
1/25/2020	12	1087.3	2400	709.5	85	0	0	85
1/25/2020	13	1087.3	2400	709.6	85	0	0	85
1/25/2020	14	1087.3	2400	709.9	85	0	0	85
1/25/2020	15	1087.3	2400	710.1	85	0	0	85
1/25/2020	16	1087.3	2410	710.4	85	0	0	85
1/25/2020	17	1087.3	2410	710.4	85	0	0	85
1/25/2020	18	1087.3	2400	710.2	85	0	0	85
1/25/2020	19	1087.3	2400	710.2	85	0	0	85
1/25/2020	20	1087.3	2400	710.2	85	0	0	85
1/25/2020	21	1087.3	2410	710.3	85	0	0	85
1/25/2020	22	1087.3	2410	710.5	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/25/2020	23	1087.3	1150	709.7	85	0	0	85
1/25/2020	24	1087.3	1080	709.0	85	0	0	85
1/26/2020	1	1087.3	1090	708.4	85	0	0	85
1/26/2020	2	1087.3	1080	708.3	85	0	0	85
1/26/2020	3	1087.3	1080	708.3	85	0	0	85
1/26/2020	4	1087.3	1080	708.0	85	0	0	85
1/26/2020	5	1087.3	1090	707.9	85	0	0	85
1/26/2020	6	1087.3	1080	707.8	85	0	0	85
1/26/2020	7	1087.3	1080	708.1	85	0	0	85
1/26/2020	8	1087.3	1080	708.6	85	0	0	85
1/26/2020	9	1087.3	1090	708.7	85	0	0	85
1/26/2020	10	1087.3	1080	708.9	85	0	0	85
1/26/2020	11	1087.3	1080	709.1	85	0	0	85
1/26/2020	12	1087.3	1080	708.8	85	0	0	85
1/26/2020	13	1087.3	1080	708.7	85	0	0	85
1/26/2020	14	1087.3	1090	708.9	85	0	0	85
1/26/2020	15	1087.3	1080	708.6	86	0	0	86
1/26/2020	16	1087.3	1090	708.4	86	0	0	86
1/26/2020	17	1087.3	1090	708.5	86	0	0	86
1/26/2020	18	1087.3	1090	708.7	86	0	0	86
1/26/2020	19	1087.3	1080	708.9	86	0	0	86
1/26/2020	20	1087.3	1090	709.0	86	0	0	86
1/26/2020	21	1087.3	1090	709.1	86	0	0	86
1/26/2020	22	1087.3	1080	709.0	86	0	0	86
1/26/2020	23	1087.3	1080	708.9	86	0	0	86
1/26/2020	24	1087.3	1080	708.3	86	0	0	86
1/27/2020	1	1087.3	1090	708.2	86	0	0	86
1/27/2020	2	1087.3	1080	707.9	86	0	0	86
1/27/2020	3	1087.3	1080	707.8	86	0	0	86
1/27/2020	4	1087.3	1080	707.7	86	0	0	86
1/27/2020	5	1087.3	1090	707.7	86	0	0	86
1/27/2020	6	1087.3	1100	707.8	86	0	0	86
1/27/2020	7	1087.3	2400	708.7	86	0	0	86
1/27/2020	8	1087.3	2400	709.0	86	0	0	86
1/27/2020	9	1087.3	2390	709.1	86	0	0	86
1/27/2020	10	1087.3	2400	709.3	86	0	0	86
1/27/2020	11	1087.2	2400	709.5	86	0	0	86
1/27/2020	12	1087.2	2400	709.7	86	0	0	86
1/27/2020	13	1087.2	2400	710.0	86	0	0	86
1/27/2020	14	1087.2	2410	710.2	86	0	0	86
1/27/2020	15	1087.2	2410	710.5	86	0	0	86
1/27/2020	16	1087.2	2410	710.4	86	0	0	86
1/27/2020	17	1087.2	2410	710.3	86	0	0	86
1/27/2020	18	1087.2	2410	710.3	86	0	0	86
1/27/2020	19	1087.2	2410	710.4	86	0	0	86
1/27/2020	20	1087.2	2410	710.4	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/27/2020	21	1087.2	2410	710.2	86	0	0	86
1/27/2020	22	1087.2	2400	710.0	86	0	0	86
1/27/2020	23	1087.2	1160	709.4	86	0	0	86
1/27/2020	24	1087.2	1080	708.8	86	0	0	86
1/28/2020	1	1087.2	1080	708.5	86	0	0	86
1/28/2020	2	1087.2	1080	708.7	86	0	0	86
1/28/2020	3	1087.2	1080	708.1	86	0	0	86
1/28/2020	4	1087.2	1090	707.9	86	0	0	86
1/28/2020	5	1087.2	1090	707.8	86	0	0	86
1/28/2020	6	1087.2	1100	707.7	86	0	0	86
1/28/2020	7	1087.2	2400	708.7	86	0	0	86
1/28/2020	8	1087.2	2390	708.9	86	0	0	86
1/28/2020	9	1087.2	2390	708.9	86	0	0	86
1/28/2020	10	1087.2	2390	709.0	86	0	0	86
1/28/2020	11	1087.2	2400	709.1	86	0	0	86
1/28/2020	12	1087.2	2400	709.2	86	0	0	86
1/28/2020	13	1087.2	2400	709.3	86	0	0	86
1/28/2020	14	1087.2	2400	709.4	86	0	0	86
1/28/2020	15	1087.2	2400	709.6	86	0	0	86
1/28/2020	16	1087.1	2400	709.8	86	0	0	86
1/28/2020	17	1087.1	2400	710.0	86	0	0	86
1/28/2020	18	1087.1	2410	710.5	86	0	0	86
1/28/2020	19	1087.1	2420	710.8	86	0	0	86
1/28/2020	20	1087.1	2410	710.7	86	0	0	86
1/28/2020	21	1087.1	2410	710.4	86	0	0	86
1/28/2020	22	1087.1	2390	710.3	86	0	0	86
1/28/2020	23	1087.1	1090	709.9	86	0	0	86
1/28/2020	24	1087.1	1080	709.4	86	0	0	86
1/29/2020	1	1087.1	1080	709.0	86	0	0	86
1/29/2020	2	1087.1	1090	708.5	86	0	0	86
1/29/2020	3	1087.1	1090	708.4	86	0	0	86
1/29/2020	4	1087.1	1080	708.2	86	0	0	86
1/29/2020	5	1087.1	1090	707.9	86	0	0	86
1/29/2020	6	1087.1	1110	707.8	86	0	0	86
1/29/2020	7	1087.1	2400	708.8	86	0	0	86
1/29/2020	8	1087.1	2400	709.0	86	0	0	86
1/29/2020	9	1087.1	2390	708.9	86	0	0	86
1/29/2020	10	1087.1	2390	709.1	86	0	0	86
1/29/2020	11	1087.1	2390	709.1	86	0	0	86
1/29/2020	12	1087.1	2390	709.0	86	0	0	86
1/29/2020	13	1087.1	2390	709.0	86	0	0	86
1/29/2020	14	1087.1	2390	709.0	86	0	0	86
1/29/2020	15	1087.1	2400	709.0	86	0	0	86
1/29/2020	16	1087.1	2400	709.0	86	0	0	86
1/29/2020	17	1087.1	2400	709.1	86	0	0	86
1/29/2020	18	1087.1	2400	709.1	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/29/2020	19	1087.1	2400	709.2	86	0	0	86
1/29/2020	20	1087.0	2400	709.3	86	0	0	86
1/29/2020	21	1087.0	2400	709.3	85	0	0	85
1/29/2020	22	1087.0	2400	709.4	86	0	0	86
1/29/2020	23	1087.0	1120	708.5	86	0	0	86
1/29/2020	24	1087.0	1080	707.7	86	0	0	86
1/30/2020	1	1087.0	1080	707.5	86	0	0	86
1/30/2020	2	1087.0	1080	707.7	86	0	0	86
1/30/2020	3	1087.0	1080	707.7	86	0	0	86
1/30/2020	4	1087.0	1090	707.7	86	0	0	86
1/30/2020	5	1087.0	1090	708.0	86	0	0	86
1/30/2020	6	1087.0	1110	708.3	86	0	0	86
1/30/2020	7	1087.0	2400	709.5	86	0	0	86
1/30/2020	8	1087.0	2400	709.5	86	0	0	86
1/30/2020	9	1087.0	2400	709.4	86	0	0	86
1/30/2020	10	1087.0	2400	709.7	86	0	0	86
1/30/2020	11	1087.0	2410	710.0	86	0	0	86
1/30/2020	12	1087.0	2410	710.1	86	0	0	86
1/30/2020	13	1087.0	2410	710.1	86	0	0	86
1/30/2020	14	1087.0	2400	709.9	86	0	0	86
1/30/2020	15	1087.0	2400	709.8	86	0	0	86
1/30/2020	16	1087.0	2400	709.8	86	0	0	86
1/30/2020	17	1087.0	2400	709.8	86	0	0	86
1/30/2020	18	1087.0	2400	709.8	86	0	0	86
1/30/2020	19	1087.0	2390	709.9	86	0	0	86
1/30/2020	20	1087.0	2390	709.9	86	0	0	86
1/30/2020	21	1087.0	2380	710.1	86	0	0	86
1/30/2020	22	1087.0	2390	710.1	86	0	0	86
1/30/2020	23	1087.0	1120	709.8	86	0	0	86
1/30/2020	24	1087.0	1080	709.6	86	0	0	86
1/31/2020	1	1087.0	1080	709.5	86	0	0	86
1/31/2020	2	1087.0	1090	709.3	86	0	0	86
1/31/2020	3	1087.0	1080	709.2	86	0	0	86
1/31/2020	4	1087.0	1080	708.9	86	0	0	86
1/31/2020	5	1087.0	1090	708.4	86	0	0	86
1/31/2020	6	1087.0	1090	708.4	86	0	0	86
1/31/2020	7	1087.0	2380	709.1	86	0	0	86
1/31/2020	8	1087.0	2400	709.2	86	0	0	86
1/31/2020	9	1086.9	2400	709.1	86	0	0	86
1/31/2020	10	1086.9	2390	709.1	86	0	0	86
1/31/2020	11	1087.0	2390	709.1	86	0	0	86
1/31/2020	12	1087.0	2390	709.0	86	0	0	86
1/31/2020	13	1087.0	2400	709.0	86	0	0	86
1/31/2020	14	1087.0	2400	709.1	86	0	0	86
1/31/2020	15	1086.9	2400	709.1	86	0	0	86
1/31/2020	16	1086.9	2400	709.0	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/31/2020	17	1086.9	2400	709.1	86	0	0	86
1/31/2020	18	1086.9	2400	709.0	86	0	0	86
1/31/2020	19	1086.9	2390	708.9	86	0	0	86
1/31/2020	20	1086.9	2390	708.8	86	0	0	86
1/31/2020	21	1086.9	2400	708.8	86	0	0	86
1/31/2020	22	1086.9	2390	708.7	86	0	0	86
1/31/2020	23	1086.9	1130	707.7	86	0	0	86
1/31/2020	24	1086.9	1080	707.5	86	0	0	86
2/1/2020	1	1086.9	1080	707.5	86	0	0	86
2/1/2020	2	1086.9	1080	707.5	86	0	0	86
2/1/2020	3	1086.9	1080	707.5	86	0	0	86
2/1/2020	4	1086.9	1080	707.5	86	0	0	86
2/1/2020	5	1086.9	1080	707.5	86	0	0	86
2/1/2020	6	1086.9	1210	707.6	86	0	0	86
2/1/2020	7	1086.9	2400	708.7	86	0	0	86
2/1/2020	8	1086.9	2400	708.8	86	0	0	86
2/1/2020	9	1086.9	2400	708.8	86	0	0	86
2/1/2020	10	1086.9	2400	709.0	86	0	0	86
2/1/2020	11	1087.0	2400	709.2	86	0	0	86
2/1/2020	12	1087.0	2390	709.1	86	0	0	86
2/1/2020	13	1087.0	2400	709.2	86	0	0	86
2/1/2020	14	1087.0	2400	709.1	86	0	0	86
2/1/2020	15	1087.0	2400	709.1	86	0	0	86
2/1/2020	16	1087.0	2400	709.0	86	0	0	86
2/1/2020	17	1087.0	2400	709.1	86	0	0	86
2/1/2020	18	1087.0	2400	709.2	86	0	0	86
2/1/2020	19	1087.0	2400	709.1	86	0	0	86
2/1/2020	20	1087.0	2390	709.1	86	0	0	86
2/1/2020	21	1087.0	2400	709.1	86	0	0	86
2/1/2020	22	1087.0	2400	709.1	86	0	0	86
2/1/2020	23	1087.0	1110	708.2	86	0	0	86
2/1/2020	24	1087.0	1080	707.7	86	0	0	86
2/2/2020	1	1087.0	1080	707.7	86	0	0	86
2/2/2020	2	1087.0	1080	707.6	86	0	0	86
2/2/2020	3	1087.0	1080	707.7	86	0	0	86
2/2/2020	4	1087.0	1080	708.1	86	0	0	86
2/2/2020	5	1087.0	1080	708.2	86	0	0	86
2/2/2020	6	1087.0	1090	708.9	86	0	0	86
2/2/2020	7	1087.0	1090	709.2	86	0	0	86
2/2/2020	8	1087.0	1080	709.5	86	0	0	86
2/2/2020	9	1087.0	1090	709.8	86	0	0	86
2/2/2020	10	1087.0	1090	709.8	86	0	0	86
2/2/2020	11	1087.0	1080	709.6	86	0	0	86
2/2/2020	12	1087.0	1080	709.4	86	0	0	86
2/2/2020	13	1087.0	1090	709.4	86	0	0	86
2/2/2020	14	1087.0	1090	709.4	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/2/2020	15	1087.1	1080	709.3	86	0	0	86
2/2/2020	16	1087.1	1090	709.1	86	0	0	86
2/2/2020	17	1087.1	1090	708.9	86	0	0	86
2/2/2020	18	1087.1	1080	709.0	86	0	0	86
2/2/2020	19	1087.1	1090	709.1	86	0	0	86
2/2/2020	20	1087.1	1100	709.2	86	0	0	86
2/2/2020	21	1087.1	1080	709.4	86	0	0	86
2/2/2020	22	1087.1	1080	709.5	86	0	0	86
2/2/2020	23	1087.1	1080	709.4	86	0	0	86
2/2/2020	24	1087.1	1090	709.1	86	0	0	86
2/3/2020	1	1087.1	1090	709.1	86	0	0	86
2/3/2020	2	1087.1	1090	708.9	86	0	0	86
2/3/2020	3	1087.1	1090	708.8	86	0	0	86
2/3/2020	4	1087.1	1090	708.7	86	0	0	86
2/3/2020	5	1087.1	1090	708.5	86	0	0	86
2/3/2020	6	1087.1	1650	708.7	86	0	0	86
2/3/2020	7	1087.1	2400	708.9	86	0	0	86
2/3/2020	8	1087.1	2390	709.0	86	0	0	86
2/3/2020	9	1087.1	2390	709.1	86	0	0	86
2/3/2020	10	1087.1	2400	709.0	86	0	0	86
2/3/2020	11	1087.1	2390	708.9	86	0	0	86
2/3/2020	12	1087.1	2390	708.9	86	0	0	86
2/3/2020	13	1087.1	2390	708.9	86	0	0	86
2/3/2020	14	1087.1	2390	708.8	86	0	0	86
2/3/2020	15	1087.1	2390	708.9	86	0	0	86
2/3/2020	16	1087.1	2400	708.9	86	0	0	86
2/3/2020	17	1087.1	2400	708.9	86	0	0	86
2/3/2020	18	1087.1	2400	708.8	86	0	0	86
2/3/2020	19	1087.1	2400	708.8	86	0	0	86
2/3/2020	20	1087.1	2390	708.8	86	0	0	86
2/3/2020	21	1087.1	2390	708.9	86	0	0	86
2/3/2020	22	1087.1	2390	708.9	86	0	0	86
2/3/2020	23	1087.1	2390	708.8	86	0	0	86
2/3/2020	24	1087.1	2390	708.8	86	0	0	86
2/4/2020	1	1087.0	2390	708.7	86	0	0	86
2/4/2020	2	1087.0	2390	708.7	86	0	0	86
2/4/2020	3	1087.0	2390	708.8	86	0	0	86
2/4/2020	4	1087.0	2390	708.8	86	0	0	86
2/4/2020	5	1087.0	2400	708.9	86	0	0	86
2/4/2020	6	1087.0	2400	709.0	86	0	0	86
2/4/2020	7	1087.0	2390	709.1	86	0	0	86
2/4/2020	8	1087.0	2390	709.2	86	0	0	86
2/4/2020	9	1087.0	2390	709.3	86	0	0	86
2/4/2020	10	1087.0	2400	709.2	86	0	0	86
2/4/2020	11	1087.0	2390	709.1	86	0	0	86
2/4/2020	12	1087.0	2400	709.0	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/4/2020	13	1087.0	2390	709.1	86	0	0	86
2/4/2020	14	1087.0	2390	708.9	86	0	0	86
2/4/2020	15	1087.0	2400	709.0	86	0	0	86
2/4/2020	16	1087.0	2400	709.0	86	0	0	86
2/4/2020	17	1087.0	2400	709.2	86	0	0	86
2/4/2020	18	1087.0	2400	709.3	86	0	0	86
2/4/2020	19	1087.0	2390	709.4	86	0	0	86
2/4/2020	20	1087.0	2400	709.3	86	0	0	86
2/4/2020	21	1087.0	2390	709.4	86	0	0	86
2/4/2020	22	1087.0	2390	709.1	86	0	0	86
2/4/2020	23	1087.0	2390	709.0	86	0	0	86
2/4/2020	24	1087.0	2390	708.8	86	0	0	86
2/5/2020	1	1087.0	2390	708.7	86	0	0	86
2/5/2020	2	1087.0	2390	708.8	86	0	0	86
2/5/2020	3	1087.0	2390	708.8	86	0	0	86
2/5/2020	4	1087.0	2400	708.9	86	0	0	86
2/5/2020	5	1087.0	2400	708.9	86	0	0	86
2/5/2020	6	1087.0	2400	709.1	86	0	0	86
2/5/2020	7	1087.0	2390	709.2	86	0	0	86
2/5/2020	8	1087.0	2400	709.6	86	0	0	86
2/5/2020	9	1087.0	2400	709.6	86	0	0	86
2/5/2020	10	1087.0	2400	709.6	86	0	0	86
2/5/2020	11	1087.0	2400	709.8	86	0	0	86
2/5/2020	12	1087.0	2400	709.9	86	0	0	86
2/5/2020	13	1087.0	2400	709.9	86	0	0	86
2/5/2020	14	1087.0	2400	709.7	86	0	0	86
2/5/2020	15	1087.0	2400	709.8	86	0	0	86
2/5/2020	16	1087.0	2400	709.9	86	0	0	86
2/5/2020	17	1087.0	2400	709.8	86	0	0	86
2/5/2020	18	1087.0	2400	709.7	86	0	0	86
2/5/2020	19	1087.0	2400	709.6	86	0	0	86
2/5/2020	20	1087.0	2400	709.5	86	0	0	86
2/5/2020	21	1087.0	2380	709.6	86	0	0	86
2/5/2020	22	1087.0	2380	709.5	86	0	0	86
2/5/2020	23	1087.0	2380	709.3	86	0	0	86
2/5/2020	24	1087.0	2370	709.0	86	0	0	86
2/6/2020	1	1087.0	2380	709.0	86	0	0	86
2/6/2020	2	1087.0	2390	709.0	86	0	0	86
2/6/2020	3	1087.0	2380	708.9	86	0	0	86
2/6/2020	4	1087.0	2390	708.9	86	0	0	86
2/6/2020	5	1087.0	2390	709.0	86	0	0	86
2/6/2020	6	1087.0	2390	708.9	86	0	0	86
2/6/2020	7	1087.0	2390	709.1	86	0	0	86
2/6/2020	8	1087.0	2390	709.4	86	0	0	86
2/6/2020	9	1087.0	2390	709.5	86	0	0	86
2/6/2020	10	1087.0	2380	709.4	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/6/2020	11	1087.0	2370	709.2	86	0	0	86
2/6/2020	12	1087.0	2380	709.4	86	0	0	86
2/6/2020	13	1086.9	2380	709.4	86	0	0	86
2/6/2020	14	1086.9	2390	709.6	86	0	0	86
2/6/2020	15	1086.9	2400	709.9	86	0	0	86
2/6/2020	16	1086.9	2400	710.3	86	0	0	86
2/6/2020	17	1086.9	2410	710.3	86	0	0	86
2/6/2020	18	1086.9	2390	710.1	86	0	0	86
2/6/2020	19	1087.0	2390	710.2	86	0	0	86
2/6/2020	20	1087.0	2390	710.6	86	0	0	86
2/6/2020	21	1087.0	2380	710.6	86	0	0	86
2/6/2020	22	1087.0	2380	710.4	86	0	0	86
2/6/2020	23	1087.0	2380	709.8	86	0	0	86
2/6/2020	24	1087.0	2360	709.2	86	0	0	86
2/7/2020	1	1086.9	2380	709.4	86	0	0	86
2/7/2020	2	1086.9	2380	709.6	86	0	0	86
2/7/2020	3	1086.9	2370	709.4	86	0	0	86
2/7/2020	4	1086.9	2390	709.5	86	0	0	86
2/7/2020	5	1086.9	2390	709.6	86	0	0	86
2/7/2020	6	1086.9	2400	709.7	86	0	0	86
2/7/2020	7	1086.9	2400	709.8	86	0	0	86
2/7/2020	8	1086.9	2380	710.0	86	0	0	86
2/7/2020	9	1086.9	2370	710.0	86	0	0	86
2/7/2020	10	1086.9	2390	709.9	86	0	0	86
2/7/2020	11	1086.9	2380	710.0	86	0	0	86
2/7/2020	12	1086.9	2400	710.1	86	0	0	86
2/7/2020	13	1086.9	2380	710.2	86	0	0	86
2/7/2020	14	1086.9	2410	710.1	86	0	0	86
2/7/2020	15	1086.9	2410	710.0	86	0	0	86
2/7/2020	16	1086.9	2400	709.9	86	0	0	86
2/7/2020	17	1086.9	2400	709.9	86	0	0	86
2/7/2020	18	1086.9	2410	710.0	86	0	0	86
2/7/2020	19	1086.9	2400	709.8	86	0	0	86
2/7/2020	20	1086.9	2400	709.8	86	0	0	86
2/7/2020	21	1086.9	2390	709.8	86	0	0	86
2/7/2020	22	1086.9	2400	709.8	86	0	0	86
2/7/2020	23	1086.9	2400	709.7	86	0	0	86
2/7/2020	24	1086.9	2390	709.4	86	0	0	86
2/8/2020	1	1086.9	2400	709.2	86	0	0	86
2/8/2020	2	1086.9	2390	709.1	86	0	0	86
2/8/2020	3	1086.9	2390	709.0	86	0	0	86
2/8/2020	4	1086.9	2380	708.9	86	0	0	86
2/8/2020	5	1086.9	2380	708.8	86	0	0	86
2/8/2020	6	1086.9	2380	708.8	86	0	0	86
2/8/2020	7	1086.9	2390	708.8	86	0	0	86
2/8/2020	8	1086.9	2380	708.8	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/8/2020	9	1086.9	2380	708.8	86	0	0	86
2/8/2020	10	1086.9	2380	708.7	86	0	0	86
2/8/2020	11	1086.9	2380	708.7	86	0	0	86
2/8/2020	12	1086.9	2390	708.7	86	0	0	86
2/8/2020	13	1086.9	2390	708.7	86	0	0	86
2/8/2020	14	1086.9	2390	708.7	86	0	0	86
2/8/2020	15	1086.9	2400	708.7	86	0	0	86
2/8/2020	16	1086.9	2400	708.7	86	0	0	86
2/8/2020	17	1086.9	2400	708.7	86	0	0	86
2/8/2020	18	1086.9	2390	708.7	86	0	0	86
2/8/2020	19	1086.9	2390	708.8	86	0	0	86
2/8/2020	20	1086.9	2400	708.8	86	0	0	86
2/8/2020	21	1086.9	2390	708.8	86	0	0	86
2/8/2020	22	1086.9	2390	708.8	86	0	0	86
2/8/2020	23	1086.9	2390	708.8	86	0	0	86
2/8/2020	24	1086.9	2390	708.8	86	0	0	86
2/9/2020	1	1086.9	2400	708.9	86	0	0	86
2/9/2020	2	1086.9	2390	709.1	86	0	0	86
2/9/2020	3	1086.9	2400	709.1	86	0	0	86
2/9/2020	4	1086.9	2400	709.3	86	0	0	86
2/9/2020	5	1086.9	2400	709.5	86	0	0	86
2/9/2020	6	1086.9	2400	709.8	86	0	0	86
2/9/2020	7	1086.9	2410	709.8	86	0	0	86
2/9/2020	8	1086.9	2410	710.0	86	0	0	86
2/9/2020	9	1086.9	2410	710.0	86	0	0	86
2/9/2020	10	1086.9	2400	709.9	86	0	0	86
2/9/2020	11	1086.9	2400	709.4	86	0	0	86
2/9/2020	12	1086.9	2390	709.2	86	0	0	86
2/9/2020	13	1086.9	2390	709.0	86	0	0	86
2/9/2020	14	1086.9	2400	708.9	86	0	0	86
2/9/2020	15	1086.9	2390	708.8	86	0	0	86
2/9/2020	16	1086.9	2400	708.9	86	0	0	86
2/9/2020	17	1086.9	2400	708.8	86	0	0	86
2/9/2020	18	1086.9	2390	708.7	86	0	0	86
2/9/2020	19	1086.9	2390	708.7	86	0	0	86
2/9/2020	20	1086.9	2390	708.7	86	0	0	86
2/9/2020	21	1086.9	2390	708.7	86	0	0	86
2/9/2020	22	1086.9	2390	708.8	86	0	0	86
2/9/2020	23	1086.9	2390	708.8	86	0	0	86
2/9/2020	24	1086.8	2390	708.8	86	0	0	86
2/10/2020	1	1086.8	2400	708.8	86	0	0	86
2/10/2020	2	1086.8	2400	708.8	86	0	0	86
2/10/2020	3	1086.8	2390	708.9	86	0	0	86
2/10/2020	4	1086.8	2390	708.9	86	0	0	86
2/10/2020	5	1086.8	2400	708.9	86	0	0	86
2/10/2020	6	1086.8	2400	709.1	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/10/2020	7	1086.8	2400	709.2	86	0	0	86
2/10/2020	8	1086.8	2400	709.4	86	0	0	86
2/10/2020	9	1086.8	2400	709.4	86	0	0	86
2/10/2020	10	1086.8	2400	709.4	86	0	0	86
2/10/2020	11	1086.8	2400	709.4	86	0	0	86
2/10/2020	12	1086.8	2400	709.5	86	0	0	86
2/10/2020	13	1086.8	2400	709.3	86	0	0	86
2/10/2020	14	1086.8	2390	709.0	86	0	0	86
2/10/2020	15	1086.8	2390	708.8	86	0	0	86
2/10/2020	16	1086.8	2400	708.8	86	0	0	86
2/10/2020	17	1086.8	2400	708.7	86	0	0	86
2/10/2020	18	1086.8	2400	708.7	86	0	0	86
2/10/2020	19	1086.8	2390	708.8	86	0	0	86
2/10/2020	20	1086.8	2390	708.9	86	0	0	86
2/10/2020	21	1086.8	2390	709.0	86	0	0	86
2/10/2020	22	1086.8	2390	709.0	86	0	0	86
2/10/2020	23	1086.8	2390	708.9	86	0	0	86
2/10/2020	24	1086.8	2390	708.8	86	0	0	86
2/11/2020	1	1086.8	2390	708.7	86	0	0	86
2/11/2020	2	1086.8	2390	708.7	86	0	0	86
2/11/2020	3	1086.8	2390	708.7	86	0	0	86
2/11/2020	4	1086.8	2390	708.7	86	0	0	86
2/11/2020	5	1086.8	2390	708.7	86	0	0	86
2/11/2020	6	1086.8	2390	708.7	86	0	0	86
2/11/2020	7	1086.7	2390	708.7	86	0	0	86
2/11/2020	8	1086.7	2390	708.9	86	0	0	86
2/11/2020	9	1086.7	2390	708.9	86	0	0	86
2/11/2020	10	1086.7	2400	708.8	86	0	0	86
2/11/2020	11	1086.7	2390	708.8	86	0	0	86
2/11/2020	12	1086.7	2390	708.8	86	0	0	86
2/11/2020	13	1086.7	2390	708.8	86	0	0	86
2/11/2020	14	1086.8	2390	708.8	86	0	0	86
2/11/2020	15	1086.8	2400	708.8	86	0	0	86
2/11/2020	16	1086.8	2400	708.8	86	0	0	86
2/11/2020	17	1086.8	2400	709.0	86	0	0	86
2/11/2020	18	1086.7	2400	709.0	86	0	0	86
2/11/2020	19	1086.7	2400	709.2	86	0	0	86
2/11/2020	20	1086.7	2400	709.4	86	0	0	86
2/11/2020	21	1086.7	2400	709.6	86	0	0	86
2/11/2020	22	1086.7	2400	709.7	86	0	0	86
2/11/2020	23	1086.7	2400	709.5	86	0	0	86
2/11/2020	24	1086.7	2390	708.9	86	0	0	86
2/12/2020	1	1086.7	2390	708.8	86	0	0	86
2/12/2020	2	1086.7	2390	708.7	86	0	0	86
2/12/2020	3	1086.7	2390	708.7	86	0	0	86
2/12/2020	4	1086.7	2390	708.7	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/12/2020	5	1086.7	2400	708.7	86	0	0	86
2/12/2020	6	1086.7	2400	708.7	86	0	0	86
2/12/2020	7	1086.7	2400	708.8	86	0	0	86
2/12/2020	8	1086.7	2390	709.0	86	0	0	86
2/12/2020	9	1086.7	2400	709.1	86	0	0	86
2/12/2020	10	1086.6	2400	709.2	86	0	0	86
2/12/2020	11	1086.6	2400	709.2	86	0	0	86
2/12/2020	12	1086.6	2400	709.2	86	0	0	86
2/12/2020	13	1086.6	2400	709.3	86	0	0	86
2/12/2020	14	1086.6	2400	709.5	86	0	0	86
2/12/2020	15	1086.6	2400	709.6	86	0	0	86
2/12/2020	16	1086.6	2410	709.8	86	0	0	86
2/12/2020	17	1086.6	2410	710.0	86	0	0	86
2/12/2020	18	1086.6	2410	710.2	86	0	0	86
2/12/2020	19	1086.6	2420	710.5	86	0	0	86
2/12/2020	20	1086.6	2420	710.5	86	0	0	86
2/12/2020	21	1086.6	2420	710.4	86	0	0	86
2/12/2020	22	1086.6	2410	710.0	86	0	0	86
2/12/2020	23	1086.6	2410	709.7	86	0	0	86
2/12/2020	24	1086.6	2400	709.3	86	0	0	86
2/13/2020	1	1086.6	2400	709.4	86	0	0	86
2/13/2020	2	1086.6	2400	709.2	86	0	0	86
2/13/2020	3	1086.6	2400	709.2	86	0	0	86
2/13/2020	4	1086.6	2400	709.3	86	0	0	86
2/13/2020	5	1086.6	2400	709.4	86	0	0	86
2/13/2020	6	1086.6	2410	709.6	86	0	0	86
2/13/2020	7	1086.6	2410	709.7	86	0	0	86
2/13/2020	8	1086.6	2400	710.1	86	0	0	86
2/13/2020	9	1086.6	2400	710.3	86	0	0	86
2/13/2020	10	1086.6	2410	710.0	86	0	0	86
2/13/2020	11	1086.6	2410	710.0	86	0	0	86
2/13/2020	12	1086.6	2410	709.8	86	0	0	86
2/13/2020	13	1086.6	2410	709.7	86	0	0	86
2/13/2020	14	1086.6	2400	709.6	86	0	0	86
2/13/2020	15	1086.6	2410	709.7	86	0	0	86
2/13/2020	16	1086.5	2410	709.7	86	0	0	86
2/13/2020	17	1086.5	2410	709.7	86	0	0	86
2/13/2020	18	1086.5	2410	709.7	86	0	0	86
2/13/2020	19	1086.5	2410	709.7	86	0	0	86
2/13/2020	20	1086.5	2410	709.8	86	0	0	86
2/13/2020	21	1086.5	2410	709.8	86	0	0	86
2/13/2020	22	1086.5	2410	709.7	86	0	0	86
2/13/2020	23	1086.5	2410	709.6	86	0	0	86
2/13/2020	24	1086.5	2410	709.9	86	0	0	86
2/14/2020	1	1086.5	2410	709.8	86	0	0	86
2/14/2020	2	1086.5	2410	710.1	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/14/2020	3	1086.5	2420	710.2	86	0	0	86
2/14/2020	4	1086.5	2420	710.2	86	0	0	86
2/14/2020	5	1086.5	2410	709.8	86	0	0	86
2/14/2020	6	1086.5	2410	709.9	86	0	0	86
2/14/2020	7	1086.5	2410	710.2	86	0	0	86
2/14/2020	8	1086.5	2410	710.3	86	0	0	86
2/14/2020	9	1086.5	2410	710.4	86	0	0	86
2/14/2020	10	1086.5	2410	710.3	86	0	0	86
2/14/2020	11	1086.5	2410	710.2	86	0	0	86
2/14/2020	12	1086.5	2410	710.2	86	0	0	86
2/14/2020	13	1086.5	2410	710.3	86	0	0	86
2/14/2020	14	1086.5	2410	710.4	86	0	0	86
2/14/2020	15	1086.5	2420	710.3	86	0	0	86
2/14/2020	16	1086.5	2420	710.4	86	0	0	86
2/14/2020	17	1086.5	2420	710.4	86	0	0	86
2/14/2020	18	1086.5	2420	710.3	86	0	0	86
2/14/2020	19	1086.5	2410	710.5	86	0	0	86
2/14/2020	20	1086.5	2420	710.6	86	0	0	86
2/14/2020	21	1086.5	2410	710.5	86	0	0	86
2/14/2020	22	1086.5	2410	710.3	86	0	0	86
2/14/2020	23	1086.5	2410	710.4	86	0	0	86
2/14/2020	24	1086.5	2410	710.3	86	0	0	86
2/15/2020	1	1086.5	1100	709.7	86	0	0	86
2/15/2020	2	1086.5	1080	709.0	86	0	0	86
2/15/2020	3	1086.5	1080	708.9	86	0	0	86
2/15/2020	4	1086.5	1080	708.5	86	0	0	86
2/15/2020	5	1086.5	1080	708.1	86	0	0	86
2/15/2020	6	1086.5	1090	708.1	86	0	0	86
2/15/2020	7	1086.5	2390	708.9	86	0	0	86
2/15/2020	8	1086.5	2400	709.2	86	0	0	86
2/15/2020	9	1086.5	2400	709.1	86	0	0	86
2/15/2020	10	1086.5	2400	709.3	86	0	0	86
2/15/2020	11	1086.4	2400	709.4	86	0	0	86
2/15/2020	12	1086.4	2400	709.5	86	0	0	86
2/15/2020	13	1086.4	2400	709.5	86	0	0	86
2/15/2020	14	1086.4	2400	709.5	86	0	0	86
2/15/2020	15	1086.4	2400	709.6	86	0	0	86
2/15/2020	16	1086.4	2410	709.6	86	0	0	86
2/15/2020	17	1086.4	2410	709.7	86	0	0	86
2/15/2020	18	1086.4	2410	709.8	86	0	0	86
2/15/2020	19	1086.4	2410	710.0	86	0	0	86
2/15/2020	20	1086.4	2410	710.0	86	0	0	86
2/15/2020	21	1086.4	2420	710.2	86	0	0	86
2/15/2020	22	1086.4	2420	710.3	86	0	0	86
2/15/2020	23	1086.4	1150	710.2	86	0	0	86
2/15/2020	24	1086.4	1080	710.2	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/16/2020	1	1086.4	1080	710.0	86	0	0	86
2/16/2020	2	1086.4	1090	709.8	86	0	0	86
2/16/2020	3	1086.4	1090	709.6	86	0	0	86
2/16/2020	4	1086.4	1090	709.4	86	0	0	86
2/16/2020	5	1086.4	1080	709.3	86	0	0	86
2/16/2020	6	1086.4	1090	709.5	86	0	0	86
2/16/2020	7	1086.4	1080	709.3	86	0	0	86
2/16/2020	8	1086.4	1080	709.3	86	0	0	86
2/16/2020	9	1086.4	1080	709.5	86	0	0	86
2/16/2020	10	1086.4	1080	709.2	86	0	0	86
2/16/2020	11	1086.4	1080	709.2	86	0	0	86
2/16/2020	12	1086.4	1080	709.0	86	0	0	86
2/16/2020	13	1086.4	1080	708.6	86	0	0	86
2/16/2020	14	1086.4	1090	709.2	86	0	0	86
2/16/2020	15	1086.4	1090	710.0	86	0	0	86
2/16/2020	16	1086.4	1090	710.4	86	0	0	86
2/16/2020	17	1086.4	1100	710.2	86	0	0	86
2/16/2020	18	1086.4	1100	709.8	86	0	0	86
2/16/2020	19	1086.4	1080	709.7	86	0	0	86
2/16/2020	20	1086.4	1090	709.9	86	0	0	86
2/16/2020	21	1086.4	1090	710.1	86	0	0	86
2/16/2020	22	1086.4	1080	710.2	86	0	0	86
2/16/2020	23	1086.4	1080	710.3	86	0	0	86
2/16/2020	24	1086.4	1080	710.2	86	0	0	86
2/17/2020	1	1086.4	1080	710.0	86	0	0	86
2/17/2020	2	1086.4	1090	710.0	86	0	0	86
2/17/2020	3	1086.4	1090	709.8	86	0	0	86
2/17/2020	4	1086.4	1090	709.6	86	0	0	86
2/17/2020	5	1086.4	1090	709.4	86	0	0	86
2/17/2020	6	1086.4	1100	709.5	86	0	0	86
2/17/2020	7	1086.4	2400	709.8	86	0	0	86
2/17/2020	8	1086.4	2410	710.0	86	0	0	86
2/17/2020	9	1086.4	2410	710.3	86	0	0	86
2/17/2020	10	1086.4	2410	710.5	86	0	0	86
2/17/2020	11	1086.4	2410	710.3	86	0	0	86
2/17/2020	12	1086.4	2410	710.4	86	0	0	86
2/17/2020	13	1086.4	2410	710.5	86	0	0	86
2/17/2020	14	1086.4	2420	710.5	86	0	0	86
2/17/2020	15	1086.4	2420	710.3	86	0	0	86
2/17/2020	16	1086.4	2420	710.2	86	0	0	86
2/17/2020	17	1086.4	2420	710.2	86	0	0	86
2/17/2020	18	1086.4	2420	710.5	86	0	0	86
2/17/2020	19	1086.4	2420	710.6	86	0	0	86
2/17/2020	20	1086.4	2410	710.6	86	0	0	86
2/17/2020	21	1086.4	2410	710.5	86	0	0	86
2/17/2020	22	1086.4	2410	710.4	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/17/2020	23	1086.4	1110	709.9	86	0	0	86
2/17/2020	24	1086.4	1080	709.5	86	0	0	86
2/18/2020	1	1086.4	1090	709.3	86	0	0	86
2/18/2020	2	1086.4	1080	709.0	86	0	0	86
2/18/2020	3	1086.3	1080	709.0	86	0	0	86
2/18/2020	4	1086.3	1090	709.3	86	0	0	86
2/18/2020	5	1086.3	1090	709.5	86	0	0	86
2/18/2020	6	1086.3	1110	709.7	86	0	0	86
2/18/2020	7	1086.3	2410	710.2	87	0	0	87
2/18/2020	8	1086.3	2410	710.5	86	0	0	86
2/18/2020	9	1086.3	2410	710.7	86	0	0	86
2/18/2020	10	1086.3	2410	710.4	86	0	0	86
2/18/2020	11	1086.3	2410	710.2	86	0	0	86
2/18/2020	12	1086.3	2410	710.3	86	0	0	86
2/18/2020	13	1086.3	2410	710.4	86	0	0	86
2/18/2020	14	1086.3	2420	710.3	86	0	0	86
2/18/2020	15	1086.3	2420	710.1	86	0	0	86
2/18/2020	16	1086.3	2410	710.0	86	0	0	86
2/18/2020	17	1086.3	2420	710.1	86	0	0	86
2/18/2020	18	1086.3	2420	710.2	86	0	0	86
2/18/2020	19	1086.3	2420	710.4	86	0	0	86
2/18/2020	20	1086.3	2420	710.7	86	0	0	86
2/18/2020	21	1086.3	2420	710.8	86	0	0	86
2/18/2020	22	1086.3	2410	710.8	86	0	0	86
2/18/2020	23	1086.3	1570	710.3	86	0	0	86
2/18/2020	24	1086.3	1080	709.2	86	0	0	86
2/19/2020	1	1086.3	1080	709.0	86	0	0	86
2/19/2020	2	1086.3	1080	708.8	86	0	0	86
2/19/2020	3	1086.3	1080	708.6	86	0	0	86
2/19/2020	4	1086.3	1080	708.6	86	0	0	86
2/19/2020	5	1086.3	1090	708.7	86	0	0	86
2/19/2020	6	1086.2	1090	708.6	86	0	0	86
2/19/2020	7	1086.2	2320	709.2	86	0	0	86
2/19/2020	8	1086.2	2410	709.6	86	0	0	86
2/19/2020	9	1086.2	2410	709.9	86	0	0	86
2/19/2020	10	1086.2	2410	709.9	86	0	0	86
2/19/2020	11	1086.2	2410	709.6	86	0	0	86
2/19/2020	12	1086.2	2410	709.3	86	0	0	86
2/19/2020	13	1086.2	2400	709.3	86	0	0	86
2/19/2020	14	1086.2	2400	709.1	86	0	0	86
2/19/2020	15	1086.2	2400	709.0	86	0	0	86
2/19/2020	16	1086.2	2400	709.0	86	0	0	86
2/19/2020	17	1086.2	2400	709.0	86	0	0	86
2/19/2020	18	1086.2	2400	708.9	86	0	0	86
2/19/2020	19	1086.2	2400	709.0	86	0	0	86
2/19/2020	20	1086.2	2400	709.0	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/19/2020	21	1086.2	2400	709.1	86	0	0	86
2/19/2020	22	1086.2	2360	709.1	86	0	0	86
2/19/2020	23	1086.2	1050	708.3	86	0	0	86
2/19/2020	24	1086.2	1050	707.8	86	0	0	86
2/20/2020	1	1086.2	840	707.6	86	0	0	86
2/20/2020	2	1086.2	840	707.6	86	0	0	86
2/20/2020	3	1086.2	840	707.4	86	0	0	86
2/20/2020	4	1086.2	850	707.5	86	0	0	86
2/20/2020	5	1086.2	840	707.5	86	0	0	86
2/20/2020	6	1086.2	850	707.6	86	0	0	86
2/20/2020	7	1086.2	2350	708.6	86	0	0	86
2/20/2020	8	1086.2	2400	709.0	86	0	0	86
2/20/2020	9	1086.2	2400	709.1	86	0	0	86
2/20/2020	10	1086.1	2400	709.0	86	0	0	86
2/20/2020	11	1086.1	2410	709.1	86	0	0	86
2/20/2020	12	1086.1	2410	709.2	86	0	0	86
2/20/2020	13	1086.1	2410	709.3	86	0	0	86
2/20/2020	14	1086.1	2410	709.3	86	0	0	86
2/20/2020	15	1086.1	2410	709.3	86	0	0	86
2/20/2020	16	1086.1	2410	709.3	86	0	0	86
2/20/2020	17	1086.1	2410	709.4	86	0	0	86
2/20/2020	18	1086.1	2410	709.4	86	0	0	86
2/20/2020	19	1086.1	2410	709.4	86	0	0	86
2/20/2020	20	1086.1	2410	709.4	86	0	0	86
2/20/2020	21	1086.1	2410	709.5	86	0	0	86
2/20/2020	22	1086.1	2320	709.8	86	0	0	86
2/20/2020	23	1086.1	840	709.3	86	0	0	86
2/20/2020	24	1086.1	830	708.6	86	0	0	86
2/21/2020	1	1086.1	840	708.5	86	0	0	86
2/21/2020	2	1086.1	840	708.0	86	0	0	86
2/21/2020	3	1086.1	830	707.6	86	0	0	86
2/21/2020	4	1086.1	840	707.3	86	0	0	86
2/21/2020	5	1086.1	840	707.2	86	0	0	86
2/21/2020	6	1086.1	1190	707.5	86	0	0	86
2/21/2020	7	1086.1	2400	708.7	86	0	0	86
2/21/2020	8	1086.1	2400	708.8	86	0	0	86
2/21/2020	9	1086.1	2400	708.9	86	0	0	86
2/21/2020	10	1086.1	2400	708.8	86	0	0	86
2/21/2020	11	1086.1	2400	708.9	86	0	0	86
2/21/2020	12	1086.1	2400	709.0	86	0	0	86
2/21/2020	13	1086.1	2400	708.9	86	0	0	86
2/21/2020	14	1086.1	2400	708.9	86	0	0	86
2/21/2020	15	1086.1	2400	708.8	86	0	0	86
2/21/2020	16	1086.1	2400	708.8	86	0	0	86
2/21/2020	17	1086.0	2400	708.8	86	0	0	86
2/21/2020	18	1086.0	2400	708.8	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/21/2020	19	1086.0	2400	708.8	86	0	0	86
2/21/2020	20	1086.0	2400	708.8	86	0	0	86
2/21/2020	21	1086.0	2400	708.8	86	0	0	86
2/21/2020	22	1086.0	2400	708.9	86	0	0	86
2/21/2020	23	1086.0	910	708.0	86	0	0	86
2/21/2020	24	1086.0	840	707.6	86	0	0	86
2/22/2020	1	1086.0	840	707.7	86	0	0	86
2/22/2020	2	1086.0	840	707.5	86	0	0	86
2/22/2020	3	1086.0	840	707.4	86	0	0	86
2/22/2020	4	1086.0	840	707.4	86	0	0	86
2/22/2020	5	1086.0	840	707.4	86	0	0	86
2/22/2020	6	1086.0	840	707.4	86	0	0	86
2/22/2020	7	1086.0	980	707.6	86	0	0	86
2/22/2020	8	1086.0	1920	708.4	86	0	0	86
2/22/2020	9	1086.0	2400	708.8	86	0	0	86
2/22/2020	10	1086.0	2400	708.9	86	0	0	86
2/22/2020	11	1086.0	2400	709.0	86	0	0	86
2/22/2020	12	1086.0	2400	709.1	86	0	0	86
2/22/2020	13	1086.0	2410	709.1	86	0	0	86
2/22/2020	14	1086.0	2400	709.1	86	0	0	86
2/22/2020	15	1086.0	2400	709.0	86	0	0	86
2/22/2020	16	1086.0	2400	708.9	86	0	0	86
2/22/2020	17	1086.0	2400	708.9	86	0	0	86
2/22/2020	18	1086.0	2400	708.9	86	0	0	86
2/22/2020	19	1086.0	2400	708.9	86	0	0	86
2/22/2020	20	1086.0	2400	708.9	86	0	0	86
2/22/2020	21	1086.0	2400	708.8	86	0	0	86
2/22/2020	22	1086.0	2400	708.8	86	0	0	86
2/22/2020	23	1086.0	900	707.8	86	0	0	86
2/22/2020	24	1086.0	830	707.5	86	0	0	86
2/23/2020	1	1086.0	840	707.3	86	0	0	86
2/23/2020	2	1086.0	830	707.5	86	0	0	86
2/23/2020	3	1086.0	830	707.5	86	0	0	86
2/23/2020	4	1086.0	840	707.6	86	0	0	86
2/23/2020	5	1086.0	840	707.7	86	0	0	86
2/23/2020	6	1086.0	840	707.8	86	0	0	86
2/23/2020	7	1086.0	840	708.0	86	0	0	86
2/23/2020	8	1086.0	830	708.1	86	0	0	86
2/23/2020	9	1086.0	830	708.1	86	0	0	86
2/23/2020	10	1086.0	830	708.0	86	0	0	86
2/23/2020	11	1086.0	830	707.9	86	0	0	86
2/23/2020	12	1086.0	840	707.6	86	0	0	86
2/23/2020	13	1086.0	840	708.0	86	0	0	86
2/23/2020	14	1086.0	830	708.1	86	0	0	86
2/23/2020	15	1086.0	830	707.9	86	0	0	86
2/23/2020	16	1086.0	840	708.2	86	0	0	86

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/23/2020	17	1086.0	840	708.2	86	0	0	86
2/23/2020	18	1086.0	840	708.4	86	0	0	86
2/23/2020	19	1086.0	840	708.4	86	0	0	86
2/23/2020	20	1086.0	830	708.4	86	0	0	86
2/23/2020	21	1086.0	830	708.3	86	0	0	86
2/23/2020	22	1086.0	830	708.2	86	0	0	86
2/23/2020	23	1086.0	830	708.7	86	0	0	86
2/23/2020	24	1086.0	830	708.7	86	0	0	86
2/24/2020	1	1086.0	840	708.7	86	0	0	86
2/24/2020	2	1086.0	830	708.9	86	0	0	86
2/24/2020	3	1086.0	840	709.3	86	0	0	86
2/24/2020	4	1086.0	840	709.1	86	0	0	86
2/24/2020	5	1086.0	840	708.9	86	0	0	86
2/24/2020	6	1086.0	840	709.0	86	0	0	86
2/24/2020	7	1086.0	1360	709.1	86	0	0	86
2/24/2020	8	1086.0	1600	709.2	86	0	0	86
2/24/2020	9	1086.0	1600	709.0	86	0	0	86
2/24/2020	10	1086.0	1610	709.1	86	0	0	86
2/24/2020	11	1086.0	1620	709.3	86	0	0	86
2/24/2020	12	1086.0	1620	709.7	86	0	0	86
2/24/2020	13	1086.0	1600	709.8	86	0	0	86
2/24/2020	14	1086.0	1610	709.6	86	0	0	86
2/24/2020	15	1086.0	1620	709.6	86	0	0	86
2/24/2020	16	1086.0	1620	709.6	86	0	0	86
2/24/2020	17	1086.0	1640	709.6	86	0	0	86
2/24/2020	18	1086.0	1620	709.4	86	0	0	86
2/24/2020	19	1086.0	1600	709.2	86	0	0	86
2/24/2020	20	1086.0	1610	709.1	86	0	0	86
2/24/2020	21	1086.0	1610	709.3	86	0	0	86
2/24/2020	22	1086.0	1600	709.2	86	0	0	86
2/24/2020	23	1086.0	850	709.0	86	0	0	86
2/24/2020	24	1086.0	830	708.9	86	0	0	86
2/25/2020	1	1086.0	840	709.1	86	0	0	86
2/25/2020	2	1086.0	840	709.1	86	0	0	86
2/25/2020	3	1086.0	840	709.0	86	0	0	86
2/25/2020	4	1086.0	850	708.9	86	0	0	86
2/25/2020	5	1086.0	850	708.9	86	0	0	86
2/25/2020	6	1086.0	840	708.8	86	0	0	86
2/25/2020	7	1086.0	1590	709.0	86	0	0	86
2/25/2020	8	1085.9	1580	709.0	86	0	0	86
2/25/2020	9	1085.9	1600	709.2	86	0	0	86
2/25/2020	10	1085.9	1600	709.4	86	0	0	86
2/25/2020	11	1085.9	1600	709.5	86	0	0	86
2/25/2020	12	1085.9	1600	709.5	85	0	0	85
2/25/2020	13	1085.9	1600	709.4	85	0	0	85
2/25/2020	14	1085.9	1610	709.5	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/25/2020	15	1085.9	1600	709.5	85	0	0	85
2/25/2020	16	1085.9	1620	709.4	85	0	0	85
2/25/2020	17	1085.9	1620	709.2	85	0	0	85
2/25/2020	18	1085.9	1620	709.0	85	0	0	85
2/25/2020	19	1085.9	1600	708.9	85	0	0	85
2/25/2020	20	1085.9	1600	708.9	85	0	0	85
2/25/2020	21	1085.9	1590	709.3	85	0	0	85
2/25/2020	22	1085.9	1590	709.5	85	0	0	85
2/25/2020	23	1085.9	800	709.3	85	0	0	85
2/25/2020	24	1085.9	760	709.1	85	0	0	85
2/26/2020	1	1085.9	770	709.1	85	0	0	85
2/26/2020	2	1085.9	770	709.1	85	0	0	85
2/26/2020	3	1085.9	770	709.0	85	0	0	85
2/26/2020	4	1085.9	770	708.9	85	0	0	85
2/26/2020	5	1085.9	780	708.9	85	0	0	85
2/26/2020	6	1085.9	790	708.8	85	0	0	85
2/26/2020	7	1085.9	1600	708.9	85	0	0	85
2/26/2020	8	1085.9	1580	709.0	85	0	0	85
2/26/2020	9	1085.9	1600	708.9	85	0	0	85
2/26/2020	10	1085.9	1590	708.9	85	0	0	85
2/26/2020	11	1085.9	1610	709.0	85	0	0	85
2/26/2020	12	1085.9	1610	709.2	85	0	0	85
2/26/2020	13	1085.9	1610	709.5	85	0	0	85
2/26/2020	14	1085.9	1610	709.6	85	0	0	85
2/26/2020	15	1085.9	1630	709.2	85	0	0	85
2/26/2020	16	1085.9	1620	709.3	85	0	0	85
2/26/2020	17	1085.9	1630	709.1	85	0	0	85
2/26/2020	18	1085.9	1600	709.2	85	0	0	85
2/26/2020	19	1085.9	1610	709.1	85	0	0	85
2/26/2020	20	1085.9	1610	709.3	85	0	0	85
2/26/2020	21	1085.9	1610	709.1	85	0	0	85
2/26/2020	22	1085.9	1600	709.2	85	0	0	85
2/26/2020	23	1085.9	860	708.9	85	0	0	85
2/26/2020	24	1085.9	850	708.6	85	0	0	85
2/27/2020	1	1085.9	850	708.5	85	0	0	85
2/27/2020	2	1085.9	840	708.4	85	0	0	85
2/27/2020	3	1085.9	850	708.2	85	0	0	85
2/27/2020	4	1085.9	850	708.2	85	0	0	85
2/27/2020	5	1085.9	850	708.3	85	0	0	85
2/27/2020	6	1085.9	850	708.5	85	0	0	85
2/27/2020	7	1085.9	1050	708.6	85	0	0	85
2/27/2020	8	1085.9	1090	708.8	85	0	0	85
2/27/2020	9	1085.9	1090	708.8	85	0	0	85
2/27/2020	10	1085.9	1100	708.9	85	0	0	85
2/27/2020	11	1085.9	1100	708.9	85	0	0	85
2/27/2020	12	1085.9	1100	709.1	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/27/2020	13	1085.9	1100	709.5	85	0	0	85
2/27/2020	14	1085.9	1110	709.8	85	0	0	85
2/27/2020	15	1085.9	1110	709.7	85	0	0	85
2/27/2020	16	1085.9	1120	709.6	85	0	0	85
2/27/2020	17	1085.9	1110	709.6	85	0	0	85
2/27/2020	18	1085.9	1110	709.6	85	0	0	85
2/27/2020	19	1085.9	1120	709.5	85	0	0	85
2/27/2020	20	1085.9	1110	709.5	85	0	0	85
2/27/2020	21	1085.9	1110	709.4	85	0	0	85
2/27/2020	22	1085.9	1110	709.3	85	0	0	85
2/27/2020	23	1085.9	1110	709.0	85	0	0	85
2/27/2020	24	1085.9	1100	708.7	85	0	0	85
2/28/2020	1	1085.9	1060	708.5	85	0	0	85
2/28/2020	2	1085.9	850	708.2	85	0	0	85
2/28/2020	3	1085.9	840	708.0	85	0	0	85
2/28/2020	4	1085.9	840	707.8	85	0	0	85
2/28/2020	5	1085.9	840	707.7	85	0	0	85
2/28/2020	6	1085.9	850	707.7	85	0	0	85
2/28/2020	7	1085.9	1080	708.0	86	0	0	86
2/28/2020	8	1085.9	1090	708.1	85	0	0	85
2/28/2020	9	1085.9	1090	707.9	85	0	0	85
2/28/2020	10	1085.9	1090	708.1	85	0	0	85
2/28/2020	11	1085.9	1090	708.8	85	0	0	85
2/28/2020	12	1085.9	1100	708.9	85	0	0	85
2/28/2020	13	1085.9	1090	708.8	85	0	0	85
2/28/2020	14	1085.9	1100	708.8	85	0	0	85
2/28/2020	15	1085.9	1090	708.9	85	0	0	85
2/28/2020	16	1085.9	1100	709.0	85	0	0	85
2/28/2020	17	1085.9	1100	709.0	85	0	0	85
2/28/2020	18	1085.9	1100	709.0	85	0	0	85
2/28/2020	19	1085.9	1090	709.1	85	0	0	85
2/28/2020	20	1085.9	1090	709.3	85	0	0	85
2/28/2020	21	1085.9	1090	709.4	85	0	0	85
2/28/2020	22	1085.9	1090	709.4	85	0	0	85
2/28/2020	23	1085.9	850	709.3	85	0	0	85
2/28/2020	24	1085.8	850	709.2	85	0	0	85
2/29/2020	1	1085.8	840	709.1	85	0	0	85
2/29/2020	2	1085.8	850	709.0	85	0	0	85
2/29/2020	3	1085.8	840	708.9	85	0	0	85
2/29/2020	4	1085.8	840	709.0	85	0	0	85
2/29/2020	5	1085.8	850	708.8	85	0	0	85
2/29/2020	6	1085.8	850	708.7	85	0	0	85
2/29/2020	7	1085.9	1090	708.7	85	0	0	85
2/29/2020	8	1085.9	1100	708.7	85	0	0	85
2/29/2020	9	1085.9	1090	708.8	85	0	0	85
2/29/2020	10	1085.9	1090	708.7	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/29/2020	11	1085.9	1090	708.7	85	0	0	85
2/29/2020	12	1085.9	1090	708.6	85	0	0	85
2/29/2020	13	1085.9	1090	708.5	85	0	0	85
2/29/2020	14	1085.9	1090	708.4	85	0	0	85
2/29/2020	15	1085.9	1090	708.4	85	0	0	85
2/29/2020	16	1085.9	1100	708.1	85	0	0	85
2/29/2020	17	1085.9	1100	708.2	85	0	0	85
2/29/2020	18	1085.9	1110	708.6	85	0	0	85
2/29/2020	19	1085.9	1090	708.4	85	0	0	85
2/29/2020	20	1085.9	1090	708.4	85	0	0	85
2/29/2020	21	1085.9	1090	708.1	85	0	0	85
2/29/2020	22	1085.9	1090	707.9	85	0	0	85
2/29/2020	23	1085.9	840	707.6	85	0	0	85
2/29/2020	24	1085.9	840	707.4	85	0	0	85
3/1/2020	1	1085.9	840	707.4	85	0	0	85
3/1/2020	2	1085.9	840	707.4	85	0	0	85
3/1/2020	3	1085.9	850	707.6	85	0	0	85
3/1/2020	4	1085.8	840	707.9	85	0	0	85
3/1/2020	5	1085.9	850	707.9	85	0	0	85
3/1/2020	6	1085.9	850	708.3	85	0	0	85
3/1/2020	7	1085.8	850	708.3	85	0	0	85
3/1/2020	8	1085.8	850	708.3	85	0	0	85
3/1/2020	9	1085.8	840	708.4	85	0	0	85
3/1/2020	10	1085.8	840	708.3	85	0	0	85
3/1/2020	11	1085.8	850	708.4	85	0	0	85
3/1/2020	12	1085.8	840	708.4	85	0	0	85
3/1/2020	13	1085.8	840	708.4	85	0	0	85
3/1/2020	14	1085.8	850	708.4	85	0	0	85
3/1/2020	15	1085.8	850	708.5	85	0	0	85
3/1/2020	16	1085.8	850	708.5	85	0	0	85
3/1/2020	17	1085.8	850	708.3	85	0	0	85
3/1/2020	18	1085.8	850	708.5	85	0	0	85
3/1/2020	19	1085.8	850	708.4	85	0	0	85
3/1/2020	20	1085.8	840	708.2	85	0	0	85
3/1/2020	21	1085.8	840	708.0	85	0	0	85
3/1/2020	22	1085.8	840	707.8	85	0	0	85
3/1/2020	23	1085.8	840	707.7	85	0	0	85
3/1/2020	24	1085.8	840	707.4	85	0	0	85
3/2/2020	1	1085.8	840	707.3	85	0	0	85
3/2/2020	2	1085.8	840	707.2	85	0	0	85
3/2/2020	3	1085.8	840	707.4	85	0	0	85
3/2/2020	4	1085.8	840	707.4	85	0	0	85
3/2/2020	5	1085.8	840	707.4	85	0	0	85
3/2/2020	6	1085.8	850	707.3	85	0	0	85
3/2/2020	7	1085.8	840	707.6	85	0	0	85
3/2/2020	8	1085.8	840	707.6	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/2/2020	9	1085.8	840	707.7	85	0	0	85
3/2/2020	10	1085.8	850	707.6	85	0	0	85
3/2/2020	11	1085.8	960	707.7	85	0	0	85
3/2/2020	12	1085.8	1090	707.7	85	0	0	85
3/2/2020	13	1085.8	1090	707.6	85	0	0	85
3/2/2020	14	1085.8	1100	707.7	85	0	0	85
3/2/2020	15	1085.8	1090	707.9	85	0	0	85
3/2/2020	16	1085.8	1100	707.9	85	0	0	85
3/2/2020	17	1085.8	1100	708.2	85	0	0	85
3/2/2020	18	1085.8	1100	708.4	85	0	0	85
3/2/2020	19	1085.8	1090	708.4	85	0	0	85
3/2/2020	20	1085.8	1090	708.5	85	0	0	85
3/2/2020	21	1085.8	1090	708.4	85	0	0	85
3/2/2020	22	1085.8	1090	708.5	85	0	0	85
3/2/2020	23	1085.8	850	708.3	85	0	0	85
3/2/2020	24	1085.8	840	707.9	85	0	0	85
3/3/2020	1	1085.8	840	707.9	85	0	0	85
3/3/2020	2	1085.8	850	707.8	85	0	0	85
3/3/2020	3	1085.8	840	707.9	85	0	0	85
3/3/2020	4	1085.8	850	707.9	85	0	0	85
3/3/2020	5	1085.8	840	708.1	85	0	0	85
3/3/2020	6	1085.8	850	708.1	85	0	0	85
3/3/2020	7	1085.8	1090	708.3	85	0	0	85
3/3/2020	8	1085.8	1080	708.2	85	0	0	85
3/3/2020	9	1085.8	1090	708.2	85	0	0	85
3/3/2020	10	1085.8	1100	708.3	85	0	0	85
3/3/2020	11	1085.8	1100	708.1	85	0	0	85
3/3/2020	12	1085.8	1100	708.0	85	0	0	85
3/3/2020	13	1085.8	1100	708.0	85	0	0	85
3/3/2020	14	1085.8	1100	708.3	85	0	0	85
3/3/2020	15	1085.8	1110	708.3	85	0	0	85
3/3/2020	16	1085.8	1110	708.5	85	0	0	85
3/3/2020	17	1085.8	1110	708.5	85	0	0	85
3/3/2020	18	1085.8	1100	708.7	85	0	0	85
3/3/2020	19	1085.8	1100	708.9	85	0	0	85
3/3/2020	20	1085.8	1100	709.0	85	0	0	85
3/3/2020	21	1085.8	1100	708.9	85	0	0	85
3/3/2020	22	1085.8	1100	709.0	85	0	0	85
3/3/2020	23	1085.8	850	708.7	85	0	0	85
3/3/2020	24	1085.8	840	708.1	85	0	0	85
3/4/2020	1	1085.8	840	707.9	85	0	0	85
3/4/2020	2	1085.8	840	707.9	85	0	0	85
3/4/2020	3	1085.8	840	707.7	85	0	0	85
3/4/2020	4	1085.8	850	707.6	85	0	0	85
3/4/2020	5	1085.8	840	707.7	85	0	0	85
3/4/2020	6	1085.8	840	707.5	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/4/2020	7	1085.8	930	707.5	85	0	0	85
3/4/2020	8	1085.8	1080	707.8	85	0	0	85
3/4/2020	9	1085.8	1090	707.7	85	0	0	85
3/4/2020	10	1085.8	1080	707.8	85	0	0	85
3/4/2020	11	1085.8	1090	708.1	85	0	0	85
3/4/2020	12	1085.8	1090	708.1	85	0	0	85
3/4/2020	13	1085.8	1100	708.0	85	0	0	85
3/4/2020	14	1085.8	1100	708.1	85	0	0	85
3/4/2020	15	1085.8	1090	708.1	85	0	0	85
3/4/2020	16	1085.8	1090	708.1	85	0	0	85
3/4/2020	17	1085.8	1100	707.9	85	0	0	85
3/4/2020	18	1085.8	1090	707.9	85	0	0	85
3/4/2020	19	1085.8	1080	707.7	85	0	0	85
3/4/2020	20	1085.8	1090	707.7	85	0	0	85
3/4/2020	21	1085.8	1090	707.6	85	0	0	85
3/4/2020	22	1085.8	1090	707.6	85	0	0	85
3/4/2020	23	1085.8	840	707.4	85	0	0	85
3/4/2020	24	1085.8	830	707.3	85	0	0	85
3/5/2020	1	1085.8	840	707.3	85	0	0	85
3/5/2020	2	1085.8	840	707.3	85	0	0	85
3/5/2020	3	1085.8	840	707.3	85	0	0	85
3/5/2020	4	1085.8	850	707.4	85	0	0	85
3/5/2020	5	1085.8	850	707.4	85	0	0	85
3/5/2020	6	1085.8	860	707.7	85	0	0	85
3/5/2020	7	1085.8	1590	708.2	85	0	0	85
3/5/2020	8	1085.7	1580	708.3	85	0	0	85
3/5/2020	9	1085.7	1590	708.2	85	0	0	85
3/5/2020	10	1085.8	1600	708.2	85	0	0	85
3/5/2020	11	1085.7	1620	708.2	85	0	0	85
3/5/2020	12	1085.7	1610	708.3	85	0	0	85
3/5/2020	13	1085.7	1610	708.4	85	0	0	85
3/5/2020	14	1085.7	1620	708.5	85	0	0	85
3/5/2020	15	1085.7	1630	708.6	85	0	0	85
3/5/2020	16	1085.7	1630	708.9	85	0	0	85
3/5/2020	17	1085.7	1620	708.8	85	0	0	85
3/5/2020	18	1085.7	1610	708.6	85	0	0	85
3/5/2020	19	1085.7	1600	708.6	85	0	0	85
3/5/2020	20	1085.7	1600	708.6	85	0	0	85
3/5/2020	21	1085.7	1600	708.5	85	0	0	85
3/5/2020	22	1085.7	1600	708.5	85	0	0	85
3/5/2020	23	1085.7	1000	708.0	85	0	0	85
3/5/2020	24	1085.7	830	707.7	85	0	0	85
3/6/2020	1	1085.7	840	707.6	85	0	0	85
3/6/2020	2	1085.7	840	707.4	85	0	0	85
3/6/2020	3	1085.7	840	707.4	85	0	0	85
3/6/2020	4	1085.7	840	707.3	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/6/2020	5	1085.7	840	707.5	85	0	0	85
3/6/2020	6	1085.7	840	707.5	85	0	0	85
3/6/2020	7	1085.7	1610	708.2	85	0	0	85
3/6/2020	8	1085.7	1600	708.5	85	0	0	85
3/6/2020	9	1085.7	1600	708.5	85	0	0	85
3/6/2020	10	1085.7	1600	708.7	85	0	0	85
3/6/2020	11	1085.7	1600	708.8	85	0	0	85
3/6/2020	12	1085.7	1600	708.8	85	0	0	85
3/6/2020	13	1085.7	1600	708.7	85	0	0	85
3/6/2020	14	1085.7	1600	708.6	85	0	0	85
3/6/2020	15	1085.7	1600	708.4	85	0	0	85
3/6/2020	16	1085.7	1620	708.4	85	0	0	85
3/6/2020	17	1085.7	1630	708.4	85	0	0	85
3/6/2020	18	1085.7	1620	708.4	85	0	0	85
3/6/2020	19	1085.7	1590	708.4	85	0	0	85
3/6/2020	20	1085.7	1610	708.3	85	0	0	85
3/6/2020	21	1085.7	1600	708.3	85	0	0	85
3/6/2020	22	1085.7	1600	708.2	85	0	0	85
3/6/2020	23	1085.7	850	707.6	85	0	0	85
3/6/2020	24	1085.7	830	707.3	85	0	0	85
3/7/2020	1	1085.7	840	707.2	85	0	0	85
3/7/2020	2	1085.7	830	707.3	85	0	0	85
3/7/2020	3	1085.7	840	707.3	85	0	0	85
3/7/2020	4	1085.7	840	707.4	85	0	0	85
3/7/2020	5	1085.7	840	707.5	85	0	0	85
3/7/2020	6	1085.7	900	707.8	85	0	0	85
3/7/2020	7	1085.7	1600	708.4	85	0	0	85
3/7/2020	8	1085.7	1610	708.7	85	0	0	85
3/7/2020	9	1085.7	1610	708.9	85	0	0	85
3/7/2020	10	1085.7	1610	709.1	85	0	0	85
3/7/2020	11	1085.7	1600	709.3	85	0	0	85
3/7/2020	12	1085.7	1610	709.4	85	0	0	85
3/7/2020	13	1085.7	1610	709.5	85	0	0	85
3/7/2020	14	1085.7	1600	709.7	85	0	0	85
3/7/2020	15	1085.7	1620	709.7	85	0	0	85
3/7/2020	16	1085.7	1600	709.4	85	0	0	85
3/7/2020	17	1085.7	1610	709.4	85	0	0	85
3/7/2020	18	1085.7	1610	709.3	85	0	0	85
3/7/2020	19	1085.7	1600	709.2	85	0	0	85
3/7/2020	20	1085.7	1600	709.2	85	0	0	85
3/7/2020	21	1085.7	1600	709.2	85	0	0	85
3/7/2020	22	1085.7	1600	709.4	85	0	0	85
3/7/2020	23	1085.7	870	709.4	85	0	0	85
3/7/2020	24	1085.7	830	709.0	85	0	0	85
3/8/2020	1	1085.7	840	708.5	85	0	0	85
3/8/2020	2	1085.7	840	708.3	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/8/2020	3	1085.7	840	708.3	85	0	0	85
3/8/2020	4	1085.6	840	708.1	85	0	0	85
3/8/2020	5	1085.6	850	707.9	85	0	0	85
3/8/2020	6	1085.6	840	707.8	85	0	0	85
3/8/2020	7	1085.6	830	707.8	85	0	0	85
3/8/2020	8	1085.6	840	708.2	85	0	0	85
3/8/2020	9	1085.6	830	708.5	85	0	0	85
3/8/2020	10	1085.6	840	708.9	85	0	0	85
3/8/2020	11	1085.6	840	708.9	85	0	0	85
3/8/2020	12	1085.6	840	709.2	85	0	0	85
3/8/2020	13	1085.6	840	709.0	85	0	0	85
3/8/2020	14	1085.6	830	709.0	85	0	0	85
3/8/2020	15	1085.6	830	708.6	85	0	0	85
3/8/2020	16	1085.6	840	708.3	85	0	0	85
3/8/2020	17	1085.6	840	708.1	85	0	0	85
3/8/2020	18	1085.6	840	707.9	85	0	0	85
3/8/2020	19	1085.6	840	708.0	85	0	0	85
3/8/2020	20	1085.6	840	708.0	85	0	0	85
3/8/2020	21	1085.6	840	707.8	85	0	0	85
3/8/2020	22	1085.6	830	707.6	85	0	0	85
3/8/2020	23	1085.7	830	707.9	85	0	0	85
3/8/2020	24	1085.6	840	708.0	85	0	0	85
3/9/2020	1	1085.6	830	707.9	85	0	0	85
3/9/2020	2	1085.7	830	707.9	85	0	0	85
3/9/2020	3	1085.7	840	708.5	85	0	0	85
3/9/2020	4	1085.6	840	708.6	86	0	0	86
3/9/2020	5	1085.6	840	708.8	85	0	0	85
3/9/2020	6	1085.6	880	708.9	84	0	0	84
3/9/2020	7	1085.6	1610	709.1	85	0	0	85
3/9/2020	8	1085.6	1610	709.0	85	0	0	85
3/9/2020	9	1085.6	1600	708.9	85	0	0	85
3/9/2020	10	1085.6	1600	709.0	85	0	0	85
3/9/2020	11	1085.6	1610	709.3	85	0	0	85
3/9/2020	12	1085.6	1600	709.2	85	0	0	85
3/9/2020	13	1085.6	1590	709.1	85	0	0	85
3/9/2020	14	1085.6	1600	709.1	85	0	0	85
3/9/2020	15	1085.6	1620	709.2	85	0	0	85
3/9/2020	16	1085.6	1620	709.5	85	0	0	85
3/9/2020	17	1085.6	1620	709.6	85	0	0	85
3/9/2020	18	1085.6	1620	709.4	85	0	0	85
3/9/2020	19	1085.6	1620	709.3	85	0	0	85
3/9/2020	20	1085.6	1610	709.3	85	0	0	85
3/9/2020	21	1085.6	1590	709.0	85	0	0	85
3/9/2020	22	1085.6	1590	708.9	85	0	0	85
3/9/2020	23	1085.6	870	708.3	85	0	0	85
3/9/2020	24	1085.6	840	707.5	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/10/2020	1	1085.6	840	707.4	85	0	0	85
3/10/2020	2	1085.6	840	707.3	85	0	0	85
3/10/2020	3	1085.6	840	707.2	85	0	0	85
3/10/2020	4	1085.6	840	707.3	85	0	0	85
3/10/2020	5	1085.6	850	707.4	85	0	0	85
3/10/2020	6	1085.6	850	707.5	85	0	0	85
3/10/2020	7	1085.6	850	707.5	85	0	0	85
3/10/2020	8	1085.6	850	707.7	85	0	0	85
3/10/2020	9	1085.6	840	707.5	85	0	0	85
3/10/2020	10	1085.6	840	707.4	85	0	0	85
3/10/2020	11	1085.6	850	707.7	85	0	0	85
3/10/2020	12	1085.6	850	707.8	85	0	0	85
3/10/2020	13	1085.6	850	708.3	85	0	0	85
3/10/2020	14	1085.6	1000	708.3	85	0	0	85
3/10/2020	15	1085.6	840	708.5	85	0	0	85
3/10/2020	16	1085.6	850	708.5	85	0	0	85
3/10/2020	17	1085.6	850	708.7	85	0	0	85
3/10/2020	18	1085.6	850	708.6	85	0	0	85
3/10/2020	19	1085.6	850	708.9	85	0	0	85
3/10/2020	20	1085.6	850	708.8	85	0	0	85
3/10/2020	21	1085.6	840	709.0	85	0	0	85
3/10/2020	22	1085.6	840	708.7	85	0	0	85
3/10/2020	23	1085.6	840	708.3	85	0	0	85
3/10/2020	24	1085.6	840	708.0	85	0	0	85
3/11/2020	1	1085.6	840	708.0	85	0	0	85
3/11/2020	2	1085.6	840	707.7	85	0	0	85
3/11/2020	3	1085.6	830	707.3	85	0	0	85
3/11/2020	4	1085.6	840	707.3	85	0	0	85
3/11/2020	5	1085.6	840	707.3	85	0	0	85
3/11/2020	6	1085.6	840	707.2	85	0	0	85
3/11/2020	7	1085.6	850	707.4	85	0	0	85
3/11/2020	8	1085.6	840	707.7	85	0	0	85
3/11/2020	9	1085.6	840	707.6	85	0	0	85
3/11/2020	10	1085.6	840	707.6	85	0	0	85
3/11/2020	11	1085.6	840	707.6	85	0	0	85
3/11/2020	12	1085.6	840	707.5	85	0	0	85
3/11/2020	13	1085.6	840	707.6	85	0	0	85
3/11/2020	14	1085.6	840	707.3	94	0	0	94
3/11/2020	15	1085.6	840	707.4	91	0	0	91
3/11/2020	16	1085.6	840	707.5	85	0	0	85
3/11/2020	17	1085.6	840	707.5	85	0	0	85
3/11/2020	18	1085.6	850	708.1	85	0	0	85
3/11/2020	19	1085.6	850	708.3	85	0	0	85
3/11/2020	20	1085.6	840	708.7	85	0	0	85
3/11/2020	21	1085.6	840	708.7	85	0	0	85
3/11/2020	22	1085.6	830	708.4	85	0	0	85

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/11/2020	23	1085.6	840	708.0	85	0	0	85
3/11/2020	24	1085.6	840	707.6	85	0	0	85
3/12/2020	1	1085.6	850	707.5	85	0	0	85
3/12/2020	2	1085.6	840	707.5	85	0	0	85
3/12/2020	3	1085.6	850	707.4	85	0	0	85
3/12/2020	4	1085.6	850	707.5	85	0	0	85
3/12/2020	5	1085.6	850	707.6	85	0	0	85
3/12/2020	6	1085.6	850	707.7	85	0	0	85
3/12/2020	7	1085.6	850	708.0	85	0	0	85
3/12/2020	8	1085.5	850	708.5	85	0	0	85
3/12/2020	9	1085.5	840	708.3	85	0	0	85
3/12/2020	10	1085.5	840	708.0	85	0	0	85
3/12/2020	11	1085.5	840	708.1	85	0	0	85
3/12/2020	12	1085.5	850	708.0	85	0	0	85
3/12/2020	13	1085.5	840	708.0	85	0	0	85
3/12/2020	14	1085.6	840	707.9	85	0	0	85
3/12/2020	15	1085.6	840	707.8	85	0	0	85
3/12/2020	16	1085.6	850	707.8	85	0	0	85
3/12/2020	17	1085.6	840	707.6	85	0	0	85
3/12/2020	18	1085.6	840	707.8	85	0	0	85
3/12/2020	19	1085.6	850	707.7	85	0	0	85
3/12/2020	20	1085.6	840	707.6	85	0	0	85
3/12/2020	21	1085.6	840	707.6	85	0	0	85
3/12/2020	22	1085.6	840	707.6	85	0	0	85
3/12/2020	23	1085.6	840	707.5	85	0	0	85
3/12/2020	24	1085.5	840	707.3	85	0	0	85
3/13/2020	1	1085.5	840	707.7	85	0	0	85
3/13/2020	2	1085.6	850	707.5	85	0	0	85
3/13/2020	3	1085.5	840	707.4	85	0	0	85
3/13/2020	4	1085.5	850	707.4	85	0	0	85
3/13/2020	5	1085.5	850	707.5	85	0	0	85
3/13/2020	6	1085.5	850	707.5	85	0	0	85
3/13/2020	7	1085.5	840	707.4	85	0	0	85
3/13/2020	8	1085.5	840	707.5	85	0	0	85
3/13/2020	9	1085.5	840	707.3	85	0	0	85
3/13/2020	10	1085.5	840	707.3	85	0	0	85
3/13/2020	11	1085.5	850	707.4	85	0	64	149
3/13/2020	12	1085.5	860	707.5	85	0	215	300
3/13/2020	13	1085.5	860	707.7	85	0	216	301
3/13/2020	14	1085.5	860	707.7	85	0	215	300
3/13/2020	15	1085.5	860	707.8	85	0	216	301
3/13/2020	16	1085.5	860	708.0	85	0	216	301
3/13/2020	17	1085.5	870	708.1	85	0	217	302
3/13/2020	18	1085.5	870	707.9	85	0	216	301
3/13/2020	19	1085.5	870	707.9	85	0	215	300
3/13/2020	20	1085.5	860	707.9	85	0	216	301

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/13/2020	21	1085.5	860	707.8	85	0	215	300
3/13/2020	22	1085.5	860	707.7	85	0	215	300
3/13/2020	23	1085.5	860	707.5	85	0	215	300
3/13/2020	24	1085.5	860	707.4	85	0	214	300
3/14/2020	1	1085.5	870	707.4	85	0	215	299
3/14/2020	2	1085.5	870	707.2	85	0	215	300
3/14/2020	3	1085.5	860	707.2	85	0	214	299
3/14/2020	4	1085.5	860	707.2	85	0	216	300
3/14/2020	5	1085.5	860	707.2	85	0	215	300
3/14/2020	6	1085.5	860	707.5	85	0	216	301
3/14/2020	7	1085.5	860	707.5	85	0	216	301
3/14/2020	8	1085.5	860	707.5	85	0	216	301
3/14/2020	9	1085.5	870	707.4	85	0	216	301
3/14/2020	10	1085.5	860	707.5	85	0	217	302
3/14/2020	11	1085.5	860	707.5	85	0	216	301
3/14/2020	12	1085.5	860	707.6	85	0	217	302
3/14/2020	13	1085.5	850	707.5	85	0	216	302
3/14/2020	14	1085.5	860	707.3	85	0	216	301
3/14/2020	15	1085.5	860	707.3	85	0	216	301
3/14/2020	16	1085.5	860	707.3	85	0	216	301
3/14/2020	17	1085.5	870	707.3	85	0	216	301
3/14/2020	18	1085.5	870	707.4	85	0	215	301
3/14/2020	19	1085.5	870	707.3	85	0	214	300
3/14/2020	20	1085.5	860	707.2	85	0	214	299
3/14/2020	21	1085.5	850	707.1	85	0	214	299
3/14/2020	22	1085.5	860	707.1	85	0	214	299
3/14/2020	23	1085.5	860	707.1	85	0	214	299
3/14/2020	24	1085.5	860	707.2	85	0	214	299
3/15/2020	1	1085.5	860	707.2	85	0	214	299
3/15/2020	2	1085.5	860	707.2	85	0	214	299
3/15/2020	3	1085.5	860	707.3	85	0	214	300
3/15/2020	4	1085.5	870	707.3	85	0	215	300
3/15/2020	5	1085.5	870	707.2	85	0	216	300
3/15/2020	6	1085.5	870	707.2	85	0	216	301
3/15/2020	7	1085.5	860	707.2	85	0	215	300
3/15/2020	8	1085.5	860	707.2	85	0	215	300
3/15/2020	9	1085.5	860	707.2	85	0	215	300
3/15/2020	10	1085.5	860	707.1	85	0	214	299
3/15/2020	11	1085.5	860	707.1	85	0	215	301
3/15/2020	12	1085.5	850	707.1	85	0	215	301
3/15/2020	13	1085.5	850	707.1	85	0	215	300
3/15/2020	14	1085.5	860	707.2	85	0	215	300
3/15/2020	15	1085.5	850	707.4	85	0	215	300
3/15/2020	16	1085.5	860	707.3	85	0	215	300
3/15/2020	17	1085.5	870	707.3	85	0	215	300
3/15/2020	18	1085.5	870	707.5	85	0	215	300

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/15/2020	19	1085.5	870	707.5	85	0	214	299
3/15/2020	20	1085.5	860	707.7	85	0	214	299
3/15/2020	21	1085.5	860	707.6	85	0	214	299
3/15/2020	22	1085.5	860	707.8	85	0	215	301
3/15/2020	23	1085.5	860	708.1	85	0	216	301
3/15/2020	24	1085.5	860	708.2	85	0	216	301
3/16/2020	1	1085.5	870	708.3	85	0	217	302
3/16/2020	2	1085.5	870	708.7	85	0	217	302
3/16/2020	3	1085.5	860	708.5	85	0	217	302
3/16/2020	4	1085.5	870	708.7	85	0	218	302
3/16/2020	5	1085.5	870	709.3	85	0	219	304
3/16/2020	6	1085.5	870	709.2	85	0	219	304
3/16/2020	7	1085.5	870	709.5	85	0	220	305
3/16/2020	8	1085.5	870	709.5	85	0	220	305
3/16/2020	9	1085.5	860	709.2	85	0	220	305
3/16/2020	10	1085.5	870	709.0	85	0	219	304
3/16/2020	11	1085.5	860	709.0	85	0	219	304
3/16/2020	12	1085.5	860	708.9	85	0	220	304
3/16/2020	13	1085.5	870	708.4	85	0	218	303
3/16/2020	14	1085.5	860	708.1	85	0	217	302
3/16/2020	15	1085.5	860	707.8	85	0	215	300
3/16/2020	16	1085.5	860	707.8	85	0	215	300
3/16/2020	17	1085.5	860	707.7	85	0	215	300
3/16/2020	18	1085.5	870	707.5	85	0	214	299
3/16/2020	19	1085.5	860	707.4	85	0	214	298
3/16/2020	20	1085.5	860	707.4	85	0	213	298
3/16/2020	21	1085.5	860	707.2	85	0	212	297
3/16/2020	22	1085.5	860	707.1	85	0	212	297
3/16/2020	23	1085.5	860	707.1	85	0	212	297
3/16/2020	24	1085.5	850	707.1	85	0	212	297
3/17/2020	1	1085.5	860	707.1	85	0	212	297
3/17/2020	2	1085.5	870	707.1	85	0	212	297
3/17/2020	3	1085.5	860	707.1	85	0	212	297
3/17/2020	4	1085.5	870	707.1	85	0	212	297
3/17/2020	5	1085.5	870	707.2	85	0	212	298
3/17/2020	6	1085.5	860	707.5	85	0	213	298
3/17/2020	7	1085.5	870	707.4	85	0	212	298
3/17/2020	8	1085.5	870	707.6	85	0	214	299
3/17/2020	9	1085.5	860	707.9	85	0	214	299
3/17/2020	10	1085.5	860	707.8	85	0	214	299
3/17/2020	11	1085.5	860	708.0	85	0	215	300
3/17/2020	12	1085.5	860	708.0	85	0	215	300
3/17/2020	13	1085.5	860	708.0	85	0	215	300
3/17/2020	14	1085.5	860	707.9	85	0	216	301
3/17/2020	15	1085.5	860	707.8	85	0	215	300
3/17/2020	16	1085.5	860	707.7	85	0	214	299

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/17/2020	17	1085.5	870	707.6	85	0	214	298
3/17/2020	18	1085.5	880	707.5	85	0	212	297
3/17/2020	19	1085.5	870	707.7	85	0	212	297
3/17/2020	20	1085.5	860	707.6	85	0	213	298
3/17/2020	21	1085.5	860	707.7	85	0	212	297
3/17/2020	22	1085.5	860	707.7	85	0	213	298
3/17/2020	23	1085.5	860	707.5	85	0	213	298
3/17/2020	24	1085.5	860	707.3	85	0	211	297
3/18/2020	1	1085.5	870	707.2	85	0	212	297
3/18/2020	2	1085.5	860	707.2	85	0	212	297
3/18/2020	3	1085.5	870	707.3	85	0	212	297
3/18/2020	4	1085.5	870	707.3	85	0	212	297
3/18/2020	5	1085.5	870	707.3	85	0	212	297
3/18/2020	6	1085.5	860	707.5	85	0	213	298
3/18/2020	7	1085.5	870	707.7	85	0	213	298
3/18/2020	8	1085.5	870	707.6	85	0	213	298
3/18/2020	9	1085.5	860	707.6	85	0	213	299
3/18/2020	10	1085.5	860	707.5	85	0	213	299
3/18/2020	11	1085.5	860	707.5	85	0	213	298
3/18/2020	12	1085.5	870	707.3	85	0	213	298
3/18/2020	13	1085.5	870	707.3	85	0	212	297
3/18/2020	14	1085.5	870	707.4	85	0	213	298
3/18/2020	15	1085.5	870	707.3	85	0	211	296
3/18/2020	16	1085.5	870	707.2	85	0	211	296
3/18/2020	17	1085.5	870	707.2	85	0	211	296
3/18/2020	18	1085.5	870	707.2	85	0	211	296
3/18/2020	19	1085.5	870	707.2	85	0	211	296
3/18/2020	20	1085.5	860	707.2	85	0	211	296
3/18/2020	21	1085.5	860	707.1	85	0	210	295
3/18/2020	22	1085.5	860	707.1	85	0	210	295
3/18/2020	23	1085.5	860	707.1	85	0	210	295
3/18/2020	24	1085.5	860	707.1	85	0	210	295
3/19/2020	1	1085.5	870	707.1	85	0	211	296
3/19/2020	2	1085.5	870	707.2	85	0	210	296
3/19/2020	3	1085.5	870	707.1	85	0	211	296
3/19/2020	4	1085.5	860	707.1	85	0	211	296
3/19/2020	5	1085.5	870	707.2	86	0	212	297
3/19/2020	6	1085.5	870	707.4	86	0	211	297
3/19/2020	7	1085.5	870	707.9	85	0	213	299
3/19/2020	8	1085.5	870	708.2	85	0	215	299
3/19/2020	9	1085.5	860	708.3	85	0	214	299
3/19/2020	10	1085.5	870	708.4	85	0	215	300
3/19/2020	11	1085.5	870	708.6	85	0	216	301
3/19/2020	12	1085.5	870	708.7	85	0	216	301
3/19/2020	13	1085.5	860	708.5	85	0	217	302
3/19/2020	14	1085.5	860	708.8	85	0	217	302

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/19/2020	15	1085.5	860	709.1	85	0	217	302
3/19/2020	16	1085.5	850	709.0	85	0	216	301
3/19/2020	17	1085.5	860	709.0	85	0	216	301
3/19/2020	18	1085.5	870	708.6	85	0	215	301
3/19/2020	19	1085.5	860	708.4	85	0	215	300
3/19/2020	20	1085.5	860	708.0	85	0	214	299
3/19/2020	21	1085.5	850	707.7	85	0	212	297
3/19/2020	22	1085.5	850	707.3	85	0	211	296
3/19/2020	23	1085.5	850	707.2	85	0	209	294
3/19/2020	24	1085.5	860	707.3	85	0	210	295
3/20/2020	1	1085.5	860	707.4	85	0	210	295
3/20/2020	2	1085.5	870	707.7	85	0	212	297
3/20/2020	3	1085.5	870	707.8	85	0	211	296
3/20/2020	4	1085.5	860	708.1	85	0	213	298
3/20/2020	5	1085.5	860	708.4	85	0	213	298
3/20/2020	6	1085.5	860	708.8	85	0	216	301
3/20/2020	7	1085.5	860	709.0	85	0	216	301
3/20/2020	8	1085.5	860	709.2	85	0	217	302
3/20/2020	9	1085.5	850	709.0	85	0	216	301
3/20/2020	10	1085.5	860	709.0	85	0	216	301
3/20/2020	11	1085.5	860	708.7	85	0	215	300
3/20/2020	12	1085.5	860	708.3	85	0	215	300
3/20/2020	13	1085.5	860	708.2	85	0	213	298
3/20/2020	14	1085.5	860	708.2	85	0	213	298
3/20/2020	15	1085.5	860	708.0	85	0	212	297
3/20/2020	16	1085.5	870	708.5	85	0	214	299
3/20/2020	17	1085.5	860	708.4	85	0	214	299
3/20/2020	18	1085.5	870	708.6	85	0	215	300
3/20/2020	19	1085.5	870	708.6	85	0	213	298
3/20/2020	20	1085.5	860	708.4	85	0	213	298
3/20/2020	21	1085.5	860	708.1	85	0	212	297
3/20/2020	22	1085.5	850	708.1	85	0	212	297
3/20/2020	23	1085.5	850	707.8	85	0	210	296
3/20/2020	24	1085.5	860	707.7	85	0	210	295
3/21/2020	1	1085.5	860	707.7	85	0	210	295
3/21/2020	2	1085.5	860	707.7	85	0	211	296
3/21/2020	3	1085.5	860	707.7	85	0	211	296
3/21/2020	4	1085.5	860	707.6	85	0	211	296
3/21/2020	5	1085.5	860	707.7	85	0	211	296
3/21/2020	6	1085.5	860	707.9	85	0	212	297
3/21/2020	7	1085.5	860	708.2	85	0	213	298
3/21/2020	8	1085.5	850	708.2	85	0	213	298
3/21/2020	9	1085.5	850	707.9	85	0	213	298
3/21/2020	10	1085.5	850	707.9	85	0	212	297
3/21/2020	11	1085.5	860	707.9	85	0	213	298
3/21/2020	12	1085.5	860	707.8	85	0	212	297

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/21/2020	13	1085.5	860	707.8	85	0	212	297
3/21/2020	14	1085.5	860	708.1	85	0	213	298
3/21/2020	15	1085.5	870	708.5	85	0	213	298
3/21/2020	16	1085.5	870	708.6	85	0	213	298
3/21/2020	17	1085.5	870	708.9	85	0	213	298
3/21/2020	18	1085.5	870	708.6	85	0	213	298
3/21/2020	19	1085.5	860	708.7	85	0	214	298
3/21/2020	20	1085.5	860	708.6	85	0	213	298
3/21/2020	21	1085.5	850	708.5	85	0	213	298
3/21/2020	22	1085.5	860	708.3	85	0	212	298
3/21/2020	23	1085.5	860	708.0	85	0	211	296
3/21/2020	24	1085.5	860	708.1	85	0	211	296
3/22/2020	1	1085.5	860	708.1	85	0	210	295
3/22/2020	2	1085.5	860	707.9	85	0	211	295
3/22/2020	3	1085.5	860	707.6	85	0	209	294
3/22/2020	4	1085.5	860	707.6	85	0	210	295
3/22/2020	5	1085.5	860	707.7	85	0	210	295
3/22/2020	6	1085.5	860	707.5	85	0	209	294
3/22/2020	7	1085.5	860	707.4	85	0	210	295
3/22/2020	8	1085.5	850	707.5	85	0	210	295
3/22/2020	9	1085.5	850	707.5	85	0	210	295
3/22/2020	10	1085.5	850	707.5	85	0	211	296
3/22/2020	11	1085.5	860	707.6	85	0	210	295
3/22/2020	12	1085.5	860	707.5	85	0	210	295
3/22/2020	13	1085.5	860	707.6	85	0	210	295
3/22/2020	14	1085.5	850	707.5	85	0	210	295
3/22/2020	15	1085.5	860	707.5	85	0	208	294
3/22/2020	16	1085.5	870	707.4	85	0	208	293
3/22/2020	17	1085.5	870	707.4	85	0	208	293
3/22/2020	18	1085.5	860	707.9	85	0	209	294
3/22/2020	19	1085.5	860	708.2	85	0	210	295
3/22/2020	20	1085.5	850	708.4	85	0	211	296
3/22/2020	21	1085.5	860	708.4	85	0	210	295
3/22/2020	22	1085.5	860	708.7	85	0	212	297
3/22/2020	23	1085.5	860	708.6	85	0	213	298
3/22/2020	24	1085.5	860	708.7	85	0	213	298
3/23/2020	1	1085.5	850	708.5	85	0	212	297
3/23/2020	2	1085.5	860	708.5	85	0	212	297
3/23/2020	3	1085.5	860	708.4	85	0	212	297
3/23/2020	4	1085.5	860	708.1	85	0	211	296
3/23/2020	5	1085.5	860	708.2	85	0	209	294
3/23/2020	6	1085.5	860	708.4	85	0	210	295
3/23/2020	7	1085.5	860	708.3	85	0	211	296
3/23/2020	8	1085.5	870	708.5	85	0	211	297
3/23/2020	9	1085.5	860	708.7	85	0	212	297
3/23/2020	10	1085.5	860	708.6	85	0	211	297

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/23/2020	11	1085.5	850	708.6	85	0	212	297
3/23/2020	12	1085.5	860	708.7	85	0	212	297
3/23/2020	13	1085.5	860	708.7	85	0	213	297
3/23/2020	14	1085.5	860	708.6	85	0	212	297
3/23/2020	15	1085.5	860	708.4	85	0	211	296
3/23/2020	16	1085.5	860	708.0	85	0	210	295
3/23/2020	17	1085.5	860	707.8	85	0	209	294
3/23/2020	18	1085.5	860	707.8	85	0	209	294
3/23/2020	19	1085.5	860	708.5	85	0	211	296
3/23/2020	20	1085.5	860	708.4	85	0	210	295
3/23/2020	21	1085.5	860	708.4	85	0	210	295
3/23/2020	22	1085.5	860	708.2	85	0	210	295
3/23/2020	23	1085.5	860	708.0	85	0	209	294
3/23/2020	24	1085.5	860	707.8	85	0	208	293
3/24/2020	1	1085.5	860	707.6	85	0	209	294
3/24/2020	2	1085.5	860	707.6	85	0	209	294
3/24/2020	3	1085.5	860	707.8	85	0	210	295
3/24/2020	4	1085.5	860	707.6	85	0	210	296
3/24/2020	5	1085.5	860	707.6	85	0	210	295
3/24/2020	6	1085.5	860	707.8	85	0	211	296
3/24/2020	7	1085.5	860	708.0	85	0	211	297
3/24/2020	8	1085.5	860	707.9	85	0	211	296
3/24/2020	9	1085.5	860	707.7	85	0	210	295
3/24/2020	10	1085.5	860	707.8	85	0	212	296
3/24/2020	11	1085.5	860	707.9	85	0	212	297
3/24/2020	12	1085.5	870	708.0	85	0	212	297
3/24/2020	13	1085.5	860	708.1	85	0	212	297
3/24/2020	14	1085.5	860	708.2	85	0	212	297
3/24/2020	15	1085.5	860	708.3	85	0	212	297
3/24/2020	16	1085.5	860	708.6	85	0	213	298
3/24/2020	17	1085.5	860	708.8	85	0	212	297
3/24/2020	18	1085.5	870	709.1	85	0	213	298
3/24/2020	19	1085.5	870	709.2	85	0	214	299
3/24/2020	20	1085.5	860	709.0	85	0	213	298
3/24/2020	21	1085.5	860	708.9	85	0	213	298
3/24/2020	22	1085.5	860	708.6	85	0	213	298
3/24/2020	23	1085.5	860	708.3	85	0	212	297
3/24/2020	24	1085.5	860	708.5	85	0	213	298
3/25/2020	1	1085.5	860	708.5	85	0	212	298
3/25/2020	2	1085.5	860	708.6	85	0	213	298
3/25/2020	3	1085.5	870	708.8	85	0	213	299
3/25/2020	4	1085.5	870	709.0	85	0	214	299
3/25/2020	5	1085.5	860	709.1	85	0	215	300
3/25/2020	6	1085.5	860	709.0	85	0	215	300
3/25/2020	7	1085.5	870	709.1	85	0	214	299
3/25/2020	8	1085.5	870	709.4	85	0	216	301

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/25/2020	9	1085.5	860	709.2	85	0	215	301
3/25/2020	10	1085.5	860	709.0	85	0	214	299
3/25/2020	11	1085.5	860	709.4	85	0	216	301
3/25/2020	12	1085.4	870	709.5	85	0	216	301
3/25/2020	13	1085.4	870	709.4	85	0	216	301
3/25/2020	14	1085.5	870	709.2	85	0	214	299
3/25/2020	15	1085.4	860	708.8	85	0	215	300
3/25/2020	16	1085.4	860	708.5	85	0	213	298
3/25/2020	17	1085.4	870	708.4	85	0	212	297
3/25/2020	18	1085.4	870	708.0	85	0	210	295
3/25/2020	19	1085.4	860	708.0	85	0	210	295
3/25/2020	20	1085.4	860	707.5	85	0	208	293
3/25/2020	21	1085.4	850	707.3	85	0	209	294
3/25/2020	22	1085.5	860	707.1	85	0	208	293
3/25/2020	23	1085.5	860	707.1	85	0	208	293
3/25/2020	24	1085.5	860	707.1	85	0	208	292
3/26/2020	1	1085.5	860	707.4	85	0	208	293
3/26/2020	2	1085.5	860	707.2	85	0	209	294
3/26/2020	3	1085.5	860	707.3	85	0	209	294
3/26/2020	4	1085.5	860	707.4	85	0	209	294
3/26/2020	5	1085.5	860	707.3	85	0	209	294
3/26/2020	6	1085.5	860	707.3	85	0	210	295
3/26/2020	7	1085.4	860	707.7	85	0	211	296
3/26/2020	8	1085.4	860	707.7	85	0	211	296
3/26/2020	9	1085.4	850	707.4	85	0	210	295
3/26/2020	10	1085.5	860	707.5	85	0	210	295
3/26/2020	11	1085.4	860	707.6	85	0	206	291
3/26/2020	12	1085.4	870	707.6	85	0	204	289
3/26/2020	13	1085.5	860	708.0	85	0	209	294
3/26/2020	14	1085.5	850	708.2	85	0	210	295
3/26/2020	15	1085.5	850	707.9	85	0	208	294
3/26/2020	16	1085.5	870	708.3	85	0	209	294
3/26/2020	17	1085.5	860	708.1	85	0	209	293
3/26/2020	18	1085.5	870	708.1	85	0	209	294
3/26/2020	19	1085.5	870	707.8	85	0	208	294
3/26/2020	20	1085.5	860	707.9	85	0	208	294
3/26/2020	21	1085.5	860	707.8	85	0	209	294
3/26/2020	22	1085.5	860	707.5	85	0	208	293
3/26/2020	23	1085.5	860	707.5	85	0	209	294
3/26/2020	24	1085.5	850	707.3	85	0	209	293
3/27/2020	1	1085.5	860	707.2	85	0	208	294
3/27/2020	2	1085.5	850	707.3	85	0	209	294
3/27/2020	3	1085.5	870	707.3	85	0	209	294
3/27/2020	4	1085.5	860	707.4	85	0	209	294
3/27/2020	5	1085.5	860	707.5	85	0	209	295
3/27/2020	6	1085.5	860	707.6	85	0	210	295

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/27/2020	7	1085.4	860	708.1	85	0	205	290
3/27/2020	8	1085.4	860	707.7	85	0	211	296
3/27/2020	9	1085.4	860	707.7	85	0	211	296
3/27/2020	10	1085.4	860	707.6	85	0	199	284
3/27/2020	11	1085.4	860	707.7	85	0	198	283
3/27/2020	12	1085.4	860	707.8	85	0	199	283
3/27/2020	13	1085.5	850	707.7	85	0	197	283
3/27/2020	14	1085.5	850	707.5	85	0	205	290
3/27/2020	15	1085.4	850	707.6	85	0	209	294
3/27/2020	16	1085.4	860	707.6	85	0	208	293
3/27/2020	17	1085.5	860	707.5	85	0	209	293
3/27/2020	18	1085.5	870	707.7	85	0	208	294
3/27/2020	19	1085.4	870	708.1	85	0	209	294
3/27/2020	20	1085.5	860	708.2	85	0	210	294
3/27/2020	21	1085.5	850	708.1	85	0	210	295
3/27/2020	22	1085.5	860	708.0	85	0	210	295
3/27/2020	23	1085.4	860	707.8	85	0	209	293
3/27/2020	24	1085.5	860	707.7	85	0	210	295
3/28/2020	1	1085.5	850	707.9	85	0	210	295
3/28/2020	2	1085.4	860	707.9	85	0	210	295
3/28/2020	3	1085.4	860	708.0	85	0	211	296
3/28/2020	4	1085.4	870	708.2	85	0	211	296
3/28/2020	5	1085.4	860	708.4	85	0	212	297
3/28/2020	6	1085.4	860	708.4	85	0	212	297
3/28/2020	7	1085.4	860	708.8	85	0	213	298
3/28/2020	8	1085.4	860	708.7	85	0	213	298
3/28/2020	9	1085.4	860	708.5	85	0	212	297
3/28/2020	10	1085.4	860	708.3	85	0	213	298
3/28/2020	11	1085.4	860	708.3	85	0	212	297
3/28/2020	12	1085.5	860	708.1	85	0	210	295
3/28/2020	13	1085.5	860	708.3	85	0	211	296
3/28/2020	14	1085.4	860	708.1	85	0	210	295
3/28/2020	15	1085.4	860	708.1	85	0	210	295
3/28/2020	16	1085.4	860	708.0	85	0	210	295
3/28/2020	17	1085.4	870	708.1	85	0	209	294
3/28/2020	18	1085.4	870	708.1	85	0	209	294
3/28/2020	19	1085.4	870	708.2	85	0	210	295
3/28/2020	20	1085.4	860	708.2	85	0	211	296
3/28/2020	21	1085.4	860	708.2	85	0	210	295
3/28/2020	22	1085.4	860	707.8	85	0	208	293
3/28/2020	23	1085.4	860	707.8	85	0	209	294
3/28/2020	24	1085.4	850	707.7	85	0	208	293
3/29/2020	1	1085.4	860	708.1	85	0	210	295
3/29/2020	2	1085.4	860	707.8	85	0	209	294
3/29/2020	3	1085.4	860	707.3	85	0	207	292
3/29/2020	4	1085.4	860	707.6	85	0	209	294

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/29/2020	5	1085.4	860	707.6	85	0	209	294
3/29/2020	6	1085.4	860	707.3	85	0	208	293
3/29/2020	7	1085.4	860	707.2	85	0	208	293
3/29/2020	8	1085.4	850	707.4	85	0	209	294
3/29/2020	9	1085.4	850	707.3	85	0	208	293
3/29/2020	10	1085.4	850	707.3	85	0	209	293
3/29/2020	11	1085.4	860	707.5	85	0	209	293
3/29/2020	12	1085.5	860	707.5	85	0	209	295
3/29/2020	13	1085.5	850	707.5	85	0	208	293
3/29/2020	14	1085.5	860	707.6	85	0	208	293
3/29/2020	15	1085.5	860	707.5	85	0	208	293
3/29/2020	16	1085.5	860	707.3	85	0	208	293
3/29/2020	17	1085.5	870	707.3	85	0	207	292
3/29/2020	18	1085.5	860	707.4	85	0	206	291
3/29/2020	19	1085.5	870	707.5	85	0	207	292
3/29/2020	20	1085.5	860	707.5	85	0	207	292
3/29/2020	21	1085.5	850	707.6	85	0	207	292
3/29/2020	22	1085.5	850	707.5	85	0	208	293
3/29/2020	23	1085.5	860	707.7	85	0	208	293
3/29/2020	24	1085.5	860	708.1	85	0	209	294
3/30/2020	1	1085.5	860	708.5	85	0	210	295
3/30/2020	2	1085.5	870	709.2	85	0	213	298
3/30/2020	3	1085.5	870	709.5	85	0	213	298
3/30/2020	4	1085.4	870	709.4	85	0	213	298
3/30/2020	5	1085.4	860	708.9	85	0	211	296
3/30/2020	6	1085.4	860	708.9	85	0	212	297
3/30/2020	7	1085.4	860	709.0	85	0	211	296
3/30/2020	8	1085.4	860	709.1	85	0	211	296
3/30/2020	9	1085.5	860	709.2	85	0	211	296
3/30/2020	10	1085.5	860	709.2	85	0	214	299
3/30/2020	11	1085.5	860	709.2	85	0	213	298
3/30/2020	12	1085.5	870	709.2	85	0	213	298
3/30/2020	13	1085.5	860	708.9	85	0	211	296
3/30/2020	14	1085.5	860	708.7	85	0	210	295
3/30/2020	15	1085.5	860	708.6	85	0	210	295
3/30/2020	16	1085.5	860	708.4	85	0	209	293
3/30/2020	17	1085.5	860	708.2	85	0	209	294
3/30/2020	18	1085.5	860	708.0	85	0	208	293
3/30/2020	19	1085.5	870	707.8	85	0	208	293
3/30/2020	20	1085.5	860	707.9	85	0	209	293
3/30/2020	21	1085.5	850	708.0	85	0	208	293
3/30/2020	22	1085.5	860	707.9	85	0	208	293
3/30/2020	23	1085.5	860	707.7	85	0	208	293
3/30/2020	24	1085.5	860	707.9	85	0	209	294
3/31/2020	1	1085.5	860	708.5	85	0	210	295
3/31/2020	2	1085.5	860	708.2	85	0	210	295

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/31/2020	3	1085.5	860	708.3	85	0	210	295
3/31/2020	4	1085.5	860	708.7	85	0	212	297
3/31/2020	5	1085.5	870	708.7	85	0	212	297
3/31/2020	6	1085.5	860	709.0	85	0	213	298
3/31/2020	7	1085.5	860	709.3	85	0	214	299
3/31/2020	8	1085.5	860	709.2	85	0	214	298
3/31/2020	9	1085.5	860	709.1	85	0	212	297
3/31/2020	10	1085.5	860	708.7	85	0	212	297
3/31/2020	11	1085.5	860	708.6	85	0	211	296
3/31/2020	12	1085.5	860	708.7	85	0	213	298
3/31/2020	13	1085.5	850	708.7	85	0	210	295
3/31/2020	14	1085.5	860	708.7	85	0	211	296
3/31/2020	15	1085.5	860	708.7	85	0	211	296
3/31/2020	16	1085.5	860	708.4	85	0	209	295
3/31/2020	17	1085.5	860	708.3	85	0	210	295
3/31/2020	18	1085.5	870	708.2	85	0	208	294
3/31/2020	19	1085.5	860	708.2	85	0	208	294
3/31/2020	20	1085.5	850	707.8	85	0	209	294
3/31/2020	21	1085.5	860	707.5	85	0	207	292
3/31/2020	22	1085.5	860	707.5	85	0	208	293
3/31/2020	23	1085.5	860	707.3	85	0	208	292
3/31/2020	24	1085.5	860	707.2	85	0	207	292

Date	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
1/1/2020	1088.7	855	707.4	85	0	0	85
1/2/2020	1088.7	995	708.0	85	0	0	85
1/3/2020	1088.7	997	708.1	85	0	0	85
1/4/2020	1088.7	923	709.1	85	0	0	85
1/5/2020	1088.6	833	708.4	85	0	0	85
1/6/2020	1088.6	1884	708.4	85	0	0	85
1/7/2020	1088.6	1815	708.6	85	0	0	85
1/8/2020	1088.5	1888	708.5	85	0	0	85
1/9/2020	1088.5	1857	709.1	85	0	0	85
1/10/2020	1088.4	1865	709.1	85	0	0	85
1/11/2020	1088.4	1883	708.4	85	0	0	85
1/12/2020	1088.3	838	708.5	85	0	0	85
1/13/2020	1088.2	2379	709.5	85	0	0	85
1/14/2020	1088.1	2392	709.8	85	0	0	85
1/15/2020	1088.0	2397	709.0	85	0	0	85
1/16/2020	1087.9	2398	709.6	85	0	0	85
1/17/2020	1087.8	2396	709.4	85	0	0	85
1/18/2020	1087.7	1880	708.9	85	0	0	85
1/19/2020	1087.7	837	708.1	85	0	0	85
1/20/2020	1087.7	1883	709.4	85	0	0	85
1/21/2020	1087.6	1876	709.1	85	0	0	85
1/22/2020	1087.5	1887	709.3	85	0	0	85
1/23/2020	1087.5	1962	708.8	85	0	0	85
1/24/2020	1087.4	1963	708.7	85	0	0	85
1/25/2020	1087.3	1965	709.3	85	0	0	85
1/26/2020	1087.3	1084	708.6	86	0	0	86
1/27/2020	1087.2	1968	709.3	86	0	0	86
1/28/2020	1087.1	1963	709.3	86	0	0	86
1/29/2020	1087.1	1962	708.8	86	0	0	86
1/30/2020	1087.0	1963	709.3	86	0	0	86
1/31/2020	1086.9	1960	708.9	86	0	0	86
2/1/2020	1087.0	1966	708.6	86	0	0	86
2/2/2020	1087.0	1085	709.0	86	0	0	86
2/3/2020	1087.1	2091	708.9	86	0	0	86
2/4/2020	1087.0	2394	709.0	86	0	0	86
2/5/2020	1087.0	2395	709.4	86	0	0	86
2/6/2020	1087.0	2386	709.6	86	0	0	86
2/7/2020	1086.9	2393	709.8	86	0	0	86
2/8/2020	1086.9	2389	708.8	86	0	0	86
2/9/2020	1086.9	2397	709.2	86	0	0	86
2/10/2020	1086.8	2396	709.0	86	0	0	86
2/11/2020	1086.7	2394	708.9	86	0	0	86
2/12/2020	1086.6	2403	709.4	86	0	0	86
2/13/2020	1086.6	2407	709.7	86	0	0	86
2/14/2020	1086.5	2413	710.3	86	0	0	86

Date	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
2/15/2020	1086.4	1968	709.4	86	0	0	86
2/16/2020	1086.4	1085	709.7	86	0	0	86
2/17/2020	1086.4	1973	710.1	86	0	0	86
2/18/2020	1086.3	1993	710.1	86	0	0	86
2/19/2020	1086.2	1955	709.0	86	0	0	86
2/20/2020	1086.1	1880	708.8	86	0	0	86
2/21/2020	1086.1	1897	708.5	86	0	0	86
2/22/2020	1086.0	1803	708.4	86	0	0	86
2/23/2020	1086.0	835	708.0	86	0	0	86
2/24/2020	1086.0	1344	709.2	86	0	0	86
2/25/2020	1085.9	1343	709.2	86	0	0	86
2/26/2020	1085.9	1337	709.1	85	0	0	85
2/27/2020	1085.9	1039	709.0	85	0	0	85
2/28/2020	1085.8	1019	708.6	85	0	0	85
2/29/2020	1085.8	1010	708.5	85	0	0	85
3/1/2020	1085.8	845	708.1	85	0	0	85
3/2/2020	1085.8	963	707.8	85	0	0	85
3/3/2020	1085.8	1015	708.3	85	0	0	85
3/4/2020	1085.8	1000	707.8	85	0	0	85
3/5/2020	1085.7	1359	708.1	85	0	0	85
3/6/2020	1085.7	1350	708.1	85	0	0	85
3/7/2020	1085.7	1353	708.8	85	0	0	85
3/8/2020	1085.6	838	708.3	85	0	0	85
3/9/2020	1085.6	1353	708.9	85	0	0	85
3/10/2020	1085.6	852	708.0	85	0	0	85
3/11/2020	1085.6	840	707.7	86	0	0	86
3/12/2020	1085.6	844	707.8	85	0	0	85
3/13/2020	1085.5	854	707.6	85	0	119	204
3/14/2020	1085.5	862	707.3	85	0	215	300
3/15/2020	1085.5	861	707.4	85	0	215	300
3/16/2020	1085.5	864	708.3	85	0	216	301
3/17/2020	1085.5	864	707.6	85	0	213	298
3/18/2020	1085.5	866	707.3	85	0	212	297
3/19/2020	1085.5	863	708.0	85	0	214	299
3/20/2020	1085.5	861	708.3	85	0	213	298
3/21/2020	1085.5	860	708.1	85	0	212	297
3/22/2020	1085.5	859	707.8	85	0	210	295
3/23/2020	1085.5	860	708.3	85	0	211	296
3/24/2020	1085.5	861	708.2	85	0	212	297
3/25/2020	1085.4	863	708.5	85	0	213	298
3/26/2020	1085.5	860	707.6	85	0	209	294
3/27/2020	1085.4	859	707.7	85	0	207	292
3/28/2020	1085.4	861	708.2	85	0	210	296
3/29/2020	1085.4	858	707.5	85	0	208	293
3/30/2020	1085.5	862	708.6	85	0	210	295

Date	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
3/31/2020	1085.5	860	708.4	85	0	210	295