

**From:** [Hopkins, Scott](#)  
**To:** "[Ashley Rawhouser](#)"; "[bgoedde@cityofchelan.us](#)"; "[Breean Zimmerman](#)"; [Buehn, Scott](#); "[Carl Merkle](#)"; [Clement, Marcie](#); "[David Bowen](#)"; "[Emily Johnson](#)"; "[Graham Simon](#)"; "[Hugh Anthony](#)"; "[Jim Pacheco](#)"; "[Justin Yeager](#)"; "[Kari Grover Wier](#)"; "[Mark Peterschmidt](#)"; [Osborn, Jeff](#); "[warp@yakamafish-nsn.gov](#)"; "[Phil Archibald](#)"; "[robin@mansonparks.com](#)"; "[Ryan Layton@parks.wa.gov](#)"; [Smith, Michelle](#); "[Steve Lewis](#)"; "[Thomas O'Keefe](#)"; [Towey, Bill](#); "[Travis Maitland](#)"; [Underwood, Alene](#); [Von Reis, Charles](#); [Willard, Catherine](#); "[Chuck Brushwood](#)"; "[Mayfield, Mariah - FS](#)"; "[Kevin Wright](#)"; "[Esh, Nathan](#)"; "[randi\\_riggs@fws.gov](#)"; [Wasniewski, John](#); "[jamesurness@hotmail.com](#)"; "[wfarris@cityofchelan.us](#)"  
**Cc:** [Whiteman, Martha](#)  
**Subject:** Chelan River Temperature Monitoring Data - 1st Quarterly Reports  
**Date:** Tuesday, April 28, 2020 10:51:51 AM  
**Attachments:** [2020 Chelan River Daily Temperature Data 1st Quarterly Report.pdf](#)  
[2020 Chelan River Hourly Temperature Data 1st Quarterly Report.pdf](#)  
[image001.png](#)

---

PUBLIC UTILITY DISTRICT NO. 1 of CHELAN COUNTY  
P.O. Box 1231, Wenatchee, WA 98807-1231 • 327 N. Wenatchee Ave., Wenatchee, WA 98801  
(509) 663-8121 • Toll free 1-888-663-8121 • [www.chelanpud.org](http://www.chelanpud.org)

To: Department of Ecology  
Water Quality Program  
Central Regional Office

Chelan River Fishery Forum:  
Washington Department of Ecology  
Washington Department of Fish and Wildlife  
United States Forest Service  
National Park Service  
United States Fish and Wildlife Service  
National Marine Fisheries Service  
CCT (Colville)  
YN (Yakama)  
CTUIR (Umatilla tribe)  
Lake Chelan Sportsman Association  
United States Geological Survey  
Washington State Parks and Recreation Commission  
Washington State Recreation and Conservation Office  
City of Chelan  
Manson Parks and Recreation Department  
Lake Chelan Recreation Association  
American Whitewater

From: Scott Hopkins, Fisheries Biologist II  
Public Utility District No. 1 of Chelan County (Chelan PUD)  
[scott.hopkins@chelanpud.org](mailto:scott.hopkins@chelanpud.org)  
(509)661-4763

Re: Lake Chelan Hydroelectric Project No. 637 (Project)  
Appendix D 401 Water Quality Certification Condition V.C.i)  
Water Temperature Data Reports: 1st Quarter

-----  
-----  
Dear Ecology Water Quality Program, Chelan River Fishery Forum, and Other Parties:

Water temperature monitoring data for the 1st Quarter 2020 are provided in the attached files. This information will be posted to the Chelan County PUD external website under "River Flows, Water Temperatures and Total Dissolved Gas" (link below).

<https://www.chelanpud.org/parks-and-recreation/river-flows-and-water-temperatures>

Data during times of maintenance, calibration, or other miscellaneous events have been denoted with "NA" to designate these periods when data was either unavailable or inaccurate. Noteworthy events labeled with "NA" are explained below.

- Data from the missing hour due to Daylight Savings Time was filled in with the previous hour's value. This is consistent with methods used in previous years.

Please feel free to call or email any questions or comments.



**Scott Hopkins**

Fisheries Biologist II  
Chelan County P.U.D.  
P: (509) 661-4763  
C: (509) 630-2708

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/1/2020	5.5	5.5	5.8	5.9	5.9	6.3	6.3	5.7
1/2/2020	5.9	5.9	5.8	5.7	5.7	5.8	6.7	6.1
1/3/2020	6.2	6.2	6.3	6.2	6.2	6.3	7.0	6.4
1/4/2020	6.1	6.1	6.0	5.9	6.0	6.1	6.9	6.2
1/5/2020	6.0	6.0	5.8	5.6	5.7	5.5	6.8	6.2
1/6/2020	5.7	5.6	5.3	5.2	5.2	4.9	6.4	5.8
1/7/2020	5.8	5.8	5.5	5.3	5.3	5.0	6.6	5.9
1/8/2020	6.0	6.0	5.8	5.7	5.7	5.7	6.7	6.1
1/9/2020	5.7	5.7	5.1	4.9	5.1	4.7	6.4	5.8
1/10/2020	5.4	5.4	4.8	4.4	4.5	4.1	6.2	5.5
1/11/2020	5.6	5.5	5.3	5.0	5.0	4.8	6.3	5.7
1/12/2020	5.5	5.5	5.2	4.9	5.0	4.6	6.3	5.6
1/13/2020	4.9	4.8	3.2	2.8	3.1	1.7	5.5	4.9
1/14/2020	4.6	4.4	2.7	2.1	2.2	0.9	5.2	4.6
1/15/2020	4.3	4.1	2.5	1.9	1.9	0.6	4.9	4.2
1/16/2020	4.2	4.2	3.5	3.0	2.9	2.3	4.9	4.2
1/17/2020	4.2	4.1	3.3	3.0	3.0	2.1	4.9	4.2
1/18/2020	4.1	4.0	3.5	3.2	3.1	2.6	4.7	4.1
1/19/2020	4.3	4.3	4.5	4.3	4.2	4.0	5.0	4.3
1/20/2020	4.4	4.4	4.7	4.7	4.6	4.5	5.1	4.4
1/21/2020	4.7	4.7	4.7	4.6	4.6	4.4	5.5	4.8
1/22/2020	5.0	5.1	4.6	4.5	4.5	4.2	5.8	5.1
1/23/2020	5.3	5.3	5.4	5.3	5.2	5.0	6.0	5.4
1/24/2020	5.4	5.5	5.7	5.7	5.7	5.5	6.2	5.5
1/25/2020	5.4	5.4	5.5	5.5	5.5	5.3	6.1	5.5
1/26/2020	5.4	5.5	5.7	5.7	5.7	5.5	6.2	5.5
1/27/2020	5.5	5.5	5.6	5.7	5.7	5.4	6.2	5.6
1/28/2020	5.4	5.5	5.6	5.6	5.6	5.4	6.2	5.6
1/29/2020	5.6	5.6	5.8	5.8	5.8	5.5	6.4	5.7
1/30/2020	5.5	5.6	5.7	5.8	5.7	5.6	6.3	5.6
1/31/2020	5.6	5.7	5.8	5.9	5.8	5.8	6.4	5.7
2/1/2020	5.8	5.9	6.3	6.5	6.4	6.7	6.6	5.9
2/2/2020	5.4	5.5	5.1	5.1	5.2	4.9	6.2	5.5
2/3/2020	5.1	5.1	4.6	4.4	4.5	4.0	5.8	5.2
2/4/2020	4.8	4.8	4.1	3.9	4.0	3.3	5.6	4.9
2/5/2020	4.9	4.9	4.7	4.6	4.5	4.3	5.6	4.9
2/6/2020	5.0	5.0	5.0	4.9	4.9	4.7	5.7	5.0
2/7/2020	5.2	5.3	5.4	5.4	5.4	5.3	6.0	5.3
2/8/2020	5.3	5.4	5.4	5.5	5.5	5.4	6.1	5.4
2/9/2020	5.2	5.2	5.0	4.9	5.0	4.7	5.9	5.2
2/10/2020	5.1	5.1	5.0	4.9	4.9	4.7	5.9	5.2
2/11/2020	5.2	5.2	5.3	5.3	5.2	5.4	6.0	5.3
2/12/2020	5.3	5.4	5.4	5.4	5.3	5.4	6.1	5.4
2/13/2020	5.3	5.3	5.1	5.0	5.0	4.7	6.1	5.4
2/14/2020	5.4	5.5	5.4	5.3	5.3	5.4	6.2	5.5
2/15/2020	5.4	5.5	5.4	5.4	5.4	5.3	6.3	5.5

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/16/2020	5.4	5.5	5.3	5.3	5.3	5.3	6.2	5.5
2/17/2020	5.4	5.4	5.3	5.3	5.2	5.2	6.2	5.5
2/18/2020	5.4	5.4	5.1	5.0	5.0	4.8	6.1	5.5
2/19/2020	5.3	5.4	5.1	4.9	4.9	4.7	6.1	5.5
2/20/2020	5.3	5.3	5.1	5.0	5.0	4.8	6.1	5.4
2/21/2020	5.3	5.3	5.3	5.1	5.1	5.0	6.1	5.4
2/22/2020	5.5	5.6	5.8	5.7	5.7	5.8	6.4	5.7
2/23/2020	5.7	5.8	6.0	6.1	6.0	6.1	6.6	5.9
2/24/2020	5.7	5.8	5.8	5.8	5.8	5.9	6.6	5.8
2/25/2020	5.8	5.9	6.0	5.9	5.9	5.8	6.6	5.9
2/26/2020	6.0	6.1	6.3	6.4	6.3	6.4	6.9	6.2
2/27/2020	6.1	6.2	6.3	6.4	6.4	6.4	7.0	6.2
2/28/2020	6.2	6.4	6.6	6.6	6.6	6.8	7.1	6.4
2/29/2020	6.2	6.3	6.4	6.5	6.5	6.6	7.1	6.3
3/1/2020	6.2	6.2	6.3	6.2	6.2	6.1	7.0	6.2
3/2/2020	6.3	6.5	6.9	6.9	6.8	7.3	7.2	6.5
3/3/2020	6.8	6.9	7.4	7.5	7.4	8.2	7.7	6.9
3/4/2020	6.7	6.8	7.0	7.2	7.2	7.4	7.6	6.8
3/5/2020	6.6	6.8	6.9	6.9	6.9	6.9	7.5	6.7
3/6/2020	6.6	6.8	7.0	7.1	7.1	7.2	7.5	6.7
3/7/2020	6.8	6.9	7.3	7.5	7.5	7.6	7.7	6.9
3/8/2020	6.6	6.8	6.9	7.0	7.0	7.0	7.5	6.7
3/9/2020	6.9	7.0	6.9	6.9	6.8	6.7	7.7	7.0
3/10/2020	6.8	6.9	7.0	6.9	6.9	6.9	7.6	6.8
3/11/2020	6.9	7.1	7.4	7.6	7.5	7.9	7.9	7.1
3/12/2020	6.9	7.0	7.1	7.1	7.1	7.1	7.7	6.9
3/13/2020	6.6	6.7	6.2	6.3	6.6	6.3	7.5	6.7
3/14/2020	6.0	6.0	5.8	5.7	6.0	5.9	6.8	6.0
3/15/2020	5.7	5.7	5.6	5.4	5.7	5.6	6.5	5.7
3/16/2020	5.8	5.8	6.1	6.0	5.9	5.9	6.6	5.9
3/17/2020	6.2	6.3	6.5	6.5	6.4	6.4	7.1	6.4
3/18/2020	6.6	6.7	7.1	7.1	6.8	6.9	7.8	6.7
3/19/2020	7.0	7.2	7.6	7.7	7.3	7.4	8.0	7.1
3/20/2020	7.6	7.8	8.3	8.3	7.8	8.0	8.5	7.7
3/21/2020	8.2	8.4	8.8	8.8	8.4	8.5	9.1	8.3
3/22/2020	8.6	8.9	9.0	9.0	8.9	8.9	9.6	8.7
3/23/2020	8.7	8.9	9.1	9.2	8.9	9.0	9.6	8.8
3/24/2020	8.3	8.5	8.7	8.7	8.5	8.6	9.3	8.4
3/25/2020	8.4	8.6	8.8	8.8	8.6	8.6	9.3	8.4
3/26/2020	8.4	8.6	8.6	8.6	8.6	8.6	9.3	8.4
3/27/2020	8.3	8.5	8.8	8.9	8.6	8.6	9.3	8.4
3/28/2020	8.6	8.8	9.1	9.2	8.8	8.9	9.5	8.7
3/29/2020	9.0	9.2	9.6	9.8	9.3	9.4	9.9	9.0
3/30/2020	9.0	9.2	9.6	9.7	9.3	9.3	10.0	9.1
3/31/2020	8.6	8.7	8.9	8.9	8.8	8.8	9.5	8.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/1/2020	1	5.6	5.6	5.6	5.5	5.6	5.4	6.3	5.8
1/1/2020	2	5.6	5.6	5.7	5.5	5.6	5.4	6.3	5.7
1/1/2020	3	5.6	5.6	5.7	5.6	5.6	5.4	6.3	5.7
1/1/2020	4	5.6	5.6	5.7	5.6	5.6	5.5	6.2	5.9
1/1/2020	5	5.5	5.5	5.7	5.6	5.6	5.5	6.2	5.7
1/1/2020	6	5.5	5.5	5.7	5.7	5.6	5.8	6.2	5.7
1/1/2020	7	5.5	5.5	5.7	5.7	5.7	6.0	6.2	5.8
1/1/2020	8	5.5	5.5	5.7	5.7	5.7	5.9	6.2	5.7
1/1/2020	9	5.5	5.5	5.6	5.8	5.7	6.2	6.2	5.6
1/1/2020	10	5.5	5.4	5.6	5.8	5.8	6.2	6.2	5.7
1/1/2020	11	5.4	5.4	5.7	5.8	5.8	6.8	6.1	5.6
1/1/2020	12	5.4	5.4	6.0	5.8	5.8	7.1	6.1	5.5
1/1/2020	13	5.4	5.4	6.4	5.8	5.8	7.2	6.2	5.6
1/1/2020	14	5.4	5.4	6.7	6.0	5.9	7.2	6.2	5.5
1/1/2020	15	5.4	5.4	6.7	6.3	6.0	7.2	6.2	5.5
1/1/2020	16	5.4	5.3	6.5	6.6	6.2	6.8	6.3	5.4
1/1/2020	17	5.4	5.3	6.3	6.6	6.4	6.9	6.3	5.4
1/1/2020	18	5.5	5.4	5.9	6.5	6.5	7.0	6.4	5.5
1/1/2020	19	5.6	5.4	5.7	6.3	6.5	6.9	6.4	5.6
1/1/2020	20	5.7	5.5	5.5	6.1	6.4	6.8	6.4	5.7
1/1/2020	21	5.7	5.6	5.5	5.9	6.2	6.4	6.5	5.8
1/1/2020	22	5.8	5.7	5.5	5.7	6.1	6.2	6.5	5.8
1/1/2020	23	5.8	5.7	5.5	5.6	5.9	6.2	6.5	5.9
1/1/2020	24	5.9	5.8	5.6	5.5	5.8	6.0	6.6	6.0
1/2/2020	1	5.9	5.8	5.6	5.5	5.7	5.8	6.6	6.1
1/2/2020	2	5.9	5.8	5.5	5.5	5.6	5.7	6.6	6.0
1/2/2020	3	5.9	5.8	5.5	5.5	5.6	5.7	6.6	6.0
1/2/2020	4	5.9	5.8	5.5	5.4	5.6	5.6	6.7	6.0
1/2/2020	5	5.9	5.8	5.5	5.4	5.5	5.5	6.7	6.0
1/2/2020	6	5.9	5.8	5.5	5.3	5.5	5.5	6.7	5.9
1/2/2020	7	5.9	5.8	5.4	5.3	5.5	5.5	6.6	5.9
1/2/2020	8	5.9	5.8	5.4	5.3	5.4	5.4	6.6	5.9
1/2/2020	9	5.8	5.8	5.4	5.2	5.4	5.4	6.6	5.9
1/2/2020	10	5.8	5.8	5.5	5.3	5.3	5.4	6.6	5.9
1/2/2020	11	5.8	5.8	5.6	5.3	5.3	5.7	6.6	5.9
1/2/2020	12	5.8	5.8	5.8	5.4	5.4	5.6	6.6	5.9
1/2/2020	13	5.8	5.8	6.0	5.6	5.4	5.8	6.6	6.0
1/2/2020	14	5.8	5.8	6.3	5.8	5.5	6.3	6.6	6.0
1/2/2020	15	5.9	5.8	6.5	6.0	5.7	6.1	6.7	6.0
1/2/2020	16	5.9	5.8	6.5	6.2	5.8	6.1	6.7	6.0
1/2/2020	17	5.9	5.9	6.4	6.3	6.0	6.3	6.7	6.1
1/2/2020	18	6.0	5.9	6.2	6.3	6.2	6.3	6.8	6.1
1/2/2020	19	6.0	6.0	6.1	6.3	6.2	6.2	6.8	6.2
1/2/2020	20	6.1	6.0	6.0	6.2	6.2	6.2	6.8	6.2
1/2/2020	21	6.1	6.1	6.0	6.1	6.2	6.1	6.9	6.2
1/2/2020	22	6.2	6.1	6.0	6.0	6.1	6.0	6.9	6.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/2/2020	23	6.2	6.1	6.0	6.0	6.1	5.9	6.9	6.3
1/2/2020	24	6.2	6.2	6.1	5.9	6.0	5.9	6.9	6.4
1/3/2020	1	6.2	6.2	6.1	5.9	6.0	5.9	7.0	6.5
1/3/2020	2	6.2	6.2	6.1	5.9	6.0	5.9	7.0	6.6
1/3/2020	3	6.2	6.2	6.2	6.0	6.0	5.9	7.0	6.4
1/3/2020	4	6.2	6.2	6.2	6.0	6.0	5.8	7.0	6.4
1/3/2020	5	6.2	6.2	6.2	6.0	6.0	5.9	7.0	6.4
1/3/2020	6	6.2	6.2	6.2	6.1	6.0	5.8	7.0	6.3
1/3/2020	7	6.2	6.2	6.2	6.1	6.1	5.9	7.0	6.3
1/3/2020	8	6.2	6.2	6.2	6.1	6.1	5.9	7.0	6.4
1/3/2020	9	6.2	6.2	6.2	6.1	6.1	5.9	7.0	6.3
1/3/2020	10	6.2	6.2	6.2	6.2	6.1	6.0	7.0	6.3
1/3/2020	11	6.2	6.2	6.3	6.2	6.1	6.2	7.0	6.3
1/3/2020	12	6.2	6.2	6.3	6.2	6.2	6.2	7.0	6.3
1/3/2020	13	6.2	6.2	6.4	6.2	6.2	6.3	7.0	6.4
1/3/2020	14	6.2	6.2	6.6	6.3	6.2	6.7	7.0	6.4
1/3/2020	15	6.2	6.3	6.8	6.5	6.3	6.8	7.0	6.4
1/3/2020	16	6.2	6.3	6.9	6.6	6.4	6.7	7.0	6.4
1/3/2020	17	6.2	6.2	6.8	6.7	6.5	6.7	7.0	6.4
1/3/2020	18	6.2	6.2	6.6	6.7	6.6	6.6	7.0	6.3
1/3/2020	19	6.2	6.2	6.4	6.7	6.7	6.5	6.9	6.3
1/3/2020	20	6.2	6.2	6.2	6.5	6.6	6.4	6.9	6.3
1/3/2020	21	6.2	6.2	6.1	6.4	6.6	6.4	6.9	6.3
1/3/2020	22	6.1	6.2	6.1	6.2	6.5	6.3	6.9	6.3
1/3/2020	23	6.1	6.2	6.1	6.1	6.3	6.7	6.9	6.2
1/3/2020	24	6.1	6.2	6.2	6.1	6.3	6.8	7.0	6.3
1/4/2020	1	6.1	6.2	6.2	6.1	6.2	6.7	7.0	6.3
1/4/2020	2	6.2	6.2	6.2	6.1	6.2	6.6	7.0	6.3
1/4/2020	3	6.2	6.2	6.2	6.1	6.2	6.2	7.0	6.3
1/4/2020	4	6.2	6.2	6.2	6.2	6.2	6.2	7.0	6.3
1/4/2020	5	6.2	6.2	6.1	6.1	6.2	6.3	6.9	6.3
1/4/2020	6	6.2	6.2	6.0	6.1	6.2	6.4	6.9	6.3
1/4/2020	7	6.2	6.2	5.9	6.0	6.1	6.2	6.9	6.3
1/4/2020	8	6.2	6.2	5.9	5.9	6.1	6.0	6.8	6.3
1/4/2020	9	6.1	6.2	5.8	5.8	6.0	5.8	6.8	6.2
1/4/2020	10	6.1	6.1	5.7	5.7	5.9	5.6	6.8	6.2
1/4/2020	11	6.0	6.1	5.7	5.7	5.9	6.2	6.7	6.1
1/4/2020	12	6.0	6.0	5.9	5.6	5.8	6.4	6.7	6.0
1/4/2020	13	6.0	5.9	6.2	5.6	5.8	6.5	6.7	5.9
1/4/2020	14	6.0	5.9	6.5	5.7	5.7	6.5	6.7	6.0
1/4/2020	15	6.0	6.0	6.6	6.0	5.8	6.4	6.8	6.1
1/4/2020	16	6.1	6.0	6.4	6.2	5.9	6.1	6.8	6.2
1/4/2020	17	6.1	6.1	6.1	6.3	6.1	6.2	6.9	6.2
1/4/2020	18	6.1	6.1	5.9	6.2	6.2	6.3	6.9	6.2
1/4/2020	19	6.1	6.1	5.7	6.0	6.2	6.2	6.9	6.2
1/4/2020	20	6.2	6.1	5.6	5.8	6.1	6.1	7.0	6.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/4/2020	21	6.2	6.2	5.5	5.6	5.9	5.8	7.0	6.3
1/4/2020	22	6.2	6.2	5.5	5.5	5.8	5.7	7.0	6.3
1/4/2020	23	6.2	6.2	5.5	5.4	5.6	5.5	7.0	6.3
1/4/2020	24	6.2	6.2	5.5	5.3	5.6	5.3	6.9	6.3
1/5/2020	1	6.2	6.2	5.5	5.3	5.5	5.2	6.9	6.3
1/5/2020	2	6.1	6.1	5.6	5.3	5.4	5.2	6.9	6.3
1/5/2020	3	6.1	6.1	5.7	5.3	5.4	5.2	6.9	6.3
1/5/2020	4	6.1	6.1	5.7	5.4	5.4	5.2	6.9	6.3
1/5/2020	5	6.2	6.1	5.7	5.4	5.4	5.1	6.9	6.3
1/5/2020	6	6.2	6.1	5.8	5.5	5.5	5.2	6.9	6.3
1/5/2020	7	6.2	6.2	5.8	5.5	5.5	5.2	6.9	6.3
1/5/2020	8	6.2	6.2	5.8	5.5	5.5	5.3	6.9	6.3
1/5/2020	9	6.1	6.1	5.7	5.5	5.5	5.2	6.9	6.3
1/5/2020	10	6.1	6.1	5.7	5.6	5.6	5.3	6.9	6.3
1/5/2020	11	6.1	6.1	5.8	5.6	5.6	5.4	6.9	6.2
1/5/2020	12	6.1	6.1	6.0	5.6	5.6	5.5	6.9	6.2
1/5/2020	13	6.1	6.1	6.2	5.7	5.6	5.5	6.9	6.2
1/5/2020	14	6.1	6.1	6.3	5.9	5.7	5.6	6.8	6.2
1/5/2020	15	6.1	6.1	6.4	6.0	5.8	6.1	6.8	6.2
1/5/2020	16	6.0	6.1	6.3	6.1	5.9	5.8	6.8	6.2
1/5/2020	17	6.0	6.0	6.1	6.2	6.0	5.8	6.7	6.1
1/5/2020	18	6.0	6.0	6.0	6.1	6.1	6.0	6.7	6.1
1/5/2020	19	5.9	5.9	5.8	5.9	6.1	5.8	6.7	6.1
1/5/2020	20	5.9	5.9	5.7	5.8	6.0	5.8	6.6	6.0
1/5/2020	21	5.9	5.9	5.5	5.6	5.9	5.6	6.6	6.0
1/5/2020	22	5.8	5.8	5.4	5.5	5.8	5.5	6.6	5.9
1/5/2020	23	5.8	5.8	5.4	5.4	5.6	5.4	6.5	5.9
1/5/2020	24	5.7	5.7	5.3	5.3	5.5	5.3	6.5	6.1
1/6/2020	1	5.7	5.7	5.2	5.2	5.4	5.0	6.4	6.0
1/6/2020	2	5.7	5.7	5.2	5.1	5.3	4.8	6.4	5.9
1/6/2020	3	5.6	5.6	5.1	5.0	5.3	4.7	6.3	5.8
1/6/2020	4	5.6	5.6	5.1	4.9	5.2	4.6	6.3	5.8
1/6/2020	5	5.6	5.6	5.1	4.9	5.1	4.6	6.3	5.6
1/6/2020	6	5.5	5.5	5.1	4.9	5.1	4.6	6.3	5.6
1/6/2020	7	5.5	5.5	5.1	4.9	5.0	4.6	6.3	5.6
1/6/2020	8	5.5	5.5	5.2	4.9	5.0	4.5	6.3	5.5
1/6/2020	9	5.5	5.5	5.2	4.9	5.0	4.5	6.3	5.5
1/6/2020	10	5.5	5.5	5.2	5.0	5.0	4.6	6.3	5.5
1/6/2020	11	5.5	5.5	5.3	5.1	5.0	4.8	6.3	5.6
1/6/2020	12	5.6	5.5	5.4	5.1	5.1	4.9	6.3	5.6
1/6/2020	13	5.6	5.6	5.5	5.3	5.1	4.9	6.4	5.7
1/6/2020	14	5.6	5.6	5.6	5.3	5.2	5.1	6.4	5.7
1/6/2020	15	5.7	5.6	5.7	5.4	5.3	5.3	6.4	5.7
1/6/2020	16	5.8	5.7	5.7	5.5	5.4	5.3	6.5	5.8
1/6/2020	17	5.8	5.7	5.7	5.5	5.4	5.3	6.5	5.9
1/6/2020	18	5.8	5.7	5.6	5.5	5.5	5.2	6.5	6.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/6/2020	19	5.9	5.8	5.5	5.5	5.5	5.1	6.6	6.0
1/6/2020	20	5.8	5.8	5.3	5.4	5.5	5.1	6.6	6.0
1/6/2020	21	5.8	5.8	5.3	5.3	5.5	5.0	6.6	5.9
1/6/2020	22	5.8	5.8	5.2	5.2	5.4	5.0	6.6	5.9
1/6/2020	23	5.8	5.8	5.2	5.1	5.3	4.9	6.6	5.9
1/6/2020	24	5.8	5.8	5.2	5.0	5.2	4.7	6.5	6.0
1/7/2020	1	5.8	5.8	5.2	5.0	5.1	4.7	6.5	6.0
1/7/2020	2	5.8	5.8	5.2	5.0	5.1	4.7	6.5	6.0
1/7/2020	3	5.7	5.7	5.2	4.9	5.1	4.7	6.5	6.0
1/7/2020	4	5.7	5.7	5.2	5.0	5.1	4.7	6.5	5.9
1/7/2020	5	5.7	5.7	5.3	5.0	5.0	4.7	6.5	5.9
1/7/2020	6	5.7	5.6	5.3	5.0	5.0	4.7	6.5	5.8
1/7/2020	7	5.6	5.6	5.3	5.0	5.1	4.7	6.5	5.8
1/7/2020	8	5.6	5.6	5.3	5.0	5.1	4.7	6.5	5.7
1/7/2020	9	5.6	5.6	5.2	5.1	5.1	4.8	6.5	5.7
1/7/2020	10	5.6	5.6	5.2	5.1	5.1	4.7	6.5	5.7
1/7/2020	11	5.7	5.6	5.3	5.1	5.1	4.9	6.5	5.7
1/7/2020	12	5.7	5.6	5.5	5.2	5.1	5.1	6.5	5.8
1/7/2020	13	5.7	5.7	5.7	5.3	5.2	5.0	6.5	5.8
1/7/2020	14	5.8	5.7	5.8	5.4	5.2	5.1	6.5	5.9
1/7/2020	15	5.8	5.8	5.9	5.5	5.3	5.2	6.6	5.9
1/7/2020	16	5.9	5.8	5.9	5.6	5.4	5.4	6.6	5.9
1/7/2020	17	5.9	5.8	5.9	5.7	5.5	5.5	6.7	6.0
1/7/2020	18	5.9	5.8	5.8	5.7	5.6	5.4	6.7	6.1
1/7/2020	19	5.9	5.9	5.7	5.7	5.6	5.5	6.8	6.1
1/7/2020	20	6.0	5.9	5.6	5.6	5.6	5.5	6.8	6.1
1/7/2020	21	6.0	5.9	5.7	5.6	5.6	5.4	6.8	6.1
1/7/2020	22	6.0	6.0	5.7	5.5	5.6	5.3	6.8	6.2
1/7/2020	23	6.1	6.0	5.8	5.5	5.6	5.3	6.8	6.2
1/7/2020	24	6.1	6.1	5.8	5.5	5.5	5.2	6.8	6.3
1/8/2020	1	6.1	6.1	5.9	5.6	5.6	5.2	6.8	6.3
1/8/2020	2	6.1	6.1	5.9	5.6	5.6	5.3	6.8	6.3
1/8/2020	3	6.1	6.1	5.8	5.7	5.6	5.4	6.8	6.3
1/8/2020	4	6.0	6.0	5.7	5.7	5.7	5.5	6.8	6.3
1/8/2020	5	6.0	6.0	5.7	5.6	5.7	5.4	6.8	6.2
1/8/2020	6	6.0	6.0	5.7	5.5	5.6	5.3	6.8	6.2
1/8/2020	7	6.0	5.9	5.6	5.5	5.6	5.6	6.8	6.1
1/8/2020	8	5.9	5.9	5.5	5.5	5.6	5.6	6.8	6.0
1/8/2020	9	5.9	5.9	5.5	5.4	5.5	5.6	6.7	6.0
1/8/2020	10	6.0	5.9	5.5	5.4	5.5	5.6	6.7	6.0
1/8/2020	11	5.9	5.9	5.6	5.4	5.5	5.6	6.7	6.0
1/8/2020	12	5.9	5.9	5.7	5.5	5.5	5.7	6.7	6.0
1/8/2020	13	5.9	5.9	5.9	5.6	5.5	5.7	6.7	6.0
1/8/2020	14	6.0	6.0	6.1	5.7	5.5	5.8	6.7	6.0
1/8/2020	15	6.0	6.0	6.3	5.8	5.6	5.9	6.7	6.0
1/8/2020	16	6.0	6.0	6.4	6.0	5.7	6.1	6.7	6.1



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/8/2020	17	6.0	6.0	6.3	6.1	5.9	6.0	6.7	6.1
1/8/2020	18	6.0	6.0	6.2	6.1	6.0	6.0	6.7	6.1
1/8/2020	19	6.0	6.0	6.1	6.1	6.0	6.0	6.7	6.1
1/8/2020	20	6.0	6.0	5.9	6.0	6.1	6.0	6.7	6.1
1/8/2020	21	5.9	6.0	5.8	5.9	6.0	5.9	6.7	6.0
1/8/2020	22	5.9	5.9	5.8	5.8	5.9	5.8	6.7	6.0
1/8/2020	23	5.9	5.9	5.7	5.7	5.9	5.6	6.6	6.0
1/8/2020	24	5.9	5.9	5.7	5.6	5.8	5.6	6.6	6.0
1/9/2020	1	5.9	5.8	5.6	5.5	5.7	5.4	6.6	6.0
1/9/2020	2	5.8	5.8	5.4	5.4	5.6	5.2	6.6	6.0
1/9/2020	3	5.8	5.8	5.3	5.3	5.5	5.0	6.5	5.9
1/9/2020	4	5.8	5.7	5.1	5.2	5.5	4.9	6.5	5.9
1/9/2020	5	5.8	5.7	5.0	5.0	5.3	4.7	6.5	5.9
1/9/2020	6	5.7	5.7	4.9	4.9	5.2	4.6	6.5	5.9
1/9/2020	7	5.7	5.7	4.8	4.8	5.1	4.5	6.4	5.8
1/9/2020	8	5.7	5.7	4.9	4.7	5.0	4.5	6.4	5.8
1/9/2020	9	5.6	5.6	4.9	4.6	4.9	4.3	6.4	5.7
1/9/2020	10	5.6	5.6	4.9	4.6	4.8	4.2	6.4	5.7
1/9/2020	11	5.6	5.6	5.0	4.7	4.8	4.3	6.3	5.7
1/9/2020	12	5.6	5.6	5.1	4.7	4.8	4.4	6.3	5.6
1/9/2020	13	5.6	5.6	5.3	4.8	4.8	4.6	6.3	5.6
1/9/2020	14	5.6	5.6	5.6	4.9	4.9	5.3	6.3	5.6
1/9/2020	15	5.6	5.6	5.7	5.1	4.9	5.5	6.4	5.7
1/9/2020	16	5.7	5.6	5.7	5.3	5.0	5.1	6.4	5.8
1/9/2020	17	5.7	5.6	5.6	5.4	5.2	4.9	6.4	5.8
1/9/2020	18	5.7	5.6	5.3	5.3	5.3	4.9	6.4	5.8
1/9/2020	19	5.7	5.6	5.1	5.2	5.3	4.9	6.4	5.8
1/9/2020	20	5.7	5.6	4.9	5.0	5.3	4.7	6.4	5.8
1/9/2020	21	5.7	5.6	4.8	4.8	5.1	4.6	6.4	5.8
1/9/2020	22	5.7	5.6	4.7	4.6	5.0	4.4	6.4	5.8
1/9/2020	23	5.7	5.6	4.6	4.5	4.8	4.2	6.4	5.7
1/9/2020	24	5.6	5.6	4.6	4.4	4.7	4.0	6.3	5.7
1/10/2020	1	5.6	5.6	4.7	4.3	4.6	4.1	6.3	5.8
1/10/2020	2	5.6	5.6	4.7	4.3	4.5	4.0	6.3	5.8
1/10/2020	3	5.6	5.5	4.7	4.3	4.5	3.9	6.3	5.7
1/10/2020	4	5.5	5.5	4.8	4.4	4.5	3.9	6.2	5.7
1/10/2020	5	5.5	5.5	4.8	4.4	4.5	4.0	6.2	5.6
1/10/2020	6	5.5	5.4	4.8	4.4	4.5	4.0	6.2	5.6
1/10/2020	7	5.4	5.4	4.8	4.5	4.5	4.0	6.1	5.5
1/10/2020	8	5.4	5.4	4.8	4.5	4.5	4.1	6.1	5.5
1/10/2020	9	5.4	5.4	4.8	4.5	4.5	4.1	6.1	5.4
1/10/2020	10	5.3	5.3	4.7	4.4	4.5	4.0	6.1	5.4
1/10/2020	11	5.3	5.3	4.7	4.4	4.5	4.0	6.0	5.3
1/10/2020	12	5.3	5.2	4.6	4.4	4.5	4.1	6.0	5.3
1/10/2020	13	5.3	5.3	4.6	4.4	4.5	4.1	6.0	5.4
1/10/2020	14	5.4	5.3	4.7	4.4	4.5	4.2	6.0	5.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/10/2020	15	5.4	5.3	4.8	4.3	4.4	4.1	6.1	5.5
1/10/2020	16	5.4	5.3	4.7	4.4	4.4	4.0	6.1	5.5
1/10/2020	17	5.4	5.3	4.6	4.4	4.4	4.0	6.1	5.5
1/10/2020	18	5.4	5.3	4.7	4.4	4.5	4.1	6.2	5.5
1/10/2020	19	5.4	5.4	4.7	4.4	4.5	4.0	6.2	5.5
1/10/2020	20	5.4	5.4	4.8	4.5	4.5	4.0	6.2	5.5
1/10/2020	21	5.5	5.4	4.9	4.5	4.5	4.1	6.2	5.6
1/10/2020	22	5.5	5.4	4.9	4.5	4.5	4.2	6.2	5.6
1/10/2020	23	5.5	5.5	4.9	4.6	4.5	4.2	6.2	5.6
1/10/2020	24	5.5	5.5	4.9	4.6	4.6	4.3	6.2	5.8
1/11/2020	1	5.5	5.5	4.9	4.7	4.6	4.3	6.2	5.8
1/11/2020	2	5.5	5.5	5.0	4.7	4.7	4.4	6.2	5.7
1/11/2020	3	5.5	5.5	5.1	4.7	4.7	4.4	6.2	5.7
1/11/2020	4	5.5	5.5	5.1	4.7	4.7	4.4	6.2	5.7
1/11/2020	5	5.5	5.4	5.0	4.8	4.7	4.4	6.2	5.7
1/11/2020	6	5.5	5.4	5.1	4.8	4.8	4.5	6.2	5.7
1/11/2020	7	5.5	5.5	5.1	4.8	4.8	4.5	6.2	5.7
1/11/2020	8	5.5	5.4	5.0	4.8	4.8	4.4	6.2	5.5
1/11/2020	9	5.4	5.4	5.0	4.8	4.8	4.4	6.1	5.5
1/11/2020	10	5.4	5.4	5.0	4.8	4.8	4.5	6.1	5.4
1/11/2020	11	5.4	5.4	5.1	4.9	4.8	4.5	6.1	5.5
1/11/2020	12	5.4	5.4	5.3	4.9	4.8	4.8	6.1	5.5
1/11/2020	13	5.4	5.4	5.7	5.0	4.9	5.3	6.2	5.5
1/11/2020	14	5.6	5.4	5.9	5.1	5.0	5.4	6.2	5.6
1/11/2020	15	5.6	5.5	6.0	5.4	5.1	5.7	6.3	5.7
1/11/2020	16	5.7	5.6	5.9	5.7	5.2	5.2	6.3	5.8
1/11/2020	17	5.7	5.6	5.9	5.7	5.5	5.5	6.4	5.8
1/11/2020	18	5.7	5.6	5.6	5.7	5.6	5.3	6.5	5.9
1/11/2020	19	5.8	5.7	5.4	5.5	5.6	5.3	6.5	5.9
1/11/2020	20	5.8	5.7	5.2	5.4	5.5	5.1	6.6	5.9
1/11/2020	21	5.8	5.7	5.2	5.2	5.4	5.1	6.5	5.9
1/11/2020	22	5.8	5.7	5.2	5.1	5.3	4.8	6.5	5.9
1/11/2020	23	5.8	5.7	5.2	5.0	5.2	4.7	6.5	5.9
1/11/2020	24	5.8	5.8	5.2	4.9	5.1	4.6	6.5	6.0
1/12/2020	1	5.8	5.7	5.3	4.9	5.1	4.9	6.5	6.1
1/12/2020	2	5.8	5.7	5.3	4.9	5.0	4.7	6.5	6.0
1/12/2020	3	5.7	5.7	5.3	5.0	5.0	4.5	6.5	5.9
1/12/2020	4	5.7	5.7	5.2	5.0	5.0	4.4	6.5	5.8
1/12/2020	5	5.7	5.7	5.2	4.9	5.0	4.5	6.4	5.8
1/12/2020	6	5.7	5.6	5.0	4.8	5.0	4.4	6.4	5.8
1/12/2020	7	5.6	5.6	4.9	4.8	4.9	4.3	6.4	5.7
1/12/2020	8	5.6	5.6	4.8	4.7	4.9	4.3	6.3	5.7
1/12/2020	9	5.6	5.6	4.8	4.6	4.8	4.3	6.3	5.6
1/12/2020	10	5.5	5.5	4.9	4.6	4.7	4.2	6.3	5.6
1/12/2020	11	5.5	5.5	4.9	4.7	4.7	4.2	6.3	5.6
1/12/2020	12	5.5	5.5	5.3	4.7	4.7	4.7	6.2	5.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/12/2020	13	5.5	5.5	5.4	4.8	4.7	4.6	6.2	5.6
1/12/2020	14	5.5	5.5	5.7	5.0	4.8	4.7	6.2	5.6
1/12/2020	15	5.5	5.5	5.8	5.2	4.9	4.8	6.2	5.6
1/12/2020	16	5.5	5.5	5.7	5.3	5.1	4.9	6.2	5.6
1/12/2020	17	5.5	5.5	5.4	5.4	5.2	4.9	6.2	5.5
1/12/2020	18	5.5	5.5	5.3	5.4	5.3	5.0	6.2	5.5
1/12/2020	19	5.5	5.4	5.2	5.2	5.3	5.1	6.1	5.5
1/12/2020	20	5.4	5.4	5.1	5.1	5.3	4.9	6.1	5.5
1/12/2020	21	5.4	5.4	4.9	4.9	5.2	4.7	6.1	5.5
1/12/2020	22	5.4	5.3	4.9	4.8	5.1	4.8	6.0	5.5
1/12/2020	23	5.4	5.3	4.8	4.7	5.0	4.7	6.0	5.4
1/12/2020	24	5.3	5.3	4.7	4.5	4.9	4.3	6.0	5.5
1/13/2020	1	5.3	5.3	4.5	4.4	4.7	3.8	5.9	5.4
1/13/2020	2	5.3	5.2	4.2	4.1	4.6	3.4	5.9	5.3
1/13/2020	3	5.2	5.2	3.9	3.9	4.4	3.0	5.9	5.3
1/13/2020	4	5.1	5.1	3.4	3.6	4.2	2.7	5.8	5.2
1/13/2020	5	5.0	5.0	3.1	3.3	4.0	2.3	5.7	5.1
1/13/2020	6	4.9	4.9	2.7	3.0	3.7	2.0	5.6	5.0
1/13/2020	7	4.9	4.8	2.5	2.6	3.4	1.7	5.5	4.9
1/13/2020	8	4.8	4.8	2.4	2.3	3.1	1.4	5.5	4.9
1/13/2020	9	4.8	4.7	2.4	2.0	2.8	1.1	5.4	4.8
1/13/2020	10	4.8	4.7	2.4	1.9	2.5	1.0	5.4	4.8
1/13/2020	11	4.9	4.7	2.5	1.9	2.3	0.9	5.4	4.9
1/13/2020	12	4.9	4.8	2.8	1.9	2.3	0.9	5.4	5.0
1/13/2020	13	4.9	4.8	3.1	2.1	2.2	1.0	5.4	4.9
1/13/2020	14	4.9	4.8	3.4	2.3	2.3	1.2	5.4	4.8
1/13/2020	15	4.8	4.8	3.8	2.5	2.4	1.6	5.4	4.7
1/13/2020	16	4.8	4.7	3.9	2.7	2.5	1.5	5.4	4.7
1/13/2020	17	4.8	4.7	3.8	2.9	2.7	1.5	5.4	4.8
1/13/2020	18	4.9	4.7	3.6	3.0	2.9	1.5	5.4	4.8
1/13/2020	19	4.9	4.7	3.4	3.0	3.0	1.7	5.4	4.8
1/13/2020	20	4.9	4.7	3.1	2.9	3.0	1.7	5.4	4.9
1/13/2020	21	4.8	4.7	3.0	2.7	3.0	1.7	5.4	4.8
1/13/2020	22	4.8	4.7	3.0	2.6	2.9	1.6	5.4	4.9
1/13/2020	23	4.8	4.7	3.0	2.4	2.7	1.4	5.4	4.8
1/13/2020	24	4.8	4.6	3.0	2.3	2.6	1.3	5.4	4.8
1/14/2020	1	4.8	4.6	2.9	2.3	2.5	1.1	5.4	4.8
1/14/2020	2	4.8	4.6	2.9	2.3	2.5	1.1	5.3	4.8
1/14/2020	3	4.8	4.6	2.8	2.2	2.4	1.0	5.3	4.8
1/14/2020	4	4.7	4.6	2.7	2.1	2.4	1.0	5.3	4.8
1/14/2020	5	4.7	4.6	2.6	2.0	2.3	1.0	5.3	4.8
1/14/2020	6	4.7	4.6	2.6	2.0	2.2	0.9	5.2	4.7
1/14/2020	7	4.6	4.5	2.5	1.9	2.2	0.8	5.2	4.7
1/14/2020	8	4.6	4.5	2.5	1.9	2.1	0.7	5.2	4.6
1/14/2020	9	4.6	4.4	2.3	1.9	2.0	0.6	5.1	4.6
1/14/2020	10	4.5	4.4	2.3	1.8	2.0	0.7	5.1	4.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/14/2020	11	4.5	4.4	2.5	1.8	2.0	1.1	5.0	4.5
1/14/2020	12	4.4	4.3	3.1	1.8	1.9	1.4	5.0	4.4
1/14/2020	13	4.5	4.3	3.4	1.7	1.9	1.6	5.0	4.4
1/14/2020	14	4.5	4.4	3.5	2.0	1.9	1.6	5.1	4.5
1/14/2020	15	4.5	4.4	3.3	2.3	2.2	0.9	5.1	4.6
1/14/2020	16	4.5	4.4	3.2	2.6	2.4	1.1	5.1	4.6
1/14/2020	17	4.6	4.4	2.9	2.7	2.5	1.3	5.1	4.6
1/14/2020	18	4.6	4.4	2.7	2.6	2.6	1.2	5.1	4.6
1/14/2020	19	4.6	4.4	2.5	2.5	2.5	0.9	5.1	4.6
1/14/2020	20	4.6	4.4	2.5	2.3	2.4	0.9	5.2	4.6
1/14/2020	21	4.6	4.4	2.4	2.2	2.3	0.7	5.2	4.5
1/14/2020	22	4.5	4.4	2.4	2.0	2.2	0.4	5.1	4.5
1/14/2020	23	4.5	4.3	2.4	1.9	2.0	0.2	5.1	4.4
1/14/2020	24	4.4	4.2	2.3	1.8	1.9	0.2	5.0	4.2
1/15/2020	1	4.3	4.1	2.3	1.8	1.9	0.1	5.0	4.1
1/15/2020	2	4.2	4.0	2.3	1.8	1.8	0.2	4.9	4.0
1/15/2020	3	4.1	4.0	2.2	1.7	1.8	0.1	4.9	4.1
1/15/2020	4	4.2	4.0	2.1	1.7	1.8	0.2	4.9	4.2
1/15/2020	5	4.2	4.0	2.0	1.6	1.7	0.1	4.8	4.2
1/15/2020	6	4.2	4.1	1.9	1.6	1.7	0.0	4.8	4.2
1/15/2020	7	4.2	4.1	2.0	1.5	1.6	0.0	4.9	4.2
1/15/2020	8	4.2	4.1	2.1	1.5	1.6	0.1	4.9	4.1
1/15/2020	9	4.2	4.0	2.3	1.5	1.5	0.1	4.9	4.1
1/15/2020	10	4.1	4.0	2.5	1.5	1.5	0.2	4.9	4.1
1/15/2020	11	4.2	4.0	2.6	1.6	1.6	0.2	4.9	4.2
1/15/2020	12	4.2	4.1	2.8	1.8	1.7	0.4	4.9	4.2
1/15/2020	13	4.3	4.1	2.9	1.9	1.8	0.6	4.9	4.3
1/15/2020	14	4.3	4.2	3.0	2.0	1.9	0.8	4.9	4.3
1/15/2020	15	4.3	4.2	3.0	2.2	2.0	0.9	5.0	4.4
1/15/2020	16	4.4	4.3	3.0	2.3	2.1	1.1	5.0	4.4
1/15/2020	17	4.4	4.3	2.8	2.3	2.2	1.0	5.0	4.4
1/15/2020	18	4.4	4.3	2.5	2.3	2.2	1.0	5.0	4.4
1/15/2020	19	4.4	4.3	2.3	2.2	2.2	1.1	5.0	4.4
1/15/2020	20	4.4	4.3	2.3	2.1	2.1	1.1	5.1	4.4
1/15/2020	21	4.4	4.3	2.4	2.0	2.0	1.1	5.0	4.4
1/15/2020	22	4.4	4.3	2.6	1.9	2.0	1.0	5.0	4.2
1/15/2020	23	4.3	4.2	2.8	1.9	2.0	1.0	4.9	4.1
1/15/2020	24	4.2	4.1	3.0	2.0	2.0	1.1	4.9	4.1
1/16/2020	1	4.2	4.1	3.1	2.2	2.1	1.2	4.8	4.1
1/16/2020	2	4.1	4.0	3.1	2.3	2.2	1.4	4.8	4.0
1/16/2020	3	4.1	4.0	3.1	2.5	2.3	1.5	4.7	4.0
1/16/2020	4	4.1	4.0	3.1	2.6	2.4	1.7	4.7	4.0
1/16/2020	5	4.1	4.0	3.2	2.7	2.5	1.8	4.7	4.0
1/16/2020	6	4.1	4.0	3.2	2.7	2.6	1.9	4.7	4.0
1/16/2020	7	4.1	4.0	3.2	2.7	2.6	1.9	4.7	4.0
1/16/2020	8	4.1	4.0	3.2	2.8	2.6	2.0	4.8	4.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/16/2020	9	4.1	4.0	3.2	2.8	2.7	2.1	4.8	4.1
1/16/2020	10	4.2	4.1	3.3	2.9	2.7	2.1	4.9	4.2
1/16/2020	11	4.2	4.2	3.4	2.9	2.8	2.2	4.9	4.2
1/16/2020	12	4.3	4.2	3.7	3.1	2.9	2.6	4.9	4.3
1/16/2020	13	4.3	4.2	4.1	3.1	3.0	3.4	5.0	4.4
1/16/2020	14	4.3	4.3	4.2	3.2	3.0	3.1	5.0	4.4
1/16/2020	15	4.4	4.3	4.3	3.5	3.2	2.7	5.0	4.4
1/16/2020	16	4.4	4.3	4.2	3.7	3.4	2.9	5.0	4.4
1/16/2020	17	4.4	4.3	4.0	3.8	3.5	2.9	5.0	4.4
1/16/2020	18	4.4	4.3	3.7	3.8	3.6	2.8	5.0	4.4
1/16/2020	19	4.4	4.3	3.5	3.7	3.6	2.8	5.0	4.4
1/16/2020	20	4.4	4.3	3.4	3.6	3.5	2.7	5.0	4.4
1/16/2020	21	4.4	4.3	3.4	3.4	3.4	2.5	5.0	4.3
1/16/2020	22	4.3	4.2	3.3	3.2	3.2	2.3	5.0	4.3
1/16/2020	23	4.3	4.2	3.3	3.0	3.1	2.0	4.9	4.2
1/16/2020	24	4.3	4.2	3.2	2.9	3.0	1.8	4.9	4.2
1/17/2020	1	4.3	4.2	3.2	2.9	2.9	1.9	4.9	4.2
1/17/2020	2	4.2	4.1	3.2	2.8	2.9	1.8	4.8	4.1
1/17/2020	3	4.2	4.1	3.2	2.8	2.9	2.0	4.8	4.1
1/17/2020	4	4.1	4.1	3.3	2.8	2.9	2.0	4.8	4.0
1/17/2020	5	4.1	4.0	3.3	2.9	2.9	2.1	4.8	4.0
1/17/2020	6	4.1	4.0	3.4	2.9	2.9	2.0	4.7	4.1
1/17/2020	7	4.1	4.0	3.3	2.9	2.9	1.9	4.7	4.0
1/17/2020	8	4.1	4.0	3.3	2.9	2.9	2.0	4.8	4.0
1/17/2020	9	4.0	4.0	3.2	2.9	2.9	1.9	4.8	4.0
1/17/2020	10	4.0	4.0	3.2	3.0	2.9	1.9	4.8	4.0
1/17/2020	11	4.0	4.0	3.3	3.0	2.9	1.9	4.8	4.1
1/17/2020	12	4.1	4.0	3.5	3.0	2.9	2.0	4.9	4.2
1/17/2020	13	4.2	4.1	3.6	3.0	3.0	2.2	4.9	4.2
1/17/2020	14	4.2	4.1	3.8	3.1	3.0	2.5	4.9	4.3
1/17/2020	15	4.2	4.1	3.7	3.2	3.1	2.4	4.9	4.3
1/17/2020	16	4.3	4.1	3.5	3.3	3.1	2.2	5.0	4.3
1/17/2020	17	4.3	4.1	3.3	3.3	3.2	2.2	5.0	4.3
1/17/2020	18	4.3	4.1	3.1	3.3	3.2	2.3	4.9	4.2
1/17/2020	19	4.2	4.1	3.0	3.2	3.2	2.3	4.9	4.2
1/17/2020	20	4.2	4.1	3.0	3.0	3.1	2.2	4.9	4.3
1/17/2020	21	4.2	4.2	3.1	2.9	3.0	2.1	4.9	4.2
1/17/2020	22	4.2	4.2	3.2	2.8	2.9	2.1	4.9	4.2
1/17/2020	23	4.2	4.2	3.2	2.8	2.8	2.0	4.9	4.2
1/17/2020	24	4.2	4.1	3.3	2.8	2.8	2.0	4.9	4.2
1/18/2020	1	4.2	4.1	3.2	2.8	2.8	2.0	4.8	4.4
1/18/2020	2	4.2	4.1	3.2	2.9	2.8	2.0	4.8	4.3
1/18/2020	3	4.1	4.0	3.1	2.9	2.9	2.0	4.7	4.2
1/18/2020	4	4.1	4.0	3.0	2.8	2.8	2.0	4.7	4.1
1/18/2020	5	4.0	4.0	2.9	2.7	2.8	2.0	4.6	4.1
1/18/2020	6	4.0	3.9	2.7	2.6	2.7	1.9	4.6	4.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/18/2020	7	3.9	3.9	2.7	2.6	2.6	1.9	4.6	3.9
1/18/2020	8	3.9	3.8	2.7	2.5	2.6	1.9	4.5	3.8
1/18/2020	9	3.8	3.8	2.9	2.5	2.5	1.9	4.5	3.7
1/18/2020	10	3.8	3.7	3.1	2.5	2.5	2.0	4.5	3.7
1/18/2020	11	3.8	3.8	3.4	2.6	2.6	2.2	4.6	3.9
1/18/2020	12	3.9	3.9	3.7	2.8	2.7	2.4	4.6	3.9
1/18/2020	13	3.9	3.9	4.0	3.0	2.9	2.6	4.7	4.0
1/18/2020	14	4.0	4.0	4.1	3.3	3.0	2.8	4.7	4.0
1/18/2020	15	4.0	4.0	4.2	3.6	3.3	3.0	4.7	4.1
1/18/2020	16	4.1	4.0	4.2	3.7	3.5	3.2	4.8	4.1
1/18/2020	17	4.1	4.1	4.1	3.9	3.6	3.2	4.8	4.1
1/18/2020	18	4.1	4.1	4.0	3.9	3.7	3.4	4.8	4.2
1/18/2020	19	4.2	4.1	3.9	3.9	3.7	3.5	4.8	4.2
1/18/2020	20	4.2	4.2	3.8	3.9	3.7	3.4	4.9	4.2
1/18/2020	21	4.3	4.2	3.8	3.8	3.7	3.4	4.9	4.3
1/18/2020	22	4.3	4.2	3.9	3.7	3.7	3.4	4.9	4.3
1/18/2020	23	4.3	4.3	3.9	3.7	3.7	3.3	5.0	4.3
1/18/2020	24	4.3	4.3	4.0	3.7	3.6	3.3	5.0	4.4
1/19/2020	1	4.3	4.2	4.0	3.7	3.6	3.3	5.0	4.4
1/19/2020	2	4.3	4.2	4.0	3.7	3.7	3.4	5.0	4.4
1/19/2020	3	4.3	4.2	4.1	3.8	3.7	3.4	5.0	4.4
1/19/2020	4	4.3	4.2	4.1	3.8	3.7	3.4	5.0	4.4
1/19/2020	5	4.3	4.2	4.1	3.9	3.7	3.5	5.0	4.5
1/19/2020	6	4.3	4.2	4.1	3.9	3.8	3.5	5.0	4.5
1/19/2020	7	4.3	4.2	4.1	3.9	3.8	3.5	5.0	4.3
1/19/2020	8	4.3	4.2	4.1	3.9	3.9	3.5	4.9	4.3
1/19/2020	9	4.3	4.2	4.2	4.0	3.9	3.6	5.0	4.3
1/19/2020	10	4.3	4.2	4.3	4.0	3.9	3.8	5.0	4.3
1/19/2020	11	4.3	4.3	4.5	4.1	4.0	4.0	5.0	4.3
1/19/2020	12	4.3	4.3	4.7	4.2	4.1	4.2	5.0	4.3
1/19/2020	13	4.3	4.4	5.1	4.4	4.2	4.4	5.0	4.4
1/19/2020	14	4.3	4.4	5.2	4.6	4.3	4.5	5.0	4.4
1/19/2020	15	4.3	4.4	5.2	4.8	4.5	4.5	5.0	4.4
1/19/2020	16	4.3	4.4	5.1	4.9	4.7	4.6	5.0	4.4
1/19/2020	17	4.4	4.4	4.9	5.0	4.8	4.7	5.0	4.4
1/19/2020	18	4.4	4.3	4.7	5.0	4.8	4.7	5.0	4.4
1/19/2020	19	4.3	4.3	4.6	5.0	4.8	4.7	5.0	4.3
1/19/2020	20	4.3	4.3	4.5	4.8	4.8	4.5	5.0	4.3
1/19/2020	21	4.3	4.3	4.4	4.7	4.7	4.5	4.9	4.2
1/19/2020	22	4.3	4.2	4.4	4.6	4.6	4.4	4.9	4.2
1/19/2020	23	4.2	4.2	4.4	4.5	4.5	4.3	4.9	4.2
1/19/2020	24	4.2	4.2	4.4	4.4	4.5	4.2	4.9	4.2
1/20/2020	1	4.2	4.2	4.4	4.4	4.4	4.1	4.9	4.2
1/20/2020	2	4.2	4.2	4.4	4.4	4.4	4.0	4.9	4.1
1/20/2020	3	4.2	4.1	4.3	4.4	4.4	4.0	4.9	4.1
1/20/2020	4	4.2	4.2	4.3	4.3	4.4	4.0	4.9	4.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/20/2020	5	4.2	4.2	4.3	4.3	4.3	4.0	4.9	4.2
1/20/2020	6	4.2	4.2	4.3	4.3	4.3	4.0	5.0	4.2
1/20/2020	7	4.2	4.2	4.3	4.3	4.3	4.0	5.0	4.2
1/20/2020	8	4.3	4.2	4.3	4.2	4.3	4.0	5.0	4.3
1/20/2020	9	4.3	4.3	4.3	4.3	4.3	4.1	5.0	4.3
1/20/2020	10	4.3	4.3	4.5	4.3	4.3	4.2	5.1	4.3
1/20/2020	11	4.4	4.4	4.7	4.4	4.3	4.5	5.1	4.3
1/20/2020	12	4.4	4.4	5.0	4.5	4.4	4.6	5.1	4.4
1/20/2020	13	4.4	4.5	5.3	4.7	4.5	4.9	5.2	4.4
1/20/2020	14	4.4	4.5	5.5	4.8	4.7	5.4	5.2	4.5
1/20/2020	15	4.5	4.5	5.5	5.1	4.8	5.2	5.3	4.5
1/20/2020	16	4.5	4.6	5.4	5.3	5.0	5.0	5.3	4.6
1/20/2020	17	4.6	4.6	5.2	5.4	5.2	5.1	5.3	4.6
1/20/2020	18	4.6	4.6	4.9	5.4	5.2	5.0	5.3	4.6
1/20/2020	19	4.6	4.6	4.7	5.3	5.2	5.0	5.3	4.6
1/20/2020	20	4.6	4.6	4.6	5.1	5.1	4.8	5.3	4.6
1/20/2020	21	4.6	4.6	4.6	4.9	5.0	4.7	5.3	4.6
1/20/2020	22	4.6	4.6	4.6	4.8	4.9	4.5	5.3	4.6
1/20/2020	23	4.6	4.6	4.5	4.7	4.7	4.4	5.3	4.6
1/20/2020	24	4.6	4.6	4.5	4.6	4.7	4.3	5.3	4.6
1/21/2020	1	4.6	4.6	4.5	4.5	4.6	4.2	5.3	4.6
1/21/2020	2	4.6	4.6	4.4	4.5	4.6	4.0	5.3	4.6
1/21/2020	3	4.6	4.6	4.3	4.4	4.5	4.0	5.3	4.6
1/21/2020	4	4.6	4.6	4.3	4.4	4.5	4.0	5.3	4.6
1/21/2020	5	4.6	4.6	4.3	4.4	4.4	4.0	5.3	4.6
1/21/2020	6	4.6	4.6	4.4	4.3	4.4	4.0	5.3	4.6
1/21/2020	7	4.6	4.6	4.4	4.3	4.3	3.9	5.3	4.6
1/21/2020	8	4.6	4.5	4.1	4.1	4.2	3.7	5.3	4.6
1/21/2020	9	4.5	4.5	4.0	4.2	4.2	3.8	5.3	4.5
1/21/2020	10	4.5	4.5	4.1	4.2	4.2	3.9	5.2	4.5
1/21/2020	11	4.5	4.6	4.3	4.1	4.2	4.0	5.3	4.5
1/21/2020	12	4.5	4.6	4.8	4.2	4.2	4.8	5.3	4.6
1/21/2020	13	4.6	4.6	5.2	4.3	4.3	4.5	5.4	4.6
1/21/2020	14	4.7	4.7	5.6	4.5	4.4	5.0	5.4	4.7
1/21/2020	15	4.7	4.7	5.7	4.8	4.6	4.7	5.5	4.8
1/21/2020	16	4.8	4.8	5.5	5.2	4.8	4.8	5.5	4.8
1/21/2020	17	4.8	4.8	5.3	5.4	5.1	5.0	5.6	4.9
1/21/2020	18	4.8	4.8	5.1	5.5	5.2	5.1	5.6	4.9
1/21/2020	19	4.9	4.8	4.9	5.4	5.3	5.1	5.7	5.0
1/21/2020	20	4.9	4.9	4.7	5.3	5.2	4.9	5.7	5.0
1/21/2020	21	4.9	4.9	4.6	5.1	5.1	4.8	5.7	5.1
1/21/2020	22	5.0	4.9	4.6	4.9	4.9	4.6	5.7	5.1
1/21/2020	23	5.0	5.0	4.5	4.7	4.8	4.4	5.7	5.1
1/21/2020	24	5.0	5.0	4.4	4.5	4.7	4.2	5.8	5.1
1/22/2020	1	5.0	5.0	4.4	4.4	4.6	4.0	5.8	5.1
1/22/2020	2	5.0	5.0	4.3	4.4	4.5	3.9	5.8	5.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/22/2020	3	5.0	5.0	4.3	4.3	4.4	3.9	5.8	5.1
1/22/2020	4	5.0	5.0	4.2	4.2	4.3	3.8	5.8	5.1
1/22/2020	5	5.0	4.9	4.2	4.1	4.3	3.7	5.8	5.0
1/22/2020	6	4.9	4.9	4.2	4.1	4.2	3.6	5.8	5.0
1/22/2020	7	4.9	4.9	4.3	4.1	4.2	3.7	5.8	5.0
1/22/2020	8	4.9	5.0	4.5	4.1	4.1	3.8	5.8	5.1
1/22/2020	9	5.0	5.0	4.6	4.1	4.1	3.8	5.8	5.1
1/22/2020	10	5.0	5.0	4.7	4.2	4.2	4.0	5.8	5.1
1/22/2020	11	5.0	5.1	4.9	4.4	4.3	4.2	5.8	5.1
1/22/2020	12	5.0	5.1	5.1	4.6	4.4	4.3	5.8	5.1
1/22/2020	13	5.0	5.1	5.2	4.7	4.6	4.4	5.8	5.1
1/22/2020	14	5.0	5.1	5.3	4.9	4.7	4.6	5.9	5.2
1/22/2020	15	5.1	5.1	5.3	5.0	4.8	4.6	5.9	5.2
1/22/2020	16	5.1	5.1	5.1	5.1	4.9	4.6	5.9	5.2
1/22/2020	17	5.1	5.1	4.8	5.1	4.9	4.6	5.9	5.2
1/22/2020	18	5.1	5.1	4.5	5.0	4.9	4.6	5.9	5.2
1/22/2020	19	5.1	5.1	4.4	4.9	4.9	4.6	5.9	5.2
1/22/2020	20	5.1	5.1	4.4	4.7	4.7	4.4	5.9	5.2
1/22/2020	21	5.1	5.2	4.5	4.5	4.6	4.3	5.9	5.2
1/22/2020	22	5.1	5.2	4.6	4.4	4.5	4.2	5.9	5.2
1/22/2020	23	5.1	5.2	4.8	4.4	4.5	4.1	5.9	5.3
1/22/2020	24	5.1	5.2	4.9	4.4	4.5	4.1	5.9	5.5
1/23/2020	1	5.1	5.2	4.9	4.6	4.5	4.2	5.9	5.4
1/23/2020	2	5.1	5.2	5.0	4.7	4.6	4.4	5.9	5.4
1/23/2020	3	5.1	5.2	5.1	4.8	4.7	4.4	5.9	5.4
1/23/2020	4	5.1	5.2	5.1	4.8	4.7	4.5	5.9	5.3
1/23/2020	5	5.1	5.2	5.1	4.9	4.8	4.6	5.9	5.3
1/23/2020	6	5.1	5.2	5.1	4.9	4.8	4.6	5.9	5.3
1/23/2020	7	5.1	5.2	5.1	5.0	4.9	4.7	5.9	5.2
1/23/2020	8	5.1	5.2	5.1	5.0	4.9	4.7	5.9	5.2
1/23/2020	9	5.1	5.2	5.2	5.0	4.9	4.8	5.9	5.2
1/23/2020	10	5.1	5.2	5.2	5.1	5.0	4.9	5.9	5.2
1/23/2020	11	5.2	5.2	5.4	5.1	5.0	5.0	5.9	5.2
1/23/2020	12	5.2	5.3	5.5	5.2	5.1	5.2	6.0	5.3
1/23/2020	13	5.3	5.4	5.7	5.4	5.2	5.3	6.0	5.4
1/23/2020	14	5.3	5.4	5.9	5.5	5.3	5.4	6.0	5.4
1/23/2020	15	5.3	5.4	5.9	5.6	5.4	5.4	6.1	5.4
1/23/2020	16	5.4	5.4	5.8	5.7	5.5	5.5	6.1	5.4
1/23/2020	17	5.4	5.4	5.7	5.8	5.6	5.5	6.2	5.5
1/23/2020	18	5.4	5.4	5.6	5.8	5.6	5.5	6.2	5.5
1/23/2020	19	5.4	5.5	5.5	5.7	5.6	5.5	6.2	5.5
1/23/2020	20	5.4	5.5	5.5	5.7	5.6	5.4	6.2	5.5
1/23/2020	21	5.4	5.5	5.4	5.6	5.6	5.4	6.2	5.5
1/23/2020	22	5.4	5.5	5.4	5.5	5.5	5.3	6.2	5.5
1/23/2020	23	5.4	5.5	5.4	5.5	5.5	5.2	6.2	5.6
1/23/2020	24	5.4	5.5	5.4	5.4	5.4	5.2	6.2	5.6



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/24/2020	1	5.4	5.4	5.4	5.4	5.4	5.1	6.2	5.5
1/24/2020	2	5.4	5.4	5.4	5.4	5.4	5.1	6.1	5.6
1/24/2020	3	5.4	5.4	5.4	5.4	5.4	5.1	6.1	5.6
1/24/2020	4	5.4	5.4	5.4	5.4	5.4	5.1	6.1	5.6
1/24/2020	5	5.4	5.4	5.4	5.4	5.4	5.1	6.1	5.6
1/24/2020	6	5.3	5.4	5.4	5.4	5.4	5.1	6.1	5.5
1/24/2020	7	5.3	5.4	5.4	5.4	5.4	5.0	6.1	5.4
1/24/2020	8	5.3	5.4	5.4	5.4	5.3	5.0	6.1	5.4
1/24/2020	9	5.3	5.4	5.4	5.4	5.4	5.2	6.1	5.4
1/24/2020	10	5.3	5.4	5.6	5.5	5.4	5.3	6.1	5.4
1/24/2020	11	5.4	5.4	5.9	5.5	5.4	5.5	6.1	5.4
1/24/2020	12	5.4	5.5	6.2	5.6	5.5	5.7	6.2	5.5
1/24/2020	13	5.4	5.5	6.4	5.8	5.6	5.7	6.2	5.5
1/24/2020	14	5.5	5.6	6.5	6.1	5.8	5.8	6.2	5.5
1/24/2020	15	5.5	5.6	6.4	6.2	6.0	5.9	6.3	5.6
1/24/2020	16	5.5	5.6	6.3	6.3	6.1	6.0	6.3	5.6
1/24/2020	17	5.5	5.6	6.1	6.4	6.2	6.1	6.3	5.6
1/24/2020	18	5.5	5.6	5.9	6.3	6.2	6.0	6.4	5.6
1/24/2020	19	5.5	5.6	5.7	6.2	6.2	5.8	6.4	5.6
1/24/2020	20	5.5	5.6	5.6	6.1	6.1	5.8	6.4	5.6
1/24/2020	21	5.5	5.6	5.5	5.9	5.9	5.6	6.3	5.6
1/24/2020	22	5.5	5.6	5.5	5.7	5.8	5.5	6.3	5.6
1/24/2020	23	5.5	5.6	5.5	5.6	5.7	5.3	6.3	5.7
1/24/2020	24	5.5	5.6	5.6	5.6	5.6	5.3	6.3	5.7
1/25/2020	1	5.5	5.6	5.6	5.5	5.6	5.3	6.3	5.7
1/25/2020	2	5.5	5.6	5.6	5.5	5.6	5.3	6.3	5.7
1/25/2020	3	5.5	5.6	5.5	5.5	5.6	5.2	6.3	5.7
1/25/2020	4	5.5	5.5	5.5	5.5	5.6	5.2	6.2	5.6
1/25/2020	5	5.5	5.5	5.4	5.5	5.5	5.2	6.2	5.6
1/25/2020	6	5.4	5.5	5.4	5.5	5.5	5.2	6.2	5.6
1/25/2020	7	5.4	5.5	5.3	5.5	5.5	5.1	6.2	5.4
1/25/2020	8	5.4	5.4	5.3	5.4	5.4	4.9	6.1	5.4
1/25/2020	9	5.4	5.4	5.2	5.3	5.4	5.0	6.1	5.4
1/25/2020	10	5.3	5.4	5.3	5.3	5.4	5.0	6.1	5.4
1/25/2020	11	5.3	5.4	5.4	5.3	5.3	5.1	6.1	5.3
1/25/2020	12	5.3	5.4	5.5	5.3	5.3	5.1	6.1	5.3
1/25/2020	13	5.3	5.4	5.7	5.4	5.4	5.2	6.1	5.4
1/25/2020	14	5.3	5.4	5.7	5.5	5.4	5.3	6.1	5.4
1/25/2020	15	5.3	5.4	5.8	5.6	5.5	5.4	6.1	5.4
1/25/2020	16	5.4	5.4	5.8	5.7	5.6	5.4	6.1	5.4
1/25/2020	17	5.4	5.4	5.7	5.7	5.6	5.5	6.1	5.4
1/25/2020	18	5.4	5.4	5.6	5.8	5.7	5.5	6.1	5.4
1/25/2020	19	5.4	5.4	5.5	5.7	5.7	5.5	6.1	5.4
1/25/2020	20	5.4	5.4	5.5	5.7	5.7	5.5	6.1	5.4
1/25/2020	21	5.4	5.4	5.5	5.6	5.6	5.4	6.1	5.4
1/25/2020	22	5.4	5.4	5.4	5.6	5.6	5.4	6.1	5.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/25/2020	23	5.4	5.4	5.4	5.5	5.6	5.3	6.1	5.5
1/25/2020	24	5.4	5.4	5.4	5.5	5.5	5.3	6.2	5.5
1/26/2020	1	5.4	5.4	5.4	5.5	5.5	5.2	6.2	5.6
1/26/2020	2	5.4	5.4	5.4	5.4	5.5	5.2	6.2	5.6
1/26/2020	3	5.4	5.4	5.4	5.4	5.5	5.2	6.2	5.5
1/26/2020	4	5.4	5.4	5.4	5.4	5.5	5.2	6.2	5.6
1/26/2020	5	5.4	5.4	5.4	5.4	5.4	5.1	6.1	5.6
1/26/2020	6	5.4	5.4	5.4	5.4	5.4	5.1	6.1	5.5
1/26/2020	7	5.4	5.4	5.3	5.4	5.4	5.1	6.1	5.4
1/26/2020	8	5.4	5.4	5.3	5.4	5.4	5.1	6.1	5.4
1/26/2020	9	5.4	5.4	5.3	5.4	5.4	5.1	6.1	5.4
1/26/2020	10	5.4	5.4	5.5	5.4	5.4	5.4	6.1	5.4
1/26/2020	11	5.4	5.4	5.7	5.4	5.4	5.3	6.1	5.4
1/26/2020	12	5.4	5.5	5.9	5.5	5.5	5.5	6.1	5.5
1/26/2020	13	5.4	5.5	6.2	5.7	5.6	5.7	6.2	5.5
1/26/2020	14	5.4	5.5	6.4	5.9	5.7	6.1	6.2	5.5
1/26/2020	15	5.5	5.5	6.4	6.1	5.8	6.0	6.2	5.6
1/26/2020	16	5.5	5.6	6.3	6.2	6.0	6.0	6.2	5.6
1/26/2020	17	5.5	5.5	6.1	6.3	6.1	6.0	6.2	5.5
1/26/2020	18	5.5	5.5	5.9	6.4	6.2	6.0	6.3	5.6
1/26/2020	19	5.5	5.5	5.7	6.3	6.2	6.0	6.3	5.6
1/26/2020	20	5.5	5.5	5.7	6.1	6.1	5.9	6.2	5.5
1/26/2020	21	5.5	5.5	5.6	5.9	6.0	5.8	6.2	5.6
1/26/2020	22	5.5	5.5	5.6	5.8	5.9	5.7	6.2	5.6
1/26/2020	23	5.5	5.5	5.6	5.8	5.8	5.6	6.2	5.5
1/26/2020	24	5.4	5.5	5.6	5.7	5.8	5.5	6.2	5.6
1/27/2020	1	5.4	5.5	5.6	5.7	5.7	5.5	6.2	5.6
1/27/2020	2	5.4	5.5	5.5	5.6	5.7	5.4	6.2	5.6
1/27/2020	3	5.4	5.5	5.5	5.6	5.7	5.4	6.2	5.6
1/27/2020	4	5.4	5.5	5.5	5.6	5.6	5.4	6.2	5.6
1/27/2020	5	5.4	5.5	5.5	5.6	5.6	5.3	6.2	5.6
1/27/2020	6	5.4	5.5	5.4	5.5	5.6	5.2	6.2	5.6
1/27/2020	7	5.4	5.5	5.3	5.5	5.5	5.2	6.2	5.5
1/27/2020	8	5.4	5.4	5.2	5.5	5.5	5.1	6.2	5.4
1/27/2020	9	5.4	5.4	5.2	5.4	5.5	5.2	6.2	5.4
1/27/2020	10	5.4	5.4	5.3	5.4	5.4	5.3	6.2	5.4
1/27/2020	11	5.4	5.4	5.6	5.4	5.4	5.3	6.2	5.4
1/27/2020	12	5.4	5.5	6.0	5.4	5.4	5.4	6.2	5.5
1/27/2020	13	5.4	5.5	6.2	5.5	5.5	5.4	6.2	5.5
1/27/2020	14	5.5	5.6	6.3	5.8	5.6	5.7	6.3	5.6
1/27/2020	15	5.5	5.6	6.3	6.0	5.8	5.8	6.3	5.6
1/27/2020	16	5.5	5.6	6.1	6.2	5.9	5.9	6.3	5.6
1/27/2020	17	5.5	5.6	5.9	6.2	6.1	5.9	6.3	5.6
1/27/2020	18	5.5	5.6	5.7	6.2	6.1	5.9	6.3	5.6
1/27/2020	19	5.5	5.6	5.6	6.1	6.1	5.8	6.3	5.6
1/27/2020	20	5.5	5.6	5.5	5.9	5.9	5.7	6.3	5.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/27/2020	21	5.5	5.6	5.5	5.8	5.8	5.5	6.3	5.6
1/27/2020	22	5.5	5.6	5.5	5.6	5.7	5.3	6.2	5.6
1/27/2020	23	5.5	5.5	5.4	5.5	5.6	5.2	6.2	5.6
1/27/2020	24	5.5	5.5	5.1	5.4	5.6	5.0	6.2	5.6
1/28/2020	1	5.4	5.4	4.9	5.4	5.5	5.0	6.2	5.5
1/28/2020	2	5.4	5.4	4.9	5.3	5.4	5.0	6.1	5.5
1/28/2020	3	5.4	5.4	5.0	5.1	5.3	4.9	6.1	5.6
1/28/2020	4	5.3	5.4	5.1	5.0	5.2	4.8	6.1	5.5
1/28/2020	5	5.3	5.4	5.2	5.0	5.1	4.7	6.1	5.5
1/28/2020	6	5.3	5.4	5.2	5.0	5.1	4.7	6.1	5.4
1/28/2020	7	5.3	5.3	5.3	5.1	5.1	4.8	6.1	5.3
1/28/2020	8	5.3	5.3	5.3	5.2	5.2	4.9	6.1	5.3
1/28/2020	9	5.3	5.3	5.3	5.2	5.2	5.0	6.1	5.3
1/28/2020	10	5.3	5.3	5.4	5.3	5.3	5.1	6.1	5.3
1/28/2020	11	5.3	5.4	5.6	5.4	5.3	5.3	6.1	5.4
1/28/2020	12	5.4	5.4	6.0	5.5	5.4	5.7	6.2	5.4
1/28/2020	13	5.4	5.5	6.2	5.6	5.5	6.0	6.2	5.5
1/28/2020	14	5.5	5.5	6.4	5.8	5.6	6.1	6.3	5.6
1/28/2020	15	5.5	5.6	6.5	6.1	5.8	6.1	6.3	5.6
1/28/2020	16	5.6	5.6	6.4	6.3	6.0	6.2	6.4	5.7
1/28/2020	17	5.6	5.7	6.2	6.4	6.2	6.2	6.4	5.7
1/28/2020	18	5.6	5.7	5.9	6.4	6.2	6.2	6.5	5.7
1/28/2020	19	5.6	5.7	5.7	6.3	6.2	6.1	6.4	5.7
1/28/2020	20	5.6	5.7	5.5	6.2	6.2	5.9	6.4	5.7
1/28/2020	21	5.6	5.7	5.5	6.0	6.0	5.8	6.4	5.7
1/28/2020	22	5.6	5.7	5.5	5.8	5.9	5.6	6.4	5.7
1/28/2020	23	5.6	5.7	5.5	5.6	5.7	5.5	6.4	5.7
1/28/2020	24	5.6	5.7	5.6	5.5	5.7	5.4	6.4	5.7
1/29/2020	1	5.6	5.6	5.6	5.5	5.6	5.3	6.4	5.7
1/29/2020	2	5.6	5.6	5.6	5.5	5.6	5.3	6.3	5.8
1/29/2020	3	5.6	5.6	5.6	5.6	5.6	5.3	6.3	5.7
1/29/2020	4	5.5	5.6	5.6	5.6	5.6	5.4	6.3	5.7
1/29/2020	5	5.5	5.6	5.6	5.6	5.6	5.4	6.3	5.7
1/29/2020	6	5.5	5.6	5.6	5.6	5.6	5.4	6.3	5.7
1/29/2020	7	5.5	5.6	5.6	5.6	5.6	5.4	6.3	5.6
1/29/2020	8	5.5	5.6	5.6	5.6	5.6	5.3	6.3	5.6
1/29/2020	9	5.5	5.6	5.6	5.6	5.6	5.3	6.3	5.6
1/29/2020	10	5.5	5.6	5.7	5.6	5.6	5.3	6.3	5.6
1/29/2020	11	5.5	5.6	5.7	5.6	5.6	5.4	6.3	5.6
1/29/2020	12	5.5	5.6	5.8	5.7	5.6	5.5	6.3	5.6
1/29/2020	13	5.5	5.6	6.0	5.8	5.7	5.6	6.4	5.6
1/29/2020	14	5.6	5.7	6.1	5.9	5.8	5.7	6.4	5.7
1/29/2020	15	5.6	5.7	6.2	6.0	5.8	5.8	6.4	5.7
1/29/2020	16	5.6	5.7	6.2	6.1	5.9	5.8	6.4	5.7
1/29/2020	17	5.6	5.7	6.0	6.1	6.0	5.8	6.4	5.7
1/29/2020	18	5.6	5.7	5.9	6.2	6.1	5.9	6.4	5.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/29/2020	19	5.6	5.7	5.8	6.1	6.1	5.9	6.4	5.7
1/29/2020	20	5.6	5.7	5.7	6.1	6.0	5.9	6.4	5.7
1/29/2020	21	5.6	5.7	5.7	5.9	5.9	5.8	6.4	5.7
1/29/2020	22	5.6	5.7	5.7	5.8	5.9	5.7	6.4	5.7
1/29/2020	23	5.6	5.7	5.6	5.7	5.8	5.5	6.4	5.8
1/29/2020	24	5.6	5.7	5.6	5.7	5.8	5.5	6.4	5.8
1/30/2020	1	5.6	5.7	5.6	5.7	5.7	5.4	6.4	5.8
1/30/2020	2	5.6	5.7	5.5	5.6	5.7	5.2	6.4	5.7
1/30/2020	3	5.6	5.6	5.5	5.6	5.7	5.2	6.3	5.8
1/30/2020	4	5.6	5.6	5.5	5.6	5.6	5.2	6.3	5.7
1/30/2020	5	5.5	5.6	5.4	5.5	5.6	5.2	6.3	5.6
1/30/2020	6	5.5	5.6	5.3	5.5	5.5	5.1	6.3	5.6
1/30/2020	7	5.5	5.5	5.2	5.4	5.5	5.0	6.3	5.5
1/30/2020	8	5.4	5.5	5.1	5.3	5.4	4.9	6.2	5.4
1/30/2020	9	5.4	5.5	5.2	5.3	5.4	5.0	6.2	5.4
1/30/2020	10	5.4	5.5	5.4	5.3	5.3	5.2	6.2	5.4
1/30/2020	11	5.4	5.5	5.7	5.3	5.3	6.0	6.2	5.4
1/30/2020	12	5.4	5.5	6.2	5.4	5.4	5.9	6.2	5.5
1/30/2020	13	5.5	5.6	6.5	5.5	5.4	5.9	6.3	5.6
1/30/2020	14	5.5	5.6	6.7	5.8	5.6	5.6	6.3	5.6
1/30/2020	15	5.6	5.6	6.6	6.2	5.9	5.9	6.3	5.7
1/30/2020	16	5.6	5.6	6.4	6.4	6.1	6.2	6.4	5.7
1/30/2020	17	5.6	5.7	6.1	6.6	6.3	6.3	6.4	5.7
1/30/2020	18	5.6	5.7	5.9	6.5	6.4	6.3	6.4	5.7
1/30/2020	19	5.6	5.7	5.8	6.4	6.3	6.2	6.4	5.7
1/30/2020	20	5.6	5.7	5.7	6.2	6.2	6.0	6.4	5.7
1/30/2020	21	5.6	5.7	5.6	6.0	6.1	5.7	6.5	5.7
1/30/2020	22	5.6	5.7	5.6	5.8	5.9	5.6	6.4	5.7
1/30/2020	23	5.6	5.7	5.6	5.7	5.8	5.5	6.4	5.7
1/30/2020	24	5.6	5.7	5.6	5.7	5.8	5.4	6.4	5.7
1/31/2020	1	5.6	5.7	5.6	5.6	5.7	5.3	6.4	5.7
1/31/2020	2	5.6	5.7	5.6	5.6	5.7	5.3	6.4	5.7
1/31/2020	3	5.6	5.6	5.6	5.6	5.6	5.3	6.4	5.7
1/31/2020	4	5.6	5.6	5.5	5.6	5.6	5.3	6.3	5.7
1/31/2020	5	5.6	5.6	5.5	5.6	5.6	5.2	6.3	5.7
1/31/2020	6	5.5	5.6	5.4	5.5	5.6	5.3	6.3	5.6
1/31/2020	7	5.5	5.6	5.4	5.5	5.6	5.3	6.3	5.6
1/31/2020	8	5.5	5.6	5.4	5.5	5.5	5.2	6.3	5.6
1/31/2020	9	5.5	5.6	5.5	5.5	5.5	5.3	6.3	5.5
1/31/2020	10	5.5	5.6	5.6	5.5	5.5	5.4	6.3	5.5
1/31/2020	11	5.5	5.6	5.8	5.6	5.6	5.6	6.3	5.6
1/31/2020	12	5.5	5.6	6.1	5.7	5.6	5.7	6.3	5.6
1/31/2020	13	5.5	5.7	6.4	5.9	5.8	6.4	6.3	5.6
1/31/2020	14	5.6	5.7	6.6	6.1	5.9	6.8	6.3	5.7
1/31/2020	15	5.6	5.7	6.6	6.3	6.1	6.3	6.4	5.7
1/31/2020	16	5.7	5.7	6.4	6.4	6.2	6.1	6.4	5.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/31/2020	17	5.7	5.7	6.2	6.5	6.3	6.2	6.4	5.7
1/31/2020	18	5.6	5.7	5.9	6.5	6.4	6.1	6.4	5.7
1/31/2020	19	5.6	5.7	5.7	6.4	6.3	6.1	6.5	5.7
1/31/2020	20	5.6	5.7	5.7	6.2	6.2	6.1	6.5	5.7
1/31/2020	21	5.6	5.7	5.7	6.1	6.1	5.9	6.5	5.7
1/31/2020	22	5.6	5.7	5.7	5.9	6.0	5.7	6.5	5.7
1/31/2020	23	5.6	5.7	5.7	5.8	5.9	5.6	6.5	5.9
1/31/2020	24	5.6	5.7	5.7	5.8	5.9	6.6	6.5	5.9
2/1/2020	1	5.6	5.7	5.8	5.8	5.9	6.5	6.5	5.9
2/1/2020	2	5.6	5.7	5.9	5.9	5.9	6.5	6.5	5.9
2/1/2020	3	5.6	5.7	6.1	6.0	5.9	6.4	6.5	5.9
2/1/2020	4	5.7	5.7	6.2	6.0	6.0	6.4	6.5	5.9
2/1/2020	5	5.6	5.8	6.3	6.1	6.1	6.4	6.6	5.8
2/1/2020	6	5.6	5.8	6.3	6.3	6.1	6.4	6.6	5.8
2/1/2020	7	5.7	5.8	6.2	6.4	6.2	6.5	6.6	5.7
2/1/2020	8	5.7	5.8	6.2	6.4	6.3	6.6	6.6	5.8
2/1/2020	9	5.7	5.8	6.4	6.5	6.4	6.9	6.6	5.8
2/1/2020	10	5.7	5.9	6.7	6.6	6.4	6.9	6.6	5.8
2/1/2020	11	5.8	5.9	6.9	6.7	6.5	7.3	6.7	5.9
2/1/2020	12	5.8	6.0	7.2	6.9	6.6	7.6	6.7	5.9
2/1/2020	13	5.9	6.0	7.3	7.0	6.8	7.6	6.7	6.0
2/1/2020	14	5.9	6.1	7.3	7.2	6.9	7.9	6.7	6.1
2/1/2020	15	6.0	6.1	7.1	7.3	7.0	7.8	6.7	6.1
2/1/2020	16	6.0	6.1	6.8	7.3	7.1	7.3	6.8	6.1
2/1/2020	17	6.0	6.1	6.5	7.3	7.1	7.1	6.8	6.1
2/1/2020	18	5.9	6.1	6.2	7.0	7.0	6.9	6.8	6.1
2/1/2020	19	5.9	6.0	5.9	6.8	6.9	6.6	6.8	6.0
2/1/2020	20	5.9	6.0	5.8	6.5	6.7	6.4	6.7	6.0
2/1/2020	21	5.9	5.9	5.6	6.2	6.4	6.1	6.7	5.9
2/1/2020	22	5.8	5.9	5.5	6.0	6.2	5.7	6.6	5.8
2/1/2020	23	5.7	5.8	5.3	5.7	6.0	5.5	6.6	5.9
2/1/2020	24	5.7	5.8	5.3	5.5	5.8	5.1	6.5	5.8
2/2/2020	1	5.7	5.7	5.2	5.4	5.6	4.9	6.5	5.8
2/2/2020	2	5.6	5.7	5.1	5.2	5.5	4.7	6.4	5.7
2/2/2020	3	5.6	5.6	4.9	5.1	5.4	4.6	6.4	5.6
2/2/2020	4	5.5	5.5	4.8	5.0	5.2	4.5	6.3	5.6
2/2/2020	5	5.5	5.5	4.7	4.9	5.1	4.3	6.3	5.5
2/2/2020	6	5.4	5.4	4.7	4.8	5.0	4.2	6.2	5.4
2/2/2020	7	5.4	5.4	4.6	4.7	4.9	4.1	6.2	5.4
2/2/2020	8	5.4	5.4	4.5	4.6	4.8	4.0	6.1	5.3
2/2/2020	9	5.3	5.3	4.5	4.5	4.7	3.9	6.1	5.3
2/2/2020	10	5.3	5.3	4.8	4.5	4.7	5.0	6.1	5.3
2/2/2020	11	5.3	5.3	5.2	4.5	4.6	5.1	6.1	5.4
2/2/2020	12	5.4	5.4	5.7	4.6	4.6	5.4	6.1	5.4
2/2/2020	13	5.4	5.4	6.2	4.7	4.7	5.5	6.1	5.4
2/2/2020	14	5.4	5.4	6.5	5.0	4.9	5.7	6.2	5.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/2/2020	15	5.5	5.5	6.4	5.5	5.3	6.2	6.2	5.6
2/2/2020	16	5.5	5.5	6.1	6.0	5.6	5.5	6.2	5.6
2/2/2020	17	5.5	5.5	5.7	6.2	5.8	5.6	6.2	5.6
2/2/2020	18	5.5	5.5	5.3	6.1	5.9	5.6	6.3	5.6
2/2/2020	19	5.5	5.5	5.0	5.8	5.8	5.4	6.3	5.6
2/2/2020	20	5.5	5.5	4.8	5.6	5.7	5.1	6.2	5.5
2/2/2020	21	5.5	5.4	4.7	5.2	5.4	4.8	6.2	5.5
2/2/2020	22	5.4	5.4	4.6	4.9	5.2	4.5	6.1	5.5
2/2/2020	23	5.4	5.4	4.5	4.7	5.0	4.2	6.1	5.5
2/2/2020	24	5.4	5.3	4.5	4.5	4.8	3.9	6.0	5.4
2/3/2020	1	5.3	5.3	4.4	4.4	4.7	3.8	6.0	5.4
2/3/2020	2	5.3	5.3	4.3	4.3	4.6	3.6	6.0	5.3
2/3/2020	3	5.3	5.2	4.2	4.2	4.4	3.5	5.9	5.3
2/3/2020	4	5.2	5.2	4.2	4.1	4.4	3.4	5.9	5.3
2/3/2020	5	5.2	5.2	4.1	4.1	4.3	3.4	5.8	5.3
2/3/2020	6	5.1	5.1	4.1	4.0	4.2	3.2	5.8	5.2
2/3/2020	7	5.1	5.1	4.0	3.9	4.1	3.1	5.8	5.1
2/3/2020	8	5.1	5.1	3.9	3.8	4.0	3.0	5.7	5.1
2/3/2020	9	5.0	5.0	4.0	3.8	3.9	3.1	5.7	4.9
2/3/2020	10	5.0	5.0	4.2	3.8	3.9	3.3	5.7	4.9
2/3/2020	11	5.0	5.0	4.6	3.9	4.0	3.8	5.7	5.0
2/3/2020	12	5.0	5.0	5.0	4.1	4.0	4.4	5.7	5.0
2/3/2020	13	5.0	5.1	5.3	4.3	4.1	4.3	5.7	5.1
2/3/2020	14	5.0	5.1	5.5	4.6	4.4	4.8	5.8	5.2
2/3/2020	15	5.1	5.1	5.6	4.9	4.6	4.6	5.8	5.2
2/3/2020	16	5.1	5.1	5.4	5.2	4.8	4.9	5.9	5.2
2/3/2020	17	5.1	5.1	5.2	5.3	5.1	4.9	5.9	5.2
2/3/2020	18	5.1	5.1	5.0	5.3	5.1	4.9	5.9	5.2
2/3/2020	19	5.1	5.1	4.8	5.2	5.1	4.7	5.9	5.2
2/3/2020	20	5.1	5.1	4.6	5.0	5.0	4.5	5.9	5.2
2/3/2020	21	5.1	5.1	4.5	4.8	4.9	4.3	5.9	5.2
2/3/2020	22	5.1	5.1	4.3	4.6	4.8	4.1	5.9	5.2
2/3/2020	23	5.1	5.1	4.2	4.5	4.6	3.9	5.8	5.2
2/3/2020	24	5.1	5.1	4.1	4.2	4.4	3.7	5.8	5.1
2/4/2020	1	5.1	5.0	4.1	4.1	4.3	3.5	5.8	5.1
2/4/2020	2	5.0	5.0	4.0	4.0	4.2	3.3	5.8	5.1
2/4/2020	3	5.0	5.0	4.0	3.9	4.1	3.2	5.7	5.0
2/4/2020	4	5.0	4.9	4.0	3.8	4.0	3.1	5.7	4.9
2/4/2020	5	4.9	4.9	4.0	3.7	3.9	3.0	5.7	4.9
2/4/2020	6	4.9	4.9	3.9	3.7	3.9	3.0	5.7	4.8
2/4/2020	7	4.9	4.8	3.9	3.7	3.8	2.9	5.6	4.8
2/4/2020	8	4.8	4.8	3.9	3.6	3.8	2.9	5.6	4.8
2/4/2020	9	4.8	4.8	4.0	3.6	3.7	3.1	5.6	4.8
2/4/2020	10	4.8	4.8	4.1	3.7	3.7	3.0	5.6	4.8
2/4/2020	11	4.8	4.8	4.1	3.7	3.7	3.0	5.5	4.8
2/4/2020	12	4.8	4.8	4.2	3.8	3.8	3.2	5.5	4.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/4/2020	13	4.8	4.8	4.4	3.9	3.9	3.3	5.5	4.9
2/4/2020	14	4.8	4.8	4.4	4.0	3.9	3.4	5.5	4.9
2/4/2020	15	4.8	4.8	4.5	4.1	4.0	3.5	5.5	4.9
2/4/2020	16	4.8	4.8	4.5	4.1	4.1	3.5	5.5	4.8
2/4/2020	17	4.8	4.8	4.4	4.2	4.1	3.6	5.6	4.8
2/4/2020	18	4.8	4.8	4.4	4.2	4.1	3.5	5.6	4.8
2/4/2020	19	4.8	4.8	4.2	4.2	4.2	3.5	5.6	4.8
2/4/2020	20	4.8	4.7	4.1	4.1	4.1	3.5	5.6	4.8
2/4/2020	21	4.8	4.7	4.0	4.1	4.1	3.5	5.6	4.8
2/4/2020	22	4.8	4.7	4.0	4.0	4.1	3.4	5.6	4.8
2/4/2020	23	4.8	4.7	4.0	3.9	4.0	3.4	5.5	4.8
2/4/2020	24	4.8	4.7	4.0	3.9	3.9	3.4	5.5	4.8
2/5/2020	1	4.8	4.7	4.1	3.9	3.9	3.3	5.5	4.8
2/5/2020	2	4.8	4.8	4.1	3.9	3.9	3.4	5.5	4.8
2/5/2020	3	4.8	4.8	4.2	3.9	3.9	3.4	5.5	4.8
2/5/2020	4	4.8	4.8	4.2	3.9	3.9	3.4	5.5	4.8
2/5/2020	5	4.8	4.8	4.2	4.0	4.0	3.5	5.5	4.8
2/5/2020	6	4.8	4.7	4.2	4.0	4.0	3.4	5.5	4.8
2/5/2020	7	4.8	4.7	4.2	4.0	4.0	3.5	5.5	4.8
2/5/2020	8	4.8	4.8	4.3	4.1	4.0	3.5	5.5	4.8
2/5/2020	9	4.8	4.8	4.4	4.1	4.1	3.6	5.5	4.8
2/5/2020	10	4.8	4.8	4.5	4.2	4.1	3.8	5.5	4.8
2/5/2020	11	4.8	4.8	4.7	4.3	4.2	4.1	5.6	4.8
2/5/2020	12	4.8	4.8	5.0	4.4	4.3	4.6	5.6	4.8
2/5/2020	13	4.8	4.9	5.4	4.6	4.4	4.8	5.6	4.9
2/5/2020	14	4.9	4.9	5.8	4.8	4.6	5.1	5.7	4.9
2/5/2020	15	4.9	4.9	5.9	5.1	4.8	5.1	5.7	5.0
2/5/2020	16	4.9	5.0	5.8	5.4	5.0	5.1	5.7	5.0
2/5/2020	17	5.0	5.0	5.6	5.6	5.3	5.1	5.8	5.1
2/5/2020	18	5.0	5.0	5.2	5.7	5.4	5.2	5.8	5.1
2/5/2020	19	5.0	5.0	4.9	5.6	5.4	5.1	5.8	5.1
2/5/2020	20	5.0	5.0	4.7	5.4	5.3	5.0	5.8	5.1
2/5/2020	21	5.0	5.0	4.6	5.2	5.2	4.8	5.7	5.1
2/5/2020	22	5.0	5.0	4.5	4.9	5.0	4.6	5.7	5.1
2/5/2020	23	5.0	5.0	4.5	4.7	4.8	4.4	5.7	5.0
2/5/2020	24	4.9	5.0	4.5	4.6	4.7	4.2	5.6	4.9
2/6/2020	1	4.9	4.9	4.5	4.5	4.6	4.1	5.6	4.9
2/6/2020	2	4.9	4.9	4.5	4.5	4.5	4.1	5.6	4.9
2/6/2020	3	4.9	4.9	4.6	4.5	4.5	4.1	5.6	4.8
2/6/2020	4	4.8	4.8	4.6	4.5	4.5	4.1	5.6	4.8
2/6/2020	5	4.8	4.8	4.6	4.5	4.5	4.1	5.6	4.8
2/6/2020	6	4.8	4.8	4.6	4.5	4.5	4.1	5.6	4.8
2/6/2020	7	4.8	4.8	4.6	4.5	4.5	4.2	5.6	4.8
2/6/2020	8	4.8	4.8	4.6	4.5	4.5	4.2	5.6	4.8
2/6/2020	9	4.8	4.8	4.6	4.6	4.5	4.3	5.6	4.8
2/6/2020	10	4.8	4.8	4.7	4.6	4.6	4.5	5.6	4.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/6/2020	11	4.8	4.9	5.0	4.7	4.6	4.6	5.6	4.9
2/6/2020	12	4.9	4.9	5.3	4.8	4.7	4.8	5.7	4.9
2/6/2020	13	4.9	5.0	5.5	4.9	4.8	4.9	5.7	5.0
2/6/2020	14	5.0	5.0	5.6	5.1	4.9	4.9	5.8	5.1
2/6/2020	15	5.0	5.1	5.6	5.3	5.1	5.0	5.8	5.2
2/6/2020	16	5.1	5.1	5.5	5.5	5.2	5.1	5.9	5.2
2/6/2020	17	5.1	5.2	5.3	5.5	5.3	5.2	5.9	5.2
2/6/2020	18	5.1	5.2	5.2	5.5	5.4	5.2	6.0	5.3
2/6/2020	19	5.1	5.2	5.2	5.5	5.4	5.2	6.0	5.3
2/6/2020	20	5.1	5.2	5.1	5.4	5.3	5.1	6.0	5.3
2/6/2020	21	5.2	5.2	5.1	5.3	5.3	5.1	6.0	5.3
2/6/2020	22	5.2	5.2	5.1	5.2	5.2	5.0	6.0	5.3
2/6/2020	23	5.2	5.2	5.1	5.2	5.2	4.9	5.9	5.3
2/6/2020	24	5.2	5.2	5.1	5.1	5.1	4.8	5.9	5.2
2/7/2020	1	5.1	5.2	5.1	5.1	5.1	4.8	5.9	5.2
2/7/2020	2	5.1	5.2	5.1	5.1	5.1	4.8	5.9	5.2
2/7/2020	3	5.1	5.2	5.0	5.1	5.1	4.8	5.9	5.2
2/7/2020	4	5.1	5.2	5.0	5.1	5.1	4.8	5.9	5.2
2/7/2020	5	5.1	5.2	5.0	5.1	5.1	4.8	5.9	5.2
2/7/2020	6	5.1	5.2	4.9	5.0	5.0	4.7	5.9	5.2
2/7/2020	7	5.1	5.2	4.9	5.0	5.0	4.7	5.9	5.2
2/7/2020	8	5.1	5.2	5.0	5.0	5.0	4.7	5.9	5.1
2/7/2020	9	5.1	5.2	5.1	5.0	5.0	4.8	5.9	5.1
2/7/2020	10	5.1	5.2	5.2	5.1	5.0	4.9	5.9	5.2
2/7/2020	11	5.1	5.2	5.4	5.1	5.1	5.1	5.9	5.2
2/7/2020	12	5.1	5.2	5.6	5.2	5.1	5.2	6.0	5.2
2/7/2020	13	5.2	5.3	5.8	5.4	5.2	5.3	6.0	5.3
2/7/2020	14	5.2	5.3	5.9	5.6	5.4	5.9	6.0	5.3
2/7/2020	15	5.3	5.4	6.1	5.8	5.5	5.8	6.1	5.4
2/7/2020	16	5.3	5.4	6.0	5.9	5.7	5.8	6.1	5.5
2/7/2020	17	5.4	5.4	5.9	6.0	5.8	5.8	6.2	5.5
2/7/2020	18	5.4	5.4	5.8	6.1	5.9	5.9	6.2	5.5
2/7/2020	19	5.4	5.5	5.7	6.1	5.9	5.9	6.3	5.5
2/7/2020	20	5.4	5.5	5.6	6.0	5.9	5.7	6.2	5.5
2/7/2020	21	5.4	5.5	5.5	5.9	5.8	5.6	6.2	5.5
2/7/2020	22	5.4	5.5	5.4	5.7	5.8	5.5	6.2	5.5
2/7/2020	23	5.4	5.4	5.3	5.6	5.7	5.4	6.1	5.5
2/7/2020	24	5.4	5.4	5.2	5.5	5.6	5.4	6.1	5.4
2/8/2020	1	5.4	5.4	5.1	5.4	5.5	5.1	6.0	5.4
2/8/2020	2	5.3	5.4	5.0	5.3	5.4	5.0	6.0	5.3
2/8/2020	3	5.3	5.3	5.0	5.2	5.3	4.9	6.0	5.2
2/8/2020	4	5.3	5.3	5.0	5.1	5.2	4.9	6.0	5.3
2/8/2020	5	5.3	5.3	5.0	5.0	5.1	4.8	6.0	5.3
2/8/2020	6	5.2	5.3	5.0	5.0	5.1	4.6	6.0	5.3
2/8/2020	7	5.2	5.2	4.9	5.0	5.1	4.5	6.0	5.2
2/8/2020	8	5.2	5.2	4.9	4.9	5.0	4.6	6.0	5.2



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/8/2020	9	5.2	5.2	4.9	4.9	5.0	4.7	6.0	5.2
2/8/2020	10	5.2	5.2	5.2	5.0	5.0	5.7	6.0	5.2
2/8/2020	11	5.2	5.3	5.6	5.1	5.1	5.3	6.0	5.3
2/8/2020	12	5.3	5.3	6.1	5.2	5.1	5.9	6.0	5.3
2/8/2020	13	5.3	5.4	6.4	5.4	5.2	5.5	6.1	5.4
2/8/2020	14	5.3	5.4	6.6	5.8	5.5	5.9	6.2	5.4
2/8/2020	15	5.4	5.5	6.6	6.2	5.8	6.4	6.2	5.5
2/8/2020	16	5.4	5.5	6.5	6.5	6.1	6.4	6.3	5.5
2/8/2020	17	5.4	5.5	6.2	6.6	6.3	6.4	6.3	5.5
2/8/2020	18	5.4	5.5	5.9	6.6	6.3	6.3	6.3	5.5
2/8/2020	19	5.4	5.5	5.5	6.4	6.3	6.1	6.3	5.5
2/8/2020	20	5.4	5.5	5.2	6.2	6.2	5.9	6.2	5.5
2/8/2020	21	5.4	5.4	5.1	5.8	6.0	5.6	6.2	5.5
2/8/2020	22	5.4	5.4	4.9	5.5	5.7	5.3	6.1	5.4
2/8/2020	23	5.3	5.4	4.8	5.2	5.5	5.0	6.1	5.4
2/8/2020	24	5.3	5.3	4.7	5.1	5.3	4.7	6.1	5.3
2/9/2020	1	5.3	5.3	4.7	4.9	5.1	4.5	6.0	5.3
2/9/2020	2	5.2	5.2	4.6	4.7	5.0	4.2	6.0	5.2
2/9/2020	3	5.1	5.2	4.6	4.6	4.8	4.1	5.9	5.2
2/9/2020	4	5.1	5.1	4.5	4.6	4.8	4.0	5.9	5.1
2/9/2020	5	5.1	5.1	4.4	4.5	4.7	3.9	5.8	5.1
2/9/2020	6	5.0	5.1	4.4	4.4	4.6	3.8	5.8	5.1
2/9/2020	7	5.0	5.0	4.3	4.3	4.5	3.7	5.7	5.0
2/9/2020	8	5.0	5.0	4.3	4.3	4.4	3.7	5.7	5.0
2/9/2020	9	4.9	5.0	4.3	4.2	4.4	4.2	5.7	5.0
2/9/2020	10	4.9	5.0	4.7	4.3	4.4	4.7	5.7	5.0
2/9/2020	11	5.0	5.0	5.1	4.4	4.4	4.9	5.8	5.1
2/9/2020	12	5.0	5.1	5.6	4.5	4.4	4.9	5.8	5.1
2/9/2020	13	5.1	5.2	6.1	4.7	4.6	5.0	5.9	5.3
2/9/2020	14	5.2	5.3	6.3	5.1	4.8	5.0	6.0	5.3
2/9/2020	15	5.3	5.3	6.3	5.6	5.2	5.5	6.1	5.4
2/9/2020	16	5.3	5.4	6.0	6.0	5.5	5.7	6.2	5.4
2/9/2020	17	5.4	5.4	5.7	6.1	5.7	5.7	6.2	5.4
2/9/2020	18	5.4	5.4	5.5	6.1	5.8	5.7	6.2	5.4
2/9/2020	19	5.4	5.4	5.2	5.9	5.8	5.5	6.1	5.4
2/9/2020	20	5.4	5.4	4.9	5.6	5.6	5.3	6.1	5.4
2/9/2020	21	5.3	5.3	4.7	5.4	5.5	5.0	6.1	5.4
2/9/2020	22	5.3	5.3	4.6	5.1	5.3	4.7	6.0	5.3
2/9/2020	23	5.3	5.3	4.5	4.9	5.1	4.5	6.0	5.3
2/9/2020	24	5.2	5.2	4.5	4.7	4.9	4.3	5.9	5.2
2/10/2020	1	5.1	5.2	4.5	4.5	4.8	4.0	5.9	5.2
2/10/2020	2	5.1	5.1	4.4	4.4	4.6	3.9	5.8	5.1
2/10/2020	3	5.0	5.1	4.4	4.4	4.5	3.7	5.8	5.1
2/10/2020	4	5.0	5.0	4.3	4.3	4.5	3.7	5.7	5.0
2/10/2020	5	5.0	5.0	4.2	4.2	4.4	3.6	5.7	4.9
2/10/2020	6	4.9	4.9	4.2	4.2	4.3	3.5	5.6	4.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/10/2020	7	4.9	4.9	4.1	4.1	4.2	3.4	5.6	4.9
2/10/2020	8	4.9	4.8	4.1	4.0	4.2	3.5	5.6	4.8
2/10/2020	9	4.8	4.8	4.1	4.0	4.1	4.0	5.6	4.8
2/10/2020	10	4.8	4.8	4.5	4.1	4.1	4.3	5.6	4.8
2/10/2020	11	4.9	4.9	4.9	4.2	4.2	4.5	5.6	4.9
2/10/2020	12	4.9	4.9	5.5	4.4	4.2	5.0	5.7	5.0
2/10/2020	13	5.0	5.0	6.1	4.6	4.5	5.5	5.8	5.1
2/10/2020	14	5.1	5.1	6.5	4.9	4.7	5.9	5.9	5.2
2/10/2020	15	5.2	5.2	6.6	5.5	5.1	6.5	6.0	5.3
2/10/2020	16	5.3	5.3	6.3	6.0	5.5	5.9	6.1	5.4
2/10/2020	17	5.3	5.3	6.0	6.3	5.8	5.9	6.2	5.4
2/10/2020	18	5.4	5.3	5.6	6.3	5.9	5.9	6.2	5.5
2/10/2020	19	5.4	5.3	5.2	6.2	5.9	5.8	6.2	5.5
2/10/2020	20	5.4	5.4	5.0	5.9	5.8	5.5	6.2	5.5
2/10/2020	21	5.4	5.4	4.9	5.5	5.6	5.2	6.2	5.5
2/10/2020	22	5.4	5.4	4.8	5.3	5.4	4.9	6.1	5.4
2/10/2020	23	5.3	5.3	4.8	5.0	5.2	4.7	6.1	5.4
2/10/2020	24	5.3	5.3	4.7	4.8	5.0	4.4	6.1	5.3
2/11/2020	1	5.3	5.3	4.8	4.7	4.9	4.4	6.0	5.3
2/11/2020	2	5.2	5.3	4.8	4.7	4.8	4.4	6.0	5.3
2/11/2020	3	5.2	5.2	4.8	4.7	4.8	4.3	5.9	5.2
2/11/2020	4	5.1	5.2	4.8	4.7	4.7	4.3	5.9	5.2
2/11/2020	5	5.1	5.2	4.8	4.7	4.7	4.1	5.8	5.1
2/11/2020	6	5.1	5.1	4.7	4.7	4.7	4.1	5.8	5.1
2/11/2020	7	5.0	5.1	4.5	4.6	4.7	4.0	5.8	5.0
2/11/2020	8	5.0	5.0	4.4	4.6	4.6	4.0	5.7	5.0
2/11/2020	9	4.9	5.0	4.4	4.5	4.6	4.6	5.7	5.0
2/11/2020	10	4.9	5.0	4.7	4.6	4.6	5.3	5.7	5.0
2/11/2020	11	4.9	5.0	5.2	4.6	4.6	5.4	5.7	5.0
2/11/2020	12	5.0	5.1	5.8	4.6	4.6	5.5	5.8	5.1
2/11/2020	13	5.1	5.1	6.5	4.8	4.7	6.0	5.9	5.2
2/11/2020	14	5.2	5.2	6.9	5.3	5.0	6.7	6.0	5.3
2/11/2020	15	5.3	5.3	7.0	5.9	5.4	7.1	6.0	5.4
2/11/2020	16	5.3	5.4	6.7	6.5	5.9	6.8	6.1	5.5
2/11/2020	17	5.4	5.4	6.3	6.8	6.2	6.9	6.2	5.5
2/11/2020	18	5.4	5.4	5.9	6.8	6.4	6.9	6.3	5.6
2/11/2020	19	5.4	5.5	5.6	6.6	6.4	6.6	6.3	5.6
2/11/2020	20	5.5	5.5	5.3	6.3	6.3	6.2	6.3	5.6
2/11/2020	21	5.5	5.5	5.1	6.0	6.1	5.9	6.3	5.6
2/11/2020	22	5.5	5.5	5.0	5.7	5.8	5.6	6.2	5.5
2/11/2020	23	5.4	5.5	4.9	5.4	5.6	5.4	6.2	5.5
2/11/2020	24	5.4	5.4	4.9	5.2	5.4	4.9	6.2	5.4
2/12/2020	1	5.4	5.4	4.8	5.0	5.2	4.7	6.1	5.4
2/12/2020	2	5.3	5.4	4.8	4.9	5.1	4.4	6.1	5.3
2/12/2020	3	5.3	5.3	4.7	4.8	5.0	4.3	6.0	5.3
2/12/2020	4	5.3	5.3	4.6	4.7	4.9	4.2	6.0	5.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/12/2020	5	5.2	5.2	4.6	4.6	4.8	4.1	6.0	5.2
2/12/2020	6	5.2	5.2	4.6	4.6	4.7	4.0	5.9	5.2
2/12/2020	7	5.1	5.2	4.5	4.5	4.7	3.9	5.9	5.2
2/12/2020	8	5.1	5.1	4.5	4.5	4.6	3.9	5.9	5.1
2/12/2020	9	5.1	5.1	4.5	4.5	4.6	4.7	5.8	5.1
2/12/2020	10	5.1	5.2	5.1	4.7	4.6	5.4	5.8	5.1
2/12/2020	11	5.1	5.2	5.5	4.7	4.6	5.6	5.9	5.2
2/12/2020	12	5.2	5.2	6.1	4.8	4.7	5.8	6.0	5.2
2/12/2020	13	5.2	5.3	6.7	5.1	4.9	6.1	6.1	5.3
2/12/2020	14	5.3	5.4	7.1	5.6	5.3	6.7	6.1	5.5
2/12/2020	15	5.4	5.5	7.1	6.2	5.7	7.2	6.2	5.5
2/12/2020	16	5.5	5.5	6.7	6.6	6.1	6.7	6.3	5.6
2/12/2020	17	5.5	5.5	6.4	6.9	6.4	6.7	6.3	5.6
2/12/2020	18	5.5	5.6	5.9	6.9	6.5	6.7	6.4	5.6
2/12/2020	19	5.5	5.6	5.6	6.6	6.5	6.5	6.4	5.6
2/12/2020	20	5.5	5.6	5.3	6.3	6.3	6.1	6.4	5.6
2/12/2020	21	5.5	5.5	5.2	6.0	6.1	5.7	6.3	5.6
2/12/2020	22	5.5	5.5	5.0	5.6	5.8	5.4	6.3	5.6
2/12/2020	23	5.5	5.5	4.9	5.4	5.6	5.1	6.3	5.5
2/12/2020	24	5.5	5.5	4.9	5.2	5.4	4.7	6.2	5.5
2/13/2020	1	5.4	5.4	4.8	5.0	5.2	4.5	6.2	5.5
2/13/2020	2	5.4	5.4	4.8	4.9	5.1	4.4	6.2	5.4
2/13/2020	3	5.4	5.4	4.7	4.8	5.0	4.3	6.1	5.4
2/13/2020	4	5.3	5.3	4.7	4.7	4.9	4.2	6.1	5.3
2/13/2020	5	5.3	5.3	4.6	4.6	4.8	4.1	6.0	5.3
2/13/2020	6	5.2	5.2	4.6	4.6	4.7	4.0	6.0	5.2
2/13/2020	7	5.2	5.2	4.5	4.5	4.7	3.9	6.0	5.2
2/13/2020	8	5.1	5.2	4.5	4.5	4.6	3.9	5.9	5.2
2/13/2020	9	5.1	5.2	4.5	4.5	4.6	4.6	5.9	5.2
2/13/2020	10	5.1	5.2	4.9	4.5	4.6	4.7	5.9	5.2
2/13/2020	11	5.1	5.2	5.1	4.5	4.6	4.3	5.9	5.2
2/13/2020	12	5.2	5.3	5.4	4.6	4.6	4.5	6.0	5.2
2/13/2020	13	5.2	5.3	5.6	4.9	4.8	4.7	6.0	5.3
2/13/2020	14	5.3	5.3	5.8	5.2	5.0	5.1	6.1	5.4
2/13/2020	15	5.3	5.4	5.9	5.4	5.2	5.6	6.1	5.4
2/13/2020	16	5.4	5.4	5.9	5.6	5.4	5.6	6.2	5.5
2/13/2020	17	5.4	5.4	5.7	5.7	5.5	5.4	6.2	5.5
2/13/2020	18	5.4	5.4	5.5	5.8	5.6	5.4	6.3	5.5
2/13/2020	19	5.4	5.5	5.3	5.7	5.6	5.4	6.3	5.5
2/13/2020	20	5.4	5.5	5.1	5.6	5.6	5.2	6.3	5.5
2/13/2020	21	5.4	5.5	5.0	5.4	5.5	5.1	6.2	5.5
2/13/2020	22	5.4	5.5	4.9	5.2	5.3	4.8	6.2	5.5
2/13/2020	23	5.4	5.4	4.9	5.1	5.2	4.9	6.2	5.4
2/13/2020	24	5.4	5.4	4.8	4.9	5.1	4.8	6.1	5.4
2/14/2020	1	5.4	5.4	4.7	4.9	5.0	4.6	6.1	5.4
2/14/2020	2	5.3	5.3	4.7	4.8	4.9	4.4	6.1	5.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/14/2020	3	5.3	5.3	4.7	4.7	4.8	4.3	6.0	5.3
2/14/2020	4	5.3	5.3	4.6	4.6	4.7	4.1	6.0	5.3
2/14/2020	5	5.2	5.2	4.5	4.5	4.7	4.0	6.0	5.2
2/14/2020	6	5.2	5.2	4.5	4.5	4.6	4.0	6.0	5.2
2/14/2020	7	5.2	5.2	4.4	4.4	4.5	3.9	6.0	5.2
2/14/2020	8	5.1	5.2	4.4	4.4	4.5	3.9	6.0	5.2
2/14/2020	9	5.1	5.2	4.5	4.4	4.4	4.7	6.0	5.2
2/14/2020	10	5.1	5.2	5.1	4.5	4.5	5.4	6.0	5.2
2/14/2020	11	5.2	5.3	5.6	4.6	4.5	5.7	6.0	5.3
2/14/2020	12	5.3	5.3	6.3	4.7	4.6	5.9	6.1	5.3
2/14/2020	13	5.4	5.4	6.9	5.1	4.9	6.2	6.2	5.4
2/14/2020	14	5.4	5.5	7.2	5.6	5.2	6.5	6.2	5.6
2/14/2020	15	5.5	5.6	7.2	6.3	5.7	6.8	6.3	5.7
2/14/2020	16	5.6	5.7	6.9	6.8	6.2	6.8	6.4	5.8
2/14/2020	17	5.7	5.7	6.4	7.0	6.4	6.8	6.5	5.8
2/14/2020	18	5.7	5.7	5.9	6.9	6.5	6.7	6.5	5.8
2/14/2020	19	5.7	5.8	5.5	6.7	6.5	6.6	6.6	5.8
2/14/2020	20	5.7	5.8	5.3	6.3	6.3	6.4	6.6	5.8
2/14/2020	21	5.7	5.7	5.2	5.9	6.1	5.9	6.5	5.7
2/14/2020	22	5.6	5.7	5.2	5.6	5.8	5.6	6.5	5.6
2/14/2020	23	5.6	5.7	5.3	5.4	5.6	5.4	6.4	5.6
2/14/2020	24	5.6	5.6	5.3	5.2	5.4	5.0	6.4	5.6
2/15/2020	1	5.5	5.6	5.3	5.2	5.4	4.9	6.3	5.6
2/15/2020	2	5.5	5.5	5.2	5.2	5.3	4.8	6.3	5.6
2/15/2020	3	5.5	5.5	5.1	5.2	5.3	4.8	6.2	5.6
2/15/2020	4	5.4	5.5	4.9	5.1	5.2	4.6	6.2	5.6
2/15/2020	5	5.4	5.4	4.8	5.0	5.2	4.5	6.2	5.6
2/15/2020	6	5.4	5.4	4.7	4.9	5.1	4.4	6.2	5.5
2/15/2020	7	5.3	5.4	4.7	4.8	4.9	4.3	6.2	5.4
2/15/2020	8	5.3	5.3	4.6	4.7	4.9	4.3	6.1	5.3
2/15/2020	9	5.3	5.3	4.8	4.7	4.8	4.4	6.1	5.3
2/15/2020	10	5.3	5.3	5.1	4.7	4.8	4.7	6.1	5.3
2/15/2020	11	5.3	5.4	5.4	4.7	4.8	4.6	6.1	5.3
2/15/2020	12	5.3	5.4	5.7	4.9	4.8	5.1	6.1	5.3
2/15/2020	13	5.3	5.4	6.1	5.1	5.0	5.3	6.2	5.4
2/15/2020	14	5.4	5.5	6.6	5.5	5.3	6.5	6.2	5.5
2/15/2020	15	5.5	5.6	6.7	5.8	5.5	6.4	6.3	5.6
2/15/2020	16	5.5	5.6	6.5	6.2	5.8	6.3	6.3	5.6
2/15/2020	17	5.6	5.6	6.2	6.4	6.0	6.3	6.4	5.7
2/15/2020	18	5.6	5.6	5.9	6.5	6.2	6.5	6.4	5.7
2/15/2020	19	5.6	5.7	5.7	6.4	6.2	6.3	6.5	5.7
2/15/2020	20	5.6	5.7	5.5	6.2	6.2	6.1	6.5	5.7
2/15/2020	21	5.6	5.6	5.4	5.9	6.0	5.8	6.4	5.7
2/15/2020	22	5.6	5.6	5.3	5.7	5.8	5.5	6.4	5.6
2/15/2020	23	5.6	5.6	5.2	5.5	5.7	5.2	6.4	5.6
2/15/2020	24	5.5	5.6	5.1	5.4	5.5	4.9	6.3	5.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/16/2020	1	5.5	5.5	4.9	5.2	5.4	4.7	6.3	5.6
2/16/2020	2	5.5	5.5	4.9	5.1	5.3	4.6	6.3	5.6
2/16/2020	3	5.5	5.5	4.8	5.0	5.2	4.4	6.2	5.5
2/16/2020	4	5.5	5.5	4.7	4.8	5.0	4.3	6.2	5.5
2/16/2020	5	5.4	5.4	4.7	4.7	4.9	4.2	6.2	5.5
2/16/2020	6	5.4	5.4	4.6	4.7	4.8	4.1	6.2	5.4
2/16/2020	7	5.4	5.4	4.5	4.6	4.7	4.0	6.1	5.4
2/16/2020	8	5.3	5.4	4.5	4.5	4.7	4.0	6.1	5.4
2/16/2020	9	5.3	5.3	4.6	4.5	4.6	4.8	6.1	5.4
2/16/2020	10	5.3	5.3	5.2	4.6	4.6	5.3	6.1	5.3
2/16/2020	11	5.3	5.4	5.7	4.7	4.7	5.7	6.1	5.4
2/16/2020	12	5.4	5.4	6.4	4.8	4.8	5.8	6.1	5.4
2/16/2020	13	5.4	5.5	6.8	5.2	5.0	5.9	6.1	5.5
2/16/2020	14	5.4	5.5	6.8	5.7	5.3	5.9	6.1	5.5
2/16/2020	15	5.5	5.6	6.8	6.3	5.7	6.7	6.2	5.6
2/16/2020	16	5.5	5.6	6.3	6.6	6.1	6.6	6.2	5.6
2/16/2020	17	5.5	5.6	6.1	6.6	6.2	6.6	6.2	5.6
2/16/2020	18	5.5	5.5	5.8	6.5	6.3	6.4	6.3	5.5
2/16/2020	19	5.5	5.5	5.5	6.2	6.2	6.2	6.3	5.6
2/16/2020	20	5.5	5.5	5.2	5.9	6.0	5.9	6.3	5.6
2/16/2020	21	5.5	5.5	5.1	5.7	5.8	5.5	6.3	5.6
2/16/2020	22	5.5	5.5	4.9	5.4	5.6	5.1	6.2	5.6
2/16/2020	23	5.5	5.5	4.8	5.2	5.4	4.9	6.2	5.6
2/16/2020	24	5.5	5.5	4.8	5.0	5.3	4.8	6.2	5.6
2/17/2020	1	5.4	5.5	4.8	4.9	5.1	4.5	6.2	5.5
2/17/2020	2	5.4	5.4	4.7	4.8	5.0	4.3	6.2	5.5
2/17/2020	3	5.4	5.4	4.7	4.7	4.9	4.2	6.1	5.4
2/17/2020	4	5.3	5.4	4.6	4.6	4.8	4.0	6.1	5.4
2/17/2020	5	5.3	5.3	4.5	4.6	4.7	4.0	6.1	5.4
2/17/2020	6	5.3	5.3	4.4	4.5	4.6	3.8	6.1	5.3
2/17/2020	7	5.2	5.3	4.4	4.4	4.6	3.8	6.1	5.3
2/17/2020	8	5.2	5.2	4.4	4.4	4.5	3.8	6.1	5.3
2/17/2020	9	5.2	5.2	4.5	4.4	4.5	4.7	6.0	5.2
2/17/2020	10	5.2	5.2	5.0	4.5	4.5	5.2	6.0	5.2
2/17/2020	11	5.2	5.3	5.6	4.6	4.5	5.4	6.0	5.3
2/17/2020	12	5.3	5.4	6.3	4.7	4.6	5.5	6.1	5.4
2/17/2020	13	5.4	5.5	6.9	5.0	4.8	5.7	6.1	5.5
2/17/2020	14	5.5	5.5	7.1	5.6	5.2	6.5	6.2	5.6
2/17/2020	15	5.5	5.6	7.0	6.2	5.7	7.0	6.2	5.7
2/17/2020	16	5.6	5.6	6.5	6.7	6.1	6.7	6.3	5.7
2/17/2020	17	5.6	5.6	6.3	6.9	6.4	6.7	6.4	5.7
2/17/2020	18	5.6	5.6	5.9	6.8	6.5	6.5	6.4	5.7
2/17/2020	19	5.6	5.6	5.6	6.5	6.4	6.2	6.5	5.7
2/17/2020	20	5.6	5.6	5.2	6.2	6.2	5.9	6.5	5.7
2/17/2020	21	5.6	5.6	5.0	5.9	6.0	5.6	6.4	5.7
2/17/2020	22	5.5	5.6	4.9	5.6	5.7	5.2	6.4	5.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/17/2020	23	5.5	5.6	4.8	5.2	5.5	4.8	6.3	5.6
2/17/2020	24	5.5	5.5	4.7	5.0	5.3	4.5	6.3	5.6
2/18/2020	1	5.5	5.5	4.7	4.8	5.1	4.2	6.2	5.6
2/18/2020	2	5.4	5.4	4.6	4.7	4.9	4.0	6.2	5.5
2/18/2020	3	5.4	5.4	4.5	4.6	4.8	3.9	6.1	5.5
2/18/2020	4	5.3	5.4	4.4	4.5	4.7	3.8	6.1	5.4
2/18/2020	5	5.3	5.3	4.4	4.4	4.6	3.7	6.1	5.3
2/18/2020	6	5.2	5.2	4.3	4.3	4.5	3.6	6.0	5.3
2/18/2020	7	5.2	5.2	4.2	4.2	4.4	3.4	6.0	5.2
2/18/2020	8	5.1	5.1	4.2	4.1	4.3	3.5	5.9	5.1
2/18/2020	9	5.0	5.1	4.3	4.2	4.3	4.4	5.9	5.1
2/18/2020	10	5.0	5.1	4.7	4.2	4.3	4.7	5.9	5.1
2/18/2020	11	5.0	5.1	5.2	4.3	4.3	4.8	5.8	5.1
2/18/2020	12	5.1	5.2	5.9	4.4	4.4	5.1	5.9	5.2
2/18/2020	13	5.2	5.3	6.5	4.7	4.6	5.3	6.0	5.4
2/18/2020	14	5.3	5.4	6.9	5.2	4.9	6.0	6.1	5.5
2/18/2020	15	5.4	5.5	6.9	5.8	5.3	6.5	6.1	5.6
2/18/2020	16	5.5	5.5	6.5	6.3	5.7	6.2	6.2	5.7
2/18/2020	17	5.6	5.6	6.1	6.6	6.1	6.1	6.3	5.7
2/18/2020	18	5.6	5.6	5.7	6.5	6.2	6.0	6.4	5.7
2/18/2020	19	5.6	5.6	5.3	6.3	6.2	5.8	6.5	5.7
2/18/2020	20	5.6	5.6	5.0	5.9	5.9	5.7	6.4	5.7
2/18/2020	21	5.6	5.6	4.8	5.6	5.7	5.5	6.4	5.7
2/18/2020	22	5.6	5.6	4.7	5.2	5.4	4.9	6.4	5.7
2/18/2020	23	5.6	5.6	4.6	4.9	5.2	4.4	6.3	5.7
2/18/2020	24	5.5	5.5	4.5	4.7	4.9	4.1	6.3	5.7
2/19/2020	1	5.5	5.5	4.5	4.5	4.8	3.9	6.2	5.6
2/19/2020	2	5.4	5.5	4.5	4.4	4.6	3.7	6.2	5.6
2/19/2020	3	5.4	5.4	4.4	4.3	4.5	3.6	6.2	5.5
2/19/2020	4	5.4	5.4	4.4	4.2	4.5	3.5	6.1	5.5
2/19/2020	5	5.3	5.3	4.3	4.2	4.4	3.4	6.1	5.4
2/19/2020	6	5.3	5.3	4.3	4.1	4.3	3.4	6.0	5.3
2/19/2020	7	5.2	5.2	4.2	4.1	4.2	3.3	6.0	5.2
2/19/2020	8	5.1	5.1	4.2	4.0	4.2	3.4	5.9	5.1
2/19/2020	9	5.0	5.1	4.3	4.1	4.1	4.0	5.9	5.1
2/19/2020	10	5.0	5.1	4.7	4.1	4.2	4.6	5.8	5.0
2/19/2020	11	5.0	5.1	5.2	4.2	4.2	4.8	5.8	5.1
2/19/2020	12	5.1	5.2	5.8	4.4	4.3	4.9	5.9	5.2
2/19/2020	13	5.2	5.3	6.4	4.6	4.5	5.3	5.9	5.3
2/19/2020	14	5.3	5.3	6.8	5.1	4.8	5.8	6.0	5.5
2/19/2020	15	5.4	5.4	6.9	5.7	5.3	6.5	6.1	5.6
2/19/2020	16	5.5	5.5	6.6	6.2	5.7	6.2	6.2	5.7
2/19/2020	17	5.5	5.6	6.2	6.6	6.0	6.2	6.3	5.7
2/19/2020	18	5.6	5.6	5.8	6.6	6.2	6.1	6.4	5.7
2/19/2020	19	5.6	5.6	5.4	6.3	6.2	5.9	6.4	5.7
2/19/2020	20	5.6	5.6	5.1	6.0	6.0	5.6	6.4	5.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/19/2020	21	5.5	5.6	4.8	5.7	5.8	5.2	6.4	5.6
2/19/2020	22	5.5	5.5	4.7	5.3	5.5	4.8	6.3	5.6
2/19/2020	23	5.5	5.5	4.6	5.0	5.3	4.5	6.3	5.6
2/19/2020	24	5.4	5.5	4.6	4.8	5.0	4.2	6.2	5.6
2/20/2020	1	5.4	5.4	4.5	4.6	4.8	4.0	6.2	5.5
2/20/2020	2	5.4	5.4	4.5	4.5	4.7	3.8	6.1	5.5
2/20/2020	3	5.3	5.3	4.4	4.4	4.6	3.6	6.1	5.4
2/20/2020	4	5.3	5.3	4.3	4.3	4.5	3.5	6.0	5.3
2/20/2020	5	5.2	5.2	4.2	4.2	4.4	3.5	6.0	5.3
2/20/2020	6	5.2	5.2	4.2	4.1	4.3	3.4	5.9	5.2
2/20/2020	7	5.1	5.1	4.1	4.0	4.2	3.3	5.9	5.1
2/20/2020	8	5.0	5.1	4.1	4.0	4.2	3.4	5.9	5.0
2/20/2020	9	5.0	5.0	4.3	4.0	4.1	4.3	5.8	5.0
2/20/2020	10	5.0	5.0	4.7	4.1	4.1	4.5	5.8	5.0
2/20/2020	11	5.0	5.0	5.3	4.2	4.2	4.9	5.7	5.0
2/20/2020	12	5.0	5.1	5.9	4.3	4.3	5.0	5.8	5.1
2/20/2020	13	5.1	5.2	6.6	4.7	4.5	5.4	5.9	5.2
2/20/2020	14	5.2	5.3	7.0	5.2	4.8	5.9	6.0	5.4
2/20/2020	15	5.3	5.4	7.1	5.8	5.3	6.7	6.1	5.5
2/20/2020	16	5.4	5.4	6.7	6.4	5.8	6.3	6.1	5.6
2/20/2020	17	5.5	5.5	6.3	6.7	6.1	6.3	6.2	5.6
2/20/2020	18	5.5	5.5	5.8	6.7	6.3	6.2	6.3	5.6
2/20/2020	19	5.5	5.5	5.4	6.5	6.3	6.1	6.4	5.6
2/20/2020	20	5.5	5.5	5.1	6.1	6.1	5.8	6.4	5.6
2/20/2020	21	5.5	5.5	4.9	5.8	5.9	5.4	6.3	5.6
2/20/2020	22	5.5	5.5	4.8	5.4	5.6	4.9	6.3	5.5
2/20/2020	23	5.5	5.5	4.7	5.1	5.3	4.6	6.2	5.5
2/20/2020	24	5.4	5.4	4.6	4.8	5.1	4.3	6.2	5.5
2/21/2020	1	5.4	5.4	4.5	4.7	4.9	4.1	6.2	5.5
2/21/2020	2	5.4	5.4	4.5	4.6	4.8	3.9	6.1	5.4
2/21/2020	3	5.3	5.3	4.4	4.4	4.7	3.8	6.1	5.4
2/21/2020	4	5.3	5.3	4.4	4.4	4.6	3.6	6.0	5.4
2/21/2020	5	5.2	5.2	4.3	4.3	4.5	3.6	6.0	5.3
2/21/2020	6	5.2	5.2	4.3	4.2	4.4	3.5	6.0	5.2
2/21/2020	7	5.1	5.1	4.2	4.1	4.3	3.4	5.9	5.1
2/21/2020	8	5.0	5.0	4.2	4.1	4.2	3.4	5.9	5.0
2/21/2020	9	4.9	5.0	4.4	4.1	4.2	4.4	5.8	4.9
2/21/2020	10	4.9	5.0	4.8	4.2	4.2	4.7	5.8	5.0
2/21/2020	11	5.0	5.0	5.3	4.2	4.2	4.8	5.7	5.0
2/21/2020	12	5.0	5.1	6.0	4.4	4.3	5.1	5.8	5.1
2/21/2020	13	5.1	5.2	6.6	4.7	4.6	5.6	5.9	5.3
2/21/2020	14	5.3	5.3	6.9	5.3	4.9	5.7	6.0	5.4
2/21/2020	15	5.4	5.4	7.0	6.0	5.4	6.1	6.1	5.5
2/21/2020	16	5.5	5.5	6.7	6.5	5.9	6.5	6.2	5.6
2/21/2020	17	5.5	5.6	6.3	6.7	6.2	6.5	6.3	5.7
2/21/2020	18	5.6	5.6	6.0	6.7	6.3	6.5	6.3	5.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/21/2020	19	5.6	5.6	5.7	6.6	6.4	6.4	6.4	5.7
2/21/2020	20	5.6	5.6	5.5	6.3	6.2	6.2	6.4	5.7
2/21/2020	21	5.6	5.6	5.4	6.0	6.1	5.9	6.4	5.7
2/21/2020	22	5.6	5.6	5.4	5.8	5.9	5.6	6.4	5.7
2/21/2020	23	5.6	5.6	5.3	5.6	5.7	5.3	6.4	5.7
2/21/2020	24	5.6	5.6	5.3	5.4	5.6	5.2	6.4	5.7
2/22/2020	1	5.5	5.6	5.3	5.4	5.5	5.0	6.3	5.6
2/22/2020	2	5.5	5.6	5.2	5.3	5.4	4.9	6.3	5.7
2/22/2020	3	5.5	5.5	5.1	5.2	5.3	4.7	6.3	5.6
2/22/2020	4	5.5	5.5	4.9	5.1	5.3	4.5	6.3	5.6
2/22/2020	5	5.5	5.5	4.8	5.1	5.2	4.4	6.3	5.5
2/22/2020	6	5.4	5.4	4.7	4.9	5.1	4.3	6.2	5.5
2/22/2020	7	5.4	5.4	4.6	4.8	4.9	4.2	6.2	5.4
2/22/2020	8	5.3	5.4	4.6	4.6	4.8	4.2	6.2	5.3
2/22/2020	9	5.3	5.3	4.8	4.7	4.8	5.0	6.1	5.3
2/22/2020	10	5.3	5.3	5.2	4.7	4.8	5.4	6.1	5.3
2/22/2020	11	5.3	5.4	5.7	4.8	4.8	5.5	6.1	5.4
2/22/2020	12	5.4	5.4	6.4	5.0	4.8	5.8	6.2	5.5
2/22/2020	13	5.4	5.5	7.1	5.3	5.1	6.2	6.2	5.6
2/22/2020	14	5.5	5.6	7.5	5.8	5.5	6.8	6.3	5.7
2/22/2020	15	5.6	5.7	7.6	6.5	5.9	7.6	6.4	5.8
2/22/2020	16	5.7	5.8	7.2	7.0	6.4	7.2	6.5	5.9
2/22/2020	17	5.7	5.8	6.9	7.4	6.8	7.3	6.6	5.9
2/22/2020	18	5.8	5.8	6.5	7.4	6.9	7.3	6.6	5.9
2/22/2020	19	5.8	5.9	6.1	7.2	6.9	7.2	6.7	5.9
2/22/2020	20	5.8	5.9	5.8	6.9	6.8	6.8	6.7	5.9
2/22/2020	21	5.8	5.9	5.7	6.6	6.6	6.5	6.7	5.9
2/22/2020	22	5.8	5.8	5.6	6.3	6.4	6.2	6.6	5.9
2/22/2020	23	5.7	5.8	5.6	6.0	6.2	5.9	6.6	5.9
2/22/2020	24	5.7	5.8	5.7	5.8	6.0	5.7	6.6	5.9
2/23/2020	1	5.7	5.8	5.7	5.7	5.9	5.6	6.6	5.9
2/23/2020	2	5.7	5.8	5.7	5.7	5.8	5.6	6.6	5.8
2/23/2020	3	5.7	5.8	5.6	5.7	5.8	5.4	6.5	5.8
2/23/2020	4	5.7	5.7	5.5	5.6	5.7	5.3	6.5	5.7
2/23/2020	5	5.6	5.7	5.4	5.6	5.7	5.2	6.5	5.7
2/23/2020	6	5.6	5.7	5.3	5.5	5.6	5.2	6.5	5.7
2/23/2020	7	5.6	5.7	5.3	5.4	5.6	5.1	6.5	5.7
2/23/2020	8	5.6	5.6	5.3	5.4	5.5	5.0	6.4	5.6
2/23/2020	9	5.5	5.7	5.5	5.4	5.5	5.4	6.4	5.6
2/23/2020	10	5.6	5.7	5.7	5.3	5.4	5.2	6.4	5.6
2/23/2020	11	5.6	5.7	5.9	5.4	5.4	5.4	6.4	5.7
2/23/2020	12	5.6	5.7	6.5	5.7	5.6	6.5	6.4	5.7
2/23/2020	13	5.6	5.8	7.1	5.9	5.8	6.9	6.5	5.7
2/23/2020	14	5.7	5.8	7.5	6.2	6.0	7.2	6.6	5.8
2/23/2020	15	5.8	5.9	7.6	6.7	6.3	7.4	6.6	5.9
2/23/2020	16	5.8	5.9	7.3	7.1	6.6	7.2	6.7	6.0



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/23/2020	17	5.9	5.9	6.9	7.4	6.9	7.1	6.7	6.0
2/23/2020	18	5.9	6.0	6.5	7.4	7.1	7.1	6.8	6.1
2/23/2020	19	6.0	6.1	6.1	7.2	7.0	6.9	6.8	6.1
2/23/2020	20	6.0	6.1	5.7	6.8	6.8	6.7	6.8	6.2
2/23/2020	21	6.0	6.1	5.5	6.5	6.6	6.5	6.8	6.2
2/23/2020	22	6.0	6.1	5.5	6.1	6.4	6.2	6.7	6.1
2/23/2020	23	5.9	6.0	5.4	5.8	6.1	5.9	6.7	6.0
2/23/2020	24	5.9	5.9	5.4	5.6	5.9	5.6	6.7	5.9
2/24/2020	1	5.8	5.9	5.4	5.5	5.7	5.4	6.6	5.9
2/24/2020	2	5.7	5.8	5.4	5.4	5.6	5.4	6.6	5.8
2/24/2020	3	5.7	5.8	5.4	5.4	5.5	5.1	6.5	5.7
2/24/2020	4	5.6	5.7	5.3	5.3	5.5	5.4	6.5	5.7
2/24/2020	5	5.6	5.7	5.3	5.3	5.4	5.3	6.5	5.6
2/24/2020	6	5.6	5.7	5.2	5.3	5.4	5.1	6.4	5.6
2/24/2020	7	5.5	5.6	5.1	5.2	5.3	5.1	6.4	5.5
2/24/2020	8	5.5	5.6	5.1	5.2	5.3	5.1	6.4	5.5
2/24/2020	9	5.5	5.6	5.2	5.2	5.3	5.5	6.4	5.5
2/24/2020	10	5.5	5.6	5.6	5.3	5.3	6.1	6.3	5.5
2/24/2020	11	5.5	5.6	6.1	5.4	5.3	6.1	6.3	5.6
2/24/2020	12	5.5	5.7	6.6	5.5	5.4	6.1	6.4	5.6
2/24/2020	13	5.6	5.8	7.0	5.9	5.6	6.8	6.5	5.7
2/24/2020	14	5.7	5.8	7.2	6.3	5.9	7.2	6.6	5.8
2/24/2020	15	5.8	5.9	7.1	6.6	6.3	7.4	6.6	5.9
2/24/2020	16	5.9	5.9	6.9	6.9	6.5	7.0	6.7	6.1
2/24/2020	17	5.9	6.0	6.7	7.0	6.7	6.9	6.8	6.1
2/24/2020	18	6.0	6.1	6.4	6.9	6.7	6.7	6.9	6.2
2/24/2020	19	6.0	6.1	5.9	6.7	6.6	6.5	6.9	6.2
2/24/2020	20	6.0	6.1	5.6	6.5	6.5	6.2	6.9	6.2
2/24/2020	21	6.0	6.1	5.4	6.3	6.4	6.0	6.9	6.2
2/24/2020	22	6.0	6.1	5.3	5.9	6.1	5.6	6.8	6.1
2/24/2020	23	5.9	6.0	5.2	5.6	5.9	5.3	6.8	6.1
2/24/2020	24	5.9	6.0	5.2	5.4	5.6	5.0	6.7	6.0
2/25/2020	1	5.8	5.9	5.2	5.2	5.5	4.7	6.7	5.9
2/25/2020	2	5.8	5.9	5.2	5.1	5.4	4.7	6.7	5.9
2/25/2020	3	5.8	5.8	5.2	5.1	5.3	4.5	6.6	5.9
2/25/2020	4	5.7	5.8	5.1	5.0	5.2	4.5	6.6	5.8
2/25/2020	5	5.7	5.7	5.1	5.0	5.2	4.5	6.5	5.8
2/25/2020	6	5.6	5.7	5.0	5.0	5.1	4.5	6.5	5.7
2/25/2020	7	5.6	5.7	5.0	4.9	5.1	4.4	6.4	5.6
2/25/2020	8	5.5	5.6	5.0	4.9	5.0	4.5	6.4	5.6
2/25/2020	9	5.5	5.6	5.1	4.9	5.0	4.9	6.4	5.5
2/25/2020	10	5.5	5.6	5.5	5.0	5.0	5.2	6.3	5.5
2/25/2020	11	5.5	5.6	6.0	5.2	5.1	5.6	6.3	5.6
2/25/2020	12	5.6	5.7	6.6	5.4	5.3	5.9	6.4	5.7
2/25/2020	13	5.6	5.8	6.9	5.7	5.5	6.0	6.5	5.7
2/25/2020	14	5.7	5.8	7.5	6.2	5.9	7.1	6.6	5.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/25/2020	15	5.8	5.9	7.7	6.6	6.2	7.0	6.7	6.0
2/25/2020	16	5.9	6.0	7.5	7.1	6.6	7.2	6.7	6.1
2/25/2020	17	5.9	6.1	7.2	7.4	6.9	7.3	6.8	6.1
2/25/2020	18	6.0	6.1	6.8	7.5	7.1	7.3	6.8	6.2
2/25/2020	19	6.0	6.1	6.5	7.4	7.2	7.3	6.8	6.2
2/25/2020	20	6.0	6.1	6.2	7.2	7.1	7.1	6.8	6.2
2/25/2020	21	6.0	6.1	6.1	6.9	6.9	6.9	6.9	6.2
2/25/2020	22	6.0	6.1	6.0	6.6	6.7	6.6	6.9	6.2
2/25/2020	23	6.0	6.1	5.9	6.4	6.5	6.3	6.9	6.2
2/25/2020	24	6.0	6.1	5.9	6.2	6.3	6.0	6.9	6.2
2/26/2020	1	6.0	6.1	5.9	6.1	6.2	5.8	6.9	6.2
2/26/2020	2	6.0	6.1	5.8	5.9	6.1	5.6	6.8	6.1
2/26/2020	3	6.0	6.1	5.7	5.9	6.0	5.5	6.8	6.1
2/26/2020	4	6.0	6.1	5.6	5.8	5.9	5.4	6.8	6.1
2/26/2020	5	6.0	6.0	5.5	5.7	5.8	5.3	6.8	6.1
2/26/2020	6	5.9	6.0	5.4	5.6	5.7	5.1	6.7	6.0
2/26/2020	7	5.9	5.9	5.3	5.5	5.6	4.9	6.7	6.0
2/26/2020	8	5.9	5.9	5.3	5.4	5.5	5.1	6.7	5.9
2/26/2020	9	5.8	5.9	5.4	5.4	5.5	5.2	6.7	5.9
2/26/2020	10	5.8	5.9	5.8	5.4	5.5	5.5	6.7	5.9
2/26/2020	11	5.8	5.9	6.2	5.5	5.5	6.0	6.7	5.9
2/26/2020	12	5.8	6.0	6.8	5.8	5.6	6.5	6.7	5.9
2/26/2020	13	5.9	6.1	7.4	6.0	5.8	6.9	6.7	6.0
2/26/2020	14	6.0	6.1	7.9	6.4	6.2	7.4	6.8	6.1
2/26/2020	15	6.1	6.2	8.1	6.9	6.6	8.0	6.8	6.3
2/26/2020	16	6.1	6.3	7.8	7.5	7.0	7.9	6.9	6.3
2/26/2020	17	6.2	6.3	7.4	7.8	7.3	7.6	7.0	6.4
2/26/2020	18	6.2	6.3	7.0	7.9	7.5	7.6	7.0	6.4
2/26/2020	19	6.2	6.3	6.6	7.7	7.5	7.6	7.1	6.4
2/26/2020	20	6.2	6.3	6.4	7.4	7.4	7.5	7.1	6.4
2/26/2020	21	6.2	6.4	6.3	7.1	7.2	7.1	7.1	6.4
2/26/2020	22	6.2	6.3	6.3	6.9	7.0	6.8	7.1	6.4
2/26/2020	23	6.2	6.3	6.2	6.6	6.8	6.5	7.1	6.4
2/26/2020	24	6.2	6.3	6.2	6.4	6.6	6.3	7.1	6.4
2/27/2020	1	6.2	6.3	6.1	6.3	6.5	6.1	7.0	6.3
2/27/2020	2	6.2	6.3	6.0	6.3	6.4	5.9	7.0	6.3
2/27/2020	3	6.1	6.2	5.9	6.2	6.3	5.8	7.0	6.3
2/27/2020	4	6.1	6.2	5.8	6.1	6.2	5.7	7.0	6.3
2/27/2020	5	6.1	6.2	5.7	6.0	6.1	5.5	6.9	6.2
2/27/2020	6	6.1	6.2	5.7	5.9	6.0	5.5	6.9	6.2
2/27/2020	7	6.0	6.1	5.7	5.8	5.9	5.4	6.9	6.1
2/27/2020	8	6.0	6.1	5.7	5.7	5.9	5.5	6.8	6.1
2/27/2020	9	6.0	6.1	5.9	5.8	5.8	6.4	6.8	6.1
2/27/2020	10	6.0	6.1	6.4	5.9	5.9	6.6	6.8	6.0
2/27/2020	11	6.0	6.1	6.6	5.9	5.9	6.1	6.8	6.1
2/27/2020	12	6.0	6.1	6.8	6.0	5.9	6.1	6.9	6.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/27/2020	13	6.0	6.1	6.8	6.3	6.2	6.2	6.9	6.1
2/27/2020	14	6.0	6.2	7.0	6.7	6.4	7.2	6.9	6.1
2/27/2020	15	6.1	6.3	7.4	6.9	6.7	7.3	7.0	6.2
2/27/2020	16	6.1	6.3	7.5	7.0	6.8	7.5	7.0	6.3
2/27/2020	17	6.2	6.3	7.3	7.2	7.0	7.3	7.1	6.3
2/27/2020	18	6.2	6.4	7.1	7.3	7.1	7.3	7.1	6.4
2/27/2020	19	6.2	6.4	6.7	7.3	7.2	7.2	7.1	6.4
2/27/2020	20	6.2	6.4	6.4	7.2	7.1	7.0	7.1	6.4
2/27/2020	21	6.2	6.4	6.1	7.1	7.0	6.8	7.1	6.4
2/27/2020	22	6.2	6.4	6.0	6.8	6.9	6.5	7.1	6.4
2/27/2020	23	6.2	6.3	5.9	6.5	6.7	6.2	7.1	6.4
2/27/2020	24	6.2	6.3	5.8	6.3	6.4	5.9	7.1	6.4
2/28/2020	1	6.2	6.3	5.7	6.0	6.3	5.6	7.0	6.4
2/28/2020	2	6.2	6.3	5.6	5.9	6.1	5.4	7.0	6.3
2/28/2020	3	6.2	6.3	5.6	5.7	5.9	5.3	7.0	6.3
2/28/2020	4	6.2	6.2	5.5	5.7	5.8	5.2	7.0	6.3
2/28/2020	5	6.1	6.2	5.5	5.6	5.7	5.1	6.9	6.2
2/28/2020	6	6.1	6.2	5.4	5.5	5.7	4.9	6.9	6.2
2/28/2020	7	6.1	6.1	5.4	5.4	5.6	4.9	6.9	6.1
2/28/2020	8	6.0	6.1	5.3	5.4	5.5	4.9	6.8	6.1
2/28/2020	9	6.0	6.1	5.7	5.5	5.5	6.1	6.8	6.1
2/28/2020	10	6.0	6.1	6.2	5.6	5.6	6.5	6.8	6.0
2/28/2020	11	6.0	6.1	6.8	5.7	5.6	6.5	6.8	6.1
2/28/2020	12	6.0	6.2	7.6	5.9	5.8	6.9	6.9	6.2
2/28/2020	13	6.1	6.3	8.3	6.4	6.1	7.4	7.0	6.3
2/28/2020	14	6.2	6.4	8.6	7.1	6.6	8.2	7.1	6.4
2/28/2020	15	6.3	6.5	8.7	7.7	7.2	9.0	7.2	6.5
2/28/2020	16	6.4	6.5	8.3	8.2	7.7	8.9	7.2	6.5
2/28/2020	17	6.4	6.6	7.9	8.6	8.0	8.6	7.3	6.6
2/28/2020	18	6.5	6.6	7.6	8.6	8.2	8.9	7.4	6.7
2/28/2020	19	6.5	6.6	7.1	8.4	8.1	8.4	7.4	6.7
2/28/2020	20	6.5	6.6	6.7	8.0	8.0	8.2	7.4	6.7
2/28/2020	21	6.5	6.6	6.5	7.7	7.7	8.0	7.4	6.7
2/28/2020	22	6.5	6.6	6.3	7.3	7.4	7.5	7.4	6.6
2/28/2020	23	6.5	6.6	6.1	6.9	7.1	6.8	7.4	6.6
2/28/2020	24	6.4	6.5	5.9	6.6	6.8	6.5	7.4	6.6
2/29/2020	1	6.4	6.5	5.8	6.3	6.6	6.2	7.4	6.5
2/29/2020	2	6.4	6.5	5.8	6.1	6.4	5.8	7.3	6.6
2/29/2020	3	6.3	6.4	5.7	5.9	6.2	5.5	7.3	6.4
2/29/2020	4	6.2	6.3	5.7	5.8	6.1	5.4	7.2	6.3
2/29/2020	5	6.1	6.2	5.6	5.7	5.9	5.4	7.1	6.1
2/29/2020	6	6.1	6.2	5.6	5.6	5.8	5.4	7.0	6.1
2/29/2020	7	6.0	6.1	5.6	5.6	5.8	5.3	6.9	6.0
2/29/2020	8	5.9	6.0	5.6	5.6	5.7	5.6	6.8	5.9
2/29/2020	9	5.9	6.0	5.9	5.7	5.8	6.2	6.7	5.9
2/29/2020	10	5.9	5.9	6.1	5.7	5.8	6.5	6.6	5.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/29/2020	11	5.8	6.0	6.6	5.9	5.8	6.9	6.7	5.9
2/29/2020	12	5.9	6.1	7.4	6.1	6.0	7.3	6.8	5.9
2/29/2020	13	6.0	6.1	8.0	6.4	6.2	7.5	6.9	6.1
2/29/2020	14	6.1	6.2	8.4	6.9	6.6	7.8	7.0	6.2
2/29/2020	15	6.2	6.3	8.3	7.5	7.0	8.3	7.1	6.4
2/29/2020	16	6.3	6.4	7.8	8.0	7.4	8.2	7.2	6.5
2/29/2020	17	6.4	6.5	7.3	8.2	7.7	8.0	7.3	6.5
2/29/2020	18	6.4	6.5	7.0	8.1	7.8	7.9	7.3	6.6
2/29/2020	19	6.4	6.5	6.5	7.7	7.6	7.6	7.3	6.6
2/29/2020	20	6.5	6.5	6.1	7.3	7.4	7.2	7.3	6.7
2/29/2020	21	6.4	6.5	5.9	7.0	7.1	6.7	7.2	6.6
2/29/2020	22	6.4	6.5	5.8	6.6	6.8	6.2	7.2	6.6
2/29/2020	23	6.4	6.4	5.7	6.2	6.5	5.9	7.1	6.5
2/29/2020	24	6.3	6.4	5.6	5.9	6.2	5.5	7.1	6.4
3/1/2020	1	6.2	6.3	5.5	5.7	6.0	5.2	7.1	6.3
3/1/2020	2	6.2	6.2	5.5	5.6	5.8	5.0	7.0	6.2
3/1/2020	3	6.1	6.2	5.4	5.5	5.7	4.9	7.0	6.2
3/1/2020	4	6.1	6.2	5.3	5.4	5.6	4.7	6.9	6.1
3/1/2020	5	6.0	6.1	5.2	5.3	5.5	4.6	6.9	6.1
3/1/2020	6	6.0	6.1	5.2	5.2	5.4	4.5	6.8	6.1
3/1/2020	7	6.0	6.0	5.1	5.1	5.3	4.4	6.8	6.1
3/1/2020	8	5.9	6.0	5.1	5.0	5.2	4.4	6.7	6.0
3/1/2020	9	5.9	6.0	5.4	5.1	5.2	5.7	6.7	5.9
3/1/2020	10	5.9	5.9	5.9	5.2	5.2	5.7	6.7	5.9
3/1/2020	11	5.9	6.0	6.5	5.2	5.3	6.0	6.7	5.8
3/1/2020	12	5.9	6.1	7.3	5.5	5.4	6.3	6.8	5.9
3/1/2020	13	6.0	6.2	8.0	6.0	5.7	6.8	6.9	6.0
3/1/2020	14	6.1	6.3	8.3	6.7	6.2	7.3	6.9	6.2
3/1/2020	15	6.2	6.3	8.3	7.4	6.8	7.9	7.0	6.3
3/1/2020	16	6.3	6.4	7.8	7.9	7.3	7.7	7.1	6.4
3/1/2020	17	6.3	6.4	7.4	8.1	7.6	7.8	7.2	6.4
3/1/2020	18	6.4	6.4	6.9	8.0	7.7	7.8	7.2	6.5
3/1/2020	19	6.4	6.5	6.5	7.7	7.6	7.7	7.2	6.5
3/1/2020	20	6.4	6.5	6.3	7.3	7.3	7.2	7.2	6.5
3/1/2020	21	6.4	6.5	6.1	6.9	7.1	6.8	7.2	6.5
3/1/2020	22	6.4	6.5	5.9	6.6	6.8	6.5	7.2	6.5
3/1/2020	23	6.4	6.4	5.8	6.3	6.5	6.2	7.2	6.5
3/1/2020	24	6.3	6.4	5.8	6.1	6.3	6.0	7.1	6.5
3/2/2020	1	6.3	6.4	5.7	5.9	6.2	5.7	7.1	6.4
3/2/2020	2	6.2	6.3	5.6	5.8	6.0	5.7	7.1	6.3
3/2/2020	3	6.2	6.3	5.6	5.7	5.9	5.5	7.1	6.3
3/2/2020	4	6.2	6.2	5.5	5.6	5.8	5.4	7.0	6.2
3/2/2020	5	6.1	6.2	5.5	5.5	5.7	5.3	7.0	6.2
3/2/2020	6	6.1	6.1	5.5	5.5	5.6	5.1	6.9	6.1
3/2/2020	7	6.0	6.1	5.4	5.4	5.5	5.0	6.9	6.1
3/2/2020	8	6.0	6.1	5.5	5.4	5.5	5.2	6.9	6.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/2/2020	9	6.0	6.1	5.8	5.5	5.5	5.9	6.8	6.0
3/2/2020	10	6.0	6.1	6.4	5.7	5.6	6.8	6.8	6.1
3/2/2020	11	6.0	6.2	7.1	5.9	5.7	7.1	6.8	6.1
3/2/2020	12	6.1	6.3	7.8	6.2	5.9	7.7	6.9	6.2
3/2/2020	13	6.2	6.4	8.6	6.7	6.3	8.2	7.1	6.4
3/2/2020	14	6.3	6.5	9.0	7.4	6.9	8.9	7.2	6.5
3/2/2020	15	6.4	6.6	9.1	8.1	7.4	9.4	7.3	6.6
3/2/2020	16	6.5	6.7	8.9	8.8	8.0	9.5	7.4	6.7
3/2/2020	17	6.6	6.8	8.5	9.1	8.4	9.5	7.5	6.8
3/2/2020	18	6.7	6.8	7.9	9.1	8.6	9.3	7.6	6.9
3/2/2020	19	6.7	6.8	7.4	8.8	8.5	9.2	7.7	6.9
3/2/2020	20	6.7	6.8	7.0	8.4	8.4	8.9	7.7	6.9
3/2/2020	21	6.7	6.9	6.8	8.0	8.1	8.6	7.7	6.9
3/2/2020	22	6.7	6.9	6.7	7.6	7.8	8.3	7.7	6.9
3/2/2020	23	6.7	6.9	6.7	7.3	7.5	8.1	7.6	6.9
3/2/2020	24	6.7	6.9	6.6	7.1	7.3	7.8	7.6	6.9
3/3/2020	1	6.7	6.8	6.5	6.9	7.1	7.6	7.6	6.9
3/3/2020	2	6.7	6.8	6.5	6.8	7.0	7.0	7.6	6.8
3/3/2020	3	6.6	6.8	6.4	6.7	6.9	7.4	7.6	6.8
3/3/2020	4	6.6	6.7	6.3	6.6	6.8	6.6	7.6	6.7
3/3/2020	5	6.6	6.7	6.2	6.5	6.7	6.7	7.5	6.7
3/3/2020	6	6.5	6.6	6.2	6.4	6.6	6.2	7.5	6.6
3/3/2020	7	6.5	6.6	6.2	6.3	6.5	6.0	7.4	6.6
3/3/2020	8	6.5	6.6	6.1	6.3	6.4	6.5	7.4	6.5
3/3/2020	9	6.4	6.6	6.5	6.4	6.4	7.7	7.4	6.5
3/3/2020	10	6.4	6.6	7.0	6.5	6.5	8.0	7.4	6.5
3/3/2020	11	6.5	6.7	7.7	6.5	6.5	8.3	7.5	6.6
3/3/2020	12	6.5	6.8	8.5	6.8	6.7	8.5	7.6	6.7
3/3/2020	13	6.6	6.9	9.2	7.4	7.0	8.9	7.6	6.8
3/3/2020	14	6.7	6.9	9.5	8.1	7.6	9.6	7.7	6.9
3/3/2020	15	6.8	7.0	9.6	8.7	8.1	10.2	7.8	7.0
3/3/2020	16	6.9	7.1	9.1	9.2	8.6	10.4	7.9	7.1
3/3/2020	17	7.0	7.1	8.5	9.5	8.9	9.9	8.0	7.2
3/3/2020	18	7.2	7.3	8.1	9.4	9.0	9.7	8.1	7.4
3/3/2020	19	7.2	7.4	7.6	9.0	8.9	9.4	8.1	7.5
3/3/2020	20	7.2	7.4	7.2	8.6	8.6	9.1	8.0	7.4
3/3/2020	21	7.1	7.3	7.1	8.2	8.3	8.6	8.0	7.4
3/3/2020	22	7.1	7.3	7.1	7.8	8.0	8.0	7.9	7.3
3/3/2020	23	7.0	7.2	7.1	7.5	7.7	7.8	7.9	7.2
3/3/2020	24	7.0	7.1	7.0	7.3	7.5	7.5	7.9	7.1
3/4/2020	1	6.9	7.1	6.9	7.2	7.4	7.4	7.8	7.0
3/4/2020	2	6.9	7.0	6.8	7.1	7.3	7.2	7.8	7.0
3/4/2020	3	6.8	7.0	6.6	7.0	7.2	7.0	7.7	7.0
3/4/2020	4	6.8	6.9	6.5	6.9	7.1	6.7	7.6	6.9
3/4/2020	5	6.7	6.8	6.4	6.8	6.9	6.5	7.5	6.8
3/4/2020	6	6.6	6.7	6.2	6.6	6.8	6.4	7.5	6.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/4/2020	7	6.5	6.6	6.1	6.4	6.6	6.3	7.4	6.5
3/4/2020	8	6.5	6.6	5.9	6.3	6.5	6.2	7.3	6.5
3/4/2020	9	6.4	6.5	6.2	6.3	6.4	7.0	7.2	6.4
3/4/2020	10	6.4	6.5	6.7	6.2	6.4	7.2	7.2	6.4
3/4/2020	11	6.3	6.5	7.3	6.3	6.4	7.5	7.3	6.3
3/4/2020	12	6.4	6.6	8.1	6.5	6.5	7.6	7.4	6.4
3/4/2020	13	6.5	6.7	8.6	6.9	6.7	7.8	7.5	6.5
3/4/2020	14	6.6	6.7	8.8	7.6	7.2	8.4	7.6	6.7
3/4/2020	15	6.7	6.8	8.8	8.1	7.6	8.7	7.6	6.8
3/4/2020	16	6.7	6.9	8.4	8.5	8.0	9.3	7.7	7.0
3/4/2020	17	6.8	7.0	7.9	8.7	8.3	8.6	7.8	7.0
3/4/2020	18	6.9	7.0	7.5	8.6	8.3	8.3	7.9	7.1
3/4/2020	19	6.9	7.0	7.0	8.3	8.2	8.0	7.8	7.1
3/4/2020	20	6.9	7.0	6.7	7.9	8.0	7.6	7.8	7.1
3/4/2020	21	6.9	7.0	6.4	7.5	7.7	7.2	7.8	7.0
3/4/2020	22	6.8	7.0	6.4	7.1	7.4	6.9	7.7	7.0
3/4/2020	23	6.8	6.9	6.4	6.8	7.1	6.6	7.7	6.9
3/4/2020	24	6.8	6.9	6.4	6.6	6.8	6.4	7.7	6.8
3/5/2020	1	6.7	6.9	6.4	6.4	6.7	6.2	7.6	6.8
3/5/2020	2	6.7	6.8	6.4	6.4	6.6	6.1	7.6	6.7
3/5/2020	3	6.6	6.8	6.4	6.4	6.5	5.9	7.5	6.7
3/5/2020	4	6.6	6.7	6.2	6.3	6.5	5.8	7.5	6.6
3/5/2020	5	6.6	6.6	6.1	6.3	6.4	5.7	7.4	6.5
3/5/2020	6	6.5	6.6	6.0	6.2	6.4	5.6	7.4	6.5
3/5/2020	7	6.5	6.5	5.9	6.1	6.3	5.6	7.3	6.5
3/5/2020	8	6.4	6.5	5.9	6.1	6.2	5.7	7.3	6.4
3/5/2020	9	6.4	6.5	6.1	6.0	6.1	5.9	7.2	6.4
3/5/2020	10	6.4	6.5	6.4	6.0	6.1	6.1	7.2	6.4
3/5/2020	11	6.4	6.6	7.0	6.2	6.2	6.7	7.3	6.5
3/5/2020	12	6.5	6.7	7.5	6.4	6.3	6.8	7.4	6.6
3/5/2020	13	6.6	6.7	7.7	6.7	6.5	6.9	7.4	6.7
3/5/2020	14	6.6	6.8	8.1	7.2	6.8	8.1	7.5	6.7
3/5/2020	15	6.7	6.8	8.4	7.6	7.2	9.0	7.6	6.8
3/5/2020	16	6.7	6.9	8.4	7.9	7.5	9.1	7.7	6.9
3/5/2020	17	6.8	6.9	8.1	8.2	7.8	8.3	7.8	6.9
3/5/2020	18	6.8	6.9	7.8	8.3	8.0	8.2	7.8	7.0
3/5/2020	19	6.8	6.9	7.3	8.2	8.0	8.0	7.8	7.0
3/5/2020	20	6.8	6.9	6.9	8.0	7.9	7.9	7.8	7.0
3/5/2020	21	6.8	6.9	6.6	7.7	7.8	7.7	7.7	7.0
3/5/2020	22	6.8	6.9	6.5	7.4	7.5	7.4	7.7	6.9
3/5/2020	23	6.8	6.9	6.5	7.1	7.3	6.9	7.7	6.9
3/5/2020	24	6.8	6.9	6.4	6.8	7.0	6.6	7.7	6.9
3/6/2020	1	6.7	6.9	6.4	6.6	6.8	6.4	7.7	6.8
3/6/2020	2	6.7	6.8	6.4	6.5	6.7	6.2	7.6	6.8
3/6/2020	3	6.7	6.8	6.4	6.5	6.6	6.1	7.6	6.8
3/6/2020	4	6.6	6.8	6.3	6.4	6.5	6.0	7.5	6.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/6/2020	5	6.6	6.7	6.2	6.3	6.5	5.8	7.5	6.6
3/6/2020	6	6.6	6.7	6.2	6.3	6.4	5.8	7.4	6.6
3/6/2020	7	6.5	6.6	6.1	6.2	6.3	5.7	7.4	6.6
3/6/2020	8	6.5	6.6	6.0	6.2	6.3	5.8	7.3	6.5
3/6/2020	9	6.4	6.6	6.3	6.2	6.3	6.2	7.3	6.5
3/6/2020	10	6.4	6.6	6.7	6.3	6.3	6.5	7.3	6.5
3/6/2020	11	6.4	6.6	7.2	6.5	6.4	6.8	7.3	6.5
3/6/2020	12	6.5	6.7	7.5	6.7	6.5	7.0	7.4	6.5
3/6/2020	13	6.5	6.7	7.9	7.1	6.8	7.5	7.4	6.6
3/6/2020	14	6.6	6.8	8.4	7.5	7.1	8.7	7.5	6.7
3/6/2020	15	6.6	6.8	8.6	7.8	7.4	8.3	7.5	6.8
3/6/2020	16	6.7	6.8	8.5	8.2	7.8	8.5	7.6	6.8
3/6/2020	17	6.7	6.9	8.1	8.4	8.0	8.6	7.7	6.8
3/6/2020	18	6.7	6.9	7.7	8.5	8.2	8.5	7.7	6.9
3/6/2020	19	6.7	6.9	7.3	8.5	8.2	8.5	7.7	6.9
3/6/2020	20	6.8	6.9	7.1	8.3	8.1	8.3	7.7	6.9
3/6/2020	21	6.8	6.9	7.0	7.9	7.9	8.0	7.7	6.9
3/6/2020	22	6.8	6.9	6.9	7.6	7.7	7.7	7.6	6.9
3/6/2020	23	6.7	6.9	6.8	7.3	7.5	7.3	7.6	6.9
3/6/2020	24	6.7	6.9	6.8	7.2	7.3	7.2	7.6	6.9
3/7/2020	1	6.7	6.9	6.8	7.1	7.2	6.9	7.6	6.8
3/7/2020	2	6.7	6.9	6.8	7.0	7.1	6.9	7.6	6.8
3/7/2020	3	6.7	6.8	6.8	7.0	7.1	6.8	7.6	6.8
3/7/2020	4	6.7	6.8	6.8	7.0	7.0	6.8	7.6	6.8
3/7/2020	5	6.7	6.8	6.8	6.9	7.0	6.7	7.5	6.7
3/7/2020	6	6.6	6.8	6.7	6.9	7.0	6.7	7.5	6.7
3/7/2020	7	6.6	6.8	6.7	6.9	6.9	6.7	7.5	6.7
3/7/2020	8	6.6	6.7	6.7	6.9	6.9	6.7	7.5	6.7
3/7/2020	9	6.6	6.7	6.8	6.9	6.9	6.8	7.5	6.7
3/7/2020	10	6.6	6.8	7.0	6.9	6.9	7.0	7.5	6.6
3/7/2020	11	6.6	6.8	7.3	7.0	7.0	7.3	7.5	6.6
3/7/2020	12	6.6	6.8	7.8	7.3	7.1	8.0	7.6	6.6
3/7/2020	13	6.6	6.9	8.5	7.5	7.3	8.6	7.7	6.7
3/7/2020	14	6.7	6.9	9.0	7.7	7.5	8.8	7.8	6.9
3/7/2020	15	6.9	7.0	9.3	8.1	7.8	9.1	7.8	7.0
3/7/2020	16	6.9	7.1	9.1	8.6	8.2	9.4	7.9	7.1
3/7/2020	17	7.0	7.1	8.4	8.9	8.5	8.7	8.0	7.2
3/7/2020	18	7.1	7.2	7.9	9.0	8.7	8.7	8.0	7.2
3/7/2020	19	7.1	7.2	7.4	8.7	8.6	8.4	7.9	7.2
3/7/2020	20	7.0	7.1	6.9	8.4	8.4	8.0	7.9	7.1
3/7/2020	21	7.0	7.1	6.6	7.9	8.1	7.6	7.8	7.0
3/7/2020	22	6.9	7.0	6.5	7.5	7.7	7.3	7.8	6.9
3/7/2020	23	6.8	6.9	6.4	7.1	7.4	6.8	7.7	6.9
3/7/2020	24	6.8	6.9	6.4	6.8	7.1	6.5	7.7	6.8
3/8/2020	1	6.7	6.8	6.3	6.6	6.9	6.1	7.6	6.8
3/8/2020	2	6.7	6.8	6.3	6.5	6.7	6.1	7.6	6.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/8/2020	3	6.7	6.8	6.3	6.4	6.6	5.9	7.6	6.7
3/8/2020	4	6.6	6.7	6.2	6.3	6.5	5.7	7.5	6.7
3/8/2020	5	6.6	6.6	6.1	6.2	6.4	5.5	7.4	6.6
3/8/2020	6	6.5	6.6	5.9	6.1	6.3	5.4	7.4	6.5
3/8/2020	7	6.5	6.5	5.8	6.0	6.2	5.4	7.3	6.4
3/8/2020	8	6.4	6.4	5.7	6.0	6.1	5.4	7.3	6.4
3/8/2020	9	6.4	6.4	6.1	6.0	6.1	6.6	7.2	6.4
3/8/2020	10	6.3	6.5	6.6	6.0	6.1	6.7	7.2	6.4
3/8/2020	11	6.3	6.5	7.0	6.0	6.1	6.8	7.2	6.4
3/8/2020	12	6.4	6.6	7.8	6.4	6.3	7.2	7.2	6.5
3/8/2020	13	6.4	6.7	8.4	6.8	6.5	7.5	7.3	6.5
3/8/2020	14	6.5	6.8	8.9	7.3	7.0	8.2	7.4	6.7
3/8/2020	15	6.6	6.9	9.0	7.9	7.5	8.8	7.5	6.8
3/8/2020	16	6.7	6.9	8.7	8.4	7.9	9.2	7.6	6.9
3/8/2020	17	6.8	6.9	8.2	8.7	8.3	8.6	7.7	7.0
3/8/2020	18	6.8	7.0	7.7	8.7	8.4	8.6	7.8	7.0
3/8/2020	19	6.9	7.0	7.2	8.5	8.4	8.5	7.8	7.0
3/8/2020	20	6.9	7.0	6.9	8.2	8.2	8.0	7.8	7.1
3/8/2020	21	6.9	7.0	6.6	7.7	7.9	7.6	7.8	7.0
3/8/2020	22	6.9	7.0	6.5	7.3	7.5	7.1	7.8	7.1
3/8/2020	23	6.9	7.0	6.4	7.0	7.2	6.6	7.8	7.0
3/8/2020	24	6.9	7.0	6.2	6.7	6.9	6.2	7.8	7.0
3/9/2020	1	6.9	6.9	6.1	6.5	6.7	5.9	7.8	7.0
3/9/2020	2	6.9	6.9	6.0	6.3	6.5	5.7	7.8	6.9
3/9/2020	3	6.8	6.9	5.9	6.1	6.4	5.5	7.7	6.9
3/9/2020	4	6.8	6.8	5.8	6.0	6.2	5.3	7.7	6.8
3/9/2020	5	6.7	6.8	5.7	5.8	6.1	5.2	7.6	6.8
3/9/2020	6	6.7	6.7	5.7	5.7	5.9	5.0	7.6	6.7
3/9/2020	7	6.7	6.7	5.6	5.6	5.8	4.9	7.5	6.7
3/9/2020	8	6.6	6.7	5.5	5.6	5.7	4.9	7.5	6.6
3/9/2020	9	6.6	6.7	5.9	5.6	5.7	6.3	7.5	6.6
3/9/2020	10	6.6	6.7	6.4	5.7	5.7	6.4	7.4	6.6
3/9/2020	11	6.6	6.8	7.1	5.7	5.8	6.4	7.4	6.7
3/9/2020	12	6.6	6.9	8.0	6.1	5.9	6.7	7.5	6.8
3/9/2020	13	6.7	7.0	8.8	6.7	6.3	7.3	7.6	6.9
3/9/2020	14	6.8	7.0	9.3	7.4	6.9	8.3	7.7	7.0
3/9/2020	15	6.9	7.1	9.4	8.1	7.5	9.0	7.8	7.1
3/9/2020	16	7.0	7.2	9.1	8.6	8.0	9.3	7.9	7.2
3/9/2020	17	7.0	7.2	8.3	9.0	8.4	8.6	8.0	7.3
3/9/2020	18	7.1	7.2	7.8	9.0	8.6	8.6	8.1	7.3
3/9/2020	19	7.1	7.2	7.2	8.7	8.5	8.2	8.1	7.3
3/9/2020	20	7.2	7.2	6.7	8.2	8.2	7.8	8.0	7.3
3/9/2020	21	7.1	7.2	6.4	7.7	7.9	7.2	8.0	7.2
3/9/2020	22	7.1	7.1	6.2	7.2	7.5	6.7	7.9	7.1
3/9/2020	23	7.0	7.1	6.1	6.7	7.1	6.2	7.9	7.0
3/9/2020	24	7.0	7.0	6.0	6.4	6.7	5.8	7.8	6.9



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/10/2020	1	6.9	7.0	5.9	6.1	6.5	5.5	7.8	6.8
3/10/2020	2	6.9	6.9	5.9	6.0	6.3	5.3	7.7	6.8
3/10/2020	3	6.8	6.9	5.9	5.8	6.1	5.3	7.7	6.8
3/10/2020	4	6.8	6.8	6.0	5.8	6.0	5.3	7.6	6.7
3/10/2020	5	6.7	6.8	6.1	5.8	5.9	5.2	7.6	6.7
3/10/2020	6	6.7	6.8	6.1	5.8	5.9	5.2	7.5	6.7
3/10/2020	7	6.7	6.7	6.0	5.8	5.9	5.2	7.5	6.6
3/10/2020	8	6.6	6.7	6.1	5.8	5.9	5.4	7.5	6.6
3/10/2020	9	6.6	6.7	6.1	5.9	5.9	5.4	7.4	6.6
3/10/2020	10	6.5	6.6	6.3	5.9	5.9	5.5	7.4	6.5
3/10/2020	11	6.5	6.6	6.7	6.2	6.1	6.2	7.3	6.5
3/10/2020	12	6.5	6.7	7.3	6.3	6.2	6.4	7.4	6.5
3/10/2020	13	6.5	6.8	8.1	6.6	6.4	7.5	7.5	6.6
3/10/2020	14	6.5	6.9	9.0	7.1	6.8	8.2	7.5	6.7
3/10/2020	15	6.6	6.9	9.1	7.7	7.2	8.0	7.6	6.8
3/10/2020	16	6.7	7.0	9.0	8.4	7.7	8.5	7.7	6.9
3/10/2020	17	6.8	7.0	8.6	8.8	8.2	8.8	7.7	7.0
3/10/2020	18	6.9	7.1	7.9	8.9	8.4	8.9	7.8	7.0
3/10/2020	19	6.9	7.1	7.4	8.8	8.5	8.9	7.8	7.1
3/10/2020	20	7.0	7.1	7.1	8.5	8.4	8.8	7.8	7.1
3/10/2020	21	7.0	7.1	6.9	8.1	8.1	8.5	7.8	7.1
3/10/2020	22	7.0	7.1	6.8	7.6	7.8	8.2	7.8	7.2
3/10/2020	23	7.0	7.1	6.7	7.3	7.5	7.9	7.8	7.1
3/10/2020	24	7.0	7.1	6.8	7.1	7.3	7.7	7.8	7.1
3/11/2020	1	7.0	7.0	6.8	7.0	7.1	7.5	7.8	7.0
3/11/2020	2	6.9	7.0	6.8	6.9	7.0	7.3	7.8	6.9
3/11/2020	3	6.8	6.9	6.8	6.9	7.0	7.2	7.8	6.8
3/11/2020	4	6.8	6.8	6.7	6.8	6.9	7.2	7.7	6.7
3/11/2020	5	6.7	6.8	6.6	6.8	6.9	7.1	7.7	6.7
3/11/2020	6	6.6	6.7	6.4	6.8	6.8	6.6	7.7	6.6
3/11/2020	7	6.6	6.7	6.3	6.7	6.8	6.5	7.6	6.6
3/11/2020	8	6.6	6.6	6.3	6.6	6.7	6.4	7.6	6.6
3/11/2020	9	6.5	6.7	6.6	6.7	6.7	7.7	7.5	6.6
3/11/2020	10	6.5	6.7	7.2	6.7	6.7	8.2	7.5	6.7
3/11/2020	11	6.6	6.8	7.9	6.7	6.7	8.2	7.5	6.7
3/11/2020	12	6.7	7.0	8.7	7.0	6.9	8.4	7.6	6.9
3/11/2020	13	6.8	7.1	9.3	7.6	7.2	8.7	7.7	7.0
3/11/2020	14	6.9	7.2	9.7	8.2	7.7	9.2	7.8	7.1
3/11/2020	15	7.0	7.3	9.8	8.8	8.3	9.7	7.9	7.3
3/11/2020	16	7.1	7.3	9.4	9.3	8.8	10.1	8.0	7.4
3/11/2020	17	7.2	7.4	8.6	9.6	9.1	9.4	8.1	7.5
3/11/2020	18	7.3	7.4	8.1	9.5	9.1	9.3	8.2	7.5
3/11/2020	19	7.3	7.5	7.5	9.1	9.0	8.9	8.3	7.6
3/11/2020	20	7.4	7.5	7.0	8.6	8.7	8.5	8.3	7.6
3/11/2020	21	7.4	7.5	6.7	8.0	8.3	7.9	8.2	7.6
3/11/2020	22	7.4	7.4	6.6	7.6	7.9	7.2	8.2	7.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/11/2020	23	7.3	7.3	6.5	7.1	7.4	6.8	8.1	7.4
3/11/2020	24	7.2	7.2	6.4	6.8	7.1	6.3	8.1	7.2
3/12/2020	1	7.2	7.2	6.3	6.5	6.9	6.1	8.0	7.1
3/12/2020	2	7.1	7.1	6.2	6.4	6.7	5.8	8.0	7.0
3/12/2020	3	7.0	7.0	6.1	6.2	6.5	5.6	7.9	6.9
3/12/2020	4	6.9	6.9	6.0	6.1	6.4	5.3	7.8	6.8
3/12/2020	5	6.8	6.8	5.8	6.0	6.3	5.3	7.8	6.8
3/12/2020	6	6.8	6.7	5.7	5.9	6.1	5.1	7.7	6.7
3/12/2020	7	6.7	6.7	5.6	5.7	6.0	5.0	7.6	6.6
3/12/2020	8	6.6	6.6	5.6	5.7	5.9	5.1	7.5	6.6
3/12/2020	9	6.5	6.6	6.1	5.7	5.9	6.4	7.4	6.6
3/12/2020	10	6.5	6.6	6.7	5.8	5.9	6.8	7.4	6.5
3/12/2020	11	6.5	6.7	7.5	5.9	5.9	7.1	7.3	6.6
3/12/2020	12	6.5	6.8	8.4	6.3	6.2	7.3	7.3	6.6
3/12/2020	13	6.6	6.9	9.1	7.0	6.6	7.7	7.4	6.7
3/12/2020	14	6.7	7.0	9.5	7.8	7.2	8.7	7.5	6.9
3/12/2020	15	6.8	7.1	9.6	8.5	7.8	9.5	7.6	7.1
3/12/2020	16	6.9	7.1	9.3	9.0	8.4	10.0	7.6	7.2
3/12/2020	17	7.0	7.2	8.6	9.4	8.7	9.2	7.7	7.2
3/12/2020	18	7.1	7.2	8.0	9.3	8.9	9.1	7.8	7.2
3/12/2020	19	7.1	7.2	7.4	9.0	8.8	8.8	7.9	7.3
3/12/2020	20	7.1	7.2	6.9	8.5	8.5	8.3	8.0	7.3
3/12/2020	21	7.1	7.2	6.6	8.0	8.2	8.0	8.1	7.2
3/12/2020	22	7.1	7.2	6.5	7.5	7.8	7.5	8.1	7.2
3/12/2020	23	7.1	7.2	6.5	7.1	7.4	6.9	8.0	7.1
3/12/2020	24	7.1	7.1	6.5	6.8	7.1	6.5	8.0	7.1
3/13/2020	1	7.0	7.1	6.5	6.6	6.9	6.3	7.9	7.1
3/13/2020	2	7.0	7.0	6.5	6.5	6.8	6.2	7.9	7.0
3/13/2020	3	7.0	7.0	6.5	6.5	6.7	6.1	7.8	7.0
3/13/2020	4	6.9	6.9	6.5	6.5	6.6	6.1	7.8	6.9
3/13/2020	5	6.9	6.9	6.4	6.4	6.6	6.0	7.8	6.8
3/13/2020	6	6.8	6.9	6.4	6.4	6.5	6.0	7.7	6.8
3/13/2020	7	6.8	6.8	6.3	6.4	6.5	5.8	7.7	6.8
3/13/2020	8	6.7	6.8	6.2	6.3	6.4	5.6	7.6	6.6
3/13/2020	9	6.7	6.7	6.1	6.3	6.4	5.6	7.6	6.6
3/13/2020	10	6.6	6.7	6.2	6.2	6.5	6.1	7.5	6.5
3/13/2020	11	6.6	6.7	6.3	6.2	6.6	6.5	7.5	6.5
3/13/2020	12	6.6	6.7	6.5	6.2	6.6	6.5	7.5	6.6
3/13/2020	13	6.5	6.7	6.6	6.3	6.6	6.5	7.4	6.6
3/13/2020	14	6.5	6.6	6.8	6.4	6.6	6.5	7.4	6.6
3/13/2020	15	6.5	6.6	6.7	6.5	6.6	6.5	7.4	6.6
3/13/2020	16	6.5	6.6	6.6	6.6	6.6	6.6	7.3	6.6
3/13/2020	17	6.5	6.6	6.4	6.6	6.6	6.6	7.3	6.6
3/13/2020	18	6.5	6.6	6.1	6.5	6.6	6.6	7.3	6.6
3/13/2020	19	6.5	6.6	5.9	6.4	6.6	6.5	7.3	6.6
3/13/2020	20	6.5	6.6	5.7	6.2	6.6	6.5	7.3	6.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/13/2020	21	6.5	6.6	5.7	6.0	6.5	6.4	7.3	6.6
3/13/2020	22	6.5	6.5	5.5	5.8	6.5	6.3	7.2	6.5
3/13/2020	23	6.5	6.5	5.5	5.7	6.4	6.3	7.2	6.4
3/13/2020	24	6.4	6.4	5.5	5.5	6.4	6.2	7.2	6.4
3/14/2020	1	6.4	6.4	5.5	5.4	6.3	6.1	7.2	6.3
3/14/2020	2	6.3	6.3	5.5	5.4	6.2	6.0	7.1	6.2
3/14/2020	3	6.3	6.2	5.4	5.3	6.2	5.9	7.1	6.1
3/14/2020	4	6.2	6.2	5.3	5.3	6.1	5.9	7.0	6.0
3/14/2020	5	6.1	6.1	5.1	5.2	6.1	5.8	6.9	6.1
3/14/2020	6	6.0	6.0	4.9	5.0	6.0	5.7	6.8	6.0
3/14/2020	7	6.0	5.9	4.8	4.9	5.9	5.6	6.8	5.9
3/14/2020	8	5.9	5.8	4.9	4.8	5.8	5.6	6.7	5.8
3/14/2020	9	5.8	5.8	5.0	4.8	5.7	5.5	6.6	5.8
3/14/2020	10	5.7	5.8	5.5	4.9	5.7	5.5	6.6	5.7
3/14/2020	11	5.7	5.9	6.2	5.1	5.8	5.7	6.6	5.7
3/14/2020	12	5.7	5.9	7.0	5.3	5.8	5.8	6.7	5.8
3/14/2020	13	5.8	6.0	7.5	5.6	5.9	5.9	6.7	5.8
3/14/2020	14	5.9	6.1	7.9	6.1	6.0	6.1	6.8	5.9
3/14/2020	15	5.9	6.1	7.8	6.7	6.1	6.2	6.8	6.0
3/14/2020	16	6.0	6.1	7.3	7.1	6.2	6.4	6.8	6.1
3/14/2020	17	6.1	6.1	6.7	7.3	6.3	6.4	6.9	6.2
3/14/2020	18	6.1	6.1	6.1	7.3	6.3	6.4	6.9	6.2
3/14/2020	19	6.1	6.1	5.7	7.0	6.3	6.4	6.9	6.1
3/14/2020	20	6.1	6.1	5.3	6.5	6.3	6.2	6.8	6.1
3/14/2020	21	6.1	6.1	5.0	6.0	6.2	6.1	6.8	6.0
3/14/2020	22	6.1	6.0	4.8	5.5	6.1	6.0	6.8	6.1
3/14/2020	23	6.0	5.9	4.7	5.2	6.0	5.8	6.7	6.0
3/14/2020	24	5.9	5.9	4.6	4.9	5.9	5.6	6.7	5.9
3/15/2020	1	5.9	5.8	4.5	4.6	5.8	5.5	6.7	5.8
3/15/2020	2	5.8	5.8	4.5	4.5	5.7	5.4	6.6	5.8
3/15/2020	3	5.8	5.7	4.4	4.4	5.6	5.3	6.6	5.7
3/15/2020	4	5.7	5.6	4.4	4.2	5.5	5.2	6.5	5.7
3/15/2020	5	5.6	5.5	4.2	4.1	5.5	5.1	6.4	5.6
3/15/2020	6	5.6	5.5	4.2	4.1	5.4	5.1	6.4	5.5
3/15/2020	7	5.5	5.4	4.1	4.0	5.3	5.0	6.3	5.4
3/15/2020	8	5.4	5.4	4.2	4.0	5.3	5.0	6.2	5.4
3/15/2020	9	5.4	5.4	4.6	4.1	5.3	5.1	6.1	5.3
3/15/2020	10	5.4	5.4	5.2	4.3	5.3	5.1	6.1	5.3
3/15/2020	11	5.4	5.5	5.9	4.4	5.3	5.2	6.2	5.4
3/15/2020	12	5.4	5.6	6.8	4.7	5.4	5.4	6.3	5.5
3/15/2020	13	5.5	5.7	7.4	5.3	5.5	5.6	6.4	5.7
3/15/2020	14	5.6	5.8	7.8	5.9	5.7	5.9	6.5	5.8
3/15/2020	15	5.7	5.9	8.0	6.5	5.8	6.1	6.5	6.0
3/15/2020	16	5.8	5.9	7.8	7.0	6.0	6.3	6.6	6.1
3/15/2020	17	5.9	5.9	7.1	7.5	6.1	6.4	6.7	6.1
3/15/2020	18	5.9	5.9	6.7	7.6	6.2	6.4	6.7	6.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/15/2020	19	5.9	5.9	6.2	7.4	6.2	6.4	6.7	6.0
3/15/2020	20	5.9	5.9	5.7	7.1	6.1	6.3	6.7	6.0
3/15/2020	21	5.9	5.9	5.4	6.6	6.1	6.1	6.7	5.9
3/15/2020	22	5.9	5.8	5.2	6.2	6.0	6.0	6.6	5.8
3/15/2020	23	5.9	5.8	5.1	5.8	5.9	5.8	6.6	5.8
3/15/2020	24	5.8	5.8	4.9	5.5	5.8	5.7	6.6	5.8
3/16/2020	1	5.8	5.7	4.9	5.2	5.8	5.6	6.5	5.8
3/16/2020	2	5.7	5.7	4.8	5.0	5.7	5.5	6.5	5.8
3/16/2020	3	5.7	5.7	4.7	4.9	5.7	5.5	6.5	5.7
3/16/2020	4	5.7	5.6	4.7	4.8	5.6	5.4	6.4	5.6
3/16/2020	5	5.6	5.6	4.6	4.7	5.6	5.3	6.4	5.6
3/16/2020	6	5.6	5.5	4.6	4.6	5.5	5.3	6.3	5.5
3/16/2020	7	5.5	5.4	4.5	4.5	5.4	5.2	6.3	5.5
3/16/2020	8	5.5	5.4	4.6	4.6	5.4	5.2	6.2	5.4
3/16/2020	9	5.4	5.4	5.1	4.7	5.4	5.3	6.2	5.4
3/16/2020	10	5.4	5.5	5.7	4.8	5.4	5.4	6.1	5.4
3/16/2020	11	5.4	5.5	6.4	5.0	5.4	5.4	6.1	5.5
3/16/2020	12	5.4	5.6	7.3	5.3	5.5	5.5	6.2	5.5
3/16/2020	13	5.5	5.7	8.1	5.9	5.6	5.8	6.3	5.7
3/16/2020	14	5.6	5.8	8.6	6.7	5.8	6.1	6.4	5.8
3/16/2020	15	5.7	5.9	8.7	7.4	6.0	6.4	6.5	6.1
3/16/2020	16	5.8	6.0	8.5	8.0	6.2	6.6	6.6	6.2
3/16/2020	17	5.9	6.1	7.8	8.4	6.3	6.7	6.8	6.3
3/16/2020	18	6.0	6.1	7.2	8.5	6.4	6.8	6.9	6.3
3/16/2020	19	6.1	6.1	6.6	8.2	6.5	6.8	7.0	6.4
3/16/2020	20	6.1	6.2	6.1	7.8	6.5	6.7	7.0	6.6
3/16/2020	21	6.2	6.2	5.7	7.2	6.5	6.6	7.0	6.4
3/16/2020	22	6.2	6.2	5.5	6.8	6.4	6.5	7.1	6.4
3/16/2020	23	6.2	6.2	5.4	6.3	6.4	6.3	7.1	6.4
3/16/2020	24	6.2	6.2	5.3	5.9	6.3	6.2	7.1	6.3
3/17/2020	1	6.1	6.1	5.3	5.6	6.2	6.1	7.1	6.3
3/17/2020	2	6.1	6.1	5.2	5.4	6.2	6.0	7.0	6.3
3/17/2020	3	6.1	6.1	5.1	5.3	6.1	5.9	7.0	6.3
3/17/2020	4	6.1	6.1	5.1	5.2	6.1	5.9	6.9	6.1
3/17/2020	5	6.0	6.0	5.0	5.1	6.0	5.8	6.9	6.1
3/17/2020	6	6.0	6.0	5.0	5.0	6.0	5.8	6.9	6.1
3/17/2020	7	6.0	5.9	4.9	4.9	5.9	5.7	6.8	6.0
3/17/2020	8	5.9	5.9	5.1	4.9	5.9	5.7	6.8	6.0
3/17/2020	9	5.9	5.9	5.5	5.1	5.9	5.8	6.8	6.0
3/17/2020	10	5.9	6.0	6.2	5.2	5.9	5.9	6.7	6.0
3/17/2020	11	5.9	6.1	6.9	5.4	6.0	6.0	6.8	6.1
3/17/2020	12	5.9	6.2	7.9	5.8	6.1	6.2	6.9	6.2
3/17/2020	13	6.0	6.4	8.5	6.4	6.2	6.4	7.0	6.3
3/17/2020	14	6.2	6.5	8.9	7.2	6.4	6.7	7.1	6.4
3/17/2020	15	6.3	6.6	9.1	7.9	6.6	7.0	7.2	6.6
3/17/2020	16	6.4	6.6	8.7	8.4	6.8	7.1	7.3	6.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/17/2020	17	6.5	6.6	8.2	8.8	6.9	7.3	7.4	6.7
3/17/2020	18	6.5	6.7	7.6	8.8	7.0	7.3	7.5	6.7
3/17/2020	19	6.6	6.6	7.0	8.6	7.0	7.3	7.5	6.7
3/17/2020	20	6.6	6.6	6.6	8.2	6.9	7.2	7.5	6.7
3/17/2020	21	6.6	6.6	6.3	7.7	6.9	7.0	7.5	6.7
3/17/2020	22	6.6	6.6	6.1	7.2	6.8	6.9	7.5	6.7
3/17/2020	23	6.6	6.6	5.9	6.8	6.7	6.7	7.5	6.6
3/17/2020	24	6.5	6.5	5.8	6.4	6.7	6.6	7.4	6.6
3/18/2020	1	6.5	6.5	5.7	6.1	6.6	6.5	7.4	6.5
3/18/2020	2	6.5	6.5	5.7	5.9	6.5	6.4	7.3	6.5
3/18/2020	3	6.4	6.4	5.6	5.8	6.5	6.3	7.3	6.4
3/18/2020	4	6.4	6.4	5.5	5.7	6.4	6.2	7.2	6.3
3/18/2020	5	6.3	6.3	5.4	5.6	6.3	6.1	7.2	6.3
3/18/2020	6	6.3	6.3	5.4	5.4	6.3	6.1	7.1	6.3
3/18/2020	7	6.2	6.2	5.3	5.4	6.2	6.0	7.1	6.2
3/18/2020	8	6.2	6.2	5.4	5.4	6.2	6.0	7.0	6.2
3/18/2020	9	6.1	6.2	5.9	5.5	6.2	6.1	7.0	6.2
3/18/2020	10	6.1	6.3	6.7	5.6	6.2	6.2	6.9	6.2
3/18/2020	11	6.1	6.4	7.5	5.8	6.3	6.3	9.0	6.4
3/18/2020	12	6.2	6.5	8.4	6.3	6.4	6.5	12.7	6.5
3/18/2020	13	6.3	6.7	9.2	7.0	6.6	6.8	7.2	6.6
3/18/2020	14	6.5	6.9	9.7	7.8	6.8	7.1	7.3	6.8
3/18/2020	15	6.6	7.0	9.9	8.6	7.0	7.4	7.5	7.1
3/18/2020	16	6.8	7.1	9.7	9.2	7.2	7.7	7.6	7.3
3/18/2020	17	6.9	7.1	9.0	9.7	7.4	7.8	7.7	7.2
3/18/2020	18	7.0	7.2	8.4	9.7	7.5	7.9	7.9	7.2
3/18/2020	19	7.0	7.2	7.9	9.5	7.5	7.9	8.0	7.2
3/18/2020	20	7.1	7.2	7.3	9.0	7.5	7.8	8.1	7.1
3/18/2020	21	7.1	7.2	7.0	8.6	7.5	7.7	8.1	7.1
3/18/2020	22	7.1	7.2	6.7	8.0	7.4	7.5	8.1	7.1
3/18/2020	23	7.1	7.1	6.6	7.6	7.3	7.4	8.0	7.0
3/18/2020	24	7.0	7.1	6.5	7.2	7.2	7.2	8.0	7.0
3/19/2020	1	7.0	7.0	6.4	6.8	7.2	7.1	8.0	6.9
3/19/2020	2	7.0	7.0	6.3	6.7	7.1	7.0	7.9	6.9
3/19/2020	3	6.9	6.9	6.2	6.5	7.0	6.9	7.9	6.8
3/19/2020	4	6.9	6.9	6.1	6.3	6.9	6.8	7.8	6.7
3/19/2020	5	6.8	6.8	6.0	6.2	6.9	6.7	7.8	6.8
3/19/2020	6	6.8	6.8	5.9	6.1	6.8	6.6	7.8	6.8
3/19/2020	7	6.7	6.8	5.8	5.9	6.8	6.6	7.7	6.8
3/19/2020	8	6.7	6.8	6.0	6.0	6.7	6.6	7.7	6.8
3/19/2020	9	6.7	6.8	6.5	6.1	6.8	6.7	7.7	6.8
3/19/2020	10	6.7	6.9	7.1	6.2	6.8	6.8	7.6	6.8
3/19/2020	11	6.7	7.0	8.0	6.4	6.8	6.9	7.6	6.9
3/19/2020	12	6.7	7.1	8.9	6.8	6.9	7.1	7.7	6.9
3/19/2020	13	6.8	7.2	9.6	7.5	7.1	7.3	7.7	7.0
3/19/2020	14	6.9	7.3	10.1	8.3	7.3	7.6	7.8	7.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/19/2020	15	7.0	7.4	10.3	9.0	7.4	7.9	7.9	7.3
3/19/2020	16	7.1	7.4	10.2	9.7	7.6	8.1	8.0	7.4
3/19/2020	17	7.2	7.5	9.5	10.1	7.7	8.2	8.1	7.5
3/19/2020	18	7.3	7.6	9.0	10.2	7.8	8.3	8.2	7.5
3/19/2020	19	7.4	7.6	8.3	10.0	7.9	8.3	8.3	7.6
3/19/2020	20	7.5	7.7	7.8	9.6	7.9	8.3	8.4	7.6
3/19/2020	21	7.6	7.7	7.4	9.1	7.9	8.2	8.5	7.5
3/19/2020	22	7.6	7.7	7.2	8.6	7.9	8.0	8.6	7.4
3/19/2020	23	7.5	7.7	7.1	8.1	7.8	7.8	8.5	7.5
3/19/2020	24	7.5	7.6	7.1	7.7	7.7	7.7	8.5	7.6
3/20/2020	1	7.5	7.6	7.0	7.4	7.7	7.6	8.4	7.5
3/20/2020	2	7.5	7.6	6.9	7.2	7.6	7.5	8.4	7.5
3/20/2020	3	7.4	7.5	6.8	7.1	7.5	7.4	8.3	7.5
3/20/2020	4	7.4	7.5	6.7	6.9	7.5	7.3	8.3	7.4
3/20/2020	5	7.3	7.4	6.6	6.8	7.4	7.3	8.2	7.4
3/20/2020	6	7.3	7.3	6.5	6.7	7.3	7.2	8.2	7.3
3/20/2020	7	7.2	7.3	6.5	6.6	7.3	7.1	8.2	7.3
3/20/2020	8	7.2	7.3	6.7	6.6	7.3	7.1	8.1	7.2
3/20/2020	9	7.1	7.3	7.1	6.8	7.3	7.2	8.1	7.2
3/20/2020	10	7.1	7.4	7.8	6.9	7.3	7.3	8.1	7.2
3/20/2020	11	7.1	7.5	8.6	7.1	7.3	7.4	8.1	7.3
3/20/2020	12	7.2	7.6	9.6	7.5	7.4	7.6	8.1	7.4
3/20/2020	13	7.3	7.7	10.4	8.2	7.6	7.9	8.3	7.5
3/20/2020	14	7.4	7.9	11.0	9.1	7.8	8.2	8.4	7.7
3/20/2020	15	7.6	8.0	11.1	9.8	8.0	8.5	8.5	7.9
3/20/2020	16	7.7	8.1	10.9	10.5	8.2	8.7	8.6	8.0
3/20/2020	17	7.8	8.1	10.1	10.9	8.3	8.8	8.7	8.1
3/20/2020	18	7.9	8.2	9.5	10.9	8.5	8.9	8.8	8.2
3/20/2020	19	8.0	8.3	8.9	10.7	8.5	9.0	8.9	8.2
3/20/2020	20	8.1	8.3	8.4	10.2	8.5	8.9	8.9	8.2
3/20/2020	21	8.1	8.3	8.0	9.7	8.5	8.7	9.0	8.2
3/20/2020	22	8.1	8.2	7.8	9.1	8.5	8.6	9.0	8.2
3/20/2020	23	8.1	8.2	7.7	8.7	8.4	8.4	9.0	8.2
3/20/2020	24	8.1	8.2	7.6	8.2	8.3	8.3	9.0	8.1
3/21/2020	1	8.0	8.2	7.5	8.0	8.2	8.2	9.0	8.1
3/21/2020	2	8.0	8.1	7.4	7.7	8.2	8.1	9.0	8.0
3/21/2020	3	8.0	8.1	7.3	7.6	8.1	8.0	9.0	8.0
3/21/2020	4	7.9	8.0	7.2	7.5	8.0	7.9	8.9	7.9
3/21/2020	5	7.9	8.0	7.1	7.3	8.0	7.8	8.8	7.9
3/21/2020	6	7.8	7.9	7.0	7.2	7.9	7.7	8.7	7.8
3/21/2020	7	7.8	7.9	6.9	7.1	7.8	7.6	8.7	7.8
3/21/2020	8	7.7	7.8	7.1	7.1	7.8	7.6	8.6	7.7
3/21/2020	9	7.7	7.9	7.6	7.2	7.8	7.7	8.6	7.7
3/21/2020	10	7.7	7.9	8.3	7.3	7.8	7.8	8.6	7.7
3/21/2020	11	7.7	8.0	9.2	7.5	7.8	7.9	8.6	7.8
3/21/2020	12	7.7	8.1	10.2	8.0	8.0	8.1	8.6	7.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/21/2020	13	7.8	8.3	11.0	8.7	8.1	8.4	8.8	8.1
3/21/2020	14	7.9	8.5	11.4	9.5	8.4	8.7	8.9	8.2
3/21/2020	15	8.1	8.7	11.5	10.3	8.6	9.1	9.0	8.5
3/21/2020	16	8.3	8.8	11.3	10.9	8.8	9.3	9.2	8.7
3/21/2020	17	8.5	8.8	10.6	11.3	9.0	9.5	9.3	8.8
3/21/2020	18	8.6	9.0	10.0	11.3	9.1	9.6	9.4	8.9
3/21/2020	19	8.7	9.0	9.4	11.1	9.2	9.6	9.6	9.0
3/21/2020	20	8.8	9.1	8.9	10.6	9.3	9.6	9.8	9.0
3/21/2020	21	8.9	9.1	8.5	10.1	9.2	9.4	9.9	9.0
3/21/2020	22	8.9	9.0	8.3	9.6	9.2	9.3	9.8	8.9
3/21/2020	23	8.8	9.0	8.2	9.1	9.1	9.1	9.8	8.9
3/21/2020	24	8.8	8.9	8.1	8.7	9.0	8.9	9.8	8.8
3/22/2020	1	8.7	8.9	8.0	8.4	8.9	8.8	9.7	8.7
3/22/2020	2	8.7	8.8	7.9	8.2	8.8	8.7	9.7	8.7
3/22/2020	3	8.7	8.8	7.8	8.0	8.8	8.6	9.6	8.6
3/22/2020	4	8.6	8.7	7.6	7.9	8.7	8.5	9.6	8.6
3/22/2020	5	8.6	8.7	7.5	7.7	8.6	8.4	9.5	8.4
3/22/2020	6	8.5	8.6	7.5	7.6	8.5	8.3	9.5	8.3
3/22/2020	7	8.4	8.6	7.4	7.5	8.5	8.3	9.5	8.3
3/22/2020	8	8.4	8.6	7.7	7.5	8.5	8.3	9.5	8.4
3/22/2020	9	8.4	8.6	8.2	7.6	8.5	8.4	9.4	8.4
3/22/2020	10	8.4	8.7	8.9	7.7	8.5	8.5	9.4	8.5
3/22/2020	11	8.4	8.8	9.7	7.9	8.6	8.6	9.4	8.5
3/22/2020	12	8.4	8.9	10.6	8.4	8.7	8.8	9.4	8.6
3/22/2020	13	8.6	9.0	11.2	9.1	8.8	8.9	9.5	8.7
3/22/2020	14	8.7	9.1	11.1	9.9	9.0	9.2	9.6	8.8
3/22/2020	15	8.7	9.1	10.8	10.6	9.1	9.4	9.7	8.7
3/22/2020	16	8.8	9.1	10.5	11.0	9.2	9.6	9.8	8.9
3/22/2020	17	8.8	9.1	10.1	11.0	9.3	9.6	9.8	9.0
3/22/2020	18	8.8	9.1	9.8	10.8	9.3	9.6	9.8	9.0
3/22/2020	19	8.8	9.1	9.4	10.5	9.3	9.5	9.9	9.0
3/22/2020	20	8.8	9.1	9.1	10.2	9.2	9.4	9.9	9.0
3/22/2020	21	8.8	9.0	8.8	9.8	9.2	9.3	9.8	9.0
3/22/2020	22	8.8	9.0	8.6	9.5	9.1	9.2	9.8	8.9
3/22/2020	23	8.8	8.9	8.4	9.2	9.1	9.1	9.8	8.9
3/22/2020	24	8.7	8.9	8.4	8.9	9.0	8.9	9.8	8.8
3/23/2020	1	8.7	8.9	8.3	8.7	8.9	8.8	9.7	8.8
3/23/2020	2	8.7	8.9	8.3	8.5	8.9	8.8	9.7	8.8
3/23/2020	3	8.7	8.8	8.2	8.4	8.8	8.7	9.6	8.7
3/23/2020	4	8.6	8.8	8.1	8.3	8.8	8.6	9.6	8.7
3/23/2020	5	8.6	8.7	7.9	8.2	8.7	8.6	9.6	8.7
3/23/2020	6	8.6	8.7	7.8	8.1	8.7	8.6	9.5	8.6
3/23/2020	7	8.5	8.7	7.8	8.0	8.6	8.5	9.5	8.6
3/23/2020	8	8.5	8.6	7.9	7.9	8.6	8.4	9.4	8.5
3/23/2020	9	8.4	8.6	8.3	8.0	8.5	8.5	9.4	8.5
3/23/2020	10	8.4	8.6	9.0	8.1	8.5	8.5	9.4	8.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/23/2020	11	8.3	8.7	9.8	8.2	8.5	8.5	9.3	8.5
3/23/2020	12	8.4	8.8	10.6	8.6	8.6	8.7	9.3	8.5
3/23/2020	13	8.4	8.8	11.3	9.3	8.7	8.9	9.4	8.6
3/23/2020	14	8.5	9.0	11.7	10.0	8.9	9.2	9.5	8.7
3/23/2020	15	8.6	9.1	11.6	10.7	9.0	9.4	9.6	8.8
3/23/2020	16	8.7	9.1	11.2	11.2	9.2	9.6	9.7	8.9
3/23/2020	17	8.8	9.2	10.5	11.5	9.4	9.7	9.8	9.0
3/23/2020	18	8.9	9.2	9.9	11.3	9.5	9.8	9.9	9.2
3/23/2020	19	9.0	9.3	9.2	11.0	9.5	9.8	10.0	9.2
3/23/2020	20	9.1	9.3	8.6	10.4	9.5	9.6	10.1	9.2
3/23/2020	21	9.1	9.2	8.2	9.8	9.4	9.4	10.0	9.2
3/23/2020	22	9.0	9.1	8.1	9.2	9.3	9.2	9.8	9.0
3/23/2020	23	8.9	9.0	8.0	8.7	9.1	9.0	9.7	8.9
3/23/2020	24	8.8	8.9	8.0	8.3	8.9	8.7	9.6	8.7
3/24/2020	1	8.7	8.7	8.0	8.1	8.7	8.5	9.5	8.5
3/24/2020	2	8.5	8.6	8.0	8.0	8.6	8.4	9.4	8.4
3/24/2020	3	8.4	8.4	7.9	7.9	8.5	8.3	9.3	8.2
3/24/2020	4	8.3	8.3	7.8	7.9	8.4	8.2	9.2	8.1
3/24/2020	5	8.2	8.3	7.8	7.8	8.3	8.1	9.2	8.1
3/24/2020	6	8.1	8.2	7.6	7.8	8.2	8.0	9.1	8.1
3/24/2020	7	8.1	8.1	7.6	7.7	8.1	8.0	9.1	8.0
3/24/2020	8	8.0	8.1	7.7	7.7	8.1	8.0	9.0	8.0
3/24/2020	9	7.9	8.1	8.0	7.8	8.1	8.0	9.0	8.0
3/24/2020	10	7.9	8.2	8.6	7.9	8.1	8.1	9.0	8.0
3/24/2020	11	7.9	8.2	9.1	8.0	8.1	8.2	8.9	8.1
3/24/2020	12	8.0	8.3	9.6	8.4	8.2	8.3	8.9	8.1
3/24/2020	13	8.0	8.4	10.2	9.0	8.4	8.6	9.0	8.2
3/24/2020	14	8.1	8.6	10.6	9.4	8.5	8.8	9.1	8.4
3/24/2020	15	8.3	8.7	10.7	9.8	8.6	8.9	9.2	8.5
3/24/2020	16	8.4	8.7	10.3	10.3	8.8	9.0	9.3	8.6
3/24/2020	17	8.5	8.8	9.8	10.5	8.9	9.2	9.4	8.7
3/24/2020	18	8.6	8.8	9.2	10.4	9.0	9.2	9.5	8.8
3/24/2020	19	8.6	8.8	8.8	10.2	9.0	9.2	9.6	8.8
3/24/2020	20	8.6	8.8	8.5	9.8	9.0	9.1	9.6	8.8
3/24/2020	21	8.6	8.8	8.2	9.4	8.9	9.0	9.6	8.8
3/24/2020	22	8.6	8.7	8.0	8.9	8.9	8.9	9.5	8.7
3/24/2020	23	8.6	8.7	7.9	8.6	8.8	8.7	9.5	8.7
3/24/2020	24	8.6	8.6	7.8	8.3	8.7	8.6	9.4	8.6
3/25/2020	1	8.5	8.6	7.7	8.1	8.6	8.4	9.4	8.5
3/25/2020	2	8.4	8.5	7.6	7.9	8.5	8.3	9.4	8.4
3/25/2020	3	8.4	8.4	7.6	7.8	8.4	8.2	9.3	8.4
3/25/2020	4	8.3	8.4	7.6	7.6	8.3	8.2	9.2	8.3
3/25/2020	5	8.2	8.3	7.6	7.6	8.3	8.1	9.2	8.2
3/25/2020	6	8.2	8.3	7.6	7.5	8.2	8.0	9.1	8.2
3/25/2020	7	8.2	8.2	7.6	7.5	8.2	8.0	9.1	8.2
3/25/2020	8	8.1	8.2	7.8	7.6	8.2	8.0	9.0	8.1



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/25/2020	9	8.1	8.2	8.2	7.7	8.1	8.1	9.0	8.1
3/25/2020	10	8.0	8.3	8.8	8.0	8.2	8.2	8.9	8.1
3/25/2020	11	8.0	8.3	9.7	8.2	8.2	8.3	9.0	8.1
3/25/2020	12	8.0	8.4	10.5	8.6	8.3	8.5	9.1	8.2
3/25/2020	13	8.1	8.5	11.1	9.3	8.5	8.7	9.1	8.3
3/25/2020	14	8.2	8.5	10.5	9.8	8.5	8.8	9.2	8.4
3/25/2020	15	8.3	8.7	10.7	10.5	8.7	9.1	9.3	8.5
3/25/2020	16	8.4	8.8	10.4	10.7	8.9	9.3	9.4	8.7
3/25/2020	17	8.5	8.8	10.0	10.7	9.0	9.4	9.5	8.8
3/25/2020	18	8.7	8.9	9.7	10.6	9.1	9.3	9.6	8.8
3/25/2020	19	8.7	8.9	9.1	10.3	9.1	9.3	9.6	8.5
3/25/2020	20	8.7	8.9	8.6	9.9	9.1	9.2	9.6	8.5
3/25/2020	21	8.8	8.9	8.2	9.6	9.1	9.1	9.6	8.4
3/25/2020	22	8.7	8.8	8.0	9.1	9.0	9.0	9.6	8.3
3/25/2020	23	8.7	8.8	7.8	8.6	8.9	8.8	9.6	8.3
3/25/2020	24	8.7	8.8	7.7	8.2	8.8	8.6	9.6	8.3
3/26/2020	1	8.6	8.7	7.6	7.9	8.7	8.5	9.5	8.1
3/26/2020	2	8.6	8.6	7.5	7.7	8.6	8.4	9.5	8.3
3/26/2020	3	8.6	8.6	7.4	7.5	8.5	8.3	9.5	8.4
3/26/2020	4	8.5	8.5	7.3	7.4	8.4	8.2	9.4	8.0
3/26/2020	5	8.4	8.4	7.2	7.2	8.3	8.1	9.3	8.2
3/26/2020	6	8.3	8.3	7.1	7.2	8.2	8.0	9.2	8.2
3/26/2020	7	8.2	8.2	7.1	7.1	8.2	7.9	9.1	8.0
3/26/2020	8	8.2	8.2	7.3	7.1	8.1	7.9	9.1	8.0
3/26/2020	9	8.1	8.2	7.8	7.2	8.1	8.0	9.0	8.0
3/26/2020	10	8.0	8.3	8.6	7.4	8.1	8.1	8.9	8.1
3/26/2020	11	8.0	8.3	9.5	7.6	8.1	8.1	8.9	8.1
3/26/2020	12	8.1	8.4	10.3	8.1	8.3	8.4	9.0	8.3
3/26/2020	13	8.2	8.5	10.8	9.0	8.4	8.6	9.1	8.3
3/26/2020	14	8.2	8.6	10.9	9.6	8.6	8.8	9.2	8.4
3/26/2020	15	8.3	8.7	10.9	10.2	8.7	9.0	9.3	8.5
3/26/2020	16	8.4	8.8	10.4	10.6	8.9	9.2	9.4	8.6
3/26/2020	17	8.5	8.8	9.9	10.7	9.0	9.3	9.5	8.6
3/26/2020	18	8.6	8.8	9.3	10.5	9.0	9.3	9.6	8.7
3/26/2020	19	8.7	8.9	8.9	10.2	9.1	9.2	9.6	8.8
3/26/2020	20	8.8	9.0	8.5	9.8	9.1	9.2	9.6	8.9
3/26/2020	21	8.9	9.0	8.3	9.4	9.1	9.1	9.6	8.8
3/26/2020	22	8.8	8.9	8.2	9.0	8.9	8.9	9.6	8.7
3/26/2020	23	8.7	8.7	8.2	8.7	8.8	8.8	9.6	8.4
3/26/2020	24	8.6	8.6	8.2	8.4	8.7	8.6	9.6	8.3
3/27/2020	1	8.5	8.5	8.2	8.2	8.6	8.5	9.5	8.3
3/27/2020	2	8.4	8.5	8.1	8.2	8.5	8.4	9.4	8.2
3/27/2020	3	8.3	8.4	7.9	8.1	8.4	8.3	9.3	8.2
3/27/2020	4	8.3	8.3	7.9	8.1	8.4	8.2	9.3	8.2
3/27/2020	5	8.2	8.3	7.8	8.0	8.3	8.2	9.2	8.2
3/27/2020	6	8.2	8.2	7.8	7.9	8.2	8.1	9.1	8.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/27/2020	7	8.1	8.2	7.8	7.9	8.2	8.1	9.0	8.1
3/27/2020	8	8.1	8.2	8.0	7.9	8.2	8.1	9.0	8.1
3/27/2020	9	8.0	8.2	8.4	8.0	8.2	8.2	9.0	8.1
3/27/2020	10	8.0	8.2	8.7	8.1	8.2	8.2	9.1	8.1
3/27/2020	11	8.0	8.3	9.1	8.3	8.2	8.2	9.1	8.1
3/27/2020	12	8.0	8.4	9.5	8.7	8.3	8.4	9.1	8.2
3/27/2020	13	8.1	8.5	10.1	9.1	8.4	8.6	9.2	8.3
3/27/2020	14	8.2	8.5	10.5	9.5	8.5	8.8	9.2	8.4
3/27/2020	15	8.2	8.7	10.8	9.8	8.7	8.9	9.2	8.5
3/27/2020	16	8.4	8.7	10.6	10.2	8.8	9.1	9.3	8.6
3/27/2020	17	8.5	8.7	10.1	10.5	8.9	9.2	9.3	8.7
3/27/2020	18	8.6	8.8	9.7	10.6	9.0	9.2	9.4	8.7
3/27/2020	19	8.6	8.8	9.1	10.4	9.0	9.2	9.5	8.8
3/27/2020	20	8.7	8.9	8.7	10.1	9.1	9.2	9.6	8.8
3/27/2020	21	8.7	8.9	8.4	9.7	9.1	9.2	9.6	8.9
3/27/2020	22	8.8	8.9	8.2	9.3	9.0	9.1	9.7	8.8
3/27/2020	23	8.7	8.8	8.0	8.9	8.9	8.9	9.7	8.8
3/27/2020	24	8.7	8.7	8.0	8.5	8.8	8.7	9.7	8.7
3/28/2020	1	8.6	8.7	7.9	8.3	8.7	8.6	9.6	8.6
3/28/2020	2	8.6	8.6	7.8	8.1	8.6	8.5	9.5	8.6
3/28/2020	3	8.5	8.5	7.8	7.9	8.5	8.4	9.5	8.5
3/28/2020	4	8.4	8.5	7.7	7.8	8.5	8.3	9.4	8.4
3/28/2020	5	8.4	8.4	7.6	7.7	8.4	8.2	9.3	8.4
3/28/2020	6	8.3	8.4	7.6	7.7	8.4	8.2	9.2	8.4
3/28/2020	7	8.3	8.4	7.6	7.6	8.3	8.2	9.2	8.3
3/28/2020	8	8.2	8.4	7.8	7.7	8.3	8.2	9.2	8.3
3/28/2020	9	8.2	8.4	8.5	7.9	8.3	8.3	9.2	8.3
3/28/2020	10	8.2	8.5	9.2	8.0	8.3	8.4	9.2	8.3
3/28/2020	11	8.2	8.6	10.2	8.4	8.4	8.6	9.2	8.4
3/28/2020	12	8.3	8.7	10.9	8.9	8.5	8.7	9.2	8.5
3/28/2020	13	8.4	8.8	11.1	9.6	8.7	8.9	9.3	8.6
3/28/2020	14	8.5	8.9	11.0	10.4	8.9	9.2	9.4	8.7
3/28/2020	15	8.6	9.0	10.7	10.9	9.1	9.5	9.5	8.8
3/28/2020	16	8.7	9.0	10.6	11.2	9.2	9.6	9.6	8.9
3/28/2020	17	8.8	9.1	10.3	11.2	9.3	9.7	9.7	9.0
3/28/2020	18	8.9	9.1	10.0	11.0	9.3	9.7	9.8	9.1
3/28/2020	19	8.9	9.2	9.6	10.8	9.4	9.6	9.9	9.2
3/28/2020	20	9.0	9.2	9.3	10.5	9.4	9.6	9.9	9.2
3/28/2020	21	9.1	9.2	9.0	10.2	9.4	9.5	9.9	9.2
3/28/2020	22	9.1	9.2	8.9	9.8	9.4	9.4	9.9	9.1
3/28/2020	23	9.0	9.2	8.8	9.5	9.3	9.3	9.9	9.1
3/28/2020	24	9.0	9.1	8.8	9.3	9.2	9.2	9.8	9.1
3/29/2020	1	8.9	9.1	8.8	9.1	9.1	9.1	9.8	8.9
3/29/2020	2	8.9	9.0	8.7	8.9	9.1	9.0	9.8	8.8
3/29/2020	3	8.9	9.0	8.6	8.9	9.0	9.0	9.8	8.9
3/29/2020	4	8.8	8.9	8.6	8.8	9.0	8.9	9.8	8.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/29/2020	5	8.8	8.9	8.5	8.7	8.9	8.8	9.7	8.6
3/29/2020	6	8.7	8.8	8.5	8.7	8.8	8.7	9.6	8.5
3/29/2020	7	8.6	8.8	8.5	8.7	8.8	8.7	9.7	8.5
3/29/2020	8	8.6	8.8	8.6	8.7	8.8	8.7	9.7	8.6
3/29/2020	9	8.6	8.8	8.8	8.7	8.8	8.7	9.7	8.6
3/29/2020	10	8.6	8.8	9.3	8.9	8.8	8.9	9.7	8.7
3/29/2020	11	8.6	8.9	10.2	9.2	8.9	9.0	9.7	8.7
3/29/2020	12	8.6	9.1	11.1	9.5	9.0	9.3	9.7	8.9
3/29/2020	13	8.7	9.2	11.7	10.0	9.1	9.4	9.8	9.0
3/29/2020	14	8.9	9.2	11.5	10.5	9.2	9.5	9.8	9.0
3/29/2020	15	9.0	9.4	11.7	11.2	9.4	9.9	9.9	9.3
3/29/2020	16	9.1	9.5	11.3	11.5	9.6	10.1	10.0	9.4
3/29/2020	17	9.2	9.6	10.7	11.7	9.8	10.1	10.1	9.5
3/29/2020	18	9.4	9.7	10.3	11.6	9.9	10.2	10.2	9.5
3/29/2020	19	9.5	9.7	9.8	11.3	9.9	10.2	10.2	9.5
3/29/2020	20	9.5	9.7	9.3	10.8	9.9	10.1	10.3	9.5
3/29/2020	21	9.5	9.6	9.1	10.4	9.8	9.9	10.4	9.6
3/29/2020	22	9.4	9.6	9.0	10.0	9.7	9.8	10.4	9.5
3/29/2020	23	9.4	9.6	9.0	9.6	9.7	9.6	10.4	9.5
3/29/2020	24	9.3	9.5	9.0	9.3	9.5	9.4	10.3	9.4
3/30/2020	1	9.3	9.3	9.0	9.1	9.4	9.3	10.2	9.3
3/30/2020	2	9.2	9.3	8.9	9.0	9.3	9.2	10.1	9.2
3/30/2020	3	9.1	9.2	8.8	9.0	9.2	9.1	10.0	9.1
3/30/2020	4	9.0	9.1	8.7	8.9	9.1	9.0	9.9	9.0
3/30/2020	5	8.9	9.0	8.7	8.9	9.1	9.0	9.9	8.9
3/30/2020	6	8.8	9.0	8.7	8.8	9.0	8.9	9.8	8.9
3/30/2020	7	8.8	8.9	8.7	8.8	8.9	8.9	9.7	8.8
3/30/2020	8	8.7	8.8	8.9	8.8	8.9	8.8	9.7	8.8
3/30/2020	9	8.7	8.8	8.9	8.8	8.8	8.8	9.7	8.7
3/30/2020	10	8.6	8.9	9.5	9.1	8.9	9.0	9.7	8.7
3/30/2020	11	8.6	8.9	10.2	9.3	8.9	9.1	9.8	8.7
3/30/2020	12	8.7	9.0	10.9	9.5	9.0	9.2	9.8	8.8
3/30/2020	13	8.8	9.2	11.5	10.1	9.1	9.4	9.9	8.9
3/30/2020	14	8.9	9.3	11.9	10.7	9.3	9.6	9.9	9.1
3/30/2020	15	9.0	9.4	11.8	11.1	9.4	9.8	10.0	9.2
3/30/2020	16	9.1	9.5	11.5	11.5	9.6	10.0	10.0	9.4
3/30/2020	17	9.2	9.5	10.8	11.7	9.8	10.1	10.1	9.4
3/30/2020	18	9.4	9.5	10.1	11.6	9.8	10.1	10.1	9.4
3/30/2020	19	9.3	9.5	9.5	11.2	9.8	10.0	10.2	9.4
3/30/2020	20	9.3	9.5	8.9	10.6	9.7	9.8	10.2	9.4
3/30/2020	21	9.3	9.4	8.6	10.1	9.6	9.7	10.3	9.3
3/30/2020	22	9.2	9.3	8.3	9.5	9.5	9.4	10.2	8.9
3/30/2020	23	9.1	9.2	8.2	9.0	9.3	9.2	10.1	9.1
3/30/2020	24	9.0	9.1	8.2	8.7	9.1	8.9	10.0	9.0
3/31/2020	1	8.9	8.9	8.2	8.4	9.0	8.8	9.8	8.8
3/31/2020	2	8.8	8.8	8.2	8.2	8.8	8.6	9.7	8.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/31/2020	3	8.7	8.7	8.1	8.2	8.7	8.5	9.6	8.6
3/31/2020	4	8.6	8.6	7.9	8.1	8.6	8.4	9.4	8.5
3/31/2020	5	8.4	8.5	7.8	8.0	8.5	8.3	9.3	8.4
3/31/2020	6	8.3	8.4	7.7	8.0	8.4	8.3	9.3	8.3
3/31/2020	7	8.3	8.4	7.7	7.9	8.4	8.2	9.2	8.3
3/31/2020	8	8.3	8.4	7.8	7.9	8.4	8.2	9.2	8.3
3/31/2020	9	8.2	8.4	8.0	7.9	8.3	8.3	9.1	8.3
3/31/2020	10	8.2	8.4	8.6	8.0	8.4	8.4	9.1	8.3
3/31/2020	11	8.2	8.5	9.6	8.2	8.4	8.5	9.2	8.3
3/31/2020	12	8.3	8.6	10.3	8.6	8.5	8.6	9.3	8.4
3/31/2020	13	8.3	8.6	10.6	9.1	8.6	8.6	9.3	8.5
3/31/2020	14	8.4	8.8	10.9	9.9	8.8	9.1	9.4	8.6
3/31/2020	15	8.5	8.9	10.7	10.3	8.9	9.3	9.5	8.8
3/31/2020	16	8.6	8.9	10.3	10.7	9.1	9.4	9.6	8.9
3/31/2020	17	8.7	8.9	10.0	10.8	9.1	9.4	9.7	8.9
3/31/2020	18	8.8	9.0	9.4	10.6	9.2	9.4	9.7	8.9
3/31/2020	19	8.8	9.0	8.9	10.2	9.2	9.4	9.8	9.0
3/31/2020	20	8.9	9.0	8.6	9.8	9.2	9.3	9.8	8.9
3/31/2020	21	8.9	9.0	8.3	9.5	9.2	9.2	9.9	9.0
3/31/2020	22	8.9	9.0	8.2	9.1	9.1	9.1	9.9	8.8
3/31/2020	23	8.9	9.0	8.2	8.8	9.1	9.0	9.9	8.8
3/31/2020	24	8.9	9.0	8.3	8.5	9.0	8.9	9.9	8.6