

From: [Scott Hopkins](#)
To: "Ashley Rawhouser"; "bgoedde@cityofchelan.us"; "Breean Zimmerman"; "Carl Merkle"; "Marcie Clement"; "David Bowen"; "Emily Johnson"; "Graham Simon"; "Hugh Anthony"; "Jim Pacheco"; "Justin Yeager"; "Kari Grover Wier"; "Mark Peterschmidt"; "Jeff Osborn"; "Phil Archibald"; "robin@mansonparks.com"; "Ryan.Layton@parks.wa.gov"; "Michelle Smith"; "Steve Lewis"; "Thomas O'Keefe"; "William Towey"; "Travis Maitland"; "Alene Underwood"; "Charles Von Reis"; "Catherine Willard"; "Mayfield, Mariah - FS"; "Kevin Wright"; "Esh, Nathan"; "randi_riggs@fws.gov"; "John Wasniewski"; "jamesurness@hotmail.com"; "wfarris@cityofchelan.us"; "Pruit, Katie (RCO)"; "jody.walters@noaa.gov"; "blod@yakamafish-nsn.gov"; "bret.nine@colvilletribes.com"; "NaturalResources@ctuir.org"; "keith.primm@ecy.wa.gov"; "Janel Ulrich"; "Gilbert, Joseph C"
Cc: [Martha Whiteman](#); [Todd West](#); [Elizabeth Krchnavek](#)
Subject: 2021 Chelan River Temperature Monitoring Data - 3rd Quarter Reports
Date: Wednesday, October 27, 2021 3:59:43 PM
Attachments: [2021 Chelan River Daily Average Temperature Data 3rd Quarterly Report.pdf](#)
[2021 Chelan River Hourly Temperature Data 3rd Quarterly Report.pdf](#)
[image001.png](#)

PUBLIC UTILITY DISTRICT NO. 1 of CHELAN COUNTY

P.O. Box 1231, Wenatchee, WA 98807-1231 • 327 N. Wenatchee Ave., Wenatchee, WA 98801
(509) 663-8121 • Toll free 1-888-663-8121 • www.chelanpud.org

To: Department of Ecology
Water Quality Program
Central Regional Office
Chelan River Fishery Forum:
Washington Department of Ecology
Washington Department of Fish and Wildlife
United States Forest Service
National Park Service
United States Fish and Wildlife Service
National Marine Fisheries Service
CCT (Colville)
YN (Yakama)
CTUIR (Umatilla tribe)
United States Geological Survey
Washington State Parks and Recreation Commission
Washington State Recreation and Conservation Office
City of Chelan
Manson Parks and Recreation Department
Lake Chelan Recreation Association
American Whitewater
From: Scott Hopkins, Fisheries Biologist II
Public Utility District No. 1 of Chelan County (Chelan PUD)
scott.hopkins@chelanpud.org
(509)661-4763
Re: Lake Chelan Hydroelectric Project No. 637 (Project)
Appendix D 401 Water Quality Certification Condition V.C.i)
Water Temperature Data Reports: 3rd Quarter 2021

Dear Ecology Water Quality Program, Chelan River Fishery Forum, and Other Parties:

Water temperature monitoring data for the 3rd Quarter 2021 are provided in the attached files. This information will be posted to the Chelan County PUD external website under "River Flows, Water Temperatures and Total Dissolved

Gas” (link below).

<https://www.chelanpud.org/parks-and-recreation/river-flows-and-water-temperatures>

Data during times of maintenance, calibration, or other miscellaneous events have been denoted with “NA” to designate these periods when data was either unavailable or inaccurate. Noteworthy events are explained below.

- There were several hourly data points removed from the Tailrace logger data column due to erroneous data in August. These points had an average difference of 4°C from the nearest logger data and hourly data adjacent to the biased data. This logger will be taken out of rotation and replaced with a brand new logger.
- There were four hourly data points removed from the Tailrace logger data column due to erroneous data in September.

Please feel free to call or email any questions or comments.



Scott Hopkins

Fisheries Biologist II

Chelan County P.U.D.

P: (509) 661-4763

C: (509) 630-2708

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/1/2021	24.7	25.1	25.1	25.2	25.3	25.3	25.7	25.1
7/2/2021	24.0	24.2	24.2	24.3	24.4	24.4	24.8	24.2
7/3/2021	22.8	23.0	23.2	23.3	23.4	23.5	23.6	23.0
7/4/2021	23.0	23.1	23.1	23.2	23.2	23.3	23.7	23.1
7/5/2021	23.1	23.3	23.3	23.3	23.4	23.4	23.8	23.3
7/6/2021	22.6	22.7	23.2	23.3	23.4	23.4	23.7	23.1
7/7/2021	22.0	22.2	22.6	22.7	22.7	22.8	23.3	22.7
7/8/2021	22.7	22.9	22.9	22.9	23.0	23.0	23.4	22.9
7/9/2021	22.6	22.7	22.9	22.9	22.9	23.0	23.3	22.8
7/10/2021	20.8	20.9	21.8	22.0	22.1	22.2	22.5	22.0
7/11/2021	22.9	23.1	22.9	22.8	22.8	22.9	23.7	23.2
7/12/2021	23.2	23.4	23.4	23.5	23.5	23.6	24.0	23.4
7/13/2021	22.8	23.0	23.4	23.5	23.5	23.6	24.0	23.4
7/14/2021	23.6	23.8	23.5	23.5	23.5	23.6	24.4	23.9
7/15/2021	23.6	23.7	23.5	23.6	23.5	23.5	24.3	23.7
7/16/2021	23.4	23.6	23.4	23.5	23.4	23.5	24.2	23.6
7/17/2021	23.1	23.3	22.9	22.8	22.8	23.2	23.9	23.2
7/18/2021	22.7	22.8	23.2	23.4	23.3	23.8	23.8	23.2
7/19/2021	22.1	22.3	22.9	23.0	22.7	22.9	23.8	23.1
7/20/2021	23.2	23.3	22.7	22.7	23.3	23.2	24.1	23.5
7/21/2021	23.2	23.3	22.4	22.3	23.0	22.8	23.9	23.2
7/22/2021	22.8	22.9	22.3	22.1	22.6	22.5	23.4	22.8
7/23/2021	22.8	22.9	22.7	22.6	22.8	22.8	23.5	22.8
7/24/2021	22.8	23.0	23.0	22.9	23.0	23.0	23.5	22.9
7/25/2021	23.0	23.2	23.2	23.4	23.3	23.4	23.9	23.5
7/26/2021	23.3	23.5	23.4	23.4	23.6	23.6	24.2	23.5
7/27/2021	23.5	23.6	23.2	23.2	23.6	23.6	24.4	23.8
7/28/2021	22.7	22.8	23.3	23.5	23.4	23.5	24.0	23.3
7/29/2021	21.9	22.1	22.8	23.1	23.2	23.3	23.8	23.3
7/30/2021	22.1	22.2	22.9	23.2	23.4	23.4	24.1	23.5
7/31/2021	22.2	22.4	22.6	23.0	23.6	23.5	24.4	23.8
8/1/2021	23.7	23.9	22.9	22.8	23.4	23.3	24.3	23.8
8/2/2021	23.5	23.6	23.7	23.9	23.7	23.8	24.2	23.9
8/3/2021	22.7	22.9	22.9	23.2	23.5	23.5	24.1	23.6
8/4/2021	23.5	23.7	23.4	23.4	23.7	23.7	24.4	23.8
8/5/2021	23.5	23.6	23.2	23.3	23.6	23.6	24.3	23.7
8/6/2021	23.3	23.4	23.2	23.1	23.5	23.5	24.1	23.5
8/7/2021	23.2	23.4	22.8	22.7	23.1	23.0	23.9	23.2
8/8/2021	22.8	22.9	21.6	21.3	21.9	21.7	22.7	22.2
8/9/2021	22.5	22.6	22.3	22.1	22.3	22.2	22.9	22.6
8/10/2021	22.7	22.9	23.1	23.0	22.9	23.0	23.4	22.9
8/11/2021	22.5	23.1	23.5	23.6	23.4	23.6	23.7	23.1
8/12/2021	22.7	23.2	23.3	23.4	23.3	23.4	23.8	23.2
8/13/2021	22.4	22.5	23.0	23.1	23.0	23.1	23.5	22.9
8/14/2021	21.8	22.0	23.0	23.4	23.1	23.4	23.5	22.9
8/15/2021	21.5	21.7	22.3	22.6	23.0	23.1	23.9	23.4
8/16/2021	23.4	23.7	22.9	22.7	22.9	22.9	23.7	23.2

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/17/2021	23.7	23.8	22.6	22.3	23.0	22.7	24.1	23.5
8/18/2021	23.4	23.4	22.8	22.5	23.0	22.9	24.0	23.5
8/19/2021	23.0	23.1	22.7	22.5	22.9	22.9	23.8	23.2
8/20/2021	22.9	23.0	22.2	22.0	22.6	22.4	23.6	22.8
8/21/2021	22.5	22.6	21.7	21.5	22.2	22.0	23.1	22.6
8/22/2021	22.3	22.3	21.5	21.1	21.6	21.4	22.6	22.0
8/23/2021	21.7	21.7	20.8	20.3	21.1	20.8	22.3	21.7
8/24/2021	21.4	21.5	21.0	20.5	21.0	21.0	22.1	21.6
8/25/2021	21.6	21.7	21.2	20.7	20.9	21.2	22.3	21.7
8/26/2021	21.6	21.7	21.1	20.9	20.9	21.4	22.3	21.7
8/27/2021	21.4	21.5	21.1	20.8	20.9	21.3	22.1	21.6
8/28/2021	21.3	21.4	21.2	21.0	20.9	21.4	22.0	21.5
8/29/2021	21.6	21.6	21.5	21.4	21.3	22.0	22.4	21.9
8/30/2021	21.7	21.7	21.0	20.7	20.8	21.1	22.3	21.7
8/31/2021	21.1	21.1	20.3	19.6	19.9	19.5	21.8	21.1
9/1/2021	20.6	20.6	19.9	19.4	19.5	19.5	21.3	20.7
9/2/2021	20.6	20.6	20.2	19.9	19.9	20.2	21.3	20.7
9/3/2021	20.6	20.6	20.3	20.0	20.0	20.6	21.3	20.7
9/4/2021	20.6	20.6	20.2	20.0	20.0	20.7	21.2	20.5
9/5/2021	20.5	20.6	20.8	20.8	20.7	22.1	21.5	20.9
9/6/2021	20.8	20.9	20.8	20.7	20.7	21.8	21.6	21.2
9/7/2021	21.1	21.1	20.8	20.6	20.7	21.3	21.8	21.2
9/8/2021	21.4	21.4	21.2	21.1	21.1	22.2	22.0	21.4
9/9/2021	21.4	21.5	21.1	20.9	21.0	21.6	22.1	21.5
9/10/2021	21.2	21.3	20.3	20.1	20.2	19.5	21.8	21.3
9/11/2021	20.9	21.0	20.7	20.5	20.5	21.0	21.6	21.0
9/12/2021	20.6	20.7	20.6	20.4	20.5	21.0	21.5	20.9
9/13/2021	20.5	20.5	19.9	19.7	19.7	20.0	21.2	20.5
9/14/2021	20.4	20.4	19.9	19.7	19.7	20.0	21.1	20.4
9/15/2021	20.3	20.3	19.5	19.3	19.3	19.4	20.8	20.3
9/16/2021	19.6	19.6	18.8	18.4	18.4	18.3	20.4	19.6
9/17/2021	19.5	19.5	18.4	18.0	18.1	17.9	20.2	19.5
9/18/2021	19.1	19.1	18.4	18.2	18.2	18.1	19.7	19.0
9/19/2021	18.8	18.9	18.6	18.6	18.6	18.5	19.6	19.2
9/20/2021	18.7	18.8	18.6	18.6	18.6	18.6	19.4	18.9
9/21/2021	18.9	18.9	18.5	18.2	18.2	18.2	19.5	19.0
9/22/2021	18.9	18.9	18.0	17.8	17.8	17.7	19.5	19.0
9/23/2021	18.7	18.7	18.4	18.2	18.2	18.2	19.3	18.8
9/24/2021	18.9	18.9	18.6	18.3	18.3	18.3	19.6	18.9
9/25/2021	19.1	19.2	19.0	18.8	18.8	18.8	19.8	19.2
9/26/2021	19.2	19.3	18.8	18.7	18.8	18.7	19.9	19.3
9/27/2021	18.9	18.9	18.1	18.0	18.1	18.0	19.5	18.9
9/28/2021	18.2	18.1	17.1	16.8	16.8	16.7	18.8	18.2
9/29/2021	17.6	17.6	16.9	16.5	16.5	16.4	18.3	17.7
9/30/2021	17.6	17.6	17.1	16.9	16.9	16.8	18.3	17.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/1/2021	1	21.4	23.4	24.4	24.6	24.6	24.6	24.2	23.6
7/1/2021	2	22.0	23.8	24.7	24.8	24.8	24.8	24.5	23.8
7/1/2021	3	22.7	24.2	24.6	24.7	24.8	24.9	24.7	24.1
7/1/2021	4	24.2	25.3	24.9	24.9	24.9	25.0	25.1	24.7
7/1/2021	5	25.2	25.6	25.2	25.3	25.3	25.3	25.6	25.4
7/1/2021	6	25.4	25.6	25.3	25.4	25.4	25.4	26.0	25.6
7/1/2021	7	25.3	25.6	25.4	25.5	25.5	25.6	26.1	25.6
7/1/2021	8	25.3	25.6	25.6	25.6	25.6	25.7	26.1	25.6
7/1/2021	9	25.2	25.5	25.6	25.7	25.7	25.8	26.1	25.5
7/1/2021	10	25.1	25.2	25.4	25.6	25.7	25.8	26.0	25.3
7/1/2021	11	25.0	25.1	25.1	25.3	25.4	25.5	26.0	25.2
7/1/2021	12	25.0	25.1	25.1	25.3	25.3	25.4	26.0	25.1
7/1/2021	13	25.0	25.3	25.2	25.4	25.4	25.5	25.9	25.3
7/1/2021	14	25.1	25.3	25.3	25.5	25.5	25.6	25.9	25.3
7/1/2021	15	25.1	25.2	25.2	25.4	25.5	25.6	25.9	25.2
7/1/2021	16	25.0	25.2	25.2	25.4	25.4	25.5	25.9	25.2
7/1/2021	17	25.1	25.3	25.2	25.3	25.4	25.5	25.9	25.3
7/1/2021	18	25.1	25.3	25.1	25.3	25.3	25.4	25.9	25.3
7/1/2021	19	25.1	25.3	25.1	25.2	25.2	25.2	25.9	25.3
7/1/2021	20	25.1	25.4	25.1	25.2	25.2	25.2	25.9	25.4
7/1/2021	21	25.1	25.3	25.1	25.2	25.2	25.3	25.9	25.3
7/1/2021	22	25.0	25.2	24.9	25.0	25.1	25.1	25.8	25.2
7/1/2021	23	24.9	25.2	24.9	25.0	25.0	25.1	25.7	25.1
7/1/2021	24	24.8	25.1	24.9	25.0	25.0	25.1	25.6	25.1
7/2/2021	1	24.8	25.0	24.8	24.9	25.0	25.0	25.4	25.0
7/2/2021	2	24.7	24.8	24.7	24.8	24.8	24.9	25.3	24.8
7/2/2021	3	24.6	24.7	24.6	24.6	24.7	24.7	25.2	24.8
7/2/2021	4	24.4	24.6	24.4	24.5	24.6	24.6	25.1	24.6
7/2/2021	5	24.3	24.4	24.3	24.3	24.4	24.4	24.9	24.4
7/2/2021	6	24.1	24.2	24.1	24.1	24.2	24.2	24.8	24.2
7/2/2021	7	24.0	24.1	24.0	24.0	24.1	24.1	24.7	24.1
7/2/2021	8	23.8	24.0	23.9	24.0	24.0	24.1	24.7	24.0
7/2/2021	9	23.8	23.9	23.9	24.0	24.0	24.1	24.6	23.9
7/2/2021	10	23.7	23.8	23.9	24.0	24.0	24.1	24.6	23.8
7/2/2021	11	23.6	23.8	23.9	24.0	24.0	24.1	24.6	23.8
7/2/2021	12	23.6	23.9	24.0	24.1	24.1	24.3	24.5	23.9
7/2/2021	13	23.7	24.0	24.2	24.3	24.3	24.4	24.5	24.0
7/2/2021	14	23.8	24.1	24.3	24.4	24.4	24.6	24.6	24.1
7/2/2021	15	24.0	24.3	24.5	24.6	24.6	24.7	24.7	24.3
7/2/2021	16	24.1	24.4	24.6	24.7	24.7	24.8	24.7	24.4
7/2/2021	17	24.2	24.5	24.6	24.7	24.8	24.8	24.8	24.5
7/2/2021	18	24.2	24.5	24.6	24.7	24.8	24.8	24.9	24.5
7/2/2021	19	24.2	24.4	24.5	24.6	24.6	24.7	25.0	24.4
7/2/2021	20	24.1	24.3	24.3	24.4	24.5	24.6	24.9	24.3
7/2/2021	21	24.0	24.2	24.2	24.3	24.4	24.4	24.8	24.2
7/2/2021	22	23.9	24.1	24.1	24.2	24.2	24.3	24.6	24.1
7/2/2021	23	23.8	23.9	23.9	24.0	24.1	24.1	24.5	23.9
7/2/2021	24	23.6	23.7	23.6	23.8	23.9	23.9	24.4	23.7
7/3/2021	1	23.4	23.4	23.4	23.5	23.6	23.6	24.2	23.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/3/2021	2	23.3	23.4	23.3	23.4	23.4	23.4	24.1	23.4
7/3/2021	3	23.2	23.4	23.3	23.3	23.4	23.4	23.9	23.4
7/3/2021	4	23.2	23.4	23.3	23.4	23.4	23.4	23.9	23.4
7/3/2021	5	23.1	23.3	23.3	23.4	23.4	23.4	23.9	23.3
7/3/2021	6	23.1	23.3	23.3	23.3	23.4	23.4	23.9	23.3
7/3/2021	7	23.1	23.3	23.3	23.3	23.4	23.4	23.9	23.3
7/3/2021	8	23.1	23.3	23.3	23.4	23.4	23.4	23.9	23.3
7/3/2021	9	23.1	23.3	23.4	23.4	23.5	23.5	23.9	23.3
7/3/2021	10	23.1	23.3	23.4	23.5	23.6	23.7	23.9	23.3
7/3/2021	11	23.1	23.3	23.5	23.6	23.7	23.8	23.9	23.3
7/3/2021	12	23.2	23.3	23.6	23.7	23.8	23.9	23.9	23.4
7/3/2021	13	23.2	23.3	23.6	23.8	23.8	23.9	23.8	23.3
7/3/2021	14	23.2	23.3	23.6	23.8	23.8	23.9	23.7	23.3
7/3/2021	15	23.1	23.2	23.4	23.6	23.7	23.8	23.6	23.2
7/3/2021	16	23.1	22.9	23.3	23.4	23.5	23.6	23.5	22.9
7/3/2021	17	22.5	22.6	23.2	23.4	23.4	23.5	23.3	22.5
7/3/2021	18	22.0	22.2	23.1	23.2	23.3	23.4	23.2	22.3
7/3/2021	19	21.8	22.2	22.9	23.0	23.1	23.2	23.0	22.0
7/3/2021	20	21.8	22.3	22.9	23.0	23.0	23.0	22.8	22.2
7/3/2021	21	21.9	22.5	22.9	22.9	23.0	23.0	22.9	22.5
7/3/2021	22	22.2	22.6	22.9	23.0	23.0	23.0	23.1	22.7
7/3/2021	23	22.6	23.0	22.9	23.0	23.0	23.1	23.3	22.9
7/3/2021	24	23.0	23.2	22.9	23.0	23.1	23.1	23.5	23.0
7/4/2021	1	23.1	23.2	22.8	22.9	23.0	23.0	23.5	23.1
7/4/2021	2	23.1	23.2	22.9	22.9	23.0	23.0	23.5	23.2
7/4/2021	3	23.0	23.2	23.0	23.0	23.1	23.1	23.5	23.2
7/4/2021	4	23.0	23.2	23.0	23.0	23.1	23.1	23.5	23.2
7/4/2021	5	23.0	23.1	23.0	23.0	23.0	23.1	23.5	23.2
7/4/2021	6	22.9	23.0	22.9	23.0	23.0	23.0	23.6	23.1
7/4/2021	7	22.8	22.9	22.9	22.9	23.0	23.0	23.6	23.0
7/4/2021	8	22.7	22.8	22.8	22.9	23.0	23.0	23.6	22.9
7/4/2021	9	22.7	22.8	22.9	22.9	22.9	23.0	23.6	22.8
7/4/2021	10	22.7	22.9	23.0	23.1	23.1	23.2	23.6	22.9
7/4/2021	11	22.7	22.9	23.1	23.2	23.2	23.3	23.7	22.9
7/4/2021	12	22.7	22.9	23.2	23.3	23.3	23.4	23.7	22.9
7/4/2021	13	22.8	23.0	23.3	23.4	23.4	23.5	23.7	23.1
7/4/2021	14	22.9	23.1	23.4	23.5	23.5	23.7	23.7	23.2
7/4/2021	15	23.0	23.3	23.5	23.6	23.6	23.8	23.7	23.3
7/4/2021	16	23.1	23.3	23.5	23.6	23.7	23.8	23.8	23.4
7/4/2021	17	23.2	23.4	23.5	23.6	23.7	23.8	23.8	23.4
7/4/2021	18	23.2	23.4	23.5	23.6	23.6	23.7	23.8	23.4
7/4/2021	19	23.2	23.4	23.4	23.5	23.6	23.6	23.8	23.3
7/4/2021	20	23.1	23.3	23.3	23.4	23.5	23.5	23.8	23.3
7/4/2021	21	23.1	23.3	23.1	23.3	23.3	23.4	23.8	23.3
7/4/2021	22	23.1	23.2	23.0	23.1	23.2	23.2	23.8	23.2
7/4/2021	23	23.0	23.2	22.9	23.0	23.1	23.1	23.7	23.2
7/4/2021	24	23.0	23.1	22.9	22.9	23.0	23.0	23.7	23.1
7/5/2021	1	23.0	23.1	22.9	22.9	23.0	23.0	23.7	23.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/5/2021	2	22.9	23.0	22.8	22.9	22.9	23.0	23.6	23.1
7/5/2021	3	22.8	23.0	22.8	22.8	22.9	22.9	23.6	23.0
7/5/2021	4	22.8	22.9	22.8	22.8	22.9	22.9	23.5	23.0
7/5/2021	5	22.7	22.9	22.8	22.8	22.8	22.9	23.5	22.9
7/5/2021	6	22.7	22.9	22.8	22.8	22.8	22.8	23.4	22.9
7/5/2021	7	22.7	22.9	22.8	22.8	22.8	22.9	23.5	22.9
7/5/2021	8	22.7	22.9	22.8	22.9	22.9	22.9	23.5	22.9
7/5/2021	9	22.7	22.9	23.0	23.0	23.0	23.1	23.6	22.9
7/5/2021	10	22.7	22.9	23.2	23.2	23.2	23.3	23.7	23.0
7/5/2021	11	22.8	23.0	23.3	23.4	23.4	23.5	23.7	23.0
7/5/2021	12	22.9	23.1	23.5	23.6	23.6	23.7	23.8	23.1
7/5/2021	13	23.0	23.3	23.6	23.7	23.7	23.9	23.9	23.3
7/5/2021	14	23.2	23.4	23.7	23.9	23.9	24.0	23.9	23.4
7/5/2021	15	23.3	23.6	23.8	23.9	24.0	24.1	24.0	23.5
7/5/2021	16	23.4	23.7	23.9	24.0	24.0	24.1	24.0	23.6
7/5/2021	17	23.5	23.7	23.9	24.0	24.0	24.1	24.0	23.7
7/5/2021	18	23.5	23.7	23.8	23.9	23.9	24.0	24.1	23.7
7/5/2021	19	23.5	23.7	23.6	23.7	23.8	23.8	24.1	23.7
7/5/2021	20	23.5	23.6	23.5	23.6	23.6	23.7	24.1	23.6
7/5/2021	21	23.5	23.6	23.4	23.5	23.5	23.5	24.1	23.6
7/5/2021	22	23.4	23.5	23.4	23.5	23.5	23.6	24.1	23.5
7/5/2021	23	23.4	23.5	23.3	23.4	23.5	23.5	24.1	23.5
7/5/2021	24	23.3	23.4	23.2	23.3	23.4	23.4	24.0	23.4
7/6/2021	1	23.2	23.4	23.2	23.2	23.3	23.3	24.0	23.4
7/6/2021	2	23.2	23.3	23.1	23.2	23.3	23.3	23.9	23.3
7/6/2021	3	23.1	23.2	23.1	23.1	23.2	23.2	23.9	23.3
7/6/2021	4	23.1	23.2	23.1	23.1	23.2	23.2	23.8	23.2
7/6/2021	5	23.0	23.2	23.0	23.1	23.1	23.1	23.8	23.2
7/6/2021	6	23.0	23.1	23.0	23.0	23.1	23.1	23.7	23.2
7/6/2021	7	23.0	23.1	23.0	23.0	23.0	23.1	23.7	23.1
7/6/2021	8	23.0	23.1	23.1	23.1	23.1	23.1	23.8	23.1
7/6/2021	9	23.0	23.1	23.2	23.2	23.2	23.3	23.8	23.1
7/6/2021	10	23.0	23.2	23.4	23.4	23.4	23.5	23.8	23.2
7/6/2021	11	23.0	23.2	23.6	23.6	23.6	23.8	23.8	23.2
7/6/2021	12	23.1	23.3	23.7	23.8	23.8	24.0	23.9	23.3
7/6/2021	13	23.2	23.4	23.8	24.0	24.0	24.1	23.9	23.4
7/6/2021	14	23.3	23.5	23.9	24.1	24.1	24.3	23.9	23.4
7/6/2021	15	23.1	23.0	23.9	24.1	24.1	24.3	23.9	23.3
7/6/2021	16	22.4	22.2	23.7	24.0	24.0	24.2	23.8	23.1
7/6/2021	17	21.8	22.1	23.4	23.6	23.8	23.9	23.7	22.8
7/6/2021	18	21.8	21.8	23.1	23.3	23.4	23.5	23.6	22.9
7/6/2021	19	21.7	22.1	23.0	23.1	23.2	23.3	23.5	22.7
7/6/2021	20	21.7	21.9	22.8	23.0	23.1	23.2	23.4	22.7
7/6/2021	21	21.8	22.2	22.8	22.9	22.9	22.9	23.5	22.8
7/6/2021	22	21.9	21.5	22.8	22.9	22.9	23.0	23.6	22.9
7/6/2021	23	21.4	21.5	22.8	22.9	22.9	22.9	23.5	22.6
7/6/2021	24	21.1	21.5	22.5	22.7	22.8	22.8	23.2	22.4
7/7/2021	1	21.1	21.6	22.3	22.5	22.6	22.6	23.1	22.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/7/2021	2	21.0	21.2	22.2	22.4	22.4	22.4	23.0	22.3
7/7/2021	3	21.1	21.1	22.2	22.2	22.3	22.3	22.9	22.3
7/7/2021	4	21.0	21.1	22.2	22.3	22.2	22.2	22.8	22.2
7/7/2021	5	20.7	20.8	22.0	22.0	22.1	22.2	22.6	21.9
7/7/2021	6	20.5	20.6	21.8	21.9	22.0	22.1	22.5	21.9
7/7/2021	7	20.6	20.9	21.9	21.8	21.9	22.0	22.5	21.9
7/7/2021	8	20.7	21.0	21.9	21.9	21.9	21.9	22.6	22.1
7/7/2021	9	20.8	21.3	22.0	22.0	22.0	22.1	22.7	22.1
7/7/2021	10	21.0	21.1	22.1	22.2	22.2	22.2	22.9	22.2
7/7/2021	11	21.5	21.9	22.1	22.1	22.1	22.2	23.0	22.5
7/7/2021	12	21.9	22.5	22.4	22.3	22.3	22.3	23.1	22.5
7/7/2021	13	22.0	22.3	23.0	22.8	22.7	22.8	23.3	22.6
7/7/2021	14	22.2	22.5	23.1	23.2	23.1	23.3	23.4	22.8
7/7/2021	15	22.5	22.9	23.3	23.3	23.3	23.5	23.5	22.9
7/7/2021	16	22.9	23.2	23.4	23.5	23.5	23.6	23.6	23.1
7/7/2021	17	23.1	23.3	23.5	23.6	23.6	23.7	23.8	23.2
7/7/2021	18	23.2	23.4	23.4	23.5	23.5	23.6	23.9	23.4
7/7/2021	19	23.3	23.5	23.3	23.4	23.4	23.5	24.0	23.4
7/7/2021	20	23.3	23.4	23.2	23.3	23.3	23.4	24.0	23.4
7/7/2021	21	23.2	23.4	23.1	23.1	23.2	23.2	23.9	23.4
7/7/2021	22	23.2	23.3	23.1	23.1	23.2	23.2	23.9	23.4
7/7/2021	23	23.1	23.3	22.9	23.0	23.1	23.1	23.8	23.3
7/7/2021	24	23.0	23.2	22.9	22.9	23.0	23.0	23.7	23.2
7/8/2021	1	23.0	23.1	22.8	22.8	22.9	22.9	23.6	23.1
7/8/2021	2	22.9	23.0	22.7	22.7	22.8	22.8	23.6	23.0
7/8/2021	3	22.8	22.9	22.6	22.6	22.7	22.7	23.5	22.9
7/8/2021	4	22.7	22.8	22.5	22.5	22.6	22.6	23.5	22.8
7/8/2021	5	22.7	22.8	22.5	22.4	22.5	22.5	23.4	22.8
7/8/2021	6	22.6	22.7	22.4	22.4	22.4	22.5	23.4	22.7
7/8/2021	7	22.5	22.6	22.4	22.3	22.4	22.4	23.4	22.7
7/8/2021	8	22.5	22.6	22.5	22.4	22.4	22.4	23.3	22.6
7/8/2021	9	22.5	22.6	22.7	22.5	22.5	22.6	23.3	22.7
7/8/2021	10	22.5	22.7	22.9	22.8	22.8	22.9	23.3	22.7
7/8/2021	11	22.5	22.7	23.2	23.2	23.1	23.3	23.3	22.7
7/8/2021	12	22.6	22.8	23.2	23.2	23.2	23.4	23.3	22.7
7/8/2021	13	22.6	22.8	23.4	23.5	23.5	23.7	23.3	22.8
7/8/2021	14	22.7	22.9	23.5	23.7	23.7	23.9	23.4	22.8
7/8/2021	15	22.7	22.9	23.6	23.7	23.7	23.9	23.4	22.9
7/8/2021	16	22.7	22.8	23.4	23.7	23.7	23.8	23.5	23.0
7/8/2021	17	22.7	22.8	23.3	23.5	23.6	23.7	23.5	23.0
7/8/2021	18	22.7	22.9	23.2	23.3	23.4	23.5	23.6	23.1
7/8/2021	19	22.7	22.9	23.1	23.2	23.3	23.4	23.6	23.1
7/8/2021	20	22.8	23.0	22.8	23.0	23.1	23.1	23.5	23.1
7/8/2021	21	22.8	23.0	22.8	22.8	22.9	22.9	23.5	23.1
7/8/2021	22	22.9	23.1	22.7	22.7	22.8	22.8	23.5	23.0
7/8/2021	23	22.9	23.0	22.6	22.6	22.7	22.7	23.4	23.0
7/8/2021	24	22.8	23.0	22.6	22.6	22.7	22.7	23.4	22.9
7/9/2021	1	22.8	22.9	22.4	22.5	22.6	22.6	23.4	22.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/9/2021	2	22.7	22.8	22.4	22.4	22.5	22.5	23.4	22.8
7/9/2021	3	22.6	22.7	22.3	22.3	22.4	22.4	23.3	22.7
7/9/2021	4	22.5	22.6	22.2	22.3	22.3	22.3	23.3	22.6
7/9/2021	5	22.5	22.6	22.1	22.1	22.2	22.2	23.2	22.6
7/9/2021	6	22.4	22.5	22.1	22.1	22.1	22.1	23.2	22.6
7/9/2021	7	22.4	22.5	22.1	22.1	22.1	22.1	23.2	22.5
7/9/2021	8	22.4	22.5	22.3	22.1	22.2	22.2	23.1	22.5
7/9/2021	9	22.4	22.5	22.6	22.3	22.3	22.4	23.1	22.5
7/9/2021	10	22.4	22.5	22.9	22.7	22.7	22.8	23.1	22.5
7/9/2021	11	22.4	22.6	23.2	23.1	23.1	23.2	23.1	22.6
7/9/2021	12	22.5	22.7	23.5	23.5	23.4	23.6	23.2	22.7
7/9/2021	13	22.6	22.8	23.6	23.8	23.7	24.0	23.3	22.8
7/9/2021	14	22.7	22.9	23.7	23.9	23.9	24.1	23.4	22.8
7/9/2021	15	22.7	22.9	23.7	24.0	24.0	24.2	23.4	22.9
7/9/2021	16	22.7	22.9	23.7	23.9	24.0	24.1	23.5	22.9
7/9/2021	17	22.7	22.9	23.6	23.8	23.9	24.1	23.6	23.0
7/9/2021	18	22.8	23.1	23.4	23.6	23.7	23.8	23.6	23.1
7/9/2021	19	22.9	23.0	23.2	23.4	23.4	23.5	23.5	23.1
7/9/2021	20	22.8	23.0	23.0	23.2	23.3	23.3	23.5	23.1
7/9/2021	21	22.8	22.9	22.8	22.9	23.0	23.0	23.4	23.0
7/9/2021	22	22.7	22.8	22.7	22.8	22.8	22.8	23.3	22.9
7/9/2021	23	22.4	22.4	22.6	22.7	22.7	22.8	23.2	22.8
7/9/2021	24	21.9	21.7	22.4	22.5	22.6	22.6	23.1	22.5
7/10/2021	1	21.3	21.3	22.0	22.3	22.4	22.4	22.9	22.0
7/10/2021	2	21.0	21.0	21.7	21.9	22.1	22.1	22.6	21.9
7/10/2021	3	20.5	20.4	21.4	21.6	21.7	21.7	22.4	21.5
7/10/2021	4	20.2	20.0	21.1	21.3	21.4	21.4	22.1	21.5
7/10/2021	5	20.1	19.9	20.7	21.0	21.2	21.2	21.8	21.2
7/10/2021	6	20.2	19.8	20.8	20.7	20.8	20.8	21.8	21.3
7/10/2021	7	19.9	19.8	20.8	20.7	20.8	20.8	21.8	21.2
7/10/2021	8	20.0	20.5	21.1	20.9	20.9	20.9	21.9	21.3
7/10/2021	9	20.6	20.8	21.4	21.1	21.1	21.2	22.0	21.6
7/10/2021	10	20.8	21.1	21.9	21.6	21.5	21.7	22.1	21.8
7/10/2021	11	21.2	21.4	22.5	22.2	22.1	22.3	22.3	22.0
7/10/2021	12	21.2	21.5	22.9	22.8	22.7	22.9	22.5	22.1
7/10/2021	13	21.4	21.8	23.2	23.3	23.2	23.4	22.6	22.2
7/10/2021	14	21.4	21.4	23.4	23.5	23.5	23.7	22.7	22.3
7/10/2021	15	21.1	21.2	23.4	23.7	23.7	23.9	22.7	22.3
7/10/2021	16	20.8	21.1	23.3	23.7	23.8	24.0	22.7	22.1
7/10/2021	17	20.6	20.6	22.9	23.5	23.6	23.8	22.7	22.1
7/10/2021	18	20.5	20.6	22.4	23.0	23.2	23.4	22.8	22.0
7/10/2021	19	20.7	20.5	21.7	22.6	22.7	22.8	22.9	22.3
7/10/2021	20	20.3	20.6	21.3	22.1	22.3	22.3	23.0	22.3
7/10/2021	21	20.5	21.0	20.9	21.6	21.8	21.8	23.1	22.4
7/10/2021	22	21.0	21.0	20.5	21.3	21.4	21.5	23.2	22.9
7/10/2021	23	21.3	21.6	20.5	20.8	21.0	21.0	23.2	22.8
7/10/2021	24	21.9	22.3	20.6	20.5	20.6	20.7	23.3	22.8
7/11/2021	1	22.2	22.7	20.7	20.5	20.6	20.5	23.3	22.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/11/2021	2	22.3	22.3	21.0	20.5	20.6	20.5	23.4	23.0
7/11/2021	3	22.4	22.7	21.3	20.7	20.7	20.6	23.4	22.9
7/11/2021	4	22.6	22.7	21.2	20.9	20.9	20.8	23.4	22.9
7/11/2021	5	22.7	22.8	21.3	21.1	21.0	21.0	23.5	22.9
7/11/2021	6	22.7	22.8	21.5	21.0	21.0	21.0	23.5	22.9
7/11/2021	7	22.7	22.8	21.7	21.2	21.2	21.1	23.5	22.9
7/11/2021	8	22.7	22.8	22.1	21.4	21.4	21.4	23.5	22.8
7/11/2021	9	22.7	22.9	22.3	21.7	21.6	21.8	23.5	22.8
7/11/2021	10	22.7	22.9	22.8	22.2	22.0	22.3	23.5	22.9
7/11/2021	11	22.7	23.0	23.5	22.7	22.5	22.8	23.5	23.0
7/11/2021	12	22.8	23.1	24.1	23.5	23.3	23.5	23.6	23.0
7/11/2021	13	22.9	23.2	24.6	24.1	23.9	24.3	23.7	23.1
7/11/2021	14	23.0	23.3	24.9	24.7	24.5	24.9	23.7	23.2
7/11/2021	15	23.1	23.4	25.0	25.1	24.9	25.3	23.8	23.4
7/11/2021	16	23.2	23.4	25.0	25.2	25.2	25.5	23.9	23.4
7/11/2021	17	23.2	23.4	24.8	25.1	25.2	25.5	24.0	23.6
7/11/2021	18	23.3	23.5	24.4	24.9	25.0	25.2	24.1	23.6
7/11/2021	19	23.3	23.5	24.0	24.5	24.6	24.8	24.2	23.7
7/11/2021	20	23.3	23.5	23.4	24.1	24.3	24.3	24.3	23.6
7/11/2021	21	23.3	23.5	23.0	23.7	23.9	23.9	24.2	23.6
7/11/2021	22	23.3	23.5	22.8	23.2	23.4	23.5	24.2	23.6
7/11/2021	23	23.3	23.5	22.5	22.8	23.0	23.0	24.1	23.6
7/11/2021	24	23.3	23.5	22.3	22.5	22.6	22.6	24.1	23.5
7/12/2021	1	23.3	23.4	22.2	22.2	22.3	22.3	24.0	23.4
7/12/2021	2	23.3	23.4	22.2	22.1	22.2	22.2	24.0	23.4
7/12/2021	3	23.2	23.3	22.2	22.0	22.1	22.1	23.9	23.4
7/12/2021	4	23.1	23.2	22.2	22.0	22.1	22.0	23.9	23.3
7/12/2021	5	23.0	23.1	22.2	22.0	22.1	22.0	23.8	23.2
7/12/2021	6	23.0	23.0	22.2	22.0	22.0	22.0	23.8	23.1
7/12/2021	7	22.9	23.0	22.2	22.0	22.0	22.0	23.8	23.1
7/12/2021	8	22.9	23.0	22.4	22.0	22.0	22.1	23.8	23.0
7/12/2021	9	22.9	23.1	22.8	22.2	22.1	22.3	23.8	23.0
7/12/2021	10	22.9	23.1	23.4	22.6	22.5	22.6	23.8	23.1
7/12/2021	11	22.9	23.2	23.9	23.2	23.0	23.2	23.8	23.2
7/12/2021	12	23.0	23.3	24.4	24.0	23.8	24.0	23.8	23.2
7/12/2021	13	23.1	23.4	24.9	24.6	24.4	24.8	23.8	23.4
7/12/2021	14	23.2	23.5	25.2	25.2	25.0	25.3	23.9	23.4
7/12/2021	15	23.3	23.6	25.4	25.5	25.4	25.7	24.0	23.6
7/12/2021	16	23.5	23.7	25.3	25.6	25.6	25.9	24.1	23.7
7/12/2021	17	23.5	23.7	25.1	25.6	25.6	25.9	24.2	23.8
7/12/2021	18	23.5	23.6	24.8	25.3	25.4	25.6	24.3	23.8
7/12/2021	19	23.5	23.6	24.3	24.9	25.0	25.2	24.4	23.9
7/12/2021	20	23.4	23.6	23.6	24.5	24.7	24.8	24.4	23.8
7/12/2021	21	23.4	23.5	23.1	24.0	24.2	24.3	24.4	23.8
7/12/2021	22	23.4	23.5	22.9	23.5	23.7	23.8	24.3	23.7
7/12/2021	23	23.3	23.4	22.8	23.0	23.2	23.3	24.2	23.6
7/12/2021	24	23.2	23.4	22.8	22.8	23.0	22.9	24.2	23.6
7/13/2021	1	23.2	23.3	22.7	22.8	22.9	22.8	24.1	23.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/13/2021	2	23.2	23.3	22.6	22.7	22.8	22.8	24.0	23.4
7/13/2021	3	23.2	23.3	22.6	22.6	22.7	22.7	24.0	23.4
7/13/2021	4	23.1	23.2	22.5	22.5	22.6	22.5	23.9	23.3
7/13/2021	5	23.1	23.2	22.5	22.4	22.5	22.5	23.8	23.3
7/13/2021	6	23.1	23.1	22.4	22.3	22.4	22.4	23.8	23.3
7/13/2021	7	22.8	22.9	22.4	22.3	22.4	22.4	23.8	23.2
7/13/2021	8	22.6	22.6	22.6	22.4	22.4	22.4	23.7	23.0
7/13/2021	9	22.3	22.4	22.9	22.5	22.5	22.6	23.7	23.0
7/13/2021	10	22.4	22.7	23.2	22.9	22.8	22.9	23.6	22.9
7/13/2021	11	22.2	22.3	23.6	23.3	23.2	23.4	23.6	23.0
7/13/2021	12	22.5	22.7	24.2	23.9	23.7	24.0	23.7	23.1
7/13/2021	13	22.7	22.7	24.5	24.4	24.2	24.6	23.8	23.4
7/13/2021	14	22.9	23.2	24.8	24.9	24.8	25.1	23.9	23.5
7/13/2021	15	22.9	23.1	24.9	25.1	25.0	25.4	24.1	23.7
7/13/2021	16	23.0	23.3	25.0	25.3	25.2	25.5	24.2	23.7
7/13/2021	17	23.2	23.3	24.8	25.2	25.3	25.5	24.3	23.7
7/13/2021	18	23.3	23.4	24.4	25.0	25.1	25.3	24.4	23.9
7/13/2021	19	23.2	23.4	24.0	24.6	24.7	24.8	24.5	23.8
7/13/2021	20	23.1	23.1	23.5	24.1	24.3	24.3	24.4	23.8
7/13/2021	21	22.8	22.7	23.2	23.7	23.9	23.9	24.4	23.7
7/13/2021	22	22.6	23.0	22.8	23.4	23.5	23.5	24.3	23.4
7/13/2021	23	22.2	22.2	22.5	23.0	23.2	23.2	24.2	23.6
7/13/2021	24	22.6	23.0	22.1	22.7	22.8	22.9	24.2	23.4
7/14/2021	1	22.7	22.8	21.8	22.2	22.4	22.5	24.2	23.6
7/14/2021	2	22.9	23.1	21.8	22.0	22.1	22.1	24.2	23.6
7/14/2021	3	23.2	23.4	21.8	21.7	21.8	21.8	24.2	23.6
7/14/2021	4	23.4	23.4	21.9	21.7	21.7	21.7	24.1	23.6
7/14/2021	5	23.4	23.4	22.1	21.7	21.7	21.7	24.1	23.5
7/14/2021	6	23.4	23.5	22.2	21.8	21.8	21.7	24.1	23.5
7/14/2021	7	23.4	23.5	22.3	21.9	21.9	21.9	24.1	23.4
7/14/2021	8	23.3	23.5	22.7	22.1	22.1	22.1	24.0	23.5
7/14/2021	9	23.3	23.6	23.1	22.3	22.3	22.3	24.0	23.5
7/14/2021	10	23.4	23.6	23.6	22.8	22.7	22.8	24.1	23.5
7/14/2021	11	23.4	23.7	24.3	23.5	23.3	23.5	24.2	23.6
7/14/2021	12	23.5	23.8	25.2	24.2	24.0	24.3	24.3	23.7
7/14/2021	13	23.6	23.9	25.2	24.9	24.7	25.0	24.4	23.8
7/14/2021	14	23.7	24.0	25.6	25.5	25.4	26.0	24.5	24.9
7/14/2021	15	23.8	24.1	25.6	25.9	25.7	25.9	24.6	24.0
7/14/2021	16	24.0	24.2	25.6	26.0	25.8	26.1	24.7	24.1
7/14/2021	17	24.0	24.3	25.2	25.7	25.8	25.9	24.8	24.2
7/14/2021	18	24.1	24.4	24.8	25.4	25.5	25.6	24.8	24.3
7/14/2021	19	24.2	24.3	24.2	24.8	24.9	24.9	24.7	24.2
7/14/2021	20	24.1	24.3	23.7	24.3	24.4	24.3	24.7	24.2
7/14/2021	21	24.1	24.2	23.3	23.8	24.0	23.9	24.7	24.1
7/14/2021	22	24.0	24.1	23.2	23.3	23.4	23.3	24.6	24.1
7/14/2021	23	24.0	24.1	23.0	23.1	23.2	23.0	24.6	24.0
7/14/2021	24	23.9	24.0	22.9	23.0	23.0	22.9	24.6	24.0
7/15/2021	1	23.8	23.9	22.8	22.8	22.9	22.8	24.5	23.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/15/2021	2	23.7	23.8	22.7	22.8	22.8	22.6	24.3	23.8
7/15/2021	3	23.6	23.7	22.5	22.6	22.6	22.5	24.2	23.7
7/15/2021	4	23.5	23.6	22.3	22.4	22.5	22.3	24.1	23.6
7/15/2021	5	23.5	23.5	22.2	22.2	22.3	22.1	24.1	23.5
7/15/2021	6	23.4	23.5	22.1	22.0	22.1	21.9	24.1	23.5
7/15/2021	7	23.3	23.4	22.1	21.9	21.9	21.8	24.0	23.4
7/15/2021	8	23.3	23.4	22.4	21.9	21.9	21.8	24.0	23.4
7/15/2021	9	23.3	23.4	22.7	22.2	22.1	22.1	24.0	23.4
7/15/2021	10	23.2	23.4	23.3	22.6	22.4	22.5	24.0	23.4
7/15/2021	11	23.2	23.4	24.0	23.1	22.9	23.1	24.0	23.4
7/15/2021	12	23.2	23.4	24.6	23.9	23.6	23.8	24.0	23.4
7/15/2021	13	23.3	23.5	25.1	24.6	24.4	24.6	24.1	23.5
7/15/2021	14	23.4	23.7	25.4	25.2	25.0	25.2	24.2	23.6
7/15/2021	15	23.6	23.8	25.4	25.7	25.5	25.7	24.3	23.7
7/15/2021	16	23.7	23.9	25.3	25.8	25.6	25.9	24.4	23.8
7/15/2021	17	23.8	24.0	25.2	25.6	25.6	25.8	24.4	23.9
7/15/2021	18	23.9	24.1	24.8	25.3	25.3	25.4	24.5	24.0
7/15/2021	19	23.9	24.1	24.3	24.9	25.0	25.0	24.6	24.0
7/15/2021	20	23.9	24.1	23.8	24.6	24.6	24.6	24.6	24.0
7/15/2021	21	23.9	24.1	23.3	24.1	24.2	24.1	24.6	24.0
7/15/2021	22	23.9	24.0	22.9	23.5	23.7	23.6	24.5	24.0
7/15/2021	23	23.8	23.9	22.7	23.1	23.2	23.1	24.5	24.0
7/15/2021	24	23.8	23.9	22.6	22.7	22.8	22.7	24.4	23.9
7/16/2021	1	23.7	23.8	22.5	22.5	22.5	22.4	24.4	23.8
7/16/2021	2	23.7	23.8	22.3	22.3	22.3	22.2	24.3	23.7
7/16/2021	3	23.6	23.7	22.2	22.1	22.2	22.0	24.3	23.6
7/16/2021	4	23.6	23.6	22.2	22.0	22.0	21.9	24.3	23.6
7/16/2021	5	23.5	23.6	22.1	21.9	21.9	21.8	24.2	23.4
7/16/2021	6	23.5	23.5	22.1	21.8	21.9	21.7	24.2	23.4
7/16/2021	7	23.4	23.5	22.1	21.8	21.8	21.7	24.1	23.4
7/16/2021	8	23.3	23.4	22.3	22.0	21.9	21.8	24.1	23.4
7/16/2021	9	23.3	23.4	22.7	22.1	22.0	22.0	24.0	23.3
7/16/2021	10	23.2	23.4	23.3	22.5	22.3	22.3	24.0	23.3
7/16/2021	11	23.2	23.4	23.9	23.1	22.8	22.9	23.9	23.3
7/16/2021	12	23.2	23.4	24.5	23.8	23.5	23.7	24.0	23.4
7/16/2021	13	23.2	23.5	25.1	24.4	24.2	24.4	24.0	23.4
7/16/2021	14	23.3	23.6	25.4	25.0	24.7	25.0	24.1	23.5
7/16/2021	15	23.3	23.7	25.7	25.5	25.2	25.6	24.1	23.6
7/16/2021	16	23.4	23.8	25.8	25.7	25.6	25.9	24.2	23.6
7/16/2021	17	23.5	23.8	25.6	25.7	25.7	26.4	24.2	23.7
7/16/2021	18	23.6	23.8	25.1	25.7	25.6	26.5	24.3	23.8
7/16/2021	19	23.6	23.8	24.2	25.3	25.4	25.7	24.4	23.7
7/16/2021	20	23.6	23.7	23.4	24.8	24.9	24.7	24.3	23.7
7/16/2021	21	23.6	23.7	22.8	24.3	24.4	24.1	24.3	23.7
7/16/2021	22	23.5	23.6	22.2	23.7	23.9	23.4	24.2	23.6
7/16/2021	23	23.5	23.5	21.7	23.1	23.3	22.8	24.1	23.5
7/16/2021	24	23.4	23.4	21.5	22.5	22.8	22.3	24.1	23.5
7/17/2021	1	23.3	23.4	21.3	22.0	22.2	21.8	24.0	23.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/17/2021	2	23.3	23.3	21.1	21.5	21.8	21.2	24.0	23.4
7/17/2021	3	23.2	23.3	20.9	21.2	21.4	20.7	23.9	23.3
7/17/2021	4	23.2	23.2	20.8	20.9	21.2	20.5	23.8	23.2
7/17/2021	5	23.1	23.2	20.7	20.7	20.9	20.2	23.8	23.1
7/17/2021	6	23.1	23.1	20.6	20.6	20.7	20.1	23.8	23.1
7/17/2021	7	23.0	23.1	20.6	20.4	20.6	20.0	23.7	23.0
7/17/2021	8	22.9	23.0	20.8	20.7	20.5	20.8	23.7	23.0
7/17/2021	9	22.9	23.0	21.4	20.7	20.5	21.2	23.7	22.9
7/17/2021	10	22.9	23.1	22.2	20.9	20.7	21.8	23.6	23.0
7/17/2021	11	22.9	23.1	23.1	21.3	21.0	22.2	23.6	23.0
7/17/2021	12	22.8	23.1	24.1	22.1	21.6	22.9	23.6	23.0
7/17/2021	13	22.8	23.2	24.9	22.9	22.5	23.6	23.7	23.1
7/17/2021	14	22.9	23.3	25.5	23.9	23.4	24.5	23.8	23.2
7/17/2021	15	23.0	23.4	25.8	24.8	24.3	25.6	23.8	23.2
7/17/2021	16	23.2	23.4	25.9	25.3	25.0	26.4	23.9	23.3
7/17/2021	17	23.2	23.4	25.7	25.6	25.4	26.9	24.0	23.4
7/17/2021	18	23.2	23.5	25.3	25.7	25.6	27.1	24.0	23.5
7/17/2021	19	23.3	23.5	24.7	25.6	25.5	26.8	24.1	23.5
7/17/2021	20	23.3	23.4	24.1	25.2	25.2	25.6	24.1	23.5
7/17/2021	21	23.3	23.5	23.3	24.8	24.9	25.0	24.0	23.5
7/17/2021	22	23.4	23.5	22.8	24.4	24.5	24.6	24.0	23.4
7/17/2021	23	23.3	23.4	22.4	23.9	24.1	23.9	24.0	23.4
7/17/2021	24	23.3	23.4	22.1	23.3	23.5	23.4	24.0	23.4
7/18/2021	1	23.2	23.3	21.9	22.8	23.0	22.7	23.9	23.4
7/18/2021	2	23.2	23.3	21.7	22.3	22.5	22.1	23.9	23.3
7/18/2021	3	23.1	23.2	21.6	22.0	22.2	21.8	23.9	23.2
7/18/2021	4	23.1	23.1	21.5	21.7	21.9	21.4	23.8	23.2
7/18/2021	5	23.0	23.0	21.3	21.5	21.7	21.1	23.8	23.2
7/18/2021	6	22.8	22.8	21.2	21.3	21.5	20.8	23.7	23.0
7/18/2021	7	22.6	22.7	21.2	21.2	21.3	20.9	23.6	23.0
7/18/2021	8	22.5	22.6	21.5	21.4	21.2	21.6	23.6	23.0
7/18/2021	9	22.4	22.6	22.0	21.6	21.3	22.2	23.5	22.9
7/18/2021	10	22.3	22.5	22.7	21.7	21.4	22.8	23.5	22.9
7/18/2021	11	22.2	22.4	23.4	22.0	21.7	23.2	23.4	22.8
7/18/2021	12	22.1	22.4	24.4	22.7	22.3	23.8	23.5	22.9
7/18/2021	13	22.2	22.6	25.2	23.6	23.2	24.5	23.6	23.1
7/18/2021	14	22.4	22.8	25.7	24.5	24.0	25.5	23.6	23.2
7/18/2021	15	22.6	23.0	25.9	25.3	24.8	26.5	23.7	23.3
7/18/2021	16	22.7	23.0	25.9	25.7	25.4	27.3	23.8	23.4
7/18/2021	17	22.7	22.9	25.7	25.8	25.8	27.7	23.9	23.4
7/18/2021	18	22.7	23.0	25.3	26.0	25.9	27.8	24.0	23.4
7/18/2021	19	22.8	23.0	24.7	25.7	25.7	27.4	24.0	23.4
7/18/2021	20	22.8	23.0	24.0	25.4	25.4	25.4	24.0	23.5
7/18/2021	21	22.8	23.0	23.1	25.0	25.1	24.8	24.0	23.5
7/18/2021	22	22.8	22.9	22.6	24.4	24.6	24.3	23.9	23.4
7/18/2021	23	22.7	22.7	22.1	23.8	24.1	23.7	23.8	23.4
7/18/2021	24	22.4	22.5	21.8	23.1	23.4	23.1	23.8	23.4
7/19/2021	1	22.1	22.2	21.6	22.6	22.8	22.4	23.7	23.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/19/2021	2	22.0	22.0	21.4	22.1	22.4	21.8	23.7	23.1
7/19/2021	3	21.9	21.9	21.2	21.7	22.0	21.4	23.6	23.0
7/19/2021	4	21.8	21.8	21.0	21.4	21.7	21.0	23.6	22.9
7/19/2021	5	21.7	21.8	20.8	21.2	21.4	20.7	23.5	22.8
7/19/2021	6	21.7	21.8	20.6	21.0	21.2	20.5	23.5	22.8
7/19/2021	7	21.9	22.1	20.5	20.8	21.0	20.6	23.4	23.0
7/19/2021	8	22.0	22.2	20.8	21.0	20.9	21.5	23.3	23.0
7/19/2021	9	21.8	21.9	21.2	21.1	20.9	21.9	23.3	22.8
7/19/2021	10	21.7	22.0	22.0	21.1	21.0	23.8	23.3	22.6
7/19/2021	11	21.6	21.6	23.0	21.4	21.9	22.2	23.4	22.7
7/19/2021	12	21.8	21.8	24.0	22.1	22.3	22.6	23.5	22.9
7/19/2021	13	22.0	22.5	24.6	23.0	22.9	23.2	23.7	22.9
7/19/2021	14	22.4	22.6	25.2	23.9	23.4	23.8	23.8	23.2
7/19/2021	15	22.6	23.1	25.6	24.8	23.9	24.4	23.9	23.3
7/19/2021	16	22.7	22.9	25.7	25.3	24.1	24.5	24.0	23.5
7/19/2021	17	22.9	23.3	25.6	25.6	24.3	24.6	24.1	23.5
7/19/2021	18	23.1	23.4	25.2	25.8	24.4	24.6	24.2	23.8
7/19/2021	19	22.9	23.1	24.7	25.6	24.4	24.6	24.3	23.6
7/19/2021	20	22.8	22.8	23.9	25.3	24.2	24.3	24.3	23.5
7/19/2021	21	22.5	22.7	23.2	24.9	24.0	24.1	24.2	23.4
7/19/2021	22	22.1	22.1	22.7	24.3	23.8	23.8	24.1	23.3
7/19/2021	23	21.8	21.9	22.2	23.8	23.5	23.5	24.1	23.3
7/19/2021	24	21.7	21.9	21.7	23.2	23.4	23.3	24.0	23.2
7/20/2021	1	21.7	21.8	21.3	22.7	23.1	23.0	24.0	23.1
7/20/2021	2	21.8	22.0	20.9	22.2	22.9	22.8	23.9	23.2
7/20/2021	3	22.3	22.6	20.5	21.7	22.8	22.6	23.9	23.2
7/20/2021	4	22.6	22.8	20.3	21.2	22.7	22.4	23.9	23.3
7/20/2021	5	22.7	22.9	20.1	20.8	22.6	22.3	23.9	23.3
7/20/2021	6	22.8	22.9	20.1	20.5	22.4	22.1	23.9	23.3
7/20/2021	7	23.1	23.2	20.2	20.2	22.3	22.0	23.9	23.3
7/20/2021	8	23.1	23.2	20.7	20.2	22.2	22.0	23.9	23.3
7/20/2021	9	23.0	23.2	21.2	20.3	22.2	22.0	23.9	23.2
7/20/2021	10	23.0	23.2	22.0	20.5	22.3	22.2	24.0	23.2
7/20/2021	11	23.0	23.3	23.0	21.0	22.4	22.4	24.0	23.2
7/20/2021	12	23.1	23.4	24.1	21.8	22.8	22.8	24.0	23.3
7/20/2021	13	23.2	23.5	25.0	22.7	23.2	23.2	24.0	23.4
7/20/2021	14	23.3	23.6	25.8	23.7	23.6	23.8	24.0	23.5
7/20/2021	15	23.4	23.7	26.1	24.7	24.0	24.4	24.1	23.6
7/20/2021	16	23.6	23.9	26.1	25.3	24.2	24.5	24.2	23.8
7/20/2021	17	23.7	24.0	25.8	25.6	24.5	24.8	24.3	23.9
7/20/2021	18	23.8	24.0	25.3	25.8	24.5	24.8	24.4	23.9
7/20/2021	19	23.8	24.0	24.5	25.6	24.4	24.6	24.5	23.9
7/20/2021	20	23.8	23.9	23.6	25.0	24.3	24.3	24.4	23.9
7/20/2021	21	23.8	23.8	22.8	24.5	24.1	24.1	24.4	23.8
7/20/2021	22	23.7	23.8	22.2	23.8	23.9	23.8	24.4	23.8
7/20/2021	23	23.7	23.7	21.9	23.3	23.7	23.5	24.3	23.7
7/20/2021	24	23.6	23.7	21.7	22.6	23.4	23.2	24.3	23.7
7/21/2021	1	23.6	23.6	21.4	22.1	23.2	23.0	24.2	23.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/21/2021	2	23.5	23.6	21.2	21.7	23.0	22.8	24.2	23.5
7/21/2021	3	23.5	23.5	21.0	21.4	22.8	22.5	24.1	23.4
7/21/2021	4	23.5	23.5	20.8	21.0	22.6	22.3	24.0	23.3
7/21/2021	5	23.4	23.4	20.7	20.8	22.4	22.1	23.9	23.1
7/21/2021	6	23.4	23.4	20.5	20.6	22.2	21.9	23.9	23.0
7/21/2021	7	23.3	23.4	20.6	20.4	22.4	22.0	23.9	23.4
7/21/2021	8	23.3	23.4	20.9	20.4	22.3	22.0	23.9	23.3
7/21/2021	9	23.1	23.2	21.3	20.4	22.3	22.1	23.9	23.1
7/21/2021	10	23.0	23.1	22.0	20.6	22.3	22.1	23.9	23.1
7/21/2021	11	22.9	23.1	22.9	21.1	22.4	22.3	23.9	23.0
7/21/2021	12	22.9	23.1	23.9	21.7	22.6	22.6	23.8	23.1
7/21/2021	13	22.9	23.2	24.7	22.6	22.9	23.0	23.8	23.1
7/21/2021	14	23.0	23.3	25.3	23.5	23.3	23.4	23.8	23.2
7/21/2021	15	23.1	23.4	25.5	24.3	23.6	23.7	23.8	23.3
7/21/2021	16	23.2	23.4	25.4	24.7	23.8	24.0	23.8	23.4
7/21/2021	17	23.3	23.4	24.9	24.8	23.9	24.1	23.8	23.4
7/21/2021	18	23.3	23.5	24.3	24.8	23.9	24.0	23.8	23.4
7/21/2021	19	23.3	23.4	23.4	24.5	23.8	23.7	23.8	23.4
7/21/2021	20	23.3	23.3	22.6	23.8	23.6	23.5	23.8	23.4
7/21/2021	21	23.2	23.2	21.9	23.3	23.3	23.1	23.8	23.3
7/21/2021	22	23.2	23.2	21.5	22.6	23.1	22.9	23.8	23.2
7/21/2021	23	23.1	23.1	21.1	22.1	22.9	22.6	23.7	22.9
7/21/2021	24	23.1	23.1	20.8	21.6	22.7	22.4	23.6	23.0
7/22/2021	1	23.0	23.0	20.7	21.2	22.4	22.2	23.5	22.9
7/22/2021	2	23.0	23.0	20.5	20.8	22.3	21.9	23.4	22.9
7/22/2021	3	23.0	22.9	20.3	20.6	22.0	21.7	23.3	22.7
7/22/2021	4	22.9	22.9	20.2	20.3	21.9	21.5	23.2	22.6
7/22/2021	5	22.9	22.8	20.2	20.1	21.7	21.3	23.2	22.4
7/22/2021	6	22.8	22.8	20.2	19.9	21.5	21.2	23.1	22.4
7/22/2021	7	22.8	22.8	20.3	19.8	21.8	21.4	23.4	22.9
7/22/2021	8	22.7	22.8	20.6	19.9	21.7	21.5	23.4	22.8
7/22/2021	9	22.6	22.7	21.1	20.1	21.8	21.6	23.2	22.7
7/22/2021	10	22.6	22.7	21.4	20.3	21.8	21.7	23.2	22.6
7/22/2021	11	22.5	22.7	22.3	20.7	22.0	21.9	23.3	22.6
7/22/2021	12	22.5	22.7	23.4	21.3	22.2	22.2	23.3	22.7
7/22/2021	13	22.5	22.8	24.3	22.1	22.5	22.6	23.4	22.8
7/22/2021	14	22.7	22.9	25.0	22.9	22.9	23.0	23.4	22.8
7/22/2021	15	22.8	23.1	25.4	23.8	23.2	23.4	23.5	22.9
7/22/2021	16	22.9	23.2	25.4	24.4	23.5	23.7	23.6	23.0
7/22/2021	17	23.0	23.2	25.1	24.8	23.6	23.9	23.6	23.1
7/22/2021	18	23.1	23.2	24.5	25.0	23.7	24.0	23.6	23.1
7/22/2021	19	23.0	23.2	23.9	24.8	23.7	23.8	23.6	23.1
7/22/2021	20	23.0	23.1	23.1	24.4	23.6	23.6	23.6	23.1
7/22/2021	21	23.0	23.1	22.4	23.9	23.4	23.4	23.6	23.1
7/22/2021	22	23.0	23.1	21.8	23.4	23.2	23.1	23.6	23.1
7/22/2021	23	23.0	23.0	21.4	22.7	23.0	22.9	23.6	22.9
7/22/2021	24	23.0	23.0	21.2	22.2	22.8	22.7	23.6	22.9
7/23/2021	1	22.9	22.9	21.1	21.8	22.6	22.4	23.5	22.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/23/2021	2	22.9	22.9	20.9	21.3	22.4	22.2	23.5	22.8
7/23/2021	3	22.9	22.9	20.8	21.0	22.2	22.0	23.4	22.7
7/23/2021	4	22.8	22.8	20.7	20.8	22.1	21.8	23.4	22.5
7/23/2021	5	22.8	22.8	20.6	20.6	21.9	21.6	23.3	22.4
7/23/2021	6	22.8	22.8	20.6	20.5	21.8	21.5	23.3	22.4
7/23/2021	7	22.7	22.8	20.6	20.4	22.0	21.6	23.3	22.8
7/23/2021	8	22.7	22.8	20.8	20.4	22.0	21.7	23.4	22.8
7/23/2021	9	22.6	22.7	21.2	20.6	22.0	21.8	23.4	22.6
7/23/2021	10	22.5	22.7	21.8	20.7	22.0	21.9	23.4	22.6
7/23/2021	11	22.5	22.7	22.7	21.1	22.1	22.1	23.4	22.6
7/23/2021	12	22.5	22.7	23.7	21.7	22.3	22.4	23.4	22.7
7/23/2021	13	22.5	22.8	24.6	22.5	22.7	22.8	23.4	22.8
7/23/2021	14	22.6	22.9	25.3	23.4	23.0	23.2	23.4	22.8
7/23/2021	15	22.8	23.1	25.6	24.3	23.4	23.6	23.4	22.9
7/23/2021	16	22.9	23.2	25.7	24.9	23.6	23.9	23.5	23.0
7/23/2021	17	22.9	23.1	25.5	25.2	23.8	24.1	23.5	23.1
7/23/2021	18	22.9	23.2	25.0	25.5	23.9	24.2	23.5	23.1
7/23/2021	19	23.0	23.2	24.4	25.3	23.8	24.1	23.6	23.1
7/23/2021	20	23.0	23.2	23.7	24.9	23.7	23.9	23.6	23.2
7/23/2021	21	23.1	23.2	23.0	24.6	23.6	23.8	23.6	23.2
7/23/2021	22	23.0	23.1	22.3	24.1	23.5	23.6	23.6	23.1
7/23/2021	23	23.0	23.1	21.8	23.5	23.3	23.3	23.7	23.0
7/23/2021	24	23.0	23.0	21.4	22.8	23.1	23.0	23.6	23.0
7/24/2021	1	22.9	23.0	21.1	22.2	22.8	22.7	23.6	22.9
7/24/2021	2	22.9	22.9	20.9	21.7	22.6	22.4	23.6	22.8
7/24/2021	3	22.9	22.9	20.8	21.2	22.4	22.1	23.5	22.8
7/24/2021	4	22.8	22.9	20.7	21.0	22.3	22.0	23.5	22.8
7/24/2021	5	22.8	22.8	20.8	20.7	22.1	21.8	23.4	22.7
7/24/2021	6	22.8	22.8	20.8	20.6	22.0	21.7	23.4	22.6
7/24/2021	7	22.8	22.8	20.9	20.5	22.1	21.7	23.4	22.8
7/24/2021	8	22.7	22.8	21.2	20.7	22.1	21.8	23.4	22.8
7/24/2021	9	22.7	22.8	21.6	20.9	22.2	22.0	23.4	22.8
7/24/2021	10	22.6	22.7	22.3	21.1	22.2	22.1	23.4	22.7
7/24/2021	11	22.5	22.8	23.1	21.5	22.3	22.3	23.4	22.7
7/24/2021	12	22.5	22.8	24.1	22.1	22.5	22.6	23.4	22.7
7/24/2021	13	22.6	22.9	25.0	22.9	22.8	23.0	23.4	22.8
7/24/2021	14	22.7	23.0	25.6	23.8	23.2	23.4	23.5	22.9
7/24/2021	15	22.8	23.2	26.0	24.7	23.5	23.8	23.5	23.0
7/24/2021	16	22.9	23.2	26.0	25.2	23.8	24.1	23.5	23.1
7/24/2021	17	22.9	23.2	25.8	25.6	24.0	24.4	23.6	23.2
7/24/2021	18	23.0	23.2	25.4	25.8	24.0	24.4	23.6	23.2
7/24/2021	19	23.0	23.2	24.8	25.7	24.0	24.3	23.6	23.2
7/24/2021	20	23.0	23.2	24.0	25.4	23.9	24.1	23.7	23.2
7/24/2021	21	23.0	23.2	23.3	25.0	23.8	24.0	23.7	23.2
7/24/2021	22	23.1	23.2	22.8	24.6	23.7	23.8	23.8	23.2
7/24/2021	23	23.0	23.1	22.4	24.1	23.5	23.6	23.8	23.2
7/24/2021	24	23.0	23.1	22.1	23.5	23.4	23.4	23.7	23.1
7/25/2021	1	23.0	23.1	21.9	23.0	23.2	23.1	23.7	23.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/25/2021	2	23.0	23.1	21.7	22.5	23.0	22.9	23.7	23.2
7/25/2021	3	23.0	23.1	21.5	22.2	22.9	22.7	23.6	23.1
7/25/2021	4	23.0	23.1	21.4	21.9	22.8	22.5	23.6	23.0
7/25/2021	5	23.0	23.0	21.4	21.6	22.6	22.4	23.5	22.9
7/25/2021	6	23.0	23.0	21.3	21.4	22.5	22.3	23.5	22.8
7/25/2021	7	22.9	23.0	21.4	21.3	22.4	22.2	23.5	22.7
7/25/2021	8	22.9	23.0	21.6	21.3	22.3	22.2	23.5	22.6
7/25/2021	9	22.9	23.1	22.0	21.4	22.3	22.2	23.5	22.7
7/25/2021	10	22.9	23.1	22.6	21.7	22.4	22.3	23.6	22.8
7/25/2021	11	22.9	23.1	23.4	22.0	22.5	22.6	23.7	23.4
7/25/2021	12	22.9	23.2	24.4	22.6	22.8	22.9	23.8	23.6
7/25/2021	13	22.9	23.2	25.3	23.4	23.1	23.3	23.9	23.6
7/25/2021	14	23.0	23.3	25.9	24.3	23.5	23.8	24.0	23.5
7/25/2021	15	23.0	23.3	26.3	25.1	23.9	24.2	24.2	24.0
7/25/2021	16	23.0	23.3	26.4	25.6	24.2	24.6	24.3	24.1
7/25/2021	17	23.1	23.3	26.1	25.9	24.5	24.8	24.4	24.4
7/25/2021	18	23.1	23.3	25.5	26.0	24.6	24.8	24.4	24.4
7/25/2021	19	23.1	23.3	24.6	25.8	24.5	24.7	24.3	24.2
7/25/2021	20	23.1	23.3	23.8	25.4	24.4	24.5	24.3	24.1
7/25/2021	21	23.1	23.3	23.1	24.9	24.3	24.3	24.3	24.0
7/25/2021	22	23.1	23.2	22.6	24.3	24.1	24.0	24.3	23.8
7/25/2021	23	23.1	23.2	22.2	23.7	23.8	23.8	24.3	23.7
7/25/2021	24	23.1	23.2	22.0	23.2	23.6	23.5	24.3	23.7
7/26/2021	1	23.1	23.2	21.9	22.7	23.4	23.2	24.2	23.5
7/26/2021	2	23.1	23.2	21.7	22.3	23.2	23.0	24.1	23.3
7/26/2021	3	23.2	23.3	21.6	22.0	23.0	22.8	24.0	23.1
7/26/2021	4	23.2	23.3	21.5	21.8	22.8	22.6	23.9	23.0
7/26/2021	5	23.2	23.3	21.3	21.6	22.7	22.4	23.9	22.5
7/26/2021	6	23.2	23.2	21.3	21.4	22.5	22.3	23.8	22.7
7/26/2021	7	23.2	23.4	21.3	21.3	22.5	22.2	23.7	23.4
7/26/2021	8	23.3	23.5	21.6	21.3	22.8	22.6	24.0	23.5
7/26/2021	9	23.4	23.5	22.0	21.4	22.8	22.7	24.1	23.5
7/26/2021	10	23.3	23.6	22.7	21.6	22.9	22.8	24.2	23.5
7/26/2021	11	23.3	23.5	23.6	21.9	23.0	23.0	24.2	23.5
7/26/2021	12	23.3	23.6	24.6	22.4	23.2	23.2	24.2	23.5
7/26/2021	13	23.3	23.6	25.4	23.3	23.5	23.6	24.3	23.6
7/26/2021	14	23.3	23.6	26.0	24.2	23.9	24.0	24.3	23.6
7/26/2021	15	23.3	23.6	26.3	25.2	24.2	24.5	24.3	23.7
7/26/2021	16	23.3	23.6	26.4	25.6	24.4	24.8	24.4	23.8
7/26/2021	17	23.4	23.7	26.2	26.0	24.6	25.0	24.4	23.9
7/26/2021	18	23.5	23.7	25.7	26.2	24.7	25.0	24.4	24.0
7/26/2021	19	23.5	23.8	25.1	26.1	24.7	24.9	24.4	24.0
7/26/2021	20	23.6	23.8	24.3	25.8	24.6	24.8	24.4	24.0
7/26/2021	21	23.6	23.7	23.5	25.4	24.5	24.6	24.4	24.0
7/26/2021	22	23.5	23.6	23.0	24.8	24.3	24.4	24.4	23.9
7/26/2021	23	23.5	23.5	22.7	24.3	24.1	24.1	24.4	23.8
7/26/2021	24	23.4	23.5	22.5	23.7	23.9	23.8	24.4	23.8
7/27/2021	1	23.4	23.4	22.3	23.1	23.7	23.6	24.4	23.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/27/2021	2	23.3	23.3	22.0	22.8	23.5	23.4	24.4	23.8
7/27/2021	3	23.2	23.3	21.8	22.4	23.4	23.2	24.4	23.7
7/27/2021	4	23.2	23.3	21.6	22.2	23.3	23.0	24.3	23.7
7/27/2021	5	23.2	23.3	21.5	21.9	23.1	22.9	24.3	23.6
7/27/2021	6	23.3	23.4	21.5	21.7	23.0	22.7	24.3	23.5
7/27/2021	7	23.4	23.5	21.5	21.5	22.9	22.7	24.3	23.6
7/27/2021	8	23.5	23.6	21.7	21.4	22.9	22.6	24.2	23.5
7/27/2021	9	23.5	23.7	22.1	21.6	22.9	22.8	24.2	23.6
7/27/2021	10	23.5	23.7	22.7	21.7	23.0	22.9	24.3	23.6
7/27/2021	11	23.5	23.8	23.6	22.1	23.2	23.2	24.3	23.7
7/27/2021	12	23.5	23.8	24.3	22.5	23.3	23.3	24.3	23.7
7/27/2021	13	23.5	23.7	25.0	23.2	23.6	23.6	24.4	23.8
7/27/2021	14	23.5	23.7	25.1	23.7	23.8	23.8	24.4	23.8
7/27/2021	15	23.5	23.7	25.1	24.4	24.0	24.1	24.4	23.8
7/27/2021	16	23.5	23.8	25.4	24.9	24.3	24.5	24.5	23.9
7/27/2021	17	23.6	23.9	25.3	25.0	24.3	24.6	24.5	23.9
7/27/2021	18	23.6	23.8	24.9	25.2	24.4	24.6	24.5	24.0
7/27/2021	19	23.5	23.7	24.5	25.2	24.4	24.6	24.5	24.0
7/27/2021	20	23.5	23.7	24.0	24.9	24.3	24.4	24.5	23.9
7/27/2021	21	23.6	23.7	23.4	24.6	24.2	24.2	24.5	23.9
7/27/2021	22	23.6	23.7	22.7	24.2	24.1	24.1	24.5	23.9
7/27/2021	23	23.6	23.7	22.4	23.8	24.0	23.9	24.5	23.9
7/27/2021	24	23.6	23.7	22.2	23.3	23.8	23.7	24.5	23.8
7/28/2021	1	23.6	23.7	22.2	22.8	23.6	23.4	24.4	23.5
7/28/2021	2	23.6	23.7	22.1	22.4	23.4	23.2	24.4	23.6
7/28/2021	3	23.6	23.6	22.0	22.2	23.3	23.0	24.3	23.6
7/28/2021	4	23.5	23.6	21.9	22.0	23.1	22.9	24.3	23.5
7/28/2021	5	23.5	23.5	21.8	21.9	23.0	22.8	24.2	23.4
7/28/2021	6	23.4	23.5	21.7	21.8	22.9	22.6	24.1	23.3
7/28/2021	7	23.4	23.5	21.6	21.7	23.0	22.7	24.1	23.6
7/28/2021	8	23.3	23.4	21.8	21.7	23.0	22.8	24.2	23.6
7/28/2021	9	23.2	23.3	22.2	21.7	23.0	22.9	24.1	23.6
7/28/2021	10	23.1	23.2	22.9	21.9	23.0	23.0	24.0	23.5
7/28/2021	11	23.0	23.2	23.7	22.2	23.1	23.1	24.0	23.4
7/28/2021	12	22.9	23.1	24.3	22.6	23.2	23.2	23.9	23.4
7/28/2021	13	22.9	23.1	24.9	23.3	23.4	23.5	23.8	23.4
7/28/2021	14	22.7	23.0	25.6	24.2	23.6	23.9	23.7	23.3
7/28/2021	15	22.5	22.6	26.0	24.9	23.8	24.1	23.7	23.1
7/28/2021	16	22.1	22.3	25.9	25.3	23.8	24.2	23.6	23.0
7/28/2021	17	21.9	22.0	25.6	25.7	23.8	24.3	23.6	22.8
7/28/2021	18	21.8	21.9	25.1	25.9	23.8	24.3	23.7	22.9
7/28/2021	19	21.7	21.9	24.5	25.9	23.9	24.3	23.7	23.0
7/28/2021	20	21.7	21.9	23.7	25.6	23.9	24.2	23.8	23.2
7/28/2021	21	21.8	21.9	23.0	25.2	23.9	24.1	23.8	23.3
7/28/2021	22	21.9	22.0	22.3	24.6	23.8	24.0	23.9	23.4
7/28/2021	23	21.9	22.0	21.8	23.9	23.7	23.7	23.9	23.3
7/28/2021	24	21.8	21.9	21.5	23.3	23.4	23.4	23.9	23.3
7/29/2021	1	21.8	21.8	21.3	22.7	23.2	23.1	23.9	23.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/29/2021	2	21.7	21.8	21.2	22.2	23.0	22.8	23.8	23.3
7/29/2021	3	21.7	21.8	21.1	21.8	22.9	22.7	23.8	23.3
7/29/2021	4	21.6	21.7	21.0	21.5	22.7	22.5	23.7	23.2
7/29/2021	5	21.6	21.7	20.9	21.3	22.6	22.3	23.6	23.1
7/29/2021	6	21.6	21.7	20.8	21.2	22.4	22.2	23.6	23.0
7/29/2021	7	21.7	21.8	20.7	21.1	22.3	22.1	23.4	22.8
7/29/2021	8	21.8	21.9	21.0	21.1	22.3	22.1	23.4	22.9
7/29/2021	9	21.8	22.0	21.4	21.2	22.3	22.2	23.4	22.9
7/29/2021	10	21.8	22.0	22.1	21.3	22.4	22.4	23.5	22.9
7/29/2021	11	21.8	22.1	23.1	21.6	22.5	22.5	23.6	22.9
7/29/2021	12	21.9	22.1	24.0	22.2	22.7	22.8	23.7	23.0
7/29/2021	13	21.9	22.2	24.8	23.0	23.1	23.2	23.8	23.1
7/29/2021	14	21.9	22.3	25.4	23.9	23.4	23.6	23.9	23.3
7/29/2021	15	22.0	22.3	25.6	24.7	23.8	24.1	23.9	23.4
7/29/2021	16	22.0	22.3	25.7	25.3	24.1	24.5	24.1	23.5
7/29/2021	17	22.2	22.6	25.5	25.6	24.2	24.6	24.2	23.6
7/29/2021	18	22.3	22.6	25.1	25.8	24.4	24.7	24.2	23.8
7/29/2021	19	22.3	22.5	24.4	25.7	24.4	24.7	24.2	23.6
7/29/2021	20	22.2	22.3	23.7	25.3	24.2	24.4	24.2	23.6
7/29/2021	21	22.1	22.2	23.1	25.0	24.0	24.2	24.1	23.4
7/29/2021	22	22.1	22.2	22.5	24.5	23.8	23.9	24.1	23.4
7/29/2021	23	22.1	22.2	22.1	23.9	23.6	23.7	24.1	23.3
7/29/2021	24	22.0	22.1	21.8	23.3	23.4	23.4	24.0	23.3
7/30/2021	1	21.9	22.0	21.6	22.8	23.2	23.1	24.0	23.3
7/30/2021	2	21.9	21.9	21.4	22.4	23.1	22.9	23.9	23.3
7/30/2021	3	21.8	21.9	21.2	22.0	22.9	22.7	23.9	23.2
7/30/2021	4	21.8	21.9	21.2	21.7	22.8	22.6	23.8	23.2
7/30/2021	5	21.8	21.8	21.0	21.5	22.6	22.4	23.8	23.1
7/30/2021	6	21.8	21.8	20.8	21.3	22.5	22.3	23.6	22.9
7/30/2021	7	21.8	21.9	20.8	21.2	22.3	22.1	23.3	22.9
7/30/2021	8	21.8	22.0	21.1	21.2	22.4	22.2	23.4	23.1
7/30/2021	9	22.0	22.1	21.5	21.2	22.5	22.4	23.6	23.1
7/30/2021	10	21.8	22.0	22.1	21.3	22.6	22.5	23.7	23.2
7/30/2021	11	21.8	22.0	23.0	21.6	22.7	22.7	23.8	23.1
7/30/2021	12	22.0	22.3	23.9	22.2	22.8	22.8	23.9	23.4
7/30/2021	13	22.1	22.5	24.6	22.9	23.2	23.3	24.0	23.3
7/30/2021	14	22.0	22.3	25.1	23.8	23.6	23.8	24.1	23.3
7/30/2021	15	22.1	22.5	25.5	24.6	23.8	24.1	24.2	23.4
7/30/2021	16	22.2	22.6	25.6	25.1	24.1	24.4	24.4	23.6
7/30/2021	17	22.4	22.7	25.5	25.5	24.4	24.7	24.5	23.8
7/30/2021	18	22.7	23.2	25.0	25.7	24.5	24.8	24.5	24.0
7/30/2021	19	22.6	22.7	24.4	25.7	24.7	24.9	24.6	24.2
7/30/2021	20	22.4	22.6	23.8	25.5	24.5	24.7	24.6	24.1
7/30/2021	21	22.3	22.4	23.3	25.1	24.4	24.6	24.7	23.9
7/30/2021	22	22.2	22.3	22.9	24.6	24.3	24.3	24.6	24.0
7/30/2021	23	22.2	22.3	22.5	24.1	24.1	24.1	24.6	24.0
7/30/2021	24	22.1	22.2	22.2	23.6	23.9	23.9	24.6	24.0
7/31/2021	1	22.0	22.1	22.0	23.1	23.8	23.6	24.5	23.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
7/31/2021	2	22.0	22.1	21.8	22.8	23.6	23.4	24.5	23.9
7/31/2021	3	22.0	22.1	21.7	22.4	23.4	23.3	24.4	23.8
7/31/2021	4	21.9	22.0	21.5	22.2	23.3	23.1	24.4	23.8
7/31/2021	5	21.9	22.0	21.4	21.9	23.2	23.0	24.3	23.7
7/31/2021	6	21.9	21.9	21.2	21.8	23.1	22.8	24.3	23.7
7/31/2021	7	21.9	22.1	21.2	21.6	22.8	22.6	23.8	23.4
7/31/2021	8	22.2	22.5	21.4	21.6	23.0	22.8	24.0	23.9
7/31/2021	9	22.4	22.6	21.7	21.6	23.1	22.9	24.4	23.8
7/31/2021	10	22.3	22.5	22.3	21.7	23.1	23.0	24.4	23.8
7/31/2021	11	22.2	22.6	23.0	22.0	23.2	23.2	24.4	23.5
7/31/2021	12	22.3	22.6	23.9	22.4	23.2	23.2	24.3	23.5
7/31/2021	13	22.2	22.5	24.2	22.9	23.3	23.3	24.3	23.5
7/31/2021	14	22.1	22.4	24.5	23.6	23.6	23.7	24.2	23.4
7/31/2021	15	22.1	22.4	24.6	24.2	23.7	23.9	24.2	23.4
7/31/2021	16	22.0	22.3	24.6	24.6	23.9	24.1	24.2	23.4
7/31/2021	17	21.9	22.2	24.3	24.8	24.0	24.2	24.3	23.5
7/31/2021	18	21.9	22.1	23.8	24.8	24.1	24.2	24.4	23.6
7/31/2021	19	22.0	22.3	23.3	24.6	24.1	24.2	24.5	23.9
7/31/2021	20	21.9	22.2	22.7	24.2	24.3	24.3	24.7	24.2
7/31/2021	21	22.5	23.1	22.3	23.8	24.1	24.1	24.8	24.2
7/31/2021	22	23.3	23.4	22.0	23.4	24.1	24.1	24.9	24.5
7/31/2021	23	23.1	23.4	21.8	23.0	24.1	23.9	25.0	24.5
7/31/2021	24	23.1	23.3	21.9	22.6	23.9	23.7	25.0	24.5
8/1/2021	1	22.5	22.8	22.1	22.3	23.8	23.6	25.0	24.4
8/1/2021	2	22.5	22.8	22.4	22.2	23.6	23.4	24.8	24.4
8/1/2021	3	22.6	23.0	22.4	22.1	23.5	23.3	24.8	24.2
8/1/2021	4	22.9	23.2	22.3	22.2	23.5	23.3	24.7	24.2
8/1/2021	5	23.1	23.4	22.1	22.3	23.5	23.3	24.6	24.1
8/1/2021	6	23.4	23.7	22.0	22.3	23.5	23.3	24.6	24.1
8/1/2021	7	23.6	23.9	22.0	22.3	23.4	23.2	24.5	23.9
8/1/2021	8	23.7	24.0	22.0	22.2	23.3	23.1	24.4	23.9
8/1/2021	9	23.8	24.1	22.0	22.1	23.2	23.1	24.4	23.8
8/1/2021	10	23.8	24.1	22.2	22.1	23.1	23.0	24.3	23.8
8/1/2021	11	23.9	24.2	22.4	22.1	23.1	23.0	24.3	23.7
8/1/2021	12	24.0	24.3	22.9	22.3	23.1	23.0	24.2	23.8
8/1/2021	13	24.0	24.3	23.3	22.4	23.2	23.1	24.2	23.7
8/1/2021	14	24.0	24.3	23.6	22.6	23.2	23.1	24.1	23.7
8/1/2021	15	24.1	24.3	23.7	22.9	23.3	23.2	24.1	23.7
8/1/2021	16	24.1	24.4	23.7	23.2	23.4	23.4	24.1	23.6
8/1/2021	17	24.1	24.4	23.9	23.5	23.4	23.5	24.0	23.5
8/1/2021	18	24.1	24.4	24.0	23.6	23.5	23.5	24.0	23.4
8/1/2021	19	24.0	24.3	23.9	23.7	23.5	23.5	24.0	23.4
8/1/2021	20	23.9	24.2	23.7	23.7	23.5	23.5	23.9	23.5
8/1/2021	21	23.8	24.1	23.4	23.7	23.5	23.5	23.9	23.4
8/1/2021	22	23.9	24.1	23.3	23.7	23.5	23.5	23.9	23.4
8/1/2021	23	23.9	24.1	23.1	23.5	23.4	23.4	23.9	23.3
8/1/2021	24	24.0	24.1	22.9	23.4	23.4	23.3	23.9	23.2
8/2/2021	1	24.0	24.1	22.8	23.2	23.3	23.2	23.8	23.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/2/2021	2	24.0	24.1	22.7	23.0	23.2	23.1	23.8	23.2
8/2/2021	3	24.0	24.1	22.7	22.8	23.2	23.1	23.8	23.2
8/2/2021	4	24.0	24.1	22.6	22.7	23.1	23.0	23.8	23.2
8/2/2021	5	24.0	24.1	22.5	22.6	23.0	22.9	23.7	23.1
8/2/2021	6	24.0	24.1	22.4	22.5	22.9	22.8	23.7	23.1
8/2/2021	7	24.0	24.1	22.5	22.4	22.9	22.8	23.7	23.1
8/2/2021	8	23.9	24.0	22.7	22.4	22.8	22.7	23.7	23.1
8/2/2021	9	23.6	23.7	23.0	22.5	22.9	22.8	23.6	23.1
8/2/2021	10	23.3	23.5	23.5	22.6	22.9	22.9	23.7	23.1
8/2/2021	11	23.2	23.4	24.1	22.9	23.0	23.1	23.8	24.0
8/2/2021	12	23.1	23.4	24.7	23.3	23.2	23.4	23.9	25.1
8/2/2021	13	23.1	23.4	25.1	23.9	23.5	23.7	24.1	NA
8/2/2021	14	23.1	23.4	25.5	24.5	23.8	24.1	24.2	NA
8/2/2021	15	23.1	23.4	25.8	25.1	24.1	24.4	24.3	NA
8/2/2021	16	23.1	23.4	25.8	25.5	24.4	24.7	24.4	NA
8/2/2021	17	23.2	23.4	25.6	25.8	24.6	24.9	24.6	25.2
8/2/2021	18	23.2	23.4	25.3	25.9	24.7	25.0	24.7	25.2
8/2/2021	19	23.2	23.4	24.7	25.8	24.8	25.0	24.9	24.9
8/2/2021	20	23.2	23.4	24.1	25.6	24.8	24.9	25.0	24.9
8/2/2021	21	23.2	23.3	23.6	25.2	24.7	24.8	25.0	24.8
8/2/2021	22	23.2	23.3	23.1	24.8	24.5	24.5	24.9	24.6
8/2/2021	23	23.2	23.3	22.8	24.2	24.3	24.3	24.8	24.5
8/2/2021	24	23.2	23.3	22.5	23.7	24.1	24.1	24.8	24.4
8/3/2021	1	23.2	23.3	22.3	23.3	24.0	23.8	24.7	24.3
8/3/2021	2	23.2	23.2	22.1	22.8	23.7	23.5	24.7	24.1
8/3/2021	3	23.2	23.2	22.0	22.5	23.5	23.3	24.6	23.9
8/3/2021	4	23.1	23.2	21.9	22.3	23.4	23.1	24.5	23.8
8/3/2021	5	23.1	23.1	21.8	22.1	23.2	23.0	24.4	23.7
8/3/2021	6	23.1	23.1	21.7	21.9	23.1	22.8	24.3	23.6
8/3/2021	7	23.1	23.1	21.6	21.8	22.9	22.7	24.0	23.5
8/3/2021	8	23.0	23.1	21.8	21.8	23.0	22.8	24.0	23.6
8/3/2021	9	23.0	23.1	22.3	21.8	23.0	22.9	23.9	23.5
8/3/2021	10	22.8	22.9	22.9	22.0	23.0	22.9	23.8	23.4
8/3/2021	11	22.7	22.8	23.7	22.3	23.0	23.0	23.9	23.3
8/3/2021	12	22.6	22.8	24.3	22.7	23.1	23.1	23.9	23.2
8/3/2021	13	22.5	22.8	24.8	23.5	23.3	23.4	23.9	23.3
8/3/2021	14	22.5	22.7	25.2	24.1	23.6	23.9	23.9	23.3
8/3/2021	15	22.4	22.6	25.3	24.8	23.8	24.1	23.9	23.4
8/3/2021	16	22.3	22.5	25.1	25.1	23.8	24.1	23.9	23.2
8/3/2021	17	22.3	22.4	24.6	25.3	23.9	24.2	23.9	23.3
8/3/2021	18	22.3	22.4	24.0	25.3	23.9	24.2	23.9	23.2
8/3/2021	19	22.3	22.3	23.0	24.8	23.9	24.0	23.9	23.5
8/3/2021	20	22.2	22.4	22.6	24.5	23.8	24.0	24.0	23.5
8/3/2021	21	22.2	22.3	22.1	23.9	23.9	23.9	24.2	23.7
8/3/2021	22	22.8	23.1	21.8	23.3	23.6	23.5	24.2	23.7
8/3/2021	23	23.1	23.2	21.6	22.8	23.5	23.4	24.2	23.6
8/3/2021	24	23.1	23.2	21.5	22.3	23.3	23.1	24.1	23.6
8/4/2021	1	22.9	23.0	21.4	22.0	23.2	22.9	24.1	23.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/4/2021	2	22.9	23.0	21.4	21.7	23.0	22.8	24.0	23.5
8/4/2021	3	22.9	23.0	21.4	21.5	22.8	22.6	24.0	23.4
8/4/2021	4	22.9	23.0	21.3	21.4	22.7	22.5	23.9	23.3
8/4/2021	5	23.0	23.2	21.2	21.3	22.6	22.4	23.9	23.2
8/4/2021	6	23.1	23.3	21.2	21.2	22.5	22.3	23.8	23.2
8/4/2021	7	23.4	23.5	21.2	21.2	22.8	22.4	24.1	23.6
8/4/2021	8	23.4	23.6	21.5	21.2	22.8	22.5	24.1	23.5
8/4/2021	9	23.5	23.6	21.9	21.4	22.8	22.6	24.1	23.5
8/4/2021	10	23.4	23.6	22.6	21.6	22.9	22.8	24.1	23.5
8/4/2021	11	23.5	23.7	23.5	21.9	23.0	23.0	24.1	23.6
8/4/2021	12	23.5	23.8	24.4	22.4	23.3	23.3	24.2	23.6
8/4/2021	13	23.6	23.9	25.3	23.3	23.6	23.6	24.3	23.7
8/4/2021	14	23.6	24.0	25.8	24.4	24.0	24.1	24.4	23.8
8/4/2021	15	23.7	24.0	26.2	25.5	24.5	24.8	24.5	23.9
8/4/2021	16	23.8	24.1	26.2	25.8	24.7	25.0	24.6	24.1
8/4/2021	17	23.8	24.1	26.2	26.0	24.8	25.1	24.7	24.1
8/4/2021	18	23.9	24.1	25.9	26.1	24.8	25.1	24.8	24.2
8/4/2021	19	24.0	24.1	25.3	26.1	24.8	25.1	24.8	24.3
8/4/2021	20	24.0	24.2	24.6	25.8	24.8	24.9	24.8	24.3
8/4/2021	21	24.1	24.2	23.9	25.5	24.7	24.8	24.8	24.2
8/4/2021	22	24.1	24.2	23.4	25.0	24.6	24.6	24.8	24.3
8/4/2021	23	24.1	24.1	23.1	24.5	24.4	24.4	24.8	24.2
8/4/2021	24	24.0	24.1	22.9	23.9	24.2	24.1	24.8	24.1
8/5/2021	1	24.1	24.2	22.7	23.4	24.0	23.9	24.8	24.1
8/5/2021	2	24.1	24.2	22.6	23.0	23.8	23.6	24.8	24.1
8/5/2021	3	24.0	24.1	22.5	22.8	23.7	23.5	24.7	24.0
8/5/2021	4	24.0	24.1	22.4	22.6	23.6	23.4	24.7	24.0
8/5/2021	5	24.0	24.1	22.3	22.4	23.5	23.2	24.7	23.9
8/5/2021	6	24.0	24.1	22.2	22.3	23.4	23.1	24.7	23.8
8/5/2021	7	24.0	24.1	22.2	22.2	23.5	23.2	24.6	24.1
8/5/2021	8	23.9	24.0	22.3	22.1	23.4	23.2	24.5	24.0
8/5/2021	9	23.7	23.8	22.4	22.1	23.4	23.1	24.4	23.8
8/5/2021	10	23.5	23.7	22.9	22.2	23.3	23.1	24.3	23.7
8/5/2021	11	23.5	23.6	23.5	22.4	22.9	23.2	24.1	23.6
8/5/2021	12	23.4	23.5	24.1	22.7	22.8	23.3	24.0	23.6
8/5/2021	13	23.3	23.4	24.6	23.2	23.1	23.8	24.1	23.5
8/5/2021	14	23.2	23.3	24.6	23.7	23.5	24.3	24.1	23.5
8/5/2021	15	23.1	23.3	24.7	24.4	23.8	24.0	24.1	23.5
8/5/2021	16	23.0	23.2	24.6	24.7	23.9	24.1	24.1	23.5
8/5/2021	17	23.0	23.2	24.4	24.7	24.0	24.2	24.2	23.6
8/5/2021	18	23.1	23.3	24.3	24.7	24.0	24.1	24.2	23.6
8/5/2021	19	23.0	23.2	23.8	24.6	24.0	24.0	24.2	23.6
8/5/2021	20	23.1	23.2	23.3	24.3	23.8	23.9	24.2	23.6
8/5/2021	21	23.1	23.2	22.8	24.0	23.8	23.7	24.2	23.6
8/5/2021	22	23.1	23.2	22.5	23.6	23.7	23.6	24.2	23.6
8/5/2021	23	23.1	23.2	22.2	23.3	23.5	23.4	24.2	23.5
8/5/2021	24	23.2	23.3	22.0	22.8	23.4	23.2	24.1	23.5
8/6/2021	1	23.2	23.3	21.8	22.5	23.2	23.0	24.0	23.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/6/2021	2	23.2	23.2	21.8	22.2	23.1	22.9	23.9	23.4
8/6/2021	3	23.1	23.2	21.7	22.0	23.0	22.7	23.9	23.3
8/6/2021	4	23.1	23.2	21.7	21.8	22.8	22.6	23.9	23.2
8/6/2021	5	23.1	23.2	21.7	21.7	22.8	22.5	23.9	23.2
8/6/2021	6	23.1	23.2	21.6	21.6	22.7	22.4	23.9	23.0
8/6/2021	7	23.3	23.4	21.6	21.5	22.8	22.5	23.9	23.5
8/6/2021	8	23.3	23.5	21.9	21.7	22.9	22.7	23.9	23.5
8/6/2021	9	23.3	23.5	22.5	21.8	22.9	22.8	23.9	23.5
8/6/2021	10	23.1	23.3	23.1	21.9	23.0	22.9	24.0	23.4
8/6/2021	11	23.0	23.3	23.9	22.3	23.1	23.1	24.0	23.4
8/6/2021	12	23.0	23.2	24.7	22.8	23.2	23.3	24.0	23.4
8/6/2021	13	23.0	23.3	25.2	23.6	23.4	23.7	24.1	23.5
8/6/2021	14	23.0	23.3	25.8	24.3	24.1	25.0	24.1	23.6
8/6/2021	15	23.0	23.3	26.0	24.9	24.6	25.6	24.1	23.7
8/6/2021	16	23.2	23.4	25.8	25.2	24.5	25.0	24.2	23.7
8/6/2021	17	23.3	23.5	25.5	25.4	24.4	24.5	24.2	23.8
8/6/2021	18	23.5	23.7	24.6	25.5	24.4	24.4	24.2	23.9
8/6/2021	19	23.6	23.7	23.7	25.2	24.3	24.3	24.2	23.8
8/6/2021	20	23.7	23.8	23.0	24.7	24.1	24.1	24.3	23.8
8/6/2021	21	23.6	23.7	22.4	24.0	23.9	23.8	24.3	23.7
8/6/2021	22	23.6	23.7	22.2	23.4	23.6	23.5	24.3	23.7
8/6/2021	23	23.6	23.6	22.0	22.8	23.4	23.2	24.2	23.5
8/6/2021	24	23.5	23.6	21.9	22.4	23.3	23.0	24.1	23.5
8/7/2021	1	23.5	23.5	21.8	22.1	23.1	22.8	24.1	23.3
8/7/2021	2	23.5	23.5	21.8	21.8	23.0	22.7	24.0	23.3
8/7/2021	3	23.4	23.5	21.7	21.7	22.9	22.6	23.9	22.4
8/7/2021	4	23.4	23.4	21.7	21.6	22.8	22.5	23.8	23.2
8/7/2021	5	23.4	23.4	21.7	21.6	22.7	22.4	23.8	23.1
8/7/2021	6	23.4	23.4	21.7	21.5	22.6	22.3	23.8	23.0
8/7/2021	7	23.3	23.4	21.7	21.5	22.8	22.5	23.8	23.4
8/7/2021	8	23.3	23.4	22.0	21.6	22.8	22.6	23.8	23.4
8/7/2021	9	23.2	23.3	22.2	21.7	22.8	22.6	23.8	23.3
8/7/2021	10	23.1	23.2	22.8	21.9	22.8	22.8	23.8	23.2
8/7/2021	11	23.0	23.2	23.4	22.3	22.9	22.9	23.9	23.1
8/7/2021	12	23.0	23.3	24.3	22.7	23.1	23.1	23.9	23.2
8/7/2021	13	23.1	23.3	25.0	23.2	23.2	23.3	23.9	23.2
8/7/2021	14	23.2	23.4	25.2	23.8	23.4	23.5	23.9	23.3
8/7/2021	15	23.2	23.4	24.9	24.4	23.6	23.7	23.9	23.3
8/7/2021	16	23.2	23.4	24.3	24.7	23.7	23.9	23.9	23.3
8/7/2021	17	23.2	23.4	23.9	24.7	23.8	23.9	23.9	23.4
8/7/2021	18	23.3	23.4	23.7	24.5	23.8	23.9	23.9	23.4
8/7/2021	19	23.3	23.4	23.3	24.0	23.6	23.7	23.9	23.4
8/7/2021	20	23.3	23.3	22.7	23.6	23.5	23.4	23.9	23.4
8/7/2021	21	23.2	23.3	22.2	23.3	23.4	23.2	23.9	23.3
8/7/2021	22	23.2	23.3	21.8	22.8	23.2	23.0	23.9	23.3
8/7/2021	23	23.2	23.2	21.5	22.3	22.9	22.7	23.8	23.1
8/7/2021	24	23.1	23.1	21.2	21.7	22.7	22.4	23.7	23.0
8/8/2021	1	23.1	23.1	20.8	21.3	22.5	22.2	23.6	22.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/8/2021	2	23.1	23.0	20.6	21.0	22.3	21.9	23.5	22.8
8/8/2021	3	23.0	23.0	20.5	20.7	22.1	21.7	23.4	22.7
8/8/2021	4	23.0	22.9	20.5	20.4	21.9	21.5	23.3	22.5
8/8/2021	5	22.9	22.9	20.5	20.2	21.8	21.5	23.1	22.5
8/8/2021	6	22.9	22.9	20.6	20.2	21.7	21.2	23.1	22.3
8/8/2021	7	22.9	22.9	20.7	20.2	21.6	21.2	22.9	22.3
8/8/2021	8	22.9	22.8	20.9	20.2	21.5	21.1	22.8	22.3
8/8/2021	9	22.8	22.8	21.0	20.3	21.4	21.2	22.6	22.0
8/8/2021	10	22.8	22.9	21.4	20.6	21.5	21.3	22.6	22.1
8/8/2021	11	22.8	22.8	21.4	20.6	21.4	21.2	22.6	22.0
8/8/2021	12	22.8	22.8	21.4	20.7	21.4	21.2	22.5	21.9
8/8/2021	13	22.8	22.8	21.5	20.9	21.4	21.3	22.5	21.7
8/8/2021	14	22.8	22.9	22.5	21.5	21.7	21.7	22.5	22.0
8/8/2021	15	22.8	22.9	22.9	21.6	21.7	21.8	22.4	21.9
8/8/2021	16	22.8	22.9	23.5	21.9	21.8	21.9	22.5	22.1
8/8/2021	17	22.8	22.9	23.6	22.3	22.1	22.1	22.5	22.4
8/8/2021	18	22.8	22.9	23.4	22.7	22.2	22.3	22.5	22.4
8/8/2021	19	22.8	22.8	22.9	22.9	22.3	22.3	22.5	22.2
8/8/2021	20	22.8	22.8	22.3	22.9	22.3	22.3	22.5	22.1
8/8/2021	21	22.8	22.8	21.7	22.7	22.2	22.2	22.5	22.1
8/8/2021	22	22.8	22.8	21.3	22.4	22.1	22.0	22.3	22.1
8/8/2021	23	22.7	22.7	21.0	21.9	22.0	21.9	22.2	22.0
8/8/2021	24	22.7	22.7	20.8	21.5	21.8	21.6	22.2	20.5
8/9/2021	1	22.7	22.7	20.7	21.1	21.6	21.4	22.2	NA
8/9/2021	2	22.7	22.7	20.6	20.8	21.5	21.2	22.2	NA
8/9/2021	3	22.6	22.6	20.5	20.5	21.3	21.1	22.2	NA
8/9/2021	4	22.6	22.6	20.3	20.3	21.2	20.9	22.2	NA
8/9/2021	5	22.6	22.5	20.2	20.2	21.1	20.8	22.2	NA
8/9/2021	6	22.5	22.5	20.2	20.1	21.0	20.7	22.2	NA
8/9/2021	7	22.5	22.5	20.2	19.9	21.6	21.2	23.2	22.5
8/9/2021	8	22.4	22.4	20.5	19.9	21.6	21.2	23.2	22.4
8/9/2021	9	22.3	22.3	21.0	20.0	21.5	21.3	23.1	22.3
8/9/2021	10	22.1	22.3	21.7	20.2	21.5	21.4	23.0	22.2
8/9/2021	11	22.1	22.3	22.5	20.6	21.7	21.6	22.9	22.3
8/9/2021	12	22.2	22.4	23.5	21.2	22.0	22.0	22.8	22.3
8/9/2021	13	22.3	22.5	24.3	22.1	22.3	22.4	22.9	22.4
8/9/2021	14	22.4	22.7	24.9	23.0	22.7	22.8	23.0	22.5
8/9/2021	15	22.5	22.8	25.2	24.1	23.1	23.4	23.1	22.6
8/9/2021	16	22.6	22.8	25.3	24.6	23.3	23.7	23.1	22.7
8/9/2021	17	22.6	22.8	25.0	24.8	23.4	23.8	23.2	22.8
8/9/2021	18	22.6	22.7	24.5	25.0	23.5	23.8	23.3	22.8
8/9/2021	19	22.6	22.8	23.8	24.8	23.4	23.7	23.3	22.8
8/9/2021	20	22.7	22.8	23.1	24.5	23.4	23.5	23.4	22.8
8/9/2021	21	22.7	22.8	22.3	24.1	23.3	23.3	23.4	22.8
8/9/2021	22	22.7	22.8	21.9	23.5	23.1	23.1	23.3	22.8
8/9/2021	23	22.7	22.8	21.7	22.9	22.9	22.9	23.3	22.7
8/9/2021	24	22.7	22.8	21.5	22.4	22.7	22.6	23.3	22.7
8/10/2021	1	22.7	22.8	21.4	21.9	22.5	22.4	23.2	22.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/10/2021	2	22.7	22.7	21.3	21.7	22.4	22.2	23.2	22.6
8/10/2021	3	22.7	22.7	21.2	21.4	22.3	22.1	23.2	22.6
8/10/2021	4	22.7	22.7	21.1	21.3	22.2	22.0	23.2	22.7
8/10/2021	5	22.6	22.7	21.1	21.1	22.1	21.8	23.2	22.6
8/10/2021	6	22.6	22.6	21.1	21.0	22.0	21.7	23.2	22.4
8/10/2021	7	22.6	22.6	21.2	20.9	22.1	21.9	23.2	22.7
8/10/2021	8	22.6	22.7	21.3	21.0	22.1	21.9	23.2	22.7
8/10/2021	9	22.6	22.7	21.7	21.2	22.2	22.0	23.3	22.6
8/10/2021	10	22.5	22.7	22.2	21.3	22.2	22.2	23.3	22.6
8/10/2021	11	22.5	22.7	23.0	21.6	22.3	22.4	23.3	22.6
8/10/2021	12	22.5	22.8	23.9	22.1	22.5	22.6	23.4	22.7
8/10/2021	13	22.6	22.9	24.8	22.9	22.8	23.0	23.4	22.8
8/10/2021	14	22.7	23.0	25.5	23.7	23.2	23.4	23.5	22.9
8/10/2021	15	22.8	23.1	25.8	24.4	23.4	23.7	23.5	23.0
8/10/2021	16	22.8	23.1	25.9	25.0	23.7	24.0	23.5	23.1
8/10/2021	17	22.9	23.1	25.7	25.4	23.9	24.3	23.6	23.1
8/10/2021	18	22.9	23.1	25.3	25.7	24.0	24.4	23.6	23.2
8/10/2021	19	22.9	23.1	24.8	25.7	24.0	24.3	23.7	23.2
8/10/2021	20	23.0	23.1	24.1	25.5	24.0	24.2	23.7	23.3
8/10/2021	21	22.9	23.0	23.4	25.2	23.9	24.1	23.7	23.2
8/10/2021	22	23.0	23.0	22.9	24.7	23.7	23.9	23.8	23.2
8/10/2021	23	22.9	23.0	22.6	24.1	23.6	23.7	23.8	23.1
8/10/2021	24	22.9	23.0	22.3	23.6	23.4	23.4	23.8	23.1
8/11/2021	1	22.9	23.0	22.2	23.1	23.2	23.2	23.7	23.2
8/11/2021	2	22.9	22.9	22.0	22.7	23.1	23.0	23.7	23.2
8/11/2021	3	22.8	22.9	21.9	22.4	23.0	22.8	23.7	23.2
8/11/2021	4	22.8	22.9	21.8	22.2	22.9	22.7	23.7	23.1
8/11/2021	5	22.8	22.9	21.8	22.1	22.8	22.6	23.7	23.0
8/11/2021	6	22.8	22.8	21.7	21.9	22.7	22.5	23.6	23.0
8/11/2021	7	22.6	22.5	21.7	21.8	22.6	22.4	23.6	22.9
8/11/2021	8	22.4	22.6	21.9	21.9	22.5	22.4	23.5	22.8
8/11/2021	9	22.2	22.3	22.3	21.9	22.5	22.4	23.5	22.7
8/11/2021	10	21.9	22.2	22.8	22.1	22.5	22.5	23.4	22.6
8/11/2021	11	21.8	21.9	23.7	22.4	22.6	22.7	23.3	22.5
8/11/2021	12	21.8	21.9	24.6	22.9	22.8	22.9	23.2	22.6
8/11/2021	13	21.8	22.2	25.3	23.7	23.0	23.3	23.3	22.8
8/11/2021	14	22.1	23.7	25.9	24.6	23.4	23.8	23.4	23.0
8/11/2021	15	22.3	23.9	26.1	25.4	23.8	24.2	23.5	23.0
8/11/2021	16	22.3	23.8	25.6	26.1	24.2	24.9	23.7	23.2
8/11/2021	17	22.4	24.0	25.5	26.4	24.7	25.8	23.8	23.4
8/11/2021	18	22.5	24.0	25.2	25.9	24.5	25.5	23.9	23.3
8/11/2021	19	22.6	23.9	24.7	25.5	24.4	25.0	24.0	23.4
8/11/2021	20	22.7	23.8	24.2	25.2	24.2	24.7	24.1	23.5
8/11/2021	21	22.7	23.6	23.8	24.9	24.1	24.5	24.1	23.5
8/11/2021	22	22.7	23.6	23.5	24.5	24.0	24.3	24.1	23.5
8/11/2021	23	22.7	23.5	23.2	24.1	23.8	24.0	24.1	23.4
8/11/2021	24	22.6	23.3	23.0	23.7	23.6	23.7	24.0	23.4
8/12/2021	1	22.5	23.2	22.8	23.4	23.5	23.5	24.0	23.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/12/2021	2	22.5	23.2	22.8	23.2	23.4	23.3	24.0	23.4
8/12/2021	3	22.4	23.1	22.6	23.0	23.2	23.1	23.9	23.3
8/12/2021	4	22.3	23.1	22.4	22.8	23.1	23.0	23.9	23.3
8/12/2021	5	22.3	23.1	22.3	22.6	23.0	22.8	23.8	23.3
8/12/2021	6	22.3	23.0	22.2	22.5	22.9	22.7	23.7	23.2
8/12/2021	7	22.3	23.0	22.2	22.3	22.7	22.6	23.7	23.0
8/12/2021	8	22.4	23.1	22.2	22.3	22.7	22.6	23.7	23.1
8/12/2021	9	22.5	23.3	22.4	22.3	22.7	22.7	23.7	23.1
8/12/2021	10	22.5	23.3	22.8	22.4	22.8	22.8	23.8	23.1
8/12/2021	11	22.6	23.4	23.4	22.5	22.8	22.8	23.8	23.1
8/12/2021	12	22.7	23.5	24.1	22.8	23.0	23.1	23.8	23.1
8/12/2021	13	22.8	23.7	24.7	23.4	23.3	23.5	23.9	23.3
8/12/2021	14	23.0	23.5	25.1	24.1	23.7	24.0	23.9	23.3
8/12/2021	15	23.0	23.5	25.2	24.7	23.9	24.3	23.9	23.3
8/12/2021	16	23.0	23.3	24.9	25.0	24.0	24.5	23.9	23.3
8/12/2021	17	23.0	23.4	24.4	25.1	24.1	24.6	23.9	23.3
8/12/2021	18	22.9	23.3	24.1	25.0	24.0	24.5	23.9	23.3
8/12/2021	19	22.9	23.2	23.7	24.7	23.9	24.3	23.8	23.3
8/12/2021	20	23.0	23.1	23.3	24.3	23.8	24.0	23.8	23.3
8/12/2021	21	23.0	23.1	23.1	24.1	23.6	23.8	23.8	23.3
8/12/2021	22	23.1	23.1	22.7	23.7	23.5	23.5	23.8	23.2
8/12/2021	23	23.0	23.1	22.5	23.3	23.3	23.3	23.8	23.2
8/12/2021	24	23.0	23.0	22.2	23.0	23.2	23.0	23.7	23.1
8/13/2021	1	22.9	22.9	22.0	22.6	23.0	22.8	23.7	23.1
8/13/2021	2	22.9	22.8	21.8	22.3	22.9	22.6	23.7	23.1
8/13/2021	3	22.8	22.8	21.7	22.1	22.7	22.4	23.6	23.1
8/13/2021	4	22.8	22.7	21.6	21.9	22.6	22.3	23.6	23.0
8/13/2021	5	22.7	22.6	21.5	21.7	22.5	22.1	23.6	23.0
8/13/2021	6	22.6	22.5	21.3	21.5	22.4	22.0	23.6	22.9
8/13/2021	7	22.4	22.4	21.3	21.4	22.3	21.9	23.4	22.6
8/13/2021	8	22.3	22.3	21.4	21.3	22.1	21.8	23.3	22.5
8/13/2021	9	22.3	22.4	21.8	21.4	22.1	21.9	23.2	22.5
8/13/2021	10	22.0	22.2	22.4	21.6	22.1	22.2	23.2	22.4
8/13/2021	11	22.2	22.5	23.0	21.8	22.2	22.3	23.1	22.4
8/13/2021	12	21.9	22.2	23.7	22.3	22.4	22.5	23.1	22.3
8/13/2021	13	21.9	22.2	24.4	23.1	22.7	23.0	23.0	22.4
8/13/2021	14	21.8	22.2	24.9	23.7	23.0	23.5	23.0	22.5
8/13/2021	15	22.0	22.4	25.2	24.4	23.4	23.9	23.1	22.7
8/13/2021	16	22.0	22.3	25.2	24.9	23.6	24.3	23.3	22.8
8/13/2021	17	22.1	22.5	25.0	25.2	23.8	24.5	23.4	23.1
8/13/2021	18	22.2	22.5	24.4	25.4	24.0	24.6	23.5	23.1
8/13/2021	19	22.4	22.6	24.0	25.2	24.0	24.6	23.7	23.3
8/13/2021	20	22.4	22.6	23.6	24.9	24.0	24.4	23.8	23.4
8/13/2021	21	22.6	22.7	23.3	24.4	23.9	24.1	23.9	23.4
8/13/2021	22	22.8	22.9	23.0	24.0	23.7	23.9	24.0	23.4
8/13/2021	23	22.7	22.7	22.8	23.6	23.5	23.6	24.0	23.4
8/13/2021	24	22.5	22.6	22.7	23.3	23.4	23.3	23.9	23.4
8/14/2021	1	22.4	22.4	22.6	22.9	23.3	23.1	23.9	23.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/14/2021	2	22.2	22.2	22.4	22.7	23.1	22.9	23.9	23.3
8/14/2021	3	22.1	22.1	22.3	22.6	23.0	22.8	23.8	23.3
8/14/2021	4	22.0	22.0	22.2	22.4	22.9	22.6	23.8	23.2
8/14/2021	5	21.9	21.9	22.0	22.3	22.8	22.5	23.7	23.2
8/14/2021	6	21.8	21.8	21.8	22.1	22.8	22.4	23.7	23.2
8/14/2021	7	21.9	22.0	21.7	22.0	22.5	22.3	23.2	22.5
8/14/2021	8	22.0	22.1	21.8	21.9	22.4	22.2	23.1	22.8
8/14/2021	9	21.9	22.1	22.1	21.9	22.4	22.4	23.1	22.7
8/14/2021	10	21.8	21.9	22.5	22.0	22.4	22.5	23.1	22.6
8/14/2021	11	21.8	22.0	23.4	22.2	22.5	22.6	23.2	22.6
8/14/2021	12	21.8	22.1	24.2	22.8	22.7	23.0	23.3	22.5
8/14/2021	13	21.8	22.0	24.8	23.4	23.0	23.5	23.3	22.7
8/14/2021	14	21.8	22.0	25.1	24.1	23.3	24.1	23.4	22.7
8/14/2021	15	21.8	22.0	25.2	24.8	23.5	24.5	23.4	22.6
8/14/2021	16	21.7	22.0	25.2	25.2	23.7	24.7	23.5	22.6
8/14/2021	17	21.7	22.0	24.9	25.4	23.8	24.8	23.5	22.9
8/14/2021	18	21.7	22.0	24.4	25.4	23.8	24.8	23.6	22.8
8/14/2021	19	21.7	22.0	23.8	25.2	23.7	24.6	23.6	22.8
8/14/2021	20	21.6	21.8	23.1	24.8	23.7	24.4	23.6	23.0
8/14/2021	21	21.6	21.8	22.5	24.5	23.5	24.1	23.6	23.0
8/14/2021	22	21.7	22.1	22.0	23.9	23.4	23.8	23.6	23.2
8/14/2021	23	21.7	21.9	21.7	23.4	23.3	23.5	23.6	23.1
8/14/2021	24	21.7	21.8	21.5	22.8	23.1	23.1	23.6	23.1
8/15/2021	1	21.6	21.7	21.4	22.4	22.9	22.7	23.6	23.1
8/15/2021	2	21.6	21.7	21.4	22.0	22.7	22.5	23.6	23.1
8/15/2021	3	21.5	21.7	21.3	21.8	22.6	22.3	23.6	23.0
8/15/2021	4	21.5	21.6	21.2	21.6	22.5	22.1	23.6	23.0
8/15/2021	5	21.5	21.7	21.1	21.5	22.4	22.1	23.6	23.0
8/15/2021	6	21.5	21.7	21.0	21.4	22.3	21.9	23.5	23.0
8/15/2021	7	21.6	21.7	21.0	21.3	22.3	21.8	23.5	22.9
8/15/2021	8	21.6	21.8	21.1	21.3	22.2	22.0	23.5	22.9
8/15/2021	9	21.6	21.7	21.4	21.3	22.2	22.2	23.5	22.8
8/15/2021	10	21.5	21.7	22.0	21.5	22.3	22.5	23.6	23.1
8/15/2021	11	21.5	21.7	22.6	21.7	22.5	22.7	23.8	23.4
8/15/2021	12	21.5	21.7	23.3	22.1	22.7	23.0	23.9	24.2
8/15/2021	13	21.4	21.6	23.8	22.8	23.0	23.4	24.0	24.1
8/15/2021	14	21.3	21.6	24.5	23.3	23.3	23.9	24.1	24.0
8/15/2021	15	21.3	21.5	25.0	23.9	23.6	24.3	24.2	23.6
8/15/2021	16	21.3	21.5	25.0	24.2	23.8	24.5	24.2	23.5
8/15/2021	17	21.3	21.4	24.5	24.5	23.9	24.5	24.2	23.6
8/15/2021	18	21.3	21.5	23.8	24.7	23.9	24.6	24.2	23.6
8/15/2021	19	21.3	21.5	23.0	24.6	23.9	24.4	24.1	23.6
8/15/2021	20	21.4	21.6	22.1	24.2	23.8	24.1	24.1	23.5
8/15/2021	21	21.5	21.7	21.6	23.6	23.5	23.8	24.1	23.4
8/15/2021	22	21.6	21.7	21.2	22.9	23.3	23.4	24.0	23.4
8/15/2021	23	21.7	21.8	21.0	22.4	23.0	22.9	24.0	23.4
8/15/2021	24	21.7	21.9	20.9	21.8	22.8	22.5	23.9	23.4
8/16/2021	1	21.9	22.2	20.9	21.5	22.6	22.2	23.9	23.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/16/2021	2	22.1	22.4	20.8	21.2	22.4	22.0	23.7	23.2
8/16/2021	3	22.4	22.7	20.8	21.0	22.2	21.9	23.5	23.1
8/16/2021	4	22.6	22.9	20.8	20.9	22.2	21.7	23.5	23.0
8/16/2021	5	22.8	23.1	20.9	20.8	22.1	21.6	23.5	23.0
8/16/2021	6	23.0	23.3	21.0	20.7	22.1	21.6	23.5	23.0
8/16/2021	7	23.1	23.4	21.3	20.8	22.0	21.6	23.5	22.9
8/16/2021	8	23.2	23.5	21.6	20.9	22.0	21.6	23.5	22.9
8/16/2021	9	23.3	23.6	22.0	21.1	22.1	21.8	23.5	22.9
8/16/2021	10	23.3	23.7	22.6	21.4	22.2	22.0	23.5	22.9
8/16/2021	11	23.4	23.8	23.4	21.8	22.3	22.4	23.5	23.0
8/16/2021	12	23.5	23.8	23.9	22.2	22.5	22.6	23.6	23.0
8/16/2021	13	23.5	23.9	24.5	23.0	23.0	23.3	23.7	23.2
8/16/2021	14	23.7	24.1	24.9	23.7	23.3	23.8	23.8	23.2
8/16/2021	15	23.9	24.1	25.2	24.5	23.6	24.2	23.9	23.4
8/16/2021	16	24.0	24.2	25.5	24.8	23.9	24.6	24.0	23.7
8/16/2021	17	24.1	24.2	25.6	25.1	24.1	24.7	24.0	23.7
8/16/2021	18	24.1	24.2	25.0	25.3	24.0	24.6	23.9	23.7
8/16/2021	19	24.2	24.2	24.4	25.2	24.0	24.5	23.9	23.7
8/16/2021	20	24.2	24.2	23.7	24.9	23.9	24.2	23.8	23.5
8/16/2021	21	24.1	24.1	23.1	24.5	23.8	24.0	23.7	23.4
8/16/2021	22	24.1	24.1	22.7	24.0	23.6	23.7	23.8	23.3
8/16/2021	23	24.1	24.1	22.4	23.4	23.3	23.3	23.8	23.1
8/16/2021	24	24.0	24.1	22.2	22.8	23.0	22.9	23.7	23.0
8/17/2021	1	24.0	24.1	22.1	22.4	22.8	22.6	23.6	22.9
8/17/2021	2	24.0	24.0	22.0	22.1	22.7	22.3	23.5	22.9
8/17/2021	3	24.0	24.0	22.0	21.9	22.5	22.2	23.5	22.8
8/17/2021	4	24.0	24.0	21.9	21.7	22.4	22.0	23.5	22.8
8/17/2021	5	23.9	24.0	21.8	21.6	22.3	21.9	23.5	22.7
8/17/2021	6	23.9	23.9	21.8	21.5	22.2	21.7	23.5	22.6
8/17/2021	7	23.9	23.9	21.8	21.5	22.6	21.9	24.1	24.0
8/17/2021	8	23.8	23.9	21.9	21.4	22.8	22.3	24.3	23.9
8/17/2021	9	23.7	23.8	22.2	21.5	22.8	22.5	24.3	23.8
8/17/2021	10	23.6	23.8	22.7	21.7	22.9	22.7	24.3	23.7
8/17/2021	11	23.6	23.7	23.2	21.9	23.0	22.7	24.3	23.7
8/17/2021	12	23.6	23.7	23.9	22.3	23.1	22.9	24.4	23.7
8/17/2021	13	23.6	23.8	24.4	22.7	23.3	23.1	24.3	23.7
8/17/2021	14	23.7	23.7	24.2	23.1	23.5	23.3	24.3	23.7
8/17/2021	15	23.7	23.8	24.0	23.5	23.6	23.4	24.3	23.7
8/17/2021	16	23.7	23.8	24.0	23.7	23.8	23.9	24.3	23.8
8/17/2021	17	23.7	23.7	23.5	23.6	23.7	23.6	24.3	23.8
8/17/2021	18	23.7	23.7	23.0	23.4	23.6	23.4	24.3	23.8
8/17/2021	19	23.7	23.7	22.4	23.1	23.5	23.3	24.3	23.7
8/17/2021	20	23.6	23.6	22.0	22.7	23.4	23.0	24.1	23.7
8/17/2021	21	23.6	23.6	21.8	22.3	23.1	22.8	24.2	23.7
8/17/2021	22	23.5	23.5	21.7	21.9	22.9	22.5	24.2	23.6
8/17/2021	23	23.5	23.5	21.7	21.6	22.7	22.3	24.2	23.5
8/17/2021	24	23.5	23.5	21.7	21.4	22.7	22.2	24.1	23.5
8/18/2021	1	23.5	23.4	21.7	21.3	22.6	22.1	24.1	23.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/18/2021	2	23.4	23.4	21.7	21.3	22.6	22.1	24.0	23.4
8/18/2021	3	23.4	23.4	21.6	21.2	22.5	22.0	23.9	23.4
8/18/2021	4	23.4	23.4	21.5	21.1	22.4	21.9	23.9	23.3
8/18/2021	5	23.4	23.3	21.4	21.0	22.3	21.8	23.9	23.2
8/18/2021	6	23.3	23.3	21.3	20.9	22.3	21.7	23.9	23.1
8/18/2021	7	23.3	23.3	21.2	20.9	22.3	21.7	24.0	23.4
8/18/2021	8	23.3	23.3	21.3	21.1	22.3	21.9	24.0	23.4
8/18/2021	9	23.3	23.4	21.7	21.2	22.3	22.1	24.0	23.4
8/18/2021	10	23.3	23.4	22.3	21.4	22.4	22.3	24.0	23.4
8/18/2021	11	23.3	23.4	23.1	21.6	22.5	22.5	24.0	23.4
8/18/2021	12	23.3	23.4	23.9	22.0	22.7	22.8	24.0	23.4
8/18/2021	13	23.3	23.5	24.7	22.6	23.1	23.2	24.0	23.5
8/18/2021	14	23.3	23.5	25.2	23.4	23.4	23.7	24.1	23.5
8/18/2021	15	23.4	23.5	25.4	24.2	23.8	24.2	24.1	23.6
8/18/2021	16	23.4	23.5	25.3	24.5	24.0	24.4	24.1	23.6
8/18/2021	17	23.4	23.5	24.8	24.9	24.1	24.5	24.1	23.6
8/18/2021	18	23.5	23.5	24.3	24.9	24.1	24.5	24.1	23.7
8/18/2021	19	23.5	23.5	23.6	24.7	24.1	24.3	24.1	23.7
8/18/2021	20	23.5	23.5	23.0	24.2	23.9	24.0	24.1	23.7
8/18/2021	21	23.5	23.5	22.3	23.8	23.7	23.7	24.2	23.6
8/18/2021	22	23.5	23.5	21.9	23.2	23.5	23.4	24.2	23.6
8/18/2021	23	23.5	23.5	21.8	22.7	23.3	23.1	24.1	23.5
8/18/2021	24	23.4	23.4	21.7	22.2	23.0	22.8	24.1	23.5
8/19/2021	1	23.4	23.4	21.7	21.7	22.8	22.4	24.0	23.5
8/19/2021	2	23.4	23.4	21.5	21.4	22.6	22.2	24.0	23.4
8/19/2021	3	23.4	23.4	21.4	21.3	22.6	22.1	24.0	23.4
8/19/2021	4	23.3	23.4	21.4	21.2	22.5	22.0	23.9	23.3
8/19/2021	5	23.3	23.3	21.3	21.0	22.4	21.9	23.9	23.3
8/19/2021	6	23.3	23.3	21.4	20.9	22.3	21.8	23.9	23.2
8/19/2021	7	23.3	23.3	21.4	20.9	22.3	21.8	23.8	23.4
8/19/2021	8	23.2	23.2	21.5	21.0	22.3	21.9	23.8	23.3
8/19/2021	9	23.1	23.2	21.9	21.4	22.3	22.2	23.8	23.3
8/19/2021	10	23.0	23.1	22.5	21.7	22.5	22.4	23.7	23.2
8/19/2021	11	22.9	23.0	22.9	21.7	22.5	22.4	23.7	23.1
8/19/2021	12	22.8	23.0	23.8	22.2	22.7	22.8	23.7	23.1
8/19/2021	13	22.8	23.0	24.4	22.7	22.9	23.1	23.7	23.1
8/19/2021	14	22.8	22.9	25.0	23.4	23.2	23.6	23.7	23.1
8/19/2021	15	22.7	22.9	25.2	24.0	23.5	24.0	23.7	23.2
8/19/2021	16	22.7	22.9	25.0	24.4	23.6	24.3	23.7	23.2
8/19/2021	17	22.8	22.9	24.6	24.7	23.8	24.4	23.7	23.2
8/19/2021	18	22.8	22.9	24.0	24.7	23.7	24.2	23.7	23.1
8/19/2021	19	22.8	22.9	23.3	24.5	23.6	24.0	23.7	23.3
8/19/2021	20	22.8	22.9	22.7	24.1	23.5	23.8	23.7	23.3
8/19/2021	21	23.0	23.0	22.3	23.6	23.4	23.6	23.7	23.3
8/19/2021	22	23.1	23.1	22.0	23.2	23.3	23.3	23.7	23.3
8/19/2021	23	23.1	23.1	21.7	22.7	23.1	23.0	23.7	23.2
8/19/2021	24	23.1	23.1	21.5	22.3	22.9	22.7	23.7	23.2
8/20/2021	1	23.1	23.1	21.4	21.9	22.7	22.4	23.6	22.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/20/2021	2	23.1	23.1	21.3	21.6	22.5	22.2	23.6	22.9
8/20/2021	3	23.1	23.1	21.4	21.3	22.4	22.0	23.6	22.6
8/20/2021	4	23.0	23.0	21.4	21.1	22.3	21.8	23.7	21.7
8/20/2021	5	23.0	23.0	21.4	21.0	22.2	21.7	23.7	21.7
8/20/2021	6	23.0	23.0	21.4	21.0	22.1	21.7	23.7	22.7
8/20/2021	7	23.0	23.0	21.4	21.0	22.2	21.7	23.7	23.1
8/20/2021	8	23.0	23.0	21.5	21.1	22.2	21.8	23.7	23.0
8/20/2021	9	22.9	23.0	21.8	21.4	22.3	22.1	23.7	23.0
8/20/2021	10	22.9	23.0	22.2	21.4	22.3	22.2	23.6	23.0
8/20/2021	11	22.8	22.9	22.6	21.5	22.3	22.3	23.6	23.0
8/20/2021	12	22.8	23.0	23.1	21.9	22.5	22.7	23.6	23.0
8/20/2021	13	22.9	23.0	23.4	22.3	22.7	22.8	23.6	23.0
8/20/2021	14	22.9	23.0	23.5	22.6	22.8	23.0	23.6	23.0
8/20/2021	15	22.9	23.0	23.7	23.0	23.0	23.3	23.5	23.0
8/20/2021	16	22.9	23.0	23.7	23.3	23.1	23.4	23.5	23.0
8/20/2021	17	22.9	22.9	23.4	23.4	23.2	23.4	23.5	23.0
8/20/2021	18	22.9	22.9	23.0	23.4	23.2	23.3	23.5	23.0
8/20/2021	19	22.9	22.9	22.5	23.2	23.1	23.1	23.5	23.0
8/20/2021	20	22.9	22.9	22.1	22.8	23.0	22.8	23.5	23.0
8/20/2021	21	22.9	22.9	21.8	22.5	22.8	22.7	23.5	22.9
8/20/2021	22	22.8	22.8	21.5	22.1	22.7	22.4	23.4	22.9
8/20/2021	23	22.8	22.8	21.3	21.7	22.4	22.0	23.4	22.8
8/20/2021	24	22.8	22.8	21.2	21.3	22.3	21.8	23.3	22.7
8/21/2021	1	22.7	22.7	21.1	21.0	22.2	21.6	23.2	22.7
8/21/2021	2	22.7	22.7	21.0	20.7	22.0	21.5	23.2	22.7
8/21/2021	3	22.7	22.7	20.9	20.7	22.0	21.4	23.2	22.7
8/21/2021	4	22.6	22.6	20.9	20.7	21.9	21.4	23.2	22.7
8/21/2021	5	22.6	22.6	21.0	20.6	21.8	21.3	23.1	22.6
8/21/2021	6	22.6	22.6	21.0	20.5	21.8	21.3	23.1	22.5
8/21/2021	7	22.6	22.6	21.0	20.5	21.8	21.2	23.1	22.7
8/21/2021	8	22.5	22.5	21.1	20.6	21.8	21.3	23.1	22.6
8/21/2021	9	22.5	22.5	21.2	20.7	21.8	21.4	23.1	22.6
8/21/2021	10	22.5	22.6	21.4	21.1	21.8	21.8	23.1	22.6
8/21/2021	11	22.5	22.6	22.3	21.5	22.0	22.2	23.1	22.6
8/21/2021	12	22.5	22.6	23.1	21.7	22.2	22.4	23.1	22.6
8/21/2021	13	22.5	22.6	23.3	21.8	22.3	22.3	23.1	22.7
8/21/2021	14	22.5	22.6	23.2	22.3	22.4	22.4	23.1	22.6
8/21/2021	15	22.5	22.6	23.0	22.7	22.6	22.7	23.1	22.7
8/21/2021	16	22.5	22.6	22.6	22.8	22.7	22.8	23.1	22.7
8/21/2021	17	22.5	22.6	22.4	22.9	22.7	22.9	23.1	22.7
8/21/2021	18	22.5	22.6	22.3	22.7	22.7	22.8	23.1	22.7
8/21/2021	19	22.5	22.6	22.1	22.5	22.6	22.6	23.1	22.6
8/21/2021	20	22.5	22.6	21.8	22.2	22.5	22.3	23.1	22.6
8/21/2021	21	22.5	22.5	21.6	21.9	22.3	22.1	23.1	22.6
8/21/2021	22	22.5	22.5	21.3	21.7	22.2	21.9	23.1	22.6
8/21/2021	23	22.4	22.4	21.1	21.4	22.1	21.7	23.0	22.4
8/21/2021	24	22.4	22.4	20.9	21.1	21.9	21.5	22.9	22.4
8/22/2021	1	22.4	22.4	20.8	20.8	21.8	21.3	22.9	22.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/22/2021	2	22.4	22.3	20.7	20.6	21.7	21.2	22.8	22.2
8/22/2021	3	22.3	22.3	20.6	20.4	21.6	21.0	22.8	22.2
8/22/2021	4	22.3	22.3	20.5	20.2	21.4	20.9	22.7	22.1
8/22/2021	5	22.3	22.3	20.4	20.1	21.3	20.7	22.7	22.1
8/22/2021	6	22.3	22.2	20.3	19.9	21.2	20.6	22.6	21.9
8/22/2021	7	22.2	22.2	20.3	19.9	21.1	20.6	22.6	21.9
8/22/2021	8	22.2	22.3	20.5	20.2	21.0	20.8	22.6	21.8
8/22/2021	9	22.2	22.3	20.9	20.4	21.0	21.0	22.5	21.8
8/22/2021	10	22.2	22.3	21.5	20.4	21.0	21.1	22.5	21.9
8/22/2021	11	22.2	22.3	22.2	20.6	21.2	21.3	22.5	21.9
8/22/2021	12	22.3	22.4	22.8	20.9	21.4	21.6	22.5	22.0
8/22/2021	13	22.3	22.5	23.5	21.6	21.7	21.9	22.6	22.1
8/22/2021	14	22.4	22.5	23.8	22.2	22.1	22.3	22.6	22.2
8/22/2021	15	22.4	22.5	24.0	22.8	22.3	22.7	22.7	22.4
8/22/2021	16	22.4	22.5	23.8	23.0	22.5	22.9	22.8	22.4
8/22/2021	17	22.5	22.5	23.4	23.1	22.5	22.7	22.8	22.4
8/22/2021	18	22.5	22.5	22.5	23.0	22.4	22.3	22.7	22.2
8/22/2021	19	22.5	22.5	21.6	22.5	22.2	22.0	22.6	21.9
8/22/2021	20	22.4	22.4	21.1	22.0	22.0	21.6	22.5	21.8
8/22/2021	21	22.4	22.3	20.6	21.4	21.7	21.3	22.4	21.7
8/22/2021	22	22.3	22.3	20.1	20.8	21.5	21.0	22.3	21.8
8/22/2021	23	22.2	22.2	19.8	20.4	21.3	20.7	22.2	21.6
8/22/2021	24	22.2	22.1	19.7	20.0	21.0	20.5	22.2	NA
8/23/2021	1	22.1	22.1	19.7	19.6	20.8	20.2	22.2	NA
8/23/2021	2	22.1	22.0	19.6	19.2	20.7	19.9	22.1	NA
8/23/2021	3	22.0	22.0	19.6	19.0	20.5	19.7	22.1	NA
8/23/2021	4	22.0	21.9	19.6	18.9	20.4	19.6	22.1	NA
8/23/2021	5	22.0	21.9	19.6	18.8	20.3	19.5	22.1	NA
8/23/2021	6	22.0	21.8	19.5	18.7	20.2	19.4	22.1	20.9
8/23/2021	7	21.9	21.8	19.5	18.7	20.5	19.6	22.5	22.0
8/23/2021	8	21.9	21.9	19.7	19.1	20.6	20.0	22.7	21.9
8/23/2021	9	21.8	21.8	19.9	19.2	20.7	20.4	22.6	21.9
8/23/2021	10	21.7	21.7	20.6	19.5	20.6	20.5	22.5	21.8
8/23/2021	11	21.6	21.7	21.4	19.7	20.8	20.8	22.4	21.8
8/23/2021	12	21.5	21.6	22.3	20.1	20.9	21.1	22.3	21.7
8/23/2021	13	21.5	21.6	23.0	20.7	21.2	21.4	22.2	21.7
8/23/2021	14	21.5	21.6	23.0	21.3	21.5	21.6	22.2	21.7
8/23/2021	15	21.5	21.6	23.2	22.3	21.9	22.6	22.2	21.8
8/23/2021	16	21.5	21.6	22.6	22.6	22.1	22.6	22.2	21.7
8/23/2021	17	21.5	21.6	22.3	22.8	22.1	22.4	22.2	21.8
8/23/2021	18	21.6	21.6	21.7	22.5	22.0	22.1	22.2	21.7
8/23/2021	19	21.6	21.7	21.2	22.1	21.9	21.9	22.2	21.7
8/23/2021	20	21.6	21.6	20.5	21.5	21.7	21.6	22.2	21.7
8/23/2021	21	21.6	21.6	20.2	21.0	21.5	21.2	22.2	21.7
8/23/2021	22	21.6	21.5	20.0	20.6	21.3	20.9	22.2	21.7
8/23/2021	23	21.6	21.5	19.9	20.1	21.0	20.6	22.1	21.6
8/23/2021	24	21.5	21.5	19.7	19.7	20.8	20.3	22.1	21.7
8/24/2021	1	21.5	21.4	19.7	19.4	20.7	20.1	22.1	21.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/24/2021	2	21.5	21.4	19.6	19.2	20.6	19.9	22.0	21.4
8/24/2021	3	21.5	21.4	19.5	19.0	20.4	19.8	22.0	21.4
8/24/2021	4	21.4	21.3	19.3	18.9	20.3	19.6	22.0	21.3
8/24/2021	5	21.4	21.3	19.2	18.7	20.2	19.5	22.0	21.3
8/24/2021	6	21.4	21.2	19.2	18.6	20.1	19.3	22.0	21.2
8/24/2021	7	21.3	21.3	19.1	18.5	20.1	19.4	22.0	21.4
8/24/2021	8	21.3	21.3	19.3	18.9	19.0	18.4	22.0	21.4
8/24/2021	9	21.3	21.3	19.8	19.2	18.9	19.3	22.0	21.4
8/24/2021	10	21.3	21.4	20.4	19.3	19.0	19.7	22.1	21.4
8/24/2021	11	21.3	21.4	21.2	19.7	19.3	20.2	22.1	21.4
8/24/2021	12	21.3	21.4	22.0	20.1	19.8	20.9	22.1	21.5
8/24/2021	13	21.3	21.5	22.8	20.9	20.6	21.5	22.1	21.5
8/24/2021	14	21.4	21.5	23.4	21.7	21.4	22.4	22.1	21.6
8/24/2021	15	21.4	21.6	23.7	22.5	22.2	23.5	22.1	21.7
8/24/2021	16	21.4	21.6	23.6	22.8	22.8	24.2	22.0	21.8
8/24/2021	17	21.5	21.6	23.4	22.8	23.2	23.9	22.1	21.8
8/24/2021	18	21.5	21.6	22.9	22.6	23.2	23.4	22.3	21.8
8/24/2021	19	21.6	21.6	22.2	22.5	23.1	22.8	22.3	21.8
8/24/2021	20	21.6	21.6	21.6	22.1	22.8	22.2	22.3	21.8
8/24/2021	21	21.6	21.6	21.0	21.8	22.4	21.8	22.3	21.8
8/24/2021	22	21.6	21.6	20.5	21.2	22.0	21.2	22.3	21.8
8/24/2021	23	21.6	21.6	20.2	20.6	21.4	20.6	22.3	21.6
8/24/2021	24	21.6	21.6	20.0	20.0	20.9	20.0	22.3	21.7
8/25/2021	1	21.6	21.6	19.8	19.5	20.4	19.5	22.3	21.7
8/25/2021	2	21.6	21.6	19.7	19.2	20.1	19.0	22.3	21.6
8/25/2021	3	21.6	21.6	19.6	18.9	19.8	18.7	22.3	21.6
8/25/2021	4	21.6	21.5	19.5	18.7	19.5	18.4	22.3	21.6
8/25/2021	5	21.6	21.5	19.4	18.5	19.4	18.1	22.3	21.4
8/25/2021	6	21.5	21.5	19.3	18.4	19.2	17.9	22.3	21.5
8/25/2021	7	21.5	21.4	19.3	18.3	19.1	18.0	22.3	21.6
8/25/2021	8	21.5	21.5	19.5	19.1	19.0	18.5	22.3	21.6
8/25/2021	9	21.5	21.5	19.8	19.2	19.1	19.3	22.3	21.6
8/25/2021	10	21.5	21.6	20.4	19.7	19.2	20.4	22.3	21.6
8/25/2021	11	21.5	21.6	21.2	20.1	19.4	20.9	22.3	21.6
8/25/2021	12	21.5	21.6	22.1	20.3	19.8	21.4	22.3	21.7
8/25/2021	13	21.5	21.7	22.9	21.0	20.4	22.0	22.4	21.7
8/25/2021	14	21.5	21.7	23.5	21.8	21.2	22.9	22.4	21.8
8/25/2021	15	21.6	21.9	23.8	22.6	22.0	24.2	22.4	21.9
8/25/2021	16	21.8	21.9	23.9	22.9	22.6	25.0	22.5	21.9
8/25/2021	17	21.8	21.9	23.6	23.3	23.1	24.5	22.5	21.9
8/25/2021	18	21.8	21.9	23.3	23.5	23.3	24.4	22.5	22.0
8/25/2021	19	21.8	21.8	22.6	23.2	23.3	24.0	22.5	22.0
8/25/2021	20	21.8	21.9	21.8	22.7	23.0	23.5	22.4	22.0
8/25/2021	21	21.8	21.9	21.2	22.3	22.7	22.9	22.4	21.9
8/25/2021	22	21.8	21.8	20.8	21.7	22.2	22.2	22.3	21.9
8/25/2021	23	21.8	21.8	20.7	21.2	21.7	21.7	22.2	21.8
8/25/2021	24	21.8	21.8	20.5	20.7	21.2	21.2	22.3	21.8
8/26/2021	1	21.8	21.7	20.4	20.3	20.8	20.8	22.3	21.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/26/2021	2	21.7	21.7	20.3	20.1	20.5	20.2	22.3	21.7
8/26/2021	3	21.7	21.7	20.2	19.9	20.4	19.8	22.3	21.7
8/26/2021	4	21.7	21.7	20.2	19.8	20.2	19.9	22.3	21.7
8/26/2021	5	21.7	21.7	20.2	19.7	20.1	19.9	22.3	21.7
8/26/2021	6	21.6	21.7	20.2	19.7	20.0	19.7	22.3	21.7
8/26/2021	7	21.6	21.7	20.2	19.6	20.0	19.6	22.3	21.8
8/26/2021	8	21.6	21.7	20.3	20.2	19.9	20.2	22.3	21.7
8/26/2021	9	21.6	21.7	20.6	20.4	20.0	21.4	22.3	21.7
8/26/2021	10	21.6	21.7	21.1	20.7	20.1	21.9	22.3	21.7
8/26/2021	11	21.6	21.7	21.7	20.8	20.2	22.3	22.3	21.7
8/26/2021	12	21.5	21.7	22.2	20.8	20.5	21.9	22.3	21.7
8/26/2021	13	21.5	21.7	22.4	21.2	20.8	21.8	22.3	21.7
8/26/2021	14	21.6	21.7	22.6	21.8	21.4	22.5	22.3	21.7
8/26/2021	15	21.6	21.8	22.7	22.2	21.8	23.4	22.3	21.8
8/26/2021	16	21.6	21.7	22.6	22.3	22.1	23.3	22.3	21.8
8/26/2021	17	21.6	21.7	22.5	22.3	22.2	23.4	22.3	21.8
8/26/2021	18	21.6	21.7	22.3	22.1	22.2	22.6	22.3	21.8
8/26/2021	19	21.6	21.7	21.9	22.0	22.1	22.4	22.3	21.8
8/26/2021	20	21.7	21.7	21.3	21.7	21.9	22.0	22.2	21.8
8/26/2021	21	21.6	21.7	20.8	21.5	21.7	21.7	22.2	21.7
8/26/2021	22	21.6	21.7	20.4	21.1	21.4	21.2	22.2	21.7
8/26/2021	23	21.6	21.6	20.2	20.7	21.1	21.0	22.2	21.6
8/26/2021	24	21.6	21.6	20.1	20.3	20.7	20.5	22.2	21.6
8/27/2021	1	21.5	21.6	20.0	19.9	20.3	20.1	22.2	21.6
8/27/2021	2	21.5	21.6	20.0	19.7	20.1	19.8	22.2	21.6
8/27/2021	3	21.5	21.5	20.0	19.6	20.0	19.6	22.1	21.6
8/27/2021	4	21.5	21.5	19.9	19.4	19.8	19.3	22.1	21.5
8/27/2021	5	21.5	21.5	19.8	19.3	19.7	19.0	22.1	21.5
8/27/2021	6	21.4	21.4	19.8	19.2	19.7	18.7	22.1	21.5
8/27/2021	7	21.4	21.4	19.7	19.1	19.6	18.8	22.1	21.5
8/27/2021	8	21.4	21.4	19.8	19.7	19.5	19.7	22.1	21.5
8/27/2021	9	21.4	21.4	20.1	20.0	19.5	20.7	22.1	21.5
8/27/2021	10	21.4	21.4	20.6	20.1	19.6	21.2	22.1	21.5
8/27/2021	11	21.3	21.4	21.3	20.4	19.8	21.7	22.1	21.4
8/27/2021	12	21.3	21.4	22.2	20.8	20.1	22.1	22.1	21.5
8/27/2021	13	21.3	21.4	22.9	21.2	20.6	22.2	22.1	21.5
8/27/2021	14	21.3	21.5	23.4	21.9	21.3	22.9	22.1	21.5
8/27/2021	15	21.3	21.5	23.5	22.4	22.0	23.7	22.1	21.6
8/27/2021	16	21.3	21.4	23.3	22.8	22.6	24.2	22.1	21.6
8/27/2021	17	21.4	21.4	23.1	23.0	22.9	24.2	22.1	21.6
8/27/2021	18	21.4	21.5	22.6	22.9	22.9	23.4	22.1	21.7
8/27/2021	19	21.4	21.5	21.8	22.6	22.8	22.8	22.2	21.7
8/27/2021	20	21.5	21.5	21.2	22.3	22.5	22.5	22.2	21.7
8/27/2021	21	21.5	21.5	20.6	21.7	22.1	22.1	22.1	21.6
8/27/2021	22	21.5	21.5	20.1	21.2	21.6	21.6	22.0	21.6
8/27/2021	23	21.5	21.5	19.9	20.6	21.1	20.6	22.0	21.5
8/27/2021	24	21.4	21.4	19.8	20.2	20.6	20.1	22.0	21.6
8/28/2021	1	21.4	21.4	19.7	19.7	20.2	19.5	22.0	21.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/28/2021	2	21.4	21.4	19.7	19.4	19.9	19.1	21.9	20.5
8/28/2021	3	21.4	21.3	19.7	19.1	19.7	18.9	21.9	21.5
8/28/2021	4	21.3	21.3	19.7	19.0	19.5	18.6	21.9	21.4
8/28/2021	5	21.3	21.3	19.6	18.9	19.4	18.5	21.9	21.4
8/28/2021	6	21.3	21.2	19.5	18.7	19.3	18.3	21.9	21.2
8/28/2021	7	21.3	21.2	19.4	18.7	19.2	18.2	21.9	21.3
8/28/2021	8	21.2	21.2	19.5	19.4	19.2	18.8	21.9	21.3
8/28/2021	9	21.2	21.3	19.9	19.8	19.2	20.1	21.9	21.3
8/28/2021	10	21.3	21.3	20.5	20.0	19.4	20.9	21.9	21.4
8/28/2021	11	21.2	21.3	21.3	20.2	19.6	21.5	21.9	21.4
8/28/2021	12	21.2	21.3	22.3	20.6	19.9	21.8	21.9	21.4
8/28/2021	13	21.2	21.4	23.1	21.2	20.5	22.2	21.9	21.4
8/28/2021	14	21.2	21.4	23.8	22.1	21.4	23.2	22.0	21.5
8/28/2021	15	21.3	21.4	24.0	23.0	22.2	24.4	22.0	21.6
8/28/2021	16	21.3	21.4	24.0	23.2	22.8	25.3	22.1	21.6
8/28/2021	17	21.3	21.5	23.6	23.5	23.3	24.8	22.1	21.7
8/28/2021	18	21.4	21.5	23.1	23.7	23.5	24.3	22.1	21.7
8/28/2021	19	21.4	21.5	22.3	23.4	23.4	24.2	22.2	21.7
8/28/2021	20	21.4	21.5	21.6	23.0	23.1	23.5	22.2	21.7
8/28/2021	21	21.5	21.5	21.1	22.5	22.8	23.1	22.3	21.7
8/28/2021	22	21.5	21.5	20.7	22.0	22.3	22.6	22.2	21.7
8/28/2021	23	21.5	21.6	20.5	21.4	21.7	21.5	22.2	21.7
8/28/2021	24	21.5	21.5	20.4	20.8	21.2	20.9	22.2	21.6
8/29/2021	1	21.5	21.6	20.2	20.4	20.8	20.3	22.2	21.6
8/29/2021	2	21.5	21.5	20.1	20.1	20.5	19.9	22.1	21.6
8/29/2021	3	21.5	21.5	20.0	19.8	20.2	19.5	22.1	21.6
8/29/2021	4	21.5	21.5	19.9	19.6	20.1	19.2	22.1	21.5
8/29/2021	5	21.5	21.5	19.8	19.4	19.9	19.0	22.1	21.6
8/29/2021	6	21.5	21.5	19.7	19.3	19.8	18.8	22.1	21.6
8/29/2021	7	21.5	21.5	19.7	19.2	19.7	18.7	22.2	21.5
8/29/2021	8	21.5	21.5	19.7	19.7	19.6	19.4	22.2	21.5
8/29/2021	9	21.4	21.5	20.2	20.2	19.6	20.9	22.3	21.4
8/29/2021	10	21.4	21.6	20.7	20.3	19.7	21.3	22.3	21.5
8/29/2021	11	21.5	21.6	21.5	20.5	19.9	22.0	22.4	21.6
8/29/2021	12	21.5	21.7	22.4	20.9	20.2	22.5	22.4	21.8
8/29/2021	13	21.5	21.7	23.4	21.6	20.8	22.8	22.5	21.8
8/29/2021	14	21.5	21.7	24.0	22.3	21.6	23.7	22.5	22.0
8/29/2021	15	21.6	21.8	24.3	23.2	22.4	24.9	22.6	22.3
8/29/2021	16	21.6	21.8	24.3	23.5	23.1	25.7	22.5	22.4
8/29/2021	17	21.6	21.7	23.9	23.9	23.6	25.5	22.5	22.5
8/29/2021	18	21.6	21.8	23.3	24.0	23.8	25.2	22.5	22.4
8/29/2021	19	21.6	21.7	22.6	23.8	23.8	24.7	22.5	22.5
8/29/2021	20	21.6	21.7	22.0	23.4	23.4	23.6	22.5	22.3
8/29/2021	21	21.6	21.7	21.4	22.8	23.0	23.2	22.5	22.1
8/29/2021	22	21.6	21.7	21.0	22.3	22.5	23.1	22.5	22.1
8/29/2021	23	21.7	21.7	20.7	21.7	22.0	22.1	22.4	21.9
8/29/2021	24	21.7	21.7	20.4	21.2	21.5	21.4	22.4	21.9
8/30/2021	1	21.7	21.7	20.2	20.7	21.0	20.9	22.3	21.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/30/2021	2	21.7	21.7	20.1	20.3	20.7	20.3	22.3	21.2
8/30/2021	3	21.7	21.7	20.0	20.0	20.3	20.0	22.2	21.6
8/30/2021	4	21.7	21.7	19.9	19.7	20.1	19.7	22.2	21.6
8/30/2021	5	21.7	21.7	19.9	19.5	19.9	19.3	22.1	NA
8/30/2021	6	21.7	21.7	19.8	19.4	19.8	19.1	22.1	21.2
8/30/2021	7	21.7	21.7	19.8	19.2	19.7	19.0	22.1	21.8
8/30/2021	8	21.7	21.7	19.9	19.7	19.6	19.6	22.2	21.7
8/30/2021	9	21.7	21.8	20.3	20.2	19.7	21.5	22.2	21.8
8/30/2021	10	21.6	21.7	21.0	20.4	19.8	21.8	22.3	21.8
8/30/2021	11	21.6	21.7	21.7	20.5	20.0	22.2	22.3	21.8
8/30/2021	12	21.6	21.7	22.6	20.8	20.3	22.5	22.3	21.8
8/30/2021	13	21.6	21.7	23.4	21.2	20.9	22.9	22.4	21.8
8/30/2021	14	21.6	21.7	23.6	22.0	21.6	23.4	22.4	21.8
8/30/2021	15	21.6	21.7	23.7	22.6	22.2	24.0	22.4	21.9
8/30/2021	16	21.6	21.8	23.4	22.8	22.7	24.1	22.4	21.9
8/30/2021	17	21.6	21.7	22.9	22.8	22.8	23.3	22.4	22.0
8/30/2021	18	21.7	21.7	22.2	22.6	22.8	22.6	22.4	22.0
8/30/2021	19	21.8	21.7	21.4	22.1	22.4	21.6	22.4	21.9
8/30/2021	20	21.8	21.7	20.7	21.5	21.8	20.5	22.4	21.8
8/30/2021	21	21.7	21.7	19.9	20.8	21.3	20.2	22.4	21.7
8/30/2021	22	21.7	21.7	19.5	20.2	20.8	19.8	22.3	21.6
8/30/2021	23	21.6	21.6	19.3	19.7	20.3	19.4	22.2	NA
8/30/2021	24	21.6	21.6	19.3	19.2	19.8	19.0	22.2	NA
8/31/2021	1	21.5	21.5	19.2	18.8	19.4	18.6	22.1	21.0
8/31/2021	2	21.5	21.5	19.2	18.6	19.1	18.2	22.0	21.0
8/31/2021	3	21.5	21.4	19.2	18.4	18.9	17.9	22.0	21.1
8/31/2021	4	21.4	21.4	19.2	18.3	18.8	17.8	21.9	21.1
8/31/2021	5	21.4	21.3	19.1	18.1	18.7	17.4	22.0	21.1
8/31/2021	6	21.3	21.3	19.0	18.1	18.6	17.5	22.1	21.1
8/31/2021	7	21.3	21.2	18.9	18.0	18.6	17.3	22.1	21.3
8/31/2021	8	21.3	21.2	19.1	18.6	18.5	17.9	22.0	21.3
8/31/2021	9	21.2	21.2	19.5	18.9	18.6	19.2	21.9	21.2
8/31/2021	10	21.1	21.2	20.0	18.9	18.7	19.5	21.9	21.2
8/31/2021	11	21.0	21.1	20.6	19.2	18.9	19.9	21.7	21.2
8/31/2021	12	20.9	21.0	21.4	19.4	19.1	20.2	21.7	21.1
8/31/2021	13	20.9	21.1	22.2	20.0	19.6	20.4	21.7	21.1
8/31/2021	14	20.9	21.1	22.7	20.7	20.3	21.1	21.7	21.2
8/31/2021	15	21.0	21.1	22.9	21.3	20.9	21.8	21.7	21.2
8/31/2021	16	21.0	21.1	22.8	21.6	21.5	22.3	21.7	21.2
8/31/2021	17	21.0	21.0	22.3	21.8	21.8	21.6	21.7	21.2
8/31/2021	18	21.0	21.0	21.6	21.8	22.0	21.2	21.7	21.2
8/31/2021	19	21.0	21.0	20.9	21.4	21.8	20.9	21.7	21.2
8/31/2021	20	21.0	21.0	20.2	21.0	21.5	20.6	21.7	21.1
8/31/2021	21	21.0	20.9	19.7	20.4	21.0	20.2	21.7	21.1
8/31/2021	22	20.9	20.9	19.3	19.8	20.6	19.5	21.6	21.1
8/31/2021	23	20.9	20.8	19.0	19.4	20.0	19.1	21.6	20.9
8/31/2021	24	20.9	20.8	18.8	18.9	19.6	18.6	21.6	20.8
9/1/2021	1	20.8	20.7	18.5	18.4	19.1	18.1	21.6	20.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/1/2021	2	20.8	20.7	18.4	18.1	18.7	17.6	21.5	20.7
9/1/2021	3	20.8	20.7	18.4	17.8	18.4	17.2	21.5	20.7
9/1/2021	4	20.7	20.7	18.3	17.5	18.2	16.8	21.5	20.8
9/1/2021	5	20.7	20.6	18.3	17.3	18.0	16.6	21.5	20.7
9/1/2021	6	20.6	20.6	18.4	17.2	17.9	16.3	21.4	20.5
9/1/2021	7	20.6	20.5	18.3	17.2	17.8	16.2	21.4	20.7
9/1/2021	8	20.6	20.5	18.4	17.7	17.8	16.8	21.4	20.6
9/1/2021	9	20.6	20.5	18.7	18.1	17.8	17.8	21.3	20.6
9/1/2021	10	20.5	20.5	19.3	18.3	18.0	18.6	21.3	20.6
9/1/2021	11	20.5	20.5	20.0	18.6	18.2	19.1	21.3	20.6
9/1/2021	12	20.4	20.5	20.9	18.9	18.5	19.7	21.2	20.6
9/1/2021	13	20.4	20.5	21.8	19.5	19.0	20.4	21.2	20.6
9/1/2021	14	20.4	20.6	22.5	20.3	19.8	21.4	21.1	20.6
9/1/2021	15	20.5	20.6	22.7	21.2	20.6	22.6	21.2	20.7
9/1/2021	16	20.5	20.6	22.7	21.6	21.3	23.3	21.2	20.8
9/1/2021	17	20.6	20.6	22.3	22.0	21.8	22.8	21.2	20.8
9/1/2021	18	20.6	20.7	21.7	22.1	22.1	22.1	21.3	20.8
9/1/2021	19	20.6	20.7	21.0	21.9	22.0	21.9	21.3	20.8
9/1/2021	20	20.7	20.7	20.3	21.5	21.8	21.3	21.3	20.8
9/1/2021	21	20.7	20.6	19.8	20.9	21.3	20.9	21.4	20.8
9/1/2021	22	20.7	20.6	19.5	20.3	20.8	20.4	21.4	20.8
9/1/2021	23	20.7	20.7	19.3	19.8	20.2	19.8	21.3	20.9
9/1/2021	24	20.7	20.7	19.2	19.4	19.8	19.1	21.3	21.0
9/2/2021	1	20.7	20.6	19.1	18.9	19.5	18.5	21.3	20.8
9/2/2021	2	20.7	20.6	19.0	18.7	19.2	18.1	21.3	20.8
9/2/2021	3	20.6	20.6	18.9	18.5	19.0	17.8	21.3	20.8
9/2/2021	4	20.6	20.5	18.8	18.2	18.8	17.6	21.3	20.7
9/2/2021	5	20.6	20.5	18.7	18.1	18.7	17.4	21.3	20.6
9/2/2021	6	20.6	20.5	18.6	18.0	18.5	17.2	21.3	20.5
9/2/2021	7	20.5	20.4	18.5	17.9	18.4	17.1	21.4	20.6
9/2/2021	8	20.5	20.5	18.6	18.3	18.3	17.9	21.3	20.6
9/2/2021	9	20.5	20.5	19.0	18.7	18.3	19.5	21.3	20.6
9/2/2021	10	20.5	20.5	19.5	18.9	18.4	20.2	21.3	20.6
9/2/2021	11	20.4	20.5	20.2	19.1	18.6	20.7	21.2	20.6
9/2/2021	12	20.4	20.5	21.2	19.5	18.9	21.3	21.2	20.6
9/2/2021	13	20.4	20.6	21.9	19.9	19.5	21.5	21.2	20.6
9/2/2021	14	20.5	20.6	22.5	20.8	20.2	22.3	21.2	20.7
9/2/2021	15	20.5	20.7	22.7	21.5	20.9	23.3	21.2	20.7
9/2/2021	16	20.6	20.6	22.6	21.7	21.5	24.1	21.2	20.8
9/2/2021	17	20.6	20.7	22.3	22.1	21.9	23.2	21.2	20.8
9/2/2021	18	20.6	20.7	21.8	22.2	22.1	22.4	21.3	20.8
9/2/2021	19	20.7	20.7	21.2	22.1	22.1	21.9	21.3	20.9
9/2/2021	20	20.7	20.7	20.6	21.7	21.8	21.6	21.3	20.9
9/2/2021	21	20.7	20.7	20.1	21.3	21.5	20.9	21.3	20.9
9/2/2021	22	20.7	20.7	19.8	20.7	21.1	20.4	21.3	20.8
9/2/2021	23	20.7	20.7	19.5	20.2	20.6	19.8	21.3	20.7
9/2/2021	24	20.7	20.6	19.3	19.7	20.1	19.4	21.3	20.7
9/3/2021	1	20.6	20.6	19.2	19.2	19.7	18.8	21.3	20.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/3/2021	2	20.6	20.6	19.1	18.9	19.4	18.3	21.3	20.7
9/3/2021	3	20.6	20.5	18.9	18.6	19.1	18.0	21.3	20.6
9/3/2021	4	20.6	20.5	18.8	18.4	18.9	17.7	21.3	20.6
9/3/2021	5	20.6	20.5	18.7	18.2	18.7	17.4	21.3	20.5
9/3/2021	6	20.5	20.4	18.6	18.0	18.6	17.2	21.3	20.5
9/3/2021	7	20.5	20.4	18.5	17.9	18.4	17.2	21.3	20.6
9/3/2021	8	20.4	20.4	18.6	18.3	18.3	17.8	21.2	20.6
9/3/2021	9	20.4	20.5	19.0	18.8	18.4	19.7	21.2	20.6
9/3/2021	10	20.4	20.5	19.6	19.0	18.5	20.3	21.1	20.6
9/3/2021	11	20.4	20.6	20.3	19.2	18.6	20.8	21.1	20.6
9/3/2021	12	20.4	20.6	21.2	19.4	19.0	21.6	21.1	20.6
9/3/2021	13	20.4	20.6	22.1	20.1	19.5	22.1	21.1	20.7
9/3/2021	14	20.5	20.7	22.8	21.0	20.3	23.0	21.2	20.7
9/3/2021	15	20.5	20.7	23.1	21.8	21.1	24.3	21.2	20.8
9/3/2021	16	20.6	20.7	22.8	22.2	21.7	23.8	21.3	20.8
9/3/2021	17	20.6	20.7	22.4	22.6	22.3	23.7	21.3	20.8
9/3/2021	18	20.6	20.7	21.7	22.7	22.5	23.6	21.3	20.9
9/3/2021	19	20.7	20.7	21.1	22.4	22.4	23.2	21.4	20.9
9/3/2021	20	20.6	20.7	20.5	22.0	22.1	22.8	21.4	20.8
9/3/2021	21	20.6	20.7	20.0	21.4	21.5	22.3	21.4	20.8
9/3/2021	22	20.7	20.7	19.7	20.9	21.1	21.4	21.4	20.8
9/3/2021	23	20.7	20.7	19.7	20.4	20.6	20.4	21.3	20.7
9/3/2021	24	20.7	20.7	19.6	19.9	20.1	19.9	21.3	20.7
9/4/2021	1	20.7	20.7	19.5	19.5	19.7	19.7	21.3	20.5
9/4/2021	2	20.7	20.6	19.3	19.2	19.5	18.8	21.3	20.6
9/4/2021	3	20.6	20.6	19.2	19.0	19.3	18.4	21.2	20.6
9/4/2021	4	20.6	20.6	19.1	18.8	19.2	18.2	21.2	20.6
9/4/2021	5	20.6	20.6	19.0	18.6	19.0	17.9	21.2	20.5
9/4/2021	6	20.6	20.5	18.9	18.4	18.9	17.7	21.2	20.5
9/4/2021	7	20.6	20.5	18.9	18.4	18.7	17.6	21.2	20.7
9/4/2021	8	20.5	20.5	18.9	18.6	18.7	18.2	21.2	20.7
9/4/2021	9	20.5	20.6	19.2	18.9	18.7	19.7	21.2	20.7
9/4/2021	10	20.5	20.6	19.7	19.1	18.8	20.5	21.2	20.6
9/4/2021	11	20.5	20.6	20.3	19.3	18.9	21.1	21.1	20.6
9/4/2021	12	20.4	20.6	21.0	19.6	19.2	21.4	21.1	20.7
9/4/2021	13	20.4	20.6	21.7	20.1	19.7	21.6	21.2	20.7
9/4/2021	14	20.5	20.7	21.8	20.6	20.2	22.0	21.2	20.7
9/4/2021	15	20.5	20.7	21.8	21.2	20.8	22.4	21.2	20.7
9/4/2021	16	20.6	20.7	21.8	21.7	21.3	23.8	21.2	20.7
9/4/2021	17	20.6	20.7	21.7	21.8	21.5	23.4	21.2	20.7
9/4/2021	18	20.6	20.7	21.5	21.8	21.6	22.8	21.3	20.8
9/4/2021	19	20.6	20.7	21.2	21.7	21.7	22.3	21.3	20.8
9/4/2021	20	20.6	20.7	20.8	21.5	21.5	21.6	21.3	20.8
9/4/2021	21	20.6	20.7	20.4	21.3	21.3	22.0	21.3	20.8
9/4/2021	22	20.6	20.7	20.2	21.0	21.1	21.9	21.3	20.7
9/4/2021	23	20.6	20.7	20.0	20.7	20.8	21.4	21.3	19.2
9/4/2021	24	20.6	20.7	19.9	20.3	20.5	21.2	21.2	19.4
9/5/2021	1	20.6	20.6	19.8	20.1	20.2	20.7	21.2	20.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/5/2021	2	20.6	20.6	19.7	19.9	20.0	20.5	21.2	18.8
9/5/2021	3	20.6	20.6	19.6	19.7	19.8	19.6	21.2	20.6
9/5/2021	4	20.5	20.5	19.5	19.5	19.6	19.4	21.2	20.2
9/5/2021	5	20.5	20.5	19.4	19.3	19.5	19.1	21.2	19.9
9/5/2021	6	20.5	20.5	19.3	19.2	19.4	19.0	21.3	20.6
9/5/2021	7	20.5	20.5	19.3	19.1	19.3	18.8	21.3	20.6
9/5/2021	8	20.4	20.5	19.3	19.3	19.2	19.5	21.3	20.6
9/5/2021	9	20.4	20.5	19.7	19.5	19.2	21.7	21.3	20.3
9/5/2021	10	20.4	20.5	20.3	19.8	19.3	22.2	21.4	20.5
9/5/2021	11	20.4	20.6	21.2	20.3	19.6	23.1	21.4	20.7
9/5/2021	12	20.4	20.6	22.0	20.4	19.9	23.2	21.5	20.9
9/5/2021	13	20.4	20.6	22.7	21.0	20.4	23.5	21.5	21.4
9/5/2021	14	20.4	20.7	23.2	21.8	21.2	24.4	21.6	21.6
9/5/2021	15	20.5	20.7	23.4	22.5	21.9	25.3	21.7	21.6
9/5/2021	16	20.5	20.6	23.4	22.8	22.5	26.1	21.8	21.7
9/5/2021	17	20.5	20.6	23.0	23.1	22.8	25.5	21.9	21.7
9/5/2021	18	20.5	20.6	22.4	23.2	23.0	24.7	21.9	21.7
9/5/2021	19	20.5	20.6	21.6	22.9	22.9	24.1	21.8	21.5
9/5/2021	20	20.6	20.6	20.9	22.5	22.6	23.6	21.7	21.4
9/5/2021	21	20.6	20.6	20.2	21.9	22.1	23.0	21.7	21.2
9/5/2021	22	20.6	20.7	19.8	21.3	21.6	22.0	21.7	21.1
9/5/2021	23	20.6	20.7	19.6	20.8	21.0	21.4	21.6	21.1
9/5/2021	24	20.6	20.7	19.5	20.2	20.4	20.5	21.6	21.1
9/6/2021	1	20.6	20.7	19.5	19.8	20.0	20.6	21.6	21.0
9/6/2021	2	20.6	20.7	19.4	19.5	19.7	19.7	21.5	20.9
9/6/2021	3	20.6	20.7	19.4	19.3	19.5	19.5	21.5	20.9
9/6/2021	4	20.6	20.7	19.3	19.2	19.4	18.9	21.5	20.8
9/6/2021	5	20.7	20.7	19.2	19.1	19.3	18.9	21.4	20.8
9/6/2021	6	20.7	20.7	19.2	18.9	19.2	18.4	21.4	20.8
9/6/2021	7	20.8	20.7	19.1	18.8	19.1	18.2	21.4	20.8
9/6/2021	8	20.8	20.8	19.1	18.9	19.0	18.9	21.4	20.7
9/6/2021	9	20.8	20.9	19.6	19.4	19.0	21.9	21.4	20.7
9/6/2021	10	20.8	20.9	20.2	19.6	19.2	22.3	21.5	20.9
9/6/2021	11	20.8	21.0	21.0	19.4	19.3	22.8	21.6	20.9
9/6/2021	12	20.8	21.0	21.8	19.8	19.6	23.1	21.7	21.2
9/6/2021	13	20.8	21.0	22.6	20.5	20.2	23.2	21.7	21.3
9/6/2021	14	20.9	21.1	23.2	21.3	21.0	24.1	21.7	21.3
9/6/2021	15	20.8	21.0	23.6	22.0	21.7	25.3	21.8	21.4
9/6/2021	16	20.9	21.0	23.5	22.5	22.3	26.5	21.8	21.8
9/6/2021	17	20.9	21.0	23.2	23.0	22.8	26.5	21.8	22.0
9/6/2021	18	20.9	21.0	22.6	23.2	23.1	23.8	21.9	21.8
9/6/2021	19	20.9	21.0	21.9	23.0	23.0	23.0	21.9	21.5
9/6/2021	20	20.9	21.0	21.2	22.7	22.8	22.8	21.8	21.5
9/6/2021	21	20.9	21.0	20.7	22.3	22.4	22.2	21.8	21.5
9/6/2021	22	20.9	21.0	20.3	21.7	21.9	21.3	21.7	21.4
9/6/2021	23	20.9	21.0	20.1	21.1	21.3	20.7	21.7	21.2
9/6/2021	24	20.9	21.0	19.9	20.6	20.8	20.1	21.7	21.2
9/7/2021	1	20.9	21.0	19.7	20.2	20.4	19.5	21.6	21.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/7/2021	2	21.0	21.0	19.6	19.8	20.1	19.1	21.6	21.0
9/7/2021	3	21.0	21.0	19.5	19.6	19.8	18.7	21.6	21.0
9/7/2021	4	21.0	21.0	19.4	19.3	19.6	18.4	21.6	20.9
9/7/2021	5	21.0	21.0	19.3	19.2	19.4	18.2	21.7	20.9
9/7/2021	6	21.0	20.9	19.2	19.1	19.3	18.0	21.7	20.9
9/7/2021	7	21.0	21.0	19.1	18.9	19.1	17.9	21.8	21.2
9/7/2021	8	21.1	21.1	19.2	18.9	19.0	18.6	21.8	21.2
9/7/2021	9	21.1	21.1	19.5	19.0	19.0	20.1	21.8	21.2
9/7/2021	10	21.0	21.1	20.0	19.1	19.1	21.3	21.8	21.2
9/7/2021	11	21.0	21.1	20.8	19.3	19.2	22.1	21.8	21.2
9/7/2021	12	21.0	21.1	21.7	19.7	19.5	22.4	21.8	21.2
9/7/2021	13	21.0	21.2	22.6	20.3	20.0	23.0	21.8	21.2
9/7/2021	14	21.1	21.2	23.1	21.1	20.7	23.8	21.8	21.3
9/7/2021	15	21.1	21.2	23.5	21.9	21.6	25.4	21.8	21.3
9/7/2021	16	21.1	21.3	23.4	22.4	22.2	26.4	21.8	21.4
9/7/2021	17	21.1	21.3	22.9	22.9	22.7	24.8	21.9	21.5
9/7/2021	18	21.1	21.3	22.4	23.1	23.0	23.9	21.9	21.5
9/7/2021	19	21.2	21.3	21.8	23.0	23.0	23.1	21.9	21.5
9/7/2021	20	21.2	21.3	21.3	22.6	22.7	22.7	21.9	21.5
9/7/2021	21	21.2	21.3	20.9	22.1	22.3	22.0	22.0	21.5
9/7/2021	22	21.3	21.3	20.5	21.6	21.8	21.3	22.0	21.5
9/7/2021	23	21.3	21.3	20.3	21.2	21.3	20.8	21.9	21.3
9/7/2021	24	21.3	21.3	20.1	20.7	20.9	20.2	21.8	19.6
9/8/2021	1	21.3	21.3	20.1	20.4	20.6	19.9	21.9	19.9
9/8/2021	2	21.3	21.3	20.0	20.1	20.3	19.6	21.9	21.2
9/8/2021	3	21.3	21.3	20.0	19.9	20.1	19.4	21.9	21.2
9/8/2021	4	21.3	21.3	19.9	19.8	19.9	19.3	21.9	21.0
9/8/2021	5	21.3	21.3	19.9	19.7	19.8	19.2	21.9	20.5
9/8/2021	6	21.3	21.3	20.0	19.7	19.7	19.6	21.9	21.1
9/8/2021	7	21.3	21.3	20.1	19.7	19.7	19.6	21.9	21.4
9/8/2021	8	21.2	21.3	20.1	19.7	19.7	19.7	22.0	21.3
9/8/2021	9	21.2	21.3	20.3	19.8	19.8	21.0	22.0	21.2
9/8/2021	10	21.2	21.3	20.8	20.0	19.9	22.1	22.1	21.2
9/8/2021	11	21.2	21.4	21.4	20.3	20.2	23.0	22.1	21.4
9/8/2021	12	21.3	21.4	22.2	20.6	20.4	23.8	22.1	21.6
9/8/2021	13	21.3	21.5	22.8	21.1	20.9	24.4	22.0	21.5
9/8/2021	14	21.3	21.6	23.4	21.7	21.5	24.8	22.0	21.6
9/8/2021	15	21.4	21.6	23.6	22.3	22.1	25.6	22.1	21.7
9/8/2021	16	21.4	21.6	23.6	22.8	22.6	26.2	22.1	21.7
9/8/2021	17	21.4	21.6	23.1	23.1	23.0	25.5	22.1	21.7
9/8/2021	18	21.5	21.6	22.5	23.2	23.1	24.5	22.1	21.7
9/8/2021	19	21.5	21.7	21.9	23.0	23.0	24.0	22.2	21.7
9/8/2021	20	21.5	21.6	21.4	22.7	22.8	23.1	22.2	21.7
9/8/2021	21	21.5	21.6	20.9	22.3	22.4	22.7	22.2	21.7
9/8/2021	22	21.5	21.6	20.5	21.7	21.9	22.6	22.2	21.7
9/8/2021	23	21.5	21.6	20.3	21.2	21.5	22.0	22.1	21.5
9/8/2021	24	21.5	21.5	20.2	20.8	21.0	21.7	22.0	21.4
9/9/2021	1	21.5	21.5	20.0	20.4	20.6	20.5	22.0	21.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/9/2021	2	21.4	21.5	20.0	20.2	20.3	19.8	22.0	21.3
9/9/2021	3	21.4	21.4	20.0	19.9	20.1	19.4	22.0	21.3
9/9/2021	4	21.4	21.4	20.0	19.8	20.0	19.2	22.0	21.2
9/9/2021	5	21.4	21.4	19.9	19.7	19.8	18.9	22.0	21.2
9/9/2021	6	21.4	21.3	19.8	19.6	19.8	18.7	22.0	21.2
9/9/2021	7	21.3	21.3	19.8	19.5	19.7	18.7	22.0	21.5
9/9/2021	8	21.3	21.3	19.7	19.5	19.6	19.0	22.0	21.4
9/9/2021	9	21.3	21.3	20.1	19.7	19.7	21.5	22.0	21.4
9/9/2021	10	21.2	21.3	20.7	19.8	19.7	22.2	22.0	21.4
9/9/2021	11	21.2	21.4	21.4	20.0	19.9	22.8	22.0	21.4
9/9/2021	12	21.3	21.4	22.2	20.3	20.2	23.0	22.1	21.4
9/9/2021	13	21.3	21.5	22.7	20.9	20.6	23.1	22.1	21.5
9/9/2021	14	21.4	21.6	22.9	21.6	21.3	23.6	22.1	21.5
9/9/2021	15	21.4	21.6	23.2	22.2	22.0	24.7	22.1	21.6
9/9/2021	16	21.5	21.6	23.0	22.6	22.4	24.4	22.1	21.6
9/9/2021	17	21.5	21.7	22.7	22.8	22.7	24.1	22.1	21.6
9/9/2021	18	21.5	21.7	22.3	22.9	22.8	23.7	22.1	21.6
9/9/2021	19	21.5	21.6	21.9	22.7	22.8	23.0	22.1	21.6
9/9/2021	20	21.5	21.6	21.5	22.4	22.5	22.4	22.1	21.6
9/9/2021	21	21.5	21.6	21.2	22.1	22.2	22.5	22.1	21.6
9/9/2021	22	21.5	21.5	20.9	21.7	21.9	22.2	22.1	21.6
9/9/2021	23	21.5	21.5	20.7	21.3	21.5	21.3	22.1	21.4
9/9/2021	24	21.4	21.5	20.6	21.0	21.2	20.8	22.1	21.4
9/10/2021	1	21.4	21.5	20.4	20.8	20.9	20.4	22.1	21.4
9/10/2021	2	21.4	21.5	20.3	20.5	20.7	20.1	22.1	21.4
9/10/2021	3	21.4	21.4	20.2	20.3	20.5	19.9	22.1	21.4
9/10/2021	4	21.4	21.4	20.2	20.2	20.3	19.7	22.0	21.3
9/10/2021	5	21.4	21.4	20.1	20.1	20.2	19.5	22.0	21.3
9/10/2021	6	21.4	21.4	20.1	19.9	20.1	19.4	22.0	21.3
9/10/2021	7	21.3	21.3	20.0	19.9	20.0	19.4	22.0	21.5
9/10/2021	8	21.3	21.3	20.1	19.9	19.9	19.6	22.0	21.5
9/10/2021	9	21.3	21.3	20.2	19.9	19.9	19.8	21.9	21.4
9/10/2021	10	21.3	21.3	20.3	19.9	19.9	19.6	21.9	21.4
9/10/2021	11	21.3	21.3	20.5	19.9	20.0	19.5	21.9	21.4
9/10/2021	12	21.2	21.3	20.6	20.0	20.0	19.9	21.9	21.4
9/10/2021	13	21.2	21.3	20.6	20.1	20.1	19.8	21.8	21.3
9/10/2021	14	21.2	21.3	20.6	20.2	20.2	19.3	21.8	21.3
9/10/2021	15	21.2	21.2	20.5	20.1	20.2	19.2	21.8	21.3
9/10/2021	16	21.2	21.2	20.4	20.1	20.3	19.1	21.7	21.3
9/10/2021	17	21.1	21.2	20.4	20.1	20.3	19.4	21.7	21.2
9/10/2021	18	21.1	21.2	20.3	20.1	20.2	19.3	21.6	21.2
9/10/2021	19	21.1	21.2	20.2	20.0	20.2	19.1	21.5	21.2
9/10/2021	20	21.1	21.1	20.2	19.9	20.2	19.0	21.5	21.2
9/10/2021	21	21.1	21.1	20.2	19.9	20.1	19.1	21.5	21.2
9/10/2021	22	21.0	21.1	20.1	19.9	20.1	19.2	21.5	21.1
9/10/2021	23	21.0	21.1	20.1	19.8	20.0	19.2	21.6	21.0
9/10/2021	24	21.0	21.0	20.1	19.8	20.0	19.3	21.6	21.0
9/11/2021	1	21.0	21.0	20.0	19.8	19.9	19.2	21.6	21.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/11/2021	2	21.0	21.0	19.9	19.7	19.9	19.0	21.6	20.7
9/11/2021	3	21.0	20.9	19.8	19.6	19.8	18.8	21.6	20.8
9/11/2021	4	20.9	20.9	19.6	19.5	19.7	18.7	21.6	20.9
9/11/2021	5	20.9	20.9	19.5	19.4	19.6	18.5	21.6	20.8
9/11/2021	6	20.9	20.8	19.4	19.3	19.5	18.3	21.6	20.7
9/11/2021	7	20.9	20.8	19.3	19.1	19.3	18.3	21.6	21.0
9/11/2021	8	20.8	20.8	19.2	19.1	19.2	18.3	21.6	21.0
9/11/2021	9	20.8	20.8	19.6	19.2	19.2	20.7	21.6	20.9
9/11/2021	10	20.8	20.9	20.2	19.3	19.3	21.2	21.6	20.9
9/11/2021	11	20.8	21.0	20.9	19.5	19.4	21.6	21.6	21.0
9/11/2021	12	20.9	21.0	21.7	19.8	19.6	21.7	21.6	21.0
9/11/2021	13	20.9	21.1	22.4	20.4	20.1	22.1	21.6	21.1
9/11/2021	14	21.0	21.1	22.8	21.2	20.8	23.1	21.6	21.2
9/11/2021	15	21.0	21.2	23.1	21.8	21.5	24.1	21.6	21.2
9/11/2021	16	21.1	21.2	22.9	22.3	22.1	23.8	21.6	21.2
9/11/2021	17	21.1	21.2	22.6	22.6	22.4	24.3	21.7	21.2
9/11/2021	18	21.1	21.2	22.0	22.6	22.5	23.1	21.7	21.2
9/11/2021	19	21.1	21.1	21.4	22.4	22.4	22.7	21.7	21.2
9/11/2021	20	21.0	21.1	20.9	22.1	22.2	22.2	21.7	21.1
9/11/2021	21	20.9	21.0	20.4	21.7	21.8	21.8	21.6	21.1
9/11/2021	22	20.9	20.9	20.2	21.2	21.4	21.2	21.6	21.0
9/11/2021	23	20.8	20.9	20.0	20.8	21.0	20.8	21.6	20.9
9/11/2021	24	20.8	20.8	19.9	20.4	20.6	20.3	21.5	20.9
9/12/2021	1	20.8	20.8	19.9	20.1	20.2	20.0	21.5	20.9
9/12/2021	2	20.8	20.8	19.8	19.8	20.0	19.7	21.5	20.8
9/12/2021	3	20.8	20.8	19.8	19.7	19.9	19.6	21.4	20.7
9/12/2021	4	20.8	20.7	19.7	19.7	19.8	19.3	21.4	20.8
9/12/2021	5	20.7	20.7	19.7	19.6	19.7	19.1	21.4	20.8
9/12/2021	6	20.7	20.7	19.6	19.5	19.6	18.9	21.4	20.7
9/12/2021	7	20.7	20.7	19.6	19.4	19.6	18.8	21.4	20.7
9/12/2021	8	20.7	20.7	19.6	19.4	19.5	19.2	21.4	20.7
9/12/2021	9	20.7	20.7	19.7	19.5	19.5	20.0	21.4	20.7
9/12/2021	10	20.6	20.7	20.2	19.7	19.6	21.7	21.5	20.8
9/12/2021	11	20.6	20.7	20.9	19.9	19.7	22.3	21.5	20.8
9/12/2021	12	20.6	20.7	21.2	19.8	19.7	21.4	21.5	20.9
9/12/2021	13	20.6	20.7	22.3	20.4	20.2	22.4	21.5	21.4
9/12/2021	14	20.6	20.7	22.9	20.9	20.7	23.1	21.6	21.5
9/12/2021	15	20.5	20.7	23.1	21.5	21.3	23.7	21.6	21.4
9/12/2021	16	20.5	20.6	22.9	21.9	21.8	24.1	21.7	21.4
9/12/2021	17	20.5	20.6	22.4	22.3	22.2	23.6	21.7	21.4
9/12/2021	18	20.5	20.6	21.6	22.4	22.3	22.6	21.8	21.3
9/12/2021	19	20.5	20.5	20.8	22.0	22.1	22.2	21.8	21.1
9/12/2021	20	20.5	20.5	20.3	21.6	21.7	21.6	21.7	21.0
9/12/2021	21	20.5	20.5	19.8	21.1	21.3	20.9	21.6	20.9
9/12/2021	22	20.5	20.5	19.5	20.6	20.8	20.2	21.6	20.8
9/12/2021	23	20.5	20.5	19.2	20.1	20.3	19.8	21.5	20.2
9/12/2021	24	20.5	20.5	19.1	19.6	19.9	19.3	21.5	20.7
9/13/2021	1	20.6	20.5	18.9	19.2	19.5	18.8	21.4	20.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/13/2021	2	20.6	20.6	18.8	18.9	19.2	18.3	21.3	20.6
9/13/2021	3	20.6	20.6	18.7	18.7	18.9	18.1	21.3	20.5
9/13/2021	4	20.6	20.6	18.6	18.5	18.7	17.9	21.3	20.4
9/13/2021	5	20.6	20.6	18.5	18.3	18.5	17.6	21.3	20.4
9/13/2021	6	20.6	20.5	18.5	18.2	18.4	17.4	21.3	20.4
9/13/2021	7	20.6	20.5	18.5	18.1	18.3	17.3	21.3	20.6
9/13/2021	8	20.5	20.5	18.5	18.0	18.2	17.3	21.3	20.5
9/13/2021	9	20.5	20.5	19.0	18.2	18.2	19.0	21.2	20.5
9/13/2021	10	20.4	20.4	19.4	18.3	18.3	19.6	21.2	20.4
9/13/2021	11	20.4	20.4	20.0	18.5	18.4	20.1	21.2	20.4
9/13/2021	12	20.3	20.4	20.8	18.9	18.7	20.7	21.1	20.5
9/13/2021	13	20.3	20.4	21.6	19.5	19.2	21.2	21.1	20.5
9/13/2021	14	20.3	20.5	22.2	20.2	19.9	22.1	21.1	20.6
9/13/2021	15	20.3	20.4	22.4	20.9	20.6	22.6	21.1	20.6
9/13/2021	16	20.3	20.4	22.3	21.3	21.2	23.7	21.1	20.6
9/13/2021	17	20.3	20.4	22.0	21.7	21.6	23.7	21.1	20.6
9/13/2021	18	20.4	20.5	21.4	21.9	21.8	21.8	21.1	20.6
9/13/2021	19	20.5	20.5	20.8	21.7	21.7	21.2	21.1	20.6
9/13/2021	20	20.5	20.6	20.2	21.4	21.5	21.2	21.1	20.6
9/13/2021	21	20.5	20.5	19.7	21.0	21.2	20.8	21.1	20.6
9/13/2021	22	20.5	20.5	19.5	20.5	20.7	20.3	21.1	20.6
9/13/2021	23	20.5	20.5	19.3	20.0	20.2	19.6	21.1	20.4
9/13/2021	24	20.5	20.5	19.0	19.6	19.8	19.2	21.1	20.5
9/14/2021	1	20.4	20.4	18.9	19.2	19.4	18.6	21.1	20.3
9/14/2021	2	20.4	20.4	18.8	18.9	19.2	18.3	21.1	20.4
9/14/2021	3	20.4	20.4	18.8	18.7	18.9	18.0	21.1	20.3
9/14/2021	4	20.4	20.3	18.8	18.5	18.7	17.7	21.1	20.3
9/14/2021	5	20.3	20.3	18.7	18.3	18.5	17.4	21.1	20.2
9/14/2021	6	20.3	20.2	18.6	18.2	18.4	17.1	21.1	20.2
9/14/2021	7	20.3	20.2	18.5	18.2	18.3	17.1	21.1	20.4
9/14/2021	8	20.3	20.2	18.5	18.2	18.3	17.1	21.1	20.3
9/14/2021	9	20.2	20.2	18.8	18.3	18.3	19.0	21.0	20.4
9/14/2021	10	20.3	20.3	19.3	18.4	18.4	19.8	21.0	20.4
9/14/2021	11	20.2	20.3	20.1	18.6	18.5	20.6	21.0	20.4
9/14/2021	12	20.2	20.3	21.0	18.9	18.7	21.0	20.9	20.4
9/14/2021	13	20.2	20.3	21.6	19.3	19.2	20.5	20.9	20.4
9/14/2021	14	20.3	20.4	22.1	20.2	19.9	21.6	21.0	20.5
9/14/2021	15	20.3	20.4	22.4	20.9	20.7	23.3	21.0	20.5
9/14/2021	16	20.3	20.4	22.3	21.4	21.2	23.1	21.0	20.5
9/14/2021	17	20.3	20.4	21.7	21.8	21.6	22.8	21.1	20.6
9/14/2021	18	20.5	20.6	21.0	22.0	21.8	22.6	21.1	20.6
9/14/2021	19	20.5	20.6	20.5	21.8	21.8	22.3	21.2	20.7
9/14/2021	20	20.5	20.6	20.1	21.3	21.5	21.6	21.1	20.7
9/14/2021	21	20.5	20.6	19.7	20.8	21.0	21.1	21.0	20.7
9/14/2021	22	20.5	20.6	19.6	20.3	20.5	20.3	21.1	20.7
9/14/2021	23	20.5	20.6	19.5	20.0	20.2	19.8	21.1	20.5
9/14/2021	24	20.5	20.5	19.4	19.7	19.8	19.6	20.9	20.5
9/15/2021	1	20.5	20.5	19.3	19.4	19.5	19.5	21.0	20.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/15/2021	2	20.5	20.5	19.2	19.2	19.3	19.4	21.1	20.4
9/15/2021	3	20.4	20.5	19.2	19.1	19.2	19.2	21.0	20.3
9/15/2021	4	20.4	20.4	19.1	18.9	19.1	19.0	21.0	20.4
9/15/2021	5	20.4	20.4	19.0	18.8	19.0	18.4	21.0	20.2
9/15/2021	6	20.4	20.4	18.9	18.7	18.8	18.3	21.0	20.3
9/15/2021	7	20.3	20.3	18.9	18.7	18.8	18.2	21.0	20.5
9/15/2021	8	20.3	20.3	18.9	18.6	18.7	18.2	20.9	20.5
9/15/2021	9	20.3	20.3	19.1	18.7	18.7	19.7	20.9	20.4
9/15/2021	10	20.3	20.3	19.3	18.7	18.7	20.2	20.9	20.4
9/15/2021	11	20.3	20.3	19.9	18.8	18.8	20.1	20.9	20.4
9/15/2021	12	20.3	20.4	20.5	18.9	18.8	20.0	20.9	20.4
9/15/2021	13	20.3	20.4	21.1	19.1	19.0	20.1	20.8	20.4
9/15/2021	14	20.3	20.4	21.5	19.7	19.5	20.5	20.8	20.5
9/15/2021	15	20.3	20.4	21.6	20.2	20.0	21.1	20.8	20.5
9/15/2021	16	20.3	20.3	21.4	20.5	20.4	21.4	20.7	20.5
9/15/2021	17	20.3	20.3	20.9	20.7	20.6	20.8	20.7	20.4
9/15/2021	18	20.3	20.3	20.2	20.7	20.7	20.1	20.7	20.4
9/15/2021	19	20.3	20.2	19.5	20.3	20.5	19.6	20.7	20.3
9/15/2021	20	20.2	20.2	18.9	19.9	20.2	19.1	20.7	20.3
9/15/2021	21	20.1	20.1	18.6	19.4	19.7	18.9	20.7	20.2
9/15/2021	22	20.1	20.0	18.2	18.9	19.2	18.5	20.7	20.1
9/15/2021	23	20.0	19.9	18.0	18.4	18.7	18.0	20.6	18.9
9/15/2021	24	19.9	19.8	18.0	18.0	18.3	17.4	20.6	19.8
9/16/2021	1	19.9	19.8	18.0	17.7	18.0	16.9	20.6	19.6
9/16/2021	2	19.8	19.7	17.9	17.5	17.7	16.6	20.5	19.8
9/16/2021	3	19.8	19.7	17.8	17.3	17.6	16.4	20.5	19.6
9/16/2021	4	19.8	19.6	17.7	17.2	17.5	16.3	20.5	19.6
9/16/2021	5	19.7	19.6	17.6	17.1	17.4	16.0	20.4	19.6
9/16/2021	6	19.7	19.5	17.5	17.0	17.2	16.0	20.4	19.6
9/16/2021	7	19.6	19.5	17.3	16.8	17.1	15.8	20.4	19.7
9/16/2021	8	19.6	19.4	17.3	16.8	17.0	15.9	20.4	19.6
9/16/2021	9	19.5	19.4	17.7	17.0	17.0	17.9	20.4	19.5
9/16/2021	10	19.4	19.4	18.2	17.2	17.1	18.1	20.3	19.5
9/16/2021	11	19.4	19.4	18.9	17.3	17.2	18.5	20.3	19.5
9/16/2021	12	19.4	19.5	19.6	17.7	17.4	18.7	20.3	19.5
9/16/2021	13	19.5	19.5	20.3	18.1	17.8	19.0	20.3	19.6
9/16/2021	14	19.5	19.6	20.9	18.8	18.5	19.7	20.3	19.7
9/16/2021	15	19.6	19.7	21.2	20.1	19.2	20.7	20.3	19.8
9/16/2021	16	19.7	19.7	21.1	20.0	19.8	19.9	20.3	19.8
9/16/2021	17	19.7	19.7	20.6	20.4	20.2	20.2	20.4	19.8
9/16/2021	18	19.7	19.7	20.1	20.6	20.5	20.4	20.4	19.8
9/16/2021	19	19.7	19.7	19.5	20.3	20.4	20.3	20.4	19.8
9/16/2021	20	19.7	19.7	19.0	20.0	20.1	20.0	20.4	19.8
9/16/2021	21	19.7	19.7	18.7	19.6	19.7	19.7	20.4	19.8
9/16/2021	22	19.7	19.7	18.4	19.2	19.3	19.2	20.4	19.8
9/16/2021	23	19.7	19.6	18.2	18.7	18.9	18.8	20.3	18.2
9/16/2021	24	19.7	19.6	18.0	18.3	18.5	18.4	20.3	19.6
9/17/2021	1	19.6	19.6	17.9	18.0	18.2	18.0	20.3	19.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/17/2021	2	19.6	19.6	17.9	17.8	17.9	17.7	20.3	19.5
9/17/2021	3	19.6	19.5	17.9	17.6	17.7	17.6	20.3	19.5
9/17/2021	4	19.6	19.5	17.9	17.5	17.6	17.4	20.3	19.6
9/17/2021	5	19.6	19.5	17.9	17.5	17.6	17.4	20.3	19.6
9/17/2021	6	19.5	19.5	17.9	17.5	17.5	17.3	20.3	19.6
9/17/2021	7	19.5	19.4	18.0	17.5	17.5	17.3	20.3	19.6
9/17/2021	8	19.5	19.5	18.0	17.5	17.5	17.3	20.2	19.6
9/17/2021	9	19.5	19.4	18.1	17.6	17.6	17.4	20.2	19.5
9/17/2021	10	19.4	19.5	18.4	17.7	17.7	17.6	20.2	19.5
9/17/2021	11	19.4	19.5	18.7	17.8	17.8	17.7	20.1	19.5
9/17/2021	12	19.4	19.5	18.8	18.0	17.9	17.9	20.1	19.5
9/17/2021	13	19.4	19.5	19.0	18.2	18.1	18.0	20.1	19.5
9/17/2021	14	19.4	19.5	19.0	18.4	18.3	18.2	20.0	19.5
9/17/2021	15	19.4	19.5	19.0	18.5	18.5	18.4	20.0	19.5
9/17/2021	16	19.4	19.5	19.1	18.6	18.6	18.6	20.1	19.5
9/17/2021	17	19.4	19.5	18.9	18.7	18.6	18.5	20.1	19.5
9/17/2021	18	19.4	19.5	18.7	18.7	18.6	18.5	20.1	19.5
9/17/2021	19	19.4	19.4	18.6	18.6	18.6	18.5	20.1	19.5
9/17/2021	20	19.4	19.4	18.5	18.5	18.5	18.4	20.1	19.5
9/17/2021	21	19.4	19.4	18.4	18.4	18.4	18.3	20.1	19.5
9/17/2021	22	19.4	19.4	18.4	18.3	18.3	18.2	20.1	19.5
9/17/2021	23	19.4	19.4	18.3	18.2	18.2	18.1	20.1	NA
9/17/2021	24	19.4	19.4	18.3	18.1	18.2	18.0	20.1	18.1
9/18/2021	1	19.4	19.3	18.2	18.0	18.1	17.9	20.0	18.9
9/18/2021	2	19.3	19.3	18.2	18.0	18.0	17.9	20.0	17.9
9/18/2021	3	19.3	19.3	18.1	17.9	18.0	17.8	20.0	17.9
9/18/2021	4	19.3	19.3	18.1	17.8	17.9	17.7	20.0	18.8
9/18/2021	5	19.3	19.3	18.0	17.8	17.8	17.7	20.0	19.2
9/18/2021	6	19.3	19.2	18.0	17.7	17.7	17.6	19.9	19.2
9/18/2021	7	19.2	19.2	17.9	17.7	17.7	17.5	19.9	19.3
9/18/2021	8	19.2	19.2	17.9	17.6	17.6	17.5	19.8	19.2
9/18/2021	9	19.2	19.2	17.8	17.6	17.6	17.4	19.7	19.2
9/18/2021	10	19.1	19.1	17.8	17.6	17.6	17.5	19.6	19.2
9/18/2021	11	19.1	19.1	18.0	17.6	17.6	17.5	19.6	19.1
9/18/2021	12	19.0	19.1	18.7	17.8	17.7	17.6	19.6	19.1
9/18/2021	13	19.0	19.1	18.9	18.6	18.5	18.4	19.6	19.1
9/18/2021	14	19.0	19.1	18.8	18.8	18.7	18.7	19.6	19.1
9/18/2021	15	19.0	19.0	18.8	18.8	18.7	18.7	19.6	19.0
9/18/2021	16	19.0	19.1	19.0	18.7	18.7	18.8	19.6	19.1
9/18/2021	17	19.0	19.1	19.1	18.9	18.9	18.9	19.6	19.1
9/18/2021	18	19.0	19.1	18.8	18.9	18.9	18.9	19.6	19.1
9/18/2021	19	19.0	19.1	18.6	18.8	18.8	18.7	19.6	19.1
9/18/2021	20	19.0	19.1	18.5	18.5	18.6	18.5	19.6	19.1
9/18/2021	21	19.0	19.0	18.4	18.3	18.3	18.3	19.6	19.1
9/18/2021	22	19.0	19.0	18.4	18.2	18.3	18.2	19.6	19.1
9/18/2021	23	18.9	19.0	18.4	18.2	18.2	18.2	19.6	NA
9/18/2021	24	18.9	19.0	18.3	18.2	18.2	18.1	19.7	19.2
9/19/2021	1	18.9	18.9	18.3	18.2	18.2	18.2	19.7	19.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/19/2021	2	18.9	18.9	18.3	18.2	18.2	18.2	19.7	19.0
9/19/2021	3	18.9	18.9	18.3	18.2	18.2	18.2	19.7	19.3
9/19/2021	4	18.8	18.9	18.3	18.2	18.2	18.2	19.6	19.2
9/19/2021	5	18.8	18.9	18.3	18.2	18.2	18.1	19.6	19.2
9/19/2021	6	18.8	18.8	18.3	18.2	18.2	18.1	19.6	19.2
9/19/2021	7	18.8	18.8	18.2	18.2	18.2	18.1	19.6	19.0
9/19/2021	8	18.8	18.8	18.3	18.2	18.2	18.1	19.6	19.1
9/19/2021	9	18.7	18.8	18.3	18.2	18.2	18.1	19.6	19.1
9/19/2021	10	18.7	18.8	18.7	18.3	18.3	18.3	19.6	19.1
9/19/2021	11	18.7	18.8	19.1	18.6	18.5	18.6	19.6	19.1
9/19/2021	12	18.8	18.9	19.3	19.2	19.1	19.1	19.7	19.3
9/19/2021	13	18.8	19.0	19.6	19.4	19.4	19.4	19.7	19.2
9/19/2021	14	18.9	19.0	19.6	19.7	19.6	19.7	19.7	19.4
9/19/2021	15	18.9	19.0	19.5	19.7	19.7	19.7	19.8	19.4
9/19/2021	16	19.0	19.1	19.4	19.5	19.6	19.6	19.8	19.5
9/19/2021	17	19.0	19.1	19.1	19.3	19.4	19.3	19.8	19.4
9/19/2021	18	19.0	19.0	18.7	19.0	19.0	19.0	19.9	19.4
9/19/2021	19	18.9	19.0	18.4	18.6	18.7	18.6	19.8	19.2
9/19/2021	20	18.9	19.0	18.3	18.3	18.4	18.3	19.7	19.2
9/19/2021	21	18.9	18.9	18.2	18.2	18.2	18.1	19.5	19.2
9/19/2021	22	18.8	18.9	18.2	18.1	18.1	18.0	19.4	19.2
9/19/2021	23	18.8	18.9	18.2	18.1	18.1	18.0	19.4	19.2
9/19/2021	24	18.8	18.8	18.2	18.1	18.1	18.0	19.4	19.2
9/20/2021	1	18.8	18.8	18.1	18.0	18.0	17.9	19.4	19.3
9/20/2021	2	18.7	18.7	18.1	18.0	18.0	17.9	19.5	19.2
9/20/2021	3	18.7	18.7	18.0	17.9	17.9	17.8	19.5	19.1
9/20/2021	4	18.7	18.7	17.9	17.8	17.9	17.8	19.5	19.0
9/20/2021	5	18.6	18.7	17.9	17.8	17.8	17.7	19.3	19.0
9/20/2021	6	18.6	18.6	17.8	17.7	17.7	17.7	19.3	18.9
9/20/2021	7	18.6	18.6	17.8	17.7	17.7	17.6	19.3	18.7
9/20/2021	8	18.6	18.6	17.8	17.7	17.7	17.6	19.4	18.6
9/20/2021	9	18.5	18.6	18.0	17.7	17.7	17.6	19.4	18.6
9/20/2021	10	18.5	18.6	18.4	17.9	17.8	17.8	19.4	18.6
9/20/2021	11	18.5	18.6	18.9	18.2	18.1	18.1	19.4	18.6
9/20/2021	12	18.6	18.7	19.5	18.6	18.4	18.5	19.4	18.7
9/20/2021	13	18.6	18.7	19.9	19.2	19.0	19.1	19.4	18.7
9/20/2021	14	18.6	18.8	20.2	19.7	19.5	19.7	19.4	18.8
9/20/2021	15	18.7	18.9	20.3	20.1	19.9	20.0	19.4	18.8
9/20/2021	16	18.8	18.9	20.1	20.2	20.1	20.2	19.4	18.9
9/20/2021	17	18.9	19.0	19.8	20.2	20.2	20.3	19.4	19.0
9/20/2021	18	18.9	19.0	19.2	20.0	20.0	20.0	19.4	19.0
9/20/2021	19	18.9	18.9	18.8	19.6	19.7	19.7	19.5	19.0
9/20/2021	20	18.9	18.9	18.4	19.2	19.3	19.3	19.5	19.0
9/20/2021	21	18.9	18.9	18.2	18.8	18.9	18.9	19.5	19.0
9/20/2021	22	18.9	18.9	17.9	18.4	18.6	18.5	19.5	19.0
9/20/2021	23	18.9	18.9	17.8	18.1	18.2	18.1	19.6	19.2
9/20/2021	24	18.9	18.9	17.7	17.8	17.9	17.8	19.6	NA
9/21/2021	1	18.9	18.9	17.6	17.6	17.7	17.6	19.6	19.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/21/2021	2	18.9	18.8	17.5	17.4	17.5	17.4	19.6	19.1
9/21/2021	3	18.9	18.8	17.4	17.3	17.4	17.2	19.6	19.1
9/21/2021	4	18.8	18.8	17.4	17.1	17.3	17.1	19.5	18.9
9/21/2021	5	18.8	18.7	17.3	17.1	17.2	17.0	19.5	18.8
9/21/2021	6	18.8	18.7	17.2	17.0	17.1	16.9	19.5	18.8
9/21/2021	7	18.7	18.7	17.2	16.9	17.0	16.8	19.5	18.8
9/21/2021	8	18.7	18.7	17.2	16.8	16.9	16.7	19.5	18.8
9/21/2021	9	18.7	18.7	17.4	16.9	16.9	16.8	19.4	18.7
9/21/2021	10	18.7	18.7	17.8	17.0	17.0	17.0	19.4	18.7
9/21/2021	11	18.7	18.7	18.4	17.2	17.1	17.2	19.5	18.7
9/21/2021	12	18.7	18.8	19.2	17.5	17.3	17.5	19.4	18.8
9/21/2021	13	18.7	18.9	20.0	18.0	17.7	17.9	19.4	18.8
9/21/2021	14	18.8	19.0	20.7	18.7	18.4	18.5	19.3	18.9
9/21/2021	15	18.9	19.0	20.9	19.4	19.1	19.2	19.3	19.0
9/21/2021	16	19.0	19.1	20.9	19.9	19.7	19.8	19.5	19.0
9/21/2021	17	19.0	19.1	20.5	20.3	20.2	20.2	19.6	19.1
9/21/2021	18	19.1	19.1	19.9	20.5	20.4	20.4	19.6	19.2
9/21/2021	19	19.1	19.1	19.4	20.3	20.3	20.3	19.7	19.2
9/21/2021	20	19.1	19.1	18.8	20.0	20.0	20.0	19.7	19.2
9/21/2021	21	19.1	19.1	18.4	19.5	19.6	19.6	19.7	19.2
9/21/2021	22	19.1	19.1	18.1	19.0	19.2	19.1	19.7	19.2
9/21/2021	23	19.1	19.0	17.8	18.5	18.7	18.7	19.8	19.2
9/21/2021	24	19.1	19.0	17.7	18.1	18.3	18.2	19.8	19.3
9/22/2021	1	19.0	19.0	17.5	17.7	17.9	17.8	19.8	19.3
9/22/2021	2	19.0	19.0	17.4	17.5	17.6	17.5	19.8	19.2
9/22/2021	3	19.0	18.9	17.3	17.2	17.4	17.2	19.8	19.1
9/22/2021	4	18.9	18.9	17.3	17.1	17.2	17.1	19.8	19.2
9/22/2021	5	18.9	18.9	17.2	17.0	17.1	16.9	19.8	19.1
9/22/2021	6	18.9	18.8	17.2	16.9	17.0	16.8	19.6	19.0
9/22/2021	7	18.9	18.8	17.2	16.8	16.9	16.7	19.6	19.0
9/22/2021	8	18.8	18.8	17.3	16.8	16.9	16.7	19.6	18.9
9/22/2021	9	18.8	18.8	17.4	16.9	16.9	16.8	19.6	18.9
9/22/2021	10	18.8	18.8	17.7	16.9	16.9	16.8	19.6	18.9
9/22/2021	11	18.8	18.8	17.9	17.1	17.1	17.0	19.5	18.8
9/22/2021	12	18.8	18.9	18.4	17.4	17.3	17.3	19.4	18.9
9/22/2021	13	18.8	18.9	18.9	17.6	17.5	17.6	19.4	18.9
9/22/2021	14	18.8	18.9	19.0	17.9	17.8	17.8	19.4	18.9
9/22/2021	15	18.8	18.9	19.2	18.4	18.2	18.2	19.4	18.9
9/22/2021	16	18.8	18.9	19.3	18.7	18.6	18.6	19.4	18.9
9/22/2021	17	18.8	18.9	19.2	18.8	18.7	18.8	19.4	18.9
9/22/2021	18	18.8	18.9	18.9	19.0	18.9	18.8	19.5	19.0
9/22/2021	19	18.8	18.9	18.7	18.9	18.9	18.8	19.5	18.9
9/22/2021	20	18.8	18.9	18.4	18.8	18.8	18.7	19.5	18.9
9/22/2021	21	18.8	18.8	18.2	18.6	18.7	18.6	19.5	18.9
9/22/2021	22	18.8	18.8	17.9	18.4	18.5	18.4	19.5	18.9
9/22/2021	23	18.8	18.8	17.8	18.2	18.3	18.2	19.4	19.1
9/22/2021	24	18.8	18.8	17.7	18.0	18.1	18.0	19.4	19.0
9/23/2021	1	18.7	18.7	17.5	17.7	17.8	17.7	19.4	18.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/23/2021	2	18.7	18.7	17.4	17.5	17.6	17.5	19.4	18.9
9/23/2021	3	18.7	18.7	17.3	17.3	17.5	17.3	19.4	18.9
9/23/2021	4	18.7	18.7	17.2	17.2	17.3	17.2	19.4	18.7
9/23/2021	5	18.6	18.6	17.1	17.0	17.1	17.0	19.4	18.7
9/23/2021	6	18.6	18.6	17.1	16.9	17.0	16.9	19.4	18.8
9/23/2021	7	18.6	18.5	17.2	16.8	16.9	16.7	19.4	18.6
9/23/2021	8	18.6	18.5	17.2	16.7	16.8	16.7	19.3	18.6
9/23/2021	9	18.5	18.5	17.5	16.9	16.9	16.7	19.3	18.5
9/23/2021	10	18.4	18.4	17.9	17.0	17.0	17.0	19.3	18.4
9/23/2021	11	18.4	18.4	18.5	17.2	17.1	17.3	19.2	18.4
9/23/2021	12	18.4	18.5	19.3	17.5	17.3	17.6	19.2	18.5
9/23/2021	13	18.5	18.7	20.1	17.9	17.7	17.9	19.1	18.6
9/23/2021	14	18.6	18.7	20.5	18.7	18.4	18.5	19.2	18.7
9/23/2021	15	18.7	18.8	20.7	19.4	19.2	19.3	19.2	18.8
9/23/2021	16	18.8	18.9	20.6	19.9	19.7	19.8	19.3	18.9
9/23/2021	17	18.8	18.9	20.2	20.2	20.1	20.2	19.3	18.9
9/23/2021	18	18.9	18.9	19.6	20.3	20.2	20.2	19.3	19.0
9/23/2021	19	18.9	18.9	19.2	20.1	20.1	20.2	19.3	19.0
9/23/2021	20	18.9	18.9	18.7	19.8	19.9	19.9	19.3	19.0
9/23/2021	21	18.9	18.9	18.3	19.4	19.5	19.5	19.4	19.0
9/23/2021	22	18.9	18.9	18.0	18.9	19.0	19.0	19.4	19.0
9/23/2021	23	18.9	18.9	17.8	18.5	18.6	18.6	19.5	19.2
9/23/2021	24	18.9	18.8	17.7	18.1	18.2	18.2	19.4	19.1
9/24/2021	1	18.8	18.8	17.6	17.8	17.9	17.8	19.4	18.7
9/24/2021	2	18.8	18.8	17.5	17.5	17.7	17.6	19.4	19.1
9/24/2021	3	18.8	18.7	17.3	17.3	17.5	17.3	19.4	18.9
9/24/2021	4	18.8	18.7	17.2	17.2	17.3	17.2	19.4	19.0
9/24/2021	5	18.7	18.7	17.2	17.0	17.2	17.0	19.4	19.0
9/24/2021	6	18.7	18.7	17.1	16.9	17.0	16.8	19.5	18.7
9/24/2021	7	18.7	18.6	17.0	16.8	16.9	16.7	19.5	18.8
9/24/2021	8	18.7	18.6	17.0	16.7	16.8	16.7	19.5	18.7
9/24/2021	9	18.7	18.7	17.3	16.9	16.8	16.7	19.5	18.7
9/24/2021	10	18.6	18.7	17.8	16.9	16.9	16.9	19.5	18.7
9/24/2021	11	18.7	18.8	18.4	17.0	17.0	17.1	19.5	18.8
9/24/2021	12	18.7	18.8	19.2	17.3	17.2	17.4	19.6	18.8
9/24/2021	13	18.7	18.9	20.0	17.9	17.6	17.8	19.6	18.9
9/24/2021	14	18.8	19.0	20.6	18.6	18.3	18.4	19.6	19.0
9/24/2021	15	18.9	19.1	21.0	19.3	19.0	19.2	19.6	19.0
9/24/2021	16	19.0	19.2	21.0	19.8	19.7	19.8	19.6	19.1
9/24/2021	17	19.1	19.2	20.6	20.4	20.2	20.2	19.6	19.2
9/24/2021	18	19.2	19.2	20.1	20.6	20.4	20.4	19.7	19.2
9/24/2021	19	19.2	19.2	19.6	20.5	20.4	20.5	19.7	19.3
9/24/2021	20	19.2	19.2	19.1	20.2	20.2	20.2	19.7	19.3
9/24/2021	21	19.1	19.2	18.7	19.8	19.8	19.9	19.7	19.3
9/24/2021	22	19.1	19.2	18.4	19.3	19.5	19.5	19.8	19.2
9/24/2021	23	19.1	19.2	18.2	18.9	19.0	19.1	19.8	18.0
9/24/2021	24	19.1	19.2	18.1	18.6	18.7	18.7	19.8	19.3
9/25/2021	1	19.1	19.2	18.1	18.3	18.4	18.3	19.8	19.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/25/2021	2	19.1	19.1	18.1	18.1	18.2	18.1	19.8	19.3
9/25/2021	3	19.1	19.1	18.0	17.9	18.0	17.9	19.8	19.1
9/25/2021	4	19.1	19.1	17.9	17.8	17.9	17.8	19.8	19.1
9/25/2021	5	19.1	19.0	17.8	17.7	17.8	17.7	19.8	19.1
9/25/2021	6	19.0	19.0	17.7	17.6	17.7	17.6	19.8	19.1
9/25/2021	7	19.0	19.0	17.6	17.5	17.6	17.4	19.8	19.1
9/25/2021	8	19.0	19.0	17.5	17.4	17.5	17.4	19.8	19.1
9/25/2021	9	18.9	19.0	17.8	17.5	17.5	17.4	19.8	19.1
9/25/2021	10	18.9	19.0	18.2	17.5	17.5	17.6	19.8	19.0
9/25/2021	11	18.9	19.1	18.8	17.7	17.6	17.7	19.8	19.0
9/25/2021	12	18.9	19.1	19.6	17.9	17.8	18.0	19.8	19.1
9/25/2021	13	19.0	19.2	20.4	18.4	18.2	18.3	19.8	19.2
9/25/2021	14	19.1	19.2	20.9	19.1	18.8	18.9	19.8	19.2
9/25/2021	15	19.1	19.3	21.3	19.8	19.5	19.7	19.8	19.3
9/25/2021	16	19.2	19.3	21.2	20.3	20.1	20.2	19.8	19.4
9/25/2021	17	19.3	19.4	20.8	20.8	20.6	20.7	19.9	19.4
9/25/2021	18	19.3	19.4	20.3	21.0	20.9	20.8	19.9	19.4
9/25/2021	19	19.3	19.4	19.8	20.9	20.8	20.9	19.9	19.4
9/25/2021	20	19.3	19.4	19.3	20.5	20.6	20.7	19.9	19.4
9/25/2021	21	19.3	19.4	18.9	20.1	20.2	20.3	19.9	19.4
9/25/2021	22	19.3	19.3	18.7	19.6	19.7	19.8	19.9	19.4
9/25/2021	23	19.3	19.3	18.6	19.2	19.3	19.3	20.0	NA
9/25/2021	24	19.3	19.3	18.5	18.9	19.0	19.0	20.0	19.3
9/26/2021	1	19.2	19.3	18.4	18.6	18.7	18.7	19.9	19.3
9/26/2021	2	19.2	19.3	18.3	18.4	18.5	18.4	19.9	19.3
9/26/2021	3	19.2	19.2	18.2	18.3	18.4	18.3	19.9	19.3
9/26/2021	4	19.2	19.2	18.2	18.2	18.3	18.2	19.9	19.2
9/26/2021	5	19.2	19.2	18.1	18.1	18.2	18.0	19.9	19.2
9/26/2021	6	19.2	19.2	18.1	18.0	18.1	18.0	19.9	19.2
9/26/2021	7	19.1	19.2	18.0	17.9	18.0	17.9	19.9	19.3
9/26/2021	8	19.1	19.2	18.1	17.9	18.0	17.9	19.9	19.2
9/26/2021	9	19.1	19.2	18.4	18.0	18.0	17.9	19.9	19.2
9/26/2021	10	19.1	19.2	18.6	18.0	18.0	18.0	19.9	19.2
9/26/2021	11	19.1	19.3	18.9	18.2	18.1	18.1	19.9	19.2
9/26/2021	12	19.1	19.3	19.3	18.4	18.3	18.4	19.9	19.2
9/26/2021	13	19.1	19.3	20.0	18.7	18.7	18.9	19.9	19.3
9/26/2021	14	19.2	19.3	20.2	18.9	18.8	18.9	19.9	19.3
9/26/2021	15	19.1	19.3	20.2	19.4	19.2	19.2	19.9	19.4
9/26/2021	16	19.2	19.3	20.0	19.8	19.6	19.6	19.9	19.3
9/26/2021	17	19.2	19.3	19.7	20.0	19.8	19.8	19.9	19.3
9/26/2021	18	19.2	19.3	19.4	20.0	19.9	20.0	19.9	19.3
9/26/2021	19	19.2	19.3	19.2	19.8	19.8	19.8	19.8	19.3
9/26/2021	20	19.2	19.3	18.9	19.5	19.6	19.6	19.8	19.3
9/26/2021	21	19.2	19.3	18.7	19.2	19.3	19.3	19.8	19.3
9/26/2021	22	19.2	19.3	18.5	19.0	19.1	19.1	19.8	19.2
9/26/2021	23	19.2	19.2	18.4	18.9	18.9	18.9	19.8	19.3
9/26/2021	24	19.1	19.2	18.3	18.7	18.7	18.7	19.8	19.2
9/27/2021	1	19.1	19.2	18.3	18.5	18.6	18.5	19.7	19.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/27/2021	2	19.1	19.2	18.2	18.3	18.4	18.3	19.7	19.1
9/27/2021	3	19.1	19.1	18.2	18.2	18.3	18.2	19.7	19.1
9/27/2021	4	19.1	19.1	18.1	18.2	18.2	18.1	19.7	19.1
9/27/2021	5	19.0	19.1	18.1	18.1	18.1	18.0	19.6	19.1
9/27/2021	6	19.0	19.0	18.0	18.0	18.1	17.9	19.6	19.0
9/27/2021	7	19.0	19.0	18.1	18.0	18.0	17.9	19.6	19.0
9/27/2021	8	18.9	19.0	18.2	18.0	18.0	17.9	19.5	19.0
9/27/2021	9	18.9	19.0	18.3	18.0	18.0	17.9	19.5	19.0
9/27/2021	10	18.9	19.0	18.6	18.0	18.0	18.0	19.5	19.0
9/27/2021	11	18.9	19.0	18.7	18.0	18.0	18.0	19.5	18.9
9/27/2021	12	18.9	19.0	18.7	18.2	18.1	18.1	19.5	18.9
9/27/2021	13	18.9	18.9	18.7	18.3	18.2	18.2	19.5	18.9
9/27/2021	14	18.9	18.9	18.6	18.4	18.4	18.3	19.4	18.9
9/27/2021	15	18.8	18.9	18.5	18.4	18.4	18.3	19.4	18.9
9/27/2021	16	18.8	18.9	18.2	18.3	18.3	18.3	19.4	18.9
9/27/2021	17	18.8	18.8	18.1	18.2	18.2	18.1	19.4	18.9
9/27/2021	18	18.8	18.8	17.9	18.1	18.2	18.1	19.4	18.8
9/27/2021	19	18.8	18.8	17.8	17.9	18.0	17.9	19.3	18.8
9/27/2021	20	18.7	18.7	17.7	17.8	17.9	17.7	19.3	18.8
9/27/2021	21	18.7	18.7	17.7	17.7	17.7	17.7	19.3	18.7
9/27/2021	22	18.7	18.7	17.6	17.5	17.6	17.5	19.3	18.7
9/27/2021	23	18.6	18.6	17.4	17.4	17.5	17.3	19.2	18.7
9/27/2021	24	18.6	18.6	17.1	17.2	17.3	17.1	19.2	18.6
9/28/2021	1	18.6	18.5	16.8	17.1	17.2	17.0	19.2	18.6
9/28/2021	2	18.5	18.5	16.7	16.8	16.9	16.7	19.1	18.5
9/28/2021	3	18.5	18.4	16.6	16.6	16.7	16.5	19.1	18.4
9/28/2021	4	18.4	18.3	16.5	16.3	16.4	16.2	19.1	18.3
9/28/2021	5	18.3	18.3	16.5	16.1	16.2	16.1	19.0	18.3
9/28/2021	6	18.3	18.2	16.5	16.0	16.1	15.8	19.0	18.2
9/28/2021	7	18.2	18.1	16.5	15.9	16.0	15.8	19.0	18.2
9/28/2021	8	18.1	18.1	16.5	15.9	16.0	15.8	18.9	18.1
9/28/2021	9	18.1	18.0	16.7	16.1	16.1	15.9	18.9	18.1
9/28/2021	10	18.1	18.1	17.3	16.3	16.2	16.2	18.9	18.1
9/28/2021	11	18.1	18.1	17.3	16.2	16.2	16.1	18.8	18.1
9/28/2021	12	18.1	18.1	17.5	16.4	16.3	16.2	18.8	18.1
9/28/2021	13	18.1	18.1	17.7	16.8	16.7	16.7	18.8	18.2
9/28/2021	14	18.1	18.2	18.0	17.1	17.0	17.2	18.8	18.2
9/28/2021	15	18.1	18.2	18.5	17.3	17.2	17.3	18.8	18.2
9/28/2021	16	18.1	18.2	18.6	17.5	17.4	17.4	18.7	18.2
9/28/2021	17	18.2	18.1	18.4	17.7	17.6	17.5	18.7	18.2
9/28/2021	18	18.1	18.1	18.0	17.9	17.8	17.6	18.7	18.2
9/28/2021	19	18.1	18.1	17.6	17.8	17.8	17.6	18.7	18.2
9/28/2021	20	18.1	18.0	17.0	17.7	17.7	17.6	18.7	18.1
9/28/2021	21	18.0	18.0	16.5	17.4	17.5	17.3	18.7	18.1
9/28/2021	22	18.0	17.9	16.3	17.0	17.1	17.0	18.6	18.0
9/28/2021	23	18.0	17.9	16.1	16.5	16.7	16.6	18.6	17.9
9/28/2021	24	17.9	17.8	16.0	16.1	16.3	16.1	18.6	17.9
9/29/2021	1	17.9	17.8	15.9	15.8	16.0	15.8	18.5	17.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
9/29/2021	2	17.8	17.7	15.9	15.6	15.7	15.5	18.5	17.8
9/29/2021	3	17.8	17.7	16.0	15.5	15.6	15.4	18.5	17.7
9/29/2021	4	17.7	17.6	16.1	15.4	15.5	15.3	18.4	17.6
9/29/2021	5	17.7	17.6	16.1	15.4	15.5	15.2	18.4	17.6
9/29/2021	6	17.6	17.5	16.1	15.5	15.5	15.3	18.3	17.6
9/29/2021	7	17.6	17.5	16.1	15.5	15.6	15.3	18.3	17.6
9/29/2021	8	17.5	17.4	16.0	15.6	15.6	15.4	18.2	17.5
9/29/2021	9	17.5	17.5	16.3	15.7	15.7	15.5	18.2	17.5
9/29/2021	10	17.5	17.5	16.6	15.8	15.7	15.7	18.2	17.5
9/29/2021	11	17.5	17.5	17.0	16.0	15.9	15.9	18.2	17.6
9/29/2021	12	17.5	17.5	17.3	16.2	16.0	16.0	18.2	17.6
9/29/2021	13	17.5	17.6	17.7	16.5	16.4	16.4	18.2	17.6
9/29/2021	14	17.6	17.6	18.0	16.9	16.7	16.8	18.2	17.6
9/29/2021	15	17.6	17.7	18.3	17.3	17.1	17.2	18.2	17.7
9/29/2021	16	17.6	17.7	18.4	17.6	17.4	17.4	18.3	17.7
9/29/2021	17	17.7	17.7	18.1	17.8	17.6	17.6	18.3	17.7
9/29/2021	18	17.7	17.7	17.8	17.9	17.8	17.7	18.3	17.7
9/29/2021	19	17.7	17.7	17.3	17.8	17.8	17.7	18.3	17.7
9/29/2021	20	17.7	17.6	17.0	17.6	17.7	17.6	18.3	17.7
9/29/2021	21	17.6	17.6	16.8	17.4	17.4	17.4	18.3	17.7
9/29/2021	22	17.6	17.6	16.7	17.1	17.2	17.2	18.3	17.7
9/29/2021	23	17.6	17.6	16.6	16.8	16.9	16.8	18.3	17.7
9/29/2021	24	17.6	17.6	16.6	16.7	16.7	16.7	18.3	17.7
9/30/2021	1	17.6	17.6	16.6	16.5	16.6	16.5	18.3	17.6
9/30/2021	2	17.6	17.5	16.6	16.4	16.5	16.4	18.3	17.6
9/30/2021	3	17.6	17.5	16.6	16.4	16.4	16.3	18.3	17.6
9/30/2021	4	17.5	17.5	16.6	16.3	16.4	16.2	18.2	17.6
9/30/2021	5	17.5	17.5	16.6	16.3	16.3	16.2	18.2	17.6
9/30/2021	6	17.5	17.5	16.6	16.3	16.3	16.2	18.2	17.5
9/30/2021	7	17.5	17.4	16.5	16.2	16.3	16.2	18.2	17.5
9/30/2021	8	17.5	17.4	16.4	16.2	16.3	16.2	18.2	17.5
9/30/2021	9	17.5	17.4	16.6	16.3	16.3	16.2	18.2	17.5
9/30/2021	10	17.5	17.5	17.0	16.4	16.3	16.3	18.2	17.5
9/30/2021	11	17.5	17.6	17.5	16.4	16.4	16.5	18.2	17.6
9/30/2021	12	17.6	17.6	18.1	16.6	16.5	16.7	18.3	17.6
9/30/2021	13	17.6	17.7	18.7	17.1	16.9	17.0	18.3	17.7
9/30/2021	14	17.6	17.7	18.8	17.6	17.3	17.4	18.3	17.7
9/30/2021	15	17.7	17.7	18.5	18.0	17.7	17.7	18.3	17.7
9/30/2021	16	17.7	17.7	18.0	18.3	18.1	18.0	18.3	17.7
9/30/2021	17	17.7	17.7	17.7	18.3	18.2	18.2	18.3	17.8
9/30/2021	18	17.7	17.7	17.4	18.1	18.1	18.1	18.3	17.7
9/30/2021	19	17.7	17.7	17.1	17.8	17.9	17.9	18.3	17.7
9/30/2021	20	17.7	17.6	16.8	17.5	17.5	17.5	18.3	17.7
9/30/2021	21	17.6	17.6	16.6	17.1	17.2	17.2	18.3	17.7
9/30/2021	22	17.6	17.6	16.4	16.8	16.9	16.8	18.3	17.6
9/30/2021	23	17.6	17.5	16.3	16.5	16.7	16.5	18.3	17.6
9/30/2021	24	17.5	17.5	16.2	16.3	16.4	16.3	18.2	17.6