

**From:** [Hopkins, Scott](#)  
**To:** "Ashley Rawhouser"; "bgoedde@cityofchelan.us"; "Breean Zimmerman"; Buehn, Scott; "Carl Merkle"; Clement, Marcie; "David Bowen"; "Emily Johnson"; "Graham Simon"; "Hugh Anthony"; "Jim Pacheco"; "Justin Yeager"; "Kari Grover Wier"; "Mark Peterschmidt"; Osborn, Jeff; "Phil Archibald"; "robin@mansonparks.com"; "Ryan.Layton@parks.wa.gov"; Smith, Michelle; "Steve Lewis"; "Thomas O'Keefe"; Towey, Bill; "Travis Maitland"; Underwood, Alene; Von Reis, Charles; Willard, Catherine; "Mayfield, Mariah - FS"; "Kevin Wright"; "Esh, Nathan"; "randi\_riggs@fws.gov"; Wasniewski, John; "jamesurness@hotmail.com"; "wfarris@cityofchelan.us"; "Pruit, Katie (RCO)"; "jody.walters@noaa.gov"; "blod@yakamafish-nsn.gov"; "bret.nine@colvilletribes.com"  
**Cc:** [Whiteman, Martha](#); [West, Todd](#)  
**Subject:** Chelan River Flow Monitoring Data - 2020 2nd Quarterly Reports  
**Date:** Tuesday, July 28, 2020 3:24:02 PM  
**Attachments:** [image001.png](#)  
[2020 Daily Average Flow Data 2nd Quarterly Report.pdf](#)  
[2020 Hourly Flow Data 2nd Quarterly Report.pdf](#)

---

PUBLIC UTILITY DISTRICT NO. 1 of CHELAN COUNTY  
P.O. Box 1231, Wenatchee, WA 98807-1231 • 327 N. Wenatchee Ave., Wenatchee, WA 98801  
(509) 663-8121 • Toll free 1-888-663-8121 • [www.chelanpud.org](http://www.chelanpud.org)

To: Chelan River Fishery Forum:  
Washington Department of Ecology  
Washington Department of Fish and Wildlife  
United States Forest Service  
National Park Service  
United States Fish and Wildlife Service  
National Marine Fisheries Service  
CCT (Colville)  
YN (Yakama)  
CTUIR (Umatilla tribe)  
Lake Chelan Sportsman Association  
United States Geological Survey  
Washington State Parks and Recreation Commission  
Washington State Recreation and Conservation Office  
City of Chelan  
Manson Parks and Recreation Department  
Lake Chelan Recreation Association  
American Whitewater

From: Scott Hopkins, Fisheries Biologist II  
Public Utility District No. 1 of Chelan County (Chelan PUD)  
[scott.hopkins@chelanpud.org](mailto:scott.hopkins@chelanpud.org)  
(509)661-4763

Re: Lake Chelan Hydroelectric Project No. 637 (Project)  
License Article 405a - Hourly and Daily Average Flow Data 2nd  
Quarter Reports

-----  
-----  
Dear Chelan River Fishery Forum and Other Parties:

This email is to provide you, in the attached files, with the written flow information for the 2nd Quarter. These reports contains data for surface elevations at the Chelan Dam Forebay and Powerhouse Tailrace and flows from the Powerhouse, Low Level Outlet, Spillway, Pump Station, and Total Reach 4 flows.

This information will be posted to the Chelan County PUD external website under "River Flows, Water Temperatures and Total Dissolved Gas" (link below). <https://www.chelanpud.org/parks-and-recreation/river-flows-and-water-temperatures>

Data during times of maintenance or calibration events have been denoted with "NA" to designate these periods when data was either unavailable or inaccurate. Noteworthy events labeled with "NA" are explained below.

- One noteworthy average hourly reading occurred during the 7:00 hour of May 21. The Low Level Outlet hourly average was 199.337 cfs. This reading falls within range when taking into account the equipment bias.

Please feel free to call or email any questions or concerns.



**Scott Hopkins**

Fisheries Biologist II  
Chelan County P.U.D.  
P: (509) 661-4763  
C: (509) 630-2708

Date	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/1/2020	1085.5	570	707.7	85	0	211	296
4/2/2020	1085.5	559	707.7	85	0	209	294
4/3/2020	1085.5	0	707.1	85	0	209	294
4/4/2020	1085.5	0	708.2	85	0	214	299
4/5/2020	1085.6	0	707.7	85	0	211	296
4/6/2020	1085.7	0	706.8	85	0	207	292
4/7/2020	1085.7	0	708.0	85	0	210	295
4/8/2020	1085.8	0	707.5	85	0	208	293
4/9/2020	1085.8	0	707.8	85	0	208	293
4/10/2020	1085.9	0	707.5	85	0	206	291
4/11/2020	1086.0	0	707.9	85	0	208	293
4/12/2020	1086.0	0	707.3	85	0	206	291
4/13/2020	1086.1	0	707.5	85	0	206	291
4/14/2020	1086.2	0	707.0	85	0	203	288
4/15/2020	1086.3	0	707.2	85	0	204	289
4/16/2020	1086.4	0	708.5	85	0	206	291
4/17/2020	1086.5	1071	708.7	85	0	207	292
4/18/2020	1086.6	1084	708.0	85	0	204	290
4/19/2020	1086.7	0	707.8	85	0	203	288
4/20/2020	1086.8	1184	708.3	85	0	204	289
4/21/2020	1087.0	1613	708.5	85	0	204	289
4/22/2020	1087.1	1624	709.1	85	0	208	293
4/23/2020	1087.2	2370	709.3	85	0	209	294
4/24/2020	1087.3	2370	709.0	85	0	209	294
4/25/2020	1087.4	2377	708.6	85	0	207	292
4/26/2020	1087.4	2383	709.3	85	0	209	294
4/27/2020	1087.5	2384	709.5	85	0	209	294
4/28/2020	1087.6	2377	708.8	85	0	209	294
4/29/2020	1087.6	2378	709.0	85	0	209	294
4/30/2020	1087.7	2379	709.2	85	0	208	293
5/1/2020	1087.8	2384	709.3	85	0	210	295
5/2/2020	1087.9	2379	708.8	85	0	209	294
5/3/2020	1088.0	1583	708.7	85	0	207	292
5/4/2020	1088.1	1588	709.4	85	0	211	296
5/5/2020	1088.2	1591	710.4	85	0	213	298
5/6/2020	1088.4	556	709.1	85	0	207	292
5/7/2020	1088.5	557	709.1	85	0	209	294
5/8/2020	1088.7	558	709.6	85	0	211	296
5/9/2020	1088.9	559	710.7	85	0	213	298
5/10/2020	1089.1	0	710.6	85	0	212	297
5/11/2020	1089.5	559	710.7	85	0	213	299
5/12/2020	1089.9	557	710.8	85	0	213	298
5/13/2020	1090.4	555	710.9	85	0	212	297
5/14/2020	1090.8	1584	711.2	146	0	152	299
5/15/2020	1091.1	1590	711.3	200	0	103	303
5/16/2020	1091.3	1745	711.4	200	0	105	305
5/17/2020	1091.6	1583	711.2	200	0	104	304
5/18/2020	1091.8	2118	711.2	207	0	37	245
5/19/2020	1092.1	2145	711.5	200	0	0	200

Date	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/20/2020	1092.4	1607	711.3	200	0	0	200
5/21/2020	1092.7	1596	711.0	200	0	0	200
5/22/2020	1092.9	1675	711.0	200	0	0	200
5/23/2020	1093.1	1870	710.9	200	0	0	200
5/24/2020	1093.3	827	711.2	201	0	0	201
5/25/2020	1093.5	2398	711.1	201	0	0	201
5/26/2020	1093.7	2398	711.0	201	0	0	201
5/27/2020	1093.9	2398	711.4	201	0	0	201
5/28/2020	1094.2	2385	711.7	201	0	0	201
5/29/2020	1094.4	2395	711.9	201	0	0	201
5/30/2020	1094.9	2395	711.8	201	0	0	201
5/31/2020	1095.5	2393	711.7	201	0	0	201
6/1/2020	1095.8	1231	711.5	201	0	0	201
6/2/2020	1096.1	1220	712.3	201	647	0	848
6/3/2020	1096.3	1212	712.1	201	818	0	1019
6/4/2020	1096.5	1194	712.6	201	817	0	1018
6/5/2020	1096.6	1193	712.2	201	822	0	1023
6/6/2020	1096.8	1198	712.2	201	828	0	1029
6/7/2020	1097.0	12	712.4	201	836	0	1037
6/8/2020	1097.2	799	711.5	201	816	0	1017
6/9/2020	1097.3	796	711.5	201	516	0	718
6/10/2020	1097.4	1179	711.6	216	66	0	281
6/11/2020	1097.6	1161	711.4	200	0	0	200
6/12/2020	1097.9	999	711.1	169	273	0	441
6/13/2020	1098.1	2323	711.0	200	411	0	611
6/14/2020	1098.2	2030	711.1	200	413	0	613
6/15/2020	1098.2	2257	711.1	200	414	0	614
6/16/2020	1098.3	2403	710.7	200	415	0	615
6/17/2020	1098.4	2386	711.1	200	416	0	616
6/18/2020	1098.4	2388	711.3	200	417	0	617
6/19/2020	1098.5	2365	711.3	200	674	0	874
6/20/2020	1098.6	2364	711.2	200	808	0	1008
6/21/2020	1098.8	2363	711.2	200	811	0	1011
6/22/2020	1098.9	2366	711.2	200	814	0	1014
6/23/2020	1099.1	2386	710.7	200	818	0	1018
6/24/2020	1099.3	2399	711.5	200	993	0	1193
6/25/2020	1099.5	2401	711.7	200	1405	0	1605
6/26/2020	1099.6	2345	712.2	200	1848	0	2048
6/27/2020	1099.8	2277	712.0	200	2517	0	2717
6/28/2020	1099.8	1172	712.3	200	3499	0	3699
6/29/2020	1099.7	1987	712.4	200	3083	0	3283
6/30/2020	1099.7	1985	712.4	200	2406	0	2606

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/1/2020	1	1085.5	30	706.9	85	0	207	292
4/1/2020	2	1085.5	0	706.7	85	0	206	291
4/1/2020	3	1085.5	0	706.7	85	0	206	291
4/1/2020	4	1085.5	0	707.0	85	0	208	293
4/1/2020	5	1085.5	0	707.2	85	0	208	293
4/1/2020	6	1085.5	0	707.2	85	0	208	293
4/1/2020	7	1085.5	850	707.6	85	0	211	297
4/1/2020	8	1085.5	850	707.6	85	0	212	297
4/1/2020	9	1085.5	850	707.4	85	0	212	297
4/1/2020	10	1085.5	860	707.4	85	0	213	298
4/1/2020	11	1085.5	860	707.7	85	0	213	298
4/1/2020	12	1085.5	860	707.8	85	0	214	299
4/1/2020	13	1085.5	860	707.8	85	0	214	299
4/1/2020	14	1085.5	860	707.7	85	0	213	298
4/1/2020	15	1085.5	860	707.9	85	0	212	297
4/1/2020	16	1085.5	860	708.0	85	0	212	297
4/1/2020	17	1085.5	860	708.2	85	0	211	296
4/1/2020	18	1085.5	860	708.5	85	0	212	297
4/1/2020	19	1085.5	850	708.4	85	0	212	298
4/1/2020	20	1085.5	830	708.7	85	0	213	299
4/1/2020	21	1085.5	830	708.5	85	0	214	300
4/1/2020	22	1085.5	830	708.2	85	0	214	299
4/1/2020	23	1085.5	20	707.8	85	0	213	298
4/1/2020	24	1085.5	0	707.7	85	0	212	297
4/2/2020	1	1085.5	0	707.6	85	0	212	297
4/2/2020	2	1085.5	0	707.6	85	0	211	296
4/2/2020	3	1085.5	0	706.7	85	0	209	294
4/2/2020	4	1085.5	0	707.2	85	0	211	296
4/2/2020	5	1085.5	0	707.3	85	0	209	294
4/2/2020	6	1085.5	30	707.3	85	0	210	295
4/2/2020	7	1085.5	830	707.6	85	0	211	296
4/2/2020	8	1085.5	830	707.7	85	0	212	298
4/2/2020	9	1085.5	830	707.8	85	0	212	297
4/2/2020	10	1085.5	830	707.9	85	0	213	298
4/2/2020	11	1085.5	840	707.9	85	0	214	299
4/2/2020	12	1085.5	840	708.0	85	0	213	298
4/2/2020	13	1085.5	830	707.9	85	0	213	299
4/2/2020	14	1085.5	840	707.8	85	0	212	297
4/2/2020	15	1085.5	830	707.9	85	0	211	296
4/2/2020	16	1085.5	830	707.7	85	0	211	296
4/2/2020	17	1085.5	840	707.7	85	0	205	290
4/2/2020	18	1085.5	840	708.0	85	0	198	283
4/2/2020	19	1085.5	840	708.3	86	0	199	285
4/2/2020	20	1085.5	830	707.7	85	0	198	283
4/2/2020	21	1085.5	830	707.9	85	0	201	285
4/2/2020	22	1085.5	830	707.8	85	0	211	296
4/2/2020	23	1085.5	40	707.6	85	0	210	295

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/2/2020	24	1085.5	0	707.7	85	0	209	294
4/3/2020	1	1085.5	0	707.7	85	0	209	295
4/3/2020	2	1085.5	0	707.2	85	0	208	293
4/3/2020	3	1085.5	0	707.1	85	0	208	293
4/3/2020	4	1085.5	0	707.2	85	0	208	293
4/3/2020	5	1085.5	0	707.2	85	0	210	295
4/3/2020	6	1085.5	0	706.7	85	0	209	294
4/3/2020	7	1085.5	0	707.0	85	0	210	294
4/3/2020	8	1085.5	0	707.2	85	0	211	295
4/3/2020	9	1085.5	0	706.8	85	0	210	295
4/3/2020	10	1085.5	0	706.8	85	0	208	293
4/3/2020	11	1085.5	0	707.0	85	0	209	293
4/3/2020	12	1085.5	0	707.0	85	0	209	293
4/3/2020	13	1085.5	0	706.8	85	0	208	293
4/3/2020	14	1085.5	0	706.7	85	0	207	292
4/3/2020	15	1085.5	0	706.7	85	0	208	293
4/3/2020	16	1085.5	0	706.8	85	0	207	292
4/3/2020	17	1085.5	0	706.9	85	0	207	292
4/3/2020	18	1085.5	0	707.2	85	0	208	293
4/3/2020	19	1085.5	0	707.2	85	0	209	294
4/3/2020	20	1085.5	0	707.3	85	0	209	295
4/3/2020	21	1085.5	0	707.4	85	0	210	295
4/3/2020	22	1085.5	0	707.2	85	0	209	294
4/3/2020	23	1085.5	0	707.1	85	0	209	294
4/3/2020	24	1085.5	0	707.2	85	0	209	294
4/4/2020	1	1085.5	0	707.5	85	0	210	295
4/4/2020	2	1085.5	0	707.2	85	0	210	294
4/4/2020	3	1085.5	0	707.9	85	0	211	296
4/4/2020	4	1085.5	0	708.0	85	0	212	297
4/4/2020	5	1085.5	0	708.5	85	0	213	298
4/4/2020	6	1085.5	0	709.4	85	0	217	302
4/4/2020	7	1085.5	0	708.9	85	0	215	300
4/4/2020	8	1085.5	0	708.7	85	0	215	300
4/4/2020	9	1085.5	0	708.4	85	0	214	299
4/4/2020	10	1085.5	0	708.6	85	0	216	301
4/4/2020	11	1085.5	0	708.6	85	0	215	300
4/4/2020	12	1085.5	0	708.8	85	0	217	302
4/4/2020	13	1085.5	0	708.5	85	0	215	300
4/4/2020	14	1085.5	0	708.3	85	0	214	299
4/4/2020	15	1085.5	0	708.6	85	0	216	301
4/4/2020	16	1085.5	0	708.6	85	0	216	301
4/4/2020	17	1085.5	0	708.6	85	0	216	301
4/4/2020	18	1085.6	0	708.6	85	0	215	300
4/4/2020	19	1085.6	0	708.3	85	0	215	300
4/4/2020	20	1085.6	0	708.0	85	0	213	298
4/4/2020	21	1085.6	0	707.7	85	0	212	297
4/4/2020	22	1085.6	0	707.5	85	0	211	296

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/4/2020	23	1085.6	0	707.3	85	0	211	296
4/4/2020	24	1085.6	0	707.1	85	0	210	295
4/5/2020	1	1085.6	0	707.0	85	0	210	295
4/5/2020	2	1085.6	0	707.3	85	0	210	295
4/5/2020	3	1085.6	0	707.1	85	0	210	295
4/5/2020	4	1085.6	0	707.4	85	0	211	296
4/5/2020	5	1085.6	0	707.6	85	0	212	296
4/5/2020	6	1085.6	0	707.8	85	0	212	297
4/5/2020	7	1085.6	0	707.8	85	0	212	297
4/5/2020	8	1085.6	0	707.9	85	0	212	297
4/5/2020	9	1085.6	0	708.2	85	0	214	299
4/5/2020	10	1085.6	0	708.5	85	0	215	300
4/5/2020	11	1085.6	0	708.5	85	0	215	300
4/5/2020	12	1085.6	0	708.4	85	0	214	299
4/5/2020	13	1085.6	0	708.3	85	0	214	299
4/5/2020	14	1085.6	0	708.0	85	0	213	298
4/5/2020	15	1085.6	0	707.9	85	0	211	296
4/5/2020	16	1085.6	0	707.9	85	0	212	297
4/5/2020	17	1085.6	0	707.9	85	0	211	296
4/5/2020	18	1085.6	0	707.9	85	0	211	296
4/5/2020	19	1085.6	0	707.8	85	0	211	296
4/5/2020	20	1085.6	0	707.2	85	0	209	294
4/5/2020	21	1085.6	0	707.2	85	0	210	295
4/5/2020	22	1085.6	0	706.8	85	0	208	294
4/5/2020	23	1085.6	0	706.8	85	0	208	293
4/5/2020	24	1085.6	0	706.8	85	0	208	293
4/6/2020	1	1085.6	0	706.4	85	0	207	292
4/6/2020	2	1085.6	0	706.6	85	0	206	291
4/6/2020	3	1085.6	0	706.7	85	0	208	293
4/6/2020	4	1085.6	0	706.6	85	0	207	292
4/6/2020	5	1085.6	0	706.8	85	0	208	293
4/6/2020	6	1085.6	0	706.8	85	0	208	293
4/6/2020	7	1085.6	0	707.0	85	0	209	294
4/6/2020	8	1085.6	0	706.8	85	0	208	293
4/6/2020	9	1085.6	0	706.6	85	0	207	293
4/6/2020	10	1085.6	0	706.6	85	0	208	293
4/6/2020	11	1085.6	0	706.5	85	0	209	294
4/6/2020	12	1085.6	0	706.3	85	0	207	293
4/6/2020	13	1085.6	0	706.4	85	0	208	293
4/6/2020	14	1085.7	0	706.3	85	0	207	292
4/6/2020	15	1085.7	0	706.7	85	0	206	291
4/6/2020	16	1085.7	0	706.8	85	0	206	292
4/6/2020	17	1085.7	0	707.4	85	0	207	292
4/6/2020	18	1085.7	0	707.4	85	0	207	292
4/6/2020	19	1085.7	0	707.6	85	0	207	292
4/6/2020	20	1085.7	0	707.1	85	0	206	291
4/6/2020	21	1085.7	0	707.2	85	0	205	291

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/6/2020	22	1085.7	0	707.1	85	0	206	291
4/6/2020	23	1085.7	0	707.3	85	0	206	291
4/6/2020	24	1085.7	0	707.4	85	0	208	293
4/7/2020	1	1085.7	0	707.2	85	0	208	293
4/7/2020	2	1085.7	0	707.7	85	0	209	294
4/7/2020	3	1085.7	0	708.1	85	0	210	295
4/7/2020	4	1085.7	0	707.9	85	0	211	296
4/7/2020	5	1085.7	0	708.2	85	0	211	296
4/7/2020	6	1085.7	0	708.5	85	0	212	297
4/7/2020	7	1085.7	0	708.6	85	0	213	298
4/7/2020	8	1085.7	0	708.5	85	0	212	297
4/7/2020	9	1085.7	0	708.4	85	0	212	297
4/7/2020	10	1085.7	0	707.8	85	0	210	295
4/7/2020	11	1085.7	0	708.1	85	0	211	296
4/7/2020	12	1085.7	0	707.7	85	0	210	295
4/7/2020	13	1085.7	0	707.8	85	0	210	295
4/7/2020	14	1085.7	0	707.7	85	0	210	295
4/7/2020	15	1085.7	0	707.9	85	0	210	295
4/7/2020	16	1085.7	0	708.2	85	0	210	295
4/7/2020	17	1085.7	0	708.3	85	0	210	295
4/7/2020	18	1085.7	0	708.5	85	0	210	295
4/7/2020	19	1085.7	0	708.1	85	0	210	295
4/7/2020	20	1085.8	0	708.0	85	0	209	294
4/7/2020	21	1085.8	0	707.7	85	0	208	294
4/7/2020	22	1085.8	0	707.8	85	0	208	293
4/7/2020	23	1085.8	0	707.5	85	0	209	294
4/7/2020	24	1085.8	0	707.5	85	0	209	293
4/8/2020	1	1085.8	0	707.9	85	0	209	294
4/8/2020	2	1085.8	0	707.7	85	0	209	294
4/8/2020	3	1085.8	0	707.8	85	0	209	294
4/8/2020	4	1085.8	0	707.9	85	0	210	295
4/8/2020	5	1085.8	0	708.1	85	0	210	295
4/8/2020	6	1085.8	0	708.1	85	0	210	296
4/8/2020	7	1085.8	0	708.4	85	0	211	296
4/8/2020	8	1085.8	0	708.2	85	0	211	296
4/8/2020	9	1085.8	0	708.0	85	0	210	295
4/8/2020	10	1085.8	0	707.7	85	0	210	295
4/8/2020	11	1085.8	0	707.5	85	0	208	294
4/8/2020	12	1085.8	0	707.4	85	0	209	294
4/8/2020	13	1085.8	0	707.2	85	0	209	294
4/8/2020	14	1085.8	0	707.0	85	0	207	292
4/8/2020	15	1085.8	0	706.9	85	0	207	292
4/8/2020	16	1085.8	0	707.1	85	0	208	293
4/8/2020	17	1085.8	0	707.1	85	0	208	293
4/8/2020	18	1085.8	0	707.5	85	0	208	293
4/8/2020	19	1085.8	0	707.5	85	0	208	293
4/8/2020	20	1085.8	0	707.0	85	0	206	291



Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/8/2020	21	1085.8	0	707.0	85	0	207	292
4/8/2020	22	1085.8	0	707.2	85	0	208	293
4/8/2020	23	1085.8	0	706.9	85	0	206	291
4/8/2020	24	1085.8	0	707.1	85	0	206	291
4/9/2020	1	1085.8	0	707.4	85	0	207	292
4/9/2020	2	1085.8	0	707.3	85	0	207	292
4/9/2020	3	1085.8	0	707.1	85	0	206	291
4/9/2020	4	1085.8	0	707.3	85	0	207	292
4/9/2020	5	1085.8	0	707.2	85	0	207	292
4/9/2020	6	1085.8	0	707.7	85	0	208	293
4/9/2020	7	1085.8	0	707.8	85	0	209	294
4/9/2020	8	1085.8	0	707.8	85	0	209	294
4/9/2020	9	1085.8	0	707.6	85	0	209	294
4/9/2020	10	1085.8	0	707.5	85	0	208	293
4/9/2020	11	1085.8	0	707.9	85	0	209	295
4/9/2020	12	1085.8	0	707.9	85	0	209	294
4/9/2020	13	1085.8	0	708.0	85	0	210	295
4/9/2020	14	1085.8	0	708.4	85	0	210	295
4/9/2020	15	1085.8	0	708.4	85	0	210	295
4/9/2020	16	1085.8	0	708.0	85	0	209	294
4/9/2020	17	1085.8	0	708.2	85	0	209	295
4/9/2020	18	1085.8	0	708.4	85	0	209	294
4/9/2020	19	1085.8	0	707.9	85	0	208	293
4/9/2020	20	1085.8	0	707.8	85	0	208	292
4/9/2020	21	1085.8	0	707.8	85	0	207	292
4/9/2020	22	1085.9	0	708.1	85	0	208	293
4/9/2020	23	1085.9	0	707.6	85	0	207	292
4/9/2020	24	1085.9	0	707.5	86	0	207	293
4/10/2020	1	1085.9	0	707.7	85	0	207	293
4/10/2020	2	1085.9	0	707.5	85	0	206	291
4/10/2020	3	1085.9	0	707.6	85	0	208	292
4/10/2020	4	1085.9	0	708.1	85	0	208	293
4/10/2020	5	1085.9	0	708.1	85	0	208	293
4/10/2020	6	1085.9	0	708.1	85	0	209	294
4/10/2020	7	1085.9	0	708.3	85	0	209	294
4/10/2020	8	1085.9	0	708.4	85	0	210	295
4/10/2020	9	1085.9	0	707.9	85	0	209	294
4/10/2020	10	1085.9	0	707.7	85	0	208	293
4/10/2020	11	1085.9	0	707.4	85	0	207	292
4/10/2020	12	1085.9	0	707.3	85	0	207	292
4/10/2020	13	1085.9	0	707.3	85	0	207	292
4/10/2020	14	1085.9	0	707.1	85	0	206	290
4/10/2020	15	1085.9	0	707.1	85	0	206	292
4/10/2020	16	1085.9	0	707.2	85	0	206	292
4/10/2020	17	1085.9	0	707.3	85	0	204	289
4/10/2020	18	1085.9	0	707.3	85	0	204	289
4/10/2020	19	1085.9	0	707.2	85	0	204	289

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/10/2020	20	1085.9	0	707.2	85	0	204	289
4/10/2020	21	1085.9	0	707.1	85	0	204	289
4/10/2020	22	1085.9	0	707.0	85	0	204	289
4/10/2020	23	1085.9	0	706.8	85	0	203	288
4/10/2020	24	1085.9	0	706.6	85	0	203	288
4/11/2020	1	1085.9	0	706.9	85	0	204	289
4/11/2020	2	1085.9	0	707.0	85	0	205	290
4/11/2020	3	1085.9	0	707.1	85	0	205	290
4/11/2020	4	1085.9	0	707.4	85	0	205	290
4/11/2020	5	1085.9	0	707.7	85	0	207	292
4/11/2020	6	1085.9	0	707.7	85	0	208	293
4/11/2020	7	1085.9	0	707.9	85	0	209	294
4/11/2020	8	1085.9	0	707.7	85	0	208	293
4/11/2020	9	1085.9	0	707.9	85	0	209	294
4/11/2020	10	1086.0	0	707.9	85	0	209	294
4/11/2020	11	1086.0	0	708.2	85	0	210	295
4/11/2020	12	1086.0	0	708.2	85	0	210	295
4/11/2020	13	1086.0	0	708.1	85	0	209	295
4/11/2020	14	1086.0	0	708.1	85	0	209	295
4/11/2020	15	1086.0	0	708.1	85	0	210	295
4/11/2020	16	1086.0	0	708.1	85	0	210	295
4/11/2020	17	1086.0	0	707.7	85	0	209	294
4/11/2020	18	1086.0	0	707.6	85	0	208	293
4/11/2020	19	1086.0	0	707.8	85	0	209	294
4/11/2020	20	1086.0	0	708.1	85	0	210	295
4/11/2020	21	1086.0	0	708.4	85	0	210	295
4/11/2020	22	1086.0	0	708.5	85	0	210	295
4/11/2020	23	1086.0	0	709.0	85	0	211	296
4/11/2020	24	1086.0	0	708.6	85	0	210	295
4/12/2020	1	1086.0	0	708.6	85	0	209	294
4/12/2020	2	1086.0	0	708.4	85	0	209	294
4/12/2020	3	1086.0	0	708.1	85	0	208	293
4/12/2020	4	1086.0	0	708.5	85	0	209	294
4/12/2020	5	1086.0	0	708.5	85	0	208	293
4/12/2020	6	1086.0	0	708.4	85	0	209	293
4/12/2020	7	1086.0	0	707.9	85	0	207	292
4/12/2020	8	1086.0	0	707.9	85	0	208	293
4/12/2020	9	1086.0	0	707.4	85	0	206	291
4/12/2020	10	1086.0	0	707.0	85	0	205	290
4/12/2020	11	1086.0	0	707.3	85	0	206	291
4/12/2020	12	1086.0	0	707.1	85	0	206	291
4/12/2020	13	1086.0	0	707.5	85	0	208	293
4/12/2020	14	1086.0	0	707.1	85	0	205	290
4/12/2020	15	1086.0	0	707.1	85	0	206	292
4/12/2020	16	1086.0	0	706.7	85	0	205	290
4/12/2020	17	1086.0	0	706.6	85	0	205	290
4/12/2020	18	1086.0	0	706.5	85	0	204	289

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/12/2020	19	1086.0	0	706.4	85	0	204	289
4/12/2020	20	1086.0	0	706.3	85	0	204	288
4/12/2020	21	1086.1	0	706.3	85	0	203	288
4/12/2020	22	1086.1	0	706.5	85	0	203	288
4/12/2020	23	1086.1	0	706.5	85	0	203	288
4/12/2020	24	1086.1	0	706.4	85	0	203	288
4/13/2020	1	1086.1	0	706.3	85	0	202	287
4/13/2020	2	1086.1	0	706.5	85	0	203	288
4/13/2020	3	1086.1	0	706.5	85	0	203	288
4/13/2020	4	1086.1	0	706.4	85	0	203	288
4/13/2020	5	1086.1	0	706.6	85	0	203	288
4/13/2020	6	1086.1	0	707.3	85	0	205	290
4/13/2020	7	1086.1	0	707.4	85	0	205	290
4/13/2020	8	1086.1	0	707.6	85	0	207	292
4/13/2020	9	1086.1	0	707.6	85	0	208	292
4/13/2020	10	1086.1	0	707.4	85	0	207	292
4/13/2020	11	1086.1	0	707.1	85	0	206	291
4/13/2020	12	1086.1	0	707.7	85	0	208	292
4/13/2020	13	1086.1	0	707.5	85	0	207	293
4/13/2020	14	1086.1	0	708.0	85	0	208	294
4/13/2020	15	1086.1	0	708.3	85	0	209	294
4/13/2020	16	1086.1	0	708.7	85	0	209	294
4/13/2020	17	1086.2	0	708.5	85	0	209	294
4/13/2020	18	1086.2	0	708.4	85	0	208	293
4/13/2020	19	1086.2	0	708.5	85	0	208	293
4/13/2020	20	1086.2	0	708.2	85	0	208	292
4/13/2020	21	1086.2	0	707.8	85	0	207	292
4/13/2020	22	1086.2	0	707.2	85	0	204	289
4/13/2020	23	1086.2	0	706.7	85	0	204	288
4/13/2020	24	1086.2	0	707.0	85	0	204	289
4/14/2020	1	1086.2	0	707.2	85	0	205	290
4/14/2020	2	1086.2	0	707.0	85	0	204	289
4/14/2020	3	1086.2	0	706.7	85	0	202	288
4/14/2020	4	1086.2	0	707.2	85	0	204	289
4/14/2020	5	1086.2	0	707.2	85	0	204	289
4/14/2020	6	1086.2	0	707.4	85	0	205	290
4/14/2020	7	1086.2	0	707.2	85	0	205	290
4/14/2020	8	1086.2	0	707.2	85	0	205	290
4/14/2020	9	1086.2	0	706.9	85	0	204	289
4/14/2020	10	1086.2	0	706.7	85	0	203	288
4/14/2020	11	1086.2	0	706.6	85	0	203	288
4/14/2020	12	1086.2	0	706.6	85	0	203	288
4/14/2020	13	1086.3	0	706.9	85	0	204	290
4/14/2020	14	1086.3	0	707.2	85	0	206	291
4/14/2020	15	1086.3	0	707.6	85	0	206	291
4/14/2020	16	1086.3	0	707.5	85	0	205	290
4/14/2020	17	1086.3	0	707.7	85	0	204	289

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/14/2020	18	1086.3	0	707.6	85	0	202	288
4/14/2020	19	1086.3	0	707.4	85	0	203	288
4/14/2020	20	1086.3	0	706.7	85	0	201	286
4/14/2020	21	1086.3	0	706.5	85	0	201	286
4/14/2020	22	1086.3	0	706.3	85	0	201	286
4/14/2020	23	1086.3	0	706.2	85	0	200	285
4/14/2020	24	1086.3	0	706.1	85	0	200	285
4/15/2020	1	1086.3	0	706.5	85	0	202	287
4/15/2020	2	1086.3	0	706.4	85	0	201	287
4/15/2020	3	1086.3	0	706.3	85	0	201	286
4/15/2020	4	1086.3	0	706.5	85	0	201	286
4/15/2020	5	1086.3	0	706.8	85	0	203	288
4/15/2020	6	1086.3	0	706.7	85	0	202	287
4/15/2020	7	1086.3	0	706.8	85	0	202	287
4/15/2020	8	1086.3	0	706.8	85	0	203	288
4/15/2020	9	1086.4	0	707.1	85	0	205	290
4/15/2020	10	1086.4	0	706.9	85	0	205	290
4/15/2020	11	1086.4	0	707.2	85	0	205	290
4/15/2020	12	1086.4	0	707.5	85	0	206	291
4/15/2020	13	1086.4	0	707.6	85	0	206	291
4/15/2020	14	1086.4	0	707.8	85	0	207	293
4/15/2020	15	1086.4	0	707.7	85	0	207	292
4/15/2020	16	1086.4	0	707.8	85	0	207	292
4/15/2020	17	1086.4	0	708.2	85	0	207	292
4/15/2020	18	1086.4	0	707.9	85	0	207	292
4/15/2020	19	1086.4	0	708.3	85	0	207	292
4/15/2020	20	1086.4	0	707.9	85	0	205	290
4/15/2020	21	1086.4	0	707.7	85	0	204	289
4/15/2020	22	1086.4	0	707.2	85	0	203	288
4/15/2020	23	1086.4	0	706.8	85	0	202	287
4/15/2020	24	1086.4	0	706.5	85	0	202	287
4/16/2020	1	1086.4	0	706.8	85	0	202	287
4/16/2020	2	1086.4	0	706.9	85	0	202	287
4/16/2020	3	1086.4	0	707.3	85	0	203	289
4/16/2020	4	1086.4	0	707.9	85	0	204	289
4/16/2020	5	1086.4	0	708.4	85	0	206	291
4/16/2020	6	1086.4	0	708.5	85	0	207	292
4/16/2020	7	1086.4	0	709.1	85	0	208	293
4/16/2020	8	1086.4	0	709.2	85	0	208	293
4/16/2020	9	1086.4	0	709.1	85	0	208	293
4/16/2020	10	1086.4	0	709.1	85	0	209	294
4/16/2020	11	1086.4	0	709.2	85	0	210	295
4/16/2020	12	1086.4	0	709.3	85	0	209	294
4/16/2020	13	1086.4	0	709.5	85	0	210	294
4/16/2020	14	1086.4	0	709.7	85	0	210	296
4/16/2020	15	1086.5	0	709.5	85	0	209	294
4/16/2020	16	1086.5	0	709.4	85	0	209	294

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/16/2020	17	1086.5	0	709.2	85	0	208	293
4/16/2020	18	1086.5	0	708.9	85	0	207	292
4/16/2020	19	1086.5	0	708.7	85	0	207	292
4/16/2020	20	1086.5	0	708.3	85	0	205	290
4/16/2020	21	1086.5	0	707.9	85	0	204	289
4/16/2020	22	1086.5	0	707.8	85	0	203	288
4/16/2020	23	1086.5	0	707.4	85	0	203	288
4/16/2020	24	1086.5	0	707.2	85	0	203	288
4/17/2020	1	1086.5	0	707.1	85	0	203	288
4/17/2020	2	1086.5	0	707.3	85	0	203	288
4/17/2020	3	1086.5	0	707.4	85	0	202	288
4/17/2020	4	1086.5	0	707.5	85	0	203	289
4/17/2020	5	1086.5	0	708.0	85	0	205	290
4/17/2020	6	1086.5	20	708.8	85	0	207	292
4/17/2020	7	1086.5	1550	709.3	85	0	208	293
4/17/2020	8	1086.5	1580	709.2	85	0	208	293
4/17/2020	9	1086.5	1600	709.1	85	0	209	293
4/17/2020	10	1086.5	1580	709.1	85	0	209	294
4/17/2020	11	1086.5	1590	709.1	85	0	209	294
4/17/2020	12	1086.5	1580	709.2	85	0	209	294
4/17/2020	13	1086.5	1580	709.4	85	0	209	294
4/17/2020	14	1086.5	1610	709.7	85	0	211	296
4/17/2020	15	1086.5	1620	709.7	85	0	210	295
4/17/2020	16	1086.5	1630	709.9	85	0	210	295
4/17/2020	17	1086.5	1620	709.6	85	0	210	295
4/17/2020	18	1086.5	1650	709.6	85	0	209	294
4/17/2020	19	1086.5	1630	709.6	85	0	210	294
4/17/2020	20	1086.5	1620	709.4	85	0	208	293
4/17/2020	21	1086.5	1610	708.8	85	0	207	292
4/17/2020	22	1086.5	1570	708.3	85	0	206	291
4/17/2020	23	1086.6	70	707.1	85	0	202	288
4/17/2020	24	1086.6	0	706.7	85	0	203	288
4/18/2020	1	1086.6	0	706.7	85	0	202	287
4/18/2020	2	1086.6	0	707.4	85	0	203	288
4/18/2020	3	1086.6	0	707.7	85	0	204	289
4/18/2020	4	1086.6	0	707.8	85	0	204	289
4/18/2020	5	1086.6	0	707.9	85	0	205	290
4/18/2020	6	1086.6	0	707.6	85	0	203	288
4/18/2020	7	1086.6	1490	708.7	85	0	207	292
4/18/2020	8	1086.6	1620	708.5	85	0	207	292
4/18/2020	9	1086.6	1630	708.3	85	0	205	290
4/18/2020	10	1086.6	1630	708.4	85	0	206	292
4/18/2020	11	1086.6	1640	708.2	85	0	207	292
4/18/2020	12	1086.6	1630	708.2	85	0	205	291
4/18/2020	13	1086.6	1640	708.2	85	0	205	290
4/18/2020	14	1086.6	1620	708.3	85	0	206	291
4/18/2020	15	1086.6	1620	708.2	85	0	205	290

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/18/2020	16	1086.6	1630	708.1	85	0	204	289
4/18/2020	17	1086.6	1630	708.4	85	0	206	291
4/18/2020	18	1086.6	1630	708.3	85	0	205	290
4/18/2020	19	1086.6	1610	708.2	85	0	203	288
4/18/2020	20	1086.6	1610	708.3	85	0	204	289
4/18/2020	21	1086.6	1610	708.3	85	0	205	290
4/18/2020	22	1086.6	1610	708.2	85	0	204	289
4/18/2020	23	1086.6	170	707.2	85	0	201	286
4/18/2020	24	1086.6	0	707.3	85	0	202	287
4/19/2020	1	1086.6	0	707.6	85	0	203	287
4/19/2020	2	1086.6	0	707.6	85	0	202	287
4/19/2020	3	1086.6	0	707.7	85	0	203	288
4/19/2020	4	1086.6	0	707.9	85	0	203	287
4/19/2020	5	1086.6	0	707.7	85	0	203	288
4/19/2020	6	1086.7	0	707.6	85	0	203	287
4/19/2020	7	1086.7	0	707.3	85	0	202	287
4/19/2020	8	1086.7	0	706.8	85	0	201	286
4/19/2020	9	1086.7	0	707.0	85	0	201	286
4/19/2020	10	1086.7	0	707.3	85	0	202	287
4/19/2020	11	1086.7	0	707.5	85	0	203	288
4/19/2020	12	1086.7	0	707.5	85	0	202	288
4/19/2020	13	1086.7	0	707.6	85	0	203	288
4/19/2020	14	1086.7	0	707.7	85	0	202	287
4/19/2020	15	1086.7	0	707.8	85	0	203	289
4/19/2020	16	1086.7	0	708.2	85	0	205	290
4/19/2020	17	1086.7	0	708.5	85	0	204	289
4/19/2020	18	1086.7	0	708.8	85	0	205	290
4/19/2020	19	1086.7	0	708.7	85	0	204	289
4/19/2020	20	1086.7	0	708.7	85	0	205	289
4/19/2020	21	1086.8	0	708.2	85	0	203	289
4/19/2020	22	1086.8	0	708.2	85	0	203	288
4/19/2020	23	1086.8	0	707.6	85	0	201	286
4/19/2020	24	1086.8	0	707.5	85	0	201	286
4/20/2020	1	1086.8	0	707.2	85	0	200	286
4/20/2020	2	1086.8	0	707.2	85	0	201	286
4/20/2020	3	1086.8	0	707.4	85	0	201	286
4/20/2020	4	1086.8	0	707.3	85	0	201	286
4/20/2020	5	1086.8	0	707.2	86	0	202	287
4/20/2020	6	1086.8	20	707.4	85	0	202	287
4/20/2020	7	1086.8	1480	708.1	85	0	203	288
4/20/2020	8	1086.8	1580	708.2	85	0	205	290
4/20/2020	9	1086.8	1590	708.2	85	0	204	289
4/20/2020	10	1086.8	1590	708.4	85	0	205	290
4/20/2020	11	1086.8	1600	708.6	85	0	205	291
4/20/2020	12	1086.9	1580	708.7	85	0	206	291
4/20/2020	13	1086.9	1580	709.0	85	0	207	292
4/20/2020	14	1086.9	1580	708.9	85	0	207	292

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/20/2020	15	1086.9	1580	709.2	85	0	206	291
4/20/2020	16	1086.9	1560	709.0	85	0	205	290
4/20/2020	17	1086.9	1580	708.8	85	0	205	290
4/20/2020	18	1086.9	1590	708.9	85	0	205	290
4/20/2020	19	1086.9	1600	708.8	85	0	204	289
4/20/2020	20	1086.9	1580	708.7	85	0	203	288
4/20/2020	21	1086.9	1580	708.4	85	0	203	288
4/20/2020	22	1086.9	1570	708.6	85	0	203	288
4/20/2020	23	1086.9	1580	708.6	85	0	203	288
4/20/2020	24	1086.9	1590	708.7	85	0	204	289
4/21/2020	1	1086.9	1580	708.9	85	0	205	290
4/21/2020	2	1086.9	1580	708.8	85	0	205	290
4/21/2020	3	1086.9	1590	709.1	85	0	205	290
4/21/2020	4	1086.9	1580	708.7	85	0	205	290
4/21/2020	5	1086.9	1590	708.9	85	0	206	290
4/21/2020	6	1086.9	1620	708.8	85	0	205	290
4/21/2020	7	1086.9	1610	708.4	85	0	205	290
4/21/2020	8	1086.9	1600	708.2	85	0	204	289
4/21/2020	9	1086.9	1610	708.2	85	0	205	290
4/21/2020	10	1087.0	1620	708.2	85	0	204	289
4/21/2020	11	1087.0	1630	708.3	85	0	204	289
4/21/2020	12	1087.0	1630	708.5	85	0	203	288
4/21/2020	13	1087.0	1630	708.4	85	0	203	288
4/21/2020	14	1087.0	1620	708.5	85	0	203	288
4/21/2020	15	1087.0	1620	708.4	85	0	203	288
4/21/2020	16	1087.0	1630	708.3	85	0	202	287
4/21/2020	17	1087.0	1610	708.2	85	0	201	287
4/21/2020	18	1087.0	1630	708.3	85	0	203	288
4/21/2020	19	1087.0	1640	708.4	85	0	202	288
4/21/2020	20	1087.0	1640	708.6	85	0	203	288
4/21/2020	21	1087.0	1620	708.6	85	0	204	289
4/21/2020	22	1087.0	1610	708.5	85	0	203	288
4/21/2020	23	1087.0	1610	708.2	85	0	203	288
4/21/2020	24	1087.0	1620	708.2	85	0	204	289
4/22/2020	1	1087.0	1620	708.2	85	0	204	289
4/22/2020	2	1087.0	1620	708.3	85	0	205	290
4/22/2020	3	1087.0	1640	708.5	85	0	205	290
4/22/2020	4	1087.0	1630	708.6	85	0	205	291
4/22/2020	5	1087.0	1640	708.7	85	0	206	291
4/22/2020	6	1087.0	1630	708.8	85	0	207	292
4/22/2020	7	1087.0	1620	709.0	85	0	207	292
4/22/2020	8	1087.0	1620	709.1	85	0	208	293
4/22/2020	9	1087.0	1630	709.0	85	0	208	294
4/22/2020	10	1087.0	1620	709.0	85	0	208	294
4/22/2020	11	1087.1	1610	709.0	85	0	208	293
4/22/2020	12	1087.1	1620	709.0	85	0	209	294
4/22/2020	13	1087.1	1630	709.0	85	0	209	294

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/22/2020	14	1087.1	1620	709.1	85	0	209	294
4/22/2020	15	1087.1	1620	709.3	85	0	209	294
4/22/2020	16	1087.1	1620	709.5	85	0	209	294
4/22/2020	17	1087.1	1620	709.6	85	0	210	295
4/22/2020	18	1087.1	1640	709.6	85	0	209	294
4/22/2020	19	1087.1	1620	709.7	85	0	210	295
4/22/2020	20	1087.1	1640	709.6	85	0	210	295
4/22/2020	21	1087.1	1620	709.6	85	0	209	294
4/22/2020	22	1087.1	1610	709.2	85	0	209	294
4/22/2020	23	1087.1	1620	709.1	85	0	209	294
4/22/2020	24	1087.1	1610	708.9	85	0	208	293
4/23/2020	1	1087.1	2360	709.3	85	0	209	294
4/23/2020	2	1087.1	2390	709.5	85	0	211	295
4/23/2020	3	1087.1	2380	709.5	85	0	210	296
4/23/2020	4	1087.2	2390	709.6	85	0	210	295
4/23/2020	5	1087.2	2400	709.8	85	0	211	296
4/23/2020	6	1087.2	2390	709.9	85	0	211	297
4/23/2020	7	1087.2	2400	710.0	85	0	212	297
4/23/2020	8	1087.2	2380	709.8	85	0	212	297
4/23/2020	9	1087.2	2380	709.8	85	0	211	297
4/23/2020	10	1087.2	2380	709.6	85	0	210	296
4/23/2020	11	1087.2	2390	709.5	85	0	210	296
4/23/2020	12	1087.2	2400	709.4	85	0	210	295
4/23/2020	13	1087.2	2400	709.4	85	0	209	294
4/23/2020	14	1087.2	2390	709.3	85	0	207	292
4/23/2020	15	1087.2	2380	709.1	85	0	208	293
4/23/2020	16	1087.2	2370	709.1	85	0	208	293
4/23/2020	17	1087.2	2350	709.0	85	0	207	292
4/23/2020	18	1087.2	2360	708.9	85	0	207	292
4/23/2020	19	1087.3	2360	708.8	85	0	206	291
4/23/2020	20	1087.3	2340	708.7	85	0	205	291
4/23/2020	21	1087.3	2320	708.6	85	0	205	291
4/23/2020	22	1087.3	2310	708.6	85	0	207	292
4/23/2020	23	1087.3	2330	708.6	85	0	207	292
4/23/2020	24	1087.3	2340	708.6	85	0	207	292
4/24/2020	1	1087.3	2330	708.6	85	0	207	292
4/24/2020	2	1087.3	2330	708.6	85	0	207	293
4/24/2020	3	1087.3	2330	708.7	85	0	208	293
4/24/2020	4	1087.3	2350	708.9	85	0	208	293
4/24/2020	5	1087.3	2350	708.8	85	0	209	294
4/24/2020	6	1087.3	2360	708.9	85	0	209	294
4/24/2020	7	1087.3	2360	709.0	85	0	209	295
4/24/2020	8	1087.3	2380	709.0	85	0	209	294
4/24/2020	9	1087.3	2380	709.2	85	0	209	294
4/24/2020	10	1087.3	2380	709.0	85	0	210	294
4/24/2020	11	1087.3	2390	709.1	85	0	209	295
4/24/2020	12	1087.3	2390	709.2	85	0	209	294



Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/24/2020	13	1087.3	2380	709.3	85	0	210	295
4/24/2020	14	1087.3	2380	709.2	85	0	210	295
4/24/2020	15	1087.3	2380	709.2	85	0	210	295
4/24/2020	16	1087.3	2390	709.1	85	0	209	294
4/24/2020	17	1087.3	2380	709.1	85	0	209	294
4/24/2020	18	1087.3	2380	709.0	85	0	208	293
4/24/2020	19	1087.3	2390	709.0	85	0	209	294
4/24/2020	20	1087.3	2380	708.9	85	0	208	293
4/24/2020	21	1087.3	2380	708.9	85	0	207	292
4/24/2020	22	1087.3	2370	708.8	85	0	207	293
4/24/2020	23	1087.3	2370	708.7	85	0	207	292
4/24/2020	24	1087.3	2380	708.6	85	0	207	292
4/25/2020	1	1087.3	2370	708.6	85	0	208	293
4/25/2020	2	1087.3	2380	708.6	85	0	207	292
4/25/2020	3	1087.4	2380	708.6	85	0	208	293
4/25/2020	4	1087.4	2380	708.6	85	0	207	293
4/25/2020	5	1087.4	2390	708.6	85	0	208	294
4/25/2020	6	1087.4	2380	708.6	85	0	207	292
4/25/2020	7	1087.4	2370	708.6	85	0	209	294
4/25/2020	8	1087.4	2370	708.6	85	0	208	293
4/25/2020	9	1087.4	2380	708.7	85	0	209	294
4/25/2020	10	1087.4	2380	708.7	85	0	208	293
4/25/2020	11	1087.4	2380	708.7	85	0	208	293
4/25/2020	12	1087.4	2380	708.6	85	0	208	293
4/25/2020	13	1087.4	2380	708.7	85	0	208	293
4/25/2020	14	1087.4	2370	708.6	85	0	208	293
4/25/2020	15	1087.4	2390	708.7	85	0	207	293
4/25/2020	16	1087.4	2380	708.6	85	0	207	292
4/25/2020	17	1087.4	2380	708.7	85	0	207	292
4/25/2020	18	1087.4	2380	708.6	85	0	206	292
4/25/2020	19	1087.4	2380	708.6	85	0	206	291
4/25/2020	20	1087.4	2370	708.6	85	0	206	291
4/25/2020	21	1087.4	2370	708.6	85	0	206	291
4/25/2020	22	1087.4	2370	708.6	85	0	206	291
4/25/2020	23	1087.4	2370	708.6	85	0	206	292
4/25/2020	24	1087.4	2370	708.6	85	0	207	292
4/26/2020	1	1087.4	2370	708.6	85	0	207	292
4/26/2020	2	1087.4	2380	708.6	85	0	208	293
4/26/2020	3	1087.4	2380	708.6	85	0	207	292
4/26/2020	4	1087.4	2380	708.6	85	0	208	293
4/26/2020	5	1087.4	2380	708.6	85	0	208	293
4/26/2020	6	1087.4	2380	708.6	85	0	207	292
4/26/2020	7	1087.4	2380	708.8	85	0	209	294
4/26/2020	8	1087.4	2370	709.0	85	0	210	295
4/26/2020	9	1087.4	2370	708.8	85	0	209	294
4/26/2020	10	1087.4	2380	708.8	85	0	210	295
4/26/2020	11	1087.4	2380	709.0	85	0	210	295

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/26/2020	12	1087.4	2390	709.2	85	0	210	295
4/26/2020	13	1087.4	2390	709.2	85	0	210	295
4/26/2020	14	1087.4	2390	709.3	85	0	210	295
4/26/2020	15	1087.4	2390	709.5	85	0	210	295
4/26/2020	16	1087.4	2400	709.5	85	0	210	295
4/26/2020	17	1087.4	2400	709.7	85	0	210	295
4/26/2020	18	1087.4	2390	710.0	85	0	211	296
4/26/2020	19	1087.4	2390	709.9	85	0	210	295
4/26/2020	20	1087.5	2380	710.0	85	0	210	295
4/26/2020	21	1087.5	2380	710.0	85	0	211	296
4/26/2020	22	1087.5	2380	710.1	85	0	211	296
4/26/2020	23	1087.5	2380	709.9	85	0	210	295
4/26/2020	24	1087.5	2380	709.7	85	0	209	294
4/27/2020	1	1087.5	2380	709.7	85	0	209	295
4/27/2020	2	1087.5	2380	709.8	85	0	210	295
4/27/2020	3	1087.5	2390	709.8	85	0	210	295
4/27/2020	4	1087.5	2390	709.8	85	0	209	294
4/27/2020	5	1087.5	2390	709.8	85	0	210	295
4/27/2020	6	1087.5	2390	709.8	85	0	211	296
4/27/2020	7	1087.5	2380	709.7	85	0	210	295
4/27/2020	8	1087.5	2380	709.8	85	0	211	296
4/27/2020	9	1087.5	2380	709.8	85	0	211	296
4/27/2020	10	1087.5	2390	709.7	85	0	210	295
4/27/2020	11	1087.5	2390	709.7	85	0	210	295
4/27/2020	12	1087.5	2390	709.6	85	0	209	294
4/27/2020	13	1087.5	2380	709.5	85	0	208	293
4/27/2020	14	1087.5	2390	709.4	85	0	208	293
4/27/2020	15	1087.5	2380	709.4	85	0	210	295
4/27/2020	16	1087.5	2390	709.2	85	0	208	293
4/27/2020	17	1087.5	2390	709.2	85	0	208	293
4/27/2020	18	1087.5	2390	709.2	85	0	208	293
4/27/2020	19	1087.5	2380	709.1	85	0	208	293
4/27/2020	20	1087.5	2380	709.1	85	0	208	293
4/27/2020	21	1087.6	2380	709.2	85	0	208	293
4/27/2020	22	1087.6	2380	709.1	85	0	209	294
4/27/2020	23	1087.6	2380	708.9	85	0	209	294
4/27/2020	24	1087.6	2370	708.8	85	0	209	294
4/28/2020	1	1087.6	2370	708.7	85	0	208	293
4/28/2020	2	1087.6	2390	708.7	85	0	209	294
4/28/2020	3	1087.6	2380	708.7	85	0	209	294
4/28/2020	4	1087.6	2370	708.7	85	0	209	294
4/28/2020	5	1087.6	2370	708.7	85	0	209	294
4/28/2020	6	1087.6	2380	708.8	85	0	210	295
4/28/2020	7	1087.6	2380	708.8	85	0	209	294
4/28/2020	8	1087.6	2370	708.8	85	0	209	294
4/28/2020	9	1087.6	2380	708.7	85	0	209	294
4/28/2020	10	1087.6	2380	708.7	85	0	210	295

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/28/2020	11	1087.6	2380	708.6	85	0	209	294
4/28/2020	12	1087.6	2390	708.6	85	0	209	294
4/28/2020	13	1087.6	2380	708.7	85	0	209	294
4/28/2020	14	1087.6	2380	708.7	85	0	209	294
4/28/2020	15	1087.6	2380	708.8	85	0	209	294
4/28/2020	16	1087.6	2370	708.8	85	0	208	294
4/28/2020	17	1087.6	2370	708.8	85	0	208	293
4/28/2020	18	1087.6	2380	708.9	85	0	208	293
4/28/2020	19	1087.6	2380	709.0	85	0	207	292
4/28/2020	20	1087.6	2370	709.0	85	0	209	294
4/28/2020	21	1087.6	2370	709.1	85	0	209	294
4/28/2020	22	1087.6	2380	709.1	85	0	208	294
4/28/2020	23	1087.6	2380	709.1	85	0	209	294
4/28/2020	24	1087.6	2360	709.1	85	0	209	294
4/29/2020	1	1087.6	2370	708.9	85	0	208	293
4/29/2020	2	1087.6	2370	709.0	85	0	209	294
4/29/2020	3	1087.6	2370	709.1	85	0	209	294
4/29/2020	4	1087.6	2370	709.1	85	0	209	294
4/29/2020	5	1087.6	2380	709.1	85	0	210	295
4/29/2020	6	1087.6	2380	709.0	85	0	210	295
4/29/2020	7	1087.6	2370	709.1	85	0	209	294
4/29/2020	8	1087.6	2390	709.1	85	0	210	295
4/29/2020	9	1087.6	2390	709.0	85	0	209	294
4/29/2020	10	1087.6	2390	709.0	85	0	210	295
4/29/2020	11	1087.6	2390	709.0	85	0	210	295
4/29/2020	12	1087.6	2390	709.0	85	0	210	295
4/29/2020	13	1087.6	2390	709.0	85	0	209	294
4/29/2020	14	1087.6	2380	708.9	85	0	209	294
4/29/2020	15	1087.6	2380	708.9	85	0	209	294
4/29/2020	16	1087.6	2380	708.9	85	0	208	293
4/29/2020	17	1087.6	2380	708.9	85	0	208	293
4/29/2020	18	1087.6	2370	709.0	85	0	209	294
4/29/2020	19	1087.6	2370	709.1	85	0	209	294
4/29/2020	20	1087.6	2370	709.2	85	0	210	295
4/29/2020	21	1087.6	2380	709.1	85	0	209	294
4/29/2020	22	1087.6	2370	709.0	85	0	208	293
4/29/2020	23	1087.6	2370	708.9	85	0	208	293
4/29/2020	24	1087.6	2370	708.9	85	0	208	293
4/30/2020	1	1087.6	2370	708.8	85	0	208	293
4/30/2020	2	1087.7	2370	708.8	85	0	207	292
4/30/2020	3	1087.7	2380	709.0	85	0	208	293
4/30/2020	4	1087.7	2370	709.3	85	0	209	294
4/30/2020	5	1087.7	2380	709.4	85	0	209	294
4/30/2020	6	1087.7	2380	709.4	85	0	209	294
4/30/2020	7	1087.7	2380	709.4	85	0	208	293
4/30/2020	8	1087.7	2380	709.2	85	0	207	292
4/30/2020	9	1087.7	2380	709.1	85	0	208	294

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
4/30/2020	10	1087.7	2380	709.1	85	0	208	293
4/30/2020	11	1087.7	2380	708.9	85	0	207	292
4/30/2020	12	1087.7	2390	709.1	85	0	207	292
4/30/2020	13	1087.7	2380	709.0	85	0	206	291
4/30/2020	14	1087.7	2380	709.0	85	0	207	291
4/30/2020	15	1087.7	2380	709.1	85	0	207	292
4/30/2020	16	1087.7	2380	709.2	85	0	207	292
4/30/2020	17	1087.7	2380	709.2	85	0	207	292
4/30/2020	18	1087.8	2380	709.2	85	0	207	292
4/30/2020	19	1087.8	2380	709.2	85	0	209	294
4/30/2020	20	1087.8	2380	709.3	85	0	209	294
4/30/2020	21	1087.8	2380	709.4	85	0	209	294
4/30/2020	22	1087.8	2370	709.4	85	0	209	294
4/30/2020	23	1087.8	2380	709.5	85	0	210	295
4/30/2020	24	1087.8	2380	709.5	85	0	210	295
5/1/2020	1	1087.8	2390	709.5	85	0	210	294
5/1/2020	2	1087.8	2390	709.5	85	0	211	296
5/1/2020	3	1087.8	2390	709.6	85	0	212	297
5/1/2020	4	1087.8	2390	709.5	85	0	212	297
5/1/2020	5	1087.8	2390	709.4	85	0	211	296
5/1/2020	6	1087.8	2390	709.4	85	0	211	296
5/1/2020	7	1087.8	2380	709.4	85	0	211	296
5/1/2020	8	1087.8	2380	709.3	85	0	210	295
5/1/2020	9	1087.8	2380	709.3	85	0	210	295
5/1/2020	10	1087.8	2390	709.3	85	0	210	296
5/1/2020	11	1087.8	2380	709.4	85	0	211	296
5/1/2020	12	1087.8	2390	709.4	85	0	210	296
5/1/2020	13	1087.8	2390	709.3	85	0	210	296
5/1/2020	14	1087.8	2380	709.4	85	0	210	295
5/1/2020	15	1087.8	2380	709.4	85	0	210	295
5/1/2020	16	1087.8	2380	709.3	85	0	210	295
5/1/2020	17	1087.8	2380	709.2	85	0	209	294
5/1/2020	18	1087.8	2390	709.3	85	0	209	294
5/1/2020	19	1087.8	2390	709.3	85	0	209	294
5/1/2020	20	1087.8	2380	709.3	85	0	209	295
5/1/2020	21	1087.8	2380	709.2	85	0	209	294
5/1/2020	22	1087.8	2370	709.1	85	0	208	293
5/1/2020	23	1087.8	2380	709.1	85	0	209	294
5/1/2020	24	1087.8	2380	709.2	85	0	210	294
5/2/2020	1	1087.8	2380	709.1	85	0	209	294
5/2/2020	2	1087.8	2380	709.0	85	0	209	294
5/2/2020	3	1087.8	2380	708.9	85	0	209	294
5/2/2020	4	1087.8	2380	708.9	85	0	209	294
5/2/2020	5	1087.9	2380	708.8	85	0	209	294
5/2/2020	6	1087.9	2380	708.8	85	0	209	294
5/2/2020	7	1087.9	2370	708.8	85	0	210	295
5/2/2020	8	1087.9	2370	708.7	85	0	209	294

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/2/2020	9	1087.9	2390	708.7	85	0	209	294
5/2/2020	10	1087.9	2380	708.7	85	0	208	293
5/2/2020	11	1087.9	2380	708.8	85	0	210	295
5/2/2020	12	1087.9	2390	708.8	85	0	209	294
5/2/2020	13	1087.9	2390	708.8	85	0	209	294
5/2/2020	14	1087.9	2380	708.8	85	0	208	293
5/2/2020	15	1087.9	2380	708.8	85	0	209	294
5/2/2020	16	1087.9	2380	708.8	85	0	209	294
5/2/2020	17	1087.9	2380	708.8	85	0	209	293
5/2/2020	18	1087.9	2380	708.8	85	0	209	295
5/2/2020	19	1087.9	2390	708.9	85	0	207	292
5/2/2020	20	1087.9	2370	708.9	85	0	207	292
5/2/2020	21	1087.9	2370	708.8	85	0	207	292
5/2/2020	22	1087.9	2370	708.8	85	0	208	293
5/2/2020	23	1087.9	2370	708.9	85	0	208	293
5/2/2020	24	1087.9	2380	709.0	85	0	207	292
5/3/2020	1	1087.9	1580	708.6	85	0	206	291
5/3/2020	2	1088.0	1570	708.8	85	0	207	292
5/3/2020	3	1088.0	1580	708.6	85	0	206	291
5/3/2020	4	1088.0	1580	708.7	85	0	207	292
5/3/2020	5	1088.0	1590	708.9	85	0	207	292
5/3/2020	6	1088.0	1590	708.9	85	0	208	293
5/3/2020	7	1088.0	1580	708.9	85	0	209	294
5/3/2020	8	1088.0	1560	708.8	85	0	209	294
5/3/2020	9	1088.0	1580	708.3	85	0	207	292
5/3/2020	10	1088.0	1600	708.3	85	0	206	291
5/3/2020	11	1088.0	1590	708.2	85	0	206	291
5/3/2020	12	1088.0	1590	708.2	85	0	206	291
5/3/2020	13	1088.0	1590	708.1	85	0	205	290
5/3/2020	14	1088.0	1580	708.2	85	0	206	291
5/3/2020	15	1088.0	1590	708.7	85	0	206	291
5/3/2020	16	1088.0	1590	708.7	85	0	207	292
5/3/2020	17	1088.0	1580	708.9	85	0	208	293
5/3/2020	18	1088.0	1590	708.9	85	0	207	292
5/3/2020	19	1088.0	1590	708.9	85	0	206	291
5/3/2020	20	1088.0	1580	709.1	85	0	207	292
5/3/2020	21	1088.0	1580	709.0	85	0	207	292
5/3/2020	22	1088.0	1580	709.0	85	0	208	294
5/3/2020	23	1088.1	1570	708.9	85	0	208	293
5/3/2020	24	1088.1	1580	709.1	85	0	209	294
5/4/2020	1	1088.1	1570	709.1	85	0	209	295
5/4/2020	2	1088.1	1590	709.2	85	0	209	295
5/4/2020	3	1088.1	1570	709.2	85	0	210	295
5/4/2020	4	1088.1	1590	709.1	85	0	210	295
5/4/2020	5	1088.1	1600	709.1	85	0	210	295
5/4/2020	6	1088.1	1590	709.1	85	0	210	295
5/4/2020	7	1088.1	1580	709.3	85	0	212	296

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/4/2020	8	1088.1	1580	709.3	85	0	211	296
5/4/2020	9	1088.1	1580	709.4	85	0	211	296
5/4/2020	10	1088.1	1580	709.4	85	0	211	296
5/4/2020	11	1088.1	1600	709.3	85	0	211	296
5/4/2020	12	1088.1	1600	709.5	85	0	212	297
5/4/2020	13	1088.1	1590	709.5	85	0	211	296
5/4/2020	14	1088.1	1590	709.6	85	0	211	296
5/4/2020	15	1088.1	1590	709.6	85	0	211	296
5/4/2020	16	1088.1	1580	709.5	85	0	211	296
5/4/2020	17	1088.1	1600	709.4	85	0	210	295
5/4/2020	18	1088.1	1600	709.4	85	0	210	295
5/4/2020	19	1088.1	1600	709.5	85	0	210	295
5/4/2020	20	1088.1	1590	709.7	85	0	210	295
5/4/2020	21	1088.1	1590	709.7	85	0	211	295
5/4/2020	22	1088.1	1590	709.6	85	0	211	296
5/4/2020	23	1088.2	1580	709.6	85	0	210	295
5/4/2020	24	1088.2	1580	709.8	85	0	211	296
5/5/2020	1	1088.2	1580	709.9	85	0	211	296
5/5/2020	2	1088.2	1590	709.9	85	0	211	297
5/5/2020	3	1088.2	1580	710.0	85	0	211	296
5/5/2020	4	1088.2	1590	710.2	85	0	212	297
5/5/2020	5	1088.2	1600	710.4	85	0	212	298
5/5/2020	6	1088.2	1600	710.6	85	0	213	298
5/5/2020	7	1088.2	1580	710.5	85	0	213	298
5/5/2020	8	1088.2	1590	710.4	85	0	213	298
5/5/2020	9	1088.2	1590	710.3	85	0	214	299
5/5/2020	10	1088.2	1600	710.2	85	0	213	298
5/5/2020	11	1088.2	1600	710.1	85	0	213	298
5/5/2020	12	1088.2	1620	710.1	85	0	212	297
5/5/2020	13	1088.2	1600	710.2	85	0	213	298
5/5/2020	14	1088.2	1600	710.3	85	0	213	298
5/5/2020	15	1088.2	1590	710.4	85	0	213	298
5/5/2020	16	1088.2	1590	710.4	85	0	213	298
5/5/2020	17	1088.3	1600	710.6	85	0	213	298
5/5/2020	18	1088.3	1580	710.7	85	0	212	297
5/5/2020	19	1088.3	1590	710.8	85	0	213	298
5/5/2020	20	1088.3	1580	710.8	85	0	213	298
5/5/2020	21	1088.3	1580	710.8	85	0	213	298
5/5/2020	22	1088.3	1590	710.5	85	0	213	297
5/5/2020	23	1088.3	1580	710.6	85	0	212	297
5/5/2020	24	1088.3	1580	710.5	85	0	213	298
5/6/2020	1	1088.3	30	710.3	85	0	212	297
5/6/2020	2	1088.3	0	710.0	85	0	210	295
5/6/2020	3	1088.3	0	709.8	85	0	210	295
5/6/2020	4	1088.3	0	709.5	85	0	209	294
5/6/2020	5	1088.3	0	709.2	85	0	208	293
5/6/2020	6	1088.3	10	709.0	85	0	206	291

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/6/2020	7	1088.4	830	709.0	85	0	208	293
5/6/2020	8	1088.4	830	709.0	85	0	208	293
5/6/2020	9	1088.4	830	708.8	85	0	206	291
5/6/2020	10	1088.4	830	708.7	85	0	205	290
5/6/2020	11	1088.4	830	708.7	85	0	205	290
5/6/2020	12	1088.4	830	708.8	85	0	206	291
5/6/2020	13	1088.4	830	709.0	85	0	208	293
5/6/2020	14	1088.4	830	708.9	85	0	208	293
5/6/2020	15	1088.4	830	708.7	85	0	206	291
5/6/2020	16	1088.4	830	708.9	85	0	207	292
5/6/2020	17	1088.5	830	708.9	85	0	207	292
5/6/2020	18	1088.5	830	708.9	85	0	207	293
5/6/2020	19	1088.5	820	708.7	85	0	206	291
5/6/2020	20	1088.5	830	708.9	85	0	206	291
5/6/2020	21	1088.5	830	709.0	85	0	207	291
5/6/2020	22	1088.5	830	709.2	85	0	208	293
5/6/2020	23	1088.5	30	709.3	85	0	207	292
5/6/2020	24	1088.5	0	709.2	85	0	208	293
5/7/2020	1	1088.5	0	709.0	85	0	207	292
5/7/2020	2	1088.5	0	708.9	85	0	207	292
5/7/2020	3	1088.5	0	708.9	85	0	207	292
5/7/2020	4	1088.5	0	709.2	85	0	207	292
5/7/2020	5	1088.5	0	709.3	85	0	208	293
5/7/2020	6	1088.5	20	709.5	85	0	209	294
5/7/2020	7	1088.5	830	709.6	85	0	209	294
5/7/2020	8	1088.5	830	709.5	85	0	208	294
5/7/2020	9	1088.5	830	709.4	85	0	208	294
5/7/2020	10	1088.5	830	709.3	85	0	208	293
5/7/2020	11	1088.5	840	709.3	85	0	210	295
5/7/2020	12	1088.5	840	709.4	85	0	211	296
5/7/2020	13	1088.5	830	709.3	85	0	211	297
5/7/2020	14	1088.5	830	709.4	85	0	211	296
5/7/2020	15	1088.5	840	709.3	85	0	211	296
5/7/2020	16	1088.5	840	709.2	85	0	211	296
5/7/2020	17	1088.5	830	709.1	85	0	211	296
5/7/2020	18	1088.5	830	709.1	85	0	210	295
5/7/2020	19	1088.6	830	709.1	85	0	210	295
5/7/2020	20	1088.6	830	709.0	85	0	210	295
5/7/2020	21	1088.6	830	709.0	85	0	208	293
5/7/2020	22	1088.6	830	708.8	85	0	209	294
5/7/2020	23	1088.6	20	708.7	85	0	208	293
5/7/2020	24	1088.6	0	708.4	85	0	206	291
5/8/2020	1	1088.6	0	708.3	85	0	207	292
5/8/2020	2	1088.6	0	707.9	85	0	206	291
5/8/2020	3	1088.6	0	708.2	85	0	206	291
5/8/2020	4	1088.6	0	708.6	85	0	207	292
5/8/2020	5	1088.6	0	708.8	85	0	208	292

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/8/2020	6	1088.6	10	709.0	85	0	209	294
5/8/2020	7	1088.6	830	709.2	85	0	209	294
5/8/2020	8	1088.6	830	709.2	85	0	210	295
5/8/2020	9	1088.7	830	709.0	85	0	210	295
5/8/2020	10	1088.7	830	709.0	85	0	209	294
5/8/2020	11	1088.7	830	709.2	85	0	210	295
5/8/2020	12	1088.7	830	709.5	85	0	212	297
5/8/2020	13	1088.7	830	709.6	85	0	212	297
5/8/2020	14	1088.7	830	709.8	85	0	212	297
5/8/2020	15	1088.7	830	710.0	85	0	213	298
5/8/2020	16	1088.7	830	710.3	85	0	213	298
5/8/2020	17	1088.7	840	710.4	85	0	213	298
5/8/2020	18	1088.7	840	710.4	85	0	214	299
5/8/2020	19	1088.7	840	710.9	85	0	214	299
5/8/2020	20	1088.7	830	711.1	85	0	214	300
5/8/2020	21	1088.7	830	710.9	85	0	214	299
5/8/2020	22	1088.7	830	710.6	85	0	213	298
5/8/2020	23	1088.8	60	710.3	85	0	212	297
5/8/2020	24	1088.8	0	710.4	85	0	212	297
5/9/2020	1	1088.8	0	710.5	85	0	212	297
5/9/2020	2	1088.8	0	710.5	85	0	212	297
5/9/2020	3	1088.8	0	710.4	85	0	212	298
5/9/2020	4	1088.8	0	710.2	85	0	211	296
5/9/2020	5	1088.8	0	710.2	85	0	211	296
5/9/2020	6	1088.8	20	710.2	85	0	211	296
5/9/2020	7	1088.8	820	710.2	85	0	212	297
5/9/2020	8	1088.8	830	710.5	85	0	213	298
5/9/2020	9	1088.9	830	710.9	85	0	214	299
5/9/2020	10	1088.9	840	711.3	85	0	215	301
5/9/2020	11	1088.9	840	711.2	85	0	215	300
5/9/2020	12	1088.9	840	710.7	85	0	214	300
5/9/2020	13	1088.9	840	710.5	85	0	214	300
5/9/2020	14	1088.9	830	710.5	85	0	215	300
5/9/2020	15	1088.9	830	710.6	85	0	214	299
5/9/2020	16	1088.9	830	710.7	85	0	214	300
5/9/2020	17	1088.9	840	711.0	85	0	214	299
5/9/2020	18	1088.9	830	711.2	85	0	214	299
5/9/2020	19	1088.9	840	711.2	85	0	214	299
5/9/2020	20	1088.9	830	711.0	85	0	214	299
5/9/2020	21	1089.0	830	711.0	85	0	213	298
5/9/2020	22	1089.0	830	710.9	85	0	213	298
5/9/2020	23	1089.0	60	710.7	85	0	213	298
5/9/2020	24	1089.0	0	710.7	85	0	213	298
5/10/2020	1	1089.0	0	710.5	85	0	212	297
5/10/2020	2	1089.0	0	710.7	85	0	212	298
5/10/2020	3	1089.0	0	710.9	85	0	213	298
5/10/2020	4	1089.0	0	711.0	85	0	213	298



Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/10/2020	5	1089.0	0	710.9	85	0	213	298
5/10/2020	6	1089.0	0	710.7	85	0	213	299
5/10/2020	7	1089.0	0	710.7	85	0	213	298
5/10/2020	8	1089.0	0	710.7	85	0	212	298
5/10/2020	9	1089.1	0	710.7	85	0	213	298
5/10/2020	10	1089.1	0	710.7	85	0	213	298
5/10/2020	11	1089.1	0	711.0	85	0	213	299
5/10/2020	12	1089.1	0	710.7	85	0	214	299
5/10/2020	13	1089.1	0	710.6	85	0	213	299
5/10/2020	14	1089.1	0	710.5	85	0	214	299
5/10/2020	15	1089.1	0	710.4	85	0	213	299
5/10/2020	16	1089.2	0	710.3	85	0	212	298
5/10/2020	17	1089.2	0	710.1	85	0	211	296
5/10/2020	18	1089.2	0	710.0	85	0	211	296
5/10/2020	19	1089.2	0	710.0	85	0	209	294
5/10/2020	20	1089.2	0	710.2	85	0	211	295
5/10/2020	21	1089.2	0	710.6	85	0	211	296
5/10/2020	22	1089.2	0	710.9	85	0	212	297
5/10/2020	23	1089.3	0	711.0	85	0	211	297
5/10/2020	24	1089.3	0	711.0	85	0	213	298
5/11/2020	1	1089.3	0	710.9	85	0	212	297
5/11/2020	2	1089.3	0	710.8	85	0	212	297
5/11/2020	3	1089.3	0	710.7	85	0	212	297
5/11/2020	4	1089.3	0	710.6	85	0	211	297
5/11/2020	5	1089.4	0	710.6	85	0	211	296
5/11/2020	6	1089.4	10	710.7	85	0	211	296
5/11/2020	7	1089.4	840	710.6	85	0	212	297
5/11/2020	8	1089.4	830	710.7	85	0	213	298
5/11/2020	9	1089.4	830	711.1	85	0	214	300
5/11/2020	10	1089.4	840	711.5	85	0	216	301
5/11/2020	11	1089.5	840	711.5	85	0	216	301
5/11/2020	12	1089.5	840	711.3	85	0	217	302
5/11/2020	13	1089.5	840	711.2	85	0	216	301
5/11/2020	14	1089.5	840	711.0	85	0	215	300
5/11/2020	15	1089.5	840	710.9	85	0	215	300
5/11/2020	16	1089.5	830	710.7	85	0	215	300
5/11/2020	17	1089.5	830	710.5	85	0	215	300
5/11/2020	18	1089.5	830	710.5	85	0	213	299
5/11/2020	19	1089.6	830	710.4	85	0	213	298
5/11/2020	20	1089.6	830	710.4	85	0	213	298
5/11/2020	21	1089.6	820	710.3	85	0	213	298
5/11/2020	22	1089.6	820	710.2	85	0	212	297
5/11/2020	23	1089.6	70	710.2	85	0	212	297
5/11/2020	24	1089.6	0	710.5	85	0	213	298
5/12/2020	1	1089.7	0	710.7	85	0	213	298
5/12/2020	2	1089.7	0	710.8	85	0	213	298
5/12/2020	3	1089.7	0	710.6	85	0	213	298

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/12/2020	4	1089.7	0	710.6	85	0	212	297
5/12/2020	5	1089.8	0	710.5	85	0	212	298
5/12/2020	6	1089.8	20	710.6	85	0	213	298
5/12/2020	7	1089.8	830	710.6	85	0	214	299
5/12/2020	8	1089.8	830	710.6	85	0	215	300
5/12/2020	9	1089.9	830	710.8	85	0	215	300
5/12/2020	10	1089.9	830	710.9	85	0	215	300
5/12/2020	11	1089.9	840	711.0	85	0	215	300
5/12/2020	12	1089.9	840	711.1	85	0	214	299
5/12/2020	13	1090.0	840	711.1	85	0	213	298
5/12/2020	14	1090.0	840	711.0	85	0	212	297
5/12/2020	15	1090.0	830	711.0	85	0	212	297
5/12/2020	16	1090.0	820	710.7	85	0	211	296
5/12/2020	17	1090.0	830	710.7	85	0	211	296
5/12/2020	18	1090.1	830	710.9	85	0	210	296
5/12/2020	19	1090.1	830	711.1	85	0	211	296
5/12/2020	20	1090.1	830	711.0	85	0	211	296
5/12/2020	21	1090.2	830	710.9	85	0	212	297
5/12/2020	22	1090.2	820	711.0	85	0	212	297
5/12/2020	23	1090.2	40	710.9	85	0	212	297
5/12/2020	24	1090.2	0	710.9	85	0	212	297
5/13/2020	1	1090.2	0	710.8	85	0	212	297
5/13/2020	2	1090.2	0	710.8	85	0	213	298
5/13/2020	3	1090.2	0	710.8	85	0	213	298
5/13/2020	4	1090.2	0	710.9	85	0	212	297
5/13/2020	5	1090.3	10	710.9	85	0	212	297
5/13/2020	6	1090.3	0	710.9	85	0	212	297
5/13/2020	7	1090.3	800	710.9	85	0	213	298
5/13/2020	8	1090.3	820	710.9	85	0	213	298
5/13/2020	9	1090.3	820	710.8	85	0	213	299
5/13/2020	10	1090.4	830	710.9	85	0	213	299
5/13/2020	11	1090.4	830	711.0	85	0	212	298
5/13/2020	12	1090.4	840	711.2	85	0	214	299
5/13/2020	13	1090.5	840	711.2	85	0	214	299
5/13/2020	14	1090.5	830	711.2	85	0	215	300
5/13/2020	15	1090.6	830	711.1	85	0	214	299
5/13/2020	16	1090.6	830	710.9	85	0	212	297
5/13/2020	17	1090.6	830	710.9	85	0	213	297
5/13/2020	18	1090.6	830	711.0	85	0	213	298
5/13/2020	19	1090.6	840	711.2	85	0	211	297
5/13/2020	20	1090.6	840	711.0	85	0	210	295
5/13/2020	21	1090.6	830	710.6	85	0	209	294
5/13/2020	22	1090.6	830	710.5	85	0	210	295
5/13/2020	23	1090.6	30	710.9	85	0	211	296
5/13/2020	24	1090.6	10	711.6	85	0	213	298
5/14/2020	1	1090.6	10	711.9	85	0	213	298
5/14/2020	2	1090.6	10	711.8	85	0	214	299

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/14/2020	3	1090.7	0	711.4	85	0	212	297
5/14/2020	4	1090.7	10	711.0	85	0	211	296
5/14/2020	5	1090.7	10	710.8	85	0	212	297
5/14/2020	6	1090.7	20	710.9	85	0	211	296
5/14/2020	7	1090.7	2210	711.1	85	0	212	297
5/14/2020	8	1090.7	2370	711.3	85	0	212	297
5/14/2020	9	1090.8	2380	711.3	85	0	212	297
5/14/2020	10	1090.8	2390	711.2	103	0	212	315
5/14/2020	11	1090.8	2380	711.2	125	0	163	288
5/14/2020	12	1090.8	2380	711.3	150	0	116	267
5/14/2020	13	1090.8	2370	711.4	174	0	103	277
5/14/2020	14	1090.8	2370	711.3	192	0	106	297
5/14/2020	15	1090.8	2370	711.0	200	0	105	305
5/14/2020	16	1090.8	2350	710.7	200	0	104	304
5/14/2020	17	1090.9	2380	710.7	200	0	103	303
5/14/2020	18	1090.9	2380	710.7	200	0	103	303
5/14/2020	19	1090.9	2380	711.0	200	0	104	304
5/14/2020	20	1090.9	2370	711.6	200	0	106	306
5/14/2020	21	1090.9	2380	712.0	200	0	107	307
5/14/2020	22	1090.9	2380	711.8	200	0	106	306
5/14/2020	23	1090.9	100	711.0	200	0	104	304
5/14/2020	24	1090.9	10	710.7	200	0	103	303
5/15/2020	1	1090.9	10	710.7	200	0	103	303
5/15/2020	2	1090.9	10	710.9	200	0	104	304
5/15/2020	3	1091.0	10	711.1	200	0	104	304
5/15/2020	4	1091.0	0	711.2	200	0	104	304
5/15/2020	5	1091.0	0	711.2	200	0	104	304
5/15/2020	6	1091.0	20	711.7	200	0	104	304
5/15/2020	7	1091.0	2200	711.9	200	0	103	303
5/15/2020	8	1091.0	2370	711.9	200	0	104	304
5/15/2020	9	1091.0	2380	711.7	200	0	103	303
5/15/2020	10	1091.0	2380	711.4	200	0	104	305
5/15/2020	11	1091.1	2380	711.0	200	0	104	303
5/15/2020	12	1091.1	2380	710.9	200	0	103	304
5/15/2020	13	1091.1	2380	711.0	200	0	104	304
5/15/2020	14	1091.1	2390	711.3	200	0	104	304
5/15/2020	15	1091.1	2380	711.4	200	0	103	303
5/15/2020	16	1091.1	2380	711.5	200	0	103	303
5/15/2020	17	1091.1	2380	711.7	200	0	103	303
5/15/2020	18	1091.1	2390	711.9	200	0	103	303
5/15/2020	19	1091.1	2390	711.7	200	0	103	303
5/15/2020	20	1091.1	2370	711.3	200	0	103	303
5/15/2020	21	1091.1	2380	710.9	200	0	103	303
5/15/2020	22	1091.1	2380	711.0	200	0	103	303
5/15/2020	23	1091.1	190	710.8	201	0	102	303
5/15/2020	24	1091.1	10	710.9	200	0	102	302
5/16/2020	1	1091.2	10	710.8	200	0	103	302

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/16/2020	2	1091.2	10	710.9	200	0	103	303
5/16/2020	3	1091.2	0	711.0	200	0	104	304
5/16/2020	4	1091.2	0	711.1	200	0	103	303
5/16/2020	5	1091.2	0	711.1	200	0	103	304
5/16/2020	6	1091.3	90	711.0	200	0	104	304
5/16/2020	7	1091.2	2370	711.2	200	0	105	304
5/16/2020	8	1091.3	2370	711.3	200	0	105	305
5/16/2020	9	1091.3	2370	711.3	200	0	104	304
5/16/2020	10	1091.3	2380	711.4	200	0	105	306
5/16/2020	11	1091.3	2380	711.4	200	0	105	305
5/16/2020	12	1091.3	2380	711.6	200	0	105	305
5/16/2020	13	1091.3	2380	711.6	200	0	105	305
5/16/2020	14	1091.3	2380	711.6	200	0	105	306
5/16/2020	15	1091.4	2380	711.2	200	0	105	305
5/16/2020	16	1091.4	2380	711.2	200	0	105	305
5/16/2020	17	1091.5	2380	711.5	200	0	106	306
5/16/2020	18	1091.5	2370	711.9	200	0	106	306
5/16/2020	19	1091.5	2380	711.9	200	0	106	306
5/16/2020	20	1091.5	2360	711.8	200	0	105	305
5/16/2020	21	1091.5	2370	711.6	200	0	104	304
5/16/2020	22	1091.5	2360	711.5	200	0	104	304
5/16/2020	23	1091.5	2190	711.7	200	0	104	304
5/16/2020	24	1091.5	1580	711.6	200	0	104	304
5/17/2020	1	1091.5	1570	711.4	200	0	104	304
5/17/2020	2	1091.4	1570	711.2	200	0	103	303
5/17/2020	3	1091.5	1590	711.0	200	0	103	303
5/17/2020	4	1091.5	1590	710.8	200	0	103	303
5/17/2020	5	1091.5	1570	710.8	200	0	103	303
5/17/2020	6	1091.5	1600	710.7	200	0	103	303
5/17/2020	7	1091.5	1570	710.8	200	0	104	305
5/17/2020	8	1091.5	1580	711.1	200	0	103	303
5/17/2020	9	1091.5	1580	711.4	200	0	104	304
5/17/2020	10	1091.5	1590	711.6	200	0	105	305
5/17/2020	11	1091.5	1590	711.4	200	0	104	304
5/17/2020	12	1091.6	1580	711.2	200	0	103	303
5/17/2020	13	1091.6	1590	711.1	200	0	105	305
5/17/2020	14	1091.6	1590	711.1	200	0	105	305
5/17/2020	15	1091.5	1590	711.2	200	0	104	304
5/17/2020	16	1091.6	1580	711.3	200	0	104	304
5/17/2020	17	1091.6	1590	711.3	200	0	105	305
5/17/2020	18	1091.6	1580	711.3	200	0	105	305
5/17/2020	19	1091.6	1590	711.1	200	0	104	304
5/17/2020	20	1091.7	1570	711.1	200	0	104	304
5/17/2020	21	1091.7	1580	711.2	200	0	104	304
5/17/2020	22	1091.7	1580	711.2	200	0	103	303
5/17/2020	23	1091.7	1580	711.2	200	0	103	303
5/17/2020	24	1091.7	1580	711.3	200	0	104	304

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/18/2020	1	1091.7	1580	711.4	200	0	103	303
5/18/2020	2	1091.7	1590	711.4	200	0	104	304
5/18/2020	3	1091.7	1580	711.3	200	0	104	304
5/18/2020	4	1091.8	1590	711.2	200	0	104	304
5/18/2020	5	1091.7	1590	711.2	200	0	104	304
5/18/2020	6	1091.8	1590	711.2	200	0	103	304
5/18/2020	7	1091.8	2350	711.3	200	0	104	304
5/18/2020	8	1091.8	2310	711.4	219	0	104	323
5/18/2020	9	1091.8	2320	711.4	242	0	55	297
5/18/2020	10	1091.8	2410	711.4	250	0	7	257
5/18/2020	11	1091.8	2410	711.4	238	0	0	238
5/18/2020	12	1091.8	2410	711.2	220	0	0	220
5/18/2020	13	1091.9	2390	711.4	205	0	0	205
5/18/2020	14	1091.8	2400	711.4	200	0	0	200
5/18/2020	15	1091.9	2390	711.4	200	0	0	200
5/18/2020	16	1091.9	2390	711.3	200	0	0	200
5/18/2020	17	1091.9	2400	711.1	200	0	0	200
5/18/2020	18	1091.9	2410	711.1	200	0	0	200
5/18/2020	19	1091.9	2390	711.0	200	0	0	200
5/18/2020	20	1091.9	2410	710.8	200	0	0	200
5/18/2020	21	1091.9	2390	710.8	200	0	0	200
5/18/2020	22	1092.0	2400	710.8	200	0	0	200
5/18/2020	23	1091.9	1580	710.7	200	0	0	200
5/18/2020	24	1092.0	1560	710.9	200	0	0	200
5/19/2020	1	1092.0	1580	711.3	200	0	0	200
5/19/2020	2	1092.0	1580	711.4	200	0	0	200
5/19/2020	3	1092.0	1570	711.4	200	0	0	200
5/19/2020	4	1092.0	1580	711.3	200	0	0	200
5/19/2020	5	1092.0	1580	711.1	200	0	0	200
5/19/2020	6	1092.1	1580	711.0	200	0	0	200
5/19/2020	7	1092.1	2370	711.1	200	0	0	200
5/19/2020	8	1092.0	2400	711.2	200	0	0	200
5/19/2020	9	1092.1	2410	711.4	200	0	0	200
5/19/2020	10	1092.1	2410	711.6	200	0	0	200
5/19/2020	11	1092.1	2410	711.7	200	0	0	200
5/19/2020	12	1092.1	2410	711.7	200	0	0	200
5/19/2020	13	1092.1	2400	711.7	200	0	0	200
5/19/2020	14	1092.1	2390	711.8	200	0	0	200
5/19/2020	15	1092.1	2380	711.9	200	0	0	200
5/19/2020	16	1092.1	2390	711.9	200	0	0	200
5/19/2020	17	1092.1	2390	711.9	200	0	0	200
5/19/2020	18	1092.1	2400	711.8	200	0	0	200
5/19/2020	19	1092.1	2410	711.9	200	0	0	200
5/19/2020	20	1092.2	2410	711.9	200	0	0	200
5/19/2020	21	1092.2	2400	711.6	200	0	0	200
5/19/2020	22	1092.2	2390	711.6	200	0	0	200
5/19/2020	23	1092.2	2070	711.3	200	0	0	200

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/19/2020	24	1092.2	1570	711.2	200	0	0	200
5/20/2020	1	1092.3	80	711.1	200	0	0	200
5/20/2020	2	1092.3	0	711.0	200	0	0	200
5/20/2020	3	1092.3	0	711.1	200	0	0	200
5/20/2020	4	1092.3	0	711.3	200	0	0	200
5/20/2020	5	1092.3	10	711.2	200	0	0	200
5/20/2020	6	1092.4	20	711.0	200	0	0	200
5/20/2020	7	1092.4	2290	711.0	200	0	0	200
5/20/2020	8	1092.4	2400	711.2	200	0	0	200
5/20/2020	9	1092.4	2410	711.2	200	0	0	200
5/20/2020	10	1092.4	2410	711.3	200	0	0	200
5/20/2020	11	1092.5	2410	711.3	200	0	0	200
5/20/2020	12	1092.5	2410	711.6	200	0	0	200
5/20/2020	13	1092.5	2400	711.9	200	0	0	200
5/20/2020	14	1092.5	2400	711.7	200	0	0	200
5/20/2020	15	1092.5	2390	711.5	200	0	0	200
5/20/2020	16	1092.5	2400	711.3	200	0	0	200
5/20/2020	17	1092.5	2400	711.3	200	0	0	200
5/20/2020	18	1092.5	2400	711.4	200	0	0	200
5/20/2020	19	1092.5	2410	711.5	200	0	0	200
5/20/2020	20	1092.5	2390	711.8	200	0	0	200
5/20/2020	21	1092.5	2400	711.8	200	0	0	200
5/20/2020	22	1092.5	2390	711.7	200	0	0	200
5/20/2020	23	1092.6	150	711.2	201	0	0	201
5/20/2020	24	1092.6	0	710.7	200	0	0	200
5/21/2020	1	1092.6	0	710.5	200	0	0	200
5/21/2020	2	1092.6	0	710.6	200	0	0	200
5/21/2020	3	1092.6	0	710.8	200	0	0	200
5/21/2020	4	1092.6	0	710.7	200	0	0	200
5/21/2020	5	1092.6	0	710.6	200	0	0	200
5/21/2020	6	1092.6	20	710.7	200	0	0	200
5/21/2020	7	1092.7	2200	710.9	199	0	0	199
5/21/2020	8	1092.7	2400	711.4	200	0	0	200
5/21/2020	9	1092.7	2400	711.7	200	0	0	200
5/21/2020	10	1092.7	2400	712.1	200	0	0	200
5/21/2020	11	1092.7	2420	712.0	200	0	0	200
5/21/2020	12	1092.7	2410	711.7	200	0	0	200
5/21/2020	13	1092.8	2400	711.5	200	0	0	200
5/21/2020	14	1092.7	2400	711.4	200	0	0	200
5/21/2020	15	1092.7	2400	711.1	200	0	0	200
5/21/2020	16	1092.8	2380	710.9	200	0	0	200
5/21/2020	17	1092.8	2400	710.7	200	0	0	200
5/21/2020	18	1092.8	2380	710.6	200	0	0	200
5/21/2020	19	1092.8	2380	710.7	200	0	0	200
5/21/2020	20	1092.8	2370	710.7	200	0	0	200
5/21/2020	21	1092.8	2380	710.7	200	0	0	200
5/21/2020	22	1092.8	2380	710.7	200	0	0	200

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/21/2020	23	1092.8	180	710.6	200	0	0	200
5/21/2020	24	1092.8	0	710.8	200	0	0	200
5/22/2020	1	1092.8	0	710.9	200	0	0	200
5/22/2020	2	1092.9	10	710.5	200	0	0	200
5/22/2020	3	1092.9	0	710.4	200	0	0	200
5/22/2020	4	1092.9	0	710.3	200	0	0	200
5/22/2020	5	1092.9	10	710.4	200	0	0	200
5/22/2020	6	1092.9	10	710.4	200	0	0	200
5/22/2020	7	1092.9	2330	710.6	200	0	0	200
5/22/2020	8	1092.9	2400	710.6	200	0	0	200
5/22/2020	9	1092.9	2400	710.8	200	0	0	200
5/22/2020	10	1092.9	2400	711.2	200	0	0	200
5/22/2020	11	1092.9	2410	711.4	200	0	0	200
5/22/2020	12	1093.0	2400	711.5	200	0	0	200
5/22/2020	13	1093.0	2400	711.2	200	0	0	200
5/22/2020	14	1093.0	2400	711.1	200	0	0	200
5/22/2020	15	1093.0	2390	711.1	200	0	0	200
5/22/2020	16	1093.0	2400	711.3	200	0	0	200
5/22/2020	17	1093.0	2390	711.4	200	0	0	200
5/22/2020	18	1093.0	2390	711.4	200	0	0	200
5/22/2020	19	1093.0	2410	711.3	200	0	0	200
5/22/2020	20	1093.0	2400	711.4	200	0	0	200
5/22/2020	21	1093.0	2390	711.6	200	0	0	200
5/22/2020	22	1093.0	2390	711.8	200	0	0	200
5/22/2020	23	1093.0	1050	711.4	201	0	0	201
5/22/2020	24	1093.0	830	711.2	200	0	0	200
5/23/2020	1	1093.0	830	711.1	200	0	0	200
5/23/2020	2	1093.0	820	711.1	200	0	0	200
5/23/2020	3	1093.0	820	711.1	200	0	0	200
5/23/2020	4	1093.0	830	711.1	200	0	0	200
5/23/2020	5	1093.1	830	711.3	200	0	0	200
5/23/2020	6	1093.1	830	711.3	200	0	0	200
5/23/2020	7	1093.1	2310	711.4	200	0	0	200
5/23/2020	8	1093.1	2400	711.3	200	0	0	200
5/23/2020	9	1093.1	2400	710.8	200	0	0	200
5/23/2020	10	1093.1	2420	710.2	200	0	0	200
5/23/2020	11	1093.1	2410	710.2	200	0	0	200
5/23/2020	12	1093.1	2400	710.2	200	0	0	200
5/23/2020	13	1093.1	2400	710.1	200	0	0	200
5/23/2020	14	1093.1	2380	710.0	200	0	0	200
5/23/2020	15	1093.1	2390	710.1	200	0	0	200
5/23/2020	16	1093.1	2400	710.2	200	0	0	200
5/23/2020	17	1093.1	2400	710.4	200	0	0	200
5/23/2020	18	1093.1	2400	710.7	200	0	0	200
5/23/2020	19	1093.1	2410	710.9	200	0	0	200
5/23/2020	20	1093.1	2400	711.0	200	0	0	200
5/23/2020	21	1093.1	2400	711.3	200	0	0	200

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/23/2020	22	1093.1	2350	711.5	200	0	0	200
5/23/2020	23	1093.2	820	711.6	200	0	0	200
5/23/2020	24	1093.2	820	711.7	200	0	0	200
5/24/2020	1	1093.2	830	711.4	200	0	0	200
5/24/2020	2	1093.2	820	711.4	200	0	0	200
5/24/2020	3	1093.2	830	711.2	200	0	0	200
5/24/2020	4	1093.2	830	711.2	200	0	0	200
5/24/2020	5	1093.2	830	711.2	200	0	0	200
5/24/2020	6	1093.2	830	711.1	200	0	0	200
5/24/2020	7	1093.2	820	711.2	200	0	0	200
5/24/2020	8	1093.2	820	711.3	201	0	0	201
5/24/2020	9	1093.3	830	711.2	201	0	0	201
5/24/2020	10	1093.3	830	711.2	201	0	0	201
5/24/2020	11	1093.3	830	711.3	201	0	0	201
5/24/2020	12	1093.3	830	711.3	201	0	0	201
5/24/2020	13	1093.3	830	711.0	201	0	0	201
5/24/2020	14	1093.3	830	710.9	201	0	0	201
5/24/2020	15	1093.3	820	710.8	201	0	0	201
5/24/2020	16	1093.3	830	710.8	201	0	0	201
5/24/2020	17	1093.3	830	711.0	201	0	0	201
5/24/2020	18	1093.4	830	711.4	201	0	0	201
5/24/2020	19	1093.3	830	711.6	201	0	0	201
5/24/2020	20	1093.3	820	711.6	201	0	0	201
5/24/2020	21	1093.4	820	711.5	201	0	0	201
5/24/2020	22	1093.4	830	711.3	201	0	0	201
5/24/2020	23	1093.4	820	711.2	201	0	0	201
5/24/2020	24	1093.4	820	711.1	201	0	0	201
5/25/2020	1	1093.4	2280	711.2	201	0	0	201
5/25/2020	2	1093.4	2400	711.3	201	0	0	201
5/25/2020	3	1093.4	2400	711.3	201	0	0	201
5/25/2020	4	1093.4	2410	711.3	201	0	0	201
5/25/2020	5	1093.4	2410	711.3	201	0	0	201
5/25/2020	6	1093.4	2410	711.2	201	0	0	201
5/25/2020	7	1093.4	2390	711.1	201	0	0	201
5/25/2020	8	1093.4	2390	711.0	201	0	0	201
5/25/2020	9	1093.4	2410	711.0	201	0	0	201
5/25/2020	10	1093.4	2410	711.0	201	0	0	201
5/25/2020	11	1093.5	2420	710.9	201	0	0	201
5/25/2020	12	1093.5	2410	711.1	201	0	0	201
5/25/2020	13	1093.5	2410	711.1	201	0	0	201
5/25/2020	14	1093.5	2420	711.2	201	0	0	201
5/25/2020	15	1093.5	2400	711.3	201	0	0	201
5/25/2020	16	1093.5	2400	711.4	201	0	0	201
5/25/2020	17	1093.5	2410	711.5	201	0	0	201
5/25/2020	18	1093.5	2400	711.5	201	0	0	201
5/25/2020	19	1093.5	2410	711.4	201	0	0	201
5/25/2020	20	1093.5	2390	711.3	201	0	0	201



Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/25/2020	21	1093.5	2400	711.0	201	0	0	201
5/25/2020	22	1093.5	2400	710.8	201	0	0	201
5/25/2020	23	1093.5	2390	710.7	201	0	0	201
5/25/2020	24	1093.6	2390	710.4	201	0	0	201
5/26/2020	1	1093.5	2400	710.2	201	0	0	201
5/26/2020	2	1093.5	2400	710.6	201	0	0	201
5/26/2020	3	1093.6	2400	710.8	201	0	0	201
5/26/2020	4	1093.6	2400	711.2	201	0	0	201
5/26/2020	5	1093.6	2410	711.4	201	0	0	201
5/26/2020	6	1093.6	2410	711.2	201	0	0	201
5/26/2020	7	1093.6	2400	711.2	201	0	0	201
5/26/2020	8	1093.6	2410	711.2	201	0	0	201
5/26/2020	9	1093.6	2410	711.1	201	0	0	201
5/26/2020	10	1093.6	2400	711.1	201	0	0	201
5/26/2020	11	1093.7	2400	711.1	201	0	0	201
5/26/2020	12	1093.7	2410	711.0	201	0	0	201
5/26/2020	13	1093.7	2390	710.7	201	0	0	201
5/26/2020	14	1093.7	2390	710.4	201	0	0	201
5/26/2020	15	1093.8	2410	710.6	201	0	0	201
5/26/2020	16	1093.7	2400	710.8	201	0	0	201
5/26/2020	17	1093.7	2400	711.0	201	0	0	201
5/26/2020	18	1093.8	2400	711.4	201	0	0	201
5/26/2020	19	1093.8	2400	711.4	201	0	0	201
5/26/2020	20	1093.8	2380	711.1	201	0	0	201
5/26/2020	21	1093.8	2380	710.9	201	0	0	201
5/26/2020	22	1093.8	2380	711.0	201	0	0	201
5/26/2020	23	1093.8	2390	711.1	201	0	0	201
5/26/2020	24	1093.9	2390	711.3	201	0	0	201
5/27/2020	1	1093.9	2400	711.5	201	0	0	201
5/27/2020	2	1093.9	2400	711.5	201	0	0	201
5/27/2020	3	1093.9	2400	711.6	201	0	0	201
5/27/2020	4	1093.9	2410	711.6	201	0	0	201
5/27/2020	5	1093.9	2410	711.7	201	0	0	201
5/27/2020	6	1093.9	2410	711.6	201	0	0	201
5/27/2020	7	1093.9	2400	711.4	201	0	0	201
5/27/2020	8	1093.9	2400	711.2	201	0	0	201
5/27/2020	9	1093.9	2400	711.0	201	0	0	201
5/27/2020	10	1093.9	2410	710.9	201	0	0	201
5/27/2020	11	1093.9	2410	711.1	201	0	0	201
5/27/2020	12	1094.0	2410	711.5	201	0	0	201
5/27/2020	13	1094.0	2390	711.6	201	0	0	201
5/27/2020	14	1094.0	2410	711.5	201	0	0	201
5/27/2020	15	1094.0	2410	711.6	201	0	0	201
5/27/2020	16	1094.0	2400	711.6	201	0	0	201
5/27/2020	17	1094.0	2410	711.7	201	0	0	201
5/27/2020	18	1094.0	2400	711.8	201	0	0	201
5/27/2020	19	1094.0	2400	711.7	201	0	0	201

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/27/2020	20	1094.0	2360	711.3	201	0	0	201
5/27/2020	21	1094.0	2360	711.1	201	0	0	201
5/27/2020	22	1094.0	2390	711.1	201	0	0	201
5/27/2020	23	1094.0	2390	711.3	201	0	0	201
5/27/2020	24	1094.0	2380	711.6	201	0	0	201
5/28/2020	1	1094.1	2400	711.7	201	0	0	201
5/28/2020	2	1094.1	2400	711.8	201	0	0	201
5/28/2020	3	1094.1	2370	711.9	201	0	0	201
5/28/2020	4	1094.1	2360	711.9	201	0	0	201
5/28/2020	5	1094.1	2380	711.8	201	0	0	201
5/28/2020	6	1094.1	2370	711.7	201	0	0	201
5/28/2020	7	1094.1	2390	711.7	201	0	0	201
5/28/2020	8	1094.1	2390	711.8	201	0	0	201
5/28/2020	9	1094.1	2400	711.8	201	0	0	201
5/28/2020	10	1094.1	2410	711.9	201	0	0	201
5/28/2020	11	1094.1	2410	711.7	201	0	0	201
5/28/2020	12	1094.2	2400	711.6	201	0	0	201
5/28/2020	13	1094.2	2390	711.6	201	0	0	201
5/28/2020	14	1094.2	2390	711.4	201	0	0	201
5/28/2020	15	1094.2	2380	711.3	201	0	0	201
5/28/2020	16	1094.2	2380	711.6	201	0	0	201
5/28/2020	17	1094.2	2380	711.7	201	0	0	201
5/28/2020	18	1094.2	2410	711.9	201	0	0	201
5/28/2020	19	1094.2	2400	711.7	201	0	0	201
5/28/2020	20	1094.3	2370	711.6	201	0	0	201
5/28/2020	21	1094.3	2370	711.6	201	0	0	201
5/28/2020	22	1094.2	2360	711.6	201	0	0	201
5/28/2020	23	1094.3	2370	711.7	201	0	0	201
5/28/2020	24	1094.3	2350	711.7	201	0	0	201
5/29/2020	1	1094.3	2390	711.7	201	0	0	201
5/29/2020	2	1094.3	2370	711.7	201	0	0	201
5/29/2020	3	1094.3	2390	711.7	201	0	0	201
5/29/2020	4	1094.4	2370	711.6	201	0	0	201
5/29/2020	5	1094.4	2390	711.5	201	0	0	201
5/29/2020	6	1094.4	2370	711.4	201	0	0	201
5/29/2020	7	1094.4	2400	711.2	201	0	0	201
5/29/2020	8	1094.4	2410	711.1	201	0	0	201
5/29/2020	9	1094.4	2400	711.1	201	0	0	201
5/29/2020	10	1094.4	2400	711.2	201	0	0	201
5/29/2020	11	1094.4	2400	711.6	201	0	0	201
5/29/2020	12	1094.4	2410	711.8	201	0	0	201
5/29/2020	13	1094.5	2410	711.9	201	0	0	201
5/29/2020	14	1094.5	2400	711.8	201	0	0	201
5/29/2020	15	1094.5	2410	711.8	201	0	0	201
5/29/2020	16	1094.5	2410	711.9	201	0	0	201
5/29/2020	17	1094.5	2410	712.2	201	0	0	201
5/29/2020	18	1094.5	2390	712.5	201	0	0	201

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/29/2020	19	1094.5	2400	712.6	201	0	0	201
5/29/2020	20	1094.5	2390	712.5	201	0	0	201
5/29/2020	21	1094.5	2390	712.6	201	0	0	201
5/29/2020	22	1094.6	2390	712.7	201	0	0	201
5/29/2020	23	1094.6	2390	712.7	201	0	0	201
5/29/2020	24	1094.6	2390	712.6	201	0	0	201
5/30/2020	1	1094.6	2390	712.3	201	0	0	201
5/30/2020	2	1094.6	2400	711.8	201	0	0	201
5/30/2020	3	1094.7	2390	711.5	201	0	0	201
5/30/2020	4	1094.7	2400	711.7	201	0	0	201
5/30/2020	5	1094.7	2400	711.6	201	0	0	201
5/30/2020	6	1094.7	2410	711.2	201	0	0	201
5/30/2020	7	1094.7	2390	710.8	201	0	0	201
5/30/2020	8	1094.7	2390	710.5	201	0	0	201
5/30/2020	9	1094.8	2410	710.7	201	0	0	201
5/30/2020	10	1094.8	2400	711.2	201	0	0	201
5/30/2020	11	1094.9	2410	711.7	201	0	0	201
5/30/2020	12	1094.9	2400	712.3	201	0	0	201
5/30/2020	13	1094.9	2390	712.6	201	0	0	201
5/30/2020	14	1094.9	2400	712.6	201	0	0	201
5/30/2020	15	1095.0	2380	712.2	201	0	0	201
5/30/2020	16	1095.0	2400	712.1	201	0	0	201
5/30/2020	17	1095.0	2390	711.8	201	0	0	201
5/30/2020	18	1095.0	2380	711.7	201	0	0	201
5/30/2020	19	1095.1	2380	711.9	201	0	0	201
5/30/2020	20	1095.1	2400	712.1	201	0	0	201
5/30/2020	21	1095.1	2390	712.1	201	0	0	201
5/30/2020	22	1095.2	2400	712.2	201	0	0	201
5/30/2020	23	1095.2	2390	712.3	201	0	0	201
5/30/2020	24	1095.2	2390	712.2	201	0	0	201
5/31/2020	1	1095.2	2390	712.0	201	0	0	201
5/31/2020	2	1095.3	2390	711.7	201	0	0	201
5/31/2020	3	1095.3	2400	711.4	201	0	0	201
5/31/2020	4	1095.3	2390	711.3	201	0	0	201
5/31/2020	5	1095.3	2400	711.3	201	0	0	201
5/31/2020	6	1095.4	2390	711.2	201	0	0	201
5/31/2020	7	1095.4	2380	711.2	201	0	0	201
5/31/2020	8	1095.4	2390	711.4	201	0	0	201
5/31/2020	9	1095.4	2400	711.7	201	0	0	201
5/31/2020	10	1095.4	2400	712.0	201	0	0	201
5/31/2020	11	1095.5	2400	711.8	201	0	0	201
5/31/2020	12	1095.5	2390	711.6	201	0	0	201
5/31/2020	13	1095.5	2390	711.7	201	0	0	201
5/31/2020	14	1095.5	2400	712.0	201	0	0	201
5/31/2020	15	1095.6	2400	711.8	201	0	0	201
5/31/2020	16	1095.6	2390	711.6	201	0	0	201
5/31/2020	17	1095.6	2400	711.4	201	0	0	201

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
5/31/2020	18	1095.6	2380	711.4	201	0	0	201
5/31/2020	19	1095.6	2390	711.6	201	0	0	201
5/31/2020	20	1095.6	2400	711.7	201	0	0	201
5/31/2020	21	1095.6	2400	712.0	201	0	0	201
5/31/2020	22	1095.7	2390	712.0	201	0	0	201
5/31/2020	23	1095.7	2390	712.1	201	0	0	201
5/31/2020	24	1095.7	2390	712.1	201	0	0	201
6/1/2020	1	1095.7	2390	712.0	201	0	0	201
6/1/2020	2	1095.7	2390	711.9	201	0	0	201
6/1/2020	3	1095.7	1620	711.5	201	0	0	201
6/1/2020	4	1095.7	1080	711.1	201	0	0	201
6/1/2020	5	1095.8	1080	710.9	201	0	0	201
6/1/2020	6	1095.8	1080	710.9	201	0	0	201
6/1/2020	7	1095.8	1080	710.7	201	0	0	201
6/1/2020	8	1095.8	1080	710.8	201	0	0	201
6/1/2020	9	1095.8	1080	711.0	201	0	0	201
6/1/2020	10	1095.8	1080	711.1	201	0	0	201
6/1/2020	11	1095.8	1080	711.3	201	0	0	201
6/1/2020	12	1095.8	1070	711.6	201	0	0	201
6/1/2020	13	1095.9	1080	711.8	201	0	0	201
6/1/2020	14	1095.9	1080	711.8	201	0	0	201
6/1/2020	15	1095.9	1080	711.7	201	0	0	201
6/1/2020	16	1095.9	1080	711.6	201	0	0	201
6/1/2020	17	1095.9	1080	711.5	201	0	0	201
6/1/2020	18	1095.9	1070	711.5	201	0	0	201
6/1/2020	19	1096.0	1070	711.7	201	0	0	201
6/1/2020	20	1096.0	1080	711.8	201	0	0	201
6/1/2020	21	1096.0	1180	711.8	201	0	0	201
6/1/2020	22	1096.0	1210	711.7	201	0	0	201
6/1/2020	23	1096.0	1210	711.7	201	0	0	201
6/1/2020	24	1096.0	1210	711.8	201	0	0	201
6/2/2020	1	1096.0	1210	711.8	201	0	0	201
6/2/2020	2	1096.0	1210	711.8	201	0	0	201
6/2/2020	3	1096.0	1210	711.7	201	0	0	201
6/2/2020	4	1096.0	1220	711.8	201	0	0	201
6/2/2020	5	1096.0	1220	712.0	201	0	0	201
6/2/2020	6	1096.0	1220	711.9	201	0	0	201
6/2/2020	7	1096.0	1220	712.1	201	0	0	201
6/2/2020	8	1096.0	1220	712.1	201	0	0	201
6/2/2020	9	1096.0	1230	712.3	201	0	0	201
6/2/2020	10	1096.1	1220	712.7	201	1249	0	1450
6/2/2020	11	1096.0	1220	712.8	202	1553	0	1755
6/2/2020	12	1096.0	1230	712.7	201	1545	0	1746
6/2/2020	13	1096.0	1210	712.7	201	1383	0	1584
6/2/2020	14	1096.1	1210	712.6	201	1249	0	1450
6/2/2020	15	1096.1	1200	712.7	201	1082	0	1284
6/2/2020	16	1096.1	1210	712.5	201	890	0	1091

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/2/2020	17	1096.1	1200	712.2	201	822	0	1022
6/2/2020	18	1096.2	1200	712.0	201	823	0	1025
6/2/2020	19	1096.1	1230	712.1	201	823	0	1023
6/2/2020	20	1096.1	1250	712.5	201	821	0	1023
6/2/2020	21	1096.1	1260	712.9	201	822	0	1023
6/2/2020	22	1096.2	1250	712.8	201	823	0	1023
6/2/2020	23	1096.1	1210	712.6	201	822	0	1024
6/2/2020	24	1096.2	1210	712.2	201	823	0	1024
6/3/2020	1	1096.2	1210	712.2	201	825	0	1027
6/3/2020	2	1096.2	1210	712.4	201	826	0	1027
6/3/2020	3	1096.2	1210	712.6	201	826	0	1027
6/3/2020	4	1096.2	1220	712.7	201	826	0	1027
6/3/2020	5	1096.2	1220	712.6	201	827	0	1028
6/3/2020	6	1096.2	1220	712.4	201	826	0	1027
6/3/2020	7	1096.3	1250	712.1	201	826	0	1027
6/3/2020	8	1096.3	1210	711.8	201	825	0	1026
6/3/2020	9	1096.3	1220	711.4	201	825	0	1026
6/3/2020	10	1096.3	1230	711.5	201	825	0	1026
6/3/2020	11	1096.3	1230	711.8	201	809	0	1010
6/3/2020	12	1096.3	1230	712.1	201	809	0	1010
6/3/2020	13	1096.3	1230	712.5	201	810	0	1011
6/3/2020	14	1096.3	1230	712.8	201	810	0	1012
6/3/2020	15	1096.3	1230	712.5	201	810	0	1011
6/3/2020	16	1096.3	1230	712.3	201	810	0	1011
6/3/2020	17	1096.3	1200	712.0	201	811	0	1013
6/3/2020	18	1096.4	1200	711.9	201	812	0	1013
6/3/2020	19	1096.4	1190	711.5	201	812	0	1013
6/3/2020	20	1096.4	1190	711.4	201	813	0	1014
6/3/2020	21	1096.4	1190	711.6	201	813	0	1014
6/3/2020	22	1096.4	1180	712.0	201	814	0	1015
6/3/2020	23	1096.4	1180	712.4	201	816	0	1017
6/3/2020	24	1096.4	1180	712.3	201	816	0	1017
6/4/2020	1	1096.4	1180	712.2	201	816	0	1017
6/4/2020	2	1096.4	1180	712.2	201	816	0	1017
6/4/2020	3	1096.4	1180	712.1	201	817	0	1018
6/4/2020	4	1096.4	1190	712.1	201	816	0	1017
6/4/2020	5	1096.4	1200	712.2	201	816	0	1017
6/4/2020	6	1096.4	1190	712.4	201	816	0	1017
6/4/2020	7	1096.4	1190	712.4	201	815	0	1016
6/4/2020	8	1096.5	1190	712.6	201	815	0	1016
6/4/2020	9	1096.5	1200	712.8	201	815	0	1016
6/4/2020	10	1096.5	1210	713.0	201	814	0	1015
6/4/2020	11	1096.5	1210	713.2	201	815	0	1016
6/4/2020	12	1096.5	1210	713.2	201	816	0	1017
6/4/2020	13	1096.5	1200	712.9	201	816	0	1017
6/4/2020	14	1096.5	1190	712.5	201	816	0	1017
6/4/2020	15	1096.5	1190	712.2	201	817	0	1018

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/4/2020	16	1096.5	1190	712.3	201	817	0	1018
6/4/2020	17	1096.5	1200	712.5	201	817	0	1018
6/4/2020	18	1096.5	1210	713.1	201	817	0	1018
6/4/2020	19	1096.5	1200	713.3	201	818	0	1019
6/4/2020	20	1096.5	1190	713.2	201	818	0	1019
6/4/2020	21	1096.5	1190	713.0	201	818	0	1019
6/4/2020	22	1096.5	1190	712.8	201	818	0	1020
6/4/2020	23	1096.5	1190	712.6	201	819	0	1020
6/4/2020	24	1096.6	1190	712.6	201	820	0	1020
6/5/2020	1	1096.6	1190	712.4	201	820	0	1021
6/5/2020	2	1096.6	1190	712.2	201	820	0	1021
6/5/2020	3	1096.6	1200	712.1	201	820	0	1021
6/5/2020	4	1096.6	1190	712.0	201	821	0	1022
6/5/2020	5	1096.6	1190	712.0	201	821	0	1022
6/5/2020	6	1096.6	1190	712.0	201	821	0	1022
6/5/2020	7	1096.6	1190	712.1	201	821	0	1022
6/5/2020	8	1096.6	1200	712.3	201	822	0	1023
6/5/2020	9	1096.6	1190	712.5	201	822	0	1023
6/5/2020	10	1096.6	1190	712.6	201	822	0	1023
6/5/2020	11	1096.6	1190	712.6	201	822	0	1023
6/5/2020	12	1096.6	1200	712.6	201	822	0	1023
6/5/2020	13	1096.6	1200	712.3	201	822	0	1023
6/5/2020	14	1096.6	1200	712.2	201	822	0	1023
6/5/2020	15	1096.6	1200	712.2	201	821	0	1022
6/5/2020	16	1096.6	1190	712.2	201	821	0	1022
6/5/2020	17	1096.6	1190	712.1	201	821	0	1022
6/5/2020	18	1096.6	1200	712.3	201	822	0	1022
6/5/2020	19	1096.6	1200	712.8	201	822	0	1023
6/5/2020	20	1096.6	1200	712.6	201	822	0	1023
6/5/2020	21	1096.7	1190	712.1	201	825	0	1026
6/5/2020	22	1096.7	1180	711.5	201	827	0	1029
6/5/2020	23	1096.7	1190	711.2	201	827	0	1028
6/5/2020	24	1096.8	1190	711.2	201	828	0	1029
6/6/2020	1	1096.8	1200	711.8	201	827	0	1029
6/6/2020	2	1096.7	1200	712.4	201	827	0	1029
6/6/2020	3	1096.7	1200	712.6	201	827	0	1028
6/6/2020	4	1096.8	1200	712.4	201	827	0	1028
6/6/2020	5	1096.8	1200	712.2	201	827	0	1028
6/6/2020	6	1096.8	1200	712.1	201	827	0	1028
6/6/2020	7	1096.7	1190	712.0	201	827	0	1028
6/6/2020	8	1096.8	1200	712.1	201	826	0	1027
6/6/2020	9	1096.8	1200	712.5	201	826	0	1027
6/6/2020	10	1096.8	1190	712.7	201	826	0	1027
6/6/2020	11	1096.8	1200	712.8	201	826	0	1027
6/6/2020	12	1096.8	1210	712.7	201	826	0	1027
6/6/2020	13	1096.8	1210	712.9	201	827	0	1028
6/6/2020	14	1096.8	1200	712.8	201	828	0	1029

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/6/2020	15	1096.8	1200	712.8	201	827	0	1028
6/6/2020	16	1096.8	1200	712.7	201	827	0	1029
6/6/2020	17	1096.8	1200	712.5	201	829	0	1029
6/6/2020	18	1096.8	1200	712.5	201	829	0	1030
6/6/2020	19	1096.8	1200	712.2	201	829	0	1030
6/6/2020	20	1096.8	1190	711.8	201	830	0	1031
6/6/2020	21	1096.9	1190	711.6	201	830	0	1031
6/6/2020	22	1096.9	1200	711.4	201	832	0	1033
6/6/2020	23	1096.9	1180	711.1	201	832	0	1033
6/6/2020	24	1096.9	1180	710.9	201	831	0	1032
6/7/2020	1	1096.9	50	711.3	201	831	0	1032
6/7/2020	2	1096.9	10	711.8	201	832	0	1034
6/7/2020	3	1096.9	10	712.4	201	833	0	1034
6/7/2020	4	1096.9	10	712.6	201	833	0	1034
6/7/2020	5	1096.9	10	712.6	201	833	0	1034
6/7/2020	6	1096.9	10	712.4	201	834	0	1035
6/7/2020	7	1096.9	10	712.2	201	834	0	1035
6/7/2020	8	1097.0	10	712.1	201	834	0	1036
6/7/2020	9	1097.0	10	712.2	201	834	0	1035
6/7/2020	10	1097.0	10	712.6	201	834	0	1035
6/7/2020	11	1097.0	10	713.0	201	836	0	1037
6/7/2020	12	1097.0	10	713.1	201	836	0	1037
6/7/2020	13	1097.0	10	713.0	201	836	0	1037
6/7/2020	14	1097.0	10	713.0	201	837	0	1038
6/7/2020	15	1097.0	10	713.0	201	837	0	1038
6/7/2020	16	1097.0	10	713.0	201	837	0	1038
6/7/2020	17	1097.0	10	713.0	201	837	0	1037
6/7/2020	18	1097.0	10	713.0	201	837	0	1037
6/7/2020	19	1097.1	10	712.8	201	839	0	1039
6/7/2020	20	1097.1	10	712.6	201	839	0	1039
6/7/2020	21	1097.1	10	712.0	201	838	0	1039
6/7/2020	22	1097.1	10	711.4	201	838	0	1039
6/7/2020	23	1097.1	10	711.0	201	839	0	1040
6/7/2020	24	1097.1	10	710.9	201	839	0	1040
6/8/2020	1	1097.1	10	710.9	201	839	0	1040
6/8/2020	2	1097.1	10	711.0	201	840	0	1040
6/8/2020	3	1097.1	10	711.0	201	840	0	1042
6/8/2020	4	1097.1	10	711.4	201	840	0	1042
6/8/2020	5	1097.1	10	711.7	201	841	0	1042
6/8/2020	6	1097.1	90	712.1	201	840	0	1041
6/8/2020	7	1097.1	1200	712.0	201	840	0	1041
6/8/2020	8	1097.1	1190	711.8	201	817	0	1018
6/8/2020	9	1097.1	1190	711.3	201	805	0	1006
6/8/2020	10	1097.1	1180	710.9	201	804	0	1005
6/8/2020	11	1097.1	1190	711.0	201	804	0	1005
6/8/2020	12	1097.2	1190	711.6	201	805	0	1005
6/8/2020	13	1097.2	1190	711.8	201	804	0	1006

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/8/2020	14	1097.2	1180	711.5	201	804	0	1005
6/8/2020	15	1097.2	1180	711.3	201	804	0	1005
6/8/2020	16	1097.2	1190	711.5	201	803	0	1005
6/8/2020	17	1097.2	1180	711.6	201	804	0	1006
6/8/2020	18	1097.2	1190	711.6	201	804	0	1005
6/8/2020	19	1097.2	1190	711.7	201	805	0	1006
6/8/2020	20	1097.2	1190	711.8	201	805	0	1006
6/8/2020	21	1097.2	1190	711.9	201	805	0	1007
6/8/2020	22	1097.2	1180	711.6	201	806	0	1007
6/8/2020	23	1097.2	30	711.6	201	806	0	1008
6/8/2020	24	1097.2	10	711.5	201	806	0	1007
6/9/2020	1	1097.2	10	711.6	201	807	0	1008
6/9/2020	2	1097.2	10	711.3	201	806	0	1008
6/9/2020	3	1097.2	10	711.1	201	806	0	1007
6/9/2020	4	1097.2	10	711.1	201	806	0	1007
6/9/2020	5	1097.2	0	711.2	201	807	0	1008
6/9/2020	6	1097.3	40	711.3	201	807	0	1008
6/9/2020	7	1097.3	1190	711.4	201	806	0	1007
6/9/2020	8	1097.2	1180	711.4	201	806	0	1007
6/9/2020	9	1097.3	1180	711.5	201	782	0	983
6/9/2020	10	1097.3	1190	711.6	201	694	0	895
6/9/2020	11	1097.3	1180	711.6	201	601	0	802
6/9/2020	12	1097.3	1190	711.8	202	501	0	702
6/9/2020	13	1097.3	1190	712.1	202	410	0	611
6/9/2020	14	1097.3	1190	712.3	201	383	0	584
6/9/2020	15	1097.3	1190	712.3	201	359	0	560
6/9/2020	16	1097.3	1180	712.0	201	324	6	531
6/9/2020	17	1097.3	1190	711.7	201	302	0	503
6/9/2020	18	1097.3	1190	711.4	201	273	0	474
6/9/2020	19	1097.3	1180	711.3	201	255	0	456
6/9/2020	20	1097.3	1190	711.1	201	236	0	437
6/9/2020	21	1097.4	1180	711.1	201	206	0	407
6/9/2020	22	1097.4	1180	710.9	201	206	0	407
6/9/2020	23	1097.4	50	710.9	201	206	0	407
6/9/2020	24	1097.4	10	711.0	201	206	0	407
6/10/2020	1	1097.4	1170	711.2	201	206	0	407
6/10/2020	2	1097.4	1250	711.2	201	205	0	406
6/10/2020	3	1097.4	1250	711.4	201	205	0	406
6/10/2020	4	1097.4	1250	711.6	201	206	0	407
6/10/2020	5	1097.4	1260	711.8	201	206	0	407
6/10/2020	6	1097.4	1260	711.9	201	204	0	405
6/10/2020	7	1097.4	1170	711.9	201	166	0	367
6/10/2020	8	1097.4	1160	711.8	235	110	0	346
6/10/2020	9	1097.4	1160	711.7	273	45	0	318
6/10/2020	10	1097.4	1160	711.5	273	25	0	298
6/10/2020	11	1097.4	1170	711.6	273	0	0	272
6/10/2020	12	1097.4	1160	711.8	255	0	0	255



Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/10/2020	13	1097.4	1160	711.9	234	0	0	234
6/10/2020	14	1097.4	1160	711.8	218	0	0	218
6/10/2020	15	1097.5	1160	711.6	203	0	0	204
6/10/2020	16	1097.5	1160	711.5	200	0	0	200
6/10/2020	17	1097.4	1160	711.5	200	0	0	200
6/10/2020	18	1097.4	1160	711.5	200	0	0	200
6/10/2020	19	1097.5	1160	711.6	200	0	0	199
6/10/2020	20	1097.5	1150	711.6	200	0	0	200
6/10/2020	21	1097.5	1150	711.5	200	0	0	199
6/10/2020	22	1097.5	1160	711.4	200	0	0	200
6/10/2020	23	1097.5	1150	711.3	200	0	0	200
6/10/2020	24	1097.5	1150	711.3	200	0	0	200
6/11/2020	1	1097.5	1150	711.2	200	0	0	199
6/11/2020	2	1097.5	1160	711.3	200	0	0	200
6/11/2020	3	1097.5	1160	711.6	200	0	0	200
6/11/2020	4	1097.6	1150	711.7	200	0	0	199
6/11/2020	5	1097.5	1160	711.6	200	0	0	199
6/11/2020	6	1097.5	1170	711.1	200	0	0	200
6/11/2020	7	1097.6	1160	710.8	200	0	0	200
6/11/2020	8	1097.6	1160	711.0	200	0	0	200
6/11/2020	9	1097.6	1160	711.2	200	0	0	200
6/11/2020	10	1097.6	1170	711.3	200	0	0	200
6/11/2020	11	1097.6	1160	711.5	200	0	0	201
6/11/2020	12	1097.6	1160	711.6	200	0	0	200
6/11/2020	13	1097.6	1160	711.7	200	0	0	200
6/11/2020	14	1097.6	1170	711.5	200	0	0	200
6/11/2020	15	1097.7	1160	711.5	200	0	0	200
6/11/2020	16	1097.7	1160	711.4	200	0	0	200
6/11/2020	17	1097.7	1170	711.5	200	0	0	200
6/11/2020	18	1097.7	1170	711.6	200	0	0	200
6/11/2020	19	1097.7	1160	711.6	200	0	0	200
6/11/2020	20	1097.7	1160	711.4	200	0	0	200
6/11/2020	21	1097.7	1160	711.5	200	0	0	200
6/11/2020	22	1097.7	1160	711.5	200	0	0	200
6/11/2020	23	1097.7	1160	711.6	200	0	0	200
6/11/2020	24	1097.7	1150	711.4	200	0	0	200
6/12/2020	1	1097.7	10	711.3	200	0	0	200
6/12/2020	2	1097.8	0	711.3	200	0	0	200
6/12/2020	3	1097.8	0	711.4	200	0	0	200
6/12/2020	4	1097.8	0	711.4	200	0	0	200
6/12/2020	5	1097.8	0	711.3	200	0	0	200
6/12/2020	6	1097.8	0	710.9	200	0	0	200
6/12/2020	7	1097.8	0	710.7	200	0	0	200
6/12/2020	8	1097.8	0	710.9	22	211	0	234
6/12/2020	9	1097.9	0	711.1	3	199	0	202
6/12/2020	10	1097.9	0	711.2	2	289	0	292
6/12/2020	11	1097.9	0	711.3	41	531	0	572

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/12/2020	12	1097.9	0	711.3	195	408	0	603
6/12/2020	13	1097.9	0	711.2	195	408	0	603
6/12/2020	14	1097.9	380	711.1	195	408	0	604
6/12/2020	15	1097.9	2360	711.2	195	408	0	603
6/12/2020	16	1098.0	2370	711.2	198	409	0	606
6/12/2020	17	1098.0	2370	711.0	200	410	0	610
6/12/2020	18	1098.0	2350	710.9	200	410	0	610
6/12/2020	19	1098.0	2350	710.8	200	409	0	609
6/12/2020	20	1098.0	2370	710.8	200	409	0	609
6/12/2020	21	1098.0	2360	710.9	200	409	0	609
6/12/2020	22	1098.0	2350	710.7	200	409	0	609
6/12/2020	23	1098.0	2370	710.8	200	409	0	610
6/12/2020	24	1098.0	2340	710.7	200	409	0	609
6/13/2020	1	1098.0	2340	710.6	200	410	0	610
6/13/2020	2	1098.0	2370	710.6	200	410	0	610
6/13/2020	3	1098.0	2370	710.7	200	410	0	610
6/13/2020	4	1098.0	2370	711.2	200	410	0	610
6/13/2020	5	1098.0	2380	711.3	200	411	0	611
6/13/2020	6	1098.1	2390	711.2	200	411	0	611
6/13/2020	7	1098.1	2360	711.1	200	411	0	611
6/13/2020	8	1098.0	2350	711.1	200	410	0	610
6/13/2020	9	1098.0	2380	711.1	200	410	0	610
6/13/2020	10	1098.1	2290	710.8	200	411	0	611
6/13/2020	11	1098.1	2300	710.7	200	410	0	610
6/13/2020	12	1098.0	2280	710.8	200	410	0	610
6/13/2020	13	1098.0	2280	710.8	200	410	0	611
6/13/2020	14	1098.1	2280	710.9	200	410	0	610
6/13/2020	15	1098.1	2290	711.1	200	411	0	610
6/13/2020	16	1098.1	2300	711.2	200	410	0	610
6/13/2020	17	1098.1	2310	711.2	200	411	0	611
6/13/2020	18	1098.1	2310	711.0	200	411	0	611
6/13/2020	19	1098.1	2290	710.9	200	411	0	611
6/13/2020	20	1098.1	2310	710.9	200	411	0	611
6/13/2020	21	1098.1	2290	710.9	200	411	0	612
6/13/2020	22	1098.1	2300	711.2	200	412	0	612
6/13/2020	23	1098.1	2290	711.4	200	412	0	612
6/13/2020	24	1098.1	2320	711.5	200	412	0	612
6/14/2020	1	1098.1	2060	711.4	200	412	0	612
6/14/2020	2	1098.1	2030	711.4	200	412	0	613
6/14/2020	3	1098.1	2030	711.2	200	412	0	612
6/14/2020	4	1098.1	2030	711.1	200	412	0	613
6/14/2020	5	1098.1	2030	711.0	200	412	0	613
6/14/2020	6	1098.2	2040	711.0	200	412	0	612
6/14/2020	7	1098.2	2020	710.9	200	413	0	612
6/14/2020	8	1098.1	2010	710.8	200	412	0	612
6/14/2020	9	1098.1	2020	710.8	200	412	0	612
6/14/2020	10	1098.2	2040	710.8	200	412	0	612

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/14/2020	11	1098.2	2050	710.9	200	412	0	612
6/14/2020	12	1098.2	2040	711.0	200	412	0	612
6/14/2020	13	1098.2	2030	710.9	200	412	0	612
6/14/2020	14	1098.2	2020	710.7	200	412	0	612
6/14/2020	15	1098.2	2030	710.6	200	413	0	613
6/14/2020	16	1098.2	2030	710.9	200	412	0	613
6/14/2020	17	1098.2	2040	711.2	200	413	0	613
6/14/2020	18	1098.2	2040	711.5	200	413	0	613
6/14/2020	19	1098.2	2050	711.7	200	413	0	613
6/14/2020	20	1098.2	2020	711.6	200	414	0	614
6/14/2020	21	1098.2	2020	711.3	200	414	0	614
6/14/2020	22	1098.2	2030	711.1	200	415	0	614
6/14/2020	23	1098.2	2020	710.8	200	414	0	614
6/14/2020	24	1098.3	2000	710.8	200	414	0	614
6/15/2020	1	1098.2	2020	710.9	200	414	0	614
6/15/2020	2	1098.2	2030	711.1	200	414	0	614
6/15/2020	3	1098.3	2020	711.1	200	414	0	614
6/15/2020	4	1098.3	2030	711.1	200	414	0	614
6/15/2020	5	1098.3	2030	711.1	200	414	0	614
6/15/2020	6	1098.2	2040	711.1	200	414	0	614
6/15/2020	7	1098.3	2030	711.0	200	414	0	614
6/15/2020	8	1098.3	2320	710.9	200	413	0	613
6/15/2020	9	1098.3	2410	711.1	200	414	0	614
6/15/2020	10	1098.3	2400	711.2	200	414	0	614
6/15/2020	11	1098.3	2390	711.2	200	414	0	614
6/15/2020	12	1098.3	2390	711.1	200	414	0	614
6/15/2020	13	1098.2	2400	711.1	200	414	0	614
6/15/2020	14	1098.3	2400	711.0	200	413	0	613
6/15/2020	15	1098.3	2410	711.0	200	413	0	613
6/15/2020	16	1098.3	2400	711.0	200	413	0	613
6/15/2020	17	1098.3	2410	711.0	200	414	0	614
6/15/2020	18	1098.3	2410	711.1	200	414	0	614
6/15/2020	19	1098.3	2410	711.2	200	414	0	614
6/15/2020	20	1098.3	2400	711.2	200	414	0	614
6/15/2020	21	1098.3	2400	711.1	200	414	0	614
6/15/2020	22	1098.3	2400	711.1	200	414	0	614
6/15/2020	23	1098.3	2010	711.0	200	414	0	614
6/15/2020	24	1098.3	2010	710.9	200	414	0	614
6/16/2020	1	1098.3	2400	710.9	200	414	0	614
6/16/2020	2	1098.3	2410	710.9	200	414	0	614
6/16/2020	3	1098.3	2410	711.1	200	415	0	615
6/16/2020	4	1098.3	2410	711.1	200	415	0	615
6/16/2020	5	1098.3	2410	711.0	200	415	0	615
6/16/2020	6	1098.3	2410	710.8	200	415	0	615
6/16/2020	7	1098.3	2400	710.6	200	415	0	615
6/16/2020	8	1098.3	2400	710.4	200	415	0	615
6/16/2020	9	1098.3	2400	710.5	200	415	0	615

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/16/2020	10	1098.3	2400	710.6	200	415	0	615
6/16/2020	11	1098.3	2410	710.4	200	414	0	614
6/16/2020	12	1098.3	2400	710.3	200	414	0	614
6/16/2020	13	1098.3	2400	710.5	200	414	0	614
6/16/2020	14	1098.3	2410	710.6	200	414	0	614
6/16/2020	15	1098.3	2400	710.5	200	414	0	614
6/16/2020	16	1098.3	2400	710.5	200	415	0	615
6/16/2020	17	1098.3	2390	710.3	200	415	0	615
6/16/2020	18	1098.3	2400	710.3	200	415	0	614
6/16/2020	19	1098.3	2400	710.5	200	415	0	615
6/16/2020	20	1098.3	2400	710.8	200	415	0	615
6/16/2020	21	1098.3	2400	710.8	200	415	0	616
6/16/2020	22	1098.3	2400	711.0	200	415	0	615
6/16/2020	23	1098.3	2400	711.2	200	416	0	616
6/16/2020	24	1098.3	2400	711.4	200	416	0	616
6/17/2020	1	1098.3	2390	711.0	200	416	0	616
6/17/2020	2	1098.3	2390	710.7	200	416	0	615
6/17/2020	3	1098.3	2390	710.4	200	416	0	616
6/17/2020	4	1098.3	2400	710.4	200	416	0	616
6/17/2020	5	1098.4	2390	710.5	200	415	0	616
6/17/2020	6	1098.3	2410	710.6	200	415	0	616
6/17/2020	7	1098.4	2400	710.6	200	415	0	615
6/17/2020	8	1098.4	2400	710.6	200	415	0	614
6/17/2020	9	1098.4	2400	710.4	200	415	0	614
6/17/2020	10	1098.4	2400	711.2	200	415	0	615
6/17/2020	11	1098.4	2410	711.9	200	415	0	615
6/17/2020	12	1098.4	2410	712.1	200	414	0	614
6/17/2020	13	1098.4	2400	711.9	200	415	0	615
6/17/2020	14	1098.4	2160	711.4	200	415	0	615
6/17/2020	15	1098.4	2360	711.4	200	415	0	614
6/17/2020	16	1098.4	2400	711.4	200	414	0	615
6/17/2020	17	1098.4	2410	711.4	200	415	0	615
6/17/2020	18	1098.4	2390	711.3	200	415	0	616
6/17/2020	19	1098.4	2410	711.3	200	417	0	617
6/17/2020	20	1098.4	2390	711.0	200	417	0	617
6/17/2020	21	1098.4	2400	711.0	200	417	0	617
6/17/2020	22	1098.4	2410	711.0	200	417	0	617
6/17/2020	23	1098.4	2400	711.1	200	417	0	617
6/17/2020	24	1098.4	2350	711.2	200	417	0	617
6/18/2020	1	1098.4	2370	711.3	200	417	0	618
6/18/2020	2	1098.4	2380	711.3	200	418	0	618
6/18/2020	3	1098.4	2370	711.3	200	418	0	617
6/18/2020	4	1098.4	2380	711.3	200	417	0	617
6/18/2020	5	1098.4	2380	711.2	200	417	0	617
6/18/2020	6	1098.4	2390	711.1	200	417	0	617
6/18/2020	7	1098.4	2350	711.0	200	417	0	617
6/18/2020	8	1098.4	2370	711.0	200	417	0	617

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/18/2020	9	1098.4	2380	711.2	200	416	0	616
6/18/2020	10	1098.4	2380	711.4	200	416	0	616
6/18/2020	11	1098.4	2380	711.5	200	416	0	616
6/18/2020	12	1098.4	2400	711.5	200	416	0	616
6/18/2020	13	1098.4	2390	711.5	200	416	0	616
6/18/2020	14	1098.4	2400	711.5	200	416	0	616
6/18/2020	15	1098.4	2410	711.5	200	415	0	615
6/18/2020	16	1098.4	2410	711.5	200	416	0	616
6/18/2020	17	1098.4	2400	711.5	200	416	0	616
6/18/2020	18	1098.4	2420	711.5	200	416	0	616
6/18/2020	19	1098.4	2410	711.4	200	417	0	617
6/18/2020	20	1098.4	2400	711.4	200	417	0	618
6/18/2020	21	1098.4	2400	711.3	200	418	0	618
6/18/2020	22	1098.4	2400	711.2	200	418	0	618
6/18/2020	23	1098.4	2380	711.3	200	419	0	619
6/18/2020	24	1098.4	2370	711.2	200	419	0	619
6/19/2020	1	1098.4	2360	711.2	200	419	0	619
6/19/2020	2	1098.4	2380	711.3	200	419	0	619
6/19/2020	3	1098.4	2360	711.4	200	419	0	619
6/19/2020	4	1098.4	2360	711.4	200	419	0	619
6/19/2020	5	1098.4	2370	711.4	200	419	0	619
6/19/2020	6	1098.5	2390	711.4	200	419	0	619
6/19/2020	7	1098.5	2350	711.4	200	418	0	619
6/19/2020	8	1098.5	2380	711.4	200	419	0	619
6/19/2020	9	1098.5	2380	711.3	200	767	0	967
6/19/2020	10	1098.5	2370	711.3	200	804	0	1004
6/19/2020	11	1098.5	2350	711.2	200	804	0	1004
6/19/2020	12	1098.5	2350	711.2	200	804	0	1004
6/19/2020	13	1098.5	2360	711.6	200	803	0	1003
6/19/2020	14	1098.5	2370	711.9	200	802	0	1002
6/19/2020	15	1098.5	2370	711.9	200	802	0	1003
6/19/2020	16	1098.5	2370	711.6	200	802	0	1003
6/19/2020	17	1098.5	2380	711.4	200	802	0	1002
6/19/2020	18	1098.5	2370	711.2	200	803	0	1003
6/19/2020	19	1098.5	2370	711.2	200	804	0	1004
6/19/2020	20	1098.5	2350	711.0	200	806	0	1006
6/19/2020	21	1098.5	2340	710.8	200	806	0	1007
6/19/2020	22	1098.5	2350	710.7	200	807	0	1007
6/19/2020	23	1098.5	2370	710.9	200	808	0	1008
6/19/2020	24	1098.5	2370	711.2	200	809	0	1009
6/20/2020	1	1098.5	2360	711.4	200	809	0	1009
6/20/2020	2	1098.5	2370	711.5	200	808	0	1008
6/20/2020	3	1098.5	2370	711.3	200	809	0	1009
6/20/2020	4	1098.5	2360	710.9	200	809	0	1009
6/20/2020	5	1098.5	2380	710.8	200	809	0	1009
6/20/2020	6	1098.5	2370	710.8	200	809	0	1009
6/20/2020	7	1098.6	2370	711.0	200	809	0	1008

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/20/2020	8	1098.5	2360	711.1	200	808	0	1008
6/20/2020	9	1098.6	2370	710.9	200	807	0	1007
6/20/2020	10	1098.6	2370	711.0	200	807	0	1007
6/20/2020	11	1098.6	2370	711.0	200	806	0	1006
6/20/2020	12	1098.6	2370	711.1	200	807	0	1007
6/20/2020	13	1098.6	2360	710.9	200	807	0	1007
6/20/2020	14	1098.6	2360	710.8	200	807	0	1007
6/20/2020	15	1098.6	2360	710.7	200	806	0	1006
6/20/2020	16	1098.6	2360	710.8	200	806	0	1006
6/20/2020	17	1098.6	2340	711.2	200	806	0	1007
6/20/2020	18	1098.6	2370	711.6	200	807	0	1008
6/20/2020	19	1098.6	2350	711.7	200	808	0	1007
6/20/2020	20	1098.6	2370	711.6	200	808	0	1008
6/20/2020	21	1098.6	2360	711.6	200	808	0	1008
6/20/2020	22	1098.7	2370	711.6	200	808	0	1008
6/20/2020	23	1098.6	2360	711.7	200	809	0	1009
6/20/2020	24	1098.6	2350	711.6	200	809	0	1009
6/21/2020	1	1098.7	2370	711.3	200	810	0	1010
6/21/2020	2	1098.7	2370	711.1	200	810	0	1010
6/21/2020	3	1098.7	2380	711.0	200	811	0	1011
6/21/2020	4	1098.7	2350	710.9	200	811	0	1011
6/21/2020	5	1098.7	2350	710.9	200	811	0	1012
6/21/2020	6	1098.7	2380	710.8	200	811	0	1011
6/21/2020	7	1098.7	2380	710.8	200	811	0	1011
6/21/2020	8	1098.7	2360	710.8	200	810	0	1011
6/21/2020	9	1098.8	2370	710.9	200	809	0	1009
6/21/2020	10	1098.8	2380	711.2	200	809	0	1009
6/21/2020	11	1098.8	2380	711.6	200	809	0	1009
6/21/2020	12	1098.8	2370	711.6	200	808	0	1008
6/21/2020	13	1098.8	2360	711.5	200	808	0	1008
6/21/2020	14	1098.8	2360	711.4	200	809	0	1009
6/21/2020	15	1098.8	2360	711.4	200	809	0	1009
6/21/2020	16	1098.8	2350	711.4	200	810	0	1010
6/21/2020	17	1098.8	2350	711.4	200	811	0	1011
6/21/2020	18	1098.8	2360	711.3	200	812	0	1012
6/21/2020	19	1098.8	2370	711.1	200	813	0	1013
6/21/2020	20	1098.8	2370	711.0	200	812	0	1012
6/21/2020	21	1098.9	2340	711.2	200	811	0	1011
6/21/2020	22	1098.9	2360	711.3	200	811	0	1011
6/21/2020	23	1098.9	2340	711.2	200	812	0	1012
6/21/2020	24	1098.9	2350	711.1	200	813	0	1013
6/22/2020	1	1098.9	2350	711.1	200	814	0	1013
6/22/2020	2	1098.9	2370	711.1	200	814	0	1014
6/22/2020	3	1098.9	2360	711.0	200	814	0	1014
6/22/2020	4	1098.9	2370	710.8	200	815	0	1015
6/22/2020	5	1098.9	2380	710.7	200	814	0	1014
6/22/2020	6	1098.9	2370	710.6	200	815	0	1015

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/22/2020	7	1098.9	2360	710.8	200	814	0	1014
6/22/2020	8	1098.9	2380	711.1	200	814	0	1014
6/22/2020	9	1098.9	2390	711.0	200	813	0	1013
6/22/2020	10	1098.9	2380	710.9	200	813	0	1013
6/22/2020	11	1098.9	2370	711.1	200	813	0	1013
6/22/2020	12	1099.0	2370	711.2	200	813	0	1013
6/22/2020	13	1098.9	2370	711.4	200	813	0	1012
6/22/2020	14	1098.9	2360	711.4	200	812	0	1013
6/22/2020	15	1099.0	2370	711.3	200	812	0	1011
6/22/2020	16	1099.0	2350	711.3	200	812	0	1012
6/22/2020	17	1099.0	2370	711.3	200	812	0	1013
6/22/2020	18	1098.9	2380	711.3	200	813	0	1013
6/22/2020	19	1099.0	2380	711.3	200	814	0	1015
6/22/2020	20	1099.0	2350	711.4	200	815	0	1015
6/22/2020	21	1099.0	2340	711.4	200	815	0	1015
6/22/2020	22	1099.0	2350	711.5	200	815	0	1015
6/22/2020	23	1099.0	2360	711.6	200	816	0	1016
6/22/2020	24	1099.0	2350	711.5	200	817	0	1017
6/23/2020	1	1099.0	2350	711.4	200	816	0	1017
6/23/2020	2	1099.0	2360	711.3	200	816	0	1016
6/23/2020	3	1099.0	2360	711.3	200	817	0	1017
6/23/2020	4	1099.0	2360	711.1	200	818	0	1018
6/23/2020	5	1099.0	2360	710.7	200	818	0	1018
6/23/2020	6	1099.0	2360	710.5	200	817	0	1017
6/23/2020	7	1099.0	2390	710.5	200	817	0	1017
6/23/2020	8	1099.0	2390	710.6	200	817	0	1017
6/23/2020	9	1099.1	2400	710.5	200	818	0	1018
6/23/2020	10	1099.1	2400	710.4	200	818	0	1018
6/23/2020	11	1099.0	2400	710.3	200	817	0	1017
6/23/2020	12	1099.0	2410	710.3	200	817	0	1017
6/23/2020	13	1099.1	2400	710.2	200	818	0	1018
6/23/2020	14	1099.1	2400	710.1	200	817	0	1017
6/23/2020	15	1099.1	2390	710.3	200	816	0	1016
6/23/2020	16	1099.1	2400	710.3	200	817	0	1017
6/23/2020	17	1099.1	2390	710.3	200	817	0	1017
6/23/2020	18	1099.1	2400	710.4	200	817	0	1017
6/23/2020	19	1099.1	2400	710.6	200	818	0	1018
6/23/2020	20	1099.1	2380	711.0	200	819	0	1019
6/23/2020	21	1099.1	2390	711.4	200	820	0	1020
6/23/2020	22	1099.1	2400	711.6	200	820	0	1020
6/23/2020	23	1099.1	2390	711.4	200	821	0	1021
6/23/2020	24	1099.1	2390	711.2	200	821	0	1022
6/24/2020	1	1099.2	2390	711.1	200	823	0	1022
6/24/2020	2	1099.2	2390	711.2	200	823	0	1024
6/24/2020	3	1099.2	2390	711.3	200	824	0	1024
6/24/2020	4	1099.2	2390	711.2	200	824	0	1024
6/24/2020	5	1099.2	2400	711.2	200	824	0	1024

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/24/2020	6	1099.2	2400	711.2	200	825	0	1025
6/24/2020	7	1099.2	2400	711.4	200	825	0	1025
6/24/2020	8	1099.2	2400	711.6	200	824	0	1024
6/24/2020	9	1099.2	2410	711.8	200	823	0	1023
6/24/2020	10	1099.3	2410	711.7	200	855	0	1055
6/24/2020	11	1099.3	2400	711.5	200	1121	0	1321
6/24/2020	12	1099.3	2400	711.4	200	1105	0	1305
6/24/2020	13	1099.3	2410	711.4	200	1091	0	1291
6/24/2020	14	1099.3	2400	711.5	200	1101	0	1301
6/24/2020	15	1099.3	2400	711.6	200	1110	0	1310
6/24/2020	16	1099.3	2410	711.7	200	1109	0	1310
6/24/2020	17	1099.4	2410	711.7	200	1110	0	1310
6/24/2020	18	1099.4	2400	711.3	200	1111	0	1311
6/24/2020	19	1099.4	2390	711.1	200	1113	0	1313
6/24/2020	20	1099.4	2380	711.2	200	1116	0	1316
6/24/2020	21	1099.4	2390	711.6	200	1116	0	1316
6/24/2020	22	1099.4	2400	711.9	200	1116	0	1316
6/24/2020	23	1099.4	2400	711.9	200	1117	0	1317
6/24/2020	24	1099.4	2400	711.7	200	1117	0	1317
6/25/2020	1	1099.5	2390	711.8	200	1117	0	1317
6/25/2020	2	1099.4	2400	711.9	200	1117	0	1317
6/25/2020	3	1099.5	2390	711.9	200	1118	0	1318
6/25/2020	4	1099.5	2390	711.8	200	1119	0	1319
6/25/2020	5	1099.5	2400	711.4	200	1119	0	1319
6/25/2020	6	1099.5	2410	711.1	200	1118	0	1318
6/25/2020	7	1099.5	2400	711.0	200	1119	0	1318
6/25/2020	8	1099.5	2390	711.3	200	1120	0	1320
6/25/2020	9	1099.5	2400	711.5	200	1119	0	1318
6/25/2020	10	1099.5	2410	711.8	200	1148	0	1348
6/25/2020	11	1099.5	2410	711.9	200	1593	0	1793
6/25/2020	12	1099.5	2410	712.1	200	1596	0	1795
6/25/2020	13	1099.5	2410	712.2	200	1607	0	1807
6/25/2020	14	1099.5	2410	712.2	200	1607	0	1807
6/25/2020	15	1099.5	2400	712.0	200	1607	0	1807
6/25/2020	16	1099.5	2400	711.5	200	1607	0	1807
6/25/2020	17	1099.5	2400	711.0	200	1608	0	1808
6/25/2020	18	1099.5	2410	710.9	200	1608	0	1808
6/25/2020	19	1099.5	2410	711.4	200	1609	0	1809
6/25/2020	20	1099.5	2400	711.9	200	1611	0	1811
6/25/2020	21	1099.5	2390	712.2	200	1611	0	1811
6/25/2020	22	1099.5	2400	712.1	200	1613	0	1813
6/25/2020	23	1099.5	2400	712.0	200	1612	0	1812
6/25/2020	24	1099.6	2390	711.9	200	1613	0	1813
6/26/2020	1	1099.6	2410	712.0	200	1614	0	1814
6/26/2020	2	1099.6	2400	712.2	200	1616	0	1816
6/26/2020	3	1099.6	2390	712.2	200	1617	0	1816
6/26/2020	4	1099.6	2390	712.1	200	1617	0	1817



Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/26/2020	5	1099.6	2400	712.2	200	1618	0	1818
6/26/2020	6	1099.6	2410	712.3	200	1618	0	1818
6/26/2020	7	1099.6	2400	712.5	200	1618	0	1819
6/26/2020	8	1099.6	2410	712.7	200	1618	0	1818
6/26/2020	9	1099.6	2400	712.7	200	1618	0	1818
6/26/2020	10	1099.6	2390	712.6	200	1736	0	1936
6/26/2020	11	1099.6	2400	712.6	200	2000	0	2200
6/26/2020	12	1099.6	2360	712.6	200	2000	0	2200
6/26/2020	13	1099.6	2380	712.5	200	2000	0	2200
6/26/2020	14	1099.6	2300	712.3	200	2000	0	2200
6/26/2020	15	1099.6	2300	712.1	200	2001	0	2201
6/26/2020	16	1099.7	2300	711.8	200	2001	0	2201
6/26/2020	17	1099.7	2290	711.7	200	2004	0	2204
6/26/2020	18	1099.7	2270	711.7	200	2006	0	2206
6/26/2020	19	1099.7	2260	711.9	200	2008	0	2207
6/26/2020	20	1099.7	2300	712.2	200	2008	0	2208
6/26/2020	21	1099.7	2270	712.3	200	2008	0	2207
6/26/2020	22	1099.7	2270	712.1	200	2007	0	2208
6/26/2020	23	1099.7	2300	712.0	200	2008	0	2208
6/26/2020	24	1099.7	2270	712.0	200	2008	0	2208
6/27/2020	1	1099.7	2270	712.1	200	2011	0	2211
6/27/2020	2	1099.7	2270	712.2	200	2012	0	2212
6/27/2020	3	1099.7	2280	712.3	200	2012	0	2212
6/27/2020	4	1099.7	2300	712.1	200	2013	0	2213
6/27/2020	5	1099.7	2280	712.0	200	2013	0	2213
6/27/2020	6	1099.7	2290	711.9	200	2013	0	2213
6/27/2020	7	1099.8	2270	711.7	200	2399	0	2599
6/27/2020	8	1099.7	2270	711.6	200	2494	0	2694
6/27/2020	9	1099.7	2290	711.6	200	2494	0	2694
6/27/2020	10	1099.7	2310	711.7	200	2494	0	2694
6/27/2020	11	1099.8	2300	711.8	200	2494	0	2694
6/27/2020	12	1099.7	2280	711.9	200	2494	0	2694
6/27/2020	13	1099.7	2280	712.0	200	2494	0	2694
6/27/2020	14	1099.8	2280	712.1	200	2493	0	2694
6/27/2020	15	1099.8	2280	712.1	200	2499	0	2699
6/27/2020	16	1099.8	2270	712.1	200	2502	0	2702
6/27/2020	17	1099.8	2280	712.0	200	2504	0	2704
6/27/2020	18	1099.8	2270	712.1	200	2506	0	2706
6/27/2020	19	1099.8	2280	712.2	200	2508	0	2708
6/27/2020	20	1099.8	2270	712.3	200	2578	0	2778
6/27/2020	21	1099.8	2240	712.3	200	2993	0	3193
6/27/2020	22	1099.8	2260	712.3	200	3404	0	3604
6/27/2020	23	1099.8	2280	712.4	200	3498	0	3698
6/27/2020	24	1099.8	2240	712.2	200	3497	0	3697
6/28/2020	1	1099.8	1170	712.0	200	3495	0	3695
6/28/2020	2	1099.8	1170	712.0	200	3494	0	3694
6/28/2020	3	1099.8	1170	712.0	200	3501	0	3701

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/28/2020	4	1099.8	1170	711.9	200	3501	0	3701
6/28/2020	5	1099.8	1180	711.8	200	3501	0	3701
6/28/2020	6	1099.8	1170	711.8	200	3499	0	3699
6/28/2020	7	1099.8	1170	711.7	200	3498	0	3698
6/28/2020	8	1099.8	1170	711.7	200	3501	0	3701
6/28/2020	9	1099.8	1170	712.0	200	3503	0	3703
6/28/2020	10	1099.8	1180	712.3	200	3503	0	3703
6/28/2020	11	1099.8	1180	712.6	200	3502	0	3702
6/28/2020	12	1099.8	1180	712.6	200	3500	0	3700
6/28/2020	13	1099.8	1170	712.7	200	3503	0	3703
6/28/2020	14	1099.8	1180	712.7	200	3503	0	3703
6/28/2020	15	1099.8	1170	712.7	200	3502	0	3701
6/28/2020	16	1099.8	1180	712.7	200	3497	0	3697
6/28/2020	17	1099.8	1170	712.6	200	3499	0	3699
6/28/2020	18	1099.8	1170	712.7	200	3497	0	3697
6/28/2020	19	1099.8	1170	712.6	200	3497	0	3697
6/28/2020	20	1099.8	1170	712.6	200	3494	0	3694
6/28/2020	21	1099.8	1170	712.5	200	3496	0	3697
6/28/2020	22	1099.8	1160	712.4	200	3500	0	3700
6/28/2020	23	1099.8	1170	712.3	200	3496	0	3696
6/28/2020	24	1099.8	1160	712.3	200	3497	0	3697
6/29/2020	1	1099.8	1170	712.3	200	3497	0	3697
6/29/2020	2	1099.8	1170	712.1	200	3501	0	3701
6/29/2020	3	1099.8	1180	712.0	200	3495	0	3696
6/29/2020	4	1099.8	1180	712.2	200	3490	0	3690
6/29/2020	5	1099.8	1180	712.4	200	3491	0	3691
6/29/2020	6	1099.8	1190	712.5	200	3488	0	3688
6/29/2020	7	1099.8	2400	712.7	200	3487	0	3687
6/29/2020	8	1099.8	2400	712.7	200	3486	0	3686
6/29/2020	9	1099.8	2400	712.7	200	3486	0	3686
6/29/2020	10	1099.7	2390	712.6	200	3487	0	3687
6/29/2020	11	1099.7	2400	712.6	200	3488	0	3688
6/29/2020	12	1099.7	2400	712.5	200	3488	0	3688
6/29/2020	13	1099.7	2380	712.5	200	3410	0	3610
6/29/2020	14	1099.7	2390	712.4	200	3230	0	3430
6/29/2020	15	1099.7	2380	712.4	200	3037	0	3237
6/29/2020	16	1099.7	2390	712.5	201	2850	0	3051
6/29/2020	17	1099.7	2380	712.4	201	2659	0	2860
6/29/2020	18	1099.7	2390	712.3	201	2484	0	2685
6/29/2020	19	1099.7	2390	712.3	200	2407	0	2607
6/29/2020	20	1099.7	2380	712.2	200	2406	0	2606
6/29/2020	21	1099.7	2380	712.2	200	2407	0	2607
6/29/2020	22	1099.7	2380	712.3	200	2407	0	2607
6/29/2020	23	1099.7	1230	712.2	200	2407	0	2607
6/29/2020	24	1099.7	1150	712.3	200	2406	0	2607
6/30/2020	1	1099.7	1160	712.2	200	2406	0	2606
6/30/2020	2	1099.7	1160	712.2	200	2405	0	2605

Date	Hour	Lake Chelan Elevation (ft)	Powerhouse Tailrace Flow (cfs)	Powerhouse Tailwater Elevation (ft)	Low Level Outlet Flow (cfs)	Spillway Flow (cfs)	Pump Station Flow (cfs)	Chelan River Flow Reach 4 (cfs)
6/30/2020	3	1099.7	1160	712.2	200	2407	0	2607
6/30/2020	4	1099.7	1160	712.2	200	2407	0	2608
6/30/2020	5	1099.7	1160	712.2	200	2406	0	2606
6/30/2020	6	1099.7	1200	712.2	200	2407	0	2606
6/30/2020	7	1099.7	2400	712.5	200	2407	0	2607
6/30/2020	8	1099.7	2410	712.6	200	2407	0	2607
6/30/2020	9	1099.7	2400	712.6	200	2406	0	2606
6/30/2020	10	1099.7	2390	712.7	200	2405	0	2605
6/30/2020	11	1099.7	2400	712.7	200	2405	0	2605
6/30/2020	12	1099.7	2410	712.6	200	2406	0	2606
6/30/2020	13	1099.7	2410	712.6	200	2405	0	2605
6/30/2020	14	1099.7	2400	712.6	200	2406	0	2606
6/30/2020	15	1099.8	2410	712.6	200	2407	0	2607
6/30/2020	16	1099.8	2400	712.6	200	2406	0	2606
6/30/2020	17	1099.7	2400	712.4	200	2406	0	2606
6/30/2020	18	1099.7	2400	712.2	200	2406	0	2606
6/30/2020	19	1099.8	2400	712.2	200	2407	0	2607
6/30/2020	20	1099.8	2400	712.3	200	2407	0	2607
6/30/2020	21	1099.7	2400	712.3	200	2407	0	2607
6/30/2020	22	1099.7	2390	712.3	200	2407	0	2607
6/30/2020	23	1099.7	1140	712.2	200	2406	0	2606
6/30/2020	24	1099.7	1070	711.9	200	2406	0	2606