

From: [Hopkins, Scott](#)
To: "Ashley Rawhouser"; "bgoedde@cityofchelan.us"; "Breean Zimmerman"; Buehn, Scott; "Carl Merkle"; Clement, Marcie; "David Bowen"; "Emily Johnson"; "Graham Simon"; "Hugh Anthony"; "Jim Pacheco"; "Justin Yeager"; "Kari Grover Wier"; "Mark Peterschmidt"; Osborn, Jeff; "Phil Archibald"; "robin@mansonparks.com"; "Ryan.Layton@parks.wa.gov"; Smith, Michelle; "Steve Lewis"; "Thomas O'Keefe"; Towey, Bill; "Travis Maitland"; Underwood, Alene; Von Reis, Charles; Willard, Catherine; "Mayfield, Mariah - FS"; "Kevin Wright"; "Esh, Nathan"; "randi_riggs@fws.gov"; Wasniewski, John; "jamesurness@hotmail.com"; "wfarris@cityofchelan.us"; "Pruit, Katie (RCO)"; "jody.walters@noaa.gov"; "blod@yakamafish-nsn.gov"; "bret.nine@colvilletribes.com"
Cc: [Whiteman, Martha](#); [West, Todd](#)
Subject: Chelan River Temperature Monitoring Data - 2nd Quarterly Reports
Date: Tuesday, July 28, 2020 2:51:41 PM
Attachments: [image001.png](#)
[2020 Chelan River Hourly Temperature Data 2nd Quarterly Report.pdf](#)
[2020 Chelan River Daily Temperature Data 2nd Quarterly Report.pdf](#)

PUBLIC UTILITY DISTRICT NO. 1 of CHELAN COUNTY
P.O. Box 1231, Wenatchee, WA 98807-1231 • 327 N. Wenatchee Ave., Wenatchee, WA 98801
(509) 663-8121 • Toll free 1-888-663-8121 • www.chelanpud.org

To: Department of Ecology
Water Quality Program
Central Regional Office

Chelan River Fishery Forum:
Washington Department of Ecology
Washington Department of Fish and Wildlife
United States Forest Service
National Park Service
United States Fish and Wildlife Service
National Marine Fisheries Service
CCT (Colville)
YN (Yakama)
CTUIR (Umatilla tribe)
Lake Chelan Sportsman Association
United States Geological Survey
Washington State Parks and Recreation Commission
Washington State Recreation and Conservation Office
City of Chelan
Manson Parks and Recreation Department
Lake Chelan Recreation Association
American Whitewater

From: Scott Hopkins, Fisheries Biologist II
Public Utility District No. 1 of Chelan County (Chelan PUD)
scott.hopkins@chelanpud.org
(509)661-4763

Re: Lake Chelan Hydroelectric Project No. 637 (Project)
Appendix D 401 Water Quality Certification Condition V.C.i)
Water Temperature Data Reports: 2nd Quarter

Dear Ecology Water Quality Program, Chelan River Fishery Forum, and Other Parties:

Water temperature monitoring data for the 2nd Quarter 2020 are provided in the attached files. This information will be posted to the Chelan County PUD external website under "River Flows, Water Temperatures and Total Dissolved Gas" (link below).

<https://www.chelanpud.org/parks-and-recreation/river-flows-and-water-temperatures>

Data during times of maintenance, calibration, or other miscellaneous events have been denoted with "NA" to designate these periods when data was either unavailable or inaccurate. Noteworthy events labeled with "NA" are explained below.

- There was one erroneous data point on 4/2/2020 during the 2:00 hour that was removed.
- There is one hour of missing data on 4/7/2020 on each data logger during the period when loggers were swapped for downloading.

Please feel free to call or email any questions or comments.



Scott Hopkins

Fisheries Biologist II
Chelan County P.U.D.
P: (509) 661-4763
C: (509) 630-2708

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/1/2020	8.6	8.8	8.9	9.0	8.8	8.8	9.6	8.5
4/2/2020	8.3	8.4	8.4	8.4	8.4	8.4	9.2	8.1
4/3/2020	8.2	8.4	8.4	8.4	8.3	8.4	9.1	7.6
4/4/2020	8.1	8.2	8.4	8.3	8.4	8.4	9.2	8.3
4/5/2020	8.4	8.6	8.9	9.0	8.7	8.8	9.5	8.4
4/6/2020	8.9	9.1	9.7	9.8	9.5	9.6	10.2	8.8
4/7/2020	9.7	9.9	10.3	10.3	10.2	10.3	10.9	10.1
4/8/2020	10.3	10.6	10.9	10.8	10.6	10.8	11.4	10.6
4/9/2020	11.1	11.4	11.7	11.6	11.3	11.5	12.0	11.2
4/10/2020	12.0	12.3	12.6	12.6	12.2	12.4	12.9	11.9
4/11/2020	12.5	12.8	12.3	12.2	12.4	12.4	13.3	12.3
4/12/2020	12.2	12.4	12.0	11.8	11.9	11.9	12.7	10.8
4/13/2020	11.7	11.9	11.8	11.7	11.7	11.8	12.5	10.4
4/14/2020	12.0	12.2	12.5	12.4	12.2	12.3	12.9	11.6
4/15/2020	12.4	12.7	12.6	12.6	12.7	12.8	13.4	11.9
4/16/2020	12.5	12.7	12.8	12.7	12.6	12.7	13.3	12.5
4/17/2020	12.1	12.3	12.6	12.7	12.4	12.5	12.9	12.1
4/18/2020	12.2	12.4	13.0	13.2	12.5	12.7	13.1	12.4
4/19/2020	13.0	13.3	13.9	14.0	13.4	13.6	14.0	13.3
4/20/2020	13.7	14.0	14.3	14.3	14.0	14.2	14.6	13.8
4/21/2020	13.6	13.9	14.1	14.2	13.9	14.0	14.6	13.9
4/22/2020	13.1	13.3	13.0	13.2	13.3	13.3	14.1	13.3
4/23/2020	12.8	13.1	13.5	13.6	13.1	13.3	13.7	13.1
4/24/2020	13.0	13.2	13.4	13.4	13.2	13.3	13.9	13.2
4/25/2020	13.0	13.2	13.3	13.5	13.2	13.3	13.9	13.2
4/26/2020	12.7	12.9	13.1	13.1	12.9	13.0	13.6	12.9
4/27/2020	13.0	13.2	13.6	13.7	13.3	13.4	13.9	13.2
4/28/2020	12.9	13.1	13.5	13.6	13.1	13.3	13.7	13.1
4/29/2020	13.1	13.3	13.7	13.8	13.4	13.5	14.0	13.3
4/30/2020	13.2	13.4	13.9	14.0	13.5	13.6	14.0	13.4
5/1/2020	12.9	13.0	13.6	13.6	13.1	13.3	13.7	13.1
5/2/2020	12.7	12.8	13.0	13.3	12.9	13.0	13.5	12.8
5/3/2020	12.3	12.5	12.8	12.8	12.5	12.6	13.2	12.4
5/4/2020	12.6	12.7	13.1	13.1	12.8	12.9	13.4	12.7
5/5/2020	13.3	13.5	14.1	14.2	13.6	13.8	14.1	13.5
5/6/2020	13.7	13.9	13.9	14.1	13.9	14.0	14.5	13.9
5/7/2020	13.8	14.0	14.4	14.4	14.0	14.2	14.7	14.0
5/8/2020	14.0	14.2	15.0	15.1	14.4	14.6	14.9	14.3
5/9/2020	13.9	14.1	15.1	15.4	14.4	14.7	14.9	14.3
5/10/2020	14.0	14.3	15.3	15.6	15.0	15.2	15.6	15.1
5/11/2020	13.6	13.7	14.9	15.4	14.2	14.3	14.8	14.1
5/12/2020	13.8	14.0	14.8	15.1	14.2	14.3	14.6	14.1
5/13/2020	15.0	15.3	15.5	15.5	15.2	15.4	15.8	15.3
5/14/2020	15.4	15.6	15.1	15.0	15.6	15.6	16.3	15.6
5/15/2020	15.4	15.6	15.7	15.9	15.7	15.9	16.3	15.6
5/16/2020	14.8	14.9	15.0	15.1	14.9	15.1	15.6	14.9
5/17/2020	14.7	14.9	15.1	15.3	15.0	15.2	15.5	14.9

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/18/2020	15.2	15.4	15.6	15.7	15.8	15.9	16.0	15.4
5/19/2020	15.6	15.8	16.0	16.2	16.2	16.3	16.4	15.8
5/20/2020	15.5	15.7	15.8	15.9	15.9	16.0	16.3	15.7
5/21/2020	15.3	15.5	15.5	15.5	15.5	15.5	16.2	15.5
5/22/2020	15.2	15.4	15.4	15.4	15.4	15.5	16.0	15.4
5/23/2020	15.2	15.4	15.7	15.7	15.7	15.9	16.0	15.4
5/24/2020	15.7	15.8	16.1	16.2	16.3	16.4	16.5	15.9
5/25/2020	16.0	16.2	16.3	16.4	16.4	16.5	16.7	16.2
5/26/2020	16.2	16.4	16.8	16.9	16.9	17.0	17.0	16.4
5/27/2020	16.7	16.9	17.1	17.2	17.2	17.3	17.5	16.9
5/28/2020	16.9	17.1	17.4	17.5	17.5	17.7	17.6	17.1
5/29/2020	16.9	17.1	17.6	17.9	17.9	18.0	17.7	17.2
5/30/2020	17.3	17.4	17.6	17.7	17.7	17.8	18.1	17.5
5/31/2020	17.2	17.4	17.4	17.5	17.5	17.5	18.0	17.4
6/1/2020	17.1	17.3	17.3	17.3	17.4	17.4	17.8	17.2
6/2/2020	17.0	17.1	17.1	17.1	17.2	17.2	17.7	17.1
6/3/2020	17.0	17.1	17.2	17.2	17.3	17.4	17.7	17.1
6/4/2020	17.2	17.4	17.3	17.4	17.4	17.5	17.8	17.3
6/5/2020	17.2	17.3	17.2	17.3	17.4	17.4	17.9	17.3
6/6/2020	17.1	17.3	17.3	17.3	17.3	17.4	17.8	17.3
6/7/2020	17.0	17.1	17.0	17.1	17.1	17.2	18.0	17.3
6/8/2020	16.7	16.8	16.8	16.9	16.9	17.0	17.4	16.8
6/9/2020	16.4	16.5	16.5	16.6	16.6	16.7	17.1	16.5
6/10/2020	16.7	16.8	17.1	17.2	17.2	17.3	17.4	16.8
6/11/2020	17.0	17.2	17.3	17.4	17.4	17.5	17.7	17.2
6/12/2020	17.3	17.4	17.4	17.5	17.5	17.6	18.0	17.5
6/13/2020	17.0	17.1	17.0	17.0	17.0	17.1	17.7	17.1
6/14/2020	16.8	16.9	16.9	16.9	16.9	17.0	17.5	16.9
6/15/2020	16.8	16.9	16.9	16.9	17.0	17.0	17.5	16.9
6/16/2020	16.4	16.5	16.7	16.7	16.8	16.9	17.1	16.6
6/17/2020	16.6	16.7	16.9	17.0	17.0	17.1	17.3	16.8
6/18/2020	17.1	17.3	17.5	17.6	17.6	17.7	17.8	17.3
6/19/2020	17.7	17.9	18.0	18.2	18.2	18.3	18.4	17.8
6/20/2020	17.9	18.1	18.3	18.4	18.4	18.5	18.6	18.1
6/21/2020	18.4	18.7	18.8	18.8	18.9	19.0	19.2	18.7
6/22/2020	18.7	18.9	19.0	19.1	19.1	19.2	19.4	18.9
6/23/2020	19.2	19.4	19.6	19.7	19.8	19.9	19.9	19.4
6/24/2020	19.5	19.7	20.0	20.1	20.1	20.2	20.4	19.8
6/25/2020	19.9	20.2	20.2	20.3	20.3	20.4	20.7	20.2
6/26/2020	20.0	20.3	20.3	20.4	20.4	20.5	20.8	20.3
6/27/2020	20.0	20.2	20.2	20.3	20.3	20.4	20.8	20.3
6/28/2020	19.5	19.6	19.6	19.6	19.7	19.7	20.1	19.6
6/29/2020	19.3	19.5	19.5	19.6	19.7	19.7	20.0	19.5
6/30/2020	19.5	19.7	19.7	19.8	19.8	19.9	20.2	19.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/1/2020	1	8.8	9.0	8.3	8.3	9.0	8.8	9.8	6.8
4/1/2020	2	8.8	8.9	8.3	8.3	8.9	8.8	9.8	7.1
4/1/2020	3	8.8	8.9	8.2	8.2	8.9	8.7	9.8	8.6
4/1/2020	4	8.8	8.9	8.2	8.2	8.8	8.7	9.7	8.5
4/1/2020	5	8.7	8.9	8.1	8.2	8.8	8.6	9.6	8.5
4/1/2020	6	8.7	8.8	8.0	8.1	8.8	8.7	9.5	8.8
4/1/2020	7	8.7	8.7	7.8	8.0	8.7	8.6	9.6	8.7
4/1/2020	8	8.6	8.6	7.8	8.0	8.6	8.5	9.6	8.4
4/1/2020	9	8.5	8.5	8.2	8.0	8.5	8.4	9.5	8.3
4/1/2020	10	8.4	8.5	8.7	8.1	8.4	8.4	9.4	8.2
4/1/2020	11	8.3	8.5	9.4	8.2	8.4	8.4	9.4	8.3
4/1/2020	12	8.3	8.6	10.3	8.6	8.5	8.6	9.3	8.4
4/1/2020	13	8.3	8.7	11.0	9.2	8.6	8.8	9.2	8.5
4/1/2020	14	8.4	8.8	11.5	9.9	8.8	9.0	9.3	8.6
4/1/2020	15	8.5	8.8	11.2	10.5	8.9	9.2	9.4	8.7
4/1/2020	16	8.6	8.9	10.8	11.0	9.1	9.4	9.5	8.8
4/1/2020	17	8.7	8.9	10.1	11.2	9.1	9.5	9.6	8.8
4/1/2020	18	8.7	8.9	9.5	10.9	9.2	9.4	9.6	8.8
4/1/2020	19	8.7	8.8	8.9	10.6	9.1	9.4	9.6	8.9
4/1/2020	20	8.7	8.8	8.4	10.1	9.1	9.2	9.6	8.8
4/1/2020	21	8.7	8.8	8.1	9.6	9.0	9.0	9.6	8.8
4/1/2020	22	8.7	8.7	7.8	9.0	8.9	8.8	9.6	8.6
4/1/2020	23	8.6	8.6	7.6	8.5	8.8	8.7	9.6	8.4
4/1/2020	24	8.6	8.6	7.4	8.0	8.7	8.5	9.5	8.5
4/2/2020	1	8.6	8.5	7.2	7.7	8.6	8.4	9.5	8.3
4/2/2020	2	8.5	8.5	7.1	7.4	8.5	8.3	9.4	NA
4/2/2020	3	8.4	8.4	7.0	7.3	8.4	8.2	9.4	8.0
4/2/2020	4	8.4	8.4	6.9	7.0	8.3	8.0	9.3	7.9
4/2/2020	5	8.3	8.3	6.8	6.9	8.2	7.9	9.3	7.9
4/2/2020	6	8.3	8.3	6.8	6.8	8.3	8.1	9.2	8.4
4/2/2020	7	8.2	8.2	6.8	6.7	8.1	7.8	9.2	8.2
4/2/2020	8	8.2	8.2	7.1	6.8	8.1	7.8	9.1	8.1
4/2/2020	9	8.1	8.1	7.6	6.9	8.0	7.8	9.0	8.0
4/2/2020	10	8.0	8.2	8.4	7.1	8.0	7.9	8.8	8.0
4/2/2020	11	8.0	8.2	9.1	7.2	8.0	7.9	8.8	8.0
4/2/2020	12	8.0	8.3	10.1	7.9	8.1	8.1	8.8	8.1
4/2/2020	13	8.0	8.3	10.7	8.6	8.2	8.3	8.9	8.1
4/2/2020	14	8.1	8.4	11.3	9.5	8.4	8.7	8.9	8.3
4/2/2020	15	8.2	8.5	11.0	10.2	8.5	8.9	9.0	8.3
4/2/2020	16	8.2	8.5	10.6	10.8	8.7	9.1	9.1	8.4
4/2/2020	17	8.3	8.5	10.1	11.1	8.8	9.2	9.2	8.5
4/2/2020	18	8.4	8.5	9.4	11.0	8.8	9.2	9.3	8.5
4/2/2020	19	8.4	8.5	8.7	10.5	8.9	9.1	9.3	8.5
4/2/2020	20	8.4	8.5	8.2	10.0	8.8	9.0	9.3	8.5
4/2/2020	21	8.4	8.5	7.8	9.5	8.7	8.8	9.3	8.5
4/2/2020	22	8.4	8.4	7.5	8.9	8.6	8.6	9.3	8.3
4/2/2020	23	8.3	8.4	7.3	8.4	8.5	8.4	9.3	8.2
4/2/2020	24	8.3	8.3	7.2	7.9	8.5	8.3	9.3	8.2
4/3/2020	1	8.3	8.3	7.0	7.5	8.4	8.2	9.3	6.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/3/2020	2	8.2	8.2	7.0	7.3	8.3	8.0	9.2	7.1
4/3/2020	3	8.2	8.2	7.0	7.1	8.2	8.0	9.1	7.9
4/3/2020	4	8.2	8.2	6.9	7.0	8.1	7.8	9.0	7.6
4/3/2020	5	8.1	8.1	6.9	6.8	8.0	7.8	9.0	5.8
4/3/2020	6	8.1	8.1	6.8	6.8	7.9	7.7	8.9	7.7
4/3/2020	7	8.1	8.1	6.8	6.8	7.9	7.6	8.8	7.7
4/3/2020	8	8.0	8.1	7.3	6.9	7.8	7.6	8.7	5.6
4/3/2020	9	8.0	8.2	7.8	7.0	7.8	7.7	8.7	6.6
4/3/2020	10	8.0	8.2	8.6	7.2	7.8	7.8	8.7	7.2
4/3/2020	11	8.1	8.3	9.5	7.5	7.9	7.9	8.8	7.8
4/3/2020	12	8.2	8.5	10.2	8.0	8.0	8.1	8.9	6.9
4/3/2020	13	8.2	8.6	10.9	8.9	8.2	8.4	8.9	7.2
4/3/2020	14	8.3	8.6	11.2	9.7	8.4	8.7	9.0	8.0
4/3/2020	15	8.4	8.7	11.1	10.2	8.5	8.8	9.1	8.1
4/3/2020	16	8.4	8.6	10.4	10.7	8.7	9.0	9.1	8.3
4/3/2020	17	8.5	8.6	9.8	10.9	8.8	9.1	9.2	8.3
4/3/2020	18	8.5	8.6	9.1	10.7	8.8	9.2	9.3	8.4
4/3/2020	19	8.4	8.5	8.6	10.3	8.8	9.1	9.3	8.4
4/3/2020	20	8.4	8.4	8.1	9.8	8.9	9.0	9.3	8.4
4/3/2020	21	8.4	8.4	7.8	9.2	8.8	8.9	9.4	8.4
4/3/2020	22	8.3	8.3	7.6	8.7	8.8	8.8	9.4	8.1
4/3/2020	23	8.3	8.3	7.4	8.2	8.7	8.6	9.4	8.3
4/3/2020	24	8.2	8.2	7.3	7.9	8.7	8.5	9.5	8.4
4/4/2020	1	8.2	8.2	7.2	7.6	8.6	8.4	9.5	8.3
4/4/2020	2	8.2	8.1	7.1	7.4	8.5	8.3	9.5	8.3
4/4/2020	3	8.1	8.1	7.0	7.2	8.4	8.1	9.4	8.4
4/4/2020	4	8.1	8.1	6.9	7.0	8.3	8.1	9.3	8.3
4/4/2020	5	8.1	8.0	6.9	7.0	8.2	8.0	9.3	8.2
4/4/2020	6	8.0	8.0	6.9	6.8	8.1	7.8	9.2	8.1
4/4/2020	7	8.0	8.0	7.0	6.8	8.1	7.8	9.1	8.1
4/4/2020	8	7.9	8.0	7.4	6.9	8.0	7.8	9.0	8.0
4/4/2020	9	7.9	8.0	8.0	7.1	8.0	7.9	9.0	8.0
4/4/2020	10	7.9	8.1	8.8	7.4	8.0	8.0	9.0	8.0
4/4/2020	11	7.9	8.2	9.5	7.6	8.0	8.0	9.0	8.0
4/4/2020	12	8.0	8.2	9.8	8.0	8.1	8.1	9.0	8.2
4/4/2020	13	8.1	8.3	10.0	8.8	8.2	8.3	9.0	8.3
4/4/2020	14	8.1	8.4	10.1	9.5	8.3	8.6	9.1	8.4
4/4/2020	15	8.1	8.4	10.1	9.7	8.4	8.7	9.1	8.4
4/4/2020	16	8.2	8.4	10.0	10.0	8.5	8.8	9.2	8.5
4/4/2020	17	8.2	8.4	9.7	10.1	8.6	8.9	9.2	8.5
4/4/2020	18	8.3	8.4	9.3	10.0	8.7	8.9	9.3	8.5
4/4/2020	19	8.3	8.4	8.8	9.9	8.8	9.0	9.3	8.5
4/4/2020	20	8.3	8.4	8.4	9.7	8.8	8.9	9.4	8.6
4/4/2020	21	8.3	8.4	8.2	9.3	8.8	8.9	9.4	8.5
4/4/2020	22	8.3	8.4	8.0	9.0	8.8	8.8	9.4	8.5
4/4/2020	23	8.3	8.4	8.0	8.6	8.7	8.7	9.4	8.3
4/4/2020	24	8.3	8.4	7.9	8.3	8.7	8.6	9.4	8.5
4/5/2020	1	8.3	8.4	7.8	8.1	8.6	8.6	9.5	8.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/5/2020	2	8.3	8.4	7.8	8.0	8.6	8.5	9.5	8.4
4/5/2020	3	8.3	8.4	7.7	7.9	8.5	8.4	9.5	8.4
4/5/2020	4	8.3	8.3	7.7	7.8	8.5	8.4	9.4	8.4
4/5/2020	5	8.3	8.3	7.7	7.7	8.5	8.3	9.4	8.4
4/5/2020	6	8.3	8.3	7.7	7.7	8.4	8.3	9.4	8.3
4/5/2020	7	8.2	8.3	7.7	7.7	8.4	8.2	9.3	8.3
4/5/2020	8	8.2	8.3	7.8	7.7	8.3	8.2	9.3	8.3
4/5/2020	9	8.2	8.3	8.0	7.8	8.3	8.2	9.3	8.3
4/5/2020	10	8.2	8.4	8.3	7.9	8.3	8.3	9.3	8.3
4/5/2020	11	8.2	8.4	8.9	8.1	8.4	8.4	9.3	8.5
4/5/2020	12	8.2	8.5	9.8	8.5	8.5	8.6	9.3	8.6
4/5/2020	13	8.3	8.7	10.7	8.9	8.5	8.7	9.4	8.7
4/5/2020	14	8.3	8.7	11.0	9.4	8.7	8.9	9.4	8.8
4/5/2020	15	8.5	8.8	11.1	10.0	8.8	9.1	9.5	8.8
4/5/2020	16	8.6	8.9	10.9	10.6	8.9	9.3	9.5	8.9
4/5/2020	17	8.7	8.9	10.4	10.9	9.0	9.4	9.6	8.9
4/5/2020	18	8.7	8.8	9.9	10.9	9.1	9.5	9.6	8.8
4/5/2020	19	8.7	8.8	9.5	10.9	9.2	9.5	9.7	8.8
4/5/2020	20	8.7	8.8	9.1	10.5	9.3	9.5	9.8	8.8
4/5/2020	21	8.7	8.8	8.8	10.1	9.3	9.4	9.8	7.8
4/5/2020	22	8.7	8.8	8.5	9.7	9.3	9.3	9.9	8.4
4/5/2020	23	8.7	8.8	8.4	9.3	9.2	9.3	9.9	8.1
4/5/2020	24	8.6	8.7	8.3	9.0	9.2	9.2	9.9	7.0
4/6/2020	1	8.6	8.7	8.2	8.7	9.2	9.1	9.9	7.2
4/6/2020	2	8.6	8.7	8.2	8.5	9.1	9.0	9.9	7.7
4/6/2020	3	8.6	8.7	8.1	8.4	9.1	8.9	9.8	6.9
4/6/2020	4	8.6	8.6	7.9	8.3	9.0	8.8	9.8	7.6
4/6/2020	5	8.6	8.6	7.9	8.2	8.9	8.8	9.8	7.7
4/6/2020	6	8.5	8.6	7.9	8.1	8.9	8.7	9.8	8.4
4/6/2020	7	8.5	8.6	7.9	8.0	8.8	8.7	9.8	7.4
4/6/2020	8	8.5	8.6	8.3	8.1	8.8	8.7	9.8	7.3
4/6/2020	9	8.5	8.7	8.8	8.3	8.8	8.8	9.8	7.4
4/6/2020	10	8.5	8.8	9.6	8.4	8.9	8.9	9.9	7.5
4/6/2020	11	8.5	8.9	10.5	8.8	9.0	9.1	9.9	8.3
4/6/2020	12	8.6	9.0	11.5	9.4	9.1	9.4	9.9	9.0
4/6/2020	13	8.6	9.1	12.2	10.3	9.4	9.7	10.0	9.8
4/6/2020	14	8.7	9.2	12.7	11.1	9.6	10.0	10.2	11.6
4/6/2020	15	8.8	9.3	12.8	11.7	9.9	10.3	10.3	10.0
4/6/2020	16	8.9	9.4	12.5	12.3	10.1	10.6	10.4	10.0
4/6/2020	17	9.2	9.6	11.8	12.6	10.3	10.7	10.5	10.0
4/6/2020	18	9.4	9.7	10.9	12.5	10.3	10.7	10.6	9.8
4/6/2020	19	9.5	9.8	10.2	12.1	10.4	10.7	10.7	9.8
4/6/2020	20	9.6	9.8	9.6	11.6	10.4	10.6	10.8	9.7
4/6/2020	21	9.6	9.8	9.2	11.0	10.3	10.4	10.8	9.8
4/6/2020	22	9.6	9.7	9.0	10.4	10.3	10.3	10.8	9.8
4/6/2020	23	9.5	9.7	8.9	9.9	10.2	10.2	10.8	9.9
4/6/2020	24	9.5	9.6	8.9	9.4	10.1	10.0	10.8	9.8
4/7/2020	1	9.4	9.6	8.9	9.1	10.1	9.9	10.8	10.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/7/2020	2	9.4	9.5	8.7	9.0	10.0	9.8	10.8	10.0
4/7/2020	3	9.4	9.5	8.7	8.9	9.9	9.7	10.8	9.9
4/7/2020	4	9.3	9.5	8.6	8.8	9.9	9.7	10.8	9.8
4/7/2020	5	9.3	9.4	8.6	8.7	9.8	9.6	10.8	9.8
4/7/2020	6	9.3	9.4	8.5	8.6	9.7	9.5	10.8	9.7
4/7/2020	7	9.3	9.4	8.6	8.6	9.6	9.4	10.7	9.6
4/7/2020	8	9.3	9.5	8.9	8.7	9.6	9.4	10.7	9.6
4/7/2020	9	9.2	9.5	9.3	8.7	9.6	9.4	10.6	9.6
4/7/2020	10	9.3	NA	9.8	8.9	9.6	9.5	10.6	9.6
4/7/2020	11	9.3	9.6	NA	9.4	9.7	9.8	10.6	9.8
4/7/2020	12	9.3	9.7	10.8	NA	NA	NA	10.5	NA
4/7/2020	13	9.5	9.9	11.7	9.9	9.8	11.6	10.6	10.2
4/7/2020	14	9.6	10.0	12.6	10.5	9.9	10.2	10.7	10.4
4/7/2020	15	9.6	10.0	13.2	11.2	10.1	10.5	10.8	10.6
4/7/2020	16	9.7	10.1	13.4	11.9	10.4	10.9	10.9	10.5
4/7/2020	17	9.8	10.2	13.2	12.6	10.6	11.1	11.0	10.6
4/7/2020	18	10.0	10.3	12.5	13.0	10.7	11.2	11.1	10.6
4/7/2020	19	10.2	10.4	11.6	13.1	10.8	11.3	11.2	10.5
4/7/2020	20	10.3	10.5	10.8	12.8	10.9	11.3	11.2	10.4
4/7/2020	21	10.4	10.6	10.2	12.4	10.9	11.2	11.3	10.6
4/7/2020	22	10.4	10.6	9.7	11.6	10.8	11.1	11.3	10.6
4/7/2020	23	10.4	10.5	9.5	11.0	10.8	10.9	11.4	10.3
4/7/2020	24	10.3	10.5	9.3	10.3	10.7	10.7	11.4	10.6
4/8/2020	1	10.3	10.5	9.3	9.9	10.6	10.6	11.4	10.6
4/8/2020	2	10.2	10.4	9.3	9.5	10.5	10.4	11.7	10.5
4/8/2020	3	10.1	10.3	9.2	9.3	10.5	10.3	11.6	10.4
4/8/2020	4	10.1	10.2	9.2	9.2	10.4	10.2	11.5	10.4
4/8/2020	5	10.0	10.2	9.1	9.1	10.3	10.1	11.4	10.3
4/8/2020	6	10.0	10.1	9.0	9.0	10.2	10.0	11.2	10.2
4/8/2020	7	10.0	10.1	8.9	8.9	10.1	9.9	11.1	10.1
4/8/2020	8	10.0	10.1	8.9	8.9	10.0	9.9	11.0	10.0
4/8/2020	9	9.9	10.2	9.3	8.9	10.0	9.9	10.9	10.0
4/8/2020	10	9.9	10.2	9.9	9.1	10.0	9.9	10.9	9.9
4/8/2020	11	10.0	10.3	10.8	9.2	10.0	10.0	11.0	9.9
4/8/2020	12	10.0	10.4	11.8	9.6	10.1	10.2	11.1	10.0
4/8/2020	13	10.1	10.5	12.8	10.3	10.2	10.4	11.1	10.3
4/8/2020	14	10.2	10.6	13.4	11.2	10.4	10.7	11.2	10.7
4/8/2020	15	10.3	10.7	13.9	12.1	10.6	11.1	11.3	11.3
4/8/2020	16	10.3	10.7	14.0	12.8	10.8	11.4	11.4	11.7
4/8/2020	17	10.4	10.8	13.7	13.4	11.1	11.7	11.5	11.3
4/8/2020	18	10.5	10.8	13.1	13.7	11.2	11.8	11.6	11.3
4/8/2020	19	10.8	11.0	12.3	13.7	11.4	11.9	11.6	10.9
4/8/2020	20	11.0	11.2	11.6	13.4	11.4	11.9	11.7	10.7
4/8/2020	21	11.0	11.2	11.0	12.9	11.4	11.8	11.8	11.0
4/8/2020	22	11.0	11.2	10.5	12.3	11.4	11.6	11.9	10.9
4/8/2020	23	10.9	11.1	10.3	11.7	11.4	11.5	11.9	10.3
4/8/2020	24	10.9	11.1	10.2	11.1	11.3	11.4	12.0	11.0
4/9/2020	1	10.9	11.1	10.1	10.6	11.2	11.2	12.1	11.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/9/2020	2	10.9	11.1	10.0	10.3	11.2	11.1	12.0	10.8
4/9/2020	3	10.9	11.1	9.9	10.1	11.1	11.0	11.9	10.8
4/9/2020	4	10.9	11.0	9.8	10.0	11.0	10.9	11.9	10.6
4/9/2020	5	10.8	11.0	9.7	9.8	10.9	10.8	11.8	10.7
4/9/2020	6	10.8	11.0	9.6	9.7	10.8	10.6	11.7	10.7
4/9/2020	7	10.8	10.9	9.6	9.5	10.7	10.5	11.6	10.7
4/9/2020	8	10.8	11.0	9.6	9.5	10.6	10.5	11.5	10.6
4/9/2020	9	10.7	11.0	10.0	9.6	10.6	10.5	11.5	10.5
4/9/2020	10	10.7	11.0	10.6	9.7	10.6	10.5	11.5	10.3
4/9/2020	11	10.8	11.1	11.5	9.9	10.6	10.7	11.6	10.7
4/9/2020	12	10.8	11.2	12.5	10.3	10.7	10.8	11.7	10.8
4/9/2020	13	10.9	11.3	13.5	11.0	10.9	11.1	11.7	11.2
4/9/2020	14	11.0	11.5	14.4	12.0	11.1	11.4	11.8	11.5
4/9/2020	15	11.2	11.6	14.8	13.0	11.3	11.8	11.9	11.8
4/9/2020	16	11.3	11.8	14.9	13.7	11.5	12.1	12.0	11.9
4/9/2020	17	11.5	11.9	14.7	14.4	11.7	12.4	12.0	12.1
4/9/2020	18	11.6	11.9	14.1	14.7	11.9	12.6	12.1	12.1
4/9/2020	19	11.6	11.9	13.3	14.7	12.1	12.7	12.2	11.8
4/9/2020	20	11.7	12.0	12.7	14.4	12.1	12.7	12.3	11.6
4/9/2020	21	11.7	12.0	12.1	14.0	12.2	12.6	12.4	11.9
4/9/2020	22	11.7	12.0	11.6	13.4	12.2	12.5	12.5	12.0
4/9/2020	23	11.7	12.0	11.3	12.8	12.2	12.4	12.6	11.4
4/9/2020	24	11.7	12.0	11.1	12.3	12.1	12.2	12.7	11.8
4/10/2020	1	11.7	12.0	11.1	11.8	12.1	12.1	12.8	12.0
4/10/2020	2	11.7	12.0	11.0	11.4	12.0	12.0	12.8	11.5
4/10/2020	3	11.7	11.9	10.9	11.2	11.9	11.9	12.7	11.9
4/10/2020	4	11.6	11.9	10.9	11.0	11.9	11.8	12.7	11.8
4/10/2020	5	11.6	11.9	10.8	10.9	11.8	11.7	12.6	11.8
4/10/2020	6	11.6	11.8	10.8	10.8	11.7	11.6	12.6	11.7
4/10/2020	7	11.6	11.8	10.8	10.7	11.6	11.5	12.5	11.7
4/10/2020	8	11.6	11.9	10.9	10.7	11.6	11.5	12.5	11.6
4/10/2020	9	11.6	11.9	11.2	10.8	11.5	11.5	12.4	11.4
4/10/2020	10	11.6	11.9	11.8	11.0	11.5	11.6	12.5	11.3
4/10/2020	11	11.6	12.0	12.7	11.3	11.6	11.7	12.5	11.3
4/10/2020	12	11.6	12.1	13.7	11.6	11.7	11.9	12.6	11.5
4/10/2020	13	11.7	12.2	14.5	12.2	11.8	12.1	12.6	11.9
4/10/2020	14	11.8	12.3	15.1	13.2	12.0	12.4	12.7	12.0
4/10/2020	15	11.9	12.4	15.5	14.1	12.3	12.8	12.7	12.2
4/10/2020	16	12.2	12.7	15.6	14.7	12.5	13.1	12.9	12.6
4/10/2020	17	12.5	12.9	15.3	15.2	12.8	13.4	13.0	12.7
4/10/2020	18	12.5	12.9	14.6	15.4	13.0	13.5	13.1	12.4
4/10/2020	19	12.6	12.9	13.9	15.4	13.0	13.6	13.2	12.3
4/10/2020	20	12.6	12.9	13.3	15.0	13.1	13.5	13.4	12.3
4/10/2020	21	12.6	12.9	12.8	14.6	13.1	13.4	13.5	12.3
4/10/2020	22	12.5	12.8	12.4	14.0	13.1	13.3	13.6	11.9
4/10/2020	23	12.5	12.8	12.1	13.5	13.0	13.2	13.7	11.6
4/10/2020	24	12.5	12.8	11.9	13.0	13.0	13.0	13.6	11.4
4/11/2020	1	12.5	12.8	11.8	12.6	12.9	12.9	13.6	12.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/11/2020	2	12.5	12.7	11.6	12.2	12.8	12.8	13.5	12.5
4/11/2020	3	12.4	12.7	11.5	11.9	12.7	12.6	13.5	12.3
4/11/2020	4	12.4	12.6	11.4	11.7	12.6	12.5	13.4	12.4
4/11/2020	5	12.3	12.6	11.3	11.5	12.5	12.4	13.4	12.5
4/11/2020	6	12.3	12.5	11.2	11.3	12.4	12.2	13.3	12.4
4/11/2020	7	12.2	12.5	11.0	11.2	12.3	12.1	13.3	12.4
4/11/2020	8	12.2	12.5	11.0	11.1	12.2	12.0	13.3	12.1
4/11/2020	9	12.2	12.5	11.1	11.0	12.1	12.0	13.2	12.1
4/11/2020	10	12.2	12.5	11.4	11.0	12.0	11.9	13.2	12.0
4/11/2020	11	12.2	12.5	11.9	11.1	12.0	12.0	13.2	12.1
4/11/2020	12	12.2	12.6	12.9	11.4	12.0	12.1	13.2	12.0
4/11/2020	13	12.4	12.8	13.7	11.8	12.1	12.2	13.2	12.1
4/11/2020	14	12.5	12.9	14.5	12.3	12.2	12.4	13.1	12.2
4/11/2020	15	12.7	13.1	14.9	12.9	12.3	12.6	13.2	12.4
4/11/2020	16	12.8	13.2	14.8	13.3	12.4	12.7	13.2	12.4
4/11/2020	17	12.8	13.2	14.5	13.8	12.5	12.8	13.2	12.4
4/11/2020	18	12.9	13.2	13.8	14.1	12.6	12.9	13.2	12.3
4/11/2020	19	12.9	13.1	13.0	14.0	12.6	12.8	13.2	12.4
4/11/2020	20	12.8	13.1	12.3	13.6	12.6	12.8	13.2	12.3
4/11/2020	21	12.8	13.0	11.7	13.2	12.6	12.7	13.2	12.4
4/11/2020	22	12.7	12.9	11.2	12.6	12.5	12.5	13.2	12.4
4/11/2020	23	12.6	12.8	11.0	12.0	12.4	12.4	13.1	12.4
4/11/2020	24	12.6	12.8	10.9	11.5	12.3	12.2	13.0	12.2
4/12/2020	1	12.5	12.7	10.8	11.1	12.2	12.0	13.0	12.2
4/12/2020	2	12.5	12.6	10.7	10.7	12.1	11.9	12.9	12.1
4/12/2020	3	12.4	12.5	10.6	10.5	12.0	11.7	12.8	12.0
4/12/2020	4	12.4	12.4	10.5	10.4	11.9	11.6	12.7	12.0
4/12/2020	5	12.3	12.4	10.5	10.2	11.7	11.5	12.7	11.8
4/12/2020	6	12.3	12.4	10.3	10.1	11.6	11.3	12.6	11.6
4/12/2020	7	12.2	12.3	10.2	10.0	11.4	11.2	12.5	11.4
4/12/2020	8	12.2	12.4	10.3	10.0	11.3	11.1	12.5	11.3
4/12/2020	9	12.2	12.4	10.7	10.1	11.3	11.1	12.4	10.7
4/12/2020	10	12.2	12.5	11.3	10.1	11.2	11.1	12.4	10.6
4/12/2020	11	12.2	12.5	12.1	10.3	11.2	11.2	12.3	11.0
4/12/2020	12	12.1	12.5	13.1	10.7	11.3	11.3	12.3	11.1
4/12/2020	13	12.1	12.5	14.1	11.4	11.4	11.6	12.4	11.2
4/12/2020	14	12.1	12.5	14.8	12.4	11.6	11.9	12.5	11.4
4/12/2020	15	12.1	12.5	15.2	13.2	11.8	12.2	12.5	11.9
4/12/2020	16	12.1	12.5	15.2	13.8	12.0	12.5	12.6	10.6
4/12/2020	17	12.1	12.4	14.8	14.4	12.2	12.7	12.7	11.7
4/12/2020	18	12.1	12.3	14.1	14.6	12.3	12.8	12.8	12.2
4/12/2020	19	12.1	12.3	13.0	14.5	12.4	12.8	12.9	10.0
4/12/2020	20	12.1	12.3	12.2	14.1	12.4	12.8	12.9	9.1
4/12/2020	21	12.1	12.3	11.6	13.6	12.4	12.6	12.9	9.1
4/12/2020	22	12.1	12.2	11.1	12.9	12.3	12.5	12.9	8.4
4/12/2020	23	12.1	12.2	10.8	12.2	12.3	12.3	12.9	8.7
4/12/2020	24	12.1	12.1	10.5	11.6	12.2	12.1	12.9	7.2
4/13/2020	1	12.0	12.1	10.4	11.0	12.1	11.9	12.9	6.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/13/2020	2	12.0	12.0	10.2	10.6	11.9	11.7	12.8	6.9
4/13/2020	3	11.9	11.9	10.1	10.3	11.8	11.5	12.7	6.4
4/13/2020	4	11.9	11.9	10.0	10.0	11.6	11.4	12.6	5.9
4/13/2020	5	11.8	11.8	9.9	9.8	11.5	11.2	12.5	8.7
4/13/2020	6	11.7	11.7	9.8	9.7	11.3	11.1	12.3	11.0
4/13/2020	7	11.7	11.7	9.7	9.5	11.2	10.9	12.2	11.0
4/13/2020	8	11.6	11.8	9.8	9.5	11.1	10.8	12.1	11.0
4/13/2020	9	11.6	11.8	10.3	9.6	11.0	10.8	12.1	10.9
4/13/2020	10	11.6	11.8	11.0	9.7	11.0	10.8	12.1	10.1
4/13/2020	11	11.6	11.9	11.9	9.9	11.0	10.9	12.1	10.9
4/13/2020	12	11.5	11.9	12.9	10.4	11.0	11.1	12.1	11.2
4/13/2020	13	11.5	11.9	13.9	11.2	11.2	11.4	12.1	11.4
4/13/2020	14	11.6	12.0	14.7	12.2	11.4	11.7	12.2	11.6
4/13/2020	15	11.6	12.0	15.1	13.1	11.6	12.0	12.3	12.0
4/13/2020	16	11.6	12.0	15.1	13.7	11.8	12.3	12.4	12.0
4/13/2020	17	11.6	11.9	14.8	14.4	12.1	12.6	12.5	12.2
4/13/2020	18	11.7	11.9	14.0	14.7	12.2	12.7	12.6	12.1
4/13/2020	19	11.7	11.9	13.2	14.7	12.3	12.8	12.7	12.1
4/13/2020	20	11.6	11.9	12.4	14.4	12.4	12.8	12.8	12.0
4/13/2020	21	11.6	11.8	11.8	13.9	12.4	12.7	12.9	11.8
4/13/2020	22	11.6	11.8	11.3	13.3	12.4	12.6	13.0	11.4
4/13/2020	23	11.6	11.8	11.1	12.6	12.3	12.4	13.0	9.4
4/13/2020	24	11.7	11.8	10.9	12.0	12.2	12.2	12.9	11.7
4/14/2020	1	11.7	11.9	10.8	11.5	12.1	12.1	12.9	11.7
4/14/2020	2	11.7	11.8	10.7	11.1	12.1	11.9	12.8	11.0
4/14/2020	3	11.7	11.8	10.6	10.9	12.0	11.8	12.8	10.9
4/14/2020	4	11.7	11.8	10.5	10.7	11.9	11.7	12.8	11.3
4/14/2020	5	11.7	11.8	10.4	10.5	11.8	11.6	12.7	11.6
4/14/2020	6	11.7	11.8	10.3	10.4	11.7	11.5	12.7	11.3
4/14/2020	7	11.7	11.9	10.4	10.2	11.6	11.4	12.6	11.2
4/14/2020	8	11.7	11.9	10.6	10.3	11.5	11.3	12.5	11.3
4/14/2020	9	11.7	12.0	11.0	10.3	11.4	11.3	12.4	11.2
4/14/2020	10	11.7	12.0	11.4	10.5	11.4	11.3	12.3	11.5
4/14/2020	11	11.8	12.1	12.3	11.0	11.5	11.6	12.3	11.1
4/14/2020	12	11.9	12.2	13.2	11.4	11.6	11.7	12.4	11.7
4/14/2020	13	11.9	12.3	14.1	12.0	11.7	12.0	12.5	12.2
4/14/2020	14	12.0	12.4	14.9	12.9	11.9	12.3	12.6	12.3
4/14/2020	15	12.0	12.5	15.5	13.7	12.2	12.7	12.7	12.7
4/14/2020	16	12.1	12.5	15.7	14.4	12.5	13.0	12.9	12.8
4/14/2020	17	12.2	12.5	15.5	15.0	12.7	13.3	13.0	12.7
4/14/2020	18	12.2	12.6	15.0	15.3	12.9	13.4	13.1	12.6
4/14/2020	19	12.3	12.6	14.2	15.3	13.0	13.5	13.3	12.3
4/14/2020	20	12.4	12.7	13.5	15.1	13.0	13.4	13.5	11.4
4/14/2020	21	12.5	12.7	12.8	14.8	13.0	13.4	13.5	11.4
4/14/2020	22	12.5	12.7	12.4	14.3	13.0	13.3	13.5	10.4
4/14/2020	23	12.4	12.6	12.0	13.7	13.0	13.2	13.6	10.2
4/14/2020	24	12.4	12.6	11.9	13.1	12.9	13.1	13.6	10.7
4/15/2020	1	12.3	12.6	11.9	12.6	12.9	12.9	13.6	11.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/15/2020	2	12.3	12.5	11.8	12.3	12.8	12.8	13.6	10.4
4/15/2020	3	12.3	12.5	11.7	12.0	12.8	12.7	13.6	9.9
4/15/2020	4	12.3	12.5	11.6	11.9	12.7	12.6	13.5	10.9
4/15/2020	5	12.3	12.5	11.4	11.7	12.6	12.5	13.5	11.8
4/15/2020	6	12.3	12.4	11.3	11.6	12.5	12.4	13.4	10.3
4/15/2020	7	12.2	12.4	11.2	11.5	12.4	12.3	13.3	11.4
4/15/2020	8	12.2	12.5	11.3	11.4	12.3	12.2	13.3	12.0
4/15/2020	9	12.2	12.5	11.8	11.4	12.3	12.2	13.2	11.9
4/15/2020	10	12.2	12.5	12.3	11.5	12.3	12.3	13.1	12.0
4/15/2020	11	12.3	12.6	13.2	11.7	12.3	12.3	13.1	12.3
4/15/2020	12	12.3	12.6	13.8	11.8	12.3	12.3	13.1	12.3
4/15/2020	13	12.4	12.8	14.5	12.6	12.5	12.7	13.1	12.6
4/15/2020	14	12.5	12.8	14.6	13.1	12.6	12.7	13.1	12.5
4/15/2020	15	12.6	12.9	14.5	13.8	12.7	13.0	13.2	12.7
4/15/2020	16	12.6	12.9	14.3	14.1	12.8	13.1	13.3	12.8
4/15/2020	17	12.6	12.9	14.1	14.3	12.9	13.4	13.4	13.0
4/15/2020	18	12.6	12.9	13.7	14.2	13.0	13.3	13.5	13.0
4/15/2020	19	12.6	12.9	13.3	14.1	13.1	13.3	13.6	12.9
4/15/2020	20	12.6	12.8	12.8	13.9	13.1	13.3	13.6	12.8
4/15/2020	21	12.6	12.8	12.4	13.6	13.1	13.2	13.7	12.6
4/15/2020	22	12.6	12.8	12.1	13.2	13.0	13.1	13.7	12.5
4/15/2020	23	12.6	12.8	11.9	12.8	13.0	13.0	13.7	10.9
4/15/2020	24	12.6	12.7	11.7	12.4	12.9	12.8	13.7	9.7
4/16/2020	1	12.5	12.7	11.6	12.1	12.8	12.7	13.6	11.2
4/16/2020	2	12.5	12.6	11.4	11.8	12.7	12.6	13.5	12.3
4/16/2020	3	12.5	12.6	11.2	11.5	12.6	12.4	13.4	12.4
4/16/2020	4	12.5	12.5	11.0	11.3	12.5	12.3	13.3	12.5
4/16/2020	5	12.4	12.5	10.9	11.2	12.4	12.2	13.3	12.5
4/16/2020	6	12.4	12.4	10.8	10.9	12.3	12.1	13.2	12.4
4/16/2020	7	12.4	12.4	10.7	10.8	12.1	11.9	13.1	12.2
4/16/2020	8	12.3	12.6	10.8	10.7	12.1	11.8	13.0	12.2
4/16/2020	9	12.3	12.6	11.3	10.8	12.0	11.9	12.9	12.1
4/16/2020	10	12.3	12.6	12.0	10.9	12.0	11.9	12.9	12.1
4/16/2020	11	12.3	12.7	12.8	11.1	12.0	12.0	13.0	12.1
4/16/2020	12	12.3	12.7	13.8	11.5	12.1	12.1	13.0	12.4
4/16/2020	13	12.4	12.8	14.8	12.3	12.2	12.4	13.1	12.4
4/16/2020	14	12.4	12.9	15.5	13.3	12.4	12.8	13.1	12.6
4/16/2020	15	12.5	12.9	15.9	14.1	12.6	13.1	13.2	12.7
4/16/2020	16	12.6	12.9	15.9	14.7	12.8	13.3	13.3	12.9
4/16/2020	17	12.6	12.9	15.6	15.2	13.0	13.5	13.3	13.0
4/16/2020	18	12.7	12.9	15.0	15.5	13.1	13.6	13.4	13.2
4/16/2020	19	12.7	12.9	14.2	15.5	13.2	13.7	13.5	13.0
4/16/2020	20	12.7	12.9	13.4	15.2	13.3	13.6	13.6	12.9
4/16/2020	21	12.7	12.8	12.8	14.8	13.3	13.6	13.6	12.8
4/16/2020	22	12.7	12.8	12.2	14.2	13.2	13.4	13.6	12.8
4/16/2020	23	12.6	12.8	11.9	13.4	13.2	13.3	13.7	12.4
4/16/2020	24	12.6	12.7	11.6	12.8	13.1	13.1	13.7	12.5
4/17/2020	1	12.6	12.7	11.4	12.3	13.0	12.9	13.7	12.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/17/2020	2	12.6	12.6	11.3	11.8	12.9	12.8	13.7	12.5
4/17/2020	3	12.5	12.6	11.1	11.5	12.8	12.6	13.7	12.4
4/17/2020	4	12.5	12.5	11.0	11.2	12.6	12.4	13.6	12.6
4/17/2020	5	12.5	12.5	10.9	11.1	12.5	12.3	13.5	12.6
4/17/2020	6	12.5	12.5	10.8	10.9	12.4	12.1	13.3	12.6
4/17/2020	7	12.5	12.6	10.8	10.7	12.4	12.2	13.2	12.7
4/17/2020	8	12.2	12.3	10.9	10.7	12.1	11.9	13.1	12.1
4/17/2020	9	11.6	11.8	11.3	10.8	11.7	11.5	12.6	11.5
4/17/2020	10	11.4	11.7	11.9	10.9	11.6	11.5	12.3	11.5
4/17/2020	11	11.4	11.7	12.8	11.1	11.6	11.6	12.3	11.5
4/17/2020	12	11.4	11.7	13.8	11.6	11.7	11.8	12.4	11.6
4/17/2020	13	11.5	11.9	14.6	12.4	11.8	12.1	12.5	11.8
4/17/2020	14	11.7	12.1	15.2	13.4	12.1	12.5	12.5	12.0
4/17/2020	15	11.9	12.2	15.4	14.2	12.3	12.8	12.6	12.1
4/17/2020	16	12.0	12.3	15.3	14.9	12.5	13.0	12.7	12.2
4/17/2020	17	12.1	12.4	14.9	15.4	12.6	13.2	12.7	12.3
4/17/2020	18	12.1	12.4	14.2	15.5	12.7	13.3	12.8	12.4
4/17/2020	19	12.2	12.4	13.5	15.3	12.7	13.2	12.8	12.4
4/17/2020	20	12.2	12.4	13.0	15.0	12.7	13.2	12.9	12.4
4/17/2020	21	12.2	12.4	12.6	14.4	12.7	13.1	13.0	12.4
4/17/2020	22	12.2	12.3	12.3	13.9	12.6	12.8	12.9	12.2
4/17/2020	23	12.1	12.2	12.1	13.4	12.5	12.7	12.9	11.9
4/17/2020	24	12.0	12.2	12.0	12.9	12.4	12.5	12.9	11.1
4/18/2020	1	12.0	12.1	11.9	12.6	12.3	12.4	12.9	11.8
4/18/2020	2	12.0	12.1	11.8	12.3	12.3	12.4	12.9	12.1
4/18/2020	3	11.9	12.1	11.6	12.1	12.3	12.3	12.9	12.2
4/18/2020	4	11.9	12.1	11.5	12.0	12.3	12.2	12.9	12.2
4/18/2020	5	11.9	12.1	11.5	11.9	12.2	12.2	12.9	12.1
4/18/2020	6	11.9	12.0	11.5	11.7	12.2	12.1	12.9	12.2
4/18/2020	7	11.8	12.0	11.5	11.7	12.1	12.1	12.9	12.1
4/18/2020	8	11.8	12.0	11.7	11.6	12.0	12.0	12.8	12.0
4/18/2020	9	11.7	11.9	11.9	11.7	11.9	11.9	12.8	11.8
4/18/2020	10	11.7	11.9	12.4	11.9	11.9	12.0	12.7	11.8
4/18/2020	11	11.6	11.9	13.0	12.2	11.9	12.1	12.7	11.8
4/18/2020	12	11.6	12.0	13.7	12.5	12.0	12.2	12.6	11.8
4/18/2020	13	11.7	12.1	14.7	13.2	12.1	12.5	12.5	12.0
4/18/2020	14	11.9	12.2	15.5	13.8	12.3	12.8	12.6	12.2
4/18/2020	15	12.0	12.4	15.7	14.5	12.5	13.1	12.8	12.4
4/18/2020	16	12.3	12.5	15.3	15.0	12.8	13.4	13.0	12.6
4/18/2020	17	12.4	12.7	14.4	15.6	13.0	13.6	13.2	12.8
4/18/2020	18	12.6	12.8	13.8	15.8	13.2	13.8	13.3	12.9
4/18/2020	19	12.7	13.0	13.7	15.5	13.3	13.8	13.5	13.1
4/18/2020	20	12.9	13.2	13.4	14.8	13.4	13.7	13.7	13.2
4/18/2020	21	13.0	13.2	12.9	14.2	13.3	13.6	13.8	13.2
4/18/2020	22	13.0	13.2	12.7	13.8	13.3	13.4	13.8	13.1
4/18/2020	23	12.9	13.1	12.6	13.5	13.2	13.3	13.8	12.8
4/18/2020	24	12.8	13.0	12.5	13.2	13.1	13.2	13.8	12.8
4/19/2020	1	12.8	13.0	12.4	12.8	13.1	13.1	13.8	12.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/19/2020	2	12.8	13.0	12.2	12.6	13.0	13.0	13.8	12.9
4/19/2020	3	12.7	12.9	12.1	12.5	13.0	12.9	13.8	12.9
4/19/2020	4	12.7	12.9	12.1	12.3	12.9	12.9	13.8	12.8
4/19/2020	5	12.7	12.9	12.1	12.2	12.9	12.8	13.7	12.8
4/19/2020	6	12.7	12.9	12.1	12.1	12.8	12.7	13.7	12.5
4/19/2020	7	12.6	12.8	12.1	12.0	12.8	12.7	13.7	12.2
4/19/2020	8	12.6	12.9	12.1	12.0	12.7	12.6	13.7	12.0
4/19/2020	9	12.6	12.9	12.5	12.1	12.7	12.7	13.6	12.3
4/19/2020	10	12.6	13.0	13.1	12.3	12.7	12.8	13.6	12.5
4/19/2020	11	12.7	13.1	14.0	12.6	12.8	12.9	13.7	12.6
4/19/2020	12	12.7	13.2	15.0	12.9	12.9	13.1	13.7	13.3
4/19/2020	13	12.8	13.3	16.0	13.7	13.1	13.4	13.8	13.7
4/19/2020	14	12.9	13.4	16.7	14.6	13.3	13.7	13.9	13.7
4/19/2020	15	13.1	13.6	17.1	15.2	13.5	13.9	14.0	13.7
4/19/2020	16	13.2	13.7	17.0	16.1	13.8	14.4	14.1	14.1
4/19/2020	17	13.3	13.7	16.7	16.6	14.0	14.6	14.3	14.3
4/19/2020	18	13.4	13.8	16.1	17.0	14.2	14.8	14.4	14.4
4/19/2020	19	13.5	13.8	15.2	16.9	14.4	14.9	14.5	14.2
4/19/2020	20	13.5	13.8	14.6	16.6	14.4	14.9	14.5	14.1
4/19/2020	21	13.6	13.8	14.0	16.1	14.4	14.8	14.6	14.3
4/19/2020	22	13.6	13.9	13.4	15.4	14.4	14.7	14.7	14.2
4/19/2020	23	13.7	13.9	13.0	14.8	14.4	14.5	14.8	14.0
4/19/2020	24	13.7	13.9	12.7	14.2	14.3	14.3	14.9	14.0
4/20/2020	1	13.7	13.9	12.5	13.6	14.2	14.1	14.9	12.7
4/20/2020	2	13.7	13.9	12.5	13.1	14.1	14.0	14.9	13.6
4/20/2020	3	13.6	13.8	12.4	12.8	13.9	13.8	14.9	13.7
4/20/2020	4	13.6	13.8	12.4	12.5	13.8	13.6	14.7	13.5
4/20/2020	5	13.5	13.7	12.3	12.4	13.7	13.5	14.5	13.3
4/20/2020	6	13.5	13.6	12.3	12.2	13.6	13.4	14.3	13.3
4/20/2020	7	13.4	13.6	12.2	12.2	13.4	13.3	14.2	13.6
4/20/2020	8	13.4	13.6	12.3	12.2	13.4	13.3	14.2	13.5
4/20/2020	9	13.3	13.6	12.8	12.3	13.4	13.3	14.3	13.5
4/20/2020	10	13.2	13.6	13.4	12.4	13.4	13.4	14.3	13.4
4/20/2020	11	13.2	13.6	14.4	12.6	13.4	13.4	14.3	13.4
4/20/2020	12	13.2	13.7	15.4	13.1	13.4	13.6	14.3	13.5
4/20/2020	13	13.3	13.8	16.3	14.0	13.6	13.9	14.4	13.6
4/20/2020	14	13.5	14.0	17.1	15.0	13.9	14.3	14.4	13.8
4/20/2020	15	13.6	14.1	17.5	15.9	14.1	14.6	14.4	14.0
4/20/2020	16	13.8	14.2	17.5	16.5	14.3	14.9	14.5	14.1
4/20/2020	17	13.9	14.3	17.2	17.1	14.5	15.1	14.6	14.2
4/20/2020	18	14.0	14.3	16.7	17.3	14.6	15.2	14.7	14.3
4/20/2020	19	14.1	14.4	15.8	17.3	14.7	15.2	14.8	14.4
4/20/2020	20	14.1	14.4	15.0	16.9	14.7	15.2	14.9	14.4
4/20/2020	21	14.1	14.4	14.3	16.4	14.7	15.0	14.9	14.4
4/20/2020	22	14.1	14.3	13.8	15.8	14.6	14.8	14.9	14.4
4/20/2020	23	14.0	14.3	13.4	15.1	14.5	14.6	14.9	14.3
4/20/2020	24	13.9	14.2	13.2	14.4	14.3	14.3	14.8	14.1
4/21/2020	1	13.8	14.1	13.1	14.0	14.1	14.1	14.7	14.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/21/2020	2	13.7	13.9	13.0	13.6	14.0	13.9	14.7	13.9
4/21/2020	3	13.6	13.8	12.9	13.3	13.8	13.7	14.6	13.8
4/21/2020	4	13.5	13.7	12.8	13.1	13.7	13.6	14.5	13.7
4/21/2020	5	13.4	13.6	12.6	12.9	13.6	13.5	14.5	13.7
4/21/2020	6	13.4	13.6	12.5	12.7	13.6	13.4	14.4	13.6
4/21/2020	7	13.3	13.5	12.3	12.6	13.4	13.3	14.3	13.5
4/21/2020	8	13.3	13.5	12.4	12.6	13.4	13.2	14.2	13.4
4/21/2020	9	13.2	13.5	12.9	12.6	13.3	13.3	14.2	13.3
4/21/2020	10	13.1	13.5	13.6	12.7	13.3	13.3	14.1	13.3
4/21/2020	11	13.2	13.6	14.5	12.9	13.4	13.4	14.1	13.4
4/21/2020	12	13.3	13.6	15.3	13.2	13.5	13.6	14.2	13.5
4/21/2020	13	13.4	13.8	16.1	14.1	13.7	14.0	14.3	13.7
4/21/2020	14	13.5	14.0	16.6	14.9	13.9	14.2	14.4	13.9
4/21/2020	15	13.7	14.1	16.7	15.6	14.1	14.5	14.5	14.0
4/21/2020	16	13.8	14.2	16.6	16.1	14.3	14.7	14.6	14.1
4/21/2020	17	13.9	14.2	16.4	16.4	14.5	14.9	14.7	14.3
4/21/2020	18	14.0	14.3	15.9	16.4	14.6	15.0	14.7	14.4
4/21/2020	19	14.1	14.4	15.2	16.2	14.6	14.9	14.8	14.4
4/21/2020	20	14.1	14.3	14.5	15.9	14.6	14.8	14.9	14.3
4/21/2020	21	14.0	14.3	13.9	15.5	14.5	14.7	14.9	14.3
4/21/2020	22	14.1	14.3	13.4	15.1	14.5	14.6	15.0	14.3
4/21/2020	23	14.0	14.2	13.2	14.5	14.4	14.4	15.0	14.2
4/21/2020	24	13.9	14.1	13.0	13.9	14.2	14.1	14.9	14.1
4/22/2020	1	13.7	14.0	13.0	13.5	14.0	13.9	14.8	13.8
4/22/2020	2	13.6	13.8	13.0	13.2	13.8	13.6	14.7	13.6
4/22/2020	3	13.4	13.6	13.0	13.0	13.6	13.5	14.5	13.5
4/22/2020	4	13.3	13.5	12.8	12.9	13.5	13.4	14.4	13.5
4/22/2020	5	13.2	13.4	12.7	12.8	13.4	13.3	14.3	13.4
4/22/2020	6	13.2	13.4	12.6	12.8	13.3	13.2	14.2	13.3
4/22/2020	7	13.1	13.3	12.5	12.7	13.3	13.2	14.1	13.3
4/22/2020	8	13.1	13.3	12.5	12.7	13.2	13.1	14.0	13.2
4/22/2020	9	13.0	13.3	12.7	12.6	13.2	13.1	14.0	13.2
4/22/2020	10	13.0	13.3	13.1	12.7	13.2	13.2	14.0	13.2
4/22/2020	11	13.0	13.2	13.3	12.7	13.2	13.1	14.0	13.2
4/22/2020	12	13.0	13.3	13.3	12.9	13.2	13.2	14.0	13.3
4/22/2020	13	13.0	13.3	13.4	13.1	13.2	13.3	14.0	13.3
4/22/2020	14	13.0	13.3	13.4	13.3	13.2	13.3	14.0	13.2
4/22/2020	15	13.0	13.3	13.6	13.5	13.3	13.4	13.9	13.3
4/22/2020	16	13.0	13.3	13.7	13.6	13.3	13.4	13.9	13.2
4/22/2020	17	13.1	13.3	13.8	13.7	13.3	13.4	13.9	13.3
4/22/2020	18	13.1	13.3	13.7	13.7	13.4	13.5	13.9	13.3
4/22/2020	19	13.1	13.3	13.5	13.8	13.4	13.5	13.9	13.3
4/22/2020	20	13.1	13.3	13.2	13.7	13.4	13.5	13.9	13.3
4/22/2020	21	13.1	13.2	12.8	13.6	13.3	13.4	13.9	13.3
4/22/2020	22	13.0	13.2	12.6	13.4	13.3	13.4	13.9	13.2
4/22/2020	23	13.0	13.1	12.4	13.2	13.2	13.2	13.9	13.2
4/22/2020	24	12.9	13.1	12.3	12.9	13.2	13.1	13.8	13.1
4/23/2020	1	12.9	13.0	12.2	12.6	13.0	13.0	13.7	13.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/23/2020	2	12.8	12.9	12.1	12.4	12.9	12.8	13.7	12.9
4/23/2020	3	12.7	12.8	12.0	12.3	12.8	12.7	13.6	12.8
4/23/2020	4	12.6	12.7	11.9	12.1	12.7	12.6	13.5	12.7
4/23/2020	5	12.5	12.6	11.8	12.0	12.6	12.5	13.4	12.6
4/23/2020	6	12.4	12.5	11.7	11.9	12.5	12.4	13.3	12.5
4/23/2020	7	12.3	12.5	11.6	11.8	12.4	12.3	13.2	12.4
4/23/2020	8	12.3	12.4	11.7	11.7	12.4	12.3	13.3	12.4
4/23/2020	9	12.2	12.5	12.0	11.8	12.3	12.3	13.3	12.4
4/23/2020	10	12.3	12.5	12.8	12.0	12.4	12.5	13.4	12.5
4/23/2020	11	12.3	12.7	13.7	12.2	12.5	12.7	13.5	12.6
4/23/2020	12	12.5	12.8	14.7	12.7	12.7	12.9	13.5	12.8
4/23/2020	13	12.6	13.0	15.5	13.3	12.9	13.1	13.6	12.9
4/23/2020	14	12.8	13.2	16.1	14.4	13.1	13.5	13.7	13.1
4/23/2020	15	13.0	13.3	16.4	15.2	13.4	13.9	13.8	13.3
4/23/2020	16	13.1	13.5	16.5	15.7	13.6	14.2	13.9	13.5
4/23/2020	17	13.3	13.6	16.2	16.2	13.9	14.5	14.0	13.8
4/23/2020	18	13.5	13.7	15.6	16.4	14.1	14.5	14.1	13.8
4/23/2020	19	13.5	13.7	14.8	16.2	14.1	14.5	14.3	13.8
4/23/2020	20	13.5	13.6	14.0	15.8	14.0	14.3	14.3	13.7
4/23/2020	21	13.4	13.6	13.4	15.3	13.9	14.2	14.2	13.7
4/23/2020	22	13.3	13.5	12.9	14.8	13.8	14.0	14.2	13.6
4/23/2020	23	13.2	13.4	12.6	14.1	13.6	13.7	14.1	13.4
4/23/2020	24	13.2	13.3	12.5	13.6	13.4	13.4	14.0	13.3
4/24/2020	1	13.1	13.2	12.3	13.1	13.3	13.2	13.9	13.2
4/24/2020	2	13.0	13.1	12.2	12.8	13.2	13.1	13.8	13.1
4/24/2020	3	12.8	13.0	12.1	12.4	13.0	12.9	13.7	13.0
4/24/2020	4	12.7	12.8	11.9	12.3	12.9	12.7	13.7	12.8
4/24/2020	5	12.6	12.8	11.8	12.1	12.8	12.6	13.7	12.8
4/24/2020	6	12.6	12.6	11.7	11.9	12.7	12.5	13.7	12.7
4/24/2020	7	12.5	12.7	11.6	11.8	12.6	12.5	13.7	12.7
4/24/2020	8	12.5	12.7	11.7	11.7	12.6	12.5	13.7	12.7
4/24/2020	9	12.5	12.7	12.0	11.7	12.6	12.5	13.7	12.8
4/24/2020	10	12.6	12.8	12.5	11.9	12.7	12.7	13.7	12.8
4/24/2020	11	12.6	12.9	13.1	12.0	12.8	12.8	13.7	12.9
4/24/2020	12	12.7	13.1	14.1	12.5	12.9	13.1	13.7	13.1
4/24/2020	13	12.9	13.2	14.9	13.1	13.1	13.4	13.8	13.2
4/24/2020	14	13.0	13.4	15.7	13.8	13.3	13.6	13.9	13.4
4/24/2020	15	13.1	13.4	15.7	14.4	13.4	13.7	13.9	13.4
4/24/2020	16	13.2	13.5	15.4	15.1	13.6	13.9	14.0	13.5
4/24/2020	17	13.3	13.5	15.2	15.5	13.7	14.1	14.1	13.6
4/24/2020	18	13.3	13.6	14.9	15.6	13.8	14.2	14.1	13.7
4/24/2020	19	13.4	13.6	14.7	15.5	13.8	14.2	14.2	13.6
4/24/2020	20	13.4	13.6	14.2	15.2	13.8	14.1	14.2	13.6
4/24/2020	21	13.4	13.6	13.7	14.9	13.8	14.0	14.2	13.6
4/24/2020	22	13.3	13.5	13.3	14.6	13.7	13.9	14.1	13.5
4/24/2020	23	13.3	13.5	13.1	14.3	13.6	13.8	14.1	13.4
4/24/2020	24	13.2	13.4	12.9	13.9	13.5	13.6	14.0	13.4
4/25/2020	1	13.1	13.3	12.8	13.5	13.4	13.4	14.0	13.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/25/2020	2	13.1	13.3	12.8	13.2	13.3	13.3	13.9	13.2
4/25/2020	3	13.0	13.2	12.7	13.0	13.2	13.2	13.9	13.2
4/25/2020	4	12.9	13.1	12.5	12.9	13.1	13.1	13.8	13.0
4/25/2020	5	12.8	13.0	12.5	12.8	13.0	12.9	13.8	12.9
4/25/2020	6	12.8	12.9	12.4	12.6	12.9	12.8	13.8	12.8
4/25/2020	7	12.7	12.8	12.3	12.6	12.8	12.8	13.7	12.8
4/25/2020	8	12.6	12.8	12.4	12.5	12.8	12.8	13.7	12.8
4/25/2020	9	12.6	12.8	12.5	12.5	12.8	12.7	13.7	12.8
4/25/2020	10	12.6	12.8	12.7	12.5	12.8	12.8	13.6	12.8
4/25/2020	11	12.6	12.9	13.0	12.6	12.8	12.8	13.6	12.9
4/25/2020	12	12.7	12.9	13.2	12.8	12.8	12.9	13.6	12.9
4/25/2020	13	12.7	13.1	14.1	13.3	13.0	13.3	13.7	13.0
4/25/2020	14	12.8	13.2	15.1	13.6	13.1	13.4	13.8	13.2
4/25/2020	15	13.0	13.4	15.7	14.1	13.3	13.7	13.9	13.4
4/25/2020	16	13.2	13.5	15.8	14.5	13.5	13.9	13.9	13.5
4/25/2020	17	13.3	13.6	15.6	15.1	13.7	14.1	14.0	13.6
4/25/2020	18	13.4	13.6	15.1	15.4	13.8	14.2	14.1	13.7
4/25/2020	19	13.4	13.6	14.4	15.4	13.9	14.2	14.2	13.8
4/25/2020	20	13.4	13.6	13.5	15.0	13.9	14.1	14.3	13.6
4/25/2020	21	13.3	13.4	12.9	14.6	13.7	13.8	14.2	13.4
4/25/2020	22	13.2	13.3	12.3	14.2	13.5	13.5	14.1	13.2
4/25/2020	23	13.0	13.1	12.1	13.4	13.3	13.2	13.9	13.0
4/25/2020	24	12.8	13.0	11.9	12.9	13.0	12.9	13.8	12.8
4/26/2020	1	12.7	12.8	11.7	12.4	12.8	12.7	13.7	12.7
4/26/2020	2	12.5	12.7	11.6	12.0	12.6	12.5	13.6	12.6
4/26/2020	3	12.5	12.6	11.5	11.8	12.6	12.4	13.5	12.7
4/26/2020	4	12.5	12.6	11.4	11.6	12.6	12.4	13.4	12.7
4/26/2020	5	12.5	12.5	11.3	11.5	12.5	12.3	13.4	12.6
4/26/2020	6	12.4	12.5	11.2	11.3	12.4	12.2	13.4	12.6
4/26/2020	7	12.4	12.5	11.2	11.3	12.4	12.2	13.4	12.6
4/26/2020	8	12.4	12.5	11.5	11.3	12.4	12.3	13.4	12.6
4/26/2020	9	12.4	12.6	11.9	11.4	12.4	12.4	13.4	12.6
4/26/2020	10	12.4	12.6	12.7	11.6	12.5	12.5	13.4	12.6
4/26/2020	11	12.4	12.7	13.5	11.9	12.5	12.6	13.4	12.6
4/26/2020	12	12.5	12.8	14.5	12.4	12.6	12.8	13.4	12.8
4/26/2020	13	12.6	12.9	15.4	13.2	12.8	13.1	13.5	12.9
4/26/2020	14	12.7	13.1	15.6	13.9	13.0	13.3	13.5	13.0
4/26/2020	15	12.8	13.1	15.6	14.6	13.2	13.6	13.6	13.2
4/26/2020	16	13.0	13.2	15.3	15.2	13.4	13.8	13.7	13.3
4/26/2020	17	13.0	13.3	14.9	15.5	13.5	14.0	13.8	13.4
4/26/2020	18	13.1	13.3	14.4	15.5	13.6	14.0	13.8	13.4
4/26/2020	19	13.1	13.4	14.0	15.3	13.6	14.0	13.9	13.4
4/26/2020	20	13.2	13.3	13.5	14.9	13.6	13.8	13.9	13.4
4/26/2020	21	13.2	13.3	13.2	14.5	13.5	13.7	13.9	13.3
4/26/2020	22	13.1	13.3	13.0	14.1	13.4	13.5	13.9	13.3
4/26/2020	23	13.0	13.2	12.8	13.7	13.3	13.4	13.8	13.2
4/26/2020	24	13.0	13.1	12.7	13.4	13.2	13.3	13.8	13.1
4/27/2020	1	12.9	13.1	12.6	13.1	13.1	13.1	13.8	13.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/27/2020	2	12.9	13.0	12.5	12.9	13.1	13.0	13.8	13.0
4/27/2020	3	12.8	13.0	12.4	12.7	13.0	12.9	13.7	13.0
4/27/2020	4	12.8	12.9	12.2	12.5	12.9	12.9	13.7	13.0
4/27/2020	5	12.8	12.9	12.1	12.4	12.9	12.8	13.7	12.9
4/27/2020	6	12.7	12.8	12.0	12.2	12.8	12.7	13.7	12.8
4/27/2020	7	12.6	12.8	11.9	12.1	12.7	12.7	13.6	12.8
4/27/2020	8	12.6	12.8	12.1	12.1	12.7	12.6	13.6	12.8
4/27/2020	9	12.6	12.8	12.4	12.1	12.7	12.7	13.6	12.8
4/27/2020	10	12.6	12.9	13.2	12.3	12.8	12.8	13.6	12.8
4/27/2020	11	12.7	12.9	13.9	12.5	12.8	13.0	13.6	12.9
4/27/2020	12	12.8	13.1	14.8	13.0	13.0	13.2	13.7	13.0
4/27/2020	13	12.9	13.2	15.6	13.8	13.2	13.5	13.7	13.2
4/27/2020	14	13.0	13.4	16.1	14.6	13.4	13.8	13.9	13.4
4/27/2020	15	13.2	13.5	16.3	15.3	13.6	14.1	14.0	13.6
4/27/2020	16	13.4	13.7	16.2	15.7	13.9	14.4	14.1	13.8
4/27/2020	17	13.5	13.7	15.9	16.0	14.0	14.5	14.3	13.8
4/27/2020	18	13.5	13.7	15.3	16.2	14.0	14.4	14.3	13.7
4/27/2020	19	13.4	13.6	14.6	15.9	14.0	14.3	14.3	13.7
4/27/2020	20	13.3	13.5	13.9	15.5	13.9	14.1	14.2	13.6
4/27/2020	21	13.3	13.4	13.3	15.1	13.7	13.9	14.1	13.4
4/27/2020	22	13.2	13.3	12.8	14.5	13.6	13.7	14.1	13.3
4/27/2020	23	13.1	13.2	12.5	14.0	13.4	13.5	14.0	13.2
4/27/2020	24	12.9	13.1	12.3	13.4	13.3	13.2	13.9	13.1
4/28/2020	1	12.8	13.0	12.1	12.9	13.1	13.0	13.8	13.0
4/28/2020	2	12.8	12.9	12.0	12.6	13.0	12.9	13.7	12.9
4/28/2020	3	12.7	12.8	11.9	12.3	12.8	12.7	13.7	12.8
4/28/2020	4	12.6	12.7	11.7	12.1	12.7	12.6	13.6	12.8
4/28/2020	5	12.5	12.6	11.6	11.9	12.6	12.5	13.5	12.7
4/28/2020	6	12.5	12.6	11.6	11.7	12.6	12.4	13.4	12.7
4/28/2020	7	12.5	12.5	11.5	11.7	12.5	12.4	13.4	12.6
4/28/2020	8	12.4	12.6	11.7	11.6	12.5	12.4	13.4	12.6
4/28/2020	9	12.4	12.6	12.1	11.7	12.5	12.4	13.4	12.6
4/28/2020	10	12.4	12.6	12.7	11.8	12.5	12.5	13.4	12.6
4/28/2020	11	12.5	12.7	13.5	12.1	12.6	12.7	13.4	12.7
4/28/2020	12	12.5	12.8	14.4	12.7	12.7	12.9	13.4	12.8
4/28/2020	13	12.6	13.0	15.1	13.3	12.9	13.1	13.4	12.9
4/28/2020	14	12.8	13.1	15.5	14.0	13.1	13.4	13.5	13.0
4/28/2020	15	12.9	13.3	16.0	14.8	13.3	13.8	13.7	13.2
4/28/2020	16	13.1	13.4	16.3	15.3	13.5	14.1	13.7	13.4
4/28/2020	17	13.2	13.5	16.1	15.7	13.7	14.2	13.8	13.6
4/28/2020	18	13.3	13.6	15.7	16.1	13.9	14.3	13.9	13.6
4/28/2020	19	13.4	13.6	15.1	16.2	13.9	14.4	14.0	13.7
4/28/2020	20	13.5	13.7	14.3	16.0	14.0	14.4	14.0	13.7
4/28/2020	21	13.4	13.6	13.7	15.7	13.9	14.3	14.1	13.7
4/28/2020	22	13.4	13.5	13.2	15.1	13.8	14.1	14.2	13.6
4/28/2020	23	13.3	13.5	12.9	14.6	13.8	13.9	14.2	13.5
4/28/2020	24	13.3	13.4	12.8	13.9	13.6	13.7	14.2	13.5
4/29/2020	1	13.2	13.4	12.6	13.5	13.5	13.5	14.1	13.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/29/2020	2	13.2	13.3	12.6	13.1	13.3	13.3	14.1	13.3
4/29/2020	3	13.1	13.2	12.5	12.8	13.2	13.1	14.0	13.1
4/29/2020	4	13.0	13.1	12.4	12.7	13.1	13.0	14.0	13.0
4/29/2020	5	12.9	13.0	12.3	12.5	13.0	12.9	13.9	13.0
4/29/2020	6	12.8	13.0	12.3	12.4	12.9	12.8	13.8	13.0
4/29/2020	7	12.8	12.9	12.3	12.4	12.9	12.8	13.8	13.0
4/29/2020	8	12.8	13.0	12.4	12.4	12.9	12.9	13.8	13.0
4/29/2020	9	12.8	13.0	12.7	12.4	12.9	12.9	13.8	13.0
4/29/2020	10	12.8	13.1	13.1	12.6	13.0	13.0	13.8	13.1
4/29/2020	11	12.9	13.2	13.6	12.8	13.0	13.1	13.9	13.1
4/29/2020	12	13.0	13.3	14.3	13.1	13.1	13.3	13.9	13.2
4/29/2020	13	13.0	13.3	14.8	13.5	13.2	13.4	13.9	13.3
4/29/2020	14	13.1	13.4	15.3	14.1	13.4	13.6	14.0	13.4
4/29/2020	15	13.2	13.5	15.7	14.6	13.5	13.9	14.0	13.4
4/29/2020	16	13.3	13.6	15.8	15.1	13.7	14.1	14.1	13.5
4/29/2020	17	13.3	13.6	15.7	15.5	13.8	14.1	14.1	13.6
4/29/2020	18	13.4	13.7	15.4	15.8	13.9	14.3	14.2	13.7
4/29/2020	19	13.4	13.6	14.8	15.8	13.9	14.3	14.2	13.7
4/29/2020	20	13.4	13.6	14.3	15.7	13.9	14.3	14.2	13.7
4/29/2020	21	13.4	13.6	13.9	15.4	13.9	14.2	14.2	13.7
4/29/2020	22	13.4	13.6	13.5	15.1	13.9	14.1	14.2	13.6
4/29/2020	23	13.4	13.6	13.3	14.6	13.8	14.0	14.1	13.6
4/29/2020	24	13.4	13.6	13.2	14.2	13.7	13.8	14.1	13.6
4/30/2020	1	13.3	13.5	13.1	13.8	13.6	13.7	14.1	13.5
4/30/2020	2	13.3	13.4	13.0	13.6	13.5	13.5	14.0	13.4
4/30/2020	3	13.2	13.4	12.9	13.4	13.4	13.4	14.0	13.4
4/30/2020	4	13.1	13.3	12.9	13.2	13.3	13.3	14.0	13.3
4/30/2020	5	13.1	13.3	12.8	13.0	13.3	13.3	13.9	13.3
4/30/2020	6	13.1	13.2	12.7	12.9	13.2	13.2	13.9	13.3
4/30/2020	7	13.1	13.2	12.5	12.8	13.2	13.2	13.9	13.2
4/30/2020	8	13.0	13.2	12.5	12.7	13.1	13.1	13.9	13.2
4/30/2020	9	13.0	13.2	12.7	12.6	13.1	13.1	13.9	13.1
4/30/2020	10	12.9	13.2	13.1	12.7	13.0	13.1	13.9	13.0
4/30/2020	11	12.9	13.2	13.7	12.8	13.1	13.1	13.9	13.1
4/30/2020	12	13.0	13.3	14.6	13.1	13.1	13.3	13.9	13.1
4/30/2020	13	13.0	13.4	15.4	13.5	13.3	13.5	13.9	13.3
4/30/2020	14	13.2	13.4	15.9	14.2	13.4	13.7	13.9	13.4
4/30/2020	15	13.2	13.5	16.2	14.8	13.6	13.9	14.0	13.5
4/30/2020	16	13.3	13.6	16.3	15.4	13.8	14.2	14.0	13.6
4/30/2020	17	13.3	13.6	16.2	15.9	13.9	14.3	14.0	13.6
4/30/2020	18	13.4	13.7	15.7	16.2	14.0	14.4	14.1	13.7
4/30/2020	19	13.5	13.7	15.0	16.2	14.0	14.4	14.1	13.7
4/30/2020	20	13.4	13.6	14.1	15.9	14.0	14.3	14.2	13.6
4/30/2020	21	13.3	13.4	13.4	15.5	13.8	14.1	14.1	13.5
4/30/2020	22	13.2	13.3	12.9	15.0	13.7	13.9	14.0	13.4
4/30/2020	23	13.1	13.3	12.5	14.3	13.5	13.6	13.9	13.3
4/30/2020	24	13.0	13.1	12.3	13.7	13.3	13.3	13.8	13.0
5/1/2020	1	12.9	13.0	12.1	13.1	13.1	13.0	13.7	12.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/1/2020	2	12.7	12.8	12.0	12.7	12.9	12.8	13.6	12.8
5/1/2020	3	12.6	12.7	11.9	12.4	12.8	12.7	13.6	12.7
5/1/2020	4	12.5	12.6	11.7	12.1	12.7	12.5	13.5	12.6
5/1/2020	5	12.4	12.5	11.6	12.0	12.5	12.4	13.4	12.5
5/1/2020	6	12.3	12.3	11.5	11.8	12.4	12.2	13.4	12.3
5/1/2020	7	12.2	12.3	11.4	11.7	12.3	12.1	13.3	12.3
5/1/2020	8	12.2	12.3	11.6	11.6	12.2	12.1	13.2	12.3
5/1/2020	9	12.2	12.4	12.1	11.7	12.3	12.3	13.2	12.4
5/1/2020	10	12.3	12.5	12.8	11.8	12.4	12.5	13.2	12.5
5/1/2020	11	12.4	12.7	13.7	12.1	12.5	12.7	13.4	12.7
5/1/2020	12	12.5	12.8	14.8	12.6	12.7	12.9	13.5	12.8
5/1/2020	13	12.7	13.1	15.6	13.4	13.0	13.2	13.6	13.0
5/1/2020	14	12.9	13.2	15.9	14.2	13.2	13.5	13.8	13.2
5/1/2020	15	13.1	13.4	16.3	15.1	13.5	14.0	13.8	13.5
5/1/2020	16	13.3	13.6	16.3	15.6	13.7	14.3	13.9	13.6
5/1/2020	17	13.4	13.7	16.1	16.0	13.9	14.4	13.9	13.7
5/1/2020	18	13.4	13.7	15.7	16.3	14.0	14.5	14.0	13.7
5/1/2020	19	13.5	13.7	15.2	16.2	14.0	14.5	14.0	13.8
5/1/2020	20	13.5	13.6	14.5	15.8	14.0	14.4	14.1	13.8
5/1/2020	21	13.5	13.6	13.9	15.5	13.9	14.2	14.1	13.7
5/1/2020	22	13.4	13.5	13.3	15.0	13.9	14.1	14.2	13.6
5/1/2020	23	13.4	13.5	12.9	14.5	13.7	13.9	14.2	13.5
5/1/2020	24	13.3	13.4	12.8	14.0	13.6	13.7	14.2	13.5
5/2/2020	1	13.2	13.4	12.6	13.5	13.5	13.5	14.1	13.4
5/2/2020	2	13.2	13.3	12.5	13.1	13.3	13.3	14.0	13.3
5/2/2020	3	13.1	13.2	12.4	12.8	13.2	13.1	13.9	13.2
5/2/2020	4	13.0	13.1	12.3	12.6	13.1	13.0	13.8	13.1
5/2/2020	5	12.8	13.0	12.2	12.5	12.9	12.9	13.7	12.9
5/2/2020	6	12.7	12.8	12.1	12.3	12.8	12.8	13.7	12.8
5/2/2020	7	12.6	12.8	12.1	12.3	12.8	12.7	13.6	12.8
5/2/2020	8	12.6	12.7	12.2	12.2	12.7	12.6	13.5	12.7
5/2/2020	9	12.5	12.6	12.2	12.1	12.6	12.6	13.4	12.6
5/2/2020	10	12.5	12.6	12.6	12.3	12.6	12.6	13.4	12.6
5/2/2020	11	12.4	12.6	13.2	12.6	12.6	12.7	13.4	12.6
5/2/2020	12	12.4	12.7	13.8	12.8	12.7	12.8	13.4	12.6
5/2/2020	13	12.5	12.7	14.0	13.0	12.7	12.9	13.4	12.7
5/2/2020	14	12.5	12.7	14.1	13.4	12.8	12.9	13.4	12.7
5/2/2020	15	12.5	12.8	14.1	13.9	12.9	13.2	13.4	12.8
5/2/2020	16	12.6	12.9	14.7	14.2	13.0	13.4	13.4	12.8
5/2/2020	17	12.7	12.9	14.6	14.4	13.1	13.4	13.4	12.9
5/2/2020	18	12.7	12.9	14.3	14.6	13.1	13.4	13.4	12.9
5/2/2020	19	12.7	12.9	13.9	14.6	13.2	13.4	13.5	12.9
5/2/2020	20	12.7	12.8	13.3	14.5	13.1	13.4	13.6	12.9
5/2/2020	21	12.7	12.8	12.9	14.3	13.1	13.3	13.5	12.9
5/2/2020	22	12.7	12.8	12.6	13.9	13.0	13.2	13.5	12.8
5/2/2020	23	12.6	12.7	12.4	13.5	12.9	13.0	13.4	12.7
5/2/2020	24	12.5	12.6	12.1	13.0	12.8	12.8	13.3	12.6
5/3/2020	1	12.4	12.5	11.7	12.6	12.6	12.6	13.3	12.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/3/2020	2	12.3	12.4	11.3	12.2	12.5	12.4	13.2	12.4
5/3/2020	3	12.2	12.3	11.0	11.9	12.3	12.2	13.1	12.3
5/3/2020	4	12.2	12.2	10.9	11.5	12.1	12.0	13.0	12.1
5/3/2020	5	12.0	12.1	10.9	11.2	12.0	11.8	12.9	12.0
5/3/2020	6	11.9	12.0	11.0	10.9	11.9	11.7	12.8	11.9
5/3/2020	7	11.8	11.9	11.1	10.9	11.7	11.6	12.8	11.8
5/3/2020	8	11.7	11.8	11.3	10.9	11.7	11.5	12.8	11.7
5/3/2020	9	11.7	11.9	11.8	11.1	11.7	11.7	12.7	11.8
5/3/2020	10	11.8	12.0	12.2	11.3	11.8	11.8	12.7	11.9
5/3/2020	11	11.9	12.1	13.1	11.6	12.0	12.1	12.8	12.1
5/3/2020	12	12.0	12.2	13.7	11.9	12.1	12.2	12.9	12.2
5/3/2020	13	12.2	12.4	14.5	12.7	12.3	12.6	13.0	12.4
5/3/2020	14	12.3	12.6	15.2	13.5	12.6	12.9	13.2	12.5
5/3/2020	15	12.4	12.7	15.5	14.2	12.8	13.2	13.3	12.7
5/3/2020	16	12.5	12.8	15.7	14.7	12.9	13.4	13.4	12.8
5/3/2020	17	12.7	12.9	15.4	15.1	13.1	13.5	13.5	12.9
5/3/2020	18	12.8	13.0	14.8	15.2	13.3	13.6	13.5	13.1
5/3/2020	19	13.0	13.1	14.0	15.2	13.3	13.6	13.6	13.1
5/3/2020	20	12.9	13.0	13.2	14.8	13.3	13.5	13.7	13.1
5/3/2020	21	12.8	12.9	12.5	14.4	13.2	13.4	13.8	13.0
5/3/2020	22	12.7	12.8	12.1	13.8	13.1	13.2	13.7	12.8
5/3/2020	23	12.6	12.7	11.8	13.3	12.9	13.0	13.6	12.8
5/3/2020	24	12.6	12.6	11.7	12.7	12.8	12.8	13.5	12.7
5/4/2020	1	12.5	12.5	11.5	12.2	12.6	12.5	13.4	12.6
5/4/2020	2	12.4	12.5	11.4	11.9	12.5	12.4	13.3	12.5
5/4/2020	3	12.3	12.4	11.2	11.6	12.4	12.2	13.2	12.4
5/4/2020	4	12.2	12.3	11.2	11.5	12.3	12.1	13.1	12.3
5/4/2020	5	12.2	12.2	11.0	11.3	12.2	12.0	13.1	12.2
5/4/2020	6	12.1	12.1	10.9	11.1	12.1	11.9	13.1	12.1
5/4/2020	7	12.0	12.1	10.8	11.0	12.0	11.8	13.1	12.1
5/4/2020	8	12.0	12.1	11.1	11.0	12.0	11.8	13.1	12.1
5/4/2020	9	12.0	12.1	11.6	11.0	12.0	11.9	13.1	12.1
5/4/2020	10	12.0	12.2	12.3	11.1	12.0	12.0	13.1	12.1
5/4/2020	11	12.1	12.3	13.3	11.4	12.1	12.2	13.1	12.2
5/4/2020	12	12.2	12.4	14.4	12.0	12.2	12.4	13.2	12.4
5/4/2020	13	12.3	12.6	15.2	13.0	12.5	12.8	13.2	12.6
5/4/2020	14	12.5	12.8	15.8	13.9	12.7	13.1	13.3	12.7
5/4/2020	15	12.6	12.9	16.1	14.7	13.0	13.5	13.4	12.9
5/4/2020	16	12.8	13.1	16.2	15.3	13.2	13.8	13.5	13.1
5/4/2020	17	13.0	13.2	15.7	15.8	13.4	14.0	13.6	13.3
5/4/2020	18	13.1	13.3	15.2	16.1	13.6	14.1	13.8	13.4
5/4/2020	19	13.2	13.4	14.6	16.0	13.7	14.1	13.9	13.4
5/4/2020	20	13.2	13.4	13.9	15.6	13.7	14.1	14.0	13.5
5/4/2020	21	13.2	13.4	13.4	15.2	13.6	14.0	14.0	13.4
5/4/2020	22	13.2	13.3	13.0	14.7	13.6	13.8	14.0	13.4
5/4/2020	23	13.2	13.3	12.8	14.1	13.5	13.6	14.0	13.4
5/4/2020	24	13.2	13.3	12.7	13.6	13.4	13.5	14.0	13.4
5/5/2020	1	13.1	13.3	12.7	13.3	13.4	13.4	14.0	13.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/5/2020	2	13.1	13.2	12.7	13.0	13.3	13.3	14.0	13.3
5/5/2020	3	13.1	13.2	12.6	12.8	13.2	13.2	14.0	13.2
5/5/2020	4	13.0	13.2	12.6	12.7	13.1	13.1	13.9	13.2
5/5/2020	5	13.0	13.1	12.5	12.6	13.1	13.0	13.9	13.2
5/5/2020	6	13.0	13.1	12.4	12.5	13.1	13.0	13.9	13.1
5/5/2020	7	12.9	13.1	12.4	12.5	13.0	13.0	13.9	13.1
5/5/2020	8	12.9	13.1	12.6	12.5	13.0	13.0	13.9	13.1
5/5/2020	9	12.9	13.1	12.9	12.6	13.0	13.0	13.9	13.0
5/5/2020	10	12.9	13.2	13.6	12.8	13.0	13.1	13.9	13.1
5/5/2020	11	12.9	13.2	14.2	13.0	13.1	13.2	13.9	13.2
5/5/2020	12	13.0	13.4	15.1	13.5	13.3	13.5	13.9	13.3
5/5/2020	13	13.1	13.4	16.0	14.3	13.4	13.8	13.9	13.4
5/5/2020	14	13.3	13.6	16.5	15.0	13.6	14.0	14.0	13.5
5/5/2020	15	13.4	13.7	16.7	15.6	13.8	14.2	14.1	13.7
5/5/2020	16	13.5	13.8	16.5	16.2	14.0	14.5	14.2	13.8
5/5/2020	17	13.6	13.9	16.3	16.6	14.1	14.7	14.2	13.9
5/5/2020	18	13.8	14.0	15.9	16.7	14.2	14.8	14.3	14.1
5/5/2020	19	13.8	14.1	15.3	16.6	14.3	14.8	14.4	14.1
5/5/2020	20	13.8	14.0	14.8	16.3	14.3	14.7	14.5	14.1
5/5/2020	21	13.8	14.0	14.3	16.0	14.3	14.6	14.6	14.0
5/5/2020	22	13.7	13.9	13.9	15.5	14.1	14.4	14.6	13.9
5/5/2020	23	13.7	13.9	13.6	15.0	14.1	14.2	14.6	13.9
5/5/2020	24	13.7	13.8	13.4	14.5	14.0	14.1	14.6	13.9
5/6/2020	1	13.6	13.8	13.3	14.1	13.9	14.0	14.6	13.9
5/6/2020	2	13.6	13.8	13.3	13.8	13.9	13.9	14.6	13.8
5/6/2020	3	13.6	13.8	13.3	13.6	13.8	13.9	14.6	13.8
5/6/2020	4	13.6	13.8	13.2	13.5	13.8	13.8	14.6	13.9
5/6/2020	5	13.6	13.7	13.2	13.4	13.8	13.8	14.6	13.8
5/6/2020	6	13.6	13.7	13.1	13.3	13.7	13.7	14.5	13.7
5/6/2020	7	13.5	13.7	13.1	13.3	13.7	13.7	14.5	13.8
5/6/2020	8	13.5	13.7	13.0	13.2	13.7	13.6	14.4	13.7
5/6/2020	9	13.5	13.6	13.1	13.1	13.6	13.6	14.4	13.6
5/6/2020	10	13.5	13.7	13.3	13.1	13.6	13.6	14.4	13.6
5/6/2020	11	13.5	13.7	13.7	13.2	13.6	13.6	14.3	13.6
5/6/2020	12	13.5	13.7	14.1	13.3	13.6	13.6	14.3	13.6
5/6/2020	13	13.5	13.8	14.6	13.6	13.6	13.8	14.2	13.7
5/6/2020	14	13.6	13.9	15.2	14.1	13.7	14.0	14.3	13.7
5/6/2020	15	13.6	14.0	15.7	14.5	13.9	14.1	14.3	13.8
5/6/2020	16	13.7	14.1	16.2	14.9	14.0	14.3	14.4	13.9
5/6/2020	17	13.8	14.1	16.4	15.3	14.1	14.5	14.5	14.0
5/6/2020	18	13.9	14.1	15.7	15.6	14.2	14.5	14.6	14.1
5/6/2020	19	13.9	14.1	15.0	15.7	14.2	14.5	14.7	14.0
5/6/2020	20	13.9	14.0	14.1	15.6	14.3	14.5	14.8	14.1
5/6/2020	21	13.9	14.0	13.5	15.2	14.3	14.5	14.8	14.1
5/6/2020	22	13.9	14.1	13.0	14.8	14.2	14.3	14.8	14.1
5/6/2020	23	13.9	14.1	12.7	14.1	14.1	14.2	14.7	14.1
5/6/2020	24	13.9	14.0	12.5	13.5	14.0	14.0	14.7	13.9
5/7/2020	1	13.9	14.0	12.4	13.1	13.9	13.8	14.7	13.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/7/2020	2	13.9	14.0	12.4	12.7	13.8	13.6	14.7	13.9
5/7/2020	3	13.8	14.0	12.4	12.4	13.7	13.5	14.7	13.8
5/7/2020	4	13.8	13.9	12.3	12.2	13.6	13.4	14.6	13.7
5/7/2020	5	13.8	13.9	12.2	12.1	13.4	13.3	14.5	13.6
5/7/2020	6	13.8	13.8	12.2	12.1	13.4	13.2	14.4	13.5
5/7/2020	7	13.7	13.9	12.2	12.0	13.6	13.4	14.5	13.9
5/7/2020	8	13.7	13.9	12.5	12.0	13.6	13.4	14.6	13.9
5/7/2020	9	13.6	13.8	13.0	12.2	13.6	13.5	14.6	13.8
5/7/2020	10	13.5	13.7	13.8	12.4	13.5	13.5	14.5	13.7
5/7/2020	11	13.3	13.6	14.8	12.7	13.5	13.6	14.5	13.6
5/7/2020	12	13.3	13.6	15.9	13.4	13.6	13.7	14.5	13.6
5/7/2020	13	13.3	13.7	16.8	14.4	13.7	14.0	14.5	13.7
5/7/2020	14	13.4	13.8	17.5	15.4	13.9	14.3	14.6	13.8
5/7/2020	15	13.6	14.0	17.8	16.3	14.2	14.7	14.6	14.0
5/7/2020	16	13.8	14.1	17.7	17.0	14.4	15.0	14.6	14.1
5/7/2020	17	13.9	14.2	17.4	17.5	14.6	15.3	14.7	14.3
5/7/2020	18	14.0	14.2	16.8	17.7	14.7	15.4	14.7	14.4
5/7/2020	19	14.0	14.3	16.0	17.5	14.8	15.3	14.8	14.4
5/7/2020	20	14.1	14.3	15.2	17.2	14.8	15.2	14.9	14.4
5/7/2020	21	14.2	14.3	14.5	16.7	14.7	15.1	14.9	14.4
5/7/2020	22	14.2	14.3	13.9	16.1	14.7	14.9	15.0	14.4
5/7/2020	23	14.2	14.3	13.6	15.4	14.6	14.7	15.0	14.3
5/7/2020	24	14.2	14.3	13.4	14.7	14.5	14.6	15.0	14.2
5/8/2020	1	14.1	14.2	13.3	14.3	14.4	14.4	15.0	14.2
5/8/2020	2	14.1	14.2	13.2	13.8	14.3	14.3	15.0	14.1
5/8/2020	3	14.0	14.1	13.0	13.5	14.2	14.1	14.9	14.1
5/8/2020	4	14.0	14.1	12.9	13.3	14.2	14.1	14.9	14.2
5/8/2020	5	14.0	14.1	12.8	13.1	14.1	13.9	14.9	14.2
5/8/2020	6	14.0	14.0	12.7	12.9	14.0	13.8	14.9	14.1
5/8/2020	7	13.9	14.1	12.6	12.8	14.0	13.9	14.9	14.2
5/8/2020	8	13.8	14.1	12.9	12.8	13.9	13.8	14.9	14.1
5/8/2020	9	13.8	14.1	13.5	12.8	13.9	13.8	14.9	14.0
5/8/2020	10	13.8	14.1	14.2	13.0	13.9	13.9	14.9	14.0
5/8/2020	11	13.8	14.1	15.2	13.4	13.9	14.0	14.9	14.0
5/8/2020	12	13.8	14.2	16.3	14.0	14.1	14.2	14.9	14.1
5/8/2020	13	13.9	14.3	17.2	15.0	14.3	14.6	14.9	14.2
5/8/2020	14	14.0	14.4	17.9	16.0	14.5	14.9	14.9	14.4
5/8/2020	15	14.1	14.5	18.2	16.8	14.7	15.2	14.9	14.5
5/8/2020	16	14.2	14.5	18.3	17.4	14.9	15.5	14.9	14.6
5/8/2020	17	14.2	14.5	18.0	17.9	15.0	15.6	14.9	14.6
5/8/2020	18	14.2	14.5	17.5	18.2	15.0	15.7	14.9	14.6
5/8/2020	19	14.2	14.5	16.7	18.1	15.0	15.6	14.9	14.6
5/8/2020	20	14.2	14.4	15.8	17.8	15.0	15.5	14.9	14.6
5/8/2020	21	14.2	14.4	15.1	17.4	14.9	15.3	14.9	14.5
5/8/2020	22	14.2	14.3	14.5	16.8	14.8	15.1	15.0	14.4
5/8/2020	23	14.1	14.2	14.1	16.2	14.7	14.9	15.0	14.3
5/8/2020	24	14.0	14.1	13.8	15.5	14.6	14.7	15.0	14.4
5/9/2020	1	14.0	14.1	13.6	14.8	14.6	14.7	15.1	14.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/9/2020	2	13.9	14.1	13.4	14.4	14.5	14.6	15.1	14.5
5/9/2020	3	13.9	14.0	13.2	14.0	14.5	14.4	15.1	14.5
5/9/2020	4	13.9	14.0	13.0	13.7	14.4	14.3	15.2	14.4
5/9/2020	5	13.8	13.9	12.9	13.5	14.3	14.2	15.2	14.4
5/9/2020	6	13.8	13.9	12.8	13.3	14.2	14.1	15.2	14.3
5/9/2020	7	13.8	13.9	12.8	13.1	14.1	14.0	15.0	14.1
5/9/2020	8	13.7	13.9	13.1	13.0	13.9	13.8	14.9	13.9
5/9/2020	9	13.6	13.8	13.7	13.1	13.8	13.8	14.8	13.8
5/9/2020	10	13.5	13.8	14.5	13.3	13.8	13.9	14.7	13.8
5/9/2020	11	13.4	13.7	15.5	13.6	13.8	13.9	14.6	13.7
5/9/2020	12	13.4	13.8	16.6	14.3	13.9	14.1	14.5	13.8
5/9/2020	13	13.5	13.9	17.5	15.3	14.0	14.4	14.4	13.8
5/9/2020	14	13.6	14.0	18.1	16.4	14.2	14.7	14.4	14.0
5/9/2020	15	13.7	14.1	18.4	17.2	14.4	15.1	14.5	14.1
5/9/2020	16	13.9	14.2	18.4	17.9	14.6	15.4	14.6	14.3
5/9/2020	17	14.0	14.3	18.0	18.3	14.8	15.6	14.7	14.5
5/9/2020	18	14.1	14.4	17.3	18.6	14.9	15.7	14.8	14.6
5/9/2020	19	14.2	14.4	16.6	18.4	15.0	15.6	14.9	14.6
5/9/2020	20	14.3	14.4	15.7	18.0	15.0	15.6	15.0	14.6
5/9/2020	21	14.3	14.4	15.1	17.5	14.9	15.4	15.1	14.6
5/9/2020	22	14.2	14.4	14.5	16.8	14.9	15.2	15.1	14.5
5/9/2020	23	14.2	14.3	14.1	16.2	14.8	15.0	15.2	14.5
5/9/2020	24	14.1	14.2	13.9	15.5	14.7	14.8	15.2	14.4
5/10/2020	1	14.1	14.2	13.7	14.9	14.6	14.7	15.2	14.6
5/10/2020	2	14.0	14.2	13.5	14.5	14.6	14.6	15.2	14.6
5/10/2020	3	14.0	14.1	13.4	14.2	14.6	14.5	15.2	14.6
5/10/2020	4	14.0	14.1	13.3	13.9	14.5	14.4	15.3	14.5
5/10/2020	5	14.0	14.1	13.1	13.6	14.4	14.3	15.3	14.5
5/10/2020	6	13.9	14.0	13.0	13.4	14.3	14.2	15.2	14.4
5/10/2020	7	13.9	14.1	13.0	13.3	14.2	14.1	15.2	14.4
5/10/2020	8	13.9	14.1	13.4	13.3	14.1	14.1	15.1	14.3
5/10/2020	9	13.9	14.2	13.9	13.4	14.1	14.1	15.1	14.2
5/10/2020	10	13.9	14.2	14.7	13.5	14.1	14.2	15.0	14.3
5/10/2020	11	13.9	14.2	15.7	13.9	14.2	14.4	15.0	14.3
5/10/2020	12	14.0	14.3	16.7	14.6	14.4	14.6	15.1	14.6
5/10/2020	13	14.0	14.4	17.7	15.5	14.6	14.9	15.3	14.7
5/10/2020	14	14.0	14.4	18.2	16.6	14.8	15.3	15.4	14.9
5/10/2020	15	14.1	14.5	18.5	17.4	15.1	15.7	15.6	15.3
5/10/2020	16	14.1	14.5	18.3	18.0	15.4	16.0	15.8	15.6
5/10/2020	17	14.1	14.4	18.0	18.4	15.6	16.3	16.0	16.0
5/10/2020	18	14.2	14.4	17.4	18.6	15.8	16.4	16.1	16.1
5/10/2020	19	14.2	14.4	16.7	18.4	16.0	16.5	16.3	16.2
5/10/2020	20	14.1	14.3	15.9	18.0	16.0	16.5	16.4	16.2
5/10/2020	21	14.1	14.3	15.2	17.6	16.1	16.4	16.5	16.2
5/10/2020	22	14.1	14.3	14.7	16.9	16.0	16.2	16.4	16.0
5/10/2020	23	14.1	14.3	14.3	16.3	15.8	16.0	16.3	15.7
5/10/2020	24	14.1	14.3	14.0	15.7	15.6	15.7	16.2	15.6
5/11/2020	1	14.1	14.2	13.8	15.2	15.4	15.4	16.0	15.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/11/2020	2	14.1	14.2	13.7	14.7	15.3	15.2	15.9	15.4
5/11/2020	3	14.1	14.2	13.6	14.4	15.1	15.0	15.8	15.2
5/11/2020	4	14.1	14.2	13.5	14.1	15.0	14.9	15.7	15.2
5/11/2020	5	14.1	14.2	13.5	13.9	14.9	14.7	15.5	15.1
5/11/2020	6	14.0	14.2	13.4	13.7	14.8	14.6	15.4	14.9
5/11/2020	7	14.0	14.2	13.5	13.6	14.4	14.2	15.3	14.3
5/11/2020	8	14.0	14.2	13.8	13.7	14.3	14.2	15.1	14.3
5/11/2020	9	14.0	14.2	14.3	13.8	14.3	14.3	14.9	14.3
5/11/2020	10	13.7	14.0	15.0	14.0	14.3	14.4	14.8	14.2
5/11/2020	11	13.5	13.8	15.7	14.3	14.1	14.3	14.7	14.0
5/11/2020	12	13.5	13.7	16.1	14.7	14.0	14.1	14.6	13.8
5/11/2020	13	13.4	13.7	16.7	15.5	14.0	14.2	14.5	13.8
5/11/2020	14	13.3	13.6	17.1	16.2	14.0	14.3	14.4	13.7
5/11/2020	15	13.3	13.6	17.4	16.7	14.0	14.3	14.3	13.7
5/11/2020	16	13.2	13.5	17.3	17.1	14.0	14.2	14.2	13.6
5/11/2020	17	13.2	13.4	16.9	17.5	14.0	14.2	14.2	13.6
5/11/2020	18	13.1	13.3	16.3	17.6	13.9	14.1	14.1	13.5
5/11/2020	19	13.1	13.3	15.7	17.5	13.9	14.1	14.1	13.5
5/11/2020	20	13.1	13.2	14.9	17.2	13.8	14.0	14.1	13.5
5/11/2020	21	13.1	13.2	14.3	16.7	13.8	13.9	14.1	13.4
5/11/2020	22	13.1	13.2	13.9	16.1	13.7	13.8	14.1	13.4
5/11/2020	23	13.1	13.2	13.6	15.5	13.6	13.7	14.1	13.3
5/11/2020	24	13.0	13.2	13.4	15.0	13.6	13.6	14.0	13.4
5/12/2020	1	13.0	13.2	13.3	14.5	13.7	13.7	14.0	13.7
5/12/2020	2	13.0	13.2	13.2	14.2	13.7	13.8	14.1	13.7
5/12/2020	3	13.0	13.2	13.2	13.9	13.7	13.7	14.2	13.7
5/12/2020	4	13.0	13.2	13.1	13.7	13.7	13.7	14.3	13.7
5/12/2020	5	13.0	13.1	13.0	13.6	13.7	13.7	14.2	13.6
5/12/2020	6	13.0	13.1	13.0	13.4	13.6	13.7	14.1	13.6
5/12/2020	7	13.0	13.2	13.0	13.4	13.4	13.4	14.0	13.3
5/12/2020	8	13.1	13.3	13.2	13.4	13.3	13.4	13.9	13.3
5/12/2020	9	13.1	13.4	13.7	13.6	13.4	13.5	13.9	13.3
5/12/2020	10	13.4	13.7	14.3	13.7	13.5	13.7	14.0	13.5
5/12/2020	11	13.6	13.9	15.2	14.0	13.7	13.9	14.2	13.7
5/12/2020	12	13.7	14.0	16.2	14.5	13.9	14.2	14.3	13.9
5/12/2020	13	13.7	14.1	17.3	15.3	14.1	14.4	14.5	14.1
5/12/2020	14	13.8	14.2	17.8	16.2	14.3	14.6	14.7	14.3
5/12/2020	15	13.9	14.3	17.3	16.7	14.4	14.7	14.8	14.4
5/12/2020	16	14.1	14.4	16.8	17.4	14.6	14.9	15.0	14.5
5/12/2020	17	14.3	14.5	16.8	17.7	14.8	15.2	15.1	14.8
5/12/2020	18	14.5	14.7	16.3	17.5	14.9	15.2	15.2	14.8
5/12/2020	19	14.7	14.9	15.7	17.1	15.0	15.2	15.3	14.9
5/12/2020	20	14.7	14.9	15.1	16.7	15.0	15.2	15.4	15.0
5/12/2020	21	14.8	15.0	14.7	16.4	15.0	15.2	15.5	15.0
5/12/2020	22	14.8	15.0	14.4	15.9	15.0	15.1	15.5	15.0
5/12/2020	23	14.8	15.0	14.3	15.4	15.0	15.1	15.5	14.9
5/12/2020	24	14.8	15.0	14.2	15.0	14.9	15.0	15.5	14.9
5/13/2020	1	14.8	15.0	14.1	14.7	14.9	14.9	15.5	14.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/13/2020	2	14.8	14.9	14.1	14.4	14.9	14.9	15.5	14.9
5/13/2020	3	14.8	14.9	14.1	14.3	14.8	14.9	15.5	14.9
5/13/2020	4	14.7	14.9	14.0	14.1	14.8	14.8	15.5	14.8
5/13/2020	5	14.7	14.9	13.9	14.1	14.8	14.7	15.5	14.8
5/13/2020	6	14.7	14.9	13.9	14.0	14.7	14.7	15.5	14.8
5/13/2020	7	14.7	14.9	13.9	14.0	14.8	14.8	15.6	14.9
5/13/2020	8	14.7	14.9	14.1	14.0	14.8	14.9	15.6	14.9
5/13/2020	9	14.7	15.0	14.7	14.2	14.9	15.0	15.6	14.9
5/13/2020	10	14.8	15.1	15.3	14.3	14.9	15.1	15.7	15.0
5/13/2020	11	14.8	15.1	16.0	14.6	15.0	15.2	15.7	15.1
5/13/2020	12	14.8	15.2	16.4	14.9	15.0	15.2	15.7	15.1
5/13/2020	13	14.8	15.2	16.6	15.6	15.1	15.2	15.7	15.1
5/13/2020	14	14.9	15.2	16.8	16.2	15.2	15.4	15.8	15.2
5/13/2020	15	15.0	15.5	17.3	16.6	15.3	15.6	15.8	15.3
5/13/2020	16	15.2	15.6	17.6	17.0	15.4	15.7	15.9	15.4
5/13/2020	17	15.3	15.7	17.9	17.2	15.6	15.9	16.0	15.6
5/13/2020	18	15.4	15.7	17.7	17.4	15.7	15.9	16.1	15.7
5/13/2020	19	15.4	15.7	17.2	17.5	15.8	15.9	16.2	15.7
5/13/2020	20	15.5	15.8	16.5	17.4	15.8	16.0	16.3	15.8
5/13/2020	21	15.6	15.8	15.8	17.2	15.9	16.0	16.4	15.8
5/13/2020	22	15.6	15.8	15.2	16.9	15.9	16.0	16.4	15.9
5/13/2020	23	15.7	15.8	14.8	16.4	15.9	15.9	16.4	15.8
5/13/2020	24	15.7	15.8	14.5	15.8	15.8	15.8	16.4	15.7
5/14/2020	1	15.6	15.8	14.3	15.3	15.7	15.7	16.5	15.7
5/14/2020	2	15.6	15.7	14.2	14.8	15.7	15.7	16.5	15.7
5/14/2020	3	15.6	15.7	14.1	14.5	15.6	15.5	16.4	15.7
5/14/2020	4	15.5	15.7	14.1	14.2	15.4	15.4	16.4	15.6
5/14/2020	5	15.5	15.7	14.0	14.1	15.3	15.2	16.4	15.5
5/14/2020	6	15.5	15.6	14.1	13.9	15.2	15.2	16.4	15.4
5/14/2020	7	15.5	15.6	14.1	13.9	15.5	15.5	16.4	15.7
5/14/2020	8	15.4	15.6	14.2	13.9	15.4	15.4	16.3	15.5
5/14/2020	9	15.3	15.5	14.6	14.0	15.3	15.3	16.2	15.5
5/14/2020	10	15.2	15.5	14.9	14.1	15.3	15.4	16.1	15.4
5/14/2020	11	15.2	15.5	15.6	14.4	15.4	15.4	16.1	15.5
5/14/2020	12	15.3	15.6	16.0	14.7	15.4	15.3	16.1	15.6
5/14/2020	13	15.3	15.6	16.1	15.2	15.4	15.4	16.1	15.6
5/14/2020	14	15.4	15.6	16.2	16.0	15.6	15.9	16.2	15.6
5/14/2020	15	15.4	15.7	16.2	16.2	15.7	16.0	16.2	15.7
5/14/2020	16	15.4	15.7	16.2	16.3	15.8	16.1	16.3	15.7
5/14/2020	17	15.5	15.7	15.9	16.2	15.8	16.1	16.3	15.7
5/14/2020	18	15.5	15.7	15.8	16.1	15.8	16.1	16.4	15.7
5/14/2020	19	15.5	15.7	15.7	15.9	15.8	15.9	16.4	15.8
5/14/2020	20	15.5	15.7	15.4	15.7	15.7	15.8	16.4	15.8
5/14/2020	21	15.5	15.7	15.3	15.5	15.7	15.7	16.4	15.7
5/14/2020	22	15.5	15.7	15.2	15.3	15.6	15.6	16.4	15.7
5/14/2020	23	15.4	15.6	15.1	15.2	15.6	15.5	16.4	15.6
5/14/2020	24	15.4	15.6	15.0	15.1	15.5	15.4	16.4	15.6
5/15/2020	1	15.4	15.6	14.9	15.0	15.4	15.3	16.4	15.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/15/2020	2	15.4	15.5	14.8	14.9	15.4	15.2	16.4	15.5
5/15/2020	3	15.4	15.5	14.7	14.7	15.3	15.1	16.4	15.5
5/15/2020	4	15.3	15.4	14.6	14.6	15.2	15.0	16.3	15.4
5/15/2020	5	15.3	15.4	14.5	14.5	15.1	14.9	16.3	15.3
5/15/2020	6	15.3	15.4	14.5	14.4	15.0	14.8	16.3	15.3
5/15/2020	7	15.2	15.4	14.5	14.3	15.1	14.9	16.3	15.5
5/15/2020	8	15.2	15.3	14.7	14.4	15.1	14.9	16.3	15.4
5/15/2020	9	15.1	15.3	15.3	14.6	15.1	15.0	16.3	15.3
5/15/2020	10	15.1	15.4	15.8	15.0	15.2	15.2	16.3	15.3
5/15/2020	11	15.2	15.4	16.5	15.7	15.4	15.7	16.3	15.4
5/15/2020	12	15.2	15.5	17.2	16.5	15.7	16.2	16.2	15.5
5/15/2020	13	15.4	15.6	17.6	17.3	16.0	16.7	16.2	15.7
5/15/2020	14	15.5	15.7	17.9	18.0	16.2	17.2	16.2	15.8
5/15/2020	15	15.5	15.8	17.7	18.2	16.4	17.5	16.3	15.9
5/15/2020	16	15.6	15.8	16.6	18.2	16.6	17.6	16.4	16.0
5/15/2020	17	15.7	15.9	16.4	17.9	16.5	17.4	16.5	16.0
5/15/2020	18	15.7	15.9	16.4	16.8	16.3	16.8	16.5	15.9
5/15/2020	19	15.7	15.9	16.1	16.5	16.2	16.3	16.4	15.9
5/15/2020	20	15.7	15.9	15.8	16.3	16.1	16.2	16.4	15.9
5/15/2020	21	15.7	15.8	15.6	16.0	16.0	16.1	16.4	15.9
5/15/2020	22	15.6	15.7	15.4	15.7	15.9	15.9	16.4	15.8
5/15/2020	23	15.5	15.7	15.2	15.5	15.7	15.7	16.3	15.7
5/15/2020	24	15.5	15.7	15.1	15.3	15.7	15.6	16.3	15.7
5/16/2020	1	15.4	15.6	15.0	15.2	15.6	15.4	16.3	15.7
5/16/2020	2	15.4	15.6	14.9	15.0	15.5	15.3	16.3	15.6
5/16/2020	3	15.4	15.6	14.9	14.9	15.4	15.2	16.3	15.6
5/16/2020	4	15.4	15.5	14.8	14.8	15.3	15.2	16.3	15.6
5/16/2020	5	15.4	15.5	14.7	14.7	15.3	15.1	16.2	15.5
5/16/2020	6	15.3	15.5	14.7	14.7	15.2	15.1	16.2	15.4
5/16/2020	7	15.3	15.4	14.8	14.7	15.3	15.1	16.1	15.5
5/16/2020	8	15.1	15.0	15.1	14.8	15.2	15.1	16.0	15.0
5/16/2020	9	14.6	14.6	15.2	14.9	14.9	14.9	15.7	14.6
5/16/2020	10	14.4	14.6	15.2	15.1	14.8	14.9	15.3	14.6
5/16/2020	11	14.4	14.6	15.2	15.3	14.8	15.1	15.1	14.5
5/16/2020	12	14.3	14.4	15.3	15.4	14.8	15.2	15.0	14.4
5/16/2020	13	14.1	14.3	15.5	15.5	14.7	15.1	14.9	14.2
5/16/2020	14	14.1	14.3	15.3	15.6	14.6	15.0	14.9	14.1
5/16/2020	15	14.2	14.3	15.1	15.7	14.5	15.1	14.9	14.1
5/16/2020	16	14.2	14.4	15.1	15.6	14.4	15.1	14.8	14.2
5/16/2020	17	14.3	14.6	15.2	15.4	14.5	15.0	14.8	14.3
5/16/2020	18	14.5	14.7	15.0	15.4	14.6	15.1	15.0	14.6
5/16/2020	19	14.7	14.9	14.8	15.2	14.7	15.1	15.3	14.8
5/16/2020	20	14.8	15.0	14.6	15.0	14.9	15.1	15.4	15.0
5/16/2020	21	14.9	15.1	14.6	14.8	15.0	15.0	15.6	15.1
5/16/2020	22	14.9	15.1	14.6	14.7	15.0	14.9	15.7	15.1
5/16/2020	23	14.9	15.0	14.7	14.6	14.9	14.9	15.7	15.1
5/16/2020	24	14.8	15.0	14.7	14.6	14.9	14.9	15.7	15.0
5/17/2020	1	14.8	14.9	14.6	14.7	14.9	14.9	15.6	14.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/17/2020	2	14.7	14.8	14.6	14.7	14.8	14.8	15.6	14.9
5/17/2020	3	14.7	14.8	14.6	14.6	14.8	14.8	15.5	14.8
5/17/2020	4	14.6	14.7	14.5	14.6	14.7	14.7	15.5	14.7
5/17/2020	5	14.5	14.6	14.5	14.6	14.7	14.7	15.4	14.7
5/17/2020	6	14.5	14.6	14.4	14.5	14.6	14.6	15.4	14.6
5/17/2020	7	14.5	14.6	14.4	14.5	14.6	14.6	15.4	14.6
5/17/2020	8	14.5	14.6	14.5	14.5	14.6	14.6	15.4	14.6
5/17/2020	9	14.5	14.6	14.6	14.6	14.6	14.7	15.4	14.6
5/17/2020	10	14.5	14.7	15.1	14.8	14.7	14.9	15.4	14.7
5/17/2020	11	14.5	14.7	15.4	15.1	14.8	15.0	15.3	14.7
5/17/2020	12	14.6	14.8	16.1	15.8	15.1	15.6	15.3	14.8
5/17/2020	13	14.7	14.9	16.7	16.4	15.3	15.9	15.4	14.9
5/17/2020	14	14.8	15.0	16.7	16.7	15.4	16.1	15.5	15.0
5/17/2020	15	14.9	15.1	16.0	16.9	15.4	16.1	15.5	15.0
5/17/2020	16	14.9	15.1	15.4	16.6	15.3	16.1	15.6	15.0
5/17/2020	17	14.9	15.1	15.3	16.0	15.4	15.8	15.6	15.1
5/17/2020	18	14.9	15.1	15.4	15.6	15.3	15.5	15.6	15.1
5/17/2020	19	14.9	15.1	15.3	15.5	15.2	15.4	15.7	15.1
5/17/2020	20	14.9	15.1	15.1	15.5	15.2	15.4	15.7	15.1
5/17/2020	21	14.9	15.1	14.9	15.3	15.2	15.3	15.8	15.1
5/17/2020	22	14.9	15.1	14.8	15.1	15.1	15.2	15.8	15.1
5/17/2020	23	14.9	15.1	14.7	14.9	15.1	15.1	15.8	15.1
5/17/2020	24	14.9	15.0	14.6	14.8	15.0	15.0	15.8	15.1
5/18/2020	1	14.8	15.0	14.5	14.6	14.9	14.9	15.8	15.0
5/18/2020	2	14.8	14.9	14.4	14.5	14.9	14.8	15.7	15.0
5/18/2020	3	14.8	14.9	14.3	14.4	14.8	14.7	15.7	15.0
5/18/2020	4	14.8	14.9	14.2	14.3	14.7	14.6	15.7	14.9
5/18/2020	5	14.7	14.8	14.1	14.2	14.7	14.5	15.7	14.9
5/18/2020	6	14.7	14.8	14.1	14.1	14.6	14.5	15.6	14.9
5/18/2020	7	14.7	14.8	14.1	14.1	14.6	14.5	15.6	14.9
5/18/2020	8	14.7	14.8	14.5	14.1	14.6	14.5	15.5	14.9
5/18/2020	9	14.7	14.9	14.9	14.3	14.7	14.6	15.4	14.9
5/18/2020	10	14.7	14.9	15.3	14.8	14.7	14.8	15.7	14.9
5/18/2020	11	14.8	15.0	15.8	15.4	15.2	15.5	15.8	15.0
5/18/2020	12	14.9	15.2	16.5	16.1	15.8	16.2	15.9	15.2
5/18/2020	13	15.1	15.3	17.2	16.8	16.4	16.9	16.0	15.3
5/18/2020	14	15.2	15.5	17.6	17.4	17.0	17.5	16.1	15.5
5/18/2020	15	15.4	15.6	17.8	17.8	17.5	18.1	16.2	15.7
5/18/2020	16	15.5	15.7	17.0	18.0	17.7	18.2	16.3	15.8
5/18/2020	17	15.7	15.9	17.1	17.7	17.7	18.1	16.4	16.0
5/18/2020	18	15.8	16.1	16.8	17.2	17.3	17.4	16.5	16.1
5/18/2020	19	16.0	16.1	16.3	17.1	17.1	17.2	16.5	16.1
5/18/2020	20	16.0	16.1	16.0	16.7	16.8	16.9	16.5	16.1
5/18/2020	21	16.0	16.1	15.8	16.2	16.5	16.4	16.5	16.1
5/18/2020	22	15.9	16.0	15.7	16.0	16.2	16.1	16.5	16.0
5/18/2020	23	15.8	15.9	15.6	15.8	16.0	15.9	16.5	15.9
5/18/2020	24	15.7	15.9	15.6	15.7	15.8	15.7	16.5	15.9
5/19/2020	1	15.7	15.8	15.5	15.6	15.7	15.7	16.5	15.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/19/2020	2	15.7	15.8	15.4	15.6	15.7	15.6	16.5	15.9
5/19/2020	3	15.7	15.8	15.3	15.5	15.6	15.6	16.5	15.9
5/19/2020	4	15.6	15.8	15.3	15.4	15.5	15.5	16.5	15.8
5/19/2020	5	15.6	15.7	15.3	15.3	15.4	15.4	16.4	15.7
5/19/2020	6	15.5	15.7	15.3	15.3	15.4	15.3	16.4	15.7
5/19/2020	7	15.5	15.6	15.3	15.3	15.3	15.3	16.3	15.6
5/19/2020	8	15.4	15.6	15.5	15.3	15.4	15.4	16.3	15.6
5/19/2020	9	15.4	15.6	15.9	15.6	15.5	15.6	16.2	15.6
5/19/2020	10	15.4	15.6	16.1	15.7	15.7	15.8	16.2	15.6
5/19/2020	11	15.4	15.7	16.5	16.2	16.1	16.3	16.2	15.6
5/19/2020	12	15.5	15.8	16.9	16.7	16.4	16.7	16.2	15.7
5/19/2020	13	15.6	15.9	17.6	17.2	16.9	17.3	16.3	15.9
5/19/2020	14	15.7	16.0	18.1	17.8	17.4	17.8	16.4	15.9
5/19/2020	15	15.8	16.0	18.0	18.2	17.8	18.2	16.5	16.0
5/19/2020	16	15.8	15.9	17.2	18.2	18.0	18.3	16.5	16.0
5/19/2020	17	15.7	15.8	16.4	17.9	17.9	18.2	16.5	15.8
5/19/2020	18	15.6	15.8	16.1	17.2	17.4	17.6	16.5	15.8
5/19/2020	19	15.6	15.8	15.9	16.5	16.8	16.8	16.4	15.8
5/19/2020	20	15.5	15.7	15.7	16.2	16.4	16.4	16.4	15.7
5/19/2020	21	15.5	15.7	15.6	15.9	16.2	16.1	16.3	15.7
5/19/2020	22	15.5	15.7	15.4	15.7	16.0	15.8	16.3	15.7
5/19/2020	23	15.5	15.7	15.2	15.6	15.7	15.7	16.3	15.7
5/19/2020	24	15.5	15.6	15.2	15.3	15.6	15.5	16.3	15.7
5/20/2020	1	15.5	15.6	15.1	15.2	15.4	15.3	16.3	15.6
5/20/2020	2	15.5	15.6	15.0	15.1	15.3	15.2	16.3	15.5
5/20/2020	3	15.4	15.6	15.0	15.0	15.2	15.1	16.3	15.5
5/20/2020	4	15.4	15.6	15.0	15.0	15.1	15.1	16.3	15.5
5/20/2020	5	15.4	15.6	15.0	15.0	15.1	15.0	16.2	15.5
5/20/2020	6	15.4	15.6	15.0	15.0	15.1	15.0	16.2	15.5
5/20/2020	7	15.4	15.5	15.1	15.0	15.1	15.0	16.2	15.6
5/20/2020	8	15.3	15.5	15.2	15.0	15.1	15.1	16.2	15.6
5/20/2020	9	15.3	15.5	15.4	15.2	15.2	15.2	16.2	15.5
5/20/2020	10	15.3	15.5	15.7	15.4	15.3	15.5	16.2	15.5
5/20/2020	11	15.3	15.5	16.1	15.7	15.6	15.8	16.2	15.5
5/20/2020	12	15.4	15.6	16.5	16.2	16.0	16.2	16.3	15.6
5/20/2020	13	15.4	15.7	17.0	16.7	16.4	16.8	16.3	15.6
5/20/2020	14	15.5	15.8	17.3	17.2	16.9	17.3	16.4	15.7
5/20/2020	15	15.6	15.8	17.1	17.4	17.2	17.5	16.4	15.8
5/20/2020	16	15.7	15.9	17.0	17.5	17.4	17.8	16.4	15.9
5/20/2020	17	15.7	16.0	16.9	17.4	17.4	17.7	16.5	16.0
5/20/2020	18	15.8	16.0	16.6	17.1	17.2	17.3	16.4	16.0
5/20/2020	19	15.8	16.0	16.2	16.8	16.9	17.0	16.4	16.0
5/20/2020	20	15.7	15.9	15.8	16.5	16.6	16.6	16.4	16.0
5/20/2020	21	15.7	15.8	15.4	16.1	16.3	16.2	16.4	15.9
5/20/2020	22	15.6	15.8	15.2	15.6	15.9	15.8	16.3	15.8
5/20/2020	23	15.5	15.7	15.1	15.2	15.5	15.3	16.3	15.6
5/20/2020	24	15.5	15.6	15.0	15.1	15.3	15.1	16.3	15.6
5/21/2020	1	15.4	15.6	14.8	14.9	15.1	14.9	16.3	15.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/21/2020	2	15.4	15.5	14.7	14.7	15.0	14.8	16.3	15.5
5/21/2020	3	15.4	15.5	14.6	14.6	14.8	14.6	16.3	15.4
5/21/2020	4	15.3	15.5	14.6	14.5	14.6	14.5	16.3	15.4
5/21/2020	5	15.3	15.4	14.6	14.5	14.6	14.4	16.3	15.3
5/21/2020	6	15.3	15.4	14.5	14.4	14.5	14.4	16.3	15.3
5/21/2020	7	15.2	15.3	14.6	14.4	14.5	14.4	16.3	15.4
5/21/2020	8	15.1	15.3	14.9	14.5	14.5	14.5	16.2	15.2
5/21/2020	9	15.0	15.2	15.2	14.6	14.6	14.7	16.1	15.1
5/21/2020	10	14.9	15.1	15.8	15.0	14.9	15.0	16.0	15.1
5/21/2020	11	14.9	15.2	16.1	15.5	15.2	15.4	15.9	15.1
5/21/2020	12	15.0	15.2	16.3	16.0	15.7	16.0	15.8	15.2
5/21/2020	13	15.1	15.4	16.5	16.3	16.1	16.3	15.8	15.3
5/21/2020	14	15.3	15.5	17.4	16.7	16.4	16.9	15.9	15.5
5/21/2020	15	15.4	15.6	17.1	17.1	16.8	17.1	16.0	15.6
5/21/2020	16	15.5	15.7	16.6	17.3	17.1	17.4	16.0	15.7
5/21/2020	17	15.5	15.7	16.5	17.0	17.0	17.3	16.1	15.8
5/21/2020	18	15.6	15.8	16.2	16.6	16.7	16.8	16.2	15.8
5/21/2020	19	15.7	15.8	15.8	16.3	16.4	16.4	16.3	15.9
5/21/2020	20	15.6	15.7	15.4	16.0	16.2	16.1	16.4	15.8
5/21/2020	21	15.6	15.7	15.1	15.5	15.8	15.7	16.3	15.7
5/21/2020	22	15.5	15.6	14.9	15.1	15.4	15.2	16.3	15.7
5/21/2020	23	15.4	15.6	14.8	14.9	15.1	14.9	16.3	15.5
5/21/2020	24	15.4	15.5	14.7	14.7	14.9	14.7	16.3	15.4
5/22/2020	1	15.4	15.5	14.7	14.6	14.8	14.6	16.2	15.4
5/22/2020	2	15.4	15.5	14.7	14.6	14.7	14.6	16.2	15.4
5/22/2020	3	15.3	15.4	14.7	14.5	14.7	14.6	16.2	15.4
5/22/2020	4	15.3	15.4	14.7	14.5	14.6	14.5	16.1	15.3
5/22/2020	5	15.3	15.4	14.6	14.5	14.6	14.5	16.1	15.3
5/22/2020	6	15.2	15.3	14.6	14.5	14.6	14.5	16.0	15.3
5/22/2020	7	15.2	15.3	14.7	14.5	14.5	14.5	16.0	15.4
5/22/2020	8	15.1	15.2	14.9	14.5	14.6	14.5	16.0	15.2
5/22/2020	9	15.0	15.1	15.0	14.6	14.6	14.6	15.9	15.1
5/22/2020	10	14.9	15.1	15.5	15.0	14.9	15.0	15.9	15.0
5/22/2020	11	14.9	15.2	16.1	15.4	15.2	15.5	15.9	15.1
5/22/2020	12	15.0	15.2	16.4	15.9	15.6	15.9	15.9	15.2
5/22/2020	13	15.0	15.2	16.5	16.3	16.0	16.2	15.9	15.2
5/22/2020	14	15.1	15.3	16.5	16.5	16.3	16.6	15.9	15.2
5/22/2020	15	15.1	15.4	16.6	16.8	16.6	17.0	15.9	15.3
5/22/2020	16	15.2	15.4	16.9	16.8	16.7	17.0	15.9	15.4
5/22/2020	17	15.3	15.5	16.7	16.9	16.8	17.1	16.0	15.5
5/22/2020	18	15.4	15.5	16.2	16.7	16.8	17.0	16.0	15.6
5/22/2020	19	15.4	15.5	15.7	16.5	16.6	16.7	16.1	15.6
5/22/2020	20	15.4	15.5	15.4	16.0	16.2	16.2	16.1	15.6
5/22/2020	21	15.4	15.5	15.0	15.6	15.8	15.7	16.2	15.6
5/22/2020	22	15.4	15.5	14.8	15.2	15.4	15.3	16.2	15.6
5/22/2020	23	15.4	15.5	14.6	14.8	15.1	15.0	16.3	15.6
5/22/2020	24	15.3	15.4	14.6	14.6	14.9	14.7	16.2	15.5
5/23/2020	1	15.3	15.4	14.5	14.5	14.7	14.5	16.2	15.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/23/2020	2	15.2	15.3	14.4	14.4	14.6	14.4	16.1	15.4
5/23/2020	3	15.2	15.3	14.4	14.3	14.5	14.3	16.1	15.4
5/23/2020	4	15.1	15.2	14.4	14.2	14.4	14.3	16.0	15.3
5/23/2020	5	15.1	15.2	14.3	14.2	14.3	14.2	16.0	15.2
5/23/2020	6	15.0	15.1	14.2	14.1	14.3	14.2	15.9	15.2
5/23/2020	7	15.0	15.1	14.2	14.1	14.2	14.1	15.9	15.1
5/23/2020	8	14.9	15.0	14.5	14.1	14.2	14.2	15.9	14.9
5/23/2020	9	14.8	15.0	14.9	14.3	14.3	14.4	15.9	14.9
5/23/2020	10	14.8	15.0	15.5	14.7	14.6	14.8	15.9	15.0
5/23/2020	11	14.9	15.1	16.2	15.4	15.1	15.4	15.8	15.0
5/23/2020	12	14.9	15.1	16.8	16.2	15.8	16.3	15.8	15.1
5/23/2020	13	14.9	15.2	17.3	17.0	16.5	17.1	15.8	15.2
5/23/2020	14	15.1	15.3	17.6	17.6	17.1	17.7	15.8	15.3
5/23/2020	15	15.2	15.5	17.7	18.0	17.6	18.2	15.9	15.5
5/23/2020	16	15.4	15.6	17.6	18.1	17.9	18.4	16.0	15.6
5/23/2020	17	15.5	15.7	17.3	18.0	17.9	18.4	16.0	15.7
5/23/2020	18	15.6	15.8	17.0	17.7	17.7	18.0	16.1	15.8
5/23/2020	19	15.7	15.8	16.5	17.3	17.4	17.5	16.2	15.9
5/23/2020	20	15.7	15.8	15.9	16.8	17.0	17.0	16.2	15.9
5/23/2020	21	15.7	15.8	15.5	16.3	16.6	16.5	16.3	15.9
5/23/2020	22	15.7	15.8	15.3	15.8	16.1	16.0	16.4	15.9
5/23/2020	23	15.7	15.8	15.2	15.5	15.7	15.6	16.4	15.8
5/23/2020	24	15.6	15.7	15.1	15.2	15.5	15.3	16.4	15.8
5/24/2020	1	15.6	15.7	15.1	15.1	15.3	15.2	16.4	15.8
5/24/2020	2	15.6	15.7	15.0	15.0	15.2	15.1	16.4	15.8
5/24/2020	3	15.5	15.7	15.0	15.0	15.1	15.0	16.4	15.7
5/24/2020	4	15.5	15.6	14.9	14.9	15.1	15.0	16.4	15.7
5/24/2020	5	15.4	15.6	14.9	14.9	15.0	14.9	16.3	15.7
5/24/2020	6	15.4	15.5	14.8	14.8	14.9	14.9	16.3	15.6
5/24/2020	7	15.4	15.5	15.0	14.8	14.9	14.9	16.3	15.6
5/24/2020	8	15.3	15.5	15.2	14.9	14.9	14.9	16.3	15.5
5/24/2020	9	15.3	15.5	15.6	15.1	15.1	15.2	16.3	15.5
5/24/2020	10	15.3	15.5	16.1	15.4	15.3	15.5	16.3	15.5
5/24/2020	11	15.4	15.6	16.4	15.9	15.7	16.0	16.3	15.6
5/24/2020	12	15.4	15.7	16.9	16.5	16.2	16.7	16.3	15.7
5/24/2020	13	15.5	15.8	17.5	17.2	16.8	17.3	16.3	15.7
5/24/2020	14	15.6	15.8	18.0	17.8	17.4	18.0	16.3	15.8
5/24/2020	15	15.7	16.0	18.2	18.3	17.9	18.5	16.4	16.0
5/24/2020	16	15.8	16.0	18.1	18.5	18.2	18.7	16.5	16.1
5/24/2020	17	15.8	16.0	17.4	18.5	18.3	18.7	16.5	16.2
5/24/2020	18	16.0	16.1	17.0	18.1	18.1	18.4	16.6	16.3
5/24/2020	19	16.1	16.2	16.5	17.4	17.6	17.8	16.7	16.4
5/24/2020	20	16.1	16.2	16.2	17.0	17.2	17.2	16.7	16.4
5/24/2020	21	16.1	16.2	16.0	16.5	16.8	16.7	16.8	16.4
5/24/2020	22	16.1	16.2	15.9	16.2	16.5	16.4	16.9	16.4
5/24/2020	23	16.2	16.3	15.7	16.0	16.2	16.2	16.9	16.4
5/24/2020	24	16.2	16.3	15.7	15.9	16.1	16.0	16.9	16.4
5/25/2020	1	16.2	16.3	15.7	15.8	16.0	15.9	16.8	16.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/25/2020	2	16.2	16.3	15.8	15.7	15.9	15.8	16.8	16.3
5/25/2020	3	16.1	16.2	15.8	15.7	15.9	15.8	16.8	16.3
5/25/2020	4	16.0	16.2	15.8	15.7	15.8	15.8	16.8	16.2
5/25/2020	5	16.0	16.1	15.8	15.7	15.8	15.8	16.8	16.2
5/25/2020	6	16.0	16.1	15.8	15.8	15.8	15.8	16.7	16.1
5/25/2020	7	15.9	16.1	15.8	15.8	15.8	15.9	16.7	16.1
5/25/2020	8	15.9	16.0	15.9	15.8	15.9	15.9	16.7	16.0
5/25/2020	9	15.8	16.0	16.0	15.9	15.9	16.0	16.7	16.0
5/25/2020	10	15.8	16.0	16.2	16.0	16.0	16.1	16.7	16.0
5/25/2020	11	15.8	16.0	16.5	16.3	16.2	16.4	16.7	16.0
5/25/2020	12	15.8	16.0	16.7	16.5	16.4	16.6	16.6	16.0
5/25/2020	13	15.8	16.1	16.8	16.8	16.7	17.0	16.6	16.0
5/25/2020	14	15.9	16.1	16.9	17.1	16.9	17.2	16.6	16.1
5/25/2020	15	16.0	16.2	17.1	17.2	17.1	17.3	16.6	16.1
5/25/2020	16	16.0	16.2	17.2	17.3	17.2	17.4	16.6	16.2
5/25/2020	17	16.0	16.2	17.4	17.4	17.3	17.7	16.7	16.2
5/25/2020	18	16.0	16.2	17.2	17.4	17.4	17.6	16.7	16.3
5/25/2020	19	16.1	16.3	16.9	17.3	17.3	17.4	16.7	16.3
5/25/2020	20	16.1	16.3	16.4	17.1	17.2	17.2	16.7	16.3
5/25/2020	21	16.1	16.2	16.0	16.8	16.9	16.9	16.7	16.3
5/25/2020	22	16.1	16.2	15.8	16.4	16.6	16.5	16.8	16.3
5/25/2020	23	16.0	16.2	15.7	16.0	16.2	16.1	16.7	16.2
5/25/2020	24	16.0	16.1	15.7	15.8	16.0	15.9	16.7	16.2
5/26/2020	1	16.0	16.1	15.6	15.7	15.9	15.8	16.7	16.1
5/26/2020	2	15.9	16.1	15.6	15.7	15.8	15.7	16.7	16.1
5/26/2020	3	15.9	16.0	15.5	15.6	15.7	15.7	16.6	16.1
5/26/2020	4	15.9	16.0	15.4	15.5	15.6	15.6	16.6	16.0
5/26/2020	5	15.8	16.0	15.4	15.4	15.6	15.5	16.6	16.0
5/26/2020	6	15.8	15.9	15.3	15.4	15.5	15.4	16.6	15.9
5/26/2020	7	15.8	15.9	15.4	15.3	15.4	15.4	16.6	15.9
5/26/2020	8	15.7	15.9	15.7	15.4	15.5	15.5	16.6	15.9
5/26/2020	9	15.7	15.9	16.1	15.6	15.6	15.7	16.6	15.9
5/26/2020	10	15.8	16.0	16.7	16.0	15.9	16.2	16.6	16.0
5/26/2020	11	15.9	16.1	17.4	16.7	16.4	16.8	16.6	16.1
5/26/2020	12	16.0	16.2	18.0	17.5	17.1	17.6	16.7	16.2
5/26/2020	13	16.1	16.4	18.5	18.2	17.8	18.3	16.8	16.4
5/26/2020	14	16.3	16.5	18.7	18.8	18.3	18.9	17.0	16.5
5/26/2020	15	16.4	16.7	18.7	19.0	18.7	19.2	17.1	16.7
5/26/2020	16	16.6	16.8	18.7	19.1	18.9	19.4	17.2	16.8
5/26/2020	17	16.7	17.0	18.5	19.0	18.9	19.2	17.4	16.9
5/26/2020	18	16.9	17.1	18.0	18.7	18.7	19.0	17.5	17.1
5/26/2020	19	16.9	17.1	17.5	18.3	18.4	18.4	17.6	17.1
5/26/2020	20	16.9	17.0	17.0	17.8	18.0	18.0	17.5	17.1
5/26/2020	21	16.8	16.9	16.5	17.2	17.5	17.4	17.5	17.0
5/26/2020	22	16.7	16.9	16.2	16.7	17.0	16.9	17.4	16.9
5/26/2020	23	16.7	16.8	16.1	16.3	16.6	16.5	17.4	16.8
5/26/2020	24	16.6	16.7	16.0	16.1	16.3	16.2	17.4	16.8
5/27/2020	1	16.5	16.7	15.9	15.9	16.1	16.0	17.3	16.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/27/2020	2	16.5	16.6	15.8	15.8	16.0	15.8	17.3	16.6
5/27/2020	3	16.4	16.5	15.7	15.7	15.9	15.7	17.2	16.5
5/27/2020	4	16.3	16.4	15.6	15.6	15.8	15.7	17.2	16.5
5/27/2020	5	16.3	16.4	15.5	15.5	15.7	15.6	17.2	16.5
5/27/2020	6	16.2	16.4	15.4	15.4	15.6	15.5	17.2	16.5
5/27/2020	7	16.2	16.4	15.5	15.4	15.5	15.4	17.2	16.4
5/27/2020	8	16.2	16.4	15.8	15.4	15.5	15.5	17.2	16.5
5/27/2020	9	16.3	16.5	16.3	15.6	15.6	15.7	17.2	16.5
5/27/2020	10	16.3	16.5	17.0	16.1	15.9	16.1	17.2	16.5
5/27/2020	11	16.4	16.7	17.7	16.8	16.5	16.8	17.2	16.7
5/27/2020	12	16.5	16.8	18.3	17.7	17.3	17.7	17.3	16.8
5/27/2020	13	16.7	16.9	18.8	18.5	18.0	18.6	17.4	17.0
5/27/2020	14	16.8	17.1	19.1	19.1	18.6	19.2	17.5	17.1
5/27/2020	15	16.9	17.2	19.2	19.4	19.0	19.6	17.6	17.2
5/27/2020	16	17.0	17.3	19.2	19.5	19.3	19.8	17.7	17.3
5/27/2020	17	17.1	17.4	18.9	19.5	19.4	19.8	17.8	17.4
5/27/2020	18	17.2	17.4	18.5	19.2	19.2	19.6	17.8	17.4
5/27/2020	19	17.2	17.4	18.0	18.8	18.9	19.1	17.9	17.4
5/27/2020	20	17.2	17.4	17.5	18.4	18.6	18.6	17.9	17.4
5/27/2020	21	17.2	17.3	17.1	17.9	18.1	18.1	17.9	17.3
5/27/2020	22	17.2	17.4	16.9	17.4	17.7	17.6	17.8	17.4
5/27/2020	23	17.2	17.3	16.7	17.0	17.3	17.2	17.8	17.3
5/27/2020	24	17.1	17.2	16.6	16.8	17.0	16.9	17.7	17.2
5/28/2020	1	17.0	17.1	16.6	16.6	16.8	16.7	17.7	17.1
5/28/2020	2	16.9	17.0	16.5	16.5	16.7	16.6	17.7	17.1
5/28/2020	3	16.8	16.9	16.3	16.4	16.6	16.5	17.6	17.0
5/28/2020	4	16.7	16.8	16.2	16.3	16.5	16.4	17.6	16.9
5/28/2020	5	16.6	16.7	16.1	16.1	16.3	16.2	17.5	16.8
5/28/2020	6	16.5	16.7	16.0	16.0	16.2	16.1	17.4	16.7
5/28/2020	7	16.5	16.6	16.1	16.0	16.1	16.1	17.3	16.6
5/28/2020	8	16.4	16.6	16.3	16.1	16.1	16.1	17.3	16.5
5/28/2020	9	16.3	16.5	16.7	16.2	16.2	16.3	17.2	16.5
5/28/2020	10	16.3	16.6	17.3	16.6	16.5	16.7	17.1	16.5
5/28/2020	11	16.4	16.6	17.9	17.3	17.0	17.3	17.1	16.6
5/28/2020	12	16.5	16.7	18.1	18.0	17.6	18.0	17.2	16.7
5/28/2020	13	16.6	16.9	18.4	18.5	18.1	18.6	17.3	16.8
5/28/2020	14	16.7	17.0	18.8	18.9	18.5	19.1	17.5	16.9
5/28/2020	15	16.9	17.2	19.1	19.2	18.9	19.4	17.6	17.1
5/28/2020	16	17.0	17.3	19.0	19.4	19.2	19.7	17.7	17.2
5/28/2020	17	17.2	17.4	18.9	19.4	19.3	19.7	17.9	17.4
5/28/2020	18	17.3	17.6	18.5	19.2	19.2	19.5	18.0	17.5
5/28/2020	19	17.4	17.6	18.2	18.9	19.0	19.2	18.1	17.6
5/28/2020	20	17.5	17.7	17.7	18.6	18.7	18.8	18.1	17.6
5/28/2020	21	17.5	17.7	17.5	18.1	18.3	18.3	18.0	17.6
5/28/2020	22	17.5	17.6	17.3	17.7	18.0	17.9	18.0	17.6
5/28/2020	23	17.4	17.6	17.2	17.5	17.7	17.6	17.9	17.5
5/28/2020	24	17.4	17.5	17.2	17.3	17.5	17.5	17.9	17.5
5/29/2020	1	17.3	17.4	17.1	17.2	17.4	17.3	17.8	17.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/29/2020	2	17.2	17.3	17.1	17.2	17.3	17.2	17.8	17.3
5/29/2020	3	17.1	17.2	17.0	17.1	17.2	17.2	17.7	17.2
5/29/2020	4	16.9	17.1	16.8	17.0	17.1	17.1	17.6	17.1
5/29/2020	5	16.8	17.0	16.7	16.9	17.0	17.0	17.5	17.0
5/29/2020	6	16.7	16.9	16.5	16.7	16.9	16.9	17.5	16.9
5/29/2020	7	16.6	16.8	16.5	16.6	16.8	16.7	17.4	16.7
5/29/2020	8	16.5	16.7	16.8	16.6	16.7	16.7	17.3	16.6
5/29/2020	9	16.4	16.7	17.1	16.8	16.8	16.9	17.2	16.6
5/29/2020	10	16.4	16.7	17.5	17.1	17.0	17.2	17.1	16.6
5/29/2020	11	16.5	16.7	18.0	17.7	17.4	17.7	17.1	16.5
5/29/2020	12	16.5	16.7	18.4	18.2	17.9	18.2	17.2	16.6
5/29/2020	13	16.5	16.8	18.5	18.7	18.4	18.8	17.4	16.7
5/29/2020	14	16.6	16.8	18.7	19.1	18.8	19.3	17.5	16.9
5/29/2020	15	16.6	16.8	19.1	19.4	19.1	19.6	17.7	17.1
5/29/2020	16	16.6	16.8	19.1	19.6	19.4	19.8	17.8	17.3
5/29/2020	17	16.7	16.9	18.7	19.6	19.5	19.9	18.0	17.5
5/29/2020	18	16.8	17.1	18.4	19.3	19.4	19.7	18.1	17.6
5/29/2020	19	17.0	17.2	18.0	18.9	19.0	19.2	18.2	17.7
5/29/2020	20	17.1	17.3	17.5	18.5	18.7	18.8	18.2	17.8
5/29/2020	21	17.2	17.4	17.2	18.0	18.3	18.3	18.2	17.8
5/29/2020	22	17.4	17.6	17.1	17.6	17.9	17.9	18.2	17.8
5/29/2020	23	17.5	17.6	17.1	17.3	17.6	17.5	18.1	17.7
5/29/2020	24	17.5	17.7	17.2	17.2	17.4	17.3	18.1	17.7
5/30/2020	1	17.5	17.6	17.2	17.2	17.3	17.3	18.1	17.6
5/30/2020	2	17.3	17.4	17.2	17.2	17.3	17.3	18.0	17.6
5/30/2020	3	17.2	17.3	17.2	17.2	17.3	17.3	18.0	17.5
5/30/2020	4	17.1	17.2	17.0	17.2	17.3	17.3	18.0	17.4
5/30/2020	5	17.0	17.2	17.0	17.2	17.2	17.2	17.9	17.4
5/30/2020	6	16.9	17.2	16.9	17.1	17.2	17.2	17.9	17.3
5/30/2020	7	16.9	17.0	16.9	17.0	17.1	17.1	17.8	17.2
5/30/2020	8	16.8	17.0	16.9	17.0	17.1	17.0	17.7	17.1
5/30/2020	9	16.7	16.8	17.0	17.0	17.1	17.1	17.7	17.1
5/30/2020	10	16.8	17.0	17.1	17.1	17.1	17.2	17.6	17.1
5/30/2020	11	16.7	16.8	17.2	17.2	17.2	17.3	17.6	17.1
5/30/2020	12	16.6	16.8	17.3	17.4	17.4	17.5	17.7	17.2
5/30/2020	13	16.9	17.1	17.7	17.6	17.5	17.8	17.9	17.2
5/30/2020	14	17.0	17.2	18.0	17.9	17.8	18.0	18.0	17.3
5/30/2020	15	17.3	17.6	18.8	18.3	18.2	18.5	18.1	17.4
5/30/2020	16	17.4	17.6	19.1	18.9	18.6	19.0	18.2	17.6
5/30/2020	17	17.5	17.7	19.0	19.3	19.0	19.4	18.3	17.8
5/30/2020	18	17.8	18.1	18.2	19.2	19.0	19.4	18.5	17.9
5/30/2020	19	17.9	18.2	18.0	18.2	18.4	18.4	18.5	18.1
5/30/2020	20	17.9	18.1	18.1	18.2	18.3	18.3	18.5	18.1
5/30/2020	21	17.8	18.1	18.0	18.1	18.2	18.2	18.4	18.1
5/30/2020	22	17.8	18.0	18.0	18.1	18.2	18.2	18.4	18.0
5/30/2020	23	17.7	17.9	17.9	18.0	18.1	18.1	18.3	18.0
5/30/2020	24	17.7	17.8	17.7	17.9	18.0	18.0	18.3	17.8
5/31/2020	1	17.6	17.7	17.6	17.7	17.8	17.8	18.2	17.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/31/2020	2	17.5	17.6	17.5	17.6	17.7	17.7	18.1	17.6
5/31/2020	3	17.4	17.5	17.4	17.6	17.6	17.7	18.1	17.6
5/31/2020	4	17.3	17.5	17.3	17.5	17.5	17.6	18.0	17.5
5/31/2020	5	17.3	17.4	17.3	17.4	17.4	17.4	18.0	17.4
5/31/2020	6	17.2	17.3	17.2	17.3	17.4	17.4	17.9	17.3
5/31/2020	7	17.1	17.2	17.1	17.2	17.3	17.3	17.9	17.2
5/31/2020	8	17.1	17.2	17.1	17.1	17.2	17.2	17.8	17.2
5/31/2020	9	17.0	17.2	17.1	17.2	17.2	17.2	17.8	17.2
5/31/2020	10	17.0	17.1	17.1	17.1	17.2	17.2	17.7	17.1
5/31/2020	11	17.0	17.1	17.0	17.1	17.1	17.2	17.7	17.1
5/31/2020	12	16.9	17.1	17.3	17.2	17.2	17.3	17.8	17.1
5/31/2020	13	17.0	17.2	17.5	17.6	17.6	17.7	17.8	17.2
5/31/2020	14	17.0	17.2	17.6	17.7	17.7	17.8	17.9	17.2
5/31/2020	15	17.1	17.4	17.7	17.8	17.8	17.9	17.9	17.3
5/31/2020	16	17.2	17.4	17.7	17.8	17.9	18.0	18.0	17.4
5/31/2020	17	17.3	17.5	17.7	17.8	17.8	17.9	18.0	17.5
5/31/2020	18	17.4	17.6	17.6	17.7	17.7	17.8	18.1	17.6
5/31/2020	19	17.4	17.6	17.5	17.6	17.7	17.7	18.1	17.6
5/31/2020	20	17.4	17.6	17.4	17.6	17.6	17.6	18.1	17.6
5/31/2020	21	17.4	17.5	17.4	17.4	17.5	17.5	18.0	17.6
5/31/2020	22	17.4	17.5	17.3	17.3	17.4	17.4	18.0	17.6
5/31/2020	23	17.3	17.4	17.2	17.3	17.3	17.3	18.0	17.5
5/31/2020	24	17.3	17.4	17.2	17.2	17.3	17.3	17.9	17.4
6/1/2020	1	17.2	17.3	17.1	17.1	17.2	17.2	17.9	17.4
6/1/2020	2	17.2	17.2	17.0	17.1	17.1	17.2	17.9	17.2
6/1/2020	3	17.1	17.1	16.9	17.0	17.1	17.1	17.8	17.1
6/1/2020	4	17.0	17.1	16.8	16.9	17.0	17.0	17.8	17.0
6/1/2020	5	16.9	17.0	16.8	16.8	16.9	16.9	17.7	17.0
6/1/2020	6	16.9	17.0	16.8	16.8	16.9	16.9	17.7	16.9
6/1/2020	7	16.8	16.9	16.8	16.8	16.9	16.9	17.7	16.9
6/1/2020	8	16.8	16.9	16.9	16.9	16.9	16.9	17.6	16.9
6/1/2020	9	16.7	16.8	17.0	17.0	17.0	17.1	17.6	16.8
6/1/2020	10	16.7	16.8	17.1	17.2	17.1	17.2	17.5	16.8
6/1/2020	11	16.7	16.9	17.2	17.3	17.3	17.4	17.5	16.8
6/1/2020	12	16.8	17.0	17.3	17.4	17.4	17.6	17.6	16.9
6/1/2020	13	16.9	17.2	17.5	17.6	17.6	17.7	17.7	17.1
6/1/2020	14	17.1	17.3	17.7	17.8	17.8	17.9	17.8	17.2
6/1/2020	15	17.2	17.4	17.7	17.8	17.9	18.0	17.8	17.3
6/1/2020	16	17.3	17.5	17.8	17.9	17.9	18.0	17.9	17.4
6/1/2020	17	17.4	17.6	17.7	17.8	17.9	18.0	18.0	17.5
6/1/2020	18	17.5	17.7	17.7	17.8	17.8	17.9	18.1	17.6
6/1/2020	19	17.5	17.7	17.7	17.7	17.8	17.8	18.1	17.6
6/1/2020	20	17.5	17.7	17.5	17.7	17.7	17.7	18.1	17.6
6/1/2020	21	17.4	17.6	17.5	17.6	17.6	17.6	18.1	17.6
6/1/2020	22	17.4	17.6	17.4	17.5	17.5	17.5	18.1	17.5
6/1/2020	23	17.4	17.5	17.3	17.4	17.5	17.5	18.0	17.5
6/1/2020	24	17.3	17.4	17.3	17.3	17.4	17.4	18.0	17.5
6/2/2020	1	17.3	17.4	17.2	17.2	17.3	17.3	18.0	17.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/2/2020	2	17.2	17.3	17.1	17.2	17.2	17.2	17.9	17.3
6/2/2020	3	17.1	17.2	17.0	17.1	17.1	17.1	17.9	17.2
6/2/2020	4	17.0	17.1	16.9	17.0	17.0	17.1	17.8	17.1
6/2/2020	5	16.9	17.0	16.8	16.9	16.9	17.0	17.8	17.0
6/2/2020	6	16.9	16.9	16.8	16.8	16.9	16.9	17.7	16.9
6/2/2020	7	16.8	16.8	16.7	16.8	16.8	16.9	17.6	16.9
6/2/2020	8	16.7	16.8	16.8	16.8	16.8	16.9	17.5	16.8
6/2/2020	9	16.7	16.8	16.8	16.9	16.9	17.0	17.5	16.8
6/2/2020	10	16.7	16.8	16.9	16.9	16.9	17.0	17.4	16.8
6/2/2020	11	16.7	16.8	17.0	17.0	17.0	17.1	17.4	16.8
6/2/2020	12	16.7	16.9	17.2	17.2	17.2	17.3	17.4	16.9
6/2/2020	13	16.7	16.9	17.3	17.4	17.4	17.5	17.5	16.9
6/2/2020	14	16.8	17.1	17.4	17.4	17.5	17.6	17.5	17.0
6/2/2020	15	16.9	17.2	17.5	17.7	17.7	17.8	17.6	17.1
6/2/2020	16	17.1	17.3	17.6	17.6	17.7	17.8	17.7	17.2
6/2/2020	17	17.1	17.3	17.4	17.7	17.8	17.8	17.7	17.3
6/2/2020	18	17.2	17.3	17.2	17.3	17.4	17.5	17.8	17.3
6/2/2020	19	17.1	17.3	17.2	17.3	17.3	17.4	17.8	17.3
6/2/2020	20	17.1	17.3	17.2	17.3	17.3	17.3	17.8	17.3
6/2/2020	21	17.1	17.2	17.0	17.1	17.2	17.2	17.8	17.3
6/2/2020	22	17.1	17.2	16.9	17.0	17.0	17.0	17.8	17.2
6/2/2020	23	17.0	17.1	16.9	16.9	17.0	17.0	17.7	17.2
6/2/2020	24	17.0	17.1	16.8	16.9	16.9	17.0	17.7	17.1
6/3/2020	1	16.9	17.0	16.8	16.8	16.9	16.9	17.7	17.1
6/3/2020	2	16.9	17.0	16.7	16.8	16.8	16.8	17.6	17.0
6/3/2020	3	16.8	16.9	16.7	16.7	16.7	16.8	17.6	16.9
6/3/2020	4	16.8	16.8	16.6	16.6	16.7	16.7	17.6	16.9
6/3/2020	5	16.7	16.8	16.5	16.6	16.6	16.7	17.5	16.8
6/3/2020	6	16.7	16.7	16.5	16.5	16.6	16.6	17.5	16.7
6/3/2020	7	16.6	16.7	16.5	16.5	16.6	16.6	17.4	16.7
6/3/2020	8	16.6	16.7	16.6	16.6	16.6	16.6	17.4	16.7
6/3/2020	9	16.5	16.7	16.8	16.7	16.7	16.8	17.4	16.7
6/3/2020	10	16.5	16.7	17.1	17.0	17.0	17.1	17.4	16.7
6/3/2020	11	16.6	16.7	17.3	17.3	17.3	17.5	17.5	16.7
6/3/2020	12	16.7	16.9	17.5	17.6	17.5	17.7	17.6	16.8
6/3/2020	13	16.8	17.1	17.6	17.8	17.7	17.9	17.6	17.0
6/3/2020	14	16.9	17.2	17.8	17.9	17.9	18.1	17.7	17.1
6/3/2020	15	17.1	17.3	17.9	18.1	18.0	18.2	17.8	17.2
6/3/2020	16	17.2	17.5	18.0	18.1	18.1	18.3	17.8	17.3
6/3/2020	17	17.3	17.5	17.8	18.0	18.1	18.2	17.9	17.4
6/3/2020	18	17.4	17.6	17.7	17.7	17.8	17.9	18.0	17.5
6/3/2020	19	17.5	17.6	17.5	17.7	17.7	17.8	18.0	17.5
6/3/2020	20	17.5	17.7	17.4	17.5	17.6	17.6	18.1	17.6
6/3/2020	21	17.5	17.7	17.4	17.4	17.5	17.5	18.1	17.6
6/3/2020	22	17.5	17.6	17.4	17.4	17.4	17.4	18.0	17.6
6/3/2020	23	17.4	17.5	17.2	17.3	17.4	17.4	17.9	17.6
6/3/2020	24	17.4	17.5	17.2	17.2	17.3	17.3	17.9	17.5
6/4/2020	1	17.3	17.4	17.1	17.2	17.2	17.2	17.8	17.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/4/2020	2	17.2	17.3	17.1	17.2	17.2	17.2	17.8	17.3
6/4/2020	3	17.1	17.2	16.9	17.0	17.1	17.1	17.7	17.2
6/4/2020	4	17.0	17.1	16.7	16.8	16.9	16.9	17.7	17.1
6/4/2020	5	16.9	17.0	16.7	16.7	16.8	16.8	17.6	17.0
6/4/2020	6	16.9	16.9	16.7	16.7	16.7	16.7	17.6	17.0
6/4/2020	7	16.8	16.9	16.7	16.7	16.7	16.7	17.6	16.9
6/4/2020	8	16.7	16.9	16.8	16.7	16.7	16.8	17.6	16.9
6/4/2020	9	16.7	16.9	17.0	16.9	16.9	17.0	17.5	16.9
6/4/2020	10	16.7	16.9	17.2	17.2	17.2	17.3	17.5	16.9
6/4/2020	11	16.8	17.0	17.5	17.5	17.5	17.6	17.5	17.0
6/4/2020	12	16.8	17.1	17.7	17.7	17.7	17.9	17.5	17.1
6/4/2020	13	17.0	17.2	17.7	17.9	17.9	18.1	17.6	17.2
6/4/2020	14	17.1	17.4	17.7	18.0	18.0	18.2	17.7	17.3
6/4/2020	15	17.3	17.6	17.9	17.9	17.9	18.1	17.8	17.4
6/4/2020	16	17.5	17.7	17.9	18.1	18.1	18.2	17.9	17.5
6/4/2020	17	17.5	17.7	17.9	17.9	18.0	18.2	18.0	17.6
6/4/2020	18	17.5	17.8	17.9	18.0	18.0	18.1	18.0	17.7
6/4/2020	19	17.6	17.8	17.7	17.9	17.9	18.0	18.1	17.7
6/4/2020	20	17.7	17.9	17.6	17.7	17.8	17.8	18.1	17.8
6/4/2020	21	17.7	17.9	17.6	17.7	17.7	17.7	18.2	17.8
6/4/2020	22	17.7	17.8	17.5	17.6	17.6	17.7	18.3	17.8
6/4/2020	23	17.6	17.7	17.4	17.5	17.5	17.6	18.3	17.8
6/4/2020	24	17.5	17.7	17.4	17.4	17.5	17.5	18.2	17.7
6/5/2020	1	17.5	17.6	17.3	17.4	17.5	17.5	18.2	17.6
6/5/2020	2	17.4	17.5	17.3	17.3	17.4	17.4	18.1	17.5
6/5/2020	3	17.3	17.4	17.2	17.3	17.3	17.3	18.1	17.4
6/5/2020	4	17.3	17.3	17.1	17.2	17.2	17.2	18.0	17.4
6/5/2020	5	17.2	17.3	17.1	17.1	17.2	17.2	18.0	17.3
6/5/2020	6	17.1	17.2	17.0	17.1	17.1	17.1	17.9	17.2
6/5/2020	7	17.1	17.2	17.0	17.1	17.1	17.1	17.9	17.2
6/5/2020	8	17.0	17.2	17.1	17.1	17.1	17.2	17.9	17.2
6/5/2020	9	17.0	17.2	17.2	17.2	17.2	17.3	17.8	17.2
6/5/2020	10	17.0	17.2	17.4	17.4	17.3	17.5	17.8	17.2
6/5/2020	11	17.0	17.2	17.4	17.5	17.5	17.7	17.8	17.2
6/5/2020	12	17.0	17.2	17.3	17.4	17.5	17.6	17.8	17.2
6/5/2020	13	17.1	17.2	17.4	17.4	17.4	17.5	17.8	17.2
6/5/2020	14	17.1	17.2	17.4	17.5	17.5	17.6	17.8	17.2
6/5/2020	15	17.1	17.3	17.4	17.5	17.5	17.6	17.8	17.3
6/5/2020	16	17.1	17.3	17.4	17.5	17.5	17.6	17.8	17.3
6/5/2020	17	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.3
6/5/2020	18	17.2	17.4	17.4	17.5	17.5	17.6	17.8	17.4
6/5/2020	19	17.2	17.4	17.3	17.4	17.5	17.6	17.8	17.4
6/5/2020	20	17.2	17.4	17.3	17.4	17.4	17.5	17.8	17.4
6/5/2020	21	17.2	17.3	17.3	17.4	17.4	17.5	17.8	17.4
6/5/2020	22	17.2	17.3	17.2	17.3	17.3	17.4	17.8	17.3
6/5/2020	23	17.2	17.3	17.1	17.2	17.2	17.2	17.8	17.3
6/5/2020	24	17.1	17.2	17.0	17.0	17.1	17.1	17.8	17.3
6/6/2020	1	17.1	17.2	16.9	16.9	17.0	17.0	17.8	17.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/6/2020	2	17.1	17.2	16.9	16.9	17.0	17.0	17.7	17.2
6/6/2020	3	17.0	17.1	16.8	16.9	16.9	16.9	17.7	17.2
6/6/2020	4	17.0	17.1	16.7	16.8	16.8	16.9	17.7	17.1
6/6/2020	5	16.9	17.0	16.7	16.7	16.8	16.8	17.7	17.0
6/6/2020	6	16.9	16.9	16.7	16.7	16.7	16.7	17.7	17.0
6/6/2020	7	16.8	16.9	16.7	16.7	16.7	16.7	17.6	16.9
6/6/2020	8	16.8	16.9	16.9	16.8	16.8	16.9	17.6	16.9
6/6/2020	9	16.8	16.9	17.0	17.0	17.0	17.1	17.6	16.9
6/6/2020	10	16.8	17.0	17.2	17.2	17.2	17.3	17.6	17.0
6/6/2020	11	16.9	17.0	17.5	17.5	17.4	17.6	17.6	17.0
6/6/2020	12	16.9	17.1	17.7	17.7	17.7	17.8	17.6	17.1
6/6/2020	13	17.0	17.2	17.7	17.9	17.9	18.1	17.6	17.2
6/6/2020	14	17.1	17.3	17.8	17.9	17.9	18.1	17.7	17.3
6/6/2020	15	17.2	17.5	17.9	18.0	18.0	18.2	17.8	17.4
6/6/2020	16	17.4	17.6	17.8	18.0	18.1	18.2	17.8	17.5
6/6/2020	17	17.5	17.7	17.5	17.7	17.8	17.9	17.9	17.5
6/6/2020	18	17.5	17.7	17.8	17.7	17.7	17.8	18.0	17.6
6/6/2020	19	17.5	17.7	17.6	17.7	17.7	17.8	18.1	17.6
6/6/2020	20	17.5	17.6	17.4	17.5	17.6	17.6	18.1	17.6
6/6/2020	21	17.5	17.6	17.3	17.4	17.4	17.5	18.1	17.6
6/6/2020	22	17.5	17.6	17.2	17.3	17.3	17.3	18.1	17.6
6/6/2020	23	17.4	17.5	17.2	17.2	17.3	17.3	18.1	17.5
6/6/2020	24	17.3	17.4	17.2	17.2	17.2	17.2	18.0	17.4
6/7/2020	1	17.2	17.3	17.1	17.1	17.2	17.2	18.0	17.3
6/7/2020	2	17.2	17.3	17.0	17.0	17.1	17.1	18.0	17.3
6/7/2020	3	17.1	17.2	16.9	17.0	17.1	17.1	17.9	17.2
6/7/2020	4	17.1	17.1	16.8	16.9	16.9	17.0	17.9	17.2
6/7/2020	5	17.0	17.1	16.8	16.8	16.9	16.9	18.0	17.2
6/7/2020	6	17.0	17.0	16.7	16.8	16.8	16.8	18.0	17.1
6/7/2020	7	16.9	17.0	16.8	16.7	16.8	16.8	18.0	17.1
6/7/2020	8	16.9	17.0	16.9	16.8	16.8	16.9	18.0	17.0
6/7/2020	9	16.9	17.0	17.1	17.0	17.0	17.1	18.1	17.2
6/7/2020	10	16.8	17.0	17.3	17.3	17.3	17.4	18.1	17.2
6/7/2020	11	16.8	17.0	17.5	17.5	17.4	17.6	18.1	17.3
6/7/2020	12	16.9	17.0	17.6	17.7	17.7	17.8	18.1	17.5
6/7/2020	13	16.9	17.1	17.2	17.5	17.6	17.7	18.1	17.3
6/7/2020	14	17.0	17.1	17.2	17.2	17.3	17.4	18.1	17.4
6/7/2020	15	16.9	17.1	17.3	17.4	17.4	17.5	18.1	17.4
6/7/2020	16	17.0	17.1	17.3	17.4	17.4	17.5	18.1	17.5
6/7/2020	17	17.0	17.1	17.3	17.3	17.4	17.5	18.0	17.6
6/7/2020	18	17.0	17.1	17.2	17.3	17.4	17.5	18.0	17.6
6/7/2020	19	17.0	17.1	17.0	17.1	17.2	17.2	18.0	17.5
6/7/2020	20	17.0	17.1	16.8	17.0	17.1	17.1	18.0	17.4
6/7/2020	21	16.9	17.0	16.7	16.8	16.9	16.9	18.0	17.2
6/7/2020	22	16.9	17.0	16.7	16.7	16.8	16.8	17.9	17.1
6/7/2020	23	16.8	16.9	16.6	16.7	16.7	16.7	17.9	17.1
6/7/2020	24	16.8	16.8	16.6	16.6	16.7	16.7	17.8	17.0
6/8/2020	1	16.7	16.8	16.6	16.6	16.6	16.7	17.8	17.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/8/2020	2	16.7	16.8	16.5	16.5	16.6	16.6	17.7	16.9
6/8/2020	3	16.7	16.7	16.4	16.5	16.5	16.5	17.7	16.9
6/8/2020	4	16.6	16.7	16.4	16.4	16.5	16.5	17.6	16.8
6/8/2020	5	16.6	16.7	16.4	16.4	16.4	16.4	17.6	16.8
6/8/2020	6	16.6	16.7	16.4	16.4	16.4	16.4	17.5	16.8
6/8/2020	7	16.5	16.6	16.4	16.4	16.4	16.4	17.4	16.7
6/8/2020	8	16.5	16.5	16.5	16.5	16.5	16.6	17.3	16.6
6/8/2020	9	16.4	16.5	16.7	16.6	16.6	16.7	17.2	16.5
6/8/2020	10	16.4	16.5	17.0	16.9	16.9	17.0	17.1	16.5
6/8/2020	11	16.4	16.6	17.1	17.1	17.1	17.3	17.0	16.6
6/8/2020	12	16.5	16.7	17.3	17.3	17.3	17.4	17.1	16.6
6/8/2020	13	16.6	16.8	17.4	17.4	17.4	17.6	17.2	16.7
6/8/2020	14	16.7	16.9	17.5	17.6	17.6	17.7	17.3	16.8
6/8/2020	15	16.8	17.0	17.5	17.6	17.6	17.7	17.3	16.9
6/8/2020	16	16.9	17.0	17.3	17.5	17.6	17.7	17.3	17.0
6/8/2020	17	16.9	17.0	17.3	17.3	17.4	17.5	17.4	17.0
6/8/2020	18	16.9	17.1	17.2	17.3	17.3	17.4	17.4	17.0
6/8/2020	19	16.9	17.1	17.0	17.1	17.2	17.2	17.4	17.1
6/8/2020	20	16.9	17.1	16.8	16.8	16.9	16.9	17.5	17.1
6/8/2020	21	16.9	17.0	16.7	16.7	16.8	16.7	17.5	17.0
6/8/2020	22	16.9	17.0	16.7	16.7	16.7	16.7	17.5	17.0
6/8/2020	23	16.8	16.9	16.6	16.7	16.7	16.7	17.5	16.9
6/8/2020	24	16.8	16.8	16.6	16.6	16.7	16.7	17.5	16.8
6/9/2020	1	16.7	16.8	16.5	16.6	16.6	16.6	17.5	16.7
6/9/2020	2	16.7	16.7	16.5	16.5	16.6	16.6	17.4	16.7
6/9/2020	3	16.6	16.7	16.5	16.5	16.5	16.5	17.4	16.7
6/9/2020	4	16.6	16.7	16.5	16.5	16.5	16.6	17.4	16.6
6/9/2020	5	16.5	16.6	16.4	16.5	16.5	16.5	17.3	16.6
6/9/2020	6	16.5	16.6	16.4	16.4	16.5	16.5	17.3	16.6
6/9/2020	7	16.4	16.5	16.4	16.4	16.4	16.5	17.3	16.6
6/9/2020	8	16.4	16.4	16.4	16.4	16.5	16.5	17.2	16.5
6/9/2020	9	16.3	16.3	16.4	16.5	16.5	16.6	17.1	16.4
6/9/2020	10	16.2	16.3	16.4	16.5	16.5	16.6	17.1	16.3
6/9/2020	11	16.2	16.3	16.5	16.6	16.6	16.7	17.0	16.3
6/9/2020	12	16.2	16.3	16.5	16.6	16.6	16.7	17.0	16.3
6/9/2020	13	16.2	16.3	16.7	16.7	16.7	16.8	16.9	16.4
6/9/2020	14	16.3	16.4	16.8	16.8	16.8	16.9	16.9	16.4
6/9/2020	15	16.3	16.4	16.7	16.9	16.9	17.1	16.9	16.4
6/9/2020	16	16.3	16.5	16.7	16.8	16.9	17.0	16.9	16.5
6/9/2020	17	16.4	16.6	17.0	16.9	16.9	17.0	17.0	16.5
6/9/2020	18	16.5	16.6	16.9	17.1	17.1	17.2	17.0	16.6
6/9/2020	19	16.5	16.7	16.7	16.9	17.0	17.1	17.1	16.6
6/9/2020	20	16.5	16.7	16.7	16.8	16.8	16.9	17.1	16.6
6/9/2020	21	16.5	16.7	16.4	16.6	16.7	16.7	17.1	16.7
6/9/2020	22	16.5	16.7	16.3	16.4	16.5	16.5	17.1	16.7
6/9/2020	23	16.5	16.6	16.2	16.2	16.3	16.3	17.2	16.6
6/9/2020	24	16.5	16.6	16.2	16.2	16.3	16.3	17.2	16.5
6/10/2020	1	16.5	16.6	16.2	16.2	16.3	16.3	17.2	16.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/10/2020	2	16.5	16.6	16.2	16.2	16.2	16.3	17.2	16.6
6/10/2020	3	16.5	16.5	16.2	16.2	16.3	16.3	17.2	16.6
6/10/2020	4	16.4	16.5	16.2	16.2	16.2	16.3	17.2	16.6
6/10/2020	5	16.4	16.5	16.1	16.2	16.2	16.2	17.2	16.5
6/10/2020	6	16.4	16.5	16.1	16.1	16.2	16.2	17.2	16.5
6/10/2020	7	16.4	16.5	16.2	16.1	16.2	16.2	17.2	16.5
6/10/2020	8	16.4	16.5	16.4	16.2	16.2	16.3	17.2	16.5
6/10/2020	9	16.4	16.5	16.8	16.5	16.4	16.5	17.2	16.5
6/10/2020	10	16.4	16.6	17.3	16.9	16.8	17.0	17.2	16.6
6/10/2020	11	16.4	16.7	17.6	17.4	17.2	17.4	17.2	16.6
6/10/2020	12	16.6	16.8	17.7	17.8	17.6	17.9	17.3	16.7
6/10/2020	13	16.6	16.8	18.2	18.1	18.0	18.3	17.4	16.8
6/10/2020	14	16.6	16.9	18.3	18.3	18.2	18.4	17.4	16.9
6/10/2020	15	16.7	16.9	18.4	18.7	18.5	18.9	17.5	17.0
6/10/2020	16	16.8	17.0	18.2	18.7	18.7	18.9	17.5	17.0
6/10/2020	17	16.9	17.1	17.9	18.7	18.7	18.9	17.6	17.1
6/10/2020	18	16.9	17.1	17.6	18.3	18.4	18.6	17.6	17.2
6/10/2020	19	17.0	17.2	17.5	18.0	18.2	18.3	17.6	17.2
6/10/2020	20	17.0	17.1	17.3	17.8	17.9	18.0	17.6	17.2
6/10/2020	21	17.0	17.1	17.0	17.6	17.7	17.7	17.6	17.2
6/10/2020	22	17.0	17.1	16.7	17.3	17.4	17.4	17.6	17.2
6/10/2020	23	17.0	17.2	16.6	17.0	17.2	17.2	17.6	17.2
6/10/2020	24	17.0	17.1	16.6	16.7	16.9	16.9	17.7	17.2
6/11/2020	1	17.0	17.1	16.5	16.6	16.7	16.7	17.7	17.2
6/11/2020	2	17.0	17.1	16.5	16.5	16.6	16.6	17.7	17.2
6/11/2020	3	17.0	17.1	16.5	16.5	16.6	16.6	17.7	17.2
6/11/2020	4	17.0	17.1	16.5	16.5	16.6	16.5	17.7	17.1
6/11/2020	5	16.9	17.0	16.5	16.4	16.5	16.5	17.7	17.1
6/11/2020	6	16.9	17.0	16.5	16.4	16.5	16.5	17.7	17.0
6/11/2020	7	16.9	17.0	16.6	16.5	16.5	16.5	17.6	17.0
6/11/2020	8	16.9	17.0	16.7	16.5	16.6	16.6	17.6	17.0
6/11/2020	9	16.9	17.0	16.9	16.7	16.7	16.7	17.6	17.0
6/11/2020	10	16.9	17.0	17.1	16.9	16.9	17.0	17.6	17.0
6/11/2020	11	16.9	17.1	17.6	17.2	17.1	17.3	17.5	17.1
6/11/2020	12	16.9	17.1	17.8	17.5	17.4	17.5	17.6	17.1
6/11/2020	13	16.9	17.2	18.2	18.0	17.8	18.1	17.6	17.1
6/11/2020	14	17.0	17.2	18.8	18.4	18.2	18.6	17.7	17.2
6/11/2020	15	17.0	17.2	18.9	18.9	18.7	19.0	17.7	17.2
6/11/2020	16	17.0	17.2	18.5	19.1	18.9	19.2	17.8	17.3
6/11/2020	17	17.0	17.2	18.1	19.0	19.0	19.2	17.8	17.3
6/11/2020	18	17.1	17.3	17.9	18.6	18.7	19.0	17.8	17.4
6/11/2020	19	17.1	17.3	17.7	18.2	18.4	18.5	17.9	17.4
6/11/2020	20	17.2	17.4	17.4	18.0	18.1	18.2	17.9	17.4
6/11/2020	21	17.2	17.4	17.1	17.6	17.8	17.8	17.9	17.4
6/11/2020	22	17.2	17.4	16.9	17.3	17.5	17.5	17.9	17.4
6/11/2020	23	17.2	17.4	16.8	17.1	17.2	17.2	17.9	17.4
6/11/2020	24	17.2	17.4	16.8	16.9	17.1	17.0	17.9	17.4
6/12/2020	1	17.2	17.4	16.8	16.8	17.0	17.0	17.9	17.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/12/2020	2	17.2	17.3	16.8	16.8	16.9	16.9	17.8	17.3
6/12/2020	3	17.2	17.3	16.8	16.8	16.9	16.9	17.8	17.3
6/12/2020	4	17.2	17.3	16.7	16.8	16.8	16.8	17.9	17.3
6/12/2020	5	17.2	17.3	16.7	16.7	16.8	16.8	17.9	17.3
6/12/2020	6	17.1	17.3	16.7	16.7	16.8	16.8	17.9	17.2
6/12/2020	7	17.1	17.3	16.8	16.7	16.7	16.8	18.0	17.2
6/12/2020	8	17.1	17.3	16.9	16.8	16.8	16.8	18.0	17.3
6/12/2020	9	17.1	17.4	17.3	16.9	16.9	17.0	18.0	17.3
6/12/2020	10	17.1	17.4	17.7	17.3	17.2	17.3	18.0	17.4
6/12/2020	11	17.1	17.4	18.1	17.9	17.5	17.9	18.1	17.5
6/12/2020	12	17.2	17.5	18.0	18.2	18.2	18.4	18.1	17.5
6/12/2020	13	17.3	17.5	17.9	18.2	18.2	18.4	18.1	17.6
6/12/2020	14	17.3	17.5	18.2	18.2	18.2	18.4	18.1	17.4
6/12/2020	15	17.4	17.6	18.4	18.5	18.4	18.6	18.1	17.6
6/12/2020	16	17.4	17.6	18.2	18.5	18.6	18.7	18.1	17.6
6/12/2020	17	17.4	17.6	18.0	18.3	18.4	18.5	18.1	17.6
6/12/2020	18	17.4	17.6	17.9	18.1	18.2	18.3	18.1	17.6
6/12/2020	19	17.5	17.6	17.7	18.0	18.1	18.1	18.1	17.6
6/12/2020	20	17.5	17.6	17.5	17.7	17.8	17.9	18.1	17.6
6/12/2020	21	17.4	17.6	17.3	17.4	17.6	17.6	18.1	17.6
6/12/2020	22	17.4	17.5	17.2	17.3	17.4	17.4	18.1	17.6
6/12/2020	23	17.4	17.5	17.2	17.3	17.3	17.3	18.0	17.5
6/12/2020	24	17.3	17.4	17.1	17.2	17.2	17.3	18.0	17.5
6/13/2020	1	17.3	17.4	17.0	17.0	17.1	17.1	18.0	17.5
6/13/2020	2	17.2	17.4	16.9	16.9	17.0	17.0	17.9	17.4
6/13/2020	3	17.2	17.3	16.9	16.9	17.0	17.0	17.9	17.3
6/13/2020	4	17.2	17.2	16.9	16.9	17.0	17.0	17.9	17.3
6/13/2020	5	17.1	17.2	16.9	16.9	17.0	17.0	17.8	17.2
6/13/2020	6	17.1	17.2	16.9	16.9	16.9	16.9	17.8	17.2
6/13/2020	7	17.0	17.1	16.8	16.9	16.9	17.0	17.8	17.1
6/13/2020	8	17.0	17.1	16.8	16.9	16.9	16.9	17.7	17.1
6/13/2020	9	16.9	17.0	16.9	16.8	16.9	16.9	17.7	17.0
6/13/2020	10	16.9	17.0	16.9	16.9	16.9	17.0	17.7	17.0
6/13/2020	11	16.9	17.0	17.0	17.0	17.0	17.1	17.6	17.0
6/13/2020	12	16.8	16.9	16.9	17.0	17.0	17.1	17.6	17.0
6/13/2020	13	16.8	16.9	16.9	17.0	17.0	17.1	17.5	16.9
6/13/2020	14	16.8	16.9	17.2	17.2	17.1	17.2	17.5	17.0
6/13/2020	15	16.8	17.0	17.3	17.4	17.3	17.5	17.5	17.0
6/13/2020	16	16.9	17.0	17.3	17.5	17.5	17.6	17.5	17.0
6/13/2020	17	16.9	17.0	17.3	17.4	17.5	17.6	17.5	17.1
6/13/2020	18	16.9	17.0	17.4	17.3	17.4	17.4	17.5	17.1
6/13/2020	19	16.9	17.0	17.0	17.2	17.3	17.4	17.5	17.1
6/13/2020	20	16.9	17.0	16.9	16.9	17.0	17.0	17.6	17.1
6/13/2020	21	16.9	17.0	16.8	16.8	16.9	16.9	17.6	17.1
6/13/2020	22	16.9	17.0	16.8	16.8	16.8	16.8	17.6	17.1
6/13/2020	23	16.9	17.0	16.7	16.7	16.8	16.8	17.6	17.0
6/13/2020	24	16.9	16.9	16.7	16.7	16.7	16.8	17.6	17.0
6/14/2020	1	16.8	16.9	16.7	16.7	16.7	16.7	17.5	17.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/14/2020	2	16.8	16.8	16.6	16.6	16.7	16.7	17.5	16.9
6/14/2020	3	16.7	16.8	16.5	16.5	16.6	16.6	17.5	16.9
6/14/2020	4	16.7	16.8	16.4	16.4	16.5	16.5	17.5	16.8
6/14/2020	5	16.7	16.7	16.4	16.3	16.4	16.4	17.4	16.8
6/14/2020	6	16.6	16.7	16.4	16.3	16.4	16.4	17.4	16.7
6/14/2020	7	16.6	16.6	16.4	16.3	16.4	16.4	17.4	16.7
6/14/2020	8	16.5	16.6	16.4	16.4	16.4	16.5	17.4	16.7
6/14/2020	9	16.5	16.6	16.6	16.5	16.5	16.6	17.4	16.7
6/14/2020	10	16.5	16.6	16.9	16.7	16.7	16.8	17.4	16.7
6/14/2020	11	16.5	16.7	17.1	17.0	16.9	17.0	17.4	16.7
6/14/2020	12	16.6	16.7	17.0	17.1	17.1	17.3	17.3	16.7
6/14/2020	13	16.6	16.7	17.2	17.2	17.2	17.3	17.3	16.8
6/14/2020	14	16.7	16.8	17.5	17.4	17.4	17.5	17.3	16.8
6/14/2020	15	16.7	16.9	17.6	17.5	17.5	17.7	17.4	16.9
6/14/2020	16	16.8	17.0	17.6	17.7	17.7	17.8	17.4	17.0
6/14/2020	17	16.9	17.1	17.6	17.6	17.7	17.8	17.5	17.1
6/14/2020	18	17.0	17.2	17.4	17.6	17.6	17.7	17.5	17.2
6/14/2020	19	17.0	17.2	17.2	17.3	17.4	17.5	17.6	17.2
6/14/2020	20	17.0	17.2	17.0	17.1	17.2	17.2	17.6	17.2
6/14/2020	21	17.0	17.2	16.8	16.8	17.0	17.0	17.7	17.2
6/14/2020	22	17.0	17.1	16.7	16.7	16.8	16.7	17.7	17.2
6/14/2020	23	17.0	17.1	16.7	16.7	16.7	16.7	17.7	17.2
6/14/2020	24	17.0	17.0	16.7	16.6	16.7	16.7	17.7	17.1
6/15/2020	1	16.9	17.0	16.6	16.6	16.6	16.6	17.7	17.1
6/15/2020	2	16.9	16.9	16.6	16.6	16.6	16.6	17.6	17.0
6/15/2020	3	16.8	16.9	16.6	16.5	16.6	16.6	17.6	16.9
6/15/2020	4	16.8	16.8	16.6	16.5	16.6	16.6	17.6	16.9
6/15/2020	5	16.7	16.8	16.5	16.5	16.6	16.6	17.5	16.9
6/15/2020	6	16.7	16.8	16.5	16.5	16.5	16.6	17.5	16.8
6/15/2020	7	16.7	16.7	16.6	16.5	16.6	16.6	17.5	16.8
6/15/2020	8	16.6	16.7	16.7	16.6	16.6	16.7	17.5	16.8
6/15/2020	9	16.6	16.7	16.8	16.7	16.7	16.8	17.5	16.8
6/15/2020	10	16.6	16.7	17.0	16.9	16.9	17.0	17.4	16.8
6/15/2020	11	16.6	16.8	17.2	17.1	17.1	17.2	17.4	16.8
6/15/2020	12	16.7	16.8	17.2	17.2	17.2	17.4	17.4	16.8
6/15/2020	13	16.7	16.8	17.4	17.3	17.3	17.5	17.4	16.9
6/15/2020	14	16.7	16.9	17.3	17.5	17.5	17.7	17.4	16.9
6/15/2020	15	16.8	16.9	17.5	17.5	17.5	17.6	17.4	17.0
6/15/2020	16	16.8	17.0	17.4	17.6	17.6	17.8	17.4	17.0
6/15/2020	17	16.9	17.1	17.3	17.5	17.5	17.7	17.5	17.1
6/15/2020	18	16.9	17.1	17.2	17.4	17.5	17.5	17.5	17.1
6/15/2020	19	17.0	17.1	17.1	17.2	17.3	17.3	17.5	17.1
6/15/2020	20	17.0	17.1	16.8	17.0	17.1	17.2	17.5	17.1
6/15/2020	21	17.0	17.1	16.7	16.8	16.9	16.9	17.6	17.1
6/15/2020	22	16.9	17.0	16.7	16.7	16.8	16.8	17.6	17.1
6/15/2020	23	16.9	17.0	16.7	16.7	16.7	16.7	17.6	17.0
6/15/2020	24	16.9	16.9	16.7	16.7	16.7	16.7	17.5	17.0
6/16/2020	1	16.8	16.9	16.7	16.7	16.7	16.8	17.5	16.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/16/2020	2	16.7	16.8	16.6	16.7	16.7	16.8	17.4	16.9
6/16/2020	3	16.7	16.7	16.6	16.6	16.7	16.7	17.4	16.8
6/16/2020	4	16.6	16.7	16.5	16.6	16.6	16.6	17.3	16.7
6/16/2020	5	16.5	16.6	16.4	16.5	16.6	16.6	17.3	16.6
6/16/2020	6	16.5	16.5	16.4	16.4	16.5	16.5	17.2	16.6
6/16/2020	7	16.4	16.5	16.4	16.4	16.4	16.5	17.2	16.6
6/16/2020	8	16.4	16.5	16.4	16.4	16.4	16.5	17.2	16.5
6/16/2020	9	16.4	16.5	16.5	16.5	16.5	16.6	17.1	16.5
6/16/2020	10	16.4	16.5	16.6	16.6	16.6	16.7	17.1	16.5
6/16/2020	11	16.2	16.3	16.7	16.7	16.7	16.8	16.9	16.3
6/16/2020	12	15.9	15.8	17.1	17.0	17.0	17.1	16.8	16.1
6/16/2020	13	15.8	16.1	17.2	17.4	17.4	17.7	16.8	16.0
6/16/2020	14	15.9	15.9	17.1	17.4	17.4	17.6	16.7	16.1
6/16/2020	15	16.0	16.2	17.0	17.3	17.3	17.5	16.7	16.3
6/16/2020	16	16.3	16.5	16.7	17.1	17.2	17.3	16.8	16.4
6/16/2020	17	16.4	16.6	16.7	16.7	16.9	17.0	16.8	16.5
6/16/2020	18	16.6	16.7	16.8	16.8	16.9	16.9	16.9	16.6
6/16/2020	19	16.6	16.8	16.8	16.9	16.9	17.0	17.0	16.7
6/16/2020	20	16.6	16.7	16.7	16.8	16.9	16.9	17.0	16.7
6/16/2020	21	16.6	16.7	16.6	16.7	16.8	16.8	17.1	16.8
6/16/2020	22	16.6	16.7	16.5	16.6	16.7	16.7	17.2	16.7
6/16/2020	23	16.6	16.7	16.5	16.5	16.6	16.6	17.2	16.7
6/16/2020	24	16.6	16.7	16.4	16.4	16.5	16.5	17.2	16.7
6/17/2020	1	16.5	16.6	16.3	16.4	16.4	16.4	17.2	16.7
6/17/2020	2	16.5	16.6	16.3	16.3	16.4	16.4	17.2	16.6
6/17/2020	3	16.4	16.5	16.2	16.2	16.3	16.3	17.1	16.6
6/17/2020	4	16.4	16.5	16.2	16.2	16.3	16.3	17.1	16.5
6/17/2020	5	16.4	16.4	16.1	16.2	16.2	16.2	17.1	16.5
6/17/2020	6	16.3	16.4	16.1	16.1	16.2	16.2	17.1	16.4
6/17/2020	7	16.3	16.3	16.1	16.1	16.1	16.2	17.1	16.4
6/17/2020	8	16.2	16.3	16.3	16.2	16.2	16.2	17.1	16.4
6/17/2020	9	16.2	16.3	16.6	16.4	16.4	16.5	17.1	16.4
6/17/2020	10	16.2	16.4	17.0	16.8	16.7	16.9	17.2	16.4
6/17/2020	11	16.3	16.5	17.3	17.3	17.2	17.4	17.2	16.5
6/17/2020	12	16.4	16.5	17.6	17.7	17.5	17.8	17.2	16.6
6/17/2020	13	16.4	16.7	17.8	18.0	17.9	18.2	17.2	16.7
6/17/2020	14	16.6	16.8	17.4	18.0	18.0	18.1	17.3	16.7
6/17/2020	15	16.6	16.9	17.5	17.6	17.7	17.9	17.3	16.8
6/17/2020	16	16.7	16.9	17.7	17.7	17.7	17.9	17.4	16.9
6/17/2020	17	16.8	17.0	17.8	18.0	18.0	18.2	17.4	17.0
6/17/2020	18	16.9	17.1	17.6	17.8	17.9	18.1	17.5	17.1
6/17/2020	19	17.0	17.2	17.3	17.6	17.7	17.8	17.5	17.2
6/17/2020	20	17.1	17.2	17.1	17.3	17.5	17.5	17.6	17.2
6/17/2020	21	17.1	17.2	17.0	17.1	17.2	17.2	17.6	17.2
6/17/2020	22	17.1	17.2	16.9	17.0	17.1	17.1	17.7	17.2
6/17/2020	23	17.0	17.2	16.8	16.8	16.9	17.0	17.7	17.2
6/17/2020	24	17.0	17.1	16.8	16.8	16.9	16.9	17.7	17.2
6/18/2020	1	17.0	17.1	16.7	16.8	16.8	16.8	17.6	17.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/18/2020	2	16.9	17.0	16.7	16.7	16.8	16.8	17.6	17.1
6/18/2020	3	16.9	17.0	16.6	16.6	16.7	16.7	17.5	17.0
6/18/2020	4	16.8	16.9	16.6	16.6	16.6	16.7	17.5	17.0
6/18/2020	5	16.8	16.8	16.5	16.5	16.6	16.6	17.5	16.9
6/18/2020	6	16.7	16.8	16.5	16.5	16.6	16.6	17.4	16.8
6/18/2020	7	16.7	16.7	16.5	16.5	16.5	16.6	17.4	16.7
6/18/2020	8	16.6	16.7	16.7	16.6	16.6	16.7	17.5	16.7
6/18/2020	9	16.6	16.7	17.0	16.8	16.8	16.9	17.5	16.7
6/18/2020	10	16.6	16.8	17.3	17.2	17.2	17.3	17.6	16.8
6/18/2020	11	16.7	16.9	17.7	17.7	17.6	17.8	17.6	16.9
6/18/2020	12	16.8	17.1	18.0	18.1	18.0	18.2	17.7	17.0
6/18/2020	13	16.9	17.2	18.2	18.4	18.3	18.6	17.7	17.1
6/18/2020	14	17.1	17.3	18.4	18.7	18.6	18.8	17.8	17.3
6/18/2020	15	17.2	17.5	18.5	18.8	18.7	19.0	17.8	17.4
6/18/2020	16	17.3	17.6	18.2	18.8	18.8	19.0	17.9	17.5
6/18/2020	17	17.4	17.7	18.3	18.4	18.5	18.7	18.0	17.7
6/18/2020	18	17.5	17.8	18.2	18.4	18.5	18.6	18.1	17.7
6/18/2020	19	17.6	17.7	18.0	18.3	18.4	18.5	18.2	17.8
6/18/2020	20	17.6	17.8	17.9	18.1	18.2	18.2	18.3	17.8
6/18/2020	21	17.7	17.9	17.7	17.9	18.0	18.0	18.3	17.8
6/18/2020	22	17.8	18.0	17.7	17.8	17.8	17.9	18.4	18.0
6/18/2020	23	17.8	18.0	17.7	17.7	17.8	17.8	18.5	18.0
6/18/2020	24	17.8	17.9	17.7	17.8	17.8	17.9	18.4	17.9
6/19/2020	1	17.7	17.9	17.6	17.8	17.8	17.9	18.3	17.8
6/19/2020	2	17.6	17.7	17.6	17.7	17.7	17.7	18.3	17.7
6/19/2020	3	17.5	17.6	17.5	17.6	17.7	17.7	18.2	17.6
6/19/2020	4	17.4	17.6	17.4	17.5	17.6	17.6	18.1	17.6
6/19/2020	5	17.4	17.5	17.3	17.4	17.5	17.5	18.1	17.5
6/19/2020	6	17.3	17.4	17.2	17.3	17.4	17.4	18.0	17.4
6/19/2020	7	17.2	17.3	17.3	17.3	17.3	17.4	18.0	17.3
6/19/2020	8	17.2	17.3	17.4	17.4	17.4	17.5	18.0	17.3
6/19/2020	9	17.1	17.3	17.6	17.6	17.5	17.7	18.0	17.3
6/19/2020	10	17.2	17.4	17.8	17.8	17.8	18.0	18.0	17.3
6/19/2020	11	17.3	17.5	18.0	18.1	18.0	18.2	18.0	17.3
6/19/2020	12	17.4	17.6	18.2	18.3	18.3	18.5	18.1	17.4
6/19/2020	13	17.5	17.8	18.4	18.5	18.4	18.7	18.1	17.6
6/19/2020	14	17.7	18.0	18.5	18.7	18.7	18.9	18.2	17.7
6/19/2020	15	17.9	18.2	18.7	18.8	18.8	19.0	18.3	18.0
6/19/2020	16	18.1	18.4	18.8	18.9	18.9	19.1	18.4	18.1
6/19/2020	17	18.2	18.5	18.8	19.0	19.0	19.2	18.6	18.3
6/19/2020	18	18.3	18.6	18.8	18.9	19.0	19.1	18.7	18.4
6/19/2020	19	18.3	18.6	18.7	18.8	18.9	19.0	18.8	18.5
6/19/2020	20	18.3	18.6	18.5	18.7	18.7	18.8	19.0	18.5
6/19/2020	21	18.4	18.6	18.5	18.6	18.6	18.7	19.0	18.5
6/19/2020	22	18.3	18.5	18.4	18.6	18.6	18.7	18.9	18.4
6/19/2020	23	18.2	18.3	18.3	18.5	18.5	18.6	18.8	18.2
6/19/2020	24	18.1	18.2	18.2	18.3	18.4	18.5	18.7	18.1
6/20/2020	1	18.0	18.1	18.0	18.2	18.3	18.3	18.6	18.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/20/2020	2	17.9	17.9	18.0	18.1	18.2	18.2	18.5	17.9
6/20/2020	3	17.7	17.8	17.9	18.1	18.1	18.2	18.4	17.8
6/20/2020	4	17.6	17.8	17.9	18.0	18.1	18.1	18.3	17.7
6/20/2020	5	17.7	17.9	17.8	17.9	18.0	18.0	18.3	17.7
6/20/2020	6	17.7	17.7	17.8	17.9	18.0	18.0	18.3	17.7
6/20/2020	7	17.3	17.5	17.8	17.9	18.0	18.0	18.2	17.6
6/20/2020	8	17.4	17.4	17.8	17.9	18.0	18.0	18.2	17.5
6/20/2020	9	17.3	17.5	17.8	17.9	18.0	18.0	18.2	17.5
6/20/2020	10	17.4	17.6	17.9	18.0	18.0	18.1	18.2	17.7
6/20/2020	11	17.4	17.6	18.1	18.2	18.2	18.3	18.2	17.7
6/20/2020	12	17.4	17.7	18.1	18.2	18.2	18.4	18.3	17.8
6/20/2020	13	17.6	17.8	18.3	18.4	18.4	18.5	18.4	17.9
6/20/2020	14	17.8	18.0	18.6	18.7	18.6	18.7	18.5	18.1
6/20/2020	15	18.0	18.2	18.7	18.8	18.8	18.9	18.6	18.2
6/20/2020	16	18.1	18.5	18.9	19.0	19.0	19.2	18.8	18.4
6/20/2020	17	18.3	18.6	19.0	19.1	19.1	19.3	18.9	18.5
6/20/2020	18	18.5	18.7	18.8	19.0	19.1	19.2	19.0	18.6
6/20/2020	19	18.5	18.7	18.8	18.9	19.0	19.0	19.1	18.6
6/20/2020	20	18.5	18.7	18.6	18.8	18.9	18.9	19.1	18.6
6/20/2020	21	18.5	18.7	18.4	18.6	18.7	18.7	19.1	18.6
6/20/2020	22	18.4	18.6	18.4	18.4	18.5	18.5	19.1	18.6
6/20/2020	23	18.4	18.6	18.4	18.4	18.5	18.5	19.0	18.6
6/20/2020	24	18.4	18.5	18.3	18.4	18.5	18.5	19.0	18.6
6/21/2020	1	18.3	18.5	18.3	18.4	18.4	18.5	19.0	18.5
6/21/2020	2	18.3	18.4	18.3	18.4	18.4	18.4	19.0	18.5
6/21/2020	3	18.2	18.4	18.2	18.3	18.4	18.4	18.9	18.5
6/21/2020	4	18.2	18.4	18.2	18.3	18.3	18.3	18.9	18.4
6/21/2020	5	18.2	18.3	18.1	18.2	18.3	18.3	18.9	18.4
6/21/2020	6	18.2	18.3	18.1	18.2	18.2	18.2	18.9	18.4
6/21/2020	7	18.1	18.3	18.2	18.2	18.2	18.3	18.9	18.3
6/21/2020	8	18.1	18.3	18.2	18.3	18.3	18.4	18.9	18.3
6/21/2020	9	18.1	18.3	18.5	18.4	18.4	18.5	18.9	18.3
6/21/2020	10	18.1	18.3	18.7	18.7	18.7	18.8	18.9	18.3
6/21/2020	11	18.2	18.4	19.0	19.1	19.0	19.2	18.9	18.4
6/21/2020	12	18.2	18.4	19.1	19.3	19.2	19.4	19.0	18.5
6/21/2020	13	18.3	18.6	19.3	19.4	19.4	19.7	19.1	18.6
6/21/2020	14	18.4	18.7	19.4	19.6	19.6	19.8	19.2	18.7
6/21/2020	15	18.5	18.8	19.1	19.6	19.7	19.9	19.2	18.8
6/21/2020	16	18.6	18.9	19.5	19.5	19.4	19.6	19.3	18.9
6/21/2020	17	18.8	19.1	19.4	19.6	19.6	19.8	19.4	19.0
6/21/2020	18	18.9	19.2	19.3	19.4	19.5	19.6	19.5	19.1
6/21/2020	19	18.9	19.1	19.2	19.3	19.3	19.4	19.6	19.1
6/21/2020	20	18.9	19.1	19.0	19.1	19.2	19.2	19.6	19.1
6/21/2020	21	18.9	19.1	18.9	19.0	19.0	19.1	19.5	19.1
6/21/2020	22	18.8	19.0	18.8	18.8	18.9	19.0	19.4	19.1
6/21/2020	23	18.8	18.9	18.7	18.7	18.8	18.8	19.4	19.0
6/21/2020	24	18.7	18.9	18.6	18.7	18.7	18.8	19.3	18.9
6/22/2020	1	18.7	18.8	18.5	18.6	18.7	18.7	19.2	18.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/22/2020	2	18.6	18.7	18.4	18.4	18.5	18.5	19.2	18.7
6/22/2020	3	18.5	18.6	18.3	18.4	18.4	18.4	19.1	18.6
6/22/2020	4	18.4	18.5	18.2	18.2	18.3	18.3	19.1	18.5
6/22/2020	5	18.3	18.4	18.2	18.2	18.2	18.2	19.1	18.4
6/22/2020	6	18.2	18.4	18.1	18.1	18.2	18.2	19.1	18.4
6/22/2020	7	18.2	18.3	18.1	18.1	18.2	18.2	19.1	18.4
6/22/2020	8	18.2	18.3	18.3	18.2	18.2	18.3	19.1	18.4
6/22/2020	9	18.2	18.4	18.5	18.4	18.4	18.5	19.1	18.5
6/22/2020	10	18.2	18.5	18.8	18.8	18.7	18.9	19.0	18.5
6/22/2020	11	18.3	18.5	19.1	19.1	19.1	19.3	19.0	18.5
6/22/2020	12	18.4	18.7	19.3	19.4	19.3	19.6	19.1	18.7
6/22/2020	13	18.5	18.8	19.5	19.6	19.6	19.8	19.3	18.8
6/22/2020	14	18.6	18.9	19.6	19.8	19.7	20.0	19.4	18.9
6/22/2020	15	18.8	19.1	19.7	19.9	19.9	20.1	19.5	19.0
6/22/2020	16	18.9	19.2	19.7	19.9	20.0	20.2	19.6	19.2
6/22/2020	17	19.1	19.4	19.7	19.9	19.9	20.1	19.7	19.3
6/22/2020	18	19.2	19.5	19.6	19.7	19.8	19.9	19.9	19.4
6/22/2020	19	19.3	19.5	19.5	19.7	19.7	19.8	20.0	19.4
6/22/2020	20	19.3	19.5	19.4	19.6	19.7	19.7	20.0	19.4
6/22/2020	21	19.3	19.5	19.3	19.5	19.5	19.6	19.9	19.5
6/22/2020	22	19.3	19.6	19.3	19.4	19.5	19.5	19.9	19.5
6/22/2020	23	19.3	19.5	19.3	19.4	19.5	19.5	19.9	19.5
6/22/2020	24	19.3	19.4	19.2	19.3	19.4	19.5	19.9	19.4
6/23/2020	1	19.2	19.4	19.2	19.3	19.3	19.4	19.8	19.3
6/23/2020	2	19.1	19.3	19.1	19.2	19.3	19.3	19.8	19.3
6/23/2020	3	19.1	19.3	19.1	19.2	19.2	19.3	19.8	19.3
6/23/2020	4	19.0	19.2	19.0	19.1	19.2	19.2	19.7	19.2
6/23/2020	5	19.0	19.1	19.0	19.1	19.1	19.2	19.7	19.2
6/23/2020	6	18.9	19.1	19.0	19.0	19.1	19.1	19.7	19.1
6/23/2020	7	18.8	19.0	19.0	19.0	19.1	19.1	19.8	19.1
6/23/2020	8	18.8	19.1	19.1	19.1	19.1	19.2	19.8	19.0
6/23/2020	9	18.9	19.1	19.3	19.3	19.3	19.4	19.8	19.1
6/23/2020	10	18.9	19.2	19.6	19.6	19.5	19.7	19.8	19.2
6/23/2020	11	19.1	19.3	19.8	19.9	19.8	20.0	19.8	19.2
6/23/2020	12	19.2	19.5	20.0	20.2	20.1	20.3	19.8	19.3
6/23/2020	13	19.3	19.6	20.1	20.3	20.3	20.5	19.9	19.4
6/23/2020	14	19.3	19.6	20.3	20.5	20.5	20.7	19.9	19.5
6/23/2020	15	19.4	19.7	20.3	20.6	20.6	20.8	20.0	19.6
6/23/2020	16	19.4	19.7	20.2	20.4	20.5	20.7	20.1	19.7
6/23/2020	17	19.4	19.7	20.2	20.4	20.4	20.5	20.1	19.7
6/23/2020	18	19.4	19.6	20.1	20.3	20.4	20.5	20.2	19.7
6/23/2020	19	19.4	19.7	20.0	20.2	20.3	20.3	20.3	19.7
6/23/2020	20	19.4	19.6	19.9	20.1	20.2	20.2	20.3	19.7
6/23/2020	21	19.3	19.6	19.7	20.0	20.1	20.1	20.2	19.7
6/23/2020	22	19.2	19.4	19.6	19.7	19.8	19.9	20.2	19.5
6/23/2020	23	19.2	19.4	19.6	19.7	19.8	19.8	20.1	19.5
6/23/2020	24	19.2	19.3	19.5	19.7	19.7	19.8	20.1	19.4
6/24/2020	1	19.2	19.4	19.4	19.6	19.7	19.7	20.1	19.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/24/2020	2	19.1	19.3	19.4	19.5	19.6	19.6	20.0	19.5
6/24/2020	3	19.1	19.3	19.4	19.5	19.5	19.6	20.0	19.5
6/24/2020	4	19.2	19.4	19.4	19.5	19.5	19.6	20.0	19.5
6/24/2020	5	19.3	19.6	19.4	19.5	19.6	19.6	20.0	19.6
6/24/2020	6	19.4	19.7	19.5	19.6	19.6	19.6	20.0	19.6
6/24/2020	7	19.5	19.7	19.6	19.6	19.7	19.7	20.1	19.7
6/24/2020	8	19.6	19.8	19.7	19.7	19.7	19.8	20.1	19.7
6/24/2020	9	19.6	19.7	19.9	19.9	19.8	20.0	20.1	19.8
6/24/2020	10	19.6	19.8	20.1	20.1	20.1	20.2	20.1	19.7
6/24/2020	11	19.5	19.7	20.3	20.5	20.5	20.7	20.2	19.7
6/24/2020	12	19.5	19.6	20.4	20.6	20.6	20.8	20.2	19.7
6/24/2020	13	19.4	19.7	20.5	20.7	20.7	20.9	20.3	19.7
6/24/2020	14	19.2	19.3	20.6	20.7	20.8	20.9	20.4	19.7
6/24/2020	15	19.0	19.2	20.6	20.9	20.9	21.0	20.5	19.9
6/24/2020	16	18.8	19.3	20.4	20.6	20.7	20.8	20.6	19.9
6/24/2020	17	19.1	19.6	20.3	20.5	20.6	20.7	20.7	20.1
6/24/2020	18	19.7	20.1	20.3	20.3	20.4	20.5	20.8	20.2
6/24/2020	19	20.0	20.4	20.3	20.4	20.4	20.4	20.8	20.3
6/24/2020	20	20.2	20.4	20.2	20.3	20.4	20.4	20.8	20.3
6/24/2020	21	20.1	20.3	20.1	20.2	20.2	20.3	20.8	20.3
6/24/2020	22	20.0	20.2	20.0	20.1	20.1	20.2	20.7	20.2
6/24/2020	23	19.9	20.1	19.9	20.0	20.1	20.1	20.7	20.1
6/24/2020	24	19.9	20.1	19.8	19.9	20.0	20.0	20.7	20.1
6/25/2020	1	19.8	20.1	19.8	19.9	19.9	20.0	20.6	20.1
6/25/2020	2	19.8	20.0	19.8	19.9	19.9	19.9	20.6	20.1
6/25/2020	3	19.8	20.0	19.7	19.8	19.9	19.9	20.6	20.1
6/25/2020	4	19.8	20.0	19.8	19.8	19.8	19.9	20.5	20.1
6/25/2020	5	19.8	19.9	19.8	19.8	19.9	19.9	20.5	20.0
6/25/2020	6	19.7	19.9	19.7	19.7	19.8	19.8	20.5	19.9
6/25/2020	7	19.7	19.8	19.7	19.7	19.8	19.8	20.5	19.8
6/25/2020	8	19.6	19.8	19.8	19.8	19.8	19.9	20.5	19.8
6/25/2020	9	19.6	19.8	19.9	19.9	19.9	20.0	20.5	19.8
6/25/2020	10	19.6	19.8	20.2	20.2	20.1	20.3	20.4	19.9
6/25/2020	11	19.7	19.9	20.3	20.4	20.4	20.5	20.4	19.9
6/25/2020	12	19.7	20.0	20.4	20.5	20.5	20.7	20.5	20.0
6/25/2020	13	19.8	20.1	20.6	20.7	20.7	20.9	20.6	20.1
6/25/2020	14	19.9	20.2	20.7	20.8	20.8	21.0	20.7	20.2
6/25/2020	15	20.1	20.4	20.7	20.8	20.9	21.0	20.8	20.3
6/25/2020	16	20.1	20.4	20.8	20.9	20.9	21.1	20.8	20.4
6/25/2020	17	20.2	20.5	20.8	20.9	20.9	21.1	20.9	20.5
6/25/2020	18	20.3	20.5	20.7	20.8	20.9	21.0	21.0	20.5
6/25/2020	19	20.3	20.6	20.6	20.8	20.8	20.9	21.1	20.5
6/25/2020	20	20.3	20.5	20.4	20.6	20.7	20.7	21.1	20.5
6/25/2020	21	20.3	20.5	20.3	20.5	20.6	20.6	21.0	20.5
6/25/2020	22	20.2	20.4	20.3	20.4	20.5	20.5	20.9	20.4
6/25/2020	23	20.1	20.2	20.2	20.3	20.4	20.5	20.8	20.3
6/25/2020	24	20.0	20.1	20.1	20.2	20.3	20.3	20.7	20.1
6/26/2020	1	19.9	20.0	19.9	20.0	20.1	20.2	20.6	20.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/26/2020	2	19.8	20.0	19.8	19.9	20.0	20.0	20.6	20.0
6/26/2020	3	19.8	20.0	19.7	19.8	19.9	19.9	20.5	20.0
6/26/2020	4	19.8	20.0	19.7	19.8	19.9	19.9	20.5	20.0
6/26/2020	5	19.8	19.9	19.7	19.8	19.9	19.9	20.4	20.0
6/26/2020	6	19.7	19.9	19.7	19.8	19.9	19.9	20.4	19.9
6/26/2020	7	19.7	19.9	19.7	19.8	19.8	19.9	20.4	19.9
6/26/2020	8	19.7	19.9	19.9	19.9	19.9	20.0	20.4	19.9
6/26/2020	9	19.7	19.9	20.0	20.1	20.1	20.2	20.4	19.9
6/26/2020	10	19.7	19.9	20.2	20.3	20.2	20.4	20.5	19.9
6/26/2020	11	19.7	20.0	20.3	20.4	20.4	20.6	20.6	20.0
6/26/2020	12	19.8	20.1	20.5	20.6	20.6	20.8	20.7	20.1
6/26/2020	13	19.9	20.2	20.6	20.7	20.7	20.9	20.8	20.2
6/26/2020	14	20.0	20.3	20.7	20.8	20.8	21.0	20.9	20.3
6/26/2020	15	20.1	20.4	20.8	20.9	20.9	21.1	21.0	20.4
6/26/2020	16	20.3	20.6	20.9	21.0	21.0	21.2	21.1	20.6
6/26/2020	17	20.4	20.7	20.7	20.9	21.0	21.1	21.2	20.7
6/26/2020	18	20.5	20.7	20.7	20.8	20.8	20.9	21.2	20.7
6/26/2020	19	20.5	20.7	20.7	20.8	20.8	20.9	21.1	20.8
6/26/2020	20	20.5	20.7	20.7	20.8	20.8	20.9	21.1	20.8
6/26/2020	21	20.5	20.7	20.6	20.7	20.8	20.8	21.1	20.7
6/26/2020	22	20.4	20.6	20.5	20.6	20.7	20.7	21.1	20.7
6/26/2020	23	20.4	20.6	20.5	20.6	20.7	20.7	21.0	20.6
6/26/2020	24	20.3	20.5	20.4	20.5	20.6	20.6	21.0	20.5
6/27/2020	1	20.3	20.4	20.4	20.5	20.5	20.6	21.0	20.4
6/27/2020	2	20.2	20.4	20.3	20.4	20.4	20.5	20.9	20.4
6/27/2020	3	20.2	20.3	20.2	20.3	20.4	20.4	20.9	20.4
6/27/2020	4	20.1	20.3	20.2	20.2	20.3	20.3	20.8	20.3
6/27/2020	5	20.1	20.2	20.1	20.2	20.2	20.3	20.8	20.3
6/27/2020	6	20.0	20.2	20.0	20.1	20.2	20.2	20.7	20.2
6/27/2020	7	20.0	20.1	20.0	20.1	20.1	20.2	20.7	20.2
6/27/2020	8	19.9	20.1	20.0	20.1	20.1	20.2	20.6	20.1
6/27/2020	9	19.9	20.1	20.0	20.1	20.1	20.2	20.6	20.1
6/27/2020	10	19.9	20.0	20.1	20.2	20.2	20.2	20.6	20.1
6/27/2020	11	19.9	20.1	20.1	20.2	20.2	20.3	20.7	20.1
6/27/2020	12	19.9	20.1	20.2	20.2	20.2	20.3	20.7	20.1
6/27/2020	13	19.9	20.1	20.4	20.5	20.4	20.6	20.8	20.2
6/27/2020	14	20.0	20.2	20.5	20.6	20.6	20.8	20.8	20.3
6/27/2020	15	20.1	20.3	20.6	20.7	20.7	20.8	20.9	20.3
6/27/2020	16	20.1	20.4	20.6	20.7	20.7	20.8	20.9	20.4
6/27/2020	17	20.2	20.4	20.5	20.6	20.7	20.7	20.9	20.5
6/27/2020	18	20.2	20.4	20.4	20.5	20.6	20.7	20.9	20.5
6/27/2020	19	20.2	20.4	20.3	20.4	20.4	20.5	20.8	20.4
6/27/2020	20	20.2	20.3	20.2	20.3	20.3	20.3	20.8	20.4
6/27/2020	21	20.1	20.3	20.2	20.2	20.2	20.2	20.7	20.3
6/27/2020	22	20.1	20.2	20.1	20.2	20.2	20.2	20.6	20.3
6/27/2020	23	20.0	20.1	20.0	20.1	20.2	20.2	20.6	20.2
6/27/2020	24	19.9	20.0	19.9	20.0	20.0	20.1	20.5	20.1
6/28/2020	1	19.8	20.0	19.8	19.9	19.9	20.0	20.5	20.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/28/2020	2	19.8	19.9	19.8	19.8	19.9	19.9	20.4	19.9
6/28/2020	3	19.7	19.8	19.7	19.8	19.8	19.8	20.4	19.8
6/28/2020	4	19.6	19.7	19.6	19.7	19.7	19.8	20.3	19.7
6/28/2020	5	19.6	19.6	19.5	19.6	19.7	19.7	20.2	19.7
6/28/2020	6	19.5	19.6	19.5	19.5	19.6	19.6	20.2	19.6
6/28/2020	7	19.4	19.5	19.4	19.5	19.5	19.6	20.1	19.5
6/28/2020	8	19.4	19.5	19.5	19.6	19.6	19.6	20.1	19.5
6/28/2020	9	19.4	19.5	19.6	19.6	19.7	19.7	20.0	19.6
6/28/2020	10	19.4	19.6	19.6	19.7	19.7	19.8	20.0	19.6
6/28/2020	11	19.4	19.6	19.6	19.7	19.7	19.8	20.0	19.6
6/28/2020	12	19.4	19.6	19.7	19.7	19.8	19.9	20.0	19.6
6/28/2020	13	19.4	19.6	19.6	19.7	19.8	19.9	20.1	19.6
6/28/2020	14	19.4	19.6	19.6	19.7	19.7	19.8	20.1	19.6
6/28/2020	15	19.4	19.6	19.7	19.7	19.8	19.8	20.1	19.6
6/28/2020	16	19.4	19.6	19.6	19.7	19.7	19.8	20.1	19.6
6/28/2020	17	19.4	19.6	19.7	19.8	19.8	19.9	20.1	19.6
6/28/2020	18	19.5	19.6	19.7	19.7	19.8	19.8	20.1	19.6
6/28/2020	19	19.4	19.6	19.6	19.7	19.7	19.8	20.0	19.6
6/28/2020	20	19.4	19.5	19.5	19.6	19.7	19.7	20.0	19.6
6/28/2020	21	19.4	19.5	19.4	19.5	19.6	19.7	19.9	19.5
6/28/2020	22	19.3	19.4	19.4	19.5	19.5	19.6	19.9	19.4
6/28/2020	23	19.3	19.4	19.3	19.4	19.4	19.5	19.9	19.4
6/28/2020	24	19.2	19.3	19.2	19.3	19.4	19.4	19.8	19.4
6/29/2020	1	19.2	19.3	19.2	19.3	19.3	19.4	19.8	19.3
6/29/2020	2	19.2	19.2	19.2	19.3	19.3	19.4	19.8	19.3
6/29/2020	3	19.1	19.2	19.2	19.2	19.3	19.3	19.8	19.2
6/29/2020	4	19.1	19.2	19.1	19.2	19.2	19.3	19.8	19.2
6/29/2020	5	19.1	19.2	19.1	19.2	19.2	19.2	19.7	19.2
6/29/2020	6	19.1	19.1	19.1	19.1	19.2	19.2	19.7	19.2
6/29/2020	7	19.0	19.1	19.1	19.1	19.2	19.2	19.7	19.2
6/29/2020	8	19.0	19.1	19.2	19.2	19.2	19.3	19.7	19.2
6/29/2020	9	19.0	19.1	19.2	19.3	19.3	19.4	19.7	19.2
6/29/2020	10	19.0	19.2	19.4	19.5	19.5	19.6	19.8	19.2
6/29/2020	11	19.1	19.2	19.5	19.6	19.6	19.7	19.9	19.3
6/29/2020	12	19.1	19.3	19.6	19.7	19.7	19.9	19.9	19.4
6/29/2020	13	19.3	19.5	19.7	19.9	19.9	20.0	20.0	19.5
6/29/2020	14	19.3	19.6	19.9	20.0	20.0	20.2	20.1	19.6
6/29/2020	15	19.4	19.7	20.0	20.1	20.1	20.2	20.2	19.7
6/29/2020	16	19.5	19.7	19.9	20.1	20.2	20.2	20.3	19.7
6/29/2020	17	19.6	19.8	19.9	20.0	20.1	20.1	20.3	19.8
6/29/2020	18	19.6	19.9	20.0	20.1	20.1	20.1	20.3	19.9
6/29/2020	19	19.7	19.9	19.9	20.1	20.1	20.2	20.3	20.0
6/29/2020	20	19.8	19.9	19.9	20.0	20.0	20.1	20.3	20.0
6/29/2020	21	19.8	19.9	19.8	19.9	20.0	20.0	20.3	20.0
6/29/2020	22	19.7	19.9	19.8	19.9	19.9	20.0	20.3	19.9
6/29/2020	23	19.7	19.8	19.7	19.8	19.9	19.9	20.3	19.8
6/29/2020	24	19.6	19.8	19.7	19.8	19.8	19.8	20.3	19.8
6/30/2020	1	19.6	19.7	19.7	19.7	19.8	19.8	20.3	19.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/30/2020	2	19.6	19.7	19.6	19.7	19.7	19.8	20.2	19.7
6/30/2020	3	19.5	19.6	19.5	19.6	19.7	19.7	20.2	19.6
6/30/2020	4	19.4	19.6	19.5	19.5	19.6	19.6	20.2	19.6
6/30/2020	5	19.4	19.6	19.5	19.5	19.6	19.6	20.1	19.6
6/30/2020	6	19.4	19.6	19.5	19.6	19.6	19.6	20.1	19.6
6/30/2020	7	19.4	19.5	19.5	19.5	19.6	19.6	20.1	19.6
6/30/2020	8	19.4	19.5	19.5	19.5	19.6	19.6	20.0	19.5
6/30/2020	9	19.3	19.5	19.6	19.7	19.7	19.7	20.0	19.5
6/30/2020	10	19.3	19.5	19.7	19.8	19.8	19.9	20.1	19.5
6/30/2020	11	19.4	19.6	19.8	19.9	19.9	20.0	20.1	19.6
6/30/2020	12	19.4	19.7	20.0	20.1	20.1	20.2	20.2	19.7
6/30/2020	13	19.6	19.8	20.1	20.2	20.2	20.3	20.2	19.8
6/30/2020	14	19.7	19.9	19.9	20.0	20.1	20.2	20.3	19.9
6/30/2020	15	19.8	19.9	20.2	20.3	20.3	20.4	20.4	20.0
6/30/2020	16	19.7	19.9	20.2	20.2	20.3	20.4	20.4	20.0
6/30/2020	17	19.8	19.9	20.1	20.2	20.2	20.3	20.5	20.0
6/30/2020	18	19.8	19.9	20.0	20.1	20.1	20.2	20.4	19.9
6/30/2020	19	19.7	19.8	19.9	19.9	20.0	20.0	20.3	19.9
6/30/2020	20	19.7	19.7	19.7	19.8	19.9	19.9	20.3	19.8
6/30/2020	21	19.6	19.7	19.5	19.6	19.7	19.7	20.2	19.7
6/30/2020	22	19.5	19.6	19.4	19.5	19.6	19.6	20.1	19.6
6/30/2020	23	19.4	19.5	19.3	19.4	19.5	19.5	20.0	19.5
6/30/2020	24	19.3	19.4	19.3	19.3	19.4	19.4	20.0	19.5