

From: [Scott Hopkins](#)
To: "Ashley Rawhouser"; "bgoedde@cityofchelan.us"; "Breean Zimmerman"; "Carl Merkle"; "Marcie Clement"; "David Bowen"; "Emily Johnson"; "Graham Simon"; "Hugh Anthony"; "Jim Pacheco"; "Justin Yeager"; "Kari Grover Wier"; "Mark Peterschmidt"; "Jeff Osborn"; "Phil Archibald"; "robin@mansonparks.com"; "Ryan.Layton@parks.wa.gov"; "Michelle Smith"; "Steve Lewis"; "Thomas O'Keefe"; "Bill Towey"; "Travis Maitland"; "Alene Underwood"; "Charles Von Reis"; "Catherine Willard"; "Mayfield, Mariah - FS"; "Kevin Wright"; "Esh, Nathan"; "randi_riggs@fws.gov"; "John Wasniewski"; "jamesurness@hotmail.com"; "wfarris@cityofchelan.us"; "Pruit, Katie (RCO)"; "jody.walters@noaa.gov"; "blod@yakamafish-nsn.gov"; "bret.nine@colvilletribes.com"; "NaturalResources@ctuir.org"; "keith.primm@ecy.wa.gov"
Cc: [Martha Whiteman](#); [Todd West](#); [Joseph Miller](#); [Pradeep Mugunthan](#); [Elizabeth Krchnavek](#); [Janel Ulrich](#)
Subject: 2021 Chelan River Temperature Monitoring Data - 1st Quarter Reports
Date: Tuesday, April 27, 2021 12:26:36 PM
Attachments: [image001.png](#)
[2021 Chelan River Daily Average Temperature Data 1st Quarterly Report.pdf](#)
[2021 Chelan River Hourly Temperature Data 1st Quarterly Report.pdf](#)

PUBLIC UTILITY DISTRICT NO. 1 of CHELAN COUNTY

P.O. Box 1231, Wenatchee, WA 98807-1231 • 327 N. Wenatchee Ave., Wenatchee, WA 98801
(509) 663-8121 • Toll free 1-888-663-8121 • www.chelanpud.org

To: Department of Ecology
Water Quality Program
Central Regional Office

Chelan River Fishery Forum:
Washington Department of Ecology
Washington Department of Fish and Wildlife
United States Forest Service
National Park Service
United States Fish and Wildlife Service
National Marine Fisheries Service
CCT (Colville)
YN (Yakama)
CTUIR (Umatilla tribe)
Lake Chelan Sportsman Association
United States Geological Survey
Washington State Parks and Recreation Commission
Washington State Recreation and Conservation Office
City of Chelan
Manson Parks and Recreation Department
Lake Chelan Recreation Association
American Whitewater

From: Scott Hopkins, Fisheries Biologist II
Public Utility District No. 1 of Chelan County (Chelan PUD)
scott.hopkins@chelanpud.org
(509)661-4763

Re: Lake Chelan Hydroelectric Project No. 637 (Project)
Appendix D 401 Water Quality Certification Condition V.C.i)

Water Temperature Data Reports: 1 Quarter 2021

Dear Ecology Water Quality Program, Chelan River Fishery Forum, and Other Parties:

Water temperature monitoring data for the 1st Quarter 2021 are provided in the attached files. This information will be posted to the Chelan County PUD external website under “River Flows, Water Temperatures and Total Dissolved Gas” (link below).

<https://www.chelanpud.org/parks-and-recreation/river-flows-and-water-temperatures>

Data during times of maintenance, calibration, or other miscellaneous events have been denoted with “NA” to designate these periods when data was either unavailable or inaccurate. Noteworthy events are explained below.

- Data from the missing hour due to Daylight Savings Time was filled in with the previous hour’s value. This is consistent with methods used in previous years.

Please feel free to call or email any questions or comments.



Scott Hopkins

Fisheries Biologist II
Chelan County P.U.D.
P: (509) 661-4763
C: (509) 630-2708

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/1/2021	6.4	6.4	6.2	6.0	6.0	5.7	7.3	6.6
1/2/2021	6.6	6.6	6.5	6.3	6.3	6.2	7.5	6.7
1/3/2021	6.7	6.7	6.6	6.5	6.6	6.6	7.6	6.8
1/4/2021	6.4	6.4	5.7	5.5	5.6	5.2	7.3	6.6
1/5/2021	6.4	6.4	5.9	5.6	5.6	5.2	7.2	6.5
1/6/2021	6.5	6.5	6.4	6.2	6.3	6.0	7.4	6.6
1/7/2021	6.6	6.6	6.5	6.3	6.4	6.0	7.5	6.7
1/8/2021	6.5	6.6	6.4	6.3	6.3	6.0	7.4	6.7
1/9/2021	6.4	6.5	6.3	6.2	6.2	5.9	7.3	6.6
1/10/2021	6.4	6.4	6.3	6.1	6.2	5.9	7.2	6.5
1/11/2021	6.4	6.4	6.2	6.2	6.2	6.0	7.3	6.5
1/12/2021	6.2	6.2	6.0	5.7	5.7	5.4	7.1	6.3
1/13/2021	6.4	6.4	6.1	6.0	6.0	6.0	7.3	6.5
1/14/2021	6.2	6.2	6.0	5.8	5.8	5.6	7.1	6.4
1/15/2021	6.1	6.0	5.5	5.3	5.4	5.0	6.9	6.2
1/16/2021	6.0	6.0	5.5	5.2	5.2	4.8	6.9	6.2
1/17/2021	6.0	6.0	5.8	5.6	5.7	5.5	6.9	6.2
1/18/2021	5.9	5.9	5.5	5.3	5.3	5.1	6.8	6.1
1/19/2021	5.9	5.9	5.5	5.2	5.2	4.9	6.8	6.0
1/20/2021	5.9	5.8	5.4	5.1	5.1	4.7	6.7	6.0
1/21/2021	5.9	5.8	5.6	5.4	5.4	5.1	6.7	6.0
1/22/2021	5.7	5.6	5.0	4.8	4.8	4.4	6.5	5.8
1/23/2021	5.4	5.3	4.4	4.1	4.1	3.5	6.2	5.4
1/24/2021	5.1	5.0	4.4	4.0	4.0	3.4	5.9	5.2
1/25/2021	5.1	5.0	4.7	4.5	4.5	4.1	5.9	5.2
1/26/2021	5.2	5.2	4.7	4.5	4.5	4.0	6.0	5.3
1/27/2021	5.2	5.2	4.9	4.7	4.7	4.4	6.0	5.3
1/28/2021	5.3	5.4	5.3	5.2	5.1	4.9	6.2	5.4
1/29/2021	5.6	5.6	5.8	5.7	5.7	5.5	6.4	5.7
1/30/2021	5.7	5.7	5.6	5.6	5.6	5.3	6.6	5.8
1/31/2021	5.7	5.8	5.7	5.7	5.7	5.5	6.6	5.8
2/1/2021	5.8	5.8	6.0	6.0	6.0	5.8	6.6	5.8
2/2/2021	5.8	5.9	5.8	5.9	5.9	5.7	6.7	5.9
2/3/2021	5.7	5.7	5.5	5.5	5.5	5.3	6.6	5.8
2/4/2021	5.8	5.8	5.5	5.4	5.3	5.1	6.7	5.9
2/5/2021	6.0	6.0	6.1	6.0	6.0	6.3	6.8	6.1
2/6/2021	6.1	6.2	6.3	6.2	6.2	6.5	7.0	6.2
2/7/2021	6.0	6.0	5.8	5.8	5.8	5.4	6.8	6.0
2/8/2021	5.8	5.8	5.2	5.1	5.1	4.4	6.6	5.8
2/9/2021	5.3	5.2	4.3	4.0	4.0	3.1	6.1	5.3
2/10/2021	4.8	4.7	3.7	3.3	3.2	2.3	5.6	4.8
2/11/2021	4.4	4.3	3.2	2.8	2.8	1.5	5.2	4.4
2/12/2021	4.5	4.4	3.2	2.7	2.7	1.7	5.2	4.5
2/13/2021	4.2	4.1	3.5	3.1	3.1	2.3	4.9	4.2
2/14/2021	4.4	4.4	4.0	3.7	3.7	3.1	5.2	4.5
2/15/2021	4.5	4.5	4.2	4.0	4.0	3.5	5.3	4.5
2/16/2021	4.4	4.4	3.9	3.7	3.7	3.1	5.2	4.5

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/17/2021	4.5	4.5	4.2	4.0	3.9	3.5	5.3	4.6
2/18/2021	4.4	4.4	4.0	3.9	3.9	3.3	5.2	4.4
2/19/2021	4.6	4.6	4.5	4.3	4.2	3.8	5.4	4.7
2/20/2021	4.8	4.9	5.0	4.9	4.9	4.7	5.7	4.9
2/21/2021	5.0	5.1	5.5	5.5	5.4	5.6	6.0	5.1
2/22/2021	5.4	5.5	6.0	6.2	6.2	6.7	6.4	5.5
2/23/2021	5.5	5.6	5.7	5.7	5.7	5.8	6.4	5.6
2/24/2021	5.6	5.6	5.7	5.6	5.5	5.5	6.5	5.7
2/25/2021	5.8	5.9	6.1	6.1	6.1	6.1	6.7	5.9
2/26/2021	5.8	5.9	6.0	6.0	5.9	6.0	6.7	5.9
2/27/2021	5.8	5.9	5.9	5.8	5.7	5.7	6.7	5.9
2/28/2021	5.9	6.0	6.3	6.3	6.2	6.3	6.9	6.0
3/1/2021	6.0	6.1	6.5	6.6	6.6	6.7	7.0	6.2
3/2/2021	6.2	6.3	6.7	6.8	6.7	6.9	7.2	6.3
3/3/2021	6.3	6.4	6.6	6.7	6.7	6.8	7.2	6.4
3/4/2021	6.3	6.4	6.7	6.7	6.7	6.7	7.3	6.4
3/5/2021	6.3	6.5	6.8	7.0	7.0	7.1	7.4	6.5
3/6/2021	6.6	6.7	7.3	7.4	7.4	7.8	7.6	6.8
3/7/2021	6.7	6.8	6.9	7.0	7.0	6.9	7.7	6.8
3/8/2021	6.6	6.7	6.7	6.6	6.6	6.5	7.5	6.7
3/9/2021	6.5	6.6	6.6	6.7	6.7	6.6	7.4	6.6
3/10/2021	6.5	6.6	6.7	6.7	6.7	6.7	7.4	6.6
3/11/2021	6.6	6.8	6.9	6.9	6.8	6.9	7.6	6.8
3/12/2021	6.9	7.0	7.2	7.2	6.9	6.7	7.9	7.1
3/13/2021	7.2	7.3	7.4	7.4	7.4	7.4	8.2	7.3
3/14/2021	7.2	7.4	7.3	7.3	7.4	7.4	8.2	7.4
3/15/2021	7.1	7.3	7.6	7.7	7.3	7.4	8.1	7.3
3/16/2021	7.2	7.3	7.7	7.8	7.4	7.5	8.1	7.3
3/17/2021	7.6	7.8	8.0	8.0	7.9	7.9	8.7	7.8
3/18/2021	7.8	8.1	8.4	8.4	8.1	8.2	8.8	7.9
3/19/2021	8.1	8.4	8.8	8.9	8.4	8.5	9.2	8.2
3/20/2021	8.4	8.6	8.9	8.9	8.7	8.7	9.5	8.4
3/21/2021	8.0	8.1	8.1	8.2	8.2	8.2	9.1	8.0
3/22/2021	7.8	7.9	8.2	8.2	8.0	8.0	8.7	7.8
3/23/2021	7.9	8.1	8.4	8.5	8.1	8.2	8.9	8.0
3/24/2021	8.2	8.4	8.8	8.9	8.5	8.5	9.2	8.3
3/25/2021	8.4	8.6	9.1	9.2	8.7	8.8	9.4	8.5
3/26/2021	8.8	9.1	9.4	9.4	9.1	9.2	9.9	9.0
3/27/2021	9.0	9.3	9.7	9.8	9.3	9.4	10.0	9.2
3/28/2021	9.3	9.5	9.6	9.8	9.5	9.5	10.3	9.3
3/29/2021	8.5	8.7	8.8	8.8	8.7	8.7	9.5	8.6
3/30/2021	8.5	8.6	8.9	8.9	8.7	8.7	9.5	8.5
3/31/2021	8.8	9.0	9.4	9.5	9.1	9.2	9.9	8.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/1/2021	1	6.4	6.3	6.2	6.0	6.0	5.7	7.2	6.5
1/1/2021	2	6.4	6.3	6.1	6.0	6.0	5.6	7.2	6.5
1/1/2021	3	6.4	6.3	6.1	5.9	6.0	5.6	7.2	6.5
1/1/2021	4	6.4	6.3	6.1	5.9	6.0	5.5	7.2	6.5
1/1/2021	5	6.4	6.4	6.0	5.9	5.9	5.5	7.2	6.5
1/1/2021	6	6.4	6.4	5.9	5.8	5.9	5.4	7.3	6.5
1/1/2021	7	6.4	6.4	5.9	5.8	5.9	5.5	7.3	6.5
1/1/2021	8	6.4	6.4	5.9	5.8	5.8	5.5	7.3	6.5
1/1/2021	9	6.4	6.4	5.9	5.7	5.8	5.5	7.3	6.6
1/1/2021	10	6.4	6.4	6.0	5.7	5.8	5.4	7.3	6.6
1/1/2021	11	6.4	6.4	6.1	5.8	5.8	5.5	7.3	6.6
1/1/2021	12	6.4	6.4	6.3	5.8	5.8	5.6	7.3	6.6
1/1/2021	13	6.4	6.5	6.4	5.9	5.9	5.6	7.3	6.6
1/1/2021	14	6.5	6.5	6.5	6.0	6.0	5.8	7.3	6.6
1/1/2021	15	6.5	6.5	6.5	6.1	6.1	5.9	7.3	6.6
1/1/2021	16	6.5	6.5	6.5	6.2	6.2	5.9	7.3	6.6
1/1/2021	17	6.4	6.5	6.5	6.2	6.2	5.9	7.3	6.6
1/1/2021	18	6.5	6.4	6.4	6.3	6.3	6.0	7.3	6.6
1/1/2021	19	6.5	6.4	6.3	6.3	6.3	5.9	7.3	6.6
1/1/2021	20	6.5	6.4	6.3	6.2	6.3	5.8	7.3	6.6
1/1/2021	21	6.5	6.5	6.2	6.2	6.2	5.8	7.4	6.6
1/1/2021	22	6.5	6.5	6.2	6.1	6.2	5.7	7.4	6.6
1/1/2021	23	6.5	6.5	6.2	6.1	6.1	5.8	7.4	6.6
1/1/2021	24	6.5	6.5	6.2	6.0	6.1	5.7	7.4	6.6
1/2/2021	1	6.5	6.5	6.2	6.0	6.1	5.6	7.4	6.7
1/2/2021	2	6.6	6.5	6.1	5.9	6.0	5.6	7.4	6.7
1/2/2021	3	6.6	6.5	6.2	5.9	6.0	5.6	7.4	6.7
1/2/2021	4	6.6	6.6	6.2	5.9	6.0	5.5	7.4	6.7
1/2/2021	5	6.6	6.6	6.1	5.9	5.9	5.4	7.4	6.7
1/2/2021	6	6.6	6.6	6.0	5.8	5.9	5.2	7.4	6.7
1/2/2021	7	6.6	6.6	6.0	5.8	5.9	5.3	7.4	6.7
1/2/2021	8	6.6	6.6	6.1	5.8	5.8	5.3	7.4	6.7
1/2/2021	9	6.6	6.6	6.1	5.7	5.8	5.3	7.4	6.7
1/2/2021	10	6.6	6.6	6.2	5.8	5.8	5.4	7.4	6.7
1/2/2021	11	6.6	6.6	6.3	5.8	5.9	5.6	7.5	6.7
1/2/2021	12	6.6	6.6	6.5	5.9	5.9	5.8	7.5	6.7
1/2/2021	13	6.6	6.6	6.7	6.1	6.1	5.9	7.5	6.7
1/2/2021	14	6.6	6.7	6.9	6.2	6.2	6.5	7.5	6.8
1/2/2021	15	6.6	6.7	7.1	6.4	6.4	6.7	7.5	6.8
1/2/2021	16	6.7	6.7	7.1	6.6	6.6	6.9	7.6	6.8
1/2/2021	17	6.7	6.7	7.1	6.8	6.7	7.0	7.6	6.8
1/2/2021	18	6.7	6.7	7.0	6.9	6.8	7.2	7.6	6.8
1/2/2021	19	6.7	6.7	6.9	7.0	6.9	7.3	7.6	6.8
1/2/2021	20	6.7	6.7	6.9	7.0	7.0	7.2	7.6	6.8
1/2/2021	21	6.7	6.7	6.8	7.0	7.0	7.3	7.6	6.8
1/2/2021	22	6.7	6.7	6.7	6.9	6.9	7.3	7.6	6.8
1/2/2021	23	6.7	6.7	6.7	6.8	6.9	7.2	7.6	6.8
1/2/2021	24	6.7	6.7	6.7	6.8	6.8	6.9	7.6	6.8
1/3/2021	1	6.7	6.7	6.7	6.7	6.8	6.7	7.6	6.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/3/2021	2	6.7	6.7	6.7	6.7	6.7	6.6	7.6	6.8
1/3/2021	3	6.7	6.7	6.7	6.6	6.7	6.6	7.6	6.8
1/3/2021	4	6.7	6.7	6.6	6.6	6.7	6.5	7.6	6.8
1/3/2021	5	6.7	6.7	6.6	6.6	6.6	6.4	7.6	6.8
1/3/2021	6	6.7	6.7	6.5	6.5	6.6	6.3	7.5	6.8
1/3/2021	7	6.7	6.7	6.4	6.5	6.5	6.2	7.5	6.8
1/3/2021	8	6.6	6.6	6.3	6.4	6.5	6.1	7.5	6.7
1/3/2021	9	6.6	6.6	6.1	6.3	6.4	6.3	7.5	6.7
1/3/2021	10	6.6	6.6	6.1	6.2	6.3	6.4	7.5	6.7
1/3/2021	11	6.6	6.6	6.2	6.2	6.3	7.0	7.5	6.7
1/3/2021	12	6.7	6.7	6.6	6.2	6.2	7.2	7.5	6.8
1/3/2021	13	6.7	6.7	6.9	6.2	6.2	7.3	7.5	6.8
1/3/2021	14	6.7	6.8	7.3	6.2	6.2	7.1	7.6	6.9
1/3/2021	15	6.8	6.8	7.4	6.4	6.4	7.4	7.6	6.9
1/3/2021	16	6.8	6.8	7.2	6.6	6.6	7.0	7.6	6.9
1/3/2021	17	6.7	6.8	7.0	6.9	6.9	7.1	7.6	6.9
1/3/2021	18	6.7	6.8	6.7	7.0	7.0	7.2	7.7	6.9
1/3/2021	19	6.7	6.7	6.5	7.0	7.0	7.0	7.6	6.9
1/3/2021	20	6.7	6.7	6.4	6.8	6.9	6.6	7.6	6.8
1/3/2021	21	6.7	6.7	6.3	6.6	6.7	6.4	7.6	6.8
1/3/2021	22	6.7	6.7	6.2	6.4	6.5	6.2	7.6	6.8
1/3/2021	23	6.7	6.7	6.2	6.3	6.4	6.1	7.6	6.8
1/3/2021	24	6.7	6.7	6.3	6.2	6.3	5.9	7.6	6.8
1/4/2021	1	6.7	6.7	6.3	6.1	6.2	5.8	7.5	6.8
1/4/2021	2	6.6	6.7	6.3	6.1	6.1	5.8	7.5	6.8
1/4/2021	3	6.6	6.6	6.3	6.1	6.1	5.7	7.5	6.8
1/4/2021	4	6.6	6.6	6.1	6.0	6.1	5.4	7.4	6.7
1/4/2021	5	6.6	6.6	5.8	5.9	6.0	5.4	7.4	6.7
1/4/2021	6	6.5	6.5	5.5	5.8	5.9	5.4	7.3	6.7
1/4/2021	7	6.5	6.5	5.3	5.6	5.7	5.2	7.3	6.6
1/4/2021	8	6.4	6.4	5.1	5.4	5.5	5.0	7.2	6.6
1/4/2021	9	6.4	6.4	5.1	5.2	5.3	4.9	7.2	6.5
1/4/2021	10	6.3	6.3	5.0	4.9	5.1	4.6	7.2	6.4
1/4/2021	11	6.3	6.3	5.0	4.8	5.0	4.5	7.2	6.4
1/4/2021	12	6.3	6.3	5.2	4.8	4.9	4.6	7.2	6.4
1/4/2021	13	6.3	6.3	5.3	4.7	4.8	4.5	7.2	6.4
1/4/2021	14	6.3	6.3	5.5	4.8	4.9	4.7	7.2	6.4
1/4/2021	15	6.3	6.3	5.9	5.0	5.0	4.9	7.2	6.4
1/4/2021	16	6.4	6.3	6.2	5.2	5.2	4.9	7.2	6.4
1/4/2021	17	6.4	6.3	6.3	5.3	5.3	4.9	7.2	6.5
1/4/2021	18	6.4	6.4	6.3	5.6	5.5	5.2	7.2	6.5
1/4/2021	19	6.4	6.4	6.2	5.8	5.7	5.4	7.2	6.5
1/4/2021	20	6.4	6.4	6.1	5.9	5.8	5.5	7.2	6.5
1/4/2021	21	6.4	6.4	5.9	5.9	5.9	5.5	7.3	6.5
1/4/2021	22	6.4	6.4	5.8	5.9	5.9	5.5	7.3	6.5
1/4/2021	23	6.4	6.4	5.7	5.8	5.8	5.4	7.3	6.5
1/4/2021	24	6.4	6.4	5.7	5.7	5.7	5.3	7.3	6.5
1/5/2021	1	6.4	6.4	5.7	5.6	5.7	5.2	7.3	6.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/5/2021	2	6.4	6.4	5.6	5.5	5.6	5.1	7.3	6.5
1/5/2021	3	6.4	6.4	5.6	5.4	5.5	5.1	7.3	6.6
1/5/2021	4	6.4	6.4	5.6	5.4	5.5	5.0	7.3	6.6
1/5/2021	5	6.4	6.4	5.6	5.4	5.4	4.9	7.3	6.6
1/5/2021	6	6.4	6.4	5.6	5.3	5.4	4.8	7.3	6.5
1/5/2021	7	6.4	6.4	5.6	5.3	5.4	4.8	7.3	6.5
1/5/2021	8	6.4	6.4	5.6	5.3	5.3	4.8	7.3	6.5
1/5/2021	9	6.4	6.4	5.5	5.2	5.3	4.8	7.3	6.5
1/5/2021	10	6.4	6.4	5.6	5.3	5.3	4.8	7.3	6.5
1/5/2021	11	6.4	6.4	5.7	5.3	5.3	4.8	7.3	6.6
1/5/2021	12	6.4	6.4	5.9	5.4	5.4	5.0	7.2	6.6
1/5/2021	13	6.4	6.4	6.2	5.4	5.4	5.1	7.2	6.6
1/5/2021	14	6.4	6.4	6.3	5.5	5.5	5.2	7.2	6.6
1/5/2021	15	6.4	6.4	6.3	5.7	5.6	5.3	7.2	6.6
1/5/2021	16	6.4	6.4	6.2	5.8	5.8	5.4	7.2	6.6
1/5/2021	17	6.4	6.4	6.2	5.9	5.9	5.4	7.2	6.5
1/5/2021	18	6.4	6.4	6.1	5.9	5.9	5.5	7.2	6.5
1/5/2021	19	6.4	6.4	6.1	5.9	6.0	5.5	7.2	6.5
1/5/2021	20	6.4	6.4	6.2	5.9	5.9	5.6	7.2	6.5
1/5/2021	21	6.4	6.4	6.2	5.9	5.9	5.6	7.2	6.5
1/5/2021	22	6.4	6.4	6.2	5.9	5.9	5.6	7.2	6.5
1/5/2021	23	6.4	6.4	6.2	5.9	5.9	5.6	7.3	6.5
1/5/2021	24	6.4	6.4	6.2	5.9	6.0	5.6	7.3	6.5
1/6/2021	1	6.4	6.4	6.2	5.9	6.0	5.7	7.3	6.5
1/6/2021	2	6.4	6.4	6.2	6.0	6.0	5.7	7.3	6.5
1/6/2021	3	6.4	6.4	6.2	6.0	6.0	5.7	7.3	6.6
1/6/2021	4	6.4	6.4	6.2	6.0	6.0	5.7	7.3	6.6
1/6/2021	5	6.4	6.4	6.2	6.0	6.0	5.7	7.3	6.6
1/6/2021	6	6.5	6.4	6.1	6.0	6.0	5.7	7.3	6.6
1/6/2021	7	6.5	6.4	6.1	6.0	6.0	5.7	7.3	6.6
1/6/2021	8	6.5	6.5	6.2	6.0	6.0	5.7	7.3	6.6
1/6/2021	9	6.5	6.5	6.2	5.9	6.0	5.7	7.3	6.6
1/6/2021	10	6.5	6.5	6.2	5.9	6.0	5.8	7.3	6.6
1/6/2021	11	6.5	6.5	6.4	6.0	6.0	5.9	7.4	6.6
1/6/2021	12	6.5	6.5	6.5	6.1	6.1	5.9	7.4	6.6
1/6/2021	13	6.5	6.5	6.7	6.2	6.2	6.2	7.4	6.6
1/6/2021	14	6.5	6.5	6.9	6.3	6.3	6.3	7.4	6.6
1/6/2021	15	6.5	6.6	7.0	6.4	6.4	6.4	7.4	6.6
1/6/2021	16	6.5	6.6	7.1	6.6	6.5	6.5	7.4	6.6
1/6/2021	17	6.6	6.5	6.9	6.7	6.7	6.5	7.4	6.7
1/6/2021	18	6.6	6.5	6.7	6.8	6.8	6.5	7.4	6.7
1/6/2021	19	6.6	6.5	6.5	6.8	6.8	6.5	7.4	6.7
1/6/2021	20	6.6	6.6	6.4	6.7	6.7	6.4	7.4	6.7
1/6/2021	21	6.6	6.6	6.3	6.6	6.6	6.4	7.4	6.7
1/6/2021	22	6.6	6.6	6.3	6.4	6.5	6.3	7.4	6.7
1/6/2021	23	6.6	6.6	6.3	6.3	6.4	6.2	7.4	6.7
1/6/2021	24	6.6	6.6	6.4	6.2	6.3	6.0	7.4	6.7
1/7/2021	1	6.6	6.6	6.4	6.2	6.3	6.0	7.5	6.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/7/2021	2	6.6	6.6	6.4	6.2	6.3	6.0	7.5	6.7
1/7/2021	3	6.6	6.6	6.4	6.2	6.3	5.9	7.4	6.7
1/7/2021	4	6.6	6.6	6.4	6.2	6.3	5.9	7.4	6.7
1/7/2021	5	6.6	6.6	6.4	6.2	6.3	6.0	7.4	6.7
1/7/2021	6	6.6	6.6	6.3	6.2	6.3	5.8	7.4	6.7
1/7/2021	7	6.5	6.6	6.3	6.2	6.2	5.9	7.4	6.7
1/7/2021	8	6.5	6.5	6.3	6.2	6.2	5.9	7.4	6.7
1/7/2021	9	6.5	6.5	6.3	6.1	6.2	5.9	7.4	6.7
1/7/2021	10	6.5	6.5	6.4	6.1	6.2	6.0	7.4	6.7
1/7/2021	11	6.5	6.6	6.5	6.2	6.2	5.9	7.4	6.7
1/7/2021	12	6.6	6.6	6.6	6.2	6.2	6.1	7.5	6.7
1/7/2021	13	6.6	6.6	6.8	6.3	6.3	6.2	7.5	6.7
1/7/2021	14	6.6	6.7	6.9	6.4	6.4	6.3	7.5	6.8
1/7/2021	15	6.6	6.7	6.9	6.5	6.5	6.2	7.5	6.8
1/7/2021	16	6.6	6.7	6.9	6.6	6.6	6.3	7.5	6.8
1/7/2021	17	6.6	6.6	6.8	6.7	6.7	6.3	7.5	6.8
1/7/2021	18	6.6	6.6	6.6	6.7	6.7	6.4	7.5	6.8
1/7/2021	19	6.6	6.6	6.4	6.6	6.7	6.2	7.5	6.8
1/7/2021	20	6.6	6.6	6.3	6.5	6.6	6.1	7.5	6.8
1/7/2021	21	6.6	6.6	6.3	6.4	6.5	6.0	7.5	6.7
1/7/2021	22	6.6	6.6	6.2	6.3	6.4	5.9	7.4	6.7
1/7/2021	23	6.6	6.6	6.2	6.2	6.3	5.9	7.4	6.7
1/7/2021	24	6.5	6.6	6.3	6.1	6.2	5.8	7.4	6.7
1/8/2021	1	6.5	6.6	6.3	6.1	6.2	5.7	7.4	6.7
1/8/2021	2	6.5	6.5	6.3	6.1	6.1	5.7	7.4	6.7
1/8/2021	3	6.5	6.5	6.3	6.1	6.1	5.7	7.4	6.6
1/8/2021	4	6.5	6.5	6.3	6.1	6.1	5.8	7.4	6.6
1/8/2021	5	6.5	6.5	6.3	6.1	6.2	5.8	7.4	6.6
1/8/2021	6	6.5	6.5	6.3	6.1	6.2	5.9	7.4	6.6
1/8/2021	7	6.5	6.5	6.3	6.1	6.2	5.9	7.4	6.6
1/8/2021	8	6.5	6.5	6.3	6.1	6.2	5.9	7.4	6.6
1/8/2021	9	6.5	6.5	6.3	6.1	6.2	5.9	7.4	6.6
1/8/2021	10	6.5	6.5	6.3	6.1	6.2	6.0	7.4	6.6
1/8/2021	11	6.5	6.6	6.4	6.2	6.2	6.0	7.4	6.6
1/8/2021	12	6.6	6.6	6.5	6.2	6.2	6.0	7.4	6.6
1/8/2021	13	6.6	6.6	6.6	6.3	6.3	6.1	7.4	6.7
1/8/2021	14	6.6	6.6	6.7	6.3	6.3	6.3	7.4	6.7
1/8/2021	15	6.6	6.6	6.8	6.4	6.4	6.4	7.4	6.7
1/8/2021	16	6.6	6.6	6.9	6.5	6.5	6.5	7.5	6.7
1/8/2021	17	6.6	6.6	6.8	6.6	6.6	6.4	7.5	6.7
1/8/2021	18	6.6	6.6	6.7	6.6	6.6	6.4	7.5	6.7
1/8/2021	19	6.6	6.6	6.5	6.6	6.7	6.3	7.4	6.7
1/8/2021	20	6.6	6.6	6.4	6.6	6.6	6.2	7.4	6.7
1/8/2021	21	6.5	6.5	6.3	6.5	6.6	6.0	7.4	6.7
1/8/2021	22	6.5	6.5	6.2	6.4	6.5	5.9	7.4	6.7
1/8/2021	23	6.5	6.5	6.2	6.2	6.3	5.8	7.4	6.7
1/8/2021	24	6.5	6.5	6.2	6.2	6.3	5.8	7.4	6.7
1/9/2021	1	6.5	6.5	6.2	6.1	6.2	5.8	7.4	6.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/9/2021	2	6.5	6.5	6.2	6.0	6.1	5.7	7.4	6.7
1/9/2021	3	6.5	6.5	6.2	6.0	6.1	5.8	7.4	6.6
1/9/2021	4	6.5	6.5	6.3	6.0	6.1	5.8	7.3	6.6
1/9/2021	5	6.5	6.5	6.3	6.1	6.1	5.8	7.3	6.6
1/9/2021	6	6.5	6.5	6.3	6.1	6.1	5.8	7.3	6.6
1/9/2021	7	6.5	6.5	6.3	6.1	6.1	5.9	7.3	6.6
1/9/2021	8	6.4	6.4	6.3	6.1	6.2	5.9	7.3	6.5
1/9/2021	9	6.4	6.4	6.3	6.1	6.2	5.8	7.3	6.5
1/9/2021	10	6.4	6.4	6.3	6.1	6.2	5.8	7.3	6.5
1/9/2021	11	6.4	6.4	6.3	6.1	6.2	5.8	7.3	6.5
1/9/2021	12	6.4	6.4	6.4	6.1	6.2	5.9	7.3	6.5
1/9/2021	13	6.4	6.4	6.5	6.2	6.2	6.0	7.3	6.5
1/9/2021	14	6.4	6.5	6.7	6.3	6.3	6.1	7.3	6.5
1/9/2021	15	6.5	6.5	6.8	6.3	6.3	6.1	7.3	6.6
1/9/2021	16	6.5	6.5	6.8	6.4	6.4	6.1	7.3	6.6
1/9/2021	17	6.5	6.5	6.7	6.5	6.5	6.1	7.3	6.6
1/9/2021	18	6.5	6.5	6.5	6.5	6.5	6.1	7.3	6.6
1/9/2021	19	6.5	6.5	6.4	6.5	6.5	6.2	7.3	6.6
1/9/2021	20	6.5	6.5	6.2	6.5	6.5	6.2	7.3	6.6
1/9/2021	21	6.5	6.5	6.2	6.3	6.4	6.1	7.3	6.6
1/9/2021	22	6.5	6.4	6.2	6.2	6.3	6.0	7.3	6.6
1/9/2021	23	6.4	6.4	6.1	6.1	6.2	5.8	7.3	6.6
1/9/2021	24	6.4	6.4	6.1	6.0	6.1	5.7	7.3	6.6
1/10/2021	1	6.4	6.4	6.1	6.0	6.1	5.6	7.3	6.5
1/10/2021	2	6.4	6.4	6.1	5.9	6.0	5.6	7.2	6.5
1/10/2021	3	6.4	6.4	6.0	5.9	6.0	5.5	7.2	6.5
1/10/2021	4	6.4	6.4	6.0	5.9	5.9	5.5	7.2	6.5
1/10/2021	5	6.3	6.3	6.0	5.8	5.9	5.6	7.2	6.4
1/10/2021	6	6.3	6.3	6.0	5.8	5.9	5.6	7.2	6.4
1/10/2021	7	6.3	6.3	6.0	5.8	5.9	5.5	7.1	6.4
1/10/2021	8	6.3	6.3	6.0	5.8	5.9	5.5	7.1	6.4
1/10/2021	9	6.3	6.3	6.0	5.8	5.9	5.5	7.1	6.4
1/10/2021	10	6.3	6.3	6.0	5.8	5.9	5.6	7.1	6.4
1/10/2021	11	6.3	6.3	6.1	5.8	5.9	5.7	7.1	6.4
1/10/2021	12	6.3	6.3	6.3	5.9	5.9	5.9	7.2	6.4
1/10/2021	13	6.4	6.4	6.6	6.0	6.0	6.0	7.2	6.4
1/10/2021	14	6.4	6.4	6.8	6.1	6.1	6.2	7.2	6.5
1/10/2021	15	6.4	6.4	6.8	6.3	6.2	6.2	7.3	6.5
1/10/2021	16	6.4	6.4	6.8	6.4	6.4	6.3	7.3	6.5
1/10/2021	17	6.4	6.4	6.7	6.6	6.5	6.4	7.3	6.6
1/10/2021	18	6.5	6.4	6.6	6.6	6.6	6.4	7.3	6.6
1/10/2021	19	6.5	6.4	6.5	6.6	6.6	6.5	7.3	6.6
1/10/2021	20	6.5	6.5	6.4	6.6	6.6	6.4	7.3	6.6
1/10/2021	21	6.5	6.5	6.3	6.5	6.5	6.3	7.3	6.6
1/10/2021	22	6.5	6.5	6.3	6.4	6.5	6.3	7.3	6.6
1/10/2021	23	6.5	6.5	6.3	6.3	6.4	6.2	7.3	6.6
1/10/2021	24	6.5	6.5	6.3	6.3	6.3	6.1	7.3	6.6
1/11/2021	1	6.5	6.5	6.3	6.2	6.3	6.1	7.3	6.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/11/2021	2	6.5	6.5	6.3	6.2	6.3	6.1	7.3	6.6
1/11/2021	3	6.5	6.5	6.3	6.2	6.3	6.0	7.3	6.6
1/11/2021	4	6.4	6.5	6.3	6.2	6.3	6.0	7.3	6.6
1/11/2021	5	6.4	6.4	6.3	6.2	6.3	6.0	7.3	6.5
1/11/2021	6	6.4	6.4	6.3	6.2	6.3	6.0	7.3	6.5
1/11/2021	7	6.4	6.4	6.3	6.2	6.2	6.0	7.3	6.5
1/11/2021	8	6.4	6.4	6.3	6.2	6.2	6.0	7.3	6.5
1/11/2021	9	6.4	6.4	6.3	6.2	6.2	5.9	7.3	6.5
1/11/2021	10	6.4	6.4	6.3	6.2	6.2	6.1	7.3	6.5
1/11/2021	11	6.4	6.4	6.4	6.2	6.3	6.1	7.3	6.5
1/11/2021	12	6.4	6.4	6.4	6.2	6.3	6.2	7.3	6.5
1/11/2021	13	6.4	6.4	6.6	6.3	6.3	6.2	7.3	6.5
1/11/2021	14	6.4	6.4	6.6	6.3	6.3	6.1	7.3	6.5
1/11/2021	15	6.4	6.4	6.6	6.4	6.4	6.2	7.3	6.5
1/11/2021	16	6.4	6.4	6.6	6.4	6.4	6.3	7.3	6.5
1/11/2021	17	6.4	6.4	6.5	6.5	6.5	6.2	7.3	6.6
1/11/2021	18	6.4	6.4	6.4	6.5	6.5	6.2	7.3	6.6
1/11/2021	19	6.4	6.4	6.3	6.4	6.5	6.0	7.3	6.6
1/11/2021	20	6.4	6.4	6.1	6.3	6.4	6.0	7.2	6.5
1/11/2021	21	6.4	6.3	5.8	6.2	6.3	5.7	7.2	6.5
1/11/2021	22	6.3	6.3	5.3	5.9	6.0	5.5	7.2	6.5
1/11/2021	23	6.2	6.2	4.9	5.6	5.7	5.1	7.1	6.4
1/11/2021	24	6.2	6.2	4.9	5.4	5.5	5.1	7.1	6.4
1/12/2021	1	6.2	6.2	5.0	5.1	5.3	4.8	7.1	6.4
1/12/2021	2	6.2	6.2	5.2	4.9	5.1	4.6	7.1	6.3
1/12/2021	3	6.2	6.2	5.4	4.8	5.0	4.6	7.0	6.3
1/12/2021	4	6.1	6.2	5.6	4.8	5.0	4.6	7.0	6.3
1/12/2021	5	6.1	6.1	5.5	4.9	5.0	4.6	7.0	6.2
1/12/2021	6	6.1	6.1	5.5	5.1	5.1	4.7	7.0	6.2
1/12/2021	7	6.1	6.1	5.4	5.2	5.2	4.8	7.0	6.2
1/12/2021	8	6.1	6.1	5.5	5.2	5.2	4.9	6.9	6.2
1/12/2021	9	6.0	6.0	5.4	5.2	5.2	4.8	6.9	6.2
1/12/2021	10	6.1	6.1	5.6	5.2	5.3	5.1	6.9	6.2
1/12/2021	11	6.1	6.1	5.7	5.3	5.3	5.1	6.9	6.2
1/12/2021	12	6.1	6.1	6.0	5.4	5.4	5.3	6.9	6.2
1/12/2021	13	6.1	6.2	6.4	5.5	5.5	5.5	7.0	6.2
1/12/2021	14	6.2	6.2	6.6	5.7	5.7	5.7	7.0	6.2
1/12/2021	15	6.2	6.2	6.8	6.0	5.9	6.0	7.1	6.3
1/12/2021	16	6.3	6.3	6.9	6.2	6.1	6.1	7.1	6.4
1/12/2021	17	6.3	6.3	6.8	6.4	6.3	6.2	7.2	6.4
1/12/2021	18	6.3	6.3	6.6	6.6	6.5	6.3	7.2	6.5
1/12/2021	19	6.4	6.4	6.4	6.6	6.6	6.4	7.2	6.5
1/12/2021	20	6.4	6.4	6.3	6.6	6.6	6.3	7.2	6.5
1/12/2021	21	6.4	6.4	6.2	6.5	6.5	6.2	7.3	6.5
1/12/2021	22	6.4	6.4	6.2	6.3	6.4	6.2	7.3	6.6
1/12/2021	23	6.4	6.4	6.2	6.2	6.3	6.0	7.3	6.6
1/12/2021	24	6.4	6.4	6.2	6.1	6.2	5.8	7.3	6.6
1/13/2021	1	6.4	6.5	6.2	6.1	6.2	5.8	7.3	6.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/13/2021	2	6.4	6.5	6.2	6.1	6.1	5.7	7.3	6.6
1/13/2021	3	6.4	6.5	6.3	6.1	6.1	5.7	7.3	6.6
1/13/2021	4	6.4	6.5	6.2	6.0	6.1	5.7	7.3	6.6
1/13/2021	5	6.4	6.5	6.2	6.0	6.1	5.9	7.2	6.6
1/13/2021	6	6.4	6.4	6.2	6.1	6.1	6.1	7.2	6.5
1/13/2021	7	6.4	6.4	6.2	6.0	6.1	5.7	7.2	6.5
1/13/2021	8	6.4	6.4	6.0	6.0	6.0	5.8	7.2	6.4
1/13/2021	9	6.3	6.3	5.8	5.9	6.0	5.9	7.1	6.4
1/13/2021	10	6.2	6.3	5.7	5.9	5.9	5.9	7.2	6.4
1/13/2021	11	6.2	6.2	5.8	5.9	5.9	6.5	7.2	6.4
1/13/2021	12	6.3	6.3	6.1	5.8	5.8	6.5	7.2	6.4
1/13/2021	13	6.3	6.3	6.4	5.7	5.8	6.5	7.3	6.5
1/13/2021	14	6.4	6.3	6.7	5.7	5.7	6.5	7.3	6.5
1/13/2021	15	6.4	6.4	6.8	5.8	5.8	6.6	7.3	6.5
1/13/2021	16	6.4	6.4	6.7	6.1	6.1	6.3	7.4	6.6
1/13/2021	17	6.4	6.4	6.5	6.4	6.3	6.3	7.4	6.6
1/13/2021	18	6.5	6.5	6.3	6.5	6.4	6.3	7.4	6.6
1/13/2021	19	6.5	6.5	6.1	6.4	6.4	6.2	7.4	6.6
1/13/2021	20	6.4	6.4	5.9	6.3	6.3	6.0	7.4	6.6
1/13/2021	21	6.4	6.4	5.8	6.1	6.2	5.9	7.3	6.6
1/13/2021	22	6.4	6.4	5.7	5.9	6.0	5.6	7.3	6.6
1/13/2021	23	6.4	6.4	5.7	5.7	5.8	5.4	7.3	6.6
1/13/2021	24	6.4	6.4	5.7	5.6	5.7	5.3	7.3	6.6
1/14/2021	1	6.4	6.4	5.7	5.5	5.6	5.3	7.3	6.6
1/14/2021	2	6.4	6.4	5.8	5.5	5.6	5.3	7.3	6.5
1/14/2021	3	6.4	6.4	5.9	5.5	5.6	5.3	7.3	6.5
1/14/2021	4	6.3	6.3	5.9	5.5	5.6	5.2	7.3	6.4
1/14/2021	5	6.3	6.3	5.9	5.5	5.6	5.2	7.2	6.4
1/14/2021	6	6.3	6.3	5.8	5.6	5.6	5.2	7.2	6.4
1/14/2021	7	6.3	6.3	5.8	5.6	5.6	5.2	7.2	6.4
1/14/2021	8	6.3	6.3	5.7	5.6	5.6	5.2	7.2	6.4
1/14/2021	9	6.3	6.3	5.7	5.6	5.6	5.2	7.2	6.4
1/14/2021	10	6.3	6.3	5.7	5.5	5.6	5.3	7.2	6.4
1/14/2021	11	6.3	6.3	5.9	5.6	5.6	5.4	7.2	6.4
1/14/2021	12	6.3	6.3	6.1	5.6	5.6	5.6	7.2	6.4
1/14/2021	13	6.3	6.3	6.5	5.8	5.7	5.9	7.2	6.4
1/14/2021	14	6.3	6.3	6.8	5.9	5.8	6.1	7.2	6.4
1/14/2021	15	6.3	6.3	6.9	6.1	6.0	6.6	7.2	6.4
1/14/2021	16	6.3	6.3	6.7	6.2	6.2	6.2	7.1	6.4
1/14/2021	17	6.3	6.3	6.5	6.4	6.3	6.1	7.1	6.4
1/14/2021	18	6.2	6.2	6.2	6.5	6.5	6.1	7.1	6.4
1/14/2021	19	6.2	6.2	6.0	6.4	6.4	6.1	7.1	6.3
1/14/2021	20	6.1	6.1	5.8	6.2	6.3	5.9	7.0	6.3
1/14/2021	21	6.1	6.1	5.6	6.0	6.1	5.6	7.0	6.3
1/14/2021	22	6.1	6.1	5.5	5.8	5.9	5.4	7.0	6.2
1/14/2021	23	6.0	6.0	5.4	5.6	5.7	5.1	6.9	6.2
1/14/2021	24	6.0	6.0	5.3	5.4	5.6	4.9	6.9	6.2
1/15/2021	1	6.0	6.0	5.3	5.3	5.4	4.9	6.9	6.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/15/2021	2	6.0	6.0	5.3	5.2	5.3	4.9	6.9	6.2
1/15/2021	3	6.0	5.9	5.4	5.2	5.3	4.8	6.9	6.1
1/15/2021	4	6.0	5.9	5.4	5.1	5.2	4.6	6.9	6.1
1/15/2021	5	6.0	5.9	5.4	5.1	5.2	4.7	6.8	6.1
1/15/2021	6	6.0	5.9	5.4	5.1	5.2	4.7	6.8	6.1
1/15/2021	7	6.0	5.9	5.4	5.1	5.2	4.6	6.8	6.1
1/15/2021	8	6.0	5.9	5.4	5.1	5.2	4.7	6.8	6.1
1/15/2021	9	6.0	5.9	5.3	5.2	5.2	4.8	6.8	6.1
1/15/2021	10	6.0	5.9	5.4	5.2	5.2	4.9	6.9	6.1
1/15/2021	11	6.0	6.0	5.5	5.2	5.2	4.9	6.9	6.1
1/15/2021	12	6.0	6.0	5.6	5.2	5.2	4.9	6.9	6.2
1/15/2021	13	6.0	6.1	5.8	5.3	5.3	5.1	7.0	6.2
1/15/2021	14	6.1	6.0	6.0	5.4	5.3	5.7	7.0	6.2
1/15/2021	15	6.1	6.1	6.1	5.5	5.5	6.2	7.0	6.2
1/15/2021	16	6.1	6.1	6.1	5.6	5.6	5.8	7.1	6.3
1/15/2021	17	6.1	6.1	6.0	5.7	5.7	5.4	7.1	6.3
1/15/2021	18	6.2	6.1	5.8	5.8	5.8	5.4	7.1	6.4
1/15/2021	19	6.2	6.1	5.6	5.7	5.8	5.3	7.1	6.4
1/15/2021	20	6.2	6.1	5.4	5.6	5.7	5.2	7.1	6.4
1/15/2021	21	6.2	6.1	5.3	5.5	5.6	5.1	7.0	6.4
1/15/2021	22	6.2	6.1	5.2	5.4	5.4	4.8	7.0	6.3
1/15/2021	23	6.2	6.1	5.2	5.2	5.3	4.7	7.0	6.3
1/15/2021	24	6.2	6.1	5.1	5.1	5.2	4.5	7.0	6.3
1/16/2021	1	6.2	6.1	5.1	4.9	5.1	4.4	7.0	6.3
1/16/2021	2	6.1	6.1	5.1	4.9	5.0	4.3	7.0	6.3
1/16/2021	3	6.1	6.1	5.1	4.8	4.9	4.2	6.9	6.2
1/16/2021	4	6.1	6.0	5.0	4.8	4.8	4.1	6.9	6.2
1/16/2021	5	6.0	6.0	5.0	4.7	4.8	4.1	6.9	6.1
1/16/2021	6	6.0	5.9	5.0	4.7	4.8	4.1	6.8	6.1
1/16/2021	7	6.0	5.9	4.9	4.7	4.8	4.1	6.8	6.1
1/16/2021	8	6.0	5.9	5.0	4.6	4.7	4.1	6.8	6.1
1/16/2021	9	5.9	5.9	5.1	4.6	4.7	4.1	6.8	6.0
1/16/2021	10	5.9	5.9	5.1	4.7	4.7	4.2	6.8	6.0
1/16/2021	11	5.9	5.9	5.2	4.8	4.8	4.5	6.8	6.0
1/16/2021	12	5.9	5.9	5.4	4.8	4.8	4.6	6.8	6.0
1/16/2021	13	6.0	6.0	5.7	4.9	4.9	4.8	6.9	6.1
1/16/2021	14	6.0	6.0	6.0	5.1	5.1	4.9	6.9	6.1
1/16/2021	15	6.0	6.1	6.1	5.3	5.2	5.0	6.9	6.2
1/16/2021	16	6.1	6.1	6.2	5.5	5.4	5.3	6.9	6.2
1/16/2021	17	6.1	6.1	6.2	5.7	5.6	5.3	6.9	6.2
1/16/2021	18	6.1	6.1	6.0	5.8	5.7	5.4	7.0	6.2
1/16/2021	19	6.1	6.1	5.9	5.8	5.8	5.6	7.0	6.2
1/16/2021	20	6.1	6.1	5.8	5.8	5.8	5.6	7.0	6.2
1/16/2021	21	6.1	6.1	5.7	5.8	5.8	5.5	7.0	6.2
1/16/2021	22	6.1	6.1	5.7	5.7	5.7	5.4	7.0	6.3
1/16/2021	23	6.1	6.1	5.7	5.6	5.6	5.3	7.0	6.3
1/16/2021	24	6.1	6.1	5.7	5.5	5.6	5.2	7.0	6.3
1/17/2021	1	6.1	6.1	5.6	5.5	5.5	5.1	7.0	6.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/17/2021	2	6.1	6.1	5.6	5.5	5.5	5.1	7.0	6.2
1/17/2021	3	6.1	6.1	5.6	5.4	5.5	5.2	6.9	6.2
1/17/2021	4	6.0	6.0	5.6	5.4	5.5	5.0	6.9	6.2
1/17/2021	5	6.0	6.0	5.5	5.4	5.4	5.0	6.9	6.2
1/17/2021	6	6.0	6.0	5.5	5.3	5.4	4.9	6.9	6.2
1/17/2021	7	6.0	6.0	5.5	5.3	5.4	4.9	6.8	6.1
1/17/2021	8	6.0	5.9	5.5	5.3	5.3	4.9	6.8	6.1
1/17/2021	9	5.9	5.9	5.5	5.3	5.3	4.9	6.8	6.1
1/17/2021	10	5.9	5.9	5.5	5.3	5.4	5.1	6.8	6.1
1/17/2021	11	5.9	5.9	5.7	5.4	5.4	5.3	6.9	6.1
1/17/2021	12	6.0	5.9	6.0	5.5	5.5	5.7	6.9	6.1
1/17/2021	13	6.0	5.9	6.3	5.6	5.5	6.4	6.9	6.1
1/17/2021	14	6.0	5.9	6.6	5.7	5.6	6.6	6.9	6.1
1/17/2021	15	6.0	6.0	6.8	5.8	5.7	6.5	6.9	6.1
1/17/2021	16	6.0	6.0	6.7	6.0	5.9	6.1	7.0	6.2
1/17/2021	17	6.1	6.0	6.4	6.3	6.2	5.9	7.0	6.2
1/17/2021	18	6.1	6.1	6.1	6.4	6.4	6.0	7.0	6.2
1/17/2021	19	6.1	6.1	5.8	6.4	6.3	5.9	7.0	6.3
1/17/2021	20	6.1	6.1	5.5	6.1	6.2	5.8	6.9	6.3
1/17/2021	21	6.1	6.1	5.4	5.9	6.0	5.5	6.9	6.3
1/17/2021	22	6.1	6.1	5.4	5.6	5.8	5.3	6.9	6.2
1/17/2021	23	6.1	6.0	5.3	5.4	5.6	4.9	6.9	6.2
1/17/2021	24	6.1	6.0	5.3	5.3	5.4	4.8	6.9	6.2
1/18/2021	1	6.0	6.0	5.2	5.1	5.3	4.7	6.9	6.2
1/18/2021	2	6.0	6.0	5.2	5.1	5.2	4.6	6.9	6.2
1/18/2021	3	6.0	6.0	5.2	5.0	5.1	4.5	6.8	6.1
1/18/2021	4	6.0	5.9	5.1	4.9	5.1	4.4	6.8	6.1
1/18/2021	5	6.0	5.9	5.1	4.9	5.0	4.4	6.8	6.1
1/18/2021	6	5.9	5.9	5.1	4.9	4.9	4.2	6.7	6.1
1/18/2021	7	5.9	5.9	5.1	4.8	4.9	4.2	6.7	6.1
1/18/2021	8	5.9	5.8	5.0	4.8	4.9	4.2	6.7	6.0
1/18/2021	9	5.9	5.8	4.9	4.7	4.8	4.1	6.7	5.9
1/18/2021	10	5.8	5.8	4.9	4.7	4.8	4.2	6.7	5.9
1/18/2021	11	5.8	5.8	5.2	4.8	4.8	5.4	6.7	5.9
1/18/2021	12	5.9	5.8	5.5	4.9	4.8	5.6	6.8	5.9
1/18/2021	13	5.9	5.8	6.0	5.0	4.9	5.8	6.8	6.0
1/18/2021	14	5.9	5.8	6.5	5.0	5.0	5.9	6.9	6.0
1/18/2021	15	5.9	5.9	6.7	5.3	5.2	6.2	6.9	6.1
1/18/2021	16	6.0	5.9	6.6	5.6	5.5	6.0	6.9	6.2
1/18/2021	17	6.0	5.9	6.3	6.1	5.9	5.8	6.9	6.2
1/18/2021	18	6.0	5.9	6.1	6.3	6.1	5.9	6.9	6.2
1/18/2021	19	6.0	5.9	5.8	6.2	6.2	5.8	6.9	6.2
1/18/2021	20	6.0	5.9	5.5	6.1	6.1	5.6	6.9	6.2
1/18/2021	21	6.0	5.9	5.4	5.9	5.9	5.4	6.9	6.2
1/18/2021	22	6.0	5.9	5.3	5.6	5.7	5.2	6.9	6.1
1/18/2021	23	6.0	5.9	5.2	5.4	5.5	4.9	6.9	6.1
1/18/2021	24	6.0	5.9	5.1	5.2	5.3	4.7	6.8	6.1
1/19/2021	1	6.0	5.9	5.1	5.1	5.2	4.5	6.8	6.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/19/2021	2	5.9	5.9	5.0	4.9	5.1	4.4	6.8	6.1
1/19/2021	3	5.9	5.8	4.9	4.8	5.0	4.3	6.8	6.1
1/19/2021	4	5.9	5.8	4.9	4.8	4.9	4.2	6.8	6.0
1/19/2021	5	5.9	5.8	4.9	4.7	4.8	4.2	6.7	6.0
1/19/2021	6	5.9	5.8	5.0	4.7	4.8	4.2	6.7	6.0
1/19/2021	7	5.9	5.8	5.0	4.6	4.7	4.2	6.7	6.0
1/19/2021	8	5.8	5.8	5.0	4.6	4.7	4.1	6.7	5.9
1/19/2021	9	5.8	5.8	5.1	4.6	4.7	4.2	6.7	5.9
1/19/2021	10	5.8	5.8	5.1	4.7	4.7	4.3	6.7	5.9
1/19/2021	11	5.8	5.8	5.3	4.8	4.8	4.6	6.7	5.9
1/19/2021	12	5.8	5.8	5.6	4.9	4.9	5.0	6.7	5.9
1/19/2021	13	5.9	5.8	6.0	5.1	5.0	5.4	6.8	5.9
1/19/2021	14	5.9	5.9	6.4	5.2	5.2	5.6	6.8	6.0
1/19/2021	15	5.9	5.9	6.6	5.4	5.3	5.5	6.8	6.0
1/19/2021	16	5.9	5.9	6.5	5.7	5.6	5.4	6.8	6.1
1/19/2021	17	6.0	5.9	6.4	6.0	5.8	5.7	6.8	6.1
1/19/2021	18	6.0	5.9	6.0	6.1	6.0	5.6	6.8	6.1
1/19/2021	19	5.9	5.9	5.7	6.1	6.1	5.5	6.8	6.1
1/19/2021	20	5.9	5.9	5.5	6.0	6.0	5.5	6.8	6.1
1/19/2021	21	5.9	5.9	5.4	5.8	5.8	5.5	6.8	6.1
1/19/2021	22	5.9	5.9	5.3	5.5	5.6	5.2	6.8	6.1
1/19/2021	23	5.9	5.9	5.2	5.3	5.5	4.9	6.8	6.1
1/19/2021	24	5.9	5.9	5.2	5.2	5.3	4.7	6.8	6.1
1/20/2021	1	5.9	5.8	5.1	5.1	5.2	4.5	6.8	6.1
1/20/2021	2	5.9	5.8	5.0	4.9	5.1	4.4	6.7	6.1
1/20/2021	3	5.9	5.8	5.0	4.8	5.0	4.3	6.7	6.0
1/20/2021	4	5.8	5.8	4.9	4.8	4.9	4.2	6.7	6.0
1/20/2021	5	5.8	5.8	4.9	4.7	4.8	4.2	6.7	5.9
1/20/2021	6	5.8	5.8	4.9	4.6	4.7	4.2	6.7	5.9
1/20/2021	7	5.8	5.7	4.9	4.6	4.7	4.2	6.7	5.9
1/20/2021	8	5.8	5.8	5.0	4.6	4.7	4.2	6.6	5.9
1/20/2021	9	5.8	5.8	5.1	4.6	4.7	4.2	6.6	5.9
1/20/2021	10	5.8	5.8	5.2	4.7	4.7	4.3	6.7	5.9
1/20/2021	11	5.8	5.8	5.3	4.8	4.8	4.5	6.7	5.9
1/20/2021	12	5.8	5.8	5.5	4.9	4.9	4.6	6.7	5.9
1/20/2021	13	5.8	5.8	5.6	5.0	5.0	4.8	6.7	5.9
1/20/2021	14	5.8	5.8	5.8	5.1	5.1	5.0	6.7	5.9
1/20/2021	15	5.8	5.8	6.0	5.3	5.2	5.2	6.8	5.9
1/20/2021	16	5.9	5.8	6.1	5.4	5.4	5.3	6.8	6.0
1/20/2021	17	5.9	5.9	6.1	5.6	5.5	5.4	6.8	6.0
1/20/2021	18	5.9	5.8	5.9	5.7	5.6	5.3	6.8	6.1
1/20/2021	19	5.9	5.8	5.7	5.7	5.7	5.4	6.8	6.1
1/20/2021	20	5.9	5.9	5.6	5.7	5.7	5.3	6.8	6.1
1/20/2021	21	5.9	5.9	5.5	5.6	5.7	5.2	6.8	6.1
1/20/2021	22	5.9	5.9	5.4	5.5	5.5	5.0	6.8	6.1
1/20/2021	23	5.9	5.9	5.3	5.4	5.4	4.9	6.8	6.1
1/20/2021	24	5.9	5.9	5.3	5.3	5.3	4.8	6.8	6.1
1/21/2021	1	5.9	5.9	5.3	5.2	5.3	4.8	6.8	6.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/21/2021	2	5.9	5.9	5.3	5.1	5.2	4.6	6.7	6.0
1/21/2021	3	5.9	5.8	5.3	5.1	5.1	4.6	6.7	6.0
1/21/2021	4	5.9	5.8	5.3	5.0	5.1	4.6	6.7	6.0
1/21/2021	5	5.8	5.8	5.3	5.0	5.1	4.5	6.7	5.9
1/21/2021	6	5.8	5.8	5.3	5.0	5.1	4.6	6.7	5.9
1/21/2021	7	5.8	5.8	5.3	5.0	5.1	4.6	6.6	5.9
1/21/2021	8	5.8	5.8	5.2	5.0	5.1	4.6	6.6	5.9
1/21/2021	9	5.8	5.8	5.2	5.0	5.0	4.6	6.6	5.9
1/21/2021	10	5.8	5.7	5.3	5.0	5.1	4.7	6.6	5.8
1/21/2021	11	5.8	5.8	5.4	5.1	5.1	4.8	6.7	5.8
1/21/2021	12	5.8	5.8	5.7	5.2	5.2	5.3	6.7	5.8
1/21/2021	13	5.8	5.8	6.1	5.3	5.2	5.4	6.7	5.9
1/21/2021	14	5.8	5.8	6.3	5.4	5.4	5.5	6.8	5.9
1/21/2021	15	5.9	5.8	6.4	5.6	5.5	5.6	6.8	5.9
1/21/2021	16	5.9	5.9	6.4	5.8	5.7	5.8	6.8	6.0
1/21/2021	17	5.9	5.9	6.2	6.0	5.9	5.8	6.8	6.1
1/21/2021	18	6.0	5.9	5.9	6.1	6.0	5.7	6.8	6.1
1/21/2021	19	5.9	5.9	5.8	6.1	6.1	5.8	6.8	6.1
1/21/2021	20	5.9	5.9	5.6	6.0	6.0	5.7	6.8	6.1
1/21/2021	21	5.9	5.9	5.5	5.8	5.9	5.5	6.8	6.1
1/21/2021	22	5.9	5.9	5.5	5.7	5.7	5.4	6.8	6.1
1/21/2021	23	5.9	5.9	5.4	5.5	5.6	5.2	6.7	6.1
1/21/2021	24	5.9	5.8	5.3	5.4	5.5	5.1	6.7	6.0
1/22/2021	1	5.9	5.8	5.2	5.2	5.4	4.7	6.7	6.0
1/22/2021	2	5.8	5.8	5.1	5.1	5.2	4.6	6.7	5.9
1/22/2021	3	5.8	5.7	5.0	5.0	5.2	4.5	6.6	5.9
1/22/2021	4	5.8	5.7	5.0	4.9	5.1	4.5	6.6	5.9
1/22/2021	5	5.7	5.7	5.0	4.8	5.0	4.3	6.5	5.9
1/22/2021	6	5.7	5.7	4.9	4.8	4.9	4.2	6.5	5.8
1/22/2021	7	5.6	5.6	4.8	4.7	4.8	4.0	6.5	5.8
1/22/2021	8	5.6	5.6	4.7	4.6	4.7	4.0	6.4	5.7
1/22/2021	9	5.6	5.5	4.6	4.5	4.6	3.8	6.4	5.7
1/22/2021	10	5.5	5.5	4.5	4.5	4.6	3.8	6.4	5.6
1/22/2021	11	5.5	5.4	4.6	4.5	4.5	4.6	6.5	5.6
1/22/2021	12	5.5	5.5	4.9	4.5	4.5	4.7	6.5	5.6
1/22/2021	13	5.6	5.5	5.2	4.4	4.4	4.6	6.5	5.7
1/22/2021	14	5.6	5.5	5.6	4.4	4.4	4.7	6.6	5.7
1/22/2021	15	5.7	5.6	5.8	4.5	4.5	4.8	6.6	5.8
1/22/2021	16	5.7	5.6	5.7	4.7	4.7	4.7	6.6	5.8
1/22/2021	17	5.7	5.6	5.5	5.1	5.1	4.6	6.6	5.9
1/22/2021	18	5.7	5.7	5.2	5.3	5.3	4.7	6.6	5.9
1/22/2021	19	5.7	5.7	4.9	5.3	5.3	4.7	6.6	5.8
1/22/2021	20	5.7	5.7	4.8	5.1	5.2	4.6	6.5	5.8
1/22/2021	21	5.7	5.7	4.6	4.9	5.0	4.4	6.5	5.8
1/22/2021	22	5.7	5.6	4.6	4.7	4.8	4.0	6.5	5.8
1/22/2021	23	5.7	5.6	4.5	4.5	4.6	3.8	6.5	5.8
1/22/2021	24	5.7	5.6	4.5	4.3	4.5	3.7	6.5	5.8
1/23/2021	1	5.7	5.6	4.4	4.2	4.4	3.5	6.4	5.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/23/2021	2	5.6	5.6	4.4	4.1	4.2	3.3	6.3	5.7
1/23/2021	3	5.6	5.5	4.3	4.0	4.1	3.1	6.3	5.6
1/23/2021	4	5.5	5.5	4.2	3.9	4.1	3.2	6.2	5.6
1/23/2021	5	5.5	5.4	4.2	3.9	4.0	3.1	6.2	5.5
1/23/2021	6	5.4	5.3	4.1	3.8	4.0	2.9	6.1	5.4
1/23/2021	7	5.4	5.3	4.1	3.7	3.9	2.9	6.0	5.4
1/23/2021	8	5.3	5.2	4.0	3.7	3.8	2.8	6.0	5.3
1/23/2021	9	5.3	5.2	4.0	3.6	3.7	2.7	6.0	5.3
1/23/2021	10	5.3	5.2	4.0	3.6	3.7	2.6	6.0	5.3
1/23/2021	11	5.2	5.1	4.2	3.6	3.7	3.6	6.1	5.2
1/23/2021	12	5.2	5.1	4.5	3.7	3.7	4.0	6.1	5.2
1/23/2021	13	5.2	5.1	4.9	3.7	3.7	4.0	6.1	5.2
1/23/2021	14	5.3	5.2	5.3	3.9	3.8	4.1	6.2	5.3
1/23/2021	15	5.3	5.2	5.5	4.0	4.0	4.2	6.2	5.4
1/23/2021	16	5.4	5.2	5.4	4.3	4.2	4.3	6.2	5.5
1/23/2021	17	5.4	5.3	5.1	4.7	4.6	4.0	6.2	5.5
1/23/2021	18	5.4	5.3	4.9	4.9	4.8	4.1	6.2	5.5
1/23/2021	19	5.4	5.3	4.6	4.9	4.8	4.1	6.2	5.5
1/23/2021	20	5.4	5.3	4.4	4.7	4.7	3.9	6.2	5.5
1/23/2021	21	5.4	5.3	4.2	4.5	4.6	3.7	6.1	5.5
1/23/2021	22	5.3	5.3	4.1	4.3	4.4	3.4	6.1	5.5
1/23/2021	23	5.3	5.2	4.1	4.1	4.2	3.2	6.1	5.4
1/23/2021	24	5.3	5.2	4.0	3.9	4.0	3.1	6.1	5.4
1/24/2021	1	5.3	5.2	4.0	3.7	3.9	2.9	6.1	5.4
1/24/2021	2	5.2	5.2	4.0	3.7	3.8	2.9	6.0	5.4
1/24/2021	3	5.2	5.1	4.0	3.6	3.7	2.9	6.0	5.3
1/24/2021	4	5.1	5.1	4.0	3.6	3.7	2.8	6.0	5.3
1/24/2021	5	5.1	5.1	4.1	3.6	3.7	2.8	5.9	5.2
1/24/2021	6	5.1	5.0	4.1	3.6	3.7	2.9	5.9	5.2
1/24/2021	7	5.1	5.0	4.1	3.6	3.7	2.9	5.9	5.1
1/24/2021	8	5.0	5.0	4.1	3.7	3.7	3.0	5.8	5.1
1/24/2021	9	5.0	5.0	4.1	3.7	3.7	3.1	5.8	5.1
1/24/2021	10	5.0	5.0	4.2	3.7	3.8	3.1	5.9	5.1
1/24/2021	11	5.0	5.0	4.3	3.8	3.8	3.2	5.9	5.1
1/24/2021	12	5.0	5.0	4.4	3.9	3.9	3.4	5.9	5.1
1/24/2021	13	5.0	5.0	4.6	4.0	3.9	3.6	5.9	5.1
1/24/2021	14	5.0	5.0	4.9	4.1	4.1	4.0	5.9	5.1
1/24/2021	15	5.1	5.1	5.1	4.2	4.2	3.9	5.9	5.2
1/24/2021	16	5.1	5.1	5.1	4.4	4.3	3.9	6.0	5.2
1/24/2021	17	5.1	5.1	5.0	4.5	4.5	4.0	5.9	5.2
1/24/2021	18	5.1	5.0	4.7	4.6	4.6	4.0	5.9	5.2
1/24/2021	19	5.1	5.0	4.5	4.7	4.6	4.1	5.9	5.2
1/24/2021	20	5.1	5.1	4.4	4.6	4.6	4.0	5.9	5.3
1/24/2021	21	5.1	5.1	4.3	4.5	4.5	4.0	5.9	5.3
1/24/2021	22	5.1	5.1	4.3	4.3	4.4	3.9	5.9	5.3
1/24/2021	23	5.1	5.1	4.3	4.2	4.2	3.7	5.9	5.3
1/24/2021	24	5.1	5.1	4.4	4.1	4.2	3.7	5.9	5.2
1/25/2021	1	5.0	5.0	4.4	4.0	4.1	3.6	5.9	5.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/25/2021	2	5.0	5.0	4.4	4.0	4.1	3.6	5.8	5.2
1/25/2021	3	5.0	5.0	4.4	4.0	4.1	3.6	5.8	5.2
1/25/2021	4	5.0	5.0	4.4	4.1	4.1	3.6	5.8	5.2
1/25/2021	5	5.0	4.9	4.4	4.1	4.1	3.6	5.8	5.1
1/25/2021	6	5.0	4.9	4.4	4.1	4.1	3.6	5.8	5.1
1/25/2021	7	5.0	4.9	4.3	4.1	4.1	3.6	5.7	5.1
1/25/2021	8	5.0	4.9	4.3	4.1	4.1	3.6	5.7	5.0
1/25/2021	9	5.0	4.9	4.4	4.1	4.1	3.6	5.7	5.0
1/25/2021	10	5.0	4.9	4.4	4.1	4.1	3.7	5.8	5.0
1/25/2021	11	5.0	4.9	4.6	4.1	4.2	3.9	5.8	5.1
1/25/2021	12	5.0	5.0	4.8	4.2	4.2	4.0	5.9	5.1
1/25/2021	13	5.0	5.1	5.0	4.3	4.3	4.1	5.9	5.1
1/25/2021	14	5.1	5.1	5.3	4.5	4.5	4.5	5.9	5.1
1/25/2021	15	5.1	5.1	5.5	4.7	4.6	4.6	6.0	5.2
1/25/2021	16	5.2	5.1	5.5	4.8	4.8	4.6	6.0	5.3
1/25/2021	17	5.2	5.1	5.4	5.1	4.9	4.6	6.0	5.3
1/25/2021	18	5.2	5.1	5.2	5.2	5.1	4.7	6.0	5.3
1/25/2021	19	5.2	5.1	5.0	5.2	5.1	4.7	6.0	5.3
1/25/2021	20	5.2	5.1	4.8	5.1	5.1	4.6	6.0	5.3
1/25/2021	21	5.2	5.1	4.7	4.9	5.0	4.4	6.0	5.3
1/25/2021	22	5.2	5.2	4.7	4.8	4.9	4.3	6.0	5.3
1/25/2021	23	5.2	5.2	4.6	4.6	4.7	4.2	6.1	5.3
1/25/2021	24	5.2	5.2	4.6	4.5	4.6	4.1	6.1	5.4
1/26/2021	1	5.2	5.2	4.6	4.5	4.6	4.1	6.0	5.3
1/26/2021	2	5.2	5.2	4.6	4.4	4.5	4.0	6.0	5.4
1/26/2021	3	5.2	5.2	4.6	4.4	4.5	4.0	6.0	5.3
1/26/2021	4	5.2	5.2	4.6	4.4	4.4	3.9	6.0	5.3
1/26/2021	5	5.2	5.2	4.6	4.4	4.4	3.9	6.0	5.3
1/26/2021	6	5.2	5.2	4.6	4.3	4.4	3.9	6.0	5.3
1/26/2021	7	5.2	5.1	4.6	4.3	4.4	3.9	6.0	5.3
1/26/2021	8	5.1	5.1	4.6	4.3	4.4	3.9	6.0	5.3
1/26/2021	9	5.1	5.1	4.6	4.3	4.4	4.0	6.0	5.2
1/26/2021	10	5.1	5.1	4.6	4.3	4.4	4.0	6.0	5.2
1/26/2021	11	5.1	5.1	4.7	4.4	4.4	3.9	6.0	5.1
1/26/2021	12	5.1	5.1	4.8	4.4	4.4	4.0	6.0	5.1
1/26/2021	13	5.1	5.1	4.9	4.4	4.4	4.0	6.0	5.2
1/26/2021	14	5.1	5.2	5.0	4.6	4.4	4.1	6.0	5.2
1/26/2021	15	5.1	5.2	5.0	4.7	4.6	4.1	6.0	5.2
1/26/2021	16	5.2	5.2	5.0	4.7	4.6	4.1	6.0	5.2
1/26/2021	17	5.2	5.2	4.9	4.8	4.7	4.1	6.0	5.2
1/26/2021	18	5.2	5.2	4.9	4.8	4.7	4.2	6.0	5.2
1/26/2021	19	5.2	5.2	4.8	4.8	4.7	4.2	6.0	5.2
1/26/2021	20	5.2	5.2	4.8	4.7	4.7	4.1	6.0	5.3
1/26/2021	21	5.2	5.2	4.7	4.7	4.7	4.1	6.0	5.3
1/26/2021	22	5.2	5.2	4.7	4.6	4.6	4.1	6.1	5.3
1/26/2021	23	5.2	5.2	4.7	4.6	4.6	4.1	6.1	5.3
1/26/2021	24	5.3	5.2	4.7	4.6	4.6	4.0	6.1	5.3
1/27/2021	1	5.3	5.3	4.7	4.6	4.6	3.9	6.1	5.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/27/2021	2	5.3	5.3	4.7	4.5	4.5	4.0	6.1	5.3
1/27/2021	3	5.3	5.3	4.6	4.5	4.5	3.9	6.0	5.3
1/27/2021	4	5.3	5.2	4.5	4.5	4.5	3.9	6.0	5.3
1/27/2021	5	5.3	5.2	4.4	4.4	4.4	3.8	6.0	5.3
1/27/2021	6	5.2	5.2	4.3	4.3	4.3	3.7	6.0	5.2
1/27/2021	7	5.2	5.2	4.2	4.2	4.2	3.6	6.0	5.2
1/27/2021	8	5.2	5.2	4.1	4.1	4.2	3.5	6.0	5.2
1/27/2021	9	5.2	5.2	4.2	4.0	4.1	3.5	6.0	5.2
1/27/2021	10	5.2	5.2	4.4	4.0	4.0	3.6	6.0	5.2
1/27/2021	11	5.2	5.2	4.7	4.1	4.1	3.8	6.0	5.2
1/27/2021	12	5.2	5.3	5.1	4.3	4.2	4.1	6.0	5.2
1/27/2021	13	5.2	5.2	5.5	4.5	4.4	5.1	6.0	5.2
1/27/2021	14	5.2	5.2	5.9	4.7	4.6	5.3	6.1	5.2
1/27/2021	15	5.3	5.3	5.9	5.1	4.8	5.6	6.1	5.3
1/27/2021	16	5.3	5.3	5.8	5.4	5.1	4.8	6.1	5.3
1/27/2021	17	5.3	5.3	5.6	5.6	5.4	5.0	6.1	5.4
1/27/2021	18	5.3	5.3	5.3	5.7	5.5	5.2	6.1	5.4
1/27/2021	19	5.3	5.3	5.1	5.6	5.5	5.1	6.1	5.4
1/27/2021	20	5.3	5.3	4.9	5.5	5.4	5.1	6.1	5.4
1/27/2021	21	5.3	5.3	4.9	5.3	5.3	5.0	6.1	5.3
1/27/2021	22	5.3	5.3	4.9	5.1	5.1	4.8	6.1	5.3
1/27/2021	23	5.3	5.3	4.9	4.9	5.0	4.6	6.1	5.3
1/27/2021	24	5.3	5.3	4.9	4.9	4.9	4.5	6.1	5.3
1/28/2021	1	5.3	5.2	4.9	4.8	4.8	4.4	6.1	5.3
1/28/2021	2	5.2	5.2	4.8	4.8	4.8	4.4	6.0	5.3
1/28/2021	3	5.2	5.2	4.8	4.8	4.8	4.4	6.0	5.2
1/28/2021	4	5.2	5.2	4.8	4.8	4.8	4.4	6.0	5.2
1/28/2021	5	5.2	5.2	4.8	4.7	4.8	4.5	6.0	5.2
1/28/2021	6	5.2	5.2	4.8	4.7	4.7	4.4	6.0	5.2
1/28/2021	7	5.2	5.2	4.8	4.7	4.7	4.3	6.0	5.2
1/28/2021	8	5.2	5.2	4.7	4.7	4.7	4.3	6.0	5.2
1/28/2021	9	5.2	5.2	4.7	4.7	4.7	4.3	6.0	5.2
1/28/2021	10	5.2	5.2	4.8	4.7	4.7	4.5	6.1	5.3
1/28/2021	11	5.2	5.3	5.1	4.7	4.7	4.6	6.1	5.3
1/28/2021	12	5.3	5.3	5.4	4.8	4.7	4.7	6.1	5.3
1/28/2021	13	5.3	5.4	5.7	5.0	4.9	5.1	6.2	5.4
1/28/2021	14	5.3	5.4	6.0	5.2	5.1	5.1	6.2	5.4
1/28/2021	15	5.4	5.5	6.1	5.5	5.3	5.3	6.3	5.5
1/28/2021	16	5.4	5.5	6.1	5.7	5.5	5.4	6.3	5.5
1/28/2021	17	5.4	5.5	5.9	5.9	5.7	5.5	6.3	5.6
1/28/2021	18	5.5	5.5	5.7	5.9	5.8	5.6	6.3	5.6
1/28/2021	19	5.5	5.5	5.5	5.9	5.8	5.6	6.3	5.6
1/28/2021	20	5.5	5.5	5.4	5.8	5.8	5.5	6.3	5.6
1/28/2021	21	5.5	5.5	5.4	5.7	5.7	5.4	6.3	5.6
1/28/2021	22	5.5	5.5	5.4	5.5	5.6	5.3	6.3	5.6
1/28/2021	23	5.5	5.5	5.4	5.4	5.5	5.2	6.3	5.6
1/28/2021	24	5.5	5.5	5.4	5.4	5.4	5.1	6.3	5.5
1/29/2021	1	5.5	5.5	5.4	5.3	5.4	5.0	6.3	5.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/29/2021	2	5.5	5.5	5.4	5.3	5.3	5.0	6.3	5.6
1/29/2021	3	5.5	5.5	5.4	5.3	5.3	5.0	6.3	5.6
1/29/2021	4	5.5	5.5	5.4	5.3	5.3	5.0	6.3	5.6
1/29/2021	5	5.5	5.5	5.4	5.3	5.3	5.0	6.4	5.6
1/29/2021	6	5.5	5.5	5.4	5.4	5.3	5.0	6.4	5.6
1/29/2021	7	5.5	5.5	5.4	5.3	5.3	5.0	6.4	5.6
1/29/2021	8	5.5	5.5	5.4	5.3	5.3	5.0	6.4	5.6
1/29/2021	9	5.5	5.6	5.4	5.4	5.3	5.1	6.4	5.6
1/29/2021	10	5.5	5.6	5.6	5.4	5.4	5.3	6.4	5.6
1/29/2021	11	5.5	5.6	5.8	5.5	5.4	5.4	6.4	5.6
1/29/2021	12	5.6	5.7	6.1	5.6	5.5	5.6	6.4	5.6
1/29/2021	13	5.6	5.7	6.4	5.8	5.6	5.8	6.4	5.7
1/29/2021	14	5.6	5.7	6.5	6.0	5.8	6.0	6.5	5.7
1/29/2021	15	5.6	5.7	6.6	6.2	6.0	6.2	6.5	5.7
1/29/2021	16	5.7	5.7	6.4	6.4	6.2	6.1	6.5	5.8
1/29/2021	17	5.6	5.7	6.2	6.4	6.3	6.1	6.5	5.8
1/29/2021	18	5.6	5.7	6.0	6.4	6.3	6.1	6.5	5.8
1/29/2021	19	5.6	5.7	5.8	6.4	6.3	6.1	6.5	5.8
1/29/2021	20	5.6	5.7	5.7	6.2	6.2	5.9	6.5	5.8
1/29/2021	21	5.6	5.7	5.7	6.0	6.1	5.8	6.5	5.8
1/29/2021	22	5.6	5.7	5.6	5.9	5.9	5.7	6.5	5.8
1/29/2021	23	5.6	5.7	5.6	5.7	5.8	5.5	6.5	5.8
1/29/2021	24	5.6	5.7	5.6	5.7	5.7	5.4	6.5	5.8
1/30/2021	1	5.6	5.7	5.5	5.6	5.7	5.3	6.5	5.8
1/30/2021	2	5.6	5.7	5.5	5.6	5.6	5.3	6.5	5.8
1/30/2021	3	5.6	5.7	5.5	5.5	5.6	5.2	6.5	5.8
1/30/2021	4	5.6	5.7	5.5	5.5	5.5	5.2	6.6	5.8
1/30/2021	5	5.7	5.7	5.5	5.5	5.5	5.2	6.6	5.8
1/30/2021	6	5.7	5.7	5.5	5.5	5.5	5.2	6.6	5.8
1/30/2021	7	5.7	5.7	5.5	5.5	5.5	5.2	6.6	5.8
1/30/2021	8	5.7	5.7	5.5	5.4	5.5	5.1	6.6	5.8
1/30/2021	9	5.7	5.7	5.5	5.5	5.5	5.2	6.6	5.8
1/30/2021	10	5.7	5.7	5.6	5.5	5.5	5.2	6.6	5.8
1/30/2021	11	5.7	5.8	5.7	5.5	5.5	5.4	6.6	5.8
1/30/2021	12	5.7	5.8	5.9	5.6	5.5	5.4	6.6	5.8
1/30/2021	13	5.7	5.8	6.0	5.7	5.6	5.5	6.6	5.8
1/30/2021	14	5.7	5.8	6.1	5.7	5.7	5.4	6.6	5.8
1/30/2021	15	5.7	5.8	6.1	5.8	5.7	5.5	6.6	5.8
1/30/2021	16	5.7	5.8	6.0	5.9	5.8	5.5	6.6	5.8
1/30/2021	17	5.7	5.7	5.8	5.9	5.9	5.5	6.6	5.8
1/30/2021	18	5.7	5.7	5.6	5.9	5.9	5.5	6.6	5.8
1/30/2021	19	5.7	5.7	5.6	5.8	5.8	5.5	6.6	5.8
1/30/2021	20	5.7	5.7	5.5	5.7	5.8	5.4	6.6	5.8
1/30/2021	21	5.7	5.7	5.4	5.6	5.7	5.3	6.6	5.8
1/30/2021	22	5.7	5.7	5.4	5.5	5.6	5.2	6.5	5.8
1/30/2021	23	5.7	5.7	5.4	5.5	5.5	5.1	6.5	5.8
1/30/2021	24	5.6	5.7	5.4	5.4	5.5	5.1	6.5	5.7
1/31/2021	1	5.6	5.7	5.5	5.4	5.4	5.1	6.5	5.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
1/31/2021	2	5.6	5.7	5.5	5.4	5.4	5.0	6.5	5.7
1/31/2021	3	5.6	5.7	5.4	5.4	5.4	5.0	6.5	5.7
1/31/2021	4	5.6	5.7	5.4	5.4	5.4	5.1	6.5	5.7
1/31/2021	5	5.6	5.7	5.4	5.4	5.4	5.1	6.5	5.7
1/31/2021	6	5.6	5.6	5.4	5.4	5.4	4.9	6.5	5.7
1/31/2021	7	5.6	5.6	5.4	5.4	5.4	5.1	6.5	5.7
1/31/2021	8	5.6	5.6	5.4	5.4	5.4	5.1	6.5	5.7
1/31/2021	9	5.6	5.7	5.5	5.4	5.4	5.2	6.5	5.7
1/31/2021	10	5.6	5.7	5.6	5.4	5.4	5.3	6.5	5.7
1/31/2021	11	5.6	5.7	5.7	5.5	5.5	5.4	6.5	5.7
1/31/2021	12	5.6	5.7	5.9	5.6	5.5	5.5	6.5	5.7
1/31/2021	13	5.7	5.8	6.1	5.7	5.6	5.7	6.6	5.8
1/31/2021	14	5.7	5.8	6.2	5.8	5.7	5.7	6.6	5.8
1/31/2021	15	5.7	5.8	6.2	6.0	5.9	5.9	6.6	5.9
1/31/2021	16	5.8	5.8	6.2	6.1	6.0	5.9	6.6	5.9
1/31/2021	17	5.8	5.8	6.1	6.2	6.1	5.9	6.7	5.9
1/31/2021	18	5.8	5.8	6.0	6.2	6.1	5.9	6.7	5.9
1/31/2021	19	5.8	5.8	5.9	6.2	6.1	5.9	6.7	5.9
1/31/2021	20	5.8	5.8	5.8	6.1	6.1	5.8	6.7	5.9
1/31/2021	21	5.8	5.8	5.8	6.0	6.0	5.8	6.7	5.8
1/31/2021	22	5.8	5.8	5.8	5.9	5.9	5.7	6.7	5.8
1/31/2021	23	5.8	5.8	5.8	5.9	5.9	5.6	6.6	5.8
1/31/2021	24	5.7	5.8	5.8	5.8	5.8	5.6	6.6	5.8
2/1/2021	1	5.7	5.8	5.7	5.8	5.8	5.6	6.6	5.8
2/1/2021	2	5.7	5.8	5.7	5.8	5.8	5.5	6.6	5.8
2/1/2021	3	5.7	5.8	5.7	5.7	5.8	5.5	6.6	5.8
2/1/2021	4	5.7	5.8	5.7	5.7	5.7	5.5	6.6	5.8
2/1/2021	5	5.7	5.8	5.7	5.7	5.7	5.4	6.6	5.8
2/1/2021	6	5.7	5.7	5.7	5.7	5.7	5.4	6.6	5.8
2/1/2021	7	5.7	5.7	5.7	5.7	5.7	5.4	6.6	5.8
2/1/2021	8	5.7	5.7	5.7	5.7	5.7	5.4	6.6	5.8
2/1/2021	9	5.7	5.8	5.7	5.7	5.7	5.5	6.6	5.7
2/1/2021	10	5.7	5.8	5.8	5.7	5.7	5.7	6.6	5.8
2/1/2021	11	5.7	5.8	6.0	5.8	5.8	5.8	6.6	5.8
2/1/2021	12	5.7	5.8	6.2	5.9	5.8	5.9	6.6	5.8
2/1/2021	13	5.7	5.9	6.4	6.1	5.9	6.1	6.6	5.8
2/1/2021	14	5.8	5.9	6.5	6.2	6.1	6.2	6.6	5.9
2/1/2021	15	5.8	5.9	6.5	6.3	6.2	6.3	6.7	5.9
2/1/2021	16	5.8	5.9	6.5	6.5	6.3	6.3	6.7	5.9
2/1/2021	17	5.8	5.9	6.3	6.5	6.4	6.3	6.7	5.9
2/1/2021	18	5.8	5.9	6.2	6.5	6.4	6.3	6.7	5.9
2/1/2021	19	5.8	5.9	6.1	6.5	6.4	6.2	6.7	5.9
2/1/2021	20	5.8	5.9	6.0	6.4	6.4	6.2	6.7	5.9
2/1/2021	21	5.8	5.9	5.9	6.3	6.3	6.1	6.7	5.9
2/1/2021	22	5.8	5.9	5.9	6.2	6.2	5.9	6.7	5.9
2/1/2021	23	5.8	5.9	5.9	6.1	6.1	5.8	6.7	5.9
2/1/2021	24	5.8	5.9	5.8	6.0	6.0	5.7	6.7	5.9
2/2/2021	1	5.8	5.8	5.7	5.9	6.0	5.6	6.7	5.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/2/2021	2	5.8	5.8	5.7	5.9	5.9	5.4	6.7	5.9
2/2/2021	3	5.8	5.8	5.6	5.8	5.8	5.4	6.7	5.9
2/2/2021	4	5.7	5.8	5.5	5.7	5.8	5.4	6.7	5.8
2/2/2021	5	5.7	5.8	5.4	5.6	5.7	5.3	6.7	5.8
2/2/2021	6	5.7	5.7	5.4	5.6	5.6	5.2	6.6	5.8
2/2/2021	7	5.7	5.7	5.4	5.5	5.5	5.2	6.6	5.8
2/2/2021	8	5.7	5.8	5.4	5.4	5.5	5.2	6.6	5.8
2/2/2021	9	5.7	5.8	5.4	5.4	5.4	5.2	6.6	5.8
2/2/2021	10	5.7	5.8	5.6	5.4	5.4	5.3	6.6	5.8
2/2/2021	11	5.7	5.8	5.9	5.5	5.5	5.5	6.6	5.8
2/2/2021	12	5.7	5.8	6.2	5.6	5.5	5.8	6.7	5.8
2/2/2021	13	5.8	5.9	6.4	5.8	5.7	5.8	6.7	5.9
2/2/2021	14	5.8	5.9	6.7	6.1	5.9	6.6	6.7	5.9
2/2/2021	15	5.9	5.9	6.7	6.2	6.1	6.4	6.8	6.0
2/2/2021	16	5.9	6.0	6.6	6.4	6.2	6.4	6.8	6.0
2/2/2021	17	5.9	6.0	6.4	6.6	6.4	6.4	6.8	6.0
2/2/2021	18	5.9	6.0	6.1	6.6	6.5	6.4	6.9	6.0
2/2/2021	19	5.9	5.9	5.9	6.5	6.4	6.2	6.8	6.0
2/2/2021	20	5.9	5.9	5.7	6.3	6.3	6.1	6.8	6.0
2/2/2021	21	5.9	5.9	5.5	6.1	6.2	5.9	6.8	6.0
2/2/2021	22	5.9	5.9	5.4	5.9	6.0	5.6	6.7	5.9
2/2/2021	23	5.9	5.9	5.4	5.7	5.8	5.4	6.7	5.9
2/2/2021	24	5.8	5.8	5.4	5.5	5.6	5.2	6.7	5.9
2/3/2021	1	5.8	5.8	5.3	5.4	5.5	4.9	6.6	5.8
2/3/2021	2	5.8	5.8	5.3	5.3	5.4	4.8	6.6	5.8
2/3/2021	3	5.7	5.7	5.2	5.3	5.3	4.8	6.6	5.8
2/3/2021	4	5.7	5.7	5.2	5.2	5.3	4.7	6.5	5.7
2/3/2021	5	5.7	5.7	5.1	5.1	5.2	4.6	6.5	5.7
2/3/2021	6	5.6	5.6	5.0	5.1	5.1	4.5	6.5	5.7
2/3/2021	7	5.6	5.6	5.0	5.0	5.1	4.5	6.5	5.6
2/3/2021	8	5.6	5.6	4.9	4.9	5.0	4.5	6.4	5.6
2/3/2021	9	5.6	5.6	4.9	4.9	4.9	4.5	6.4	5.6
2/3/2021	10	5.5	5.5	5.2	5.0	5.0	5.5	6.4	5.6
2/3/2021	11	5.5	5.6	5.6	5.0	5.0	5.7	6.4	5.6
2/3/2021	12	5.6	5.6	6.1	5.1	5.0	5.8	6.5	5.6
2/3/2021	13	5.6	5.7	6.6	5.3	5.1	6.0	6.5	5.7
2/3/2021	14	5.6	5.7	6.9	5.6	5.4	6.3	6.6	5.8
2/3/2021	15	5.7	5.7	6.9	6.1	5.8	6.7	6.6	5.8
2/3/2021	16	5.7	5.8	6.6	6.5	6.2	6.2	6.7	5.9
2/3/2021	17	5.8	5.8	6.3	6.7	6.4	6.2	6.7	5.9
2/3/2021	18	5.8	5.8	5.8	6.7	6.5	6.2	6.7	5.9
2/3/2021	19	5.8	5.8	5.5	6.5	6.4	6.0	6.7	6.0
2/3/2021	20	5.8	5.8	5.3	6.1	6.2	5.7	6.7	5.9
2/3/2021	21	5.8	5.8	5.2	5.8	5.9	5.4	6.7	5.9
2/3/2021	22	5.8	5.8	5.1	5.5	5.7	5.1	6.7	5.9
2/3/2021	23	5.8	5.8	5.0	5.3	5.4	4.8	6.7	5.9
2/3/2021	24	5.8	5.8	5.0	5.1	5.2	4.6	6.7	5.9
2/4/2021	1	5.8	5.8	5.0	5.0	5.1	4.5	6.7	5.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/4/2021	2	5.8	5.8	5.1	4.9	5.0	4.4	6.7	5.8
2/4/2021	3	5.7	5.8	5.1	4.9	4.9	4.4	6.6	5.8
2/4/2021	4	5.7	5.7	5.2	4.9	4.9	4.4	6.6	5.7
2/4/2021	5	5.7	5.7	5.1	4.9	4.9	4.3	6.6	5.7
2/4/2021	6	5.6	5.7	5.1	4.9	4.9	4.3	6.6	5.7
2/4/2021	7	5.7	5.7	5.1	4.9	4.9	4.4	6.6	5.8
2/4/2021	8	5.7	5.7	5.0	4.9	4.9	4.3	6.6	5.8
2/4/2021	9	5.7	5.7	5.0	4.9	4.9	4.4	6.6	5.8
2/4/2021	10	5.7	5.7	5.2	5.0	4.9	5.1	6.6	5.8
2/4/2021	11	5.7	5.7	5.6	5.0	4.9	5.2	6.6	5.8
2/4/2021	12	5.7	5.8	6.0	5.1	5.0	5.5	6.6	5.8
2/4/2021	13	5.7	5.8	6.2	5.1	5.1	5.0	6.6	5.8
2/4/2021	14	5.8	5.8	6.6	5.5	5.3	5.5	6.7	5.9
2/4/2021	15	5.8	5.9	6.6	5.8	5.6	6.3	6.7	5.9
2/4/2021	16	5.9	5.9	6.3	6.1	5.9	5.8	6.7	6.0
2/4/2021	17	5.9	5.9	6.2	6.3	6.1	5.9	6.8	6.0
2/4/2021	18	5.9	5.9	5.9	6.3	6.2	5.8	6.8	6.0
2/4/2021	19	5.9	5.9	5.7	6.2	6.1	5.8	6.8	5.9
2/4/2021	20	5.9	5.9	5.5	6.0	6.0	5.6	6.8	5.9
2/4/2021	21	5.8	5.8	5.4	5.8	5.8	5.4	6.7	5.9
2/4/2021	22	5.8	5.8	5.4	5.6	5.7	5.3	6.7	5.9
2/4/2021	23	5.8	5.8	5.4	5.5	5.5	5.1	6.7	5.9
2/4/2021	24	5.8	5.8	5.3	5.3	5.4	4.9	6.7	5.9
2/5/2021	1	5.8	5.8	5.3	5.3	5.3	4.8	6.7	5.9
2/5/2021	2	5.8	5.8	5.3	5.2	5.3	4.8	6.7	5.9
2/5/2021	3	5.8	5.8	5.3	5.3	5.3	5.6	6.7	5.9
2/5/2021	4	5.8	5.9	5.3	5.3	5.3	5.5	6.6	5.9
2/5/2021	5	5.8	5.9	5.3	5.3	5.3	5.5	6.6	5.9
2/5/2021	6	5.8	5.8	5.3	5.3	5.3	5.3	6.6	5.9
2/5/2021	7	5.8	5.8	5.4	5.3	5.3	5.2	6.6	5.8
2/5/2021	8	5.8	5.8	5.4	5.3	5.3	5.2	6.6	5.8
2/5/2021	9	5.7	5.7	5.4	5.3	5.3	5.3	6.5	5.7
2/5/2021	10	5.7	5.8	5.8	5.5	5.4	6.3	6.6	5.8
2/5/2021	11	5.8	5.9	6.3	5.6	5.4	6.7	6.7	5.9
2/5/2021	12	5.9	6.0	6.9	5.7	5.5	6.7	6.7	6.0
2/5/2021	13	6.0	6.1	7.4	5.9	5.7	6.9	6.8	6.1
2/5/2021	14	6.0	6.2	7.7	6.4	6.1	7.4	6.9	6.2
2/5/2021	15	6.1	6.2	7.7	6.8	6.5	8.0	7.0	6.3
2/5/2021	16	6.1	6.3	7.3	7.3	6.9	7.3	7.1	6.4
2/5/2021	17	6.2	6.3	7.0	7.5	7.2	7.3	7.2	6.4
2/5/2021	18	6.2	6.3	6.6	7.5	7.3	7.7	7.2	6.4
2/5/2021	19	6.2	6.3	6.3	7.2	7.2	7.6	7.2	6.4
2/5/2021	20	6.2	6.3	6.0	7.0	7.0	7.2	7.1	6.3
2/5/2021	21	6.2	6.3	5.9	6.6	6.7	6.6	7.1	6.3
2/5/2021	22	6.2	6.2	5.8	6.3	6.5	6.2	7.1	6.3
2/5/2021	23	6.2	6.2	5.7	6.1	6.2	5.8	7.1	6.3
2/5/2021	24	6.1	6.2	5.7	5.9	6.1	5.7	7.0	6.2
2/6/2021	1	6.1	6.2	5.7	5.8	5.9	5.9	7.0	6.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/6/2021	2	6.1	6.1	5.7	5.7	5.8	5.8	7.0	6.2
2/6/2021	3	6.1	6.1	5.7	5.7	5.8	6.0	6.9	6.1
2/6/2021	4	6.0	6.1	5.7	5.7	5.7	5.9	6.9	6.1
2/6/2021	5	6.0	6.0	5.7	5.7	5.7	5.9	6.9	6.0
2/6/2021	6	5.9	6.0	5.6	5.6	5.7	5.9	6.8	6.0
2/6/2021	7	5.9	5.9	5.5	5.6	5.6	5.8	6.8	6.0
2/6/2021	8	5.9	5.9	5.5	5.6	5.6	5.8	6.8	5.9
2/6/2021	9	5.9	5.9	5.5	5.5	5.6	5.6	6.7	5.9
2/6/2021	10	5.9	5.9	5.9	5.6	5.6	6.7	6.8	5.9
2/6/2021	11	5.9	6.0	6.4	5.7	5.6	6.8	6.8	6.0
2/6/2021	12	6.0	6.1	7.0	5.8	5.7	6.9	6.9	6.1
2/6/2021	13	6.0	6.2	7.5	6.1	5.9	7.0	7.0	6.2
2/6/2021	14	6.1	6.3	7.8	6.5	6.2	7.3	7.1	6.3
2/6/2021	15	6.2	6.3	7.7	7.0	6.6	7.8	7.2	6.4
2/6/2021	16	6.3	6.4	7.3	7.4	7.1	7.5	7.2	6.5
2/6/2021	17	6.3	6.4	7.0	7.6	7.3	7.4	7.3	6.5
2/6/2021	18	6.4	6.5	6.6	7.5	7.4	7.3	7.3	6.5
2/6/2021	19	6.4	6.5	6.3	7.3	7.3	7.1	7.3	6.5
2/6/2021	20	6.4	6.4	6.1	7.0	7.0	6.9	7.3	6.5
2/6/2021	21	6.3	6.4	6.0	6.7	6.8	6.6	7.2	6.5
2/6/2021	22	6.3	6.4	6.0	6.4	6.5	6.3	7.2	6.4
2/6/2021	23	6.2	6.3	5.9	6.2	6.3	6.0	7.2	6.4
2/6/2021	24	6.2	6.3	5.9	6.1	6.2	5.8	7.1	6.3
2/7/2021	1	6.2	6.3	5.9	6.0	6.1	5.7	7.1	6.3
2/7/2021	2	6.2	6.2	5.8	5.9	6.0	5.4	7.1	6.2
2/7/2021	3	6.1	6.2	5.8	5.8	5.9	5.4	7.0	6.2
2/7/2021	4	6.1	6.1	5.6	5.8	5.8	5.3	6.9	6.1
2/7/2021	5	6.0	6.0	5.5	5.7	5.8	5.2	6.9	6.0
2/7/2021	6	5.9	5.9	5.4	5.6	5.7	5.1	6.8	5.9
2/7/2021	7	5.9	5.8	5.3	5.5	5.6	5.0	6.8	5.8
2/7/2021	8	5.8	5.8	5.3	5.4	5.5	5.0	6.7	5.8
2/7/2021	9	5.8	5.8	5.4	5.4	5.4	5.2	6.6	5.8
2/7/2021	10	5.8	5.8	5.5	5.4	5.4	5.2	6.6	5.8
2/7/2021	11	5.8	5.8	5.8	5.4	5.4	5.2	6.7	5.8
2/7/2021	12	5.8	5.9	6.3	5.6	5.5	5.9	6.7	5.9
2/7/2021	13	5.9	6.0	6.7	5.7	5.6	5.8	6.8	6.0
2/7/2021	14	5.9	6.0	6.9	6.0	5.8	5.8	6.8	6.1
2/7/2021	15	6.0	6.1	6.9	6.3	6.1	6.2	6.8	6.1
2/7/2021	16	6.0	6.1	6.6	6.5	6.3	6.1	6.9	6.1
2/7/2021	17	6.1	6.1	6.2	6.6	6.5	5.9	6.9	6.1
2/7/2021	18	6.0	6.1	5.9	6.6	6.5	6.0	6.9	6.1
2/7/2021	19	6.0	6.1	5.7	6.4	6.4	5.8	6.9	6.1
2/7/2021	20	6.0	6.1	5.5	6.1	6.2	5.6	6.9	6.1
2/7/2021	21	6.0	6.0	5.4	5.8	5.9	5.3	6.9	6.1
2/7/2021	22	6.0	6.0	5.4	5.6	5.7	5.1	6.8	6.1
2/7/2021	23	6.0	6.0	5.4	5.4	5.5	4.9	6.8	6.0
2/7/2021	24	6.0	6.0	5.3	5.3	5.4	4.7	6.8	6.0
2/8/2021	1	6.0	6.0	5.3	5.2	5.3	4.7	6.8	6.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/8/2021	2	6.0	5.9	5.3	5.2	5.3	4.7	6.8	6.0
2/8/2021	3	5.9	5.9	5.2	5.2	5.2	4.6	6.7	5.9
2/8/2021	4	5.9	5.9	5.2	5.1	5.2	4.6	6.7	5.9
2/8/2021	5	5.9	5.9	5.2	5.1	5.1	4.6	6.7	5.9
2/8/2021	6	5.9	5.8	5.1	5.1	5.1	4.5	6.7	5.9
2/8/2021	7	5.8	5.8	5.1	5.0	5.1	4.4	6.6	5.8
2/8/2021	8	5.8	5.8	5.0	4.9	5.0	4.3	6.6	5.8
2/8/2021	9	5.8	5.8	4.9	4.9	4.9	4.2	6.6	5.8
2/8/2021	10	5.7	5.8	5.1	4.8	4.9	4.3	6.6	5.8
2/8/2021	11	5.7	5.8	5.3	4.9	4.8	4.4	6.6	5.8
2/8/2021	12	5.7	5.8	5.7	4.9	4.8	4.6	6.6	5.8
2/8/2021	13	5.8	5.9	6.0	5.1	4.9	4.7	6.6	5.8
2/8/2021	14	5.8	5.8	6.1	5.2	5.1	4.6	6.6	5.9
2/8/2021	15	5.8	5.8	6.0	5.4	5.3	4.7	6.6	5.9
2/8/2021	16	5.8	5.8	5.9	5.6	5.5	4.8	6.6	5.8
2/8/2021	17	5.8	5.7	5.6	5.6	5.5	4.7	6.6	5.8
2/8/2021	18	5.7	5.7	5.3	5.6	5.5	4.7	6.6	5.7
2/8/2021	19	5.7	5.6	5.0	5.4	5.4	4.5	6.5	5.6
2/8/2021	20	5.6	5.6	4.8	5.2	5.2	4.2	6.5	5.6
2/8/2021	21	5.6	5.5	4.7	4.9	5.0	4.0	6.5	5.5
2/8/2021	22	5.5	5.5	4.6	4.7	4.8	3.7	6.4	5.6
2/8/2021	23	5.6	5.5	4.5	4.5	4.6	3.5	6.4	5.6
2/8/2021	24	5.6	5.5	4.4	4.3	4.4	3.3	6.4	5.6
2/9/2021	1	5.5	5.5	4.3	4.1	4.3	3.2	6.3	5.6
2/9/2021	2	5.5	5.5	4.3	4.0	4.1	3.0	6.3	5.6
2/9/2021	3	5.5	5.4	4.3	3.9	4.0	3.0	6.3	5.5
2/9/2021	4	5.5	5.4	4.3	3.9	4.0	2.8	6.2	5.5
2/9/2021	5	5.4	5.4	4.2	3.8	3.9	2.7	6.2	5.5
2/9/2021	6	5.4	5.3	4.2	3.8	3.9	2.8	6.2	5.4
2/9/2021	7	5.4	5.3	4.1	3.8	3.8	2.7	6.1	5.4
2/9/2021	8	5.3	5.2	4.1	3.7	3.8	2.6	6.1	5.3
2/9/2021	9	5.2	5.2	4.1	3.7	3.8	2.8	6.0	5.3
2/9/2021	10	5.2	5.2	4.2	3.7	3.8	2.9	6.0	5.3
2/9/2021	11	5.2	5.2	4.5	3.8	3.8	3.1	6.0	5.3
2/9/2021	12	5.2	5.2	4.7	3.9	3.9	3.2	6.0	5.3
2/9/2021	13	5.2	5.2	5.0	4.1	4.0	3.8	6.0	5.3
2/9/2021	14	5.2	5.2	5.2	4.1	4.1	3.6	6.0	5.4
2/9/2021	15	5.3	5.2	5.2	4.3	4.2	3.5	6.0	5.4
2/9/2021	16	5.3	5.2	5.0	4.6	4.4	3.6	6.0	5.4
2/9/2021	17	5.3	5.2	4.7	4.7	4.6	3.7	6.1	5.4
2/9/2021	18	5.3	5.2	4.3	4.7	4.6	3.7	6.1	5.4
2/9/2021	19	5.3	5.2	4.1	4.6	4.6	3.5	6.1	5.3
2/9/2021	20	5.3	5.2	4.0	4.3	4.4	3.2	6.1	5.3
2/9/2021	21	5.2	5.1	3.8	4.1	4.2	3.0	6.0	5.3
2/9/2021	22	5.2	5.1	3.7	3.8	3.9	2.5	6.0	5.2
2/9/2021	23	5.1	5.1	3.6	3.6	3.7	2.3	5.9	5.2
2/9/2021	24	5.1	5.0	3.5	3.4	3.6	2.1	5.9	5.1
2/10/2021	1	5.1	4.9	3.4	3.3	3.4	1.8	5.8	5.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/10/2021	2	5.0	4.9	3.3	3.2	3.3	1.8	5.8	5.0
2/10/2021	3	5.0	4.8	3.2	3.0	3.2	1.5	5.7	4.9
2/10/2021	4	4.9	4.8	3.1	2.9	3.0	1.5	5.7	4.9
2/10/2021	5	4.9	4.7	3.0	2.8	2.9	1.5	5.6	4.8
2/10/2021	6	4.8	4.7	2.9	2.7	2.8	1.4	5.6	4.7
2/10/2021	7	4.8	4.6	2.9	2.6	2.7	1.1	5.6	4.7
2/10/2021	8	4.7	4.6	2.9	2.5	2.6	1.0	5.6	4.6
2/10/2021	9	4.7	4.5	2.9	2.5	2.5	1.5	5.5	4.6
2/10/2021	10	4.7	4.6	3.3	2.6	2.6	2.3	5.5	4.7
2/10/2021	11	4.7	4.6	3.8	2.7	2.6	2.5	5.5	4.7
2/10/2021	12	4.8	4.7	4.4	2.7	2.7	2.8	5.5	4.8
2/10/2021	13	4.8	4.7	4.9	3.0	2.8	3.0	5.5	4.8
2/10/2021	14	4.9	4.8	5.2	3.4	3.1	3.0	5.5	4.9
2/10/2021	15	4.9	4.9	5.0	3.8	3.6	3.2	5.6	4.9
2/10/2021	16	4.9	4.9	4.6	4.3	4.0	3.3	5.6	4.9
2/10/2021	17	4.9	4.9	4.2	4.5	4.2	3.2	5.6	4.9
2/10/2021	18	4.9	4.8	4.0	4.4	4.2	3.2	5.6	4.9
2/10/2021	19	4.9	4.8	3.8	4.1	4.1	3.1	5.7	4.9
2/10/2021	20	4.9	4.8	3.6	3.9	3.9	2.8	5.6	4.8
2/10/2021	21	4.8	4.7	3.5	3.6	3.7	2.7	5.6	4.8
2/10/2021	22	4.8	4.7	3.5	3.4	3.5	2.5	5.5	4.7
2/10/2021	23	4.7	4.6	3.5	3.3	3.4	2.3	5.5	4.7
2/10/2021	24	4.7	4.6	3.4	3.2	3.2	2.0	5.4	4.6
2/11/2021	1	4.6	4.5	3.4	3.1	3.1	1.9	5.4	4.6
2/11/2021	2	4.6	4.5	3.3	3.0	3.1	1.8	5.4	4.6
2/11/2021	3	4.5	4.4	3.2	2.9	3.0	1.6	5.3	4.5
2/11/2021	4	4.5	4.4	3.1	2.8	2.9	1.4	5.3	4.5
2/11/2021	5	4.5	4.4	3.0	2.7	2.8	1.3	5.2	4.4
2/11/2021	6	4.4	4.3	3.0	2.6	2.7	1.1	5.2	4.4
2/11/2021	7	4.4	4.2	2.9	2.5	2.6	1.1	5.1	4.4
2/11/2021	8	4.3	4.1	2.8	2.4	2.5	0.9	5.1	4.2
2/11/2021	9	4.2	4.1	2.8	2.4	2.5	0.9	5.0	4.2
2/11/2021	10	4.2	4.1	2.9	2.4	2.4	1.0	5.0	4.1
2/11/2021	11	4.2	4.1	3.1	2.4	2.4	1.1	4.9	4.1
2/11/2021	12	4.2	4.2	3.2	2.4	2.4	1.2	4.9	4.2
2/11/2021	13	4.3	4.2	3.5	2.6	2.5	1.6	5.0	4.4
2/11/2021	14	4.4	4.3	3.8	2.7	2.6	1.6	5.0	4.4
2/11/2021	15	4.4	4.4	3.9	2.9	2.7	1.6	5.1	4.5
2/11/2021	16	4.5	4.4	3.7	3.0	2.9	1.8	5.1	4.5
2/11/2021	17	4.5	4.4	3.5	3.2	3.0	1.9	5.2	4.6
2/11/2021	18	4.5	4.4	3.3	3.2	3.1	2.0	5.2	4.6
2/11/2021	19	4.5	4.4	3.2	3.1	3.1	2.0	5.3	4.5
2/11/2021	20	4.4	4.3	3.1	3.0	3.0	2.0	5.3	4.5
2/11/2021	21	4.4	4.3	3.1	2.9	2.9	1.9	5.3	4.5
2/11/2021	22	4.4	4.2	3.0	2.7	2.8	1.6	5.3	4.4
2/11/2021	23	4.4	4.2	3.0	2.7	2.7	1.6	5.3	4.4
2/11/2021	24	4.4	4.3	2.9	2.6	2.6	1.5	5.3	4.5
2/12/2021	1	4.4	4.3	2.9	2.6	2.6	1.5	5.3	4.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/12/2021	2	4.4	4.3	2.8	2.5	2.6	1.4	5.2	4.5
2/12/2021	3	4.4	4.3	2.7	2.5	2.5	1.3	5.2	4.5
2/12/2021	4	4.5	4.3	2.7	2.4	2.4	1.3	5.2	4.5
2/12/2021	5	4.5	4.3	2.7	2.3	2.4	1.2	5.2	4.4
2/12/2021	6	4.4	4.3	2.7	2.3	2.3	1.0	5.2	4.4
2/12/2021	7	4.4	4.2	2.7	2.2	2.3	1.0	5.2	4.4
2/12/2021	8	4.4	4.2	2.7	2.2	2.2	1.0	5.2	4.3
2/12/2021	9	4.3	4.2	2.9	2.2	2.2	1.0	5.2	4.3
2/12/2021	10	4.4	4.3	3.0	2.2	2.2	1.1	5.2	4.4
2/12/2021	11	4.4	4.3	3.1	2.3	2.2	1.1	5.1	4.4
2/12/2021	12	4.4	4.4	3.4	2.5	2.3	1.4	5.2	4.4
2/12/2021	13	4.5	4.4	3.6	2.6	2.5	1.8	5.2	4.5
2/12/2021	14	4.5	4.5	3.8	2.8	2.6	2.0	5.2	4.5
2/12/2021	15	4.5	4.5	3.9	3.0	2.8	2.1	5.3	4.5
2/12/2021	16	4.5	4.5	3.8	3.1	3.0	2.1	5.3	4.6
2/12/2021	17	4.5	4.5	3.7	3.2	3.1	2.3	5.3	4.6
2/12/2021	18	4.6	4.5	3.6	3.3	3.2	2.5	5.3	4.6
2/12/2021	19	4.6	4.5	3.5	3.3	3.2	2.2	5.4	4.6
2/12/2021	20	4.6	4.5	3.4	3.2	3.2	2.0	5.3	4.6
2/12/2021	21	4.6	4.6	3.4	3.1	3.1	1.9	5.3	4.7
2/12/2021	22	4.6	4.6	3.3	3.0	3.0	2.1	5.2	4.7
2/12/2021	23	4.6	4.5	3.3	3.0	3.0	2.3	5.2	4.6
2/12/2021	24	4.6	4.5	3.3	2.9	2.9	2.6	5.1	4.5
2/13/2021	1	4.4	4.3	3.3	2.9	2.9	2.0	5.1	4.3
2/13/2021	2	4.4	4.2	3.2	2.8	2.8	1.9	5.0	4.3
2/13/2021	3	4.3	4.2	3.1	2.8	2.8	1.8	5.0	4.2
2/13/2021	4	4.3	4.2	3.1	2.7	2.7	1.6	5.0	4.2
2/13/2021	5	4.3	4.1	3.0	2.6	2.7	1.5	4.9	4.2
2/13/2021	6	4.3	4.1	2.9	2.6	2.6	1.6	4.9	4.2
2/13/2021	7	4.2	4.1	2.8	2.5	2.6	1.5	4.9	4.2
2/13/2021	8	4.2	4.1	2.8	2.5	2.5	1.5	4.8	4.1
2/13/2021	9	4.2	4.0	2.8	2.5	2.5	1.6	4.8	4.1
2/13/2021	10	4.1	4.0	2.9	2.4	2.5	1.6	4.8	4.0
2/13/2021	11	4.1	4.0	3.1	2.5	2.5	1.9	4.8	4.0
2/13/2021	12	4.1	4.1	3.5	2.7	2.6	2.0	4.8	4.1
2/13/2021	13	4.1	4.1	4.0	2.9	2.7	2.3	4.8	4.1
2/13/2021	14	4.2	4.1	4.3	3.1	2.9	2.7	4.8	4.1
2/13/2021	15	4.2	4.2	4.5	3.4	3.2	2.9	4.9	4.2
2/13/2021	16	4.2	4.2	4.5	3.7	3.5	2.8	4.9	4.2
2/13/2021	17	4.3	4.2	4.3	4.0	3.7	3.0	4.9	4.2
2/13/2021	18	4.3	4.2	4.0	4.1	3.9	3.2	5.0	4.2
2/13/2021	19	4.3	4.2	3.7	4.1	3.9	3.3	5.0	4.2
2/13/2021	20	4.3	4.2	3.6	3.9	3.9	3.1	5.0	4.2
2/13/2021	21	4.2	4.1	3.5	3.7	3.7	3.1	5.0	4.2
2/13/2021	22	4.2	4.1	3.5	3.5	3.6	3.1	4.9	4.2
2/13/2021	23	4.2	4.1	3.4	3.4	3.4	3.1	4.9	4.1
2/13/2021	24	4.1	4.0	3.4	3.2	3.3	2.7	4.9	4.0
2/14/2021	1	4.0	4.0	3.4	3.2	3.2	2.4	4.9	4.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/14/2021	2	4.0	3.9	3.4	3.1	3.2	2.3	4.9	4.1
2/14/2021	3	4.0	4.0	3.3	3.1	3.1	2.3	4.9	4.1
2/14/2021	4	4.0	4.0	3.3	3.1	3.1	2.2	4.9	4.2
2/14/2021	5	4.1	4.0	3.2	3.1	3.1	2.2	4.9	4.2
2/14/2021	6	4.2	4.1	3.2	3.0	3.0	2.2	4.9	4.3
2/14/2021	7	4.3	4.2	3.2	3.0	3.0	2.2	5.0	4.3
2/14/2021	8	4.3	4.3	3.2	3.0	3.0	2.2	5.0	4.4
2/14/2021	9	4.4	4.3	3.4	3.0	3.0	2.4	5.0	4.4
2/14/2021	10	4.4	4.4	3.6	3.1	3.0	2.6	5.1	4.4
2/14/2021	11	4.4	4.4	4.0	3.2	3.1	2.9	5.1	4.3
2/14/2021	12	4.4	4.5	4.5	3.5	3.3	3.2	5.1	4.5
2/14/2021	13	4.5	4.5	4.9	3.7	3.5	3.8	5.2	4.5
2/14/2021	14	4.5	4.6	5.2	4.0	3.7	3.6	5.3	4.6
2/14/2021	15	4.6	4.7	5.4	4.4	4.1	4.1	5.3	4.7
2/14/2021	16	4.7	4.7	5.2	4.7	4.4	3.7	5.4	4.8
2/14/2021	17	4.7	4.7	4.9	4.9	4.6	3.9	5.5	4.8
2/14/2021	18	4.7	4.7	4.5	4.9	4.7	4.0	5.5	4.8
2/14/2021	19	4.7	4.7	4.2	4.8	4.7	4.0	5.6	4.8
2/14/2021	20	4.7	4.7	4.1	4.6	4.5	3.9	5.5	4.8
2/14/2021	21	4.7	4.7	4.0	4.3	4.4	3.7	5.5	4.7
2/14/2021	22	4.7	4.6	4.0	4.1	4.2	3.5	5.5	4.7
2/14/2021	23	4.6	4.6	3.9	3.9	4.0	3.2	5.4	4.6
2/14/2021	24	4.6	4.6	3.9	3.7	3.9	3.7	5.4	4.6
2/15/2021	1	4.6	4.5	3.8	3.7	3.7	3.6	5.3	4.5
2/15/2021	2	4.5	4.5	3.8	3.6	3.7	2.9	5.3	4.5
2/15/2021	3	4.5	4.5	3.7	3.6	3.6	2.9	5.3	4.5
2/15/2021	4	4.5	4.5	3.7	3.5	3.6	2.8	5.2	4.5
2/15/2021	5	4.5	4.4	3.7	3.5	3.5	2.7	5.2	4.5
2/15/2021	6	4.4	4.4	3.7	3.5	3.5	2.7	5.2	4.4
2/15/2021	7	4.4	4.4	3.6	3.4	3.4	2.6	5.2	4.4
2/15/2021	8	4.4	4.3	3.5	3.4	3.4	2.5	5.2	4.4
2/15/2021	9	4.4	4.2	3.3	3.2	3.3	2.5	5.1	4.3
2/15/2021	10	4.3	4.3	3.6	3.4	3.4	3.1	5.1	4.3
2/15/2021	11	4.3	4.4	4.3	3.5	3.4	4.0	5.1	4.4
2/15/2021	12	4.4	4.4	4.9	3.6	3.5	3.9	5.2	4.5
2/15/2021	13	4.5	4.5	5.6	3.8	3.6	4.2	5.2	4.6
2/15/2021	14	4.6	4.6	5.9	4.2	3.9	4.0	5.3	4.7
2/15/2021	15	4.6	4.7	6.0	4.8	4.4	5.1	5.3	4.7
2/15/2021	16	4.7	4.7	5.5	5.3	4.8	4.2	5.4	4.8
2/15/2021	17	4.7	4.7	5.1	5.5	5.2	4.6	5.4	4.8
2/15/2021	18	4.7	4.7	4.6	5.4	5.3	4.5	5.5	4.8
2/15/2021	19	4.7	4.6	4.2	5.2	5.1	4.4	5.5	4.7
2/15/2021	20	4.7	4.6	3.9	4.8	4.9	4.0	5.5	4.7
2/15/2021	21	4.6	4.5	3.7	4.5	4.6	3.6	5.4	4.6
2/15/2021	22	4.6	4.5	3.5	4.0	4.2	3.2	5.4	4.6
2/15/2021	23	4.6	4.5	3.5	3.7	4.0	3.0	5.4	4.6
2/15/2021	24	4.5	4.5	3.4	3.5	3.7	2.7	5.3	4.6
2/16/2021	1	4.5	4.4	3.4	3.3	3.5	2.5	5.3	4.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/16/2021	2	4.5	4.4	3.4	3.2	3.3	2.3	5.2	4.5
2/16/2021	3	4.4	4.4	3.4	3.1	3.2	2.3	5.2	4.5
2/16/2021	4	4.4	4.3	3.3	3.0	3.1	2.0	5.2	4.4
2/16/2021	5	4.4	4.3	3.3	3.0	3.1	2.1	5.1	4.4
2/16/2021	6	4.4	4.3	3.3	3.0	3.0	2.0	5.1	4.3
2/16/2021	7	4.3	4.2	3.2	3.0	3.0	2.2	5.1	4.2
2/16/2021	8	4.3	4.2	3.3	3.0	3.0	2.2	5.1	4.2
2/16/2021	9	4.3	4.2	3.4	3.0	3.0	2.4	5.0	4.2
2/16/2021	10	4.3	4.2	3.6	3.1	3.1	2.6	5.0	4.2
2/16/2021	11	4.3	4.2	4.1	3.4	3.2	3.5	5.0	4.2
2/16/2021	12	4.3	4.3	4.6	3.5	3.4	3.8	5.0	4.4
2/16/2021	13	4.4	4.4	5.1	3.7	3.5	3.9	5.1	4.4
2/16/2021	14	4.4	4.5	5.5	4.1	3.8	4.4	5.1	4.6
2/16/2021	15	4.5	4.5	5.6	4.4	4.2	4.7	5.2	4.7
2/16/2021	16	4.6	4.6	5.2	4.9	4.5	4.1	5.2	4.7
2/16/2021	17	4.6	4.6	4.8	5.2	4.8	4.1	5.3	4.7
2/16/2021	18	4.6	4.6	4.4	5.1	4.9	4.2	5.3	4.7
2/16/2021	19	4.6	4.6	4.0	4.9	4.8	4.1	5.4	4.6
2/16/2021	20	4.6	4.5	3.7	4.5	4.6	3.7	5.4	4.6
2/16/2021	21	4.5	4.5	3.6	4.2	4.3	3.5	5.4	4.6
2/16/2021	22	4.5	4.4	3.5	3.8	4.0	3.1	5.3	4.5
2/16/2021	23	4.5	4.4	3.4	3.5	3.7	2.8	5.3	4.5
2/16/2021	24	4.4	4.3	3.3	3.3	3.5	2.5	5.2	4.4
2/17/2021	1	4.4	4.3	3.3	3.2	3.4	2.3	5.2	4.4
2/17/2021	2	4.4	4.3	3.2	3.0	3.2	2.1	5.2	4.4
2/17/2021	3	4.3	4.2	3.1	3.0	3.1	2.2	5.1	4.3
2/17/2021	4	4.3	4.2	3.0	2.9	3.0	2.2	5.1	4.3
2/17/2021	5	4.3	4.2	3.0	2.9	3.0	2.0	5.1	4.2
2/17/2021	6	4.2	4.2	3.0	2.7	2.9	1.9	5.1	4.2
2/17/2021	7	4.2	4.1	3.1	2.7	2.8	2.0	5.1	4.2
2/17/2021	8	4.2	4.1	3.1	2.7	2.8	2.0	5.1	4.1
2/17/2021	9	4.2	4.1	3.2	2.8	2.8	2.2	5.1	4.1
2/17/2021	10	4.2	4.2	3.7	2.9	2.9	2.6	5.1	4.2
2/17/2021	11	4.2	4.2	4.3	3.3	3.0	3.6	5.1	4.3
2/17/2021	12	4.3	4.4	5.1	3.5	3.2	4.0	5.1	4.4
2/17/2021	13	4.4	4.5	5.8	3.7	3.5	4.5	5.2	4.6
2/17/2021	14	4.6	4.6	6.3	4.4	3.9	4.8	5.3	4.7
2/17/2021	15	4.7	4.7	6.1	5.0	4.5	4.6	5.4	4.8
2/17/2021	16	4.7	4.8	5.7	5.6	5.1	5.0	5.4	4.9
2/17/2021	17	4.8	4.8	5.3	5.9	5.4	5.4	5.5	4.9
2/17/2021	18	4.8	4.8	4.9	5.8	5.5	5.4	5.6	4.9
2/17/2021	19	4.8	4.8	4.6	5.6	5.4	5.3	5.7	4.9
2/17/2021	20	4.8	4.9	4.5	5.3	5.3	5.0	5.8	5.0
2/17/2021	21	4.9	4.8	4.4	4.9	5.0	4.5	5.7	4.9
2/17/2021	22	4.9	4.8	4.2	4.6	4.7	4.1	5.7	4.9
2/17/2021	23	4.8	4.8	4.1	4.4	4.5	3.8	5.6	4.9
2/17/2021	24	4.8	4.8	4.0	4.2	4.3	3.6	5.6	4.8
2/18/2021	1	4.8	4.7	3.9	4.0	4.1	3.4	5.5	4.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/18/2021	2	4.7	4.7	3.9	3.9	4.0	3.3	5.5	4.7
2/18/2021	3	4.6	4.6	3.9	3.7	3.9	3.1	5.4	4.6
2/18/2021	4	4.6	4.5	3.8	3.7	3.8	3.0	5.4	4.6
2/18/2021	5	4.5	4.5	3.8	3.6	3.7	3.0	5.3	4.5
2/18/2021	6	4.5	4.5	3.7	3.6	3.6	2.9	5.3	4.5
2/18/2021	7	4.5	4.4	3.7	3.5	3.6	2.9	5.3	4.5
2/18/2021	8	4.4	4.4	3.7	3.5	3.6	2.9	5.3	4.4
2/18/2021	9	4.4	4.4	3.8	3.6	3.6	3.0	5.2	4.4
2/18/2021	10	4.4	4.4	4.1	3.6	3.6	3.2	5.2	4.4
2/18/2021	11	4.4	4.4	4.3	3.7	3.7	3.3	5.2	4.4
2/18/2021	12	4.4	4.4	4.5	3.8	3.7	3.4	5.2	4.4
2/18/2021	13	4.4	4.4	4.6	4.0	3.9	3.5	5.2	4.4
2/18/2021	14	4.4	4.4	4.6	4.2	4.0	3.6	5.2	4.4
2/18/2021	15	4.4	4.4	4.5	4.3	4.1	3.7	5.2	4.4
2/18/2021	16	4.4	4.4	4.4	4.3	4.2	3.8	5.2	4.4
2/18/2021	17	4.4	4.4	4.2	4.4	4.3	3.8	5.2	4.4
2/18/2021	18	4.4	4.3	4.0	4.3	4.2	3.7	5.2	4.4
2/18/2021	19	4.3	4.3	3.9	4.1	4.2	3.7	5.2	4.4
2/18/2021	20	4.3	4.3	3.7	4.0	4.0	3.5	5.2	4.4
2/18/2021	21	4.3	4.3	3.7	3.9	3.9	3.5	5.2	4.4
2/18/2021	22	4.3	4.3	3.6	3.7	3.8	3.3	5.2	4.4
2/18/2021	23	4.3	4.3	3.7	3.6	3.7	3.2	5.2	4.4
2/18/2021	24	4.4	4.3	3.7	3.5	3.6	3.1	5.2	4.5
2/19/2021	1	4.4	4.4	3.7	3.5	3.6	3.0	5.2	4.5
2/19/2021	2	4.4	4.4	3.8	3.5	3.6	3.0	5.2	4.5
2/19/2021	3	4.4	4.4	3.8	3.5	3.6	2.7	5.2	4.5
2/19/2021	4	4.4	4.4	3.8	3.5	3.5	2.8	5.2	4.5
2/19/2021	5	4.4	4.4	3.8	3.5	3.5	2.9	5.3	4.5
2/19/2021	6	4.4	4.4	3.8	3.5	3.5	2.8	5.3	4.5
2/19/2021	7	4.4	4.4	3.7	3.5	3.5	2.8	5.3	4.5
2/19/2021	8	4.4	4.4	3.8	3.6	3.6	3.1	5.3	4.5
2/19/2021	9	4.4	4.4	3.9	3.6	3.6	3.1	5.3	4.5
2/19/2021	10	4.5	4.5	4.2	3.7	3.6	3.4	5.4	4.5
2/19/2021	11	4.5	4.6	4.7	4.0	3.8	4.0	5.4	4.6
2/19/2021	12	4.6	4.7	5.2	4.1	4.0	3.9	5.4	4.7
2/19/2021	13	4.6	4.7	5.3	4.4	4.1	4.2	5.5	4.7
2/19/2021	14	4.7	4.8	5.3	4.7	4.4	4.3	5.5	4.8
2/19/2021	15	4.7	4.8	5.4	5.1	4.7	4.6	5.5	4.8
2/19/2021	16	4.8	4.8	5.3	5.2	4.9	4.9	5.6	4.9
2/19/2021	17	4.8	4.8	5.2	5.3	5.1	4.8	5.6	4.9
2/19/2021	18	4.8	4.8	5.0	5.2	5.1	4.8	5.6	4.9
2/19/2021	19	4.8	4.8	4.8	5.2	5.1	4.7	5.7	4.9
2/19/2021	20	4.8	4.8	4.6	5.0	5.0	4.6	5.7	4.9
2/19/2021	21	4.8	4.8	4.5	4.9	4.9	4.4	5.7	4.9
2/19/2021	22	4.8	4.8	4.5	4.7	4.7	4.3	5.6	4.8
2/19/2021	23	4.8	4.8	4.4	4.6	4.6	4.1	5.6	4.8
2/19/2021	24	4.8	4.7	4.5	4.4	4.5	4.0	5.6	4.8
2/20/2021	1	4.7	4.7	4.4	4.4	4.4	4.0	5.6	4.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/20/2021	2	4.7	4.7	4.4	4.3	4.4	3.8	5.6	4.8
2/20/2021	3	4.7	4.7	4.4	4.3	4.4	3.7	5.5	4.7
2/20/2021	4	4.7	4.7	4.4	4.3	4.3	3.7	5.5	4.7
2/20/2021	5	4.6	4.6	4.3	4.2	4.3	3.6	5.5	4.6
2/20/2021	6	4.6	4.6	4.3	4.2	4.2	3.5	5.5	4.7
2/20/2021	7	4.6	4.6	4.2	4.2	4.2	3.6	5.5	4.7
2/20/2021	8	4.6	4.6	4.3	4.2	4.2	3.5	5.5	4.7
2/20/2021	9	4.6	4.6	4.4	4.2	4.2	3.6	5.5	4.7
2/20/2021	10	4.6	4.7	4.7	4.4	4.3	4.1	5.5	4.7
2/20/2021	11	4.7	4.7	5.4	4.4	4.3	4.6	5.5	4.7
2/20/2021	12	4.7	4.8	5.8	4.6	4.4	5.1	5.6	4.8
2/20/2021	13	4.8	4.9	6.3	4.8	4.6	5.3	5.6	5.0
2/20/2021	14	4.9	5.0	6.6	5.3	5.0	5.3	5.7	5.1
2/20/2021	15	5.0	5.1	6.7	5.7	5.4	5.9	5.7	5.2
2/20/2021	16	5.1	5.1	6.3	6.1	5.7	5.5	5.8	5.2
2/20/2021	17	5.1	5.2	5.9	6.3	6.0	5.8	5.8	5.2
2/20/2021	18	5.1	5.2	5.5	6.3	6.1	6.1	5.9	5.2
2/20/2021	19	5.1	5.1	5.1	6.1	6.0	6.1	6.0	5.2
2/20/2021	20	5.1	5.1	4.8	5.8	5.8	5.9	6.0	5.1
2/20/2021	21	5.0	5.1	4.7	5.5	5.6	5.7	5.9	5.1
2/20/2021	22	5.0	5.0	4.7	5.2	5.3	5.1	5.9	5.0
2/20/2021	23	5.0	5.0	4.8	4.9	5.1	4.5	5.9	5.0
2/20/2021	24	4.9	5.0	4.8	4.8	4.9	4.4	5.8	4.9
2/21/2021	1	4.9	4.9	4.8	4.7	4.8	4.3	5.8	4.9
2/21/2021	2	4.9	4.9	4.8	4.7	4.8	4.4	5.8	4.9
2/21/2021	3	4.9	4.9	4.9	4.8	4.8	4.8	5.7	4.9
2/21/2021	4	4.9	4.9	4.8	4.8	4.8	4.8	5.7	4.9
2/21/2021	5	4.8	4.9	4.8	4.8	4.8	5.0	5.7	4.9
2/21/2021	6	4.8	4.9	4.9	4.8	4.8	4.5	5.8	4.9
2/21/2021	7	4.8	4.9	4.8	4.8	4.8	4.5	5.8	4.8
2/21/2021	8	4.8	4.9	4.9	4.8	4.8	4.4	5.8	4.9
2/21/2021	9	4.9	4.9	5.0	4.9	4.8	4.7	5.8	4.9
2/21/2021	10	4.8	4.9	5.2	5.0	4.9	5.1	5.8	4.9
2/21/2021	11	4.9	5.0	5.5	5.1	5.0	5.4	5.8	5.0
2/21/2021	12	4.9	5.1	5.9	5.3	5.1	5.6	5.8	5.1
2/21/2021	13	5.0	5.2	6.2	5.6	5.3	5.8	5.9	5.1
2/21/2021	14	5.0	5.2	6.4	5.8	5.6	6.0	6.0	5.2
2/21/2021	15	5.1	5.2	6.4	6.1	5.8	6.1	6.0	5.3
2/21/2021	16	5.1	5.3	6.2	6.3	6.0	6.2	6.1	5.3
2/21/2021	17	5.2	5.3	6.1	6.4	6.2	6.5	6.1	5.3
2/21/2021	18	5.2	5.3	5.9	6.4	6.3	6.5	6.2	5.4
2/21/2021	19	5.3	5.4	5.8	6.3	6.3	6.8	6.2	5.4
2/21/2021	20	5.3	5.4	5.7	6.2	6.2	6.8	6.3	5.4
2/21/2021	21	5.3	5.4	5.6	6.1	6.1	6.7	6.2	5.4
2/21/2021	22	5.2	5.4	5.5	6.0	6.0	6.7	6.2	5.3
2/21/2021	23	5.2	5.3	5.5	5.9	5.9	6.7	6.2	5.3
2/21/2021	24	5.2	5.3	5.5	5.8	5.8	6.5	6.2	5.3
2/22/2021	1	5.2	5.3	5.5	5.7	5.7	6.3	6.2	5.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/22/2021	2	5.2	5.3	5.5	5.7	5.7	6.2	6.2	5.3
2/22/2021	3	5.2	5.3	5.5	5.6	5.6	6.2	6.2	5.3
2/22/2021	4	5.2	5.3	5.5	5.6	5.6	6.3	6.2	5.3
2/22/2021	5	5.2	5.3	5.4	5.6	5.6	6.3	6.2	5.3
2/22/2021	6	5.2	5.3	5.4	5.6	5.6	6.2	6.2	5.3
2/22/2021	7	5.2	5.3	5.3	5.6	5.6	6.2	6.2	5.3
2/22/2021	8	5.2	5.3	5.4	5.6	5.6	6.4	6.3	5.3
2/22/2021	9	5.2	5.4	5.6	5.6	5.6	6.8	6.3	5.3
2/22/2021	10	5.2	5.4	6.0	5.7	5.7	7.0	6.3	5.4
2/22/2021	11	5.3	5.5	6.5	5.9	5.8	7.1	6.3	5.4
2/22/2021	12	5.4	5.6	7.0	6.2	6.0	7.5	6.3	5.6
2/22/2021	13	5.5	5.7	7.2	6.5	6.2	7.3	6.4	5.6
2/22/2021	14	5.5	5.7	7.3	6.9	6.5	7.4	6.4	5.7
2/22/2021	15	5.5	5.8	7.2	7.2	6.9	7.6	6.4	5.7
2/22/2021	16	5.6	5.7	6.9	7.3	7.0	7.7	6.5	5.8
2/22/2021	17	5.6	5.8	6.5	7.3	7.1	7.4	6.5	5.8
2/22/2021	18	5.6	5.8	6.4	7.2	7.1	7.1	6.6	5.8
2/22/2021	19	5.6	5.7	6.1	7.0	7.0	6.8	6.6	5.8
2/22/2021	20	5.6	5.7	5.8	6.6	6.7	6.7	6.6	5.7
2/22/2021	21	5.5	5.6	5.6	6.4	6.5	6.4	6.5	5.7
2/22/2021	22	5.5	5.6	5.4	6.1	6.3	6.2	6.5	5.6
2/22/2021	23	5.5	5.6	5.2	5.8	6.0	5.8	6.4	5.6
2/22/2021	24	5.4	5.5	5.1	5.6	5.8	5.4	6.4	5.6
2/23/2021	1	5.4	5.5	5.0	5.4	5.6	5.3	6.3	5.5
2/23/2021	2	5.4	5.4	4.9	5.2	5.4	5.2	6.3	5.4
2/23/2021	3	5.3	5.4	4.9	5.1	5.2	4.9	6.2	5.4
2/23/2021	4	5.3	5.3	4.8	4.9	5.1	4.8	6.2	5.3
2/23/2021	5	5.2	5.3	4.8	4.9	5.0	4.7	6.2	5.3
2/23/2021	6	5.2	5.2	4.7	4.8	4.9	4.5	6.2	5.3
2/23/2021	7	5.2	5.2	4.7	4.7	4.8	4.5	6.2	5.3
2/23/2021	8	5.1	5.2	4.6	4.7	4.8	4.4	6.2	5.2
2/23/2021	9	5.1	5.2	4.9	4.8	4.8	5.6	6.2	5.2
2/23/2021	10	5.2	5.3	5.4	4.9	4.8	5.8	6.2	5.3
2/23/2021	11	5.2	5.4	6.1	4.9	4.9	5.9	6.2	5.3
2/23/2021	12	5.3	5.5	6.8	5.1	5.0	6.2	6.2	5.5
2/23/2021	13	5.4	5.6	7.5	5.5	5.3	6.5	6.3	5.6
2/23/2021	14	5.5	5.7	7.7	6.1	5.7	6.9	6.4	5.7
2/23/2021	15	5.7	5.8	7.8	6.7	6.3	7.2	6.5	5.9
2/23/2021	16	5.7	5.9	7.2	7.2	6.8	7.0	6.6	6.0
2/23/2021	17	5.8	5.9	6.8	7.5	7.1	7.1	6.7	6.0
2/23/2021	18	5.8	5.9	6.3	7.4	7.2	7.1	6.7	6.0
2/23/2021	19	5.8	5.9	5.8	7.1	7.1	6.8	6.8	6.0
2/23/2021	20	5.8	5.9	5.5	6.7	6.8	6.4	6.8	5.9
2/23/2021	21	5.7	5.8	5.3	6.3	6.5	6.0	6.7	5.8
2/23/2021	22	5.7	5.8	5.3	5.9	6.1	5.7	6.7	5.8
2/23/2021	23	5.6	5.7	5.3	5.6	5.8	5.3	6.6	5.7
2/23/2021	24	5.6	5.6	5.2	5.4	5.6	4.9	6.5	5.6
2/24/2021	1	5.5	5.6	5.1	5.2	5.4	4.7	6.4	5.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/24/2021	2	5.5	5.5	5.0	5.1	5.3	4.5	6.4	5.5
2/24/2021	3	5.4	5.5	4.8	5.0	5.2	4.4	6.3	5.5
2/24/2021	4	5.4	5.4	4.7	4.9	5.1	4.2	6.3	5.4
2/24/2021	5	5.3	5.4	4.6	4.8	4.9	4.1	6.3	5.4
2/24/2021	6	5.3	5.3	4.5	4.7	4.8	4.0	6.3	5.4
2/24/2021	7	5.3	5.3	4.4	4.6	4.7	3.8	6.2	5.3
2/24/2021	8	5.3	5.3	4.4	4.5	4.6	3.8	6.2	5.3
2/24/2021	9	5.2	5.3	4.7	4.5	4.5	4.8	6.2	5.3
2/24/2021	10	5.2	5.3	5.1	4.5	4.6	5.1	6.2	5.3
2/24/2021	11	5.3	5.4	5.8	4.5	4.6	5.3	6.2	5.4
2/24/2021	12	5.4	5.5	6.5	4.8	4.7	5.6	6.2	5.5
2/24/2021	13	5.5	5.6	7.2	5.2	4.9	5.8	6.3	5.6
2/24/2021	14	5.6	5.7	7.6	5.8	5.4	6.4	6.4	5.7
2/24/2021	15	5.7	5.8	7.7	6.4	6.0	7.1	6.5	5.9
2/24/2021	16	5.7	5.9	7.3	7.0	6.5	7.0	6.6	5.9
2/24/2021	17	5.8	5.9	6.8	7.3	6.9	7.1	6.7	6.0
2/24/2021	18	5.8	5.9	6.4	7.3	7.1	7.2	6.8	6.0
2/24/2021	19	5.9	6.0	5.9	7.1	7.0	6.9	6.8	6.0
2/24/2021	20	5.9	6.0	5.6	6.8	6.8	6.6	6.8	6.1
2/24/2021	21	5.9	6.0	5.4	6.4	6.5	6.2	6.8	6.0
2/24/2021	22	5.9	5.9	5.4	6.0	6.2	6.0	6.8	6.0
2/24/2021	23	5.8	5.9	5.4	5.7	5.9	5.7	6.8	5.9
2/24/2021	24	5.8	5.9	5.5	5.5	5.7	5.4	6.7	5.9
2/25/2021	1	5.8	5.9	5.5	5.4	5.6	5.2	6.7	5.9
2/25/2021	2	5.8	5.9	5.6	5.4	5.5	5.2	6.7	5.8
2/25/2021	3	5.7	5.8	5.5	5.4	5.5	5.2	6.6	5.8
2/25/2021	4	5.7	5.8	5.5	5.4	5.5	5.2	6.6	5.7
2/25/2021	5	5.7	5.8	5.5	5.4	5.5	5.2	6.6	5.7
2/25/2021	6	5.6	5.7	5.5	5.4	5.5	5.2	6.6	5.7
2/25/2021	7	5.6	5.7	5.5	5.4	5.4	5.1	6.6	5.6
2/25/2021	8	5.6	5.7	5.5	5.4	5.4	5.1	6.6	5.6
2/25/2021	9	5.5	5.7	5.6	5.4	5.4	5.4	6.6	5.6
2/25/2021	10	5.6	5.7	6.2	5.7	5.5	6.4	6.6	5.7
2/25/2021	11	5.6	5.8	6.7	5.7	5.6	6.6	6.6	5.7
2/25/2021	12	5.7	5.9	7.3	5.9	5.7	6.7	6.6	5.8
2/25/2021	13	5.8	6.0	7.8	6.2	6.0	6.9	6.7	5.9
2/25/2021	14	5.8	6.1	7.8	6.9	6.5	7.1	6.7	6.0
2/25/2021	15	5.9	6.1	7.4	7.3	6.9	6.9	6.8	6.1
2/25/2021	16	5.9	6.2	7.1	7.6	7.2	7.3	6.8	6.1
2/25/2021	17	6.0	6.1	6.7	7.5	7.3	7.3	6.9	6.2
2/25/2021	18	6.0	6.1	6.4	7.3	7.2	7.1	7.0	6.2
2/25/2021	19	6.0	6.1	6.1	7.0	7.0	6.9	7.0	6.2
2/25/2021	20	6.0	6.1	5.8	6.7	6.8	6.6	7.0	6.1
2/25/2021	21	5.9	6.0	5.6	6.3	6.5	6.3	6.9	6.1
2/25/2021	22	5.9	6.0	5.4	6.0	6.2	6.0	6.9	6.0
2/25/2021	23	5.8	5.9	5.3	5.8	6.0	5.8	6.8	5.9
2/25/2021	24	5.8	5.9	5.3	5.6	5.8	5.5	6.8	5.9
2/26/2021	1	5.7	5.8	5.2	5.4	5.6	5.3	6.7	5.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/26/2021	2	5.7	5.8	5.2	5.3	5.4	5.0	6.6	5.8
2/26/2021	3	5.7	5.7	5.2	5.2	5.3	5.0	6.6	5.7
2/26/2021	4	5.6	5.7	5.2	5.1	5.3	4.7	6.5	5.7
2/26/2021	5	5.6	5.6	5.2	5.1	5.2	4.8	6.5	5.7
2/26/2021	6	5.6	5.6	5.2	5.1	5.2	4.6	6.5	5.6
2/26/2021	7	5.5	5.6	5.1	5.1	5.2	4.6	6.5	5.6
2/26/2021	8	5.5	5.6	5.2	5.2	5.2	4.9	6.5	5.6
2/26/2021	9	5.5	5.6	5.4	5.3	5.2	5.5	6.5	5.6
2/26/2021	10	5.6	5.7	5.9	5.3	5.3	6.0	6.5	5.7
2/26/2021	11	5.6	5.8	6.6	5.5	5.4	6.6	6.6	5.7
2/26/2021	12	5.7	5.9	7.2	5.8	5.6	6.9	6.7	5.8
2/26/2021	13	5.8	5.9	7.5	6.2	5.8	7.1	6.8	5.9
2/26/2021	14	5.9	6.1	7.8	6.7	6.3	7.4	6.9	6.1
2/26/2021	15	5.9	6.1	7.7	7.2	6.8	7.6	7.0	6.1
2/26/2021	16	6.0	6.2	7.3	7.5	7.1	7.4	7.0	6.2
2/26/2021	17	6.0	6.2	6.8	7.5	7.2	7.2	7.1	6.2
2/26/2021	18	6.0	6.2	6.4	7.3	7.2	7.1	7.1	6.2
2/26/2021	19	6.0	6.1	6.0	7.1	7.0	6.8	7.0	6.2
2/26/2021	20	6.0	6.1	5.7	6.7	6.8	6.5	7.0	6.1
2/26/2021	21	5.9	6.0	5.5	6.3	6.5	6.1	6.9	6.1
2/26/2021	22	5.9	5.9	5.4	6.0	6.2	5.7	6.8	6.0
2/26/2021	23	5.8	5.9	5.3	5.7	5.9	5.5	6.8	5.9
2/26/2021	24	5.8	5.9	5.4	5.5	5.7	5.2	6.7	5.9
2/27/2021	1	5.7	5.8	5.3	5.3	5.5	4.9	6.7	5.8
2/27/2021	2	5.7	5.7	5.2	5.3	5.4	4.7	6.6	5.8
2/27/2021	3	5.7	5.7	5.1	5.2	5.3	4.6	6.6	5.7
2/27/2021	4	5.6	5.6	4.9	5.1	5.2	4.5	6.6	5.7
2/27/2021	5	5.6	5.6	4.8	5.0	5.2	4.3	6.5	5.7
2/27/2021	6	5.6	5.6	4.7	4.9	5.1	4.1	6.5	5.6
2/27/2021	7	5.5	5.5	4.6	4.8	4.9	4.1	6.4	5.6
2/27/2021	8	5.5	5.5	4.6	4.7	4.8	4.0	6.4	5.5
2/27/2021	9	5.5	5.5	5.0	4.8	4.8	5.3	6.4	5.5
2/27/2021	10	5.5	5.6	5.5	4.8	4.8	5.6	6.4	5.5
2/27/2021	11	5.5	5.7	6.1	4.9	4.8	6.0	6.5	5.6
2/27/2021	12	5.6	5.8	6.9	5.2	5.0	6.1	6.6	5.8
2/27/2021	13	5.7	5.9	7.5	5.6	5.3	6.4	6.7	5.9
2/27/2021	14	5.8	6.0	7.9	6.2	5.8	6.9	6.8	6.0
2/27/2021	15	5.9	6.1	7.9	6.8	6.3	7.5	6.9	6.1
2/27/2021	16	6.0	6.1	7.5	7.3	6.8	7.3	7.0	6.2
2/27/2021	17	6.0	6.2	7.0	7.6	7.2	7.2	7.1	6.2
2/27/2021	18	6.1	6.2	6.4	7.5	7.3	7.1	7.1	6.2
2/27/2021	19	6.1	6.2	6.0	7.2	7.1	6.9	7.0	6.2
2/27/2021	20	6.0	6.2	5.6	6.8	6.8	6.6	7.0	6.2
2/27/2021	21	6.0	6.1	5.5	6.4	6.5	6.2	6.9	6.1
2/27/2021	22	6.0	6.1	5.5	6.0	6.2	5.9	6.9	6.1
2/27/2021	23	5.9	6.0	5.4	5.7	5.9	5.6	6.9	6.0
2/27/2021	24	5.9	5.9	5.4	5.5	5.7	5.3	6.8	5.9
2/28/2021	1	5.8	5.9	5.3	5.4	5.6	5.2	6.8	5.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
2/28/2021	2	5.8	5.8	5.3	5.4	5.5	5.0	6.7	5.8
2/28/2021	3	5.7	5.8	5.3	5.3	5.4	4.9	6.7	5.8
2/28/2021	4	5.7	5.7	5.3	5.2	5.3	4.7	6.7	5.8
2/28/2021	5	5.7	5.7	5.3	5.2	5.3	4.7	6.6	5.7
2/28/2021	6	5.7	5.7	5.2	5.2	5.2	4.5	6.6	5.7
2/28/2021	7	5.6	5.7	5.2	5.1	5.2	4.5	6.5	5.7
2/28/2021	8	5.6	5.7	5.1	5.1	5.2	4.6	6.5	5.6
2/28/2021	9	5.6	5.7	5.4	5.2	5.2	5.3	6.5	5.6
2/28/2021	10	5.6	5.7	5.8	5.3	5.2	5.8	6.6	5.7
2/28/2021	11	5.7	5.8	6.4	5.4	5.3	6.2	6.7	5.8
2/28/2021	12	5.7	5.9	7.2	5.6	5.4	6.6	6.8	5.9
2/28/2021	13	5.8	6.1	7.8	6.0	5.7	6.9	6.9	6.0
2/28/2021	14	5.9	6.2	8.3	6.6	6.2	7.6	7.0	6.2
2/28/2021	15	6.0	6.3	8.4	7.3	6.8	8.3	7.1	6.3
2/28/2021	16	6.1	6.3	8.1	7.8	7.3	8.3	7.2	6.4
2/28/2021	17	6.2	6.4	7.7	8.2	7.7	8.2	7.3	6.4
2/28/2021	18	6.2	6.4	7.3	8.2	7.9	8.1	7.2	6.4
2/28/2021	19	6.2	6.4	6.8	8.0	7.9	7.9	7.2	6.4
2/28/2021	20	6.2	6.3	6.4	7.7	7.7	7.5	7.2	6.4
2/28/2021	21	6.2	6.3	6.2	7.3	7.4	7.1	7.1	6.3
2/28/2021	22	6.1	6.3	6.0	7.0	7.1	6.8	7.1	6.3
2/28/2021	23	6.1	6.2	5.9	6.6	6.8	6.3	7.1	6.2
2/28/2021	24	6.1	6.2	5.8	6.3	6.5	6.0	7.0	6.2
3/1/2021	1	6.0	6.1	5.7	6.1	6.3	5.7	7.0	6.1
3/1/2021	2	6.0	6.0	5.6	5.9	6.1	5.5	6.9	6.1
3/1/2021	3	5.9	6.0	5.5	5.8	5.9	5.4	6.9	6.0
3/1/2021	4	5.9	5.9	5.5	5.7	5.8	5.3	6.8	6.0
3/1/2021	5	5.8	5.9	5.5	5.6	5.7	5.2	6.8	5.9
3/1/2021	6	5.8	5.9	5.5	5.5	5.6	5.2	6.8	5.9
3/1/2021	7	5.8	5.8	5.4	5.5	5.6	5.2	6.7	5.8
3/1/2021	8	5.7	5.8	5.5	5.5	5.6	5.3	6.7	5.8
3/1/2021	9	5.7	5.8	5.8	5.6	5.6	6.4	6.7	5.8
3/1/2021	10	5.7	5.9	6.4	5.7	5.7	6.6	6.8	5.8
3/1/2021	11	5.8	5.9	6.9	5.9	5.8	7.0	6.9	5.9
3/1/2021	12	5.8	6.1	7.5	6.2	6.0	7.3	6.9	6.0
3/1/2021	13	5.9	6.2	8.1	6.6	6.3	7.4	7.0	6.2
3/1/2021	14	6.0	6.3	8.5	7.2	6.8	8.1	7.1	6.3
3/1/2021	15	6.1	6.4	8.4	7.7	7.3	8.4	7.2	6.4
3/1/2021	16	6.2	6.4	8.1	8.1	7.7	8.7	7.3	6.5
3/1/2021	17	6.2	6.4	7.6	8.4	8.0	8.2	7.4	6.5
3/1/2021	18	6.3	6.4	7.2	8.3	8.1	8.1	7.3	6.5
3/1/2021	19	6.3	6.4	6.7	8.0	8.0	7.9	7.3	6.5
3/1/2021	20	6.3	6.4	6.4	7.7	7.7	7.6	7.3	6.5
3/1/2021	21	6.2	6.4	6.2	7.3	7.4	7.1	7.2	6.4
3/1/2021	22	6.2	6.3	6.0	6.9	7.1	6.7	7.2	6.4
3/1/2021	23	6.2	6.3	6.0	6.6	6.8	6.5	7.2	6.3
3/1/2021	24	6.2	6.3	6.0	6.3	6.5	6.2	7.1	6.3
3/2/2021	1	6.1	6.2	6.0	6.2	6.3	6.0	7.1	6.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/2/2021	2	6.1	6.2	5.9	6.1	6.2	5.7	7.1	6.2
3/2/2021	3	6.1	6.1	5.8	6.0	6.1	5.5	7.0	6.1
3/2/2021	4	6.0	6.1	5.7	5.9	6.0	5.4	7.0	6.1
3/2/2021	5	6.0	6.0	5.6	5.8	5.9	5.3	6.9	6.0
3/2/2021	6	5.9	5.9	5.5	5.7	5.8	5.2	6.9	6.0
3/2/2021	7	5.9	5.9	5.4	5.6	5.8	5.2	6.8	5.9
3/2/2021	8	5.9	5.9	5.5	5.6	5.7	5.2	6.8	5.9
3/2/2021	9	5.9	6.0	5.8	5.6	5.6	5.7	6.8	5.9
3/2/2021	10	5.9	6.0	6.3	5.8	5.7	6.4	6.9	5.9
3/2/2021	11	5.9	6.2	7.1	6.0	5.9	7.1	7.0	6.0
3/2/2021	12	6.0	6.3	7.9	6.3	6.1	7.6	7.1	6.2
3/2/2021	13	6.1	6.4	8.5	6.8	6.4	8.0	7.2	6.3
3/2/2021	14	6.2	6.5	8.8	7.4	7.0	8.5	7.3	6.4
3/2/2021	15	6.3	6.6	8.8	8.0	7.5	9.1	7.5	6.6
3/2/2021	16	6.4	6.6	8.4	8.6	8.0	9.1	7.6	6.7
3/2/2021	17	6.5	6.7	7.8	8.8	8.4	8.9	7.6	6.8
3/2/2021	18	6.5	6.7	7.4	8.7	8.4	8.7	7.6	6.7
3/2/2021	19	6.5	6.6	6.9	8.4	8.3	8.5	7.5	6.7
3/2/2021	20	6.4	6.6	6.6	7.9	8.0	8.1	7.5	6.6
3/2/2021	21	6.4	6.5	6.4	7.5	7.6	7.5	7.4	6.5
3/2/2021	22	6.3	6.5	6.3	7.0	7.3	7.0	7.3	6.5
3/2/2021	23	6.3	6.4	6.1	6.7	7.0	6.5	7.3	6.4
3/2/2021	24	6.2	6.4	6.0	6.5	6.7	6.1	7.2	6.4
3/3/2021	1	6.2	6.3	5.9	6.3	6.5	6.1	7.2	6.3
3/3/2021	2	6.2	6.3	5.9	6.1	6.3	5.8	7.1	6.3
3/3/2021	3	6.2	6.3	5.8	6.0	6.2	5.5	7.1	6.3
3/3/2021	4	6.2	6.2	5.7	5.9	6.0	5.4	7.0	6.2
3/3/2021	5	6.1	6.2	5.5	5.8	5.9	5.2	7.0	6.1
3/3/2021	6	6.0	6.1	5.4	5.6	5.8	5.1	6.9	6.1
3/3/2021	7	6.0	6.0	5.3	5.5	5.7	4.9	6.9	6.1
3/3/2021	8	6.0	6.0	5.3	5.5	5.6	5.0	6.8	6.0
3/3/2021	9	6.0	6.1	5.6	5.5	5.6	6.2	6.9	6.0
3/3/2021	10	6.0	6.1	6.2	5.6	5.6	6.4	7.0	6.1
3/3/2021	11	6.0	6.2	6.8	5.6	5.6	6.6	7.1	6.1
3/3/2021	12	6.1	6.3	7.6	5.9	5.7	6.9	7.2	6.2
3/3/2021	13	6.2	6.4	8.3	6.4	6.1	7.2	7.3	6.4
3/3/2021	14	6.3	6.5	8.7	7.1	6.7	8.1	7.4	6.5
3/3/2021	15	6.4	6.6	8.9	7.7	7.3	8.8	7.5	6.6
3/3/2021	16	6.5	6.6	8.5	8.3	7.8	9.1	7.6	6.7
3/3/2021	17	6.5	6.7	8.0	8.7	8.2	8.6	7.6	6.8
3/3/2021	18	6.6	6.7	7.6	8.6	8.4	8.5	7.6	6.8
3/3/2021	19	6.6	6.7	7.0	8.4	8.3	8.2	7.5	6.8
3/3/2021	20	6.5	6.7	6.6	8.0	8.1	7.8	7.5	6.7
3/3/2021	21	6.5	6.6	6.4	7.6	7.7	7.3	7.4	6.7
3/3/2021	22	6.5	6.6	6.2	7.1	7.4	6.9	7.4	6.6
3/3/2021	23	6.4	6.5	6.0	6.8	7.0	6.4	7.3	6.5
3/3/2021	24	6.3	6.4	5.9	6.4	6.7	6.1	7.3	6.4
3/4/2021	1	6.3	6.3	5.8	6.2	6.4	5.7	7.2	6.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/4/2021	2	6.2	6.3	5.7	6.0	6.2	5.5	7.2	6.4
3/4/2021	3	6.2	6.3	5.6	5.8	6.1	5.3	7.1	6.3
3/4/2021	4	6.2	6.2	5.6	5.7	5.9	5.2	7.1	6.3
3/4/2021	5	6.1	6.2	5.5	5.6	5.8	5.1	7.0	6.2
3/4/2021	6	6.1	6.1	5.4	5.5	5.7	5.0	7.0	6.2
3/4/2021	7	6.1	6.1	5.4	5.5	5.6	5.0	7.0	6.1
3/4/2021	8	6.0	6.1	5.5	5.4	5.5	5.2	6.9	6.1
3/4/2021	9	6.0	6.1	5.8	5.5	5.5	5.9	6.9	6.1
3/4/2021	10	6.0	6.2	6.3	5.6	5.6	6.2	7.0	6.1
3/4/2021	11	6.0	6.2	6.9	5.8	5.7	6.6	7.1	6.2
3/4/2021	12	6.1	6.3	7.5	6.2	5.9	6.8	7.2	6.3
3/4/2021	13	6.2	6.5	8.1	6.6	6.3	7.4	7.3	6.4
3/4/2021	14	6.3	6.5	8.5	7.2	6.8	7.9	7.4	6.5
3/4/2021	15	6.4	6.6	8.5	7.8	7.3	8.1	7.5	6.6
3/4/2021	16	6.5	6.7	8.2	8.3	7.8	8.3	7.5	6.7
3/4/2021	17	6.5	6.7	7.8	8.5	8.1	8.5	7.6	6.7
3/4/2021	18	6.5	6.7	7.5	8.5	8.3	8.5	7.6	6.7
3/4/2021	19	6.5	6.7	7.1	8.3	8.2	8.3	7.5	6.7
3/4/2021	20	6.5	6.7	6.9	8.0	8.0	8.1	7.5	6.7
3/4/2021	21	6.5	6.7	6.7	7.7	7.8	7.6	7.5	6.7
3/4/2021	22	6.5	6.6	6.6	7.3	7.5	7.2	7.5	6.6
3/4/2021	23	6.5	6.6	6.4	7.1	7.2	6.9	7.4	6.6
3/4/2021	24	6.5	6.6	6.3	6.9	7.0	6.7	7.4	6.6
3/5/2021	1	6.4	6.5	6.3	6.7	6.8	6.5	7.4	6.6
3/5/2021	2	6.4	6.5	6.3	6.5	6.7	6.3	7.4	6.5
3/5/2021	3	6.4	6.5	6.3	6.4	6.5	6.2	7.3	6.5
3/5/2021	4	6.3	6.4	6.3	6.4	6.5	6.1	7.3	6.4
3/5/2021	5	6.3	6.4	6.3	6.3	6.4	6.1	7.2	6.4
3/5/2021	6	6.2	6.3	6.2	6.3	6.4	6.0	7.2	6.3
3/5/2021	7	6.2	6.3	6.2	6.3	6.3	6.0	7.2	6.3
3/5/2021	8	6.2	6.3	6.2	6.3	6.3	6.1	7.1	6.3
3/5/2021	9	6.2	6.3	6.3	6.3	6.3	6.3	7.1	6.3
3/5/2021	10	6.2	6.3	6.4	6.4	6.3	6.4	7.2	6.3
3/5/2021	11	6.2	6.3	6.6	6.4	6.4	6.6	7.2	6.3
3/5/2021	12	6.2	6.4	7.0	6.7	6.5	7.3	7.3	6.4
3/5/2021	13	6.2	6.5	7.4	6.9	6.7	7.8	7.4	6.4
3/5/2021	14	6.3	6.5	7.9	7.1	6.9	8.0	7.4	6.5
3/5/2021	15	6.4	6.6	8.1	7.4	7.2	7.9	7.5	6.6
3/5/2021	16	6.5	6.6	8.0	7.8	7.5	8.1	7.5	6.6
3/5/2021	17	6.5	6.7	7.7	8.1	7.8	8.1	7.5	6.7
3/5/2021	18	6.5	6.7	7.4	8.1	7.9	8.5	7.5	6.7
3/5/2021	19	6.5	6.7	7.1	8.1	7.9	8.2	7.5	6.7
3/5/2021	20	6.5	6.7	7.0	7.9	7.8	7.9	7.5	6.7
3/5/2021	21	6.5	6.7	6.9	7.6	7.7	7.6	7.5	6.7
3/5/2021	22	6.5	6.7	6.8	7.4	7.5	7.5	7.5	6.6
3/5/2021	23	6.5	6.6	6.8	7.2	7.3	7.2	7.5	6.7
3/5/2021	24	6.5	6.6	6.7	7.1	7.2	7.1	7.5	6.6
3/6/2021	1	6.4	6.6	6.7	7.0	7.1	7.0	7.4	6.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/6/2021	2	6.4	6.6	6.6	6.9	7.0	6.8	7.4	6.6
3/6/2021	3	6.4	6.5	6.5	6.8	6.9	6.8	7.4	6.6
3/6/2021	4	6.4	6.5	6.5	6.7	6.8	6.6	7.4	6.5
3/6/2021	5	6.4	6.5	6.4	6.7	6.7	6.5	7.3	6.5
3/6/2021	6	6.4	6.4	6.3	6.6	6.7	6.5	7.3	6.5
3/6/2021	7	6.3	6.4	6.3	6.5	6.6	6.7	7.3	6.4
3/6/2021	8	6.3	6.4	6.3	6.5	6.5	6.6	7.2	6.4
3/6/2021	9	6.2	6.4	6.5	6.5	6.5	7.1	7.3	6.4
3/6/2021	10	6.2	6.4	6.9	6.6	6.6	7.7	7.4	6.4
3/6/2021	11	6.3	6.5	7.6	6.7	6.7	8.1	7.5	6.4
3/6/2021	12	6.4	6.7	8.4	7.0	6.8	8.3	7.6	6.6
3/6/2021	13	6.5	6.8	9.0	7.3	7.1	8.6	7.7	6.7
3/6/2021	14	6.6	6.9	9.4	7.9	7.5	9.0	7.8	6.9
3/6/2021	15	6.7	7.0	9.4	8.5	8.0	9.6	7.9	7.1
3/6/2021	16	6.8	7.0	9.0	8.9	8.5	9.8	8.0	7.1
3/6/2021	17	6.9	7.1	8.3	9.2	8.8	9.3	8.0	7.2
3/6/2021	18	7.0	7.1	7.8	9.1	8.9	9.1	8.0	7.3
3/6/2021	19	6.9	7.1	7.3	8.8	8.8	8.9	7.9	7.2
3/6/2021	20	6.9	7.1	6.9	8.4	8.5	8.4	7.9	7.1
3/6/2021	21	6.8	7.0	6.8	7.9	8.1	7.9	7.9	7.0
3/6/2021	22	6.8	6.9	6.7	7.5	7.7	7.5	7.8	7.0
3/6/2021	23	6.7	6.9	6.6	7.1	7.4	7.1	7.8	6.9
3/6/2021	24	6.7	6.8	6.4	6.8	7.1	6.6	7.7	6.9
3/7/2021	1	6.7	6.8	6.3	6.7	6.9	6.3	7.7	6.8
3/7/2021	2	6.6	6.7	6.2	6.5	6.7	6.1	7.7	6.7
3/7/2021	3	6.6	6.7	6.1	6.4	6.6	6.0	7.6	6.7
3/7/2021	4	6.5	6.6	6.1	6.3	6.4	5.9	7.6	6.6
3/7/2021	5	6.5	6.6	6.1	6.2	6.3	5.8	7.6	6.7
3/7/2021	6	6.5	6.6	6.1	6.1	6.2	5.7	7.5	6.7
3/7/2021	7	6.5	6.6	6.1	6.1	6.2	5.7	7.5	6.6
3/7/2021	8	6.5	6.6	6.2	6.1	6.2	5.8	7.5	6.6
3/7/2021	9	6.5	6.7	6.4	6.2	6.2	6.3	7.5	6.7
3/7/2021	10	6.5	6.7	6.8	6.4	6.3	7.3	7.6	6.6
3/7/2021	11	6.5	6.8	7.3	6.4	6.4	6.5	7.6	6.7
3/7/2021	12	6.6	6.8	7.7	6.6	6.5	7.0	7.7	6.8
3/7/2021	13	6.6	6.9	8.2	7.1	6.8	7.8	7.7	6.8
3/7/2021	14	6.7	7.0	8.5	7.5	7.2	8.0	7.8	6.9
3/7/2021	15	6.8	7.0	8.7	7.8	7.5	8.7	7.8	7.0
3/7/2021	16	6.9	7.1	8.6	8.1	7.8	8.9	7.9	7.0
3/7/2021	17	6.9	7.1	8.1	8.4	8.1	8.2	7.9	7.1
3/7/2021	18	6.9	7.1	7.6	8.4	8.2	8.0	7.9	7.1
3/7/2021	19	6.9	7.1	7.1	8.3	8.2	7.9	7.9	7.2
3/7/2021	20	7.0	7.1	6.6	7.9	8.0	7.6	7.9	7.2
3/7/2021	21	6.9	7.0	6.4	7.5	7.7	7.4	7.8	7.0
3/7/2021	22	6.8	6.9	6.2	7.0	7.3	6.7	7.8	6.9
3/7/2021	23	6.7	6.8	6.2	6.7	6.9	6.3	7.8	6.9
3/7/2021	24	6.7	6.8	6.1	6.4	6.6	6.0	7.7	6.8
3/8/2021	1	6.6	6.7	6.0	6.2	6.4	5.7	7.6	6.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/8/2021	2	6.5	6.6	5.9	6.0	6.2	5.5	7.5	6.6
3/8/2021	3	6.5	6.5	5.8	5.9	6.1	5.3	7.4	6.5
3/8/2021	4	6.4	6.5	5.7	5.8	6.0	5.1	7.4	6.5
3/8/2021	5	6.4	6.4	5.6	5.7	5.9	5.0	7.3	6.4
3/8/2021	6	6.3	6.3	5.5	5.6	5.8	4.9	7.2	6.4
3/8/2021	7	6.3	6.3	5.4	5.5	5.7	4.9	7.2	6.3
3/8/2021	8	6.2	6.2	5.4	5.5	5.6	5.1	7.3	6.3
3/8/2021	9	6.2	6.3	5.7	5.6	5.6	5.9	7.3	6.3
3/8/2021	10	6.2	6.4	6.2	5.6	5.6	6.2	7.4	6.3
3/8/2021	11	6.3	6.5	6.9	5.7	5.6	6.5	7.5	6.4
3/8/2021	12	6.4	6.6	7.7	6.0	5.8	6.7	7.5	6.6
3/8/2021	13	6.5	6.7	8.2	6.4	6.1	6.8	7.6	6.7
3/8/2021	14	6.6	6.9	8.5	7.1	6.7	7.5	7.6	6.8
3/8/2021	15	6.7	6.9	8.4	7.8	7.2	7.8	7.7	6.9
3/8/2021	16	6.8	7.0	8.2	8.1	7.7	8.4	7.7	7.0
3/8/2021	17	6.8	7.0	7.8	8.3	8.0	8.2	7.7	7.0
3/8/2021	18	6.9	7.0	7.4	8.3	8.1	8.1	7.7	7.0
3/8/2021	19	6.8	7.0	7.1	8.1	8.0	7.8	7.7	7.0
3/8/2021	20	6.8	6.9	6.8	7.8	7.8	7.5	7.7	7.0
3/8/2021	21	6.8	6.9	6.6	7.4	7.5	7.2	7.7	6.9
3/8/2021	22	6.7	6.8	6.4	7.1	7.3	6.8	7.7	6.9
3/8/2021	23	6.7	6.8	6.3	6.8	7.0	6.4	7.7	6.8
3/8/2021	24	6.6	6.7	6.1	6.5	6.7	6.0	7.6	6.7
3/9/2021	1	6.6	6.6	6.0	6.3	6.5	5.8	7.6	6.6
3/9/2021	2	6.5	6.6	5.9	6.2	6.4	5.7	7.5	6.7
3/9/2021	3	6.5	6.5	5.9	6.1	6.2	5.6	7.4	6.6
3/9/2021	4	6.5	6.5	5.8	5.9	6.1	5.4	7.4	6.6
3/9/2021	5	6.4	6.4	5.7	5.8	5.9	5.2	7.3	6.5
3/9/2021	6	6.4	6.4	5.6	5.7	5.9	5.1	7.3	6.4
3/9/2021	7	6.3	6.3	5.5	5.7	5.8	5.0	7.2	6.3
3/9/2021	8	6.2	6.3	5.5	5.6	5.7	5.1	7.2	6.3
3/9/2021	9	6.2	6.3	5.9	5.7	5.7	6.3	7.1	6.2
3/9/2021	10	6.2	6.3	6.4	5.8	5.7	6.6	7.1	6.3
3/9/2021	11	6.2	6.4	7.1	5.8	5.8	6.5	7.2	6.3
3/9/2021	12	6.3	6.5	7.6	6.0	5.9	6.5	7.2	6.4
3/9/2021	13	6.4	6.6	8.1	6.7	6.3	7.3	7.3	6.5
3/9/2021	14	6.4	6.7	8.4	7.3	6.8	7.9	7.4	6.6
3/9/2021	15	6.5	6.7	8.4	7.8	7.3	8.0	7.4	6.6
3/9/2021	16	6.6	6.8	8.2	8.2	7.8	9.0	7.5	6.7
3/9/2021	17	6.6	6.7	7.7	8.4	8.0	8.3	7.6	6.7
3/9/2021	18	6.6	6.7	7.3	8.3	8.1	8.1	7.6	6.8
3/9/2021	19	6.6	6.7	6.8	8.1	8.0	7.9	7.6	6.8
3/9/2021	20	6.6	6.7	6.5	7.7	7.8	7.5	7.6	6.8
3/9/2021	21	6.6	6.7	6.3	7.3	7.5	7.1	7.5	6.8
3/9/2021	22	6.6	6.7	6.1	6.9	7.1	6.6	7.5	6.7
3/9/2021	23	6.6	6.6	6.0	6.6	6.8	6.2	7.5	6.8
3/9/2021	24	6.5	6.6	5.9	6.3	6.5	5.8	7.5	6.7
3/10/2021	1	6.5	6.5	5.8	6.1	6.3	5.6	7.4	6.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/10/2021	2	6.5	6.5	5.7	5.9	6.1	5.3	7.4	6.5
3/10/2021	3	6.5	6.5	5.7	5.8	5.9	5.2	7.4	6.5
3/10/2021	4	6.4	6.4	5.6	5.7	5.8	5.0	7.3	6.4
3/10/2021	5	6.4	6.4	5.5	5.6	5.7	4.9	7.3	6.4
3/10/2021	6	6.3	6.3	5.4	5.5	5.6	4.8	7.2	6.4
3/10/2021	7	6.3	6.3	5.4	5.4	5.6	4.7	7.2	6.3
3/10/2021	8	6.2	6.3	5.4	5.4	5.5	4.7	7.2	6.3
3/10/2021	9	6.2	6.3	5.8	5.5	5.5	6.0	7.1	6.3
3/10/2021	10	6.2	6.4	6.4	5.6	5.5	6.5	7.1	6.3
3/10/2021	11	6.2	6.4	7.2	5.7	5.6	6.6	7.2	6.3
3/10/2021	12	6.3	6.6	8.1	6.1	5.8	7.0	7.3	6.4
3/10/2021	13	6.4	6.7	8.7	6.7	6.3	7.3	7.3	6.5
3/10/2021	14	6.5	6.7	9.1	7.4	6.9	8.3	7.4	6.6
3/10/2021	15	6.6	6.8	8.9	8.2	7.6	8.9	7.5	6.7
3/10/2021	16	6.6	6.8	8.5	8.7	8.1	9.5	7.6	6.8
3/10/2021	17	6.7	6.8	7.9	8.9	8.5	8.8	7.7	6.8
3/10/2021	18	6.7	6.8	7.4	8.8	8.5	8.5	7.7	6.8
3/10/2021	19	6.7	6.8	7.0	8.4	8.4	8.2	7.7	6.8
3/10/2021	20	6.7	6.8	6.6	7.9	8.1	7.8	7.7	6.9
3/10/2021	21	6.7	6.8	6.3	7.5	7.7	7.2	7.6	6.9
3/10/2021	22	6.7	6.8	6.1	7.1	7.3	6.7	7.6	6.8
3/10/2021	23	6.7	6.7	6.0	6.7	6.9	6.3	7.6	6.8
3/10/2021	24	6.6	6.7	5.9	6.4	6.6	5.9	7.6	6.7
3/11/2021	1	6.6	6.6	5.8	6.1	6.4	5.6	7.5	6.7
3/11/2021	2	6.6	6.6	5.7	5.9	6.2	5.4	7.5	6.7
3/11/2021	3	6.5	6.6	5.6	5.8	6.0	5.1	7.5	6.6
3/11/2021	4	6.5	6.5	5.6	5.7	5.8	5.0	7.4	6.6
3/11/2021	5	6.5	6.5	5.5	5.6	5.7	4.9	7.4	6.6
3/11/2021	6	6.4	6.4	5.4	5.5	5.6	4.7	7.3	6.5
3/11/2021	7	6.4	6.4	5.4	5.4	5.5	4.6	7.3	6.5
3/11/2021	8	6.3	6.3	5.4	5.4	5.4	4.7	7.2	6.4
3/11/2021	9	6.3	6.4	5.9	5.5	5.5	6.2	7.2	6.4
3/11/2021	10	6.2	6.4	6.5	5.6	5.5	6.4	7.2	6.3
3/11/2021	11	6.3	6.5	7.3	5.7	5.6	6.7	7.2	6.4
3/11/2021	12	6.4	6.6	8.1	6.1	5.9	7.0	7.3	6.4
3/11/2021	13	6.5	6.7	8.9	6.8	6.4	7.6	7.4	6.5
3/11/2021	14	6.6	6.8	9.4	7.6	7.0	8.6	7.5	6.7
3/11/2021	15	6.7	7.0	9.5	8.3	7.7	9.5	7.6	6.9
3/11/2021	16	6.8	7.1	9.2	8.9	8.3	9.8	7.7	7.0
3/11/2021	17	6.9	7.1	8.5	9.3	8.7	9.2	7.7	7.1
3/11/2021	18	7.0	7.1	7.9	9.2	8.9	9.0	7.8	7.1
3/11/2021	19	7.0	7.2	7.4	8.9	8.8	8.7	7.9	7.2
3/11/2021	20	7.1	7.2	6.9	8.5	8.5	8.3	8.0	7.3
3/11/2021	21	7.1	7.2	6.6	8.0	8.1	7.7	8.1	7.3
3/11/2021	22	7.0	7.2	6.5	7.5	7.7	7.2	8.1	7.3
3/11/2021	23	7.0	7.1	6.4	7.0	7.3	6.7	8.1	7.2
3/11/2021	24	7.0	7.1	6.3	6.7	7.0	6.3	8.0	7.2
3/12/2021	1	6.9	7.0	6.2	6.4	6.7	5.9	8.0	7.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/12/2021	2	6.9	7.0	6.1	6.3	6.5	5.7	7.9	7.0
3/12/2021	3	6.8	6.9	6.0	6.1	6.3	5.5	7.8	7.0
3/12/2021	4	6.8	6.8	5.9	6.0	6.2	5.4	7.8	6.9
3/12/2021	5	6.7	6.8	5.9	5.9	6.1	5.2	7.7	6.9
3/12/2021	6	6.7	6.7	5.8	5.8	6.0	5.2	7.7	6.8
3/12/2021	7	6.6	6.7	5.7	5.7	5.9	5.1	7.6	6.8
3/12/2021	8	6.6	6.7	5.8	5.8	5.8	5.2	7.6	6.7
3/12/2021	9	6.5	6.7	6.4	5.9	6.4	6.6	7.6	6.7
3/12/2021	10	6.5	6.7	6.7	6.0	6.5	6.6	7.5	6.7
3/12/2021	11	6.5	6.8	7.5	6.2	6.6	6.7	7.6	6.7
3/12/2021	12	6.6	6.9	8.3	6.5	6.7	6.8	7.6	6.8
3/12/2021	13	6.7	7.0	9.0	7.1	6.8	7.0	7.3	6.9
3/12/2021	14	6.8	7.1	9.5	7.7	7.0	7.3	7.8	7.0
3/12/2021	15	7.0	7.2	9.7	8.3	7.2	7.5	7.9	7.2
3/12/2021	16	7.1	7.3	9.4	8.9	7.4	7.7	7.9	7.3
3/12/2021	17	7.1	7.3	8.7	9.3	7.5	7.8	8.0	7.3
3/12/2021	18	7.2	7.3	8.3	9.4	7.6	7.9	8.1	7.4
3/12/2021	19	7.2	7.3	7.7	9.2	7.6	7.9	8.2	7.4
3/12/2021	20	7.2	7.3	7.2	8.8	7.6	7.8	8.3	7.5
3/12/2021	21	7.2	7.3	6.9	8.3	7.6	7.7	8.2	7.4
3/12/2021	22	7.2	7.3	6.7	7.8	7.5	7.5	8.2	7.4
3/12/2021	23	7.2	7.3	6.6	7.4	7.4	7.4	8.2	7.4
3/12/2021	24	7.1	7.2	6.5	7.0	7.3	7.3	8.1	7.3
3/13/2021	1	7.1	7.2	6.4	6.8	7.2	7.1	8.1	7.3
3/13/2021	2	7.1	7.2	6.3	6.6	7.2	7.1	8.1	7.2
3/13/2021	3	7.1	7.1	6.3	6.4	7.1	7.0	8.0	7.1
3/13/2021	4	7.0	7.1	6.2	6.3	7.1	6.9	8.0	7.0
3/13/2021	5	7.0	7.0	6.1	6.2	7.0	6.9	8.0	6.9
3/13/2021	6	7.0	7.0	6.1	6.1	7.0	6.8	8.0	7.0
3/13/2021	7	6.9	7.0	6.0	6.0	6.9	6.8	8.0	6.9
3/13/2021	8	6.9	7.0	6.2	6.1	6.9	6.8	8.0	6.9
3/13/2021	9	6.9	7.0	6.5	6.1	6.9	6.8	7.9	6.9
3/13/2021	10	6.9	7.1	7.2	6.3	6.9	6.9	7.9	7.0
3/13/2021	11	6.9	7.1	7.9	6.5	7.0	7.0	7.9	7.2
3/13/2021	12	7.0	7.2	8.5	6.8	7.0	7.1	8.0	7.3
3/13/2021	13	7.0	7.3	9.1	7.4	7.2	7.3	8.0	7.4
3/13/2021	14	7.1	7.4	9.6	8.1	7.4	7.6	8.1	7.6
3/13/2021	15	7.2	7.5	9.6	8.7	7.5	7.7	8.2	7.6
3/13/2021	16	7.3	7.5	9.4	9.2	7.7	7.9	8.3	7.8
3/13/2021	17	7.4	7.6	8.9	9.5	7.8	8.1	8.4	7.6
3/13/2021	18	7.4	7.6	8.5	9.5	7.9	8.1	8.4	7.6
3/13/2021	19	7.5	7.6	8.0	9.3	7.9	8.1	8.4	7.7
3/13/2021	20	7.5	7.7	7.6	9.0	7.9	8.1	8.4	7.7
3/13/2021	21	7.5	7.6	7.3	8.6	7.9	8.0	8.4	7.7
3/13/2021	22	7.5	7.6	7.0	8.1	7.8	7.8	8.4	7.7
3/13/2021	23	7.4	7.6	6.9	7.7	7.7	7.7	8.4	7.6
3/13/2021	24	7.4	7.5	6.8	7.4	7.6	7.5	8.4	7.6
3/14/2021	1	7.4	7.4	6.7	7.1	7.5	7.4	8.4	7.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/14/2021	2	7.4	7.4	6.6	6.9	7.4	7.3	8.4	7.4
3/14/2021	3	7.3	7.3	6.6	6.8	7.3	7.2	8.3	7.4
3/14/2021	4	7.2	7.3	6.5	6.6	7.3	7.1	8.3	7.4
3/14/2021	5	7.2	7.2	6.5	6.6	7.2	7.1	8.2	7.3
3/14/2021	6	7.2	7.2	6.4	6.5	7.2	7.0	8.2	7.3
3/14/2021	7	7.1	7.1	6.4	6.4	7.1	7.0	8.1	7.2
3/14/2021	8	7.1	7.1	6.4	6.4	7.1	7.0	8.1	7.2
3/14/2021	9	7.1	7.2	6.7	6.5	7.1	7.0	8.0	7.3
3/14/2021	10	7.0	7.3	7.4	6.7	7.1	7.1	8.0	7.3
3/14/2021	11	7.0	7.3	7.9	6.8	7.1	7.2	8.1	7.4
3/14/2021	12	7.1	7.3	8.3	7.0	7.2	7.2	8.1	7.4
3/14/2021	13	7.1	7.4	8.5	7.5	7.3	7.4	8.1	7.5
3/14/2021	14	7.2	7.4	8.4	7.9	7.4	7.5	8.2	7.4
3/14/2021	15	7.2	7.5	8.3	8.3	7.5	7.6	8.2	7.4
3/14/2021	16	7.2	7.5	8.1	8.5	7.6	7.7	8.3	7.5
3/14/2021	17	7.3	7.5	7.9	8.5	7.6	7.7	8.3	7.5
3/14/2021	18	7.3	7.4	7.7	8.4	7.6	7.7	8.3	7.5
3/14/2021	19	7.3	7.4	7.5	8.2	7.6	7.7	8.3	7.5
3/14/2021	20	7.3	7.4	7.4	8.0	7.6	7.6	8.3	7.6
3/14/2021	21	7.3	7.4	7.4	7.8	7.5	7.6	8.3	7.5
3/14/2021	22	7.3	7.4	7.3	7.7	7.5	7.5	8.3	7.4
3/14/2021	23	7.3	7.4	7.2	7.5	7.4	7.4	8.3	7.5
3/14/2021	24	7.2	7.3	7.1	7.4	7.4	7.4	8.2	7.4
3/15/2021	1	7.2	7.3	7.0	7.3	7.4	7.3	8.2	7.4
3/15/2021	2	7.2	7.3	6.9	7.2	7.3	7.3	8.2	7.4
3/15/2021	3	7.2	7.2	6.7	7.1	7.3	7.2	8.1	7.3
3/15/2021	4	7.1	7.2	6.6	7.0	7.2	7.2	8.1	7.3
3/15/2021	5	7.1	7.2	6.6	6.9	7.2	7.1	8.1	7.2
3/15/2021	6	7.1	7.1	6.5	6.7	7.1	7.0	8.0	7.1
3/15/2021	7	7.0	7.1	6.5	6.7	7.1	7.0	8.0	7.1
3/15/2021	8	7.0	7.1	6.6	6.6	7.0	7.0	7.9	7.0
3/15/2021	9	6.9	7.1	6.9	6.6	7.0	6.9	7.9	7.0
3/15/2021	10	6.9	7.1	7.2	6.6	6.9	6.9	7.9	7.0
3/15/2021	11	6.9	7.1	7.6	6.8	7.0	7.0	7.9	7.0
3/15/2021	12	6.9	7.2	8.2	7.2	7.1	7.1	7.9	7.0
3/15/2021	13	7.0	7.2	8.6	7.6	7.1	7.3	7.9	7.1
3/15/2021	14	7.0	7.3	9.2	7.9	7.3	7.5	8.0	7.1
3/15/2021	15	7.1	7.4	9.3	8.3	7.4	7.6	8.0	7.2
3/15/2021	16	7.1	7.4	9.3	8.8	7.5	7.7	8.1	7.3
3/15/2021	17	7.2	7.5	9.1	9.2	7.6	7.8	8.1	7.4
3/15/2021	18	7.3	7.5	8.7	9.3	7.7	7.9	8.2	7.5
3/15/2021	19	7.3	7.5	8.1	9.2	7.8	8.0	8.2	7.5
3/15/2021	20	7.4	7.5	7.6	9.0	7.8	8.0	8.3	7.6
3/15/2021	21	7.4	7.5	7.2	8.7	7.7	7.9	8.4	7.5
3/15/2021	22	7.4	7.5	7.0	8.3	7.7	7.8	8.4	7.5
3/15/2021	23	7.3	7.4	6.9	7.8	7.6	7.6	8.4	7.4
3/15/2021	24	7.3	7.4	6.9	7.5	7.5	7.5	8.3	7.4
3/16/2021	1	7.2	7.3	6.8	7.2	7.4	7.3	8.3	7.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/16/2021	2	7.2	7.2	6.8	7.0	7.3	7.2	8.2	7.3
3/16/2021	3	7.2	7.2	6.6	6.8	7.3	7.2	8.2	7.2
3/16/2021	4	7.1	7.1	6.5	6.8	7.2	7.1	8.1	7.2
3/16/2021	5	7.0	7.0	6.3	6.7	7.1	7.0	8.0	7.0
3/16/2021	6	7.0	6.9	6.2	6.5	6.9	6.8	7.9	6.9
3/16/2021	7	6.9	6.8	6.1	6.4	6.9	6.7	7.8	6.8
3/16/2021	8	6.8	6.8	6.2	6.4	6.8	6.7	7.7	6.8
3/16/2021	9	6.7	6.8	6.7	6.4	6.8	6.7	7.6	6.8
3/16/2021	10	6.7	6.9	7.3	6.4	6.8	6.8	7.6	6.8
3/16/2021	11	6.7	7.0	8.1	6.6	6.9	6.9	7.6	6.8
3/16/2021	12	6.8	7.1	9.0	7.0	7.0	7.1	7.7	7.0
3/16/2021	13	6.9	7.3	9.7	7.6	7.1	7.3	7.8	7.1
3/16/2021	14	7.0	7.4	10.2	8.4	7.4	7.6	7.9	7.3
3/16/2021	15	7.1	7.5	10.3	9.1	7.6	7.9	8.0	7.4
3/16/2021	16	7.3	7.6	10.1	9.7	7.8	8.1	8.2	7.5
3/16/2021	17	7.3	7.6	9.4	10.1	7.9	8.2	8.3	7.5
3/16/2021	18	7.4	7.7	8.8	10.2	8.0	8.3	8.4	7.6
3/16/2021	19	7.5	7.8	8.2	9.9	8.1	8.3	8.5	7.7
3/16/2021	20	7.6	7.8	7.7	9.5	8.1	8.3	8.5	7.8
3/16/2021	21	7.6	7.8	7.4	9.0	8.0	8.2	8.5	7.8
3/16/2021	22	7.6	7.8	7.2	8.5	8.0	8.0	8.5	7.8
3/16/2021	23	7.6	7.7	7.1	8.0	7.9	7.9	8.5	7.7
3/16/2021	24	7.6	7.7	7.0	7.6	7.8	7.7	8.5	7.7
3/17/2021	1	7.6	7.6	6.9	7.3	7.7	7.6	8.5	7.6
3/17/2021	2	7.6	7.6	6.8	7.1	7.6	7.5	8.5	7.6
3/17/2021	3	7.5	7.6	6.7	7.0	7.6	7.4	8.5	7.6
3/17/2021	4	7.5	7.5	6.6	6.8	7.5	7.4	8.5	7.5
3/17/2021	5	7.4	7.5	6.6	6.7	7.5	7.3	8.4	7.5
3/17/2021	6	7.4	7.4	6.5	6.6	7.4	7.3	8.4	7.5
3/17/2021	7	7.4	7.4	6.5	6.5	7.4	7.2	8.3	7.4
3/17/2021	8	7.3	7.4	6.6	6.6	7.3	7.2	8.3	7.4
3/17/2021	9	7.3	7.5	7.0	6.6	7.3	7.3	8.3	7.4
3/17/2021	10	7.3	7.5	7.6	6.7	7.4	7.4	8.3	7.4
3/17/2021	11	7.3	7.6	8.3	6.9	7.4	7.5	8.4	7.5
3/17/2021	12	7.4	7.8	9.1	7.3	7.5	7.6	8.4	7.6
3/17/2021	13	7.4	7.9	9.8	7.9	7.7	7.8	8.5	7.7
3/17/2021	14	7.5	8.0	10.3	8.6	7.9	8.1	8.6	7.8
3/17/2021	15	7.7	8.1	10.3	9.2	8.1	8.3	8.7	7.9
3/17/2021	16	7.8	8.2	10.2	9.8	8.3	8.5	8.8	8.1
3/17/2021	17	7.9	8.2	9.6	10.2	8.4	8.6	8.9	8.1
3/17/2021	18	7.9	8.2	9.1	10.2	8.5	8.7	9.0	8.2
3/17/2021	19	8.0	8.2	8.6	10.1	8.5	8.7	9.1	8.2
3/17/2021	20	8.0	8.2	8.2	9.7	8.5	8.7	9.1	8.2
3/17/2021	21	8.0	8.2	7.9	9.3	8.4	8.5	9.0	8.2
3/17/2021	22	8.0	8.1	7.7	8.8	8.4	8.4	9.0	8.1
3/17/2021	23	8.0	8.1	7.5	8.4	8.2	8.2	9.0	8.0
3/17/2021	24	7.9	8.0	7.4	8.0	8.1	8.1	9.0	7.9
3/18/2021	1	7.9	8.0	7.3	7.8	8.0	8.0	8.9	7.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/18/2021	2	7.9	8.0	7.2	7.5	8.0	7.9	8.9	7.9
3/18/2021	3	7.8	7.9	7.1	7.4	7.9	7.8	8.9	7.9
3/18/2021	4	7.8	7.9	7.0	7.2	7.8	7.7	8.8	7.8
3/18/2021	5	7.8	7.8	7.0	7.1	7.8	7.7	8.8	7.8
3/18/2021	6	7.7	7.8	6.9	7.0	7.7	7.6	8.7	7.8
3/18/2021	7	7.7	7.8	7.0	6.9	7.7	7.6	8.7	7.7
3/18/2021	8	7.7	7.8	7.2	6.9	7.7	7.6	8.7	7.7
3/18/2021	9	7.6	7.8	7.6	7.1	7.7	7.6	8.6	7.7
3/18/2021	10	7.6	7.9	8.2	7.3	7.7	7.7	8.6	7.7
3/18/2021	11	7.6	7.9	8.7	7.5	7.7	7.8	8.6	7.8
3/18/2021	12	7.6	8.0	9.2	7.9	7.8	8.0	8.7	7.8
3/18/2021	13	7.7	8.1	9.8	8.6	8.0	8.2	8.7	7.9
3/18/2021	14	7.7	8.2	10.3	9.1	8.1	8.4	8.8	8.0
3/18/2021	15	7.8	8.2	10.4	9.5	8.3	8.5	8.9	8.1
3/18/2021	16	7.9	8.3	10.3	10.1	8.4	8.7	8.9	8.1
3/18/2021	17	8.0	8.3	9.8	10.3	8.5	8.7	8.9	8.2
3/18/2021	18	8.0	8.3	9.3	10.4	8.5	8.8	8.9	8.2
3/18/2021	19	8.1	8.3	8.9	10.3	8.6	8.8	8.9	8.2
3/18/2021	20	8.1	8.3	8.6	10.0	8.6	8.8	9.0	8.2
3/18/2021	21	8.1	8.3	8.4	9.6	8.5	8.7	9.0	8.2
3/18/2021	22	8.1	8.2	8.3	9.2	8.4	8.6	9.0	8.1
3/18/2021	23	8.1	8.2	8.2	8.9	8.4	8.5	9.0	8.0
3/18/2021	24	8.1	8.2	8.1	8.6	8.3	8.4	9.1	7.9
3/19/2021	1	8.1	8.2	8.0	8.5	8.3	8.3	9.1	8.0
3/19/2021	2	8.0	8.2	7.9	8.3	8.2	8.2	9.1	7.9
3/19/2021	3	8.0	8.2	7.8	8.2	8.2	8.2	9.0	8.0
3/19/2021	4	8.0	8.1	7.6	8.1	8.2	8.1	9.0	8.0
3/19/2021	5	8.0	8.1	7.5	7.9	8.1	8.1	9.0	8.1
3/19/2021	6	8.0	8.0	7.4	7.8	8.1	8.0	8.9	8.0
3/19/2021	7	7.9	8.0	7.3	7.7	8.0	7.9	8.9	7.9
3/19/2021	8	7.9	8.0	7.4	7.6	8.0	7.9	8.9	7.7
3/19/2021	9	7.8	8.0	7.9	7.6	8.0	8.0	8.8	7.9
3/19/2021	10	7.8	8.1	8.6	7.7	8.0	8.0	8.9	7.9
3/19/2021	11	7.8	8.2	9.4	7.8	8.0	8.1	9.0	8.0
3/19/2021	12	7.9	8.3	10.4	8.2	8.1	8.3	9.0	8.1
3/19/2021	13	8.0	8.5	10.8	8.9	8.3	8.5	9.1	8.2
3/19/2021	14	8.1	8.5	11.0	9.7	8.5	8.8	9.2	8.3
3/19/2021	15	8.2	8.6	11.0	10.3	8.7	9.0	9.2	8.4
3/19/2021	16	8.3	8.6	10.6	10.6	8.8	9.1	9.3	8.5
3/19/2021	17	8.4	8.7	10.1	10.9	8.9	9.2	9.4	8.6
3/19/2021	18	8.4	8.7	9.5	10.8	9.0	9.2	9.4	8.7
3/19/2021	19	8.5	8.7	9.0	10.5	9.0	9.2	9.5	8.7
3/19/2021	20	8.5	8.7	8.6	10.1	9.0	9.1	9.5	8.6
3/19/2021	21	8.5	8.6	8.4	9.7	8.9	9.0	9.6	8.4
3/19/2021	22	8.4	8.6	8.3	9.3	8.8	8.8	9.6	8.4
3/19/2021	23	8.4	8.5	8.2	8.9	8.7	8.7	9.5	8.2
3/19/2021	24	8.4	8.5	8.1	8.6	8.6	8.5	9.4	7.9
3/20/2021	1	8.3	8.4	8.0	8.4	8.5	8.4	9.4	8.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/20/2021	2	8.3	8.4	7.9	8.2	8.4	8.3	9.3	8.0
3/20/2021	3	8.2	8.3	7.8	8.1	8.3	8.3	9.2	7.9
3/20/2021	4	8.2	8.3	7.8	8.0	8.3	8.2	9.2	7.9
3/20/2021	5	8.2	8.2	7.7	7.9	8.2	8.1	9.2	8.1
3/20/2021	6	8.1	8.2	7.7	7.8	8.2	8.1	9.1	7.9
3/20/2021	7	8.1	8.2	7.6	7.7	8.2	8.1	9.1	7.9
3/20/2021	8	8.1	8.2	7.7	7.7	8.1	8.1	9.1	8.1
3/20/2021	9	8.1	8.2	8.1	7.8	8.2	8.2	9.1	8.1
3/20/2021	10	8.0	8.3	8.7	7.9	8.2	8.3	9.2	8.1
3/20/2021	11	8.0	8.4	9.3	8.0	8.2	8.3	9.2	8.2
3/20/2021	12	8.1	8.5	10.2	8.4	8.3	8.5	9.3	8.3
3/20/2021	13	8.1	8.6	11.0	9.0	8.5	8.7	9.3	8.4
3/20/2021	14	8.3	8.8	11.4	9.7	8.7	8.9	9.4	8.5
3/20/2021	15	8.4	8.9	11.5	10.3	8.9	9.2	9.4	8.7
3/20/2021	16	8.6	8.9	11.0	10.8	9.1	9.4	9.6	8.8
3/20/2021	17	8.7	9.0	10.1	11.1	9.2	9.4	9.7	8.9
3/20/2021	18	8.7	9.1	9.5	11.1	9.3	9.5	9.8	8.9
3/20/2021	19	8.8	9.2	9.0	10.7	9.4	9.6	9.9	8.9
3/20/2021	20	9.0	9.2	8.6	10.1	9.4	9.5	10.0	9.0
3/20/2021	21	9.0	9.2	8.4	9.6	9.3	9.3	10.0	8.6
3/20/2021	22	9.0	9.1	8.3	9.1	9.2	9.1	9.9	8.7
3/20/2021	23	8.9	9.0	8.2	8.8	9.0	9.0	9.9	8.7
3/20/2021	24	8.8	8.9	8.2	8.5	8.9	8.8	9.9	8.6
3/21/2021	1	8.7	8.7	8.2	8.3	8.7	8.6	9.8	8.4
3/21/2021	2	8.6	8.6	8.2	8.2	8.6	8.5	9.7	8.3
3/21/2021	3	8.4	8.4	8.1	8.1	8.5	8.4	9.6	8.2
3/21/2021	4	8.3	8.3	8.0	8.1	8.4	8.3	9.5	8.1
3/21/2021	5	8.2	8.2	8.0	8.1	8.3	8.2	9.4	8.1
3/21/2021	6	8.1	8.1	7.9	8.0	8.2	8.1	9.3	8.0
3/21/2021	7	8.0	8.1	7.9	8.0	8.2	8.1	9.2	7.9
3/21/2021	8	8.0	8.1	7.9	7.9	8.1	8.1	9.1	7.9
3/21/2021	9	8.0	8.1	7.9	7.9	8.1	8.1	9.0	7.9
3/21/2021	10	7.9	8.1	8.1	8.0	8.1	8.1	9.0	8.0
3/21/2021	11	7.9	8.1	8.2	8.0	8.1	8.1	9.0	7.9
3/21/2021	12	7.9	8.1	8.2	8.1	8.0	8.0	8.9	7.9
3/21/2021	13	7.9	8.1	8.4	8.2	8.0	8.1	8.9	7.9
3/21/2021	14	7.9	8.1	8.5	8.3	8.0	8.1	8.9	7.9
3/21/2021	15	7.9	8.1	8.7	8.4	8.1	8.2	8.9	8.0
3/21/2021	16	7.8	8.1	9.0	8.5	8.1	8.2	8.9	8.0
3/21/2021	17	7.9	8.0	8.8	8.7	8.1	8.2	8.9	8.0
3/21/2021	18	7.9	8.0	8.6	8.8	8.1	8.2	8.9	7.9
3/21/2021	19	7.9	8.0	8.1	8.8	8.1	8.2	8.9	8.0
3/21/2021	20	7.9	8.0	7.8	8.7	8.1	8.2	8.8	8.0
3/21/2021	21	7.9	8.0	7.6	8.5	8.1	8.2	8.8	8.0
3/21/2021	22	7.9	8.0	7.4	8.2	8.1	8.1	8.8	7.8
3/21/2021	23	7.8	7.9	7.3	7.9	8.0	8.0	8.8	7.4
3/21/2021	24	7.8	7.8	7.2	7.7	7.9	7.8	8.8	7.2
3/22/2021	1	7.7	7.8	7.1	7.5	7.8	7.7	8.7	7.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/22/2021	2	7.7	7.7	7.0	7.4	7.7	7.6	8.7	7.3
3/22/2021	3	7.6	7.6	7.0	7.2	7.6	7.5	8.6	7.2
3/22/2021	4	7.6	7.6	7.0	7.1	7.6	7.5	8.6	7.3
3/22/2021	5	7.5	7.5	6.9	7.0	7.5	7.4	8.5	7.3
3/22/2021	6	7.5	7.4	6.9	7.0	7.4	7.3	8.4	7.3
3/22/2021	7	7.4	7.4	6.8	6.9	7.4	7.3	8.4	7.2
3/22/2021	8	7.4	7.4	7.0	7.0	7.4	7.3	8.3	7.3
3/22/2021	9	7.3	7.5	7.4	7.1	7.4	7.4	8.3	7.3
3/22/2021	10	7.3	7.5	8.1	7.1	7.5	7.5	8.4	7.4
3/22/2021	11	7.4	7.7	8.6	7.1	7.4	7.4	8.4	7.4
3/22/2021	12	7.4	7.8	9.5	7.5	7.5	7.6	8.5	7.5
3/22/2021	13	7.5	8.0	10.5	8.3	7.8	8.0	8.6	7.7
3/22/2021	14	7.6	8.1	10.8	8.9	8.0	8.2	8.7	7.8
3/22/2021	15	7.8	8.2	10.7	9.5	8.2	8.5	8.8	8.1
3/22/2021	16	7.9	8.2	10.3	10.1	8.4	8.7	8.9	8.2
3/22/2021	17	8.1	8.3	9.5	10.5	8.5	8.8	8.9	8.1
3/22/2021	18	8.1	8.3	9.0	10.5	8.6	8.9	9.0	8.3
3/22/2021	19	8.2	8.5	8.5	10.1	8.7	8.9	9.1	8.4
3/22/2021	20	8.3	8.6	8.0	9.6	8.7	8.9	9.1	8.5
3/22/2021	21	8.4	8.5	7.7	9.1	8.7	8.8	9.2	8.5
3/22/2021	22	8.4	8.4	7.5	8.7	8.6	8.6	9.3	8.5
3/22/2021	23	8.3	8.3	7.4	8.2	8.5	8.4	9.3	8.4
3/22/2021	24	8.2	8.2	7.4	7.9	8.3	8.2	9.3	8.2
3/23/2021	1	8.1	8.1	7.4	7.6	8.2	8.0	9.2	8.1
3/23/2021	2	8.0	8.0	7.3	7.4	8.1	7.9	9.1	8.0
3/23/2021	3	7.9	7.9	7.2	7.3	7.9	7.8	9.0	7.9
3/23/2021	4	7.9	7.8	7.1	7.2	7.8	7.7	8.9	7.8
3/23/2021	5	7.8	7.7	7.0	7.1	7.7	7.6	8.8	7.7
3/23/2021	6	7.7	7.6	6.8	7.0	7.6	7.5	8.7	7.6
3/23/2021	7	7.6	7.6	6.8	6.9	7.6	7.4	8.6	7.5
3/23/2021	8	7.6	7.5	6.9	6.9	7.5	7.4	8.5	7.5
3/23/2021	9	7.5	7.5	7.4	7.0	7.5	7.4	8.5	7.4
3/23/2021	10	7.4	7.6	8.1	7.0	7.5	7.5	8.5	7.4
3/23/2021	11	7.4	7.7	9.0	7.2	7.5	7.6	8.6	7.5
3/23/2021	12	7.4	7.8	9.9	7.7	7.6	7.8	8.6	7.6
3/23/2021	13	7.5	8.0	10.6	8.5	7.8	8.0	8.6	7.7
3/23/2021	14	7.7	8.1	11.0	9.3	8.0	8.3	8.6	7.9
3/23/2021	15	7.8	8.2	11.1	10.0	8.3	8.6	8.7	8.1
3/23/2021	16	8.0	8.3	10.8	10.5	8.4	8.8	8.8	8.2
3/23/2021	17	8.1	8.4	10.2	10.9	8.6	8.9	8.9	8.3
3/23/2021	18	8.2	8.4	9.5	10.9	8.7	9.0	9.1	8.4
3/23/2021	19	8.3	8.5	8.8	10.7	8.7	9.0	9.2	8.4
3/23/2021	20	8.3	8.5	8.3	10.2	8.8	9.0	9.3	8.5
3/23/2021	21	8.3	8.5	8.0	9.7	8.7	8.9	9.4	8.5
3/23/2021	22	8.3	8.5	7.8	9.1	8.7	8.7	9.3	8.5
3/23/2021	23	8.3	8.5	7.8	8.6	8.6	8.6	9.3	8.5
3/23/2021	24	8.3	8.4	7.8	8.3	8.5	8.5	9.3	8.4
3/24/2021	1	8.3	8.4	7.8	8.0	8.4	8.4	9.3	8.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/24/2021	2	8.3	8.4	7.8	7.9	8.4	8.3	9.3	8.4
3/24/2021	3	8.3	8.3	7.8	7.9	8.3	8.3	9.3	8.3
3/24/2021	4	8.2	8.2	7.8	7.8	8.3	8.2	9.2	8.2
3/24/2021	5	8.1	8.2	7.8	7.8	8.2	8.1	9.2	8.1
3/24/2021	6	8.1	8.1	7.8	7.8	8.1	8.1	9.2	8.1
3/24/2021	7	8.0	8.0	7.7	7.8	8.1	8.0	9.1	8.0
3/24/2021	8	7.9	7.9	7.7	7.8	8.0	7.9	9.1	7.9
3/24/2021	9	7.8	8.0	7.9	7.9	8.0	8.0	9.0	7.9
3/24/2021	10	7.8	8.0	8.2	7.9	8.0	8.0	9.0	7.9
3/24/2021	11	7.8	8.0	8.6	8.1	8.0	8.1	8.9	7.9
3/24/2021	12	7.8	8.1	9.6	8.4	8.1	8.3	8.9	7.9
3/24/2021	13	7.8	8.3	10.4	8.8	8.2	8.4	8.9	8.0
3/24/2021	14	7.9	8.4	11.1	9.3	8.3	8.6	9.0	8.2
3/24/2021	15	8.1	8.5	11.2	9.9	8.5	8.8	9.1	8.3
3/24/2021	16	8.2	8.5	10.8	10.5	8.6	8.9	9.2	8.4
3/24/2021	17	8.3	8.6	10.1	10.9	8.8	9.1	9.3	8.5
3/24/2021	18	8.4	8.7	9.5	11.0	8.9	9.2	9.4	8.6
3/24/2021	19	8.5	8.8	9.0	10.7	9.0	9.3	9.5	8.7
3/24/2021	20	8.6	8.8	8.6	10.3	9.0	9.2	9.6	8.8
3/24/2021	21	8.6	8.8	8.4	9.8	9.0	9.1	9.7	8.8
3/24/2021	22	8.7	8.9	8.2	9.3	9.0	9.0	9.6	8.8
3/24/2021	23	8.7	8.8	8.2	8.9	8.9	8.9	9.6	8.7
3/24/2021	24	8.7	8.7	8.1	8.6	8.7	8.7	9.6	8.6
3/25/2021	1	8.6	8.5	8.1	8.4	8.6	8.5	9.6	8.4
3/25/2021	2	8.4	8.4	8.1	8.2	8.4	8.4	9.5	8.3
3/25/2021	3	8.3	8.3	8.0	8.1	8.4	8.3	9.4	8.2
3/25/2021	4	8.2	8.2	7.9	8.1	8.3	8.2	9.3	8.2
3/25/2021	5	8.2	8.2	7.8	8.0	8.2	8.1	9.2	8.1
3/25/2021	6	8.1	8.1	7.7	8.0	8.1	8.1	9.1	8.1
3/25/2021	7	8.0	8.0	7.6	7.9	8.1	8.0	9.0	8.0
3/25/2021	8	8.0	8.0	7.9	7.9	8.0	8.0	8.9	8.0
3/25/2021	9	7.9	8.1	8.3	8.0	8.0	8.1	8.9	8.0
3/25/2021	10	7.9	8.2	9.0	8.1	8.1	8.2	8.9	8.0
3/25/2021	11	7.9	8.3	9.9	8.3	8.2	8.3	8.9	8.1
3/25/2021	12	8.0	8.4	10.7	8.7	8.3	8.5	9.0	8.3
3/25/2021	13	8.1	8.6	11.3	9.5	8.5	8.8	9.1	8.4
3/25/2021	14	8.3	8.7	11.2	10.2	8.7	9.1	9.2	8.6
3/25/2021	15	8.4	8.8	11.2	10.8	8.9	9.3	9.4	8.7
3/25/2021	16	8.5	8.9	10.8	11.2	9.1	9.5	9.5	8.8
3/25/2021	17	8.6	8.9	10.4	11.3	9.2	9.5	9.6	8.9
3/25/2021	18	8.7	9.0	10.0	11.1	9.3	9.5	9.7	8.9
3/25/2021	19	8.8	9.0	9.4	10.8	9.3	9.6	9.8	9.0
3/25/2021	20	8.8	9.1	9.0	10.5	9.3	9.5	9.9	9.1
3/25/2021	21	8.9	9.1	8.8	10.1	9.3	9.4	10.0	9.1
3/25/2021	22	8.9	9.1	8.5	9.7	9.3	9.3	10.0	9.1
3/25/2021	23	8.9	9.0	8.4	9.3	9.2	9.2	10.0	9.0
3/25/2021	24	8.9	9.0	8.2	8.9	9.1	9.0	10.0	8.9
3/26/2021	1	8.8	8.9	8.1	8.6	9.0	8.9	9.9	8.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/26/2021	2	8.8	8.9	8.0	8.4	8.9	8.8	9.8	8.8
3/26/2021	3	8.7	8.8	7.9	8.2	8.8	8.7	9.7	8.7
3/26/2021	4	8.7	8.7	7.8	8.0	8.7	8.6	9.7	8.7
3/26/2021	5	8.6	8.6	7.7	7.9	8.6	8.5	9.6	8.6
3/26/2021	6	8.6	8.6	7.7	7.8	8.5	8.4	9.5	8.5
3/26/2021	7	8.5	8.5	7.6	7.7	8.5	8.3	9.5	8.5
3/26/2021	8	8.4	8.5	7.9	7.7	8.4	8.3	9.5	8.4
3/26/2021	9	8.4	8.5	8.3	7.8	8.4	8.4	9.6	8.4
3/26/2021	10	8.3	8.6	9.2	8.0	8.5	8.5	9.6	8.5
3/26/2021	11	8.4	8.8	10.1	8.3	8.6	8.7	9.6	8.6
3/26/2021	12	8.4	8.9	10.9	8.7	8.7	8.8	9.7	8.7
3/26/2021	13	8.6	9.1	11.6	9.6	8.9	9.1	9.7	8.8
3/26/2021	14	8.7	9.2	12.1	10.4	9.2	9.5	9.7	9.0
3/26/2021	15	8.8	9.4	12.2	11.0	9.4	9.8	9.8	9.2
3/26/2021	16	9.0	9.4	12.0	11.6	9.6	10.0	9.9	9.3
3/26/2021	17	9.1	9.5	11.3	11.9	9.8	10.1	10.0	9.4
3/26/2021	18	9.2	9.5	10.6	11.9	9.9	10.1	10.1	9.5
3/26/2021	19	9.3	9.6	10.0	11.7	9.9	10.1	10.2	9.5
3/26/2021	20	9.3	9.5	9.4	11.3	9.9	10.1	10.3	9.5
3/26/2021	21	9.3	9.5	9.1	10.8	9.8	9.9	10.4	9.5
3/26/2021	22	9.3	9.5	8.9	10.2	9.7	9.8	10.5	9.5
3/26/2021	23	9.3	9.5	8.7	9.7	9.6	9.6	10.4	9.4
3/26/2021	24	9.3	9.4	8.6	9.3	9.5	9.4	10.3	9.3
3/27/2021	1	9.2	9.2	8.6	9.0	9.3	9.2	10.2	9.2
3/27/2021	2	9.1	9.1	8.5	8.8	9.2	9.1	10.1	9.1
3/27/2021	3	9.0	9.0	8.5	8.7	9.1	8.9	10.0	9.0
3/27/2021	4	8.9	8.9	8.4	8.6	9.0	8.8	9.9	8.9
3/27/2021	5	8.8	8.9	8.3	8.5	8.9	8.8	9.8	8.8
3/27/2021	6	8.8	8.8	8.1	8.4	8.8	8.7	9.7	8.8
3/27/2021	7	8.7	8.7	8.1	8.3	8.7	8.6	9.7	8.7
3/27/2021	8	8.6	8.7	8.3	8.3	8.7	8.6	9.6	8.6
3/27/2021	9	8.6	8.8	8.8	8.4	8.7	8.7	9.6	8.6
3/27/2021	10	8.6	8.9	9.6	8.5	8.7	8.8	9.7	8.7
3/27/2021	11	8.6	9.0	10.5	8.7	8.8	8.9	9.7	8.7
3/27/2021	12	8.6	9.1	11.4	9.2	9.0	9.1	9.7	8.9
3/27/2021	13	8.8	9.3	12.0	10.0	9.2	9.4	9.8	9.0
3/27/2021	14	8.9	9.4	12.1	10.8	9.4	9.7	9.9	9.2
3/27/2021	15	9.1	9.5	11.8	11.5	9.6	10.0	10.0	9.4
3/27/2021	16	9.2	9.6	11.4	11.9	9.8	10.2	10.1	9.5
3/27/2021	17	9.3	9.7	10.9	12.1	9.9	10.3	10.2	9.6
3/27/2021	18	9.3	9.7	10.4	11.9	10.0	10.2	10.3	9.6
3/27/2021	19	9.4	9.7	10.0	11.5	10.0	10.2	10.4	9.6
3/27/2021	20	9.4	9.7	9.6	11.1	9.9	10.1	10.4	9.7
3/27/2021	21	9.5	9.7	9.4	10.7	9.9	10.0	10.5	9.6
3/27/2021	22	9.4	9.6	9.2	10.2	9.8	9.9	10.5	9.6
3/27/2021	23	9.4	9.6	9.1	9.9	9.7	9.7	10.5	9.5
3/27/2021	24	9.4	9.5	9.0	9.6	9.6	9.6	10.4	9.5
3/28/2021	1	9.4	9.5	8.9	9.4	9.5	9.5	10.4	9.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/28/2021	2	9.3	9.4	8.8	9.2	9.4	9.4	10.3	9.3
3/28/2021	3	9.3	9.4	8.7	9.0	9.4	9.3	10.3	9.3
3/28/2021	4	9.2	9.3	8.6	8.9	9.3	9.2	10.3	9.3
3/28/2021	5	9.2	9.3	8.6	8.8	9.3	9.2	10.2	9.2
3/28/2021	6	9.1	9.2	8.5	8.7	9.2	9.1	10.2	9.2
3/28/2021	7	9.1	9.2	8.5	8.7	9.1	9.1	10.1	9.1
3/28/2021	8	9.0	9.2	8.8	8.7	9.1	9.1	10.1	9.1
3/28/2021	9	9.0	9.2	9.4	8.9	9.1	9.2	10.1	9.0
3/28/2021	10	9.0	9.3	10.2	9.1	9.2	9.3	10.0	9.1
3/28/2021	11	9.0	9.4	11.1	9.3	9.2	9.4	10.0	9.1
3/28/2021	12	9.0	9.5	11.9	9.9	9.4	9.6	10.1	9.2
3/28/2021	13	9.1	9.6	11.9	10.4	9.5	9.7	10.2	9.4
3/28/2021	14	9.3	9.7	11.7	11.2	9.7	10.0	10.3	9.5
3/28/2021	15	9.3	9.8	11.6	11.6	9.9	10.3	10.5	9.7
3/28/2021	16	9.5	9.9	11.2	11.8	10.1	10.4	10.6	9.8
3/28/2021	17	9.6	9.9	10.7	11.8	10.2	10.4	10.7	9.8
3/28/2021	18	9.7	9.8	10.1	11.5	10.1	10.3	10.8	9.7
3/28/2021	19	9.6	9.7	9.6	11.1	10.0	10.1	10.7	9.7
3/28/2021	20	9.6	9.6	9.0	10.5	9.9	9.9	10.6	9.6
3/28/2021	21	9.5	9.5	8.5	9.9	9.7	9.6	10.5	9.4
3/28/2021	22	9.4	9.3	8.2	9.3	9.4	9.3	10.3	9.2
3/28/2021	23	9.2	9.1	8.0	8.9	9.1	9.0	10.2	8.8
3/28/2021	24	9.0	8.8	7.9	8.5	8.8	8.7	10.0	8.5
3/29/2021	1	8.8	8.7	7.9	8.1	8.7	8.5	9.9	8.5
3/29/2021	2	8.6	8.5	7.9	8.0	8.5	8.3	9.7	8.4
3/29/2021	3	8.5	8.4	7.8	7.8	8.4	8.2	9.5	8.2
3/29/2021	4	8.3	8.3	7.7	7.8	8.3	8.1	9.4	8.1
3/29/2021	5	8.3	8.2	7.5	7.7	8.2	8.0	9.2	8.1
3/29/2021	6	8.2	8.1	7.4	7.7	8.1	8.0	9.1	8.0
3/29/2021	7	8.1	8.0	7.3	7.5	8.0	7.9	9.0	8.0
3/29/2021	8	8.0	8.0	7.6	7.5	8.0	7.9	9.0	7.9
3/29/2021	9	7.9	8.0	8.0	7.6	8.0	8.0	9.0	7.9
3/29/2021	10	7.9	8.1	8.7	7.7	8.0	8.1	8.9	8.0
3/29/2021	11	7.9	8.3	9.6	7.9	8.1	8.2	8.9	8.1
3/29/2021	12	8.0	8.5	10.5	8.3	8.3	8.4	9.0	8.3
3/29/2021	13	8.2	8.7	11.0	9.0	8.5	8.6	9.1	8.5
3/29/2021	14	8.4	8.9	11.2	9.8	8.7	9.0	9.3	8.7
3/29/2021	15	8.5	9.0	11.2	10.3	9.0	9.3	9.5	8.9
3/29/2021	16	8.7	9.1	10.9	10.7	9.2	9.5	9.7	9.1
3/29/2021	17	8.9	9.2	10.2	10.9	9.4	9.6	9.9	9.2
3/29/2021	18	9.0	9.2	9.6	10.8	9.5	9.7	10.1	9.3
3/29/2021	19	9.1	9.2	9.0	10.5	9.5	9.6	10.2	9.2
3/29/2021	20	9.1	9.2	8.5	10.1	9.4	9.5	10.2	9.3
3/29/2021	21	9.1	9.2	8.2	9.6	9.4	9.4	10.2	9.2
3/29/2021	22	9.1	9.1	8.1	9.1	9.2	9.2	10.1	9.1
3/29/2021	23	9.0	9.0	8.0	8.6	9.1	9.0	10.0	9.0
3/29/2021	24	8.9	8.9	7.9	8.2	9.0	8.8	9.9	8.9
3/30/2021	1	8.9	8.8	7.7	8.0	8.8	8.6	9.8	8.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
3/30/2021	2	8.8	8.7	7.6	7.8	8.7	8.5	9.7	8.7
3/30/2021	3	8.7	8.6	7.5	7.7	8.5	8.3	9.6	8.5
3/30/2021	4	8.6	8.5	7.4	7.5	8.4	8.2	9.5	8.3
3/30/2021	5	8.4	8.3	7.3	7.4	8.3	8.1	9.4	8.2
3/30/2021	6	8.3	8.2	7.2	7.3	8.1	8.0	9.3	8.1
3/30/2021	7	8.2	8.1	7.2	7.2	8.0	7.9	9.2	8.0
3/30/2021	8	8.1	8.1	7.5	7.2	8.0	7.9	9.1	8.0
3/30/2021	9	8.0	8.1	8.0	7.4	8.0	7.9	9.0	7.9
3/30/2021	10	8.0	8.1	8.7	7.4	8.0	8.0	8.9	7.9
3/30/2021	11	7.9	8.2	9.6	7.7	8.0	8.1	8.9	8.0
3/30/2021	12	8.0	8.4	10.5	8.3	8.2	8.3	8.9	8.1
3/30/2021	13	8.1	8.5	11.2	9.1	8.4	8.6	9.0	8.3
3/30/2021	14	8.2	8.7	11.6	9.9	8.6	8.9	9.1	8.5
3/30/2021	15	8.4	8.8	11.7	10.6	8.8	9.2	9.3	8.6
3/30/2021	16	8.5	8.9	11.4	11.1	9.0	9.4	9.4	8.8
3/30/2021	17	8.6	8.9	10.8	11.5	9.2	9.5	9.6	8.9
3/30/2021	18	8.7	9.0	10.1	11.5	9.3	9.7	9.7	9.0
3/30/2021	19	8.8	9.0	9.4	11.2	9.4	9.6	9.9	9.1
3/30/2021	20	8.9	9.0	8.9	10.8	9.4	9.6	9.9	9.1
3/30/2021	21	8.9	9.0	8.5	10.2	9.3	9.4	10.0	9.1
3/30/2021	22	8.9	9.0	8.3	9.7	9.2	9.3	10.0	9.0
3/30/2021	23	8.9	9.0	8.2	9.2	9.1	9.1	9.9	9.0
3/30/2021	24	8.9	8.9	8.1	8.7	9.0	9.0	9.9	8.9
3/31/2021	1	8.8	8.9	8.0	8.4	8.9	8.8	9.9	8.9
3/31/2021	2	8.8	8.8	7.9	8.2	8.8	8.7	9.8	8.8
3/31/2021	3	8.7	8.7	7.8	8.0	8.8	8.6	9.8	8.7
3/31/2021	4	8.7	8.7	7.7	7.9	8.7	8.5	9.7	8.6
3/31/2021	5	8.6	8.6	7.6	7.8	8.6	8.4	9.6	8.6
3/31/2021	6	8.6	8.5	7.5	7.7	8.5	8.3	9.5	8.4
3/31/2021	7	8.5	8.5	7.5	7.6	8.4	8.2	9.5	8.4
3/31/2021	8	8.4	8.5	7.8	7.6	8.4	8.2	9.4	8.4
3/31/2021	9	8.3	8.5	8.3	7.7	8.3	8.3	9.3	8.3
3/31/2021	10	8.3	8.6	9.1	7.8	8.4	8.4	9.3	8.4
3/31/2021	11	8.3	8.7	10.1	8.1	8.5	8.6	9.3	8.5
3/31/2021	12	8.4	8.8	11.0	8.7	8.6	8.8	9.5	8.6
3/31/2021	13	8.5	9.0	11.8	9.6	8.9	9.1	9.6	8.8
3/31/2021	14	8.7	9.2	12.2	10.5	9.1	9.5	9.7	9.0
3/31/2021	15	8.8	9.3	12.3	11.2	9.4	9.8	9.8	9.2
3/31/2021	16	9.0	9.4	12.0	11.8	9.6	10.0	10.0	9.3
3/31/2021	17	9.1	9.5	11.4	12.1	9.8	10.1	10.1	9.4
3/31/2021	18	9.3	9.6	10.7	12.2	9.9	10.2	10.2	9.5
3/31/2021	19	9.3	9.6	10.1	11.9	9.9	10.2	10.3	9.6
3/31/2021	20	9.4	9.6	9.6	11.4	9.9	10.1	10.4	9.6
3/31/2021	21	9.4	9.6	9.2	10.9	9.8	10.0	10.4	9.5
3/31/2021	22	9.4	9.5	9.0	10.3	9.7	9.8	10.5	9.5
3/31/2021	23	9.4	9.5	8.8	9.9	9.6	9.6	10.4	9.4
3/31/2021	24	9.3	9.4	8.7	9.4	9.5	9.5	10.4	9.2