




**240 VOLT AC SINGLE PHASE  
SOLAR PV PRODUCTION METERING CONNECTED  
DIRECTLY TO UTILITY TRANSFORMER  
25kW OR LESS**

Originator: **J. White** Standards Approval: **Chad Rissman**

Approval: **J. White** Date: **2/3/2011**

Rev #: Revision Description:

1



**NOTES:**

1. ALL LABELS ENGRAVED WITH 1/4" (MIN.) LETTERS.
2. LABEL #1 RED BACKGROUND WITH WHITE LETTERS.
3. LABEL #2 YELLOW BACKGROUND WITH BLACK LETTERS.

**SOLAR POWER SYSTEM  
SERVICE DISCONNECT** (LABEL #1)

**SOLAR POWER PRODUCTION METER  
SOLAR FEED TO TOP  
UTILITY AC FEED TO BOTTOM** (LABEL #2)

NOTE: THIS DIAGRAM SHOWS ELECTRIC METERING REQUIREMENTS THAT COMPLY WITH CHELAN COUNTY PUD INTERCONNECTION STANDARDS FOR CUSTOMER-OWNED RENEWABLE POWER GENERATION SYSTEMS. THIS DIAGRAM MAY NOT SHOW EVERYTHING NEEDED TO MEET MINIMUM ELECTRIC CODE REQUIREMENTS. CHELAN PUD WILL NOT INSTALL AN ELECTRIC METER UNTIL THE INSTALLATION HAS BEEN APPROVED BY THE LOCAL ELECTRIC CODE OFFICIAL.