

**Kate Taylor**

---

**From:** Scott Hopkins  
**Sent:** Tuesday, September 24, 2024 10:44 AM  
**To:** 'jody.walters@noaa.gov'; 'hugh\_anthony@nps.gov'; 'paul.willard@usda.gov';  
'RD\_Nelle@fws.gov'; 'travis.maitland@dfw.wa.gov'; Scott Hopkins; 'blod@yakamafish-  
nsn.gov'; 'bret.nine@colvilletribes.com'; 'justin.yeager@noaa.gov';  
'ashley\_rawhouser@nps.gov'; 'kari.grover@usda.gov'; 'stuart\_fety@fws.gov';  
'ana.cerro@usda.gov'; 'CHBR461@ECY.WA.GOV'; 'Leslie.King@dfw.wa.gov';  
'okeefe@americanwhitewater.org'; 'wfarris@cityofchelan.us'; 'info@mansonparks.com';  
'Fisheries@ctuir.org'; 'philiprarchibald@gmail.com'; 'damon.roberts@ecy.wa.gov'; Sara  
Peck  
**Cc:** Kate Taylor; Meaghan Connell; Laura Clark  
**Subject:** 2024 Chelan River Temperature - August Reports  
**Attachments:** 2024 Chelan River Daily Average Temperature Data August Report.pdf; 2024 Chelan  
River Hourly Temperature Data August Report.pdf  
**Categories:** .Post Filing

To: Department of Ecology  
Water Quality Program  
Central Regional Office

Chelan River Fishery Forum:  
Washington Department of Ecology  
Washington Department of Fish and Wildlife  
United States Forest Service  
National Park Service  
United States Fish and Wildlife Service  
National Marine Fisheries Service  
CCT (Colville)  
YN (Yakama)  
CTUIR (Umatilla tribe)  
United States Geological Survey  
Washington State Parks and Recreation Commission  
Washington State Recreation and Conservation Office  
City of Chelan  
Manson Parks and Recreation Department  
Lake Chelan Recreation Association  
American Whitewater

From: Scott Hopkins, Fisheries Biologist III  
Public Utility District No. 1 of Chelan County (Chelan PUD)  
[scott.hopkins@chelanpud.org](mailto:scott.hopkins@chelanpud.org)  
(509)661-4763

Re: Lake Chelan Hydroelectric Project No. 637 (Project)  
Appendix D 401 Water Quality Certification Condition V.C.i)  
Water Temperature Data Reports: August 2024

-----  
-----

Dear Ecology Water Quality Program, Chelan River Fishery Forum, and Other Parties:

Water temperature monitoring data for August 2024 are provided in the attached files. This information will be posted to the Chelan County PUD external website under “River Flows, Water Temperatures and Total Dissolved Gas” (link below).  
<https://www.chelanpud.org/parks-and-recreation/river-flows-and-water-temperatures>

Data during times of maintenance, calibration, or other miscellaneous events have been denoted with “NA” to designate these periods when data was either unavailable or inaccurate. Noteworthy events are explained below.

- There is one hourly reading missing on August 7<sup>th</sup> that occurred during the datalogger swap over.
- There were seven erroneous datapoints on the Tailrace automated temperature probe on August 13 that were removed.

Please feel free to call or email any questions or comments.



**Scott Hopkins**  
Fisheries Biologist III  
Chelan County P.U.D.  
P: (509) 661-4763  
C: (509) 630-2708

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/1/2024	22.8	23.0	23.4	23.6	23.3	23.5	23.4	22.9
8/2/2024	21.5	21.6	22.6	23.1	22.8	22.9	23.0	22.7
8/3/2024	22.5	22.7	22.8	23.0	23.2	23.2	23.6	23.4
8/4/2024	23.0	23.3	23.6	23.8	23.8	23.8	24.1	24.0
8/5/2024	22.1	22.2	22.9	23.3	23.2	23.3	23.5	23.2
8/6/2024	22.6	22.8	22.9	23.1	23.3	23.4	23.8	23.4
8/7/2024	22.4	22.6	22.8	23.1	23.3	23.4	23.7	22.9
8/8/2024	22.3	22.4	22.6	22.8	23.1	23.2	23.4	23.4
8/9/2024	22.2	22.3	22.4	22.7	23.1	23.1	23.6	23.4
8/10/2024	23.0	23.2	22.9	22.9	23.5	23.6	24.3	24.1
8/11/2024	22.3	22.5	22.6	22.9	23.2	23.2	23.7	23.3
8/12/2024	22.7	22.9	22.5	22.7	22.9	23.0	23.4	22.6
8/13/2024	24.0	24.2	23.2	23.1	23.4	23.5	23.8	23.3
8/14/2024	23.3	23.4	23.2	23.3	23.3	23.5	23.5	23.0
8/15/2024	21.9	22.0	22.2	22.5	22.4	22.5	22.5	22.5
8/16/2024	22.6	22.7	22.3	22.3	22.7	22.7	22.9	22.7
8/17/2024	22.0	22.1	22.1	22.3	22.6	22.6	22.7	22.8
8/18/2024	22.8	22.9	22.5	22.6	22.7	22.8	22.9	22.9
8/19/2024	22.9	23.0	22.2	22.2	22.6	22.6	22.9	22.6
8/20/2024	22.9	22.9	22.2	22.1	22.6	22.5	22.8	22.4
8/21/2024	22.7	22.7	21.9	21.8	22.4	22.3	22.7	22.8
8/22/2024	22.6	22.7	21.7	21.7	22.4	22.3	22.6	22.4
8/23/2024	22.3	22.4	21.1	21.0	21.9	21.8	22.3	21.8
8/24/2024	21.6	21.6	20.3	20.1	21.1	20.9	21.7	21.3
8/25/2024	21.2	21.2	20.7	20.7	20.8	20.8	21.0	21.1
8/26/2024	21.3	21.4	21.1	21.0	21.2	21.3	21.4	21.5
8/27/2024	21.5	21.6	20.5	20.4	20.8	20.8	21.1	21.2
8/28/2024	20.8	20.9	20.3	20.1	20.4	20.4	20.9	20.8
8/29/2024	20.9	20.9	20.7	20.7	20.9	21.0	21.0	20.6
8/30/2024	21.3	21.4	21.2	21.1	20.6	20.8	21.5	21.4
8/31/2024	21.3	21.4	21.4	21.5	21.4	21.5	21.5	21.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/1/2024	1	22.8	22.9	21.8	22.8	23.0	22.9	23.3	22.4
8/1/2024	2	22.8	22.9	21.7	22.4	22.8	22.7	23.2	20.2
8/1/2024	3	22.8	22.9	21.6	22.1	22.7	22.6	23.2	21.4
8/1/2024	4	22.8	22.8	21.5	21.9	22.6	22.4	23.1	22.6
8/1/2024	5	22.8	22.8	21.4	21.7	22.5	22.3	23.1	21.4
8/1/2024	6	22.8	22.8	21.3	21.6	22.4	22.2	23.1	22.6
8/1/2024	7	22.8	22.9	21.3	21.5	22.4	22.3	23.1	23.0
8/1/2024	8	22.8	23.0	21.5	21.6	22.5	22.3	23.2	23.0
8/1/2024	9	22.8	23.0	22.0	21.7	22.5	22.5	23.2	23.0
8/1/2024	10	22.8	23.0	22.7	21.9	22.6	22.6	23.3	23.0
8/1/2024	11	22.8	23.1	23.7	22.1	22.8	22.8	23.3	23.1
8/1/2024	12	22.8	23.1	24.6	22.7	23.0	23.1	23.4	23.1
8/1/2024	13	22.8	23.1	25.5	23.5	23.3	23.5	23.4	23.2
8/1/2024	14	22.8	23.2	26.1	24.5	23.6	23.9	23.5	23.3
8/1/2024	15	22.8	23.2	26.5	25.4	23.8	24.3	23.5	23.4
8/1/2024	16	22.9	23.1	26.5	25.8	24.0	24.6	23.6	23.4
8/1/2024	17	22.8	23.1	26.3	26.3	24.1	24.8	23.6	23.5
8/1/2024	18	22.9	23.1	25.8	26.5	24.1	24.9	23.7	23.6
8/1/2024	19	22.9	23.1	25.1	26.5	24.1	24.8	23.7	23.6
8/1/2024	20	22.9	23.1	24.3	26.1	24.1	24.7	23.8	23.6
8/1/2024	21	22.9	23.0	23.6	25.7	24.1	24.5	23.8	23.6
8/1/2024	22	23.0	23.1	23.0	25.1	24.1	24.3	23.9	23.6
8/1/2024	23	22.9	23.0	22.6	24.5	23.9	24.0	23.9	23.5
8/1/2024	24	22.9	23.0	22.3	23.8	23.7	23.7	23.8	23.6
8/2/2024	1	22.9	22.9	22.1	23.3	23.5	23.4	23.8	23.6
8/2/2024	2	22.8	22.9	22.0	22.9	23.4	23.2	23.8	23.6
8/2/2024	3	22.8	22.9	21.9	22.5	23.3	23.1	23.8	23.6
8/2/2024	4	22.8	22.8	21.8	22.3	23.1	22.9	23.7	23.5
8/2/2024	5	22.7	22.8	21.7	22.1	23.0	22.8	23.7	23.5
8/2/2024	6	22.5	22.5	21.6	22.0	22.9	22.8	23.7	23.4
8/2/2024	7	22.0	21.9	21.6	21.9	22.6	22.4	23.3	22.7
8/2/2024	8	21.6	21.7	21.8	21.9	22.4	22.3	23.0	22.6
8/2/2024	9	21.3	21.4	22.2	22.0	22.4	22.3	22.8	22.4
8/2/2024	10	21.1	21.3	22.7	22.2	22.3	22.3	22.6	22.3
8/2/2024	11	21.0	21.3	23.2	22.5	22.4	22.4	22.5	22.2
8/2/2024	12	21.1	21.3	23.8	22.9	22.5	22.7	22.5	22.3
8/2/2024	13	21.1	21.2	24.1	23.4	22.7	22.9	22.5	22.4
8/2/2024	14	21.2	21.3	24.1	23.9	22.7	23.1	22.5	22.4
8/2/2024	15	21.1	21.3	24.0	24.3	22.8	23.2	22.5	22.3
8/2/2024	16	21.0	21.2	24.0	24.6	22.9	23.4	22.5	22.3
8/2/2024	17	20.9	21.1	23.8	24.6	22.8	23.4	22.5	22.3
8/2/2024	18	20.9	21.0	23.6	24.6	22.7	23.3	22.5	22.3
8/2/2024	19	20.9	20.9	23.3	24.4	22.8	23.2	22.6	22.4
8/2/2024	20	20.9	21.1	22.6	24.1	22.8	23.1	22.8	22.4
8/2/2024	21	21.0	21.2	22.0	23.9	22.8	23.1	22.9	22.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/2/2024	22	20.9	21.1	21.5	23.5	23.0	23.1	22.9	22.6
8/2/2024	23	20.9	21.1	21.1	23.1	22.8	22.8	22.9	22.6
8/2/2024	24	20.8	20.9	21.0	22.6	22.7	22.6	22.9	22.6
8/3/2024	1	20.7	20.8	20.9	22.1	22.5	22.4	22.9	22.6
8/3/2024	2	20.7	20.8	20.8	21.8	22.4	22.3	22.8	22.6
8/3/2024	3	20.7	20.8	20.8	21.5	22.3	22.1	22.8	22.6
8/3/2024	4	20.7	20.8	20.7	21.4	22.2	22.1	22.8	22.6
8/3/2024	5	20.7	20.8	20.6	21.3	22.1	22.0	22.8	22.5
8/3/2024	6	20.8	21.0	20.5	21.2	22.1	21.9	22.7	22.5
8/3/2024	7	21.5	22.0	20.5	21.1	22.2	22.0	22.9	23.2
8/3/2024	8	22.8	23.1	20.6	21.1	22.4	22.4	23.5	23.5
8/3/2024	9	23.0	23.2	20.9	21.2	22.5	22.5	23.7	23.4
8/3/2024	10	22.8	23.1	21.6	21.3	22.5	22.6	23.8	23.4
8/3/2024	11	23.0	23.2	22.7	21.6	22.7	22.7	23.8	23.4
8/3/2024	12	23.1	23.3	23.9	21.9	22.9	22.9	23.9	23.5
8/3/2024	13	23.0	23.4	24.9	22.7	23.2	23.3	23.9	23.6
8/3/2024	14	23.2	23.5	25.5	23.4	23.5	23.6	24.0	23.7
8/3/2024	15	23.1	23.5	25.6	24.3	23.9	24.0	24.0	23.8
8/3/2024	16	23.3	23.5	25.6	25.0	24.1	24.4	24.1	23.8
8/3/2024	17	23.3	23.5	25.4	25.4	24.2	24.6	24.1	23.9
8/3/2024	18	23.3	23.5	25.0	25.6	24.3	24.6	24.1	23.9
8/3/2024	19	23.4	23.5	24.5	25.5	24.3	24.6	24.1	24.0
8/3/2024	20	23.4	23.5	23.9	25.2	24.3	24.5	24.1	24.0
8/3/2024	21	23.4	23.6	23.4	24.8	24.3	24.4	24.1	24.0
8/3/2024	22	23.4	23.6	23.1	24.5	24.1	24.2	24.1	23.9
8/3/2024	23	23.2	23.3	22.8	24.0	24.0	23.9	24.1	23.8
8/3/2024	24	23.1	23.2	22.6	23.6	23.8	23.7	24.0	23.8
8/4/2024	1	22.9	23.0	22.4	23.2	23.6	23.5	24.0	23.7
8/4/2024	2	22.8	22.9	22.3	22.8	23.5	23.4	24.0	23.7
8/4/2024	3	22.8	22.9	22.2	22.6	23.4	23.3	23.9	23.7
8/4/2024	4	22.7	22.8	22.1	22.5	23.3	23.1	23.9	23.6
8/4/2024	5	22.7	22.9	22.0	22.3	23.2	23.0	23.8	23.5
8/4/2024	6	22.8	22.9	21.9	22.2	23.1	22.9	23.8	23.4
8/4/2024	7	22.8	23.0	21.9	22.2	23.1	22.9	23.7	23.4
8/4/2024	8	22.9	23.1	22.0	22.2	23.0	22.8	23.7	23.3
8/4/2024	9	22.9	23.2	22.3	22.3	22.9	22.9	23.7	23.0
8/4/2024	10	23.0	23.3	22.9	22.4	23.0	22.9	23.8	23.3
8/4/2024	11	23.0	23.4	23.5	22.7	23.1	23.1	23.9	23.6
8/4/2024	12	23.1	23.4	24.4	23.1	23.3	23.4	24.0	23.7
8/4/2024	13	23.1	23.5	25.4	23.6	23.5	23.7	24.1	24.0
8/4/2024	14	23.1	23.5	26.1	24.4	23.8	24.0	24.3	24.3
8/4/2024	15	23.2	23.5	26.5	25.2	24.1	24.5	24.4	24.8
8/4/2024	16	23.2	23.5	26.5	25.7	24.4	24.8	24.5	24.9
8/4/2024	17	23.2	23.4	26.2	26.1	24.6	25.1	24.6	24.9
8/4/2024	18	23.2	23.4	25.7	26.4	24.7	25.2	24.6	24.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/4/2024	19	23.3	23.4	24.9	26.3	24.7	25.1	24.5	24.6
8/4/2024	20	23.3	23.4	24.0	25.8	24.7	24.9	24.5	24.5
8/4/2024	21	23.3	23.4	23.4	25.4	24.6	24.7	24.5	24.3
8/4/2024	22	23.3	23.4	22.8	24.8	24.5	24.5	24.5	24.1
8/4/2024	23	23.3	23.4	22.4	24.1	24.2	24.2	24.4	24.1
8/4/2024	24	23.3	23.4	22.2	23.5	24.0	23.9	24.4	23.9
8/5/2024	1	23.2	23.4	22.1	23.0	23.8	23.6	24.4	23.9
8/5/2024	2	23.2	23.3	22.0	22.6	23.5	23.4	24.2	23.5
8/5/2024	3	23.2	23.3	22.0	22.4	23.4	23.3	24.1	23.7
8/5/2024	4	23.1	23.2	22.1	22.2	23.3	23.1	23.9	23.6
8/5/2024	5	23.1	23.1	22.0	22.1	23.2	23.0	23.8	23.5
8/5/2024	6	23.0	23.1	21.9	22.1	23.1	22.9	23.7	23.5
8/5/2024	7	23.0	23.1	21.9	22.0	23.0	22.8	23.5	23.5
8/5/2024	8	22.7	22.6	22.0	22.1	22.9	22.8	23.4	23.2
8/5/2024	9	22.0	21.9	22.2	22.1	22.7	22.6	23.2	22.8
8/5/2024	10	21.5	21.5	22.5	22.2	22.5	22.5	23.1	22.6
8/5/2024	11	21.3	21.4	23.0	22.4	22.5	22.5	22.9	22.4
8/5/2024	12	21.3	21.7	23.5	22.8	22.5	22.7	22.8	22.5
8/5/2024	13	21.3	21.7	24.0	23.3	22.8	23.0	22.8	22.6
8/5/2024	14	21.3	21.4	24.6	23.7	22.9	23.1	22.9	22.5
8/5/2024	15	21.3	21.6	25.1	24.4	23.0	23.5	23.0	22.6
8/5/2024	16	21.4	21.6	25.3	24.7	23.3	23.7	23.1	22.9
8/5/2024	17	21.6	21.8	25.2	25.1	23.4	23.9	23.3	23.1
8/5/2024	18	21.6	21.8	24.7	25.4	23.6	24.1	23.4	23.1
8/5/2024	19	21.7	21.8	24.0	25.4	23.6	24.1	23.5	23.3
8/5/2024	20	21.8	21.9	23.1	25.1	23.7	24.0	23.6	23.4
8/5/2024	21	21.8	21.9	22.4	24.6	23.8	23.9	23.7	23.4
8/5/2024	22	22.0	22.0	21.9	24.1	23.7	23.7	23.7	23.7
8/5/2024	23	21.8	21.9	21.5	23.4	23.5	23.5	23.8	23.5
8/5/2024	24	22.0	22.0	21.2	22.8	23.4	23.2	23.8	23.6
8/6/2024	1	22.1	22.2	21.1	22.3	23.1	23.0	23.8	23.6
8/6/2024	2	22.1	22.3	21.0	21.8	22.9	22.8	23.8	23.4
8/6/2024	3	22.3	22.1	20.9	21.5	22.8	22.6	23.8	23.6
8/6/2024	4	22.4	22.4	20.9	21.3	22.6	22.5	23.7	23.5
8/6/2024	5	22.7	23.0	20.9	21.2	22.5	22.3	23.7	23.5
8/6/2024	6	22.4	22.4	20.9	21.0	22.5	22.4	23.7	23.5
8/6/2024	7	22.7	22.8	20.9	21.0	22.4	22.3	23.7	23.4
8/6/2024	8	23.1	23.2	21.2	21.0	22.4	22.3	23.7	23.5
8/6/2024	9	23.2	23.4	21.7	21.2	22.5	22.5	23.8	23.6
8/6/2024	10	23.1	23.3	22.3	21.4	22.6	22.7	23.8	23.6
8/6/2024	11	23.3	23.5	23.2	21.7	22.8	22.8	23.8	23.6
8/6/2024	12	23.3	23.6	24.2	22.3	23.1	23.2	23.8	23.7
8/6/2024	13	23.0	23.2	25.1	23.0	23.4	23.5	23.9	23.7
8/6/2024	14	22.8	22.9	25.7	23.9	23.7	23.9	23.9	23.6
8/6/2024	15	22.7	22.8	26.1	24.8	24.0	24.2	23.9	23.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/6/2024	16	22.6	23.1	26.1	25.3	24.1	24.5	23.9	23.7
8/6/2024	17	22.6	22.9	25.8	25.7	24.2	24.7	23.9	23.8
8/6/2024	18	22.4	22.8	25.3	26.0	24.2	24.8	23.8	23.6
8/6/2024	19	22.5	22.6	24.4	25.8	24.2	24.6	23.8	23.8
8/6/2024	20	22.6	22.9	23.6	25.6	24.1	24.5	23.8	23.6
8/6/2024	21	22.5	22.5	23.0	25.1	24.0	24.3	23.8	23.6
8/6/2024	22	22.3	22.3	22.5	24.6	23.8	24.0	23.7	23.5
8/6/2024	23	22.1	22.2	22.1	23.9	23.6	23.7	23.7	21.4
8/6/2024	24	22.1	22.2	21.9	23.3	23.4	23.4	23.6	20.0
8/7/2024	1	22.0	22.1	21.7	22.8	23.3	23.1	23.6	19.7
8/7/2024	2	22.0	22.0	21.5	22.4	23.1	22.9	23.5	20.0
8/7/2024	3	21.9	22.0	21.3	22.1	22.9	22.8	23.4	19.3
8/7/2024	4	21.9	21.9	21.1	21.9	22.8	22.6	23.4	21.1
8/7/2024	5	21.9	21.9	21.0	21.6	22.6	22.4	23.3	22.7
8/7/2024	6	21.9	21.9	20.8	21.4	22.4	22.3	23.3	22.7
8/7/2024	7	21.9	22.0	20.7	21.3	22.3	22.1	23.1	23.0
8/7/2024	8	22.2	22.4	20.9	21.2	22.4	22.3	23.3	23.3
8/7/2024	9	22.8	23.2	21.3	21.3	22.5	22.5	23.5	23.6
8/7/2024	10	23.0	23.4	21.9	21.4	22.7	22.7	23.8	23.7
8/7/2024	11	23.0	23.3	22.8	21.7	22.9	23.0	24.0	23.8
8/7/2024	12	23.1	23.4	23.8	22.1	23.1	23.2	24.0	23.9
8/7/2024	13	23.3	23.6	24.8	22.7	23.5	23.5	24.0	24.0
8/7/2024	14	22.9	23.0	25.5	24.4	NA	23.9	24.0	24.0
8/7/2024	15	22.4	22.7	25.9	24.4	24.0	24.2	24.0	23.9
8/7/2024	16	22.3	22.6	25.9	24.9	24.1	24.4	24.0	23.7
8/7/2024	17	22.3	22.6	25.7	25.4	24.1	24.5	23.9	23.7
8/7/2024	18	22.4	22.6	24.9	25.6	24.1	24.5	23.9	23.6
8/7/2024	19	22.4	22.6	24.1	25.6	24.0	24.4	23.8	23.7
8/7/2024	20	22.5	22.6	23.3	25.3	24.0	24.3	23.8	23.7
8/7/2024	21	22.4	22.5	22.6	24.8	23.9	24.2	23.7	23.6
8/7/2024	22	22.4	22.5	22.1	24.2	23.7	23.9	23.7	23.5
8/7/2024	23	22.4	22.4	21.8	23.5	23.5	23.5	23.6	23.4
8/7/2024	24	22.3	22.4	21.5	22.9	23.3	23.3	23.6	23.4
8/8/2024	1	22.3	22.3	21.3	22.4	23.1	23.0	23.5	23.4
8/8/2024	2	22.3	22.3	21.2	22.0	22.8	22.8	23.5	23.4
8/8/2024	3	22.3	22.3	21.0	21.7	22.7	22.6	23.4	23.3
8/8/2024	4	22.3	22.3	20.9	21.4	22.6	22.5	23.3	23.3
8/8/2024	5	22.3	22.2	20.7	21.2	22.4	22.3	23.2	23.2
8/8/2024	6	22.2	22.2	20.7	21.0	22.3	22.2	23.2	23.1
8/8/2024	7	22.2	22.3	20.7	20.9	22.2	22.0	23.1	23.0
8/8/2024	8	22.2	22.3	20.9	21.0	22.1	22.1	23.1	23.0
8/8/2024	9	22.2	22.3	21.4	21.1	22.2	22.2	23.1	23.0
8/8/2024	10	22.2	22.3	21.9	21.1	22.2	22.3	23.1	23.1
8/8/2024	11	22.2	22.4	22.8	21.4	22.3	22.5	23.1	23.1
8/8/2024	12	22.2	22.4	23.8	22.0	22.6	22.7	23.1	23.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/8/2024	13	22.2	22.4	24.6	22.7	23.0	23.1	23.1	23.2
8/8/2024	14	22.2	22.5	25.3	23.6	23.3	23.5	23.3	23.3
8/8/2024	15	22.2	22.5	25.6	24.4	23.6	23.9	23.3	23.4
8/8/2024	16	22.2	22.4	25.5	24.9	23.7	24.2	23.4	23.5
8/8/2024	17	22.2	22.4	24.8	25.4	23.9	24.4	23.5	23.6
8/8/2024	18	22.3	22.5	24.2	25.6	24.0	24.5	23.6	23.7
8/8/2024	19	22.3	22.5	23.6	25.4	24.0	24.4	23.7	23.7
8/8/2024	20	22.4	22.5	23.0	24.9	24.0	24.3	23.8	23.7
8/8/2024	21	22.4	22.5	22.5	24.4	23.9	24.0	23.9	23.7
8/8/2024	22	22.4	22.4	22.0	23.8	23.7	23.8	23.8	23.7
8/8/2024	23	22.4	22.5	21.7	23.3	23.5	23.5	23.8	23.7
8/8/2024	24	22.3	22.4	21.4	22.7	23.3	23.3	23.8	23.6
8/9/2024	1	22.3	22.3	21.3	22.3	23.1	23.1	23.7	23.6
8/9/2024	2	22.2	22.3	21.2	21.9	22.9	22.8	23.7	23.5
8/9/2024	3	22.2	22.3	21.1	21.7	22.8	22.7	23.6	23.5
8/9/2024	4	22.2	22.2	21.0	21.4	22.6	22.5	23.6	23.4
8/9/2024	5	22.2	22.2	20.8	21.2	22.5	22.4	23.6	23.3
8/9/2024	6	22.2	22.1	20.7	21.1	22.3	22.3	23.6	23.2
8/9/2024	7	22.1	22.2	20.6	21.0	22.1	22.1	23.2	22.8
8/9/2024	8	22.1	22.2	20.8	21.0	22.0	21.9	22.9	22.7
8/9/2024	9	22.1	22.2	21.3	21.1	22.1	22.0	23.0	22.8
8/9/2024	10	22.1	22.2	22.0	21.2	22.2	22.2	23.0	22.8
8/9/2024	11	22.1	22.3	22.8	21.5	22.3	22.4	23.1	22.9
8/9/2024	12	22.1	22.3	23.8	21.9	22.5	22.7	23.1	23.0
8/9/2024	13	22.1	22.3	24.6	22.7	22.9	23.1	23.3	23.1
8/9/2024	14	22.1	22.4	25.2	23.5	23.3	23.4	23.4	23.3
8/9/2024	15	22.1	22.3	25.2	24.3	23.5	23.8	23.5	23.3
8/9/2024	16	22.1	22.3	25.1	24.8	23.8	24.1	23.6	23.5
8/9/2024	17	22.1	22.3	24.4	25.1	23.8	24.2	23.7	23.6
8/9/2024	18	22.1	22.3	23.6	25.2	23.9	24.2	23.9	23.7
8/9/2024	19	22.2	22.3	22.9	24.9	24.1	24.3	24.0	23.9
8/9/2024	20	22.2	22.4	22.3	24.4	24.0	24.1	24.1	23.9
8/9/2024	21	22.4	22.6	21.9	23.8	24.0	24.0	24.1	24.1
8/9/2024	22	22.6	22.7	21.7	23.3	23.9	23.8	24.2	23.9
8/9/2024	23	22.5	22.6	21.5	22.8	23.7	23.6	24.3	23.9
8/9/2024	24	22.5	22.6	21.4	22.3	23.5	23.4	24.3	24.1
8/10/2024	1	22.4	22.5	21.3	21.9	23.2	23.2	24.3	24.0
8/10/2024	2	22.4	22.5	21.3	21.7	23.0	22.9	24.2	23.9
8/10/2024	3	22.4	22.5	21.2	21.5	22.8	22.8	24.1	23.8
8/10/2024	4	22.4	22.5	21.0	21.3	22.7	22.6	24.0	23.6
8/10/2024	5	22.5	22.6	20.9	21.2	22.6	22.5	23.9	23.5
8/10/2024	6	22.5	22.7	20.8	21.1	22.5	22.4	23.8	23.4
8/10/2024	7	23.1	23.4	20.8	21.0	22.5	22.4	23.8	24.0
8/10/2024	8	23.7	23.9	21.0	21.0	22.7	22.8	24.3	24.2
8/10/2024	9	23.9	24.1	21.4	21.1	22.7	22.8	24.4	24.2



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/10/2024	10	23.9	24.1	22.1	21.2	22.8	23.0	24.4	24.2
8/10/2024	11	23.9	24.1	23.0	21.4	22.9	23.1	24.4	24.2
8/10/2024	12	23.9	24.1	24.1	21.9	23.1	23.4	24.4	24.2
8/10/2024	13	23.8	24.0	25.0	22.6	23.6	23.7	24.5	24.4
8/10/2024	14	23.4	23.7	25.7	23.4	24.0	24.1	24.5	24.3
8/10/2024	15	23.1	23.3	26.1	24.3	24.2	24.4	24.5	24.3
8/10/2024	16	22.9	23.2	26.2	24.8	24.4	24.7	24.5	24.3
8/10/2024	17	22.9	23.2	26.0	25.4	24.6	24.8	24.5	24.4
8/10/2024	18	23.1	23.3	25.3	25.7	24.6	24.9	24.5	24.4
8/10/2024	19	23.0	23.2	24.3	25.6	24.6	24.9	24.4	24.4
8/10/2024	20	22.8	22.9	23.5	25.4	24.5	24.8	24.4	24.2
8/10/2024	21	22.6	22.7	22.8	24.9	24.3	24.5	24.3	24.1
8/10/2024	22	22.6	22.7	22.4	24.3	24.1	24.2	24.3	24.0
8/10/2024	23	22.6	22.6	22.1	23.7	23.9	23.9	24.2	23.9
8/10/2024	24	22.5	22.5	21.8	23.1	23.7	23.6	24.1	23.6
8/11/2024	1	22.4	22.5	21.5	22.6	23.4	23.4	24.1	23.2
8/11/2024	2	22.4	22.4	21.3	22.2	23.3	23.1	24.0	21.6
8/11/2024	3	22.4	22.4	21.2	21.9	23.1	23.0	23.9	20.5
8/11/2024	4	22.5	22.5	21.0	21.7	22.9	22.8	23.9	22.9
8/11/2024	5	22.5	22.5	20.9	21.4	22.7	22.6	23.8	23.2
8/11/2024	6	22.5	22.6	20.8	21.2	22.5	22.4	23.8	23.1
8/11/2024	7	22.7	22.8	20.8	21.1	22.5	22.4	23.8	23.2
8/11/2024	8	22.7	22.9	21.0	21.1	22.4	22.3	23.7	23.2
8/11/2024	9	22.8	23.1	21.3	21.1	22.3	22.3	23.7	23.2
8/11/2024	10	22.8	23.1	21.9	21.2	22.3	22.3	23.6	23.1
8/11/2024	11	22.6	22.8	22.8	21.5	22.4	22.5	23.5	23.3
8/11/2024	12	22.4	22.6	23.8	22.0	22.7	22.7	23.5	23.6
8/11/2024	13	22.3	22.5	24.8	22.6	22.9	23.0	23.4	23.3
8/11/2024	14	22.2	22.4	25.5	23.4	23.2	23.4	23.5	23.7
8/11/2024	15	22.1	22.3	25.6	24.1	23.4	23.7	23.6	23.8
8/11/2024	16	22.0	22.3	25.3	24.8	23.7	24.1	23.6	24.2
8/11/2024	17	22.0	22.2	24.8	25.3	23.9	24.3	23.7	24.2
8/11/2024	18	22.1	22.3	24.2	25.6	24.0	24.5	23.8	24.4
8/11/2024	19	22.1	22.3	23.5	25.3	24.0	24.4	23.8	23.9
8/11/2024	20	22.1	22.3	22.9	24.9	23.9	24.2	23.9	23.7
8/11/2024	21	22.1	22.3	22.4	24.4	23.8	24.0	23.9	23.6
8/11/2024	22	22.2	22.3	22.0	23.9	23.7	23.8	23.9	23.6
8/11/2024	23	22.2	22.3	21.6	23.3	23.5	23.5	23.8	23.6
8/11/2024	24	22.2	22.3	21.3	22.8	23.4	23.3	23.8	22.8
8/12/2024	1	22.2	22.3	21.2	22.4	23.2	23.1	23.7	20.9
8/12/2024	2	22.3	22.4	21.2	22.0	23.0	22.9	23.7	20.2
8/12/2024	3	22.4	22.5	21.2	21.7	22.8	22.7	23.6	21.5
8/12/2024	4	22.5	22.6	21.2	21.5	22.6	22.5	23.6	21.9
8/12/2024	5	22.4	22.4	21.2	21.4	22.5	22.4	23.5	22.8
8/12/2024	6	22.2	22.3	21.2	21.3	22.4	22.3	23.4	22.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/12/2024	7	22.1	22.2	21.2	21.3	22.3	22.3	23.4	22.9
8/12/2024	8	22.1	22.2	21.3	21.4	22.3	22.2	23.3	22.8
8/12/2024	9	22.0	22.1	21.5	21.5	22.2	22.3	23.3	22.7
8/12/2024	10	22.0	22.2	21.7	21.6	22.3	22.3	23.2	22.7
8/12/2024	11	22.1	22.3	22.4	21.9	22.4	22.5	23.2	22.9
8/12/2024	12	22.2	22.5	23.3	22.1	22.7	22.6	23.1	23.1
8/12/2024	13	22.4	22.7	24.0	22.6	22.8	22.9	23.2	23.1
8/12/2024	14	22.5	22.8	24.5	23.2	23.0	23.2	23.2	23.3
8/12/2024	15	22.5	22.8	24.9	23.8	23.2	23.5	23.3	23.6
8/12/2024	16	22.6	22.9	25.0	24.2	23.4	23.7	23.4	23.8
8/12/2024	17	22.7	23.1	24.8	24.6	23.5	24.0	23.5	23.9
8/12/2024	18	22.9	23.3	24.1	24.8	23.6	24.0	23.5	23.8
8/12/2024	19	23.2	23.6	23.6	24.8	23.6	24.0	23.6	23.6
8/12/2024	20	23.5	23.8	23.0	24.5	23.6	23.9	23.7	23.4
8/12/2024	21	23.7	24.0	22.6	24.1	23.6	23.7	23.7	23.3
8/12/2024	22	23.8	24.1	22.1	23.6	23.4	23.5	23.6	23.2
8/12/2024	23	23.8	24.1	21.9	23.0	23.3	23.2	23.5	21.1
8/12/2024	24	24.0	24.2	21.6	22.5	23.0	22.9	23.5	20.0
8/13/2024	1	24.1	24.3	21.5	22.1	22.8	22.7	23.4	19.3
8/13/2024	2	24.2	24.4	21.4	21.8	22.6	22.5	23.4	20.9
8/13/2024	3	24.3	24.3	21.3	21.5	22.4	22.3	23.3	21.3
8/13/2024	4	24.3	24.4	21.3	21.3	22.3	22.2	23.2	20.3
8/13/2024	5	24.3	24.4	21.4	21.1	22.1	22.0	23.2	21.4
8/13/2024	6	24.3	24.3	21.4	21.0	22.0	21.9	23.1	21.6
8/13/2024	7	24.3	24.4	21.5	21.0	22.0	21.8	23.3	23.7
8/13/2024	8	24.2	24.3	21.8	21.1	22.7	22.8	24.3	24.3
8/13/2024	9	24.0	24.2	22.3	21.3	22.8	23.0	24.4	24.3
8/13/2024	10	23.9	24.0	23.0	21.6	22.9	23.1	NA	24.2
8/13/2024	11	23.8	24.0	23.9	21.9	23.1	23.3	NA	24.1
8/13/2024	12	23.7	24.0	24.8	22.5	23.4	23.5	NA	24.1
8/13/2024	13	23.8	24.0	25.5	23.3	23.7	23.9	NA	24.1
8/13/2024	14	23.8	24.1	26.0	24.1	24.1	24.3	NA	24.2
8/13/2024	15	23.8	24.1	26.3	25.0	24.4	24.6	NA	24.2
8/13/2024	16	23.9	24.1	26.2	25.4	24.6	24.9	NA	24.3
8/13/2024	17	23.9	24.1	25.8	25.7	24.6	25.0	24.3	24.3
8/13/2024	18	24.0	24.1	25.1	25.9	24.6	25.0	24.3	24.3
8/13/2024	19	24.0	24.1	24.3	25.6	24.6	24.8	24.3	24.3
8/13/2024	20	24.0	24.1	23.5	25.2	24.5	24.6	24.2	24.2
8/13/2024	21	24.0	24.1	22.9	24.7	24.3	24.4	24.2	24.2
8/13/2024	22	24.0	24.1	22.5	24.1	24.2	24.2	24.1	24.2
8/13/2024	23	24.0	24.1	22.3	23.5	24.0	23.9	24.1	24.0
8/13/2024	24	24.0	24.1	22.2	23.0	23.7	23.6	24.1	23.9
8/14/2024	1	24.0	24.1	22.1	22.6	23.5	23.4	24.0	22.0
8/14/2024	2	24.0	24.0	22.0	22.2	23.3	23.2	23.9	20.3
8/14/2024	3	23.9	24.0	21.8	22.0	23.2	23.0	23.8	21.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/14/2024	4	23.9	23.9	21.8	21.8	23.0	22.9	23.8	20.0
8/14/2024	5	23.9	23.9	21.8	21.7	22.9	22.7	23.7	22.3
8/14/2024	6	23.9	23.8	21.8	21.5	22.7	22.6	23.6	23.5
8/14/2024	7	23.8	23.9	21.7	21.5	22.9	22.8	23.7	23.8
8/14/2024	8	23.8	23.9	21.9	21.6	22.9	22.8	23.8	23.8
8/14/2024	9	23.8	23.9	22.2	21.8	23.0	22.9	23.8	23.8
8/14/2024	10	23.7	23.8	22.8	22.0	23.1	23.1	23.8	23.8
8/14/2024	11	23.6	23.8	23.6	22.2	23.2	23.2	23.7	23.8
8/14/2024	12	23.5	23.7	24.5	22.6	23.4	23.4	23.7	23.8
8/14/2024	13	23.5	23.7	25.3	23.3	23.6	23.7	23.7	23.8
8/14/2024	14	23.3	23.4	25.9	24.1	23.8	24.0	23.6	23.7
8/14/2024	15	23.1	23.3	26.2	24.8	24.0	24.3	23.6	23.7
8/14/2024	16	23.0	23.1	26.1	25.3	24.0	24.5	23.6	23.6
8/14/2024	17	22.8	22.9	25.7	25.7	24.0	24.6	23.5	23.5
8/14/2024	18	22.7	22.8	25.1	25.9	23.9	24.5	23.4	23.4
8/14/2024	19	22.6	22.7	24.2	25.7	23.8	24.3	23.3	23.3
8/14/2024	20	22.5	22.6	23.3	25.3	23.6	24.1	23.2	23.2
8/14/2024	21	22.5	22.5	22.5	24.8	23.4	23.8	23.1	23.1
8/14/2024	22	22.4	22.4	21.9	24.1	23.3	23.5	23.0	22.9
8/14/2024	23	22.3	22.3	21.6	23.4	23.0	23.2	22.9	22.9
8/14/2024	24	22.3	22.3	21.3	22.7	22.8	22.8	22.8	22.8
8/15/2024	1	22.2	22.2	21.2	22.2	22.6	22.6	22.7	22.8
8/15/2024	2	22.1	22.1	21.0	21.8	22.5	22.3	22.7	22.7
8/15/2024	3	22.1	22.0	20.8	21.4	22.3	22.2	22.7	22.6
8/15/2024	4	22.0	21.9	20.7	21.2	22.2	22.1	22.7	22.6
8/15/2024	5	22.0	21.9	20.5	21.0	22.1	21.9	22.6	22.5
8/15/2024	6	21.9	21.8	20.4	20.8	21.9	21.8	22.5	22.4
8/15/2024	7	21.9	21.8	20.3	20.7	21.7	21.6	22.3	22.2
8/15/2024	8	21.8	21.9	20.5	20.7	21.6	21.5	22.2	22.1
8/15/2024	9	21.8	21.9	20.9	20.8	21.7	21.6	22.1	22.2
8/15/2024	10	21.8	21.9	21.6	20.9	21.7	21.7	22.1	22.2
8/15/2024	11	21.7	21.9	22.5	21.1	21.7	21.8	22.1	22.2
8/15/2024	12	21.7	21.9	23.4	21.5	21.9	22.0	22.2	22.2
8/15/2024	13	21.7	21.9	24.2	22.3	22.2	22.4	22.3	22.3
8/15/2024	14	21.7	22.0	24.7	23.1	22.5	22.8	22.4	22.4
8/15/2024	15	21.7	22.0	25.0	24.0	22.8	23.2	22.4	22.4
8/15/2024	16	21.8	22.0	24.9	24.4	22.9	23.5	22.5	22.5
8/15/2024	17	21.8	21.9	24.6	24.8	23.0	23.6	22.6	22.7
8/15/2024	18	21.8	22.0	24.0	25.0	23.1	23.7	22.6	22.7
8/15/2024	19	21.9	22.1	23.2	24.8	23.1	23.5	22.6	22.8
8/15/2024	20	22.0	22.1	22.4	24.4	23.1	23.5	22.6	22.8
8/15/2024	21	22.0	22.1	21.8	23.9	23.0	23.3	22.6	22.8
8/15/2024	22	22.1	22.3	21.4	23.3	22.9	23.0	22.7	22.9
8/15/2024	23	22.3	22.3	21.2	22.7	22.8	22.8	22.7	22.8
8/15/2024	24	22.2	22.3	21.0	22.2	22.6	22.6	22.7	22.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/16/2024	1	22.2	22.3	20.9	21.8	22.4	22.3	22.7	20.3
8/16/2024	2	22.2	22.3	20.9	21.4	22.3	22.2	22.7	20.5
8/16/2024	3	22.2	22.3	20.8	21.2	22.2	22.0	22.7	20.6
8/16/2024	4	22.3	22.4	20.8	21.1	22.0	21.9	22.6	22.4
8/16/2024	5	22.4	22.6	20.7	20.9	21.9	21.8	22.6	22.3
8/16/2024	6	22.6	22.7	20.7	20.8	21.8	21.7	22.5	22.4
8/16/2024	7	22.8	22.9	20.8	20.8	22.0	21.8	22.6	23.0
8/16/2024	8	22.9	23.0	21.0	20.9	22.2	22.0	22.7	23.0
8/16/2024	9	23.0	23.1	21.4	21.0	22.2	22.2	22.8	23.1
8/16/2024	10	22.9	23.0	22.1	21.2	22.2	22.3	22.9	23.1
8/16/2024	11	22.8	23.0	22.9	21.5	22.4	22.4	23.0	23.1
8/16/2024	12	22.9	23.1	23.8	21.8	22.5	22.6	23.0	23.1
8/16/2024	13	22.9	23.1	24.0	22.3	22.8	22.8	23.1	23.1
8/16/2024	14	22.9	23.0	24.1	22.9	23.0	23.0	23.1	23.2
8/16/2024	15	22.9	23.1	24.0	23.5	23.2	23.3	23.1	23.2
8/16/2024	16	23.0	23.2	24.3	23.9	23.4	23.6	23.2	23.2
8/16/2024	17	23.0	23.2	24.1	24.0	23.4	23.7	23.2	23.3
8/16/2024	18	23.0	23.2	23.9	24.1	23.4	23.6	23.3	23.3
8/16/2024	19	23.0	23.2	23.4	24.1	23.4	23.6	23.3	23.3
8/16/2024	20	22.9	22.9	22.8	23.8	23.3	23.4	23.1	23.3
8/16/2024	21	22.5	22.4	22.3	23.6	23.2	23.3	23.0	23.1
8/16/2024	22	22.0	22.1	22.0	23.2	23.0	23.1	22.9	22.9
8/16/2024	23	21.9	21.9	21.7	22.8	22.8	22.8	22.8	22.9
8/16/2024	24	21.7	21.8	21.4	22.3	22.7	22.6	22.7	22.8
8/17/2024	1	21.6	21.7	21.1	22.0	22.5	22.4	22.7	22.7
8/17/2024	2	21.6	21.6	20.8	21.7	22.4	22.3	22.6	22.6
8/17/2024	3	21.5	21.5	20.7	21.5	22.3	22.2	22.5	22.4
8/17/2024	4	21.4	21.4	20.5	21.2	22.2	22.0	22.5	22.5
8/17/2024	5	21.3	21.3	20.4	21.0	22.0	21.8	22.4	22.5
8/17/2024	6	21.2	21.2	20.3	20.8	21.9	21.7	22.4	22.3
8/17/2024	7	21.2	21.2	20.2	20.6	21.6	21.5	22.1	22.0
8/17/2024	8	21.3	21.4	20.3	20.7	21.5	21.4	22.0	22.2
8/17/2024	9	21.4	21.6	20.6	20.7	21.7	21.6	22.2	22.4
8/17/2024	10	21.6	21.8	21.2	20.9	21.7	21.8	22.3	22.4
8/17/2024	11	21.6	21.8	21.9	21.0	21.9	22.0	22.4	22.5
8/17/2024	12	21.8	22.1	22.9	21.3	22.1	22.2	22.5	22.6
8/17/2024	13	22.2	22.5	23.7	21.9	22.4	22.5	22.6	22.8
8/17/2024	14	22.3	22.5	24.3	22.7	22.8	22.9	22.8	22.9
8/17/2024	15	22.3	22.5	24.6	23.4	23.0	23.2	22.9	23.1
8/17/2024	16	22.3	22.6	24.7	23.9	23.2	23.5	22.9	23.1
8/17/2024	17	22.5	22.7	24.6	24.2	23.3	23.7	22.9	23.2
8/17/2024	18	22.5	22.7	24.1	24.5	23.4	23.7	23.0	23.3
8/17/2024	19	22.6	22.7	23.4	24.4	23.4	23.7	23.0	23.2
8/17/2024	20	22.6	22.8	22.8	24.2	23.4	23.6	23.0	23.2
8/17/2024	21	22.7	22.8	22.3	23.9	23.3	23.5	23.1	23.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/17/2024	22	22.7	22.8	22.1	23.5	23.2	23.3	23.1	23.2
8/17/2024	23	22.7	22.8	21.9	22.9	23.1	23.1	23.1	23.0
8/17/2024	24	22.7	22.8	21.7	22.5	22.9	22.8	23.0	23.0
8/18/2024	1	22.7	22.8	21.5	22.2	22.8	22.7	23.0	23.0
8/18/2024	2	22.7	22.8	21.4	21.9	22.7	22.6	22.9	23.0
8/18/2024	3	22.6	22.7	21.3	21.7	22.5	22.4	22.9	22.8
8/18/2024	4	22.6	22.7	21.2	21.6	22.4	22.3	22.8	22.8
8/18/2024	5	22.7	22.8	21.1	21.4	22.3	22.2	22.7	22.7
8/18/2024	6	22.7	22.8	21.0	21.2	22.2	22.1	22.7	22.7
8/18/2024	7	22.7	22.8	21.0	21.2	22.1	22.0	22.6	22.6
8/18/2024	8	22.8	22.9	21.2	21.2	22.1	21.9	22.7	22.6
8/18/2024	9	22.8	22.9	21.6	21.4	22.0	22.0	22.7	22.6
8/18/2024	10	22.8	23.0	22.3	21.5	22.1	22.1	22.7	22.6
8/18/2024	11	22.8	23.0	23.2	21.7	22.2	22.3	22.8	22.7
8/18/2024	12	22.8	23.0	24.1	22.2	22.4	22.5	22.8	23.0
8/18/2024	13	22.8	23.0	24.8	22.9	22.7	22.9	22.9	23.2
8/18/2024	14	22.8	23.0	25.3	23.6	23.0	23.2	23.0	23.2
8/18/2024	15	22.8	23.0	25.1	24.2	23.2	23.5	23.0	23.3
8/18/2024	16	22.8	23.0	24.9	24.6	23.4	23.8	23.1	23.4
8/18/2024	17	22.8	22.9	24.3	24.7	23.5	23.8	23.2	23.4
8/18/2024	18	22.8	22.9	23.5	24.6	23.4	23.7	23.2	23.3
8/18/2024	19	22.9	22.9	22.9	24.4	23.4	23.6	23.2	23.1
8/18/2024	20	22.9	23.0	22.3	23.9	23.3	23.4	23.1	23.0
8/18/2024	21	22.9	23.0	21.9	23.4	23.1	23.2	23.1	23.0
8/18/2024	22	23.0	23.0	21.6	22.9	23.0	22.9	23.0	22.9
8/18/2024	23	23.0	23.0	21.4	22.3	22.8	22.7	22.9	22.8
8/18/2024	24	23.0	23.0	21.3	21.9	22.6	22.5	22.9	22.6
8/19/2024	1	22.9	22.9	21.2	21.6	22.4	22.3	22.8	21.7
8/19/2024	2	22.9	22.9	21.1	21.3	22.3	22.1	22.8	22.6
8/19/2024	3	22.9	22.9	21.0	21.2	22.2	22.0	22.7	22.6
8/19/2024	4	22.9	22.9	20.8	21.0	22.0	21.8	22.5	22.5
8/19/2024	5	22.9	22.8	20.8	20.8	21.8	21.7	22.5	22.4
8/19/2024	6	22.8	22.8	20.8	20.7	21.7	21.6	22.5	22.3
8/19/2024	7	22.8	22.8	20.8	20.6	21.9	21.8	22.5	22.9
8/19/2024	8	22.8	22.9	21.1	20.7	22.0	21.9	22.7	22.9
8/19/2024	9	22.8	22.9	21.6	20.9	22.1	22.0	22.8	22.9
8/19/2024	10	22.8	22.9	21.9	21.0	22.1	22.1	22.9	23.0
8/19/2024	11	22.8	22.9	22.7	21.4	22.3	22.3	22.9	23.0
8/19/2024	12	22.7	22.9	23.4	21.8	22.5	22.6	23.0	23.0
8/19/2024	13	22.8	23.0	24.2	22.4	22.8	22.9	23.0	23.0
8/19/2024	14	22.8	23.0	24.6	23.1	23.0	23.2	23.1	23.1
8/19/2024	15	22.9	23.1	24.5	23.6	23.2	23.4	23.1	23.2
8/19/2024	16	22.9	23.1	24.3	24.1	23.3	23.5	23.2	23.2
8/19/2024	17	22.9	23.0	23.8	24.3	23.4	23.6	23.2	23.2
8/19/2024	18	22.9	23.0	23.1	24.2	23.4	23.6	23.1	23.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/19/2024	19	23.0	23.1	22.6	24.0	23.3	23.5	23.1	23.2
8/19/2024	20	23.0	23.1	22.3	23.7	23.3	23.4	23.1	23.2
8/19/2024	21	23.0	23.1	21.9	23.1	23.1	23.1	23.0	23.1
8/19/2024	22	23.0	23.1	21.7	22.6	23.0	22.9	23.0	22.8
8/19/2024	23	23.0	23.0	21.5	22.2	22.8	22.7	23.0	20.2
8/19/2024	24	23.0	23.0	21.3	21.9	22.6	22.5	22.9	18.7
8/20/2024	1	23.0	23.0	21.2	21.6	22.4	22.3	22.9	17.3
8/20/2024	2	22.9	22.9	21.1	21.3	22.3	22.1	22.8	18.2
8/20/2024	3	22.9	22.9	21.0	21.1	22.2	22.0	22.7	22.0
8/20/2024	4	22.9	22.8	20.8	20.9	22.0	21.8	22.6	22.1
8/20/2024	5	22.9	22.8	20.8	20.8	21.8	21.6	22.5	22.1
8/20/2024	6	22.8	22.8	20.8	20.6	21.7	21.5	22.4	22.2
8/20/2024	7	22.8	22.8	20.8	20.6	21.9	21.8	22.7	22.9
8/20/2024	8	22.8	22.8	21.0	20.6	21.9	21.8	22.8	22.8
8/20/2024	9	22.8	22.9	21.4	20.8	22.0	21.9	22.8	22.9
8/20/2024	10	22.8	22.9	21.9	21.0	22.1	22.1	22.9	22.9
8/20/2024	11	22.8	22.9	22.8	21.3	22.3	22.3	22.9	22.9
8/20/2024	12	22.7	22.9	23.7	21.7	22.4	22.5	22.9	23.0
8/20/2024	13	22.8	23.0	24.4	22.4	22.8	22.8	22.9	23.0
8/20/2024	14	22.8	23.0	24.9	23.2	23.0	23.1	22.9	23.0
8/20/2024	15	22.8	22.9	24.8	23.9	23.2	23.5	22.9	23.1
8/20/2024	16	22.8	22.9	24.2	24.3	23.4	23.6	22.9	23.1
8/20/2024	17	22.9	23.0	23.5	24.5	23.4	23.6	23.0	23.1
8/20/2024	18	22.9	23.1	22.9	24.4	23.4	23.6	23.0	23.1
8/20/2024	19	23.0	23.1	22.4	23.9	23.3	23.4	23.0	23.1
8/20/2024	20	23.0	23.0	22.1	23.4	23.1	23.2	23.0	23.1
8/20/2024	21	23.0	23.0	21.6	22.7	22.9	22.9	23.0	23.1
8/20/2024	22	23.0	23.0	21.4	22.2	22.8	22.6	23.0	23.1
8/20/2024	23	22.9	23.0	21.2	21.8	22.6	22.4	22.9	23.0
8/20/2024	24	22.9	22.9	21.1	21.5	22.4	22.3	22.9	23.0
8/21/2024	1	22.9	22.9	21.0	21.2	22.3	22.1	22.9	22.9
8/21/2024	2	22.9	22.8	20.9	21.0	22.2	22.0	22.8	22.9
8/21/2024	3	22.8	22.8	20.9	20.8	22.1	21.9	22.8	22.9
8/21/2024	4	22.8	22.8	20.8	20.7	22.0	21.8	22.7	22.8
8/21/2024	5	22.7	22.7	20.7	20.6	21.9	21.7	22.7	22.8
8/21/2024	6	22.7	22.7	20.7	20.5	21.8	21.7	22.7	22.8
8/21/2024	7	22.6	22.6	20.6	20.4	21.8	21.6	22.6	22.7
8/21/2024	8	22.6	22.6	20.7	20.4	21.7	21.6	22.7	22.7
8/21/2024	9	22.6	22.6	21.1	20.7	21.8	21.7	22.7	22.7
8/21/2024	10	22.5	22.7	21.7	20.8	21.8	21.8	22.7	22.7
8/21/2024	11	22.5	22.7	22.4	21.0	22.0	22.0	22.7	22.7
8/21/2024	12	22.6	22.7	23.2	21.3	22.2	22.2	22.7	22.7
8/21/2024	13	22.6	22.7	23.6	21.8	22.3	22.3	22.7	22.8
8/21/2024	14	22.6	22.8	23.7	22.5	22.6	22.6	22.7	22.8
8/21/2024	15	22.6	22.8	23.6	23.1	22.8	22.9	22.7	22.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/21/2024	16	22.6	22.8	23.5	23.4	22.9	23.1	22.7	22.9
8/21/2024	17	22.7	22.8	23.3	23.6	23.0	23.2	22.8	22.9
8/21/2024	18	22.7	22.8	23.0	23.5	23.0	23.2	22.8	22.9
8/21/2024	19	22.7	22.8	22.5	23.4	23.0	23.1	22.8	22.9
8/21/2024	20	22.7	22.8	22.1	23.0	22.9	22.9	22.8	22.8
8/21/2024	21	22.8	22.8	21.8	22.7	22.8	22.8	22.8	22.8
8/21/2024	22	22.8	22.8	21.6	22.4	22.7	22.7	22.8	22.8
8/21/2024	23	22.8	22.8	21.4	22.1	22.6	22.5	22.8	22.9
8/21/2024	24	22.7	22.8	21.3	21.7	22.5	22.3	22.8	22.9
8/22/2024	1	22.7	22.7	21.2	21.5	22.4	22.2	22.7	22.8
8/22/2024	2	22.7	22.7	21.2	21.3	22.3	22.1	22.7	22.8
8/22/2024	3	22.7	22.6	21.1	21.2	22.2	22.1	22.7	22.8
8/22/2024	4	22.7	22.6	21.0	21.1	22.2	22.0	22.7	22.8
8/22/2024	5	22.6	22.6	20.9	20.9	22.1	21.9	22.6	22.8
8/22/2024	6	22.6	22.6	20.8	20.8	22.1	21.9	22.6	22.8
8/22/2024	7	22.6	22.6	20.8	20.8	22.0	21.8	22.6	22.7
8/22/2024	8	22.6	22.6	20.9	20.7	22.0	21.8	22.6	22.7
8/22/2024	9	22.5	22.6	21.2	20.8	22.0	21.8	22.6	22.7
8/22/2024	10	22.5	22.6	21.4	20.8	22.0	21.8	22.6	22.7
8/22/2024	11	22.5	22.6	21.7	21.0	22.1	22.0	22.6	22.7
8/22/2024	12	22.5	22.7	21.9	21.2	22.2	22.0	22.6	22.7
8/22/2024	13	22.5	22.7	22.3	21.5	22.3	22.2	22.6	22.7
8/22/2024	14	22.6	22.8	22.8	21.9	22.4	22.4	22.7	22.8
8/22/2024	15	22.6	22.8	23.3	22.2	22.6	22.6	22.7	22.8
8/22/2024	16	22.7	22.8	23.4	22.5	22.7	22.7	22.7	22.8
8/22/2024	17	22.7	22.8	23.2	22.8	22.8	22.8	22.7	22.8
8/22/2024	18	22.7	22.8	22.9	23.0	22.8	22.9	22.7	22.8
8/22/2024	19	22.7	22.8	22.4	23.1	22.8	22.9	22.7	22.8
8/22/2024	20	22.7	22.8	21.9	22.9	22.8	22.8	22.7	22.8
8/22/2024	21	22.7	22.7	21.7	22.7	22.7	22.7	22.7	22.7
8/22/2024	22	22.7	22.7	21.4	22.3	22.6	22.5	22.6	21.7
8/22/2024	23	22.6	22.7	21.2	21.9	22.5	22.3	22.5	20.2
8/22/2024	24	22.6	22.6	21.1	21.6	22.3	22.2	22.5	18.8
8/23/2024	1	22.6	22.6	21.0	21.3	22.2	22.0	22.4	17.8
8/23/2024	2	22.6	22.6	20.9	21.1	22.1	21.9	22.3	19.1
8/23/2024	3	22.6	22.5	20.8	20.9	21.9	21.7	22.3	19.9
8/23/2024	4	22.5	22.5	20.7	20.8	21.8	21.6	22.2	19.6
8/23/2024	5	22.5	22.5	20.6	20.7	21.7	21.4	22.2	21.9
8/23/2024	6	22.5	22.5	20.5	20.5	21.6	21.3	22.2	22.0
8/23/2024	7	22.5	22.5	20.6	20.5	21.8	21.6	22.2	22.6
8/23/2024	8	22.5	22.5	20.6	20.4	21.8	21.6	22.4	22.6
8/23/2024	9	22.4	22.5	20.9	20.6	21.8	21.7	22.4	22.6
8/23/2024	10	22.4	22.6	21.5	20.8	21.8	21.8	22.4	22.6
8/23/2024	11	22.4	22.5	22.0	20.8	21.9	21.8	22.4	22.6
8/23/2024	12	22.4	22.5	22.1	20.8	21.9	21.8	22.4	22.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/23/2024	13	22.3	22.5	22.3	21.4	22.1	22.0	22.4	22.5
8/23/2024	14	22.3	22.4	22.1	21.7	22.2	22.1	22.4	22.5
8/23/2024	15	22.3	22.4	21.8	21.8	22.2	22.1	22.4	22.5
8/23/2024	16	22.3	22.4	21.7	22.0	22.3	22.2	22.4	22.5
8/23/2024	17	22.3	22.4	21.5	21.9	22.3	22.2	22.3	22.4
8/23/2024	18	22.3	22.3	21.3	21.7	22.1	22.0	22.3	22.4
8/23/2024	19	22.2	22.3	21.0	21.4	22.0	21.8	22.2	22.3
8/23/2024	20	22.2	22.2	20.9	21.2	21.9	21.7	22.2	22.3
8/23/2024	21	22.1	22.2	20.7	20.9	21.8	21.6	22.2	22.3
8/23/2024	22	22.1	22.1	20.6	20.7	21.7	21.5	22.1	22.1
8/23/2024	23	22.0	22.0	20.5	20.6	21.6	21.4	22.1	22.0
8/23/2024	24	22.0	22.0	20.4	20.5	21.5	21.3	22.0	21.3
8/24/2024	1	22.0	21.9	20.2	20.3	21.4	21.2	22.0	18.1
8/24/2024	2	21.9	21.9	20.1	20.1	21.3	21.1	21.9	21.3
8/24/2024	3	21.9	21.9	20.0	20.0	21.2	21.0	21.9	21.7
8/24/2024	4	21.9	21.8	20.0	19.8	21.0	20.8	21.8	21.5
8/24/2024	5	21.9	21.8	20.0	19.7	20.9	20.6	21.8	21.4
8/24/2024	6	21.8	21.8	19.9	19.6	20.7	20.5	21.7	21.3
8/24/2024	7	21.8	21.8	19.9	19.5	21.0	20.7	21.8	21.9
8/24/2024	8	21.8	21.7	20.0	19.5	20.9	20.8	21.9	21.8
8/24/2024	9	21.7	21.7	20.1	19.6	20.9	20.8	21.9	21.8
8/24/2024	10	21.7	21.7	20.2	19.6	21.0	20.8	21.9	21.8
8/24/2024	11	21.7	21.7	20.4	19.8	21.0	20.8	21.8	21.8
8/24/2024	12	21.6	21.7	20.7	19.9	21.0	20.9	21.8	21.7
8/24/2024	13	21.6	21.7	20.9	20.1	21.1	21.0	21.7	21.7
8/24/2024	14	21.6	21.6	21.0	20.2	21.2	21.0	21.7	21.6
8/24/2024	15	21.6	21.6	21.1	20.4	21.2	21.1	21.7	21.7
8/24/2024	16	21.6	21.6	21.0	20.7	21.4	21.2	21.7	21.7
8/24/2024	17	21.5	21.6	20.9	20.7	21.4	21.2	21.7	21.6
8/24/2024	18	21.5	21.6	20.8	20.8	21.4	21.2	21.6	21.6
8/24/2024	19	21.5	21.5	20.7	20.7	21.3	21.2	21.6	21.6
8/24/2024	20	21.5	21.5	20.5	20.7	21.3	21.1	21.6	21.5
8/24/2024	21	21.4	21.4	20.3	20.6	21.2	21.0	21.6	21.4
8/24/2024	22	21.4	21.3	20.1	20.4	21.1	21.0	21.5	21.3
8/24/2024	23	21.4	21.3	19.9	20.2	21.1	20.9	21.5	17.5
8/24/2024	24	21.3	21.2	19.7	20.0	21.0	20.7	21.4	21.2
8/25/2024	1	21.3	21.2	19.5	19.8	20.9	20.6	21.3	21.2
8/25/2024	2	21.3	21.2	19.4	19.6	20.7	20.5	21.2	18.3
8/25/2024	3	21.3	21.2	19.3	19.4	20.6	20.3	21.1	21.0
8/25/2024	4	21.2	21.1	19.2	19.3	20.4	20.2	21.0	21.0
8/25/2024	5	21.2	21.1	19.1	19.1	20.3	20.1	20.9	21.0
8/25/2024	6	21.1	21.0	19.1	19.0	20.2	19.9	20.8	20.9
8/25/2024	7	21.1	21.0	19.0	18.9	20.1	19.8	20.8	20.7
8/25/2024	8	21.1	21.1	19.1	19.0	20.1	19.8	20.8	20.6
8/25/2024	9	21.1	21.2	19.5	19.2	20.0	19.8	20.8	20.7



Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/25/2024	10	21.1	21.2	20.1	19.3	20.1	19.9	20.8	20.5
8/25/2024	11	21.1	21.2	20.9	19.5	20.1	20.1	20.8	20.5
8/25/2024	12	21.1	21.2	21.8	19.8	20.2	20.3	20.8	20.7
8/25/2024	13	21.1	21.3	22.7	20.5	20.5	20.6	20.8	20.8
8/25/2024	14	21.1	21.2	23.3	21.3	20.7	21.0	20.8	21.0
8/25/2024	15	21.1	21.2	23.7	22.1	21.1	21.5	20.9	21.8
8/25/2024	16	21.1	21.3	23.3	22.6	21.3	21.8	21.0	21.8
8/25/2024	17	21.2	21.3	22.7	23.1	21.6	22.1	21.2	21.9
8/25/2024	18	21.2	21.3	22.1	23.3	21.6	22.2	21.3	21.9
8/25/2024	19	21.2	21.3	21.6	23.1	21.6	22.1	21.3	21.8
8/25/2024	20	21.2	21.2	21.1	22.5	21.7	21.9	21.3	21.8
8/25/2024	21	21.2	21.2	20.6	22.0	21.6	21.7	21.3	21.7
8/25/2024	22	21.2	21.2	20.2	21.5	21.4	21.4	21.3	21.6
8/25/2024	23	21.2	21.2	20.0	21.1	21.3	21.2	21.3	21.6
8/25/2024	24	21.2	21.2	19.8	20.7	21.2	21.0	21.3	21.6
8/26/2024	1	21.2	21.2	19.7	20.3	21.0	20.8	21.2	21.5
8/26/2024	2	21.2	21.2	19.6	20.0	20.8	20.7	21.2	21.4
8/26/2024	3	21.2	21.2	19.5	19.7	20.7	20.5	21.2	21.2
8/26/2024	4	21.3	21.2	19.4	19.5	20.5	20.3	21.2	21.2
8/26/2024	5	21.2	21.2	19.3	19.4	20.4	20.2	21.1	21.1
8/26/2024	6	21.2	21.2	19.3	19.3	20.3	20.1	21.1	21.0
8/26/2024	7	21.2	21.1	19.3	19.2	20.5	20.2	21.1	21.2
8/26/2024	8	21.2	21.2	19.4	19.2	20.5	20.3	21.2	21.2
8/26/2024	9	21.1	21.2	19.8	19.4	20.5	20.4	21.2	21.2
8/26/2024	10	21.1	21.3	20.4	19.6	20.6	20.6	21.3	21.2
8/26/2024	11	21.2	21.3	21.2	19.8	20.7	20.7	21.3	21.3
8/26/2024	12	21.2	21.4	22.1	20.1	20.9	21.0	21.4	21.4
8/26/2024	13	21.2	21.4	23.0	20.8	21.2	21.3	21.4	21.5
8/26/2024	14	21.3	21.5	23.5	21.7	21.5	21.7	21.5	21.6
8/26/2024	15	21.3	21.5	23.8	22.4	21.8	22.1	21.5	21.8
8/26/2024	16	21.4	21.5	23.8	22.9	21.9	22.3	21.5	21.8
8/26/2024	17	21.4	21.6	23.5	23.4	22.1	22.5	21.6	21.9
8/26/2024	18	21.4	21.6	22.9	23.7	22.1	22.6	21.6	21.8
8/26/2024	19	21.4	21.6	22.2	23.5	22.1	22.6	21.6	21.8
8/26/2024	20	21.5	21.6	21.5	23.2	22.0	22.4	21.6	21.8
8/26/2024	21	21.5	21.6	20.9	22.8	21.9	22.2	21.7	21.8
8/26/2024	22	21.5	21.6	20.6	22.2	21.9	22.0	21.7	21.8
8/26/2024	23	21.5	21.6	20.3	21.6	21.7	21.7	21.7	21.7
8/26/2024	24	21.6	21.6	20.3	21.1	21.5	21.4	21.7	21.7
8/27/2024	1	21.6	21.7	20.3	20.7	21.4	21.3	21.6	21.7
8/27/2024	2	21.6	21.7	20.3	20.4	21.3	21.2	21.6	21.7
8/27/2024	3	21.6	21.7	20.3	20.3	21.2	21.1	21.6	21.7
8/27/2024	4	21.6	21.7	20.4	20.3	21.1	21.0	21.5	21.6
8/27/2024	5	21.6	21.7	20.3	20.2	21.0	20.9	21.5	21.5
8/27/2024	6	21.5	21.6	20.2	20.1	20.9	20.8	21.4	21.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/27/2024	7	21.5	21.6	19.9	20.0	20.8	20.7	21.4	21.3
8/27/2024	8	21.5	21.5	19.8	19.9	20.7	20.6	21.3	21.2
8/27/2024	9	21.5	21.6	19.9	20.0	20.6	20.5	21.2	21.0
8/27/2024	10	21.5	21.5	20.2	19.9	20.6	20.5	21.2	21.0
8/27/2024	11	21.4	21.5	20.7	19.9	20.6	20.5	21.1	21.0
8/27/2024	12	21.4	21.5	21.4	19.7	20.5	20.6	21.1	20.9
8/27/2024	13	21.5	21.6	21.8	20.1	20.6	20.7	21.1	21.0
8/27/2024	14	21.5	21.7	22.2	20.6	20.8	20.9	21.0	21.2
8/27/2024	15	21.5	21.7	22.3	21.1	21.0	21.1	21.0	21.3
8/27/2024	16	21.6	21.7	22.3	21.3	21.1	21.2	21.0	21.4
8/27/2024	17	21.6	21.7	21.9	21.5	21.1	21.2	21.0	21.3
8/27/2024	18	21.6	21.7	21.4	21.6	21.1	21.1	20.9	21.3
8/27/2024	19	21.6	21.6	20.6	21.4	21.0	21.0	20.9	21.0
8/27/2024	20	21.6	21.5	19.9	21.2	20.9	20.9	20.9	20.9
8/27/2024	21	21.5	21.4	19.5	20.8	20.8	20.8	20.8	20.7
8/27/2024	22	21.4	21.4	19.2	20.3	20.6	20.5	20.8	20.7
8/27/2024	23	21.4	21.3	19.1	19.7	20.4	20.3	20.7	20.6
8/27/2024	24	21.4	21.3	19.1	19.3	20.3	20.1	20.7	20.6
8/28/2024	1	21.3	21.2	18.9	19.0	20.1	19.9	20.6	20.6
8/28/2024	2	21.3	21.2	18.9	18.8	19.9	19.7	20.6	20.5
8/28/2024	3	21.3	21.2	18.8	18.6	19.7	19.5	20.5	20.4
8/28/2024	4	21.2	21.2	18.8	18.5	19.6	19.4	20.5	20.2
8/28/2024	5	21.2	21.1	18.6	18.4	19.5	19.2	20.4	20.1
8/28/2024	6	21.1	21.1	18.6	18.3	19.4	19.2	20.4	20.5
8/28/2024	7	21.1	21.0	18.6	18.2	19.9	19.8	21.3	21.2
8/28/2024	8	21.0	21.1	18.6	18.2	19.8	19.7	21.3	21.2
8/28/2024	9	20.9	20.9	19.0	18.4	19.8	19.8	21.3	21.1
8/28/2024	10	20.7	20.7	19.6	18.6	19.9	19.9	21.3	20.9
8/28/2024	11	20.6	20.7	20.4	18.7	20.0	20.0	21.1	20.8
8/28/2024	12	20.5	20.7	21.4	19.2	20.2	20.2	20.8	20.8
8/28/2024	13	20.5	20.6	22.3	19.8	20.4	20.4	20.8	20.8
8/28/2024	14	20.5	20.7	22.8	20.7	20.7	20.8	20.9	20.8
8/28/2024	15	20.5	20.7	23.0	21.6	20.9	21.2	20.9	20.8
8/28/2024	16	20.5	20.7	23.0	22.1	21.1	21.5	20.9	20.9
8/28/2024	17	20.6	20.7	22.7	22.5	21.2	21.7	20.9	21.0
8/28/2024	18	20.6	20.7	22.1	22.8	21.2	21.7	20.9	21.0
8/28/2024	19	20.6	20.7	21.3	22.6	21.2	21.6	20.9	21.0
8/28/2024	20	20.8	20.8	20.7	22.3	21.2	21.5	20.9	21.0
8/28/2024	21	20.7	20.7	20.1	21.8	21.1	21.3	20.9	21.0
8/28/2024	22	20.8	20.7	19.7	21.3	21.0	21.1	20.9	21.0
8/28/2024	23	20.8	20.8	19.4	20.7	20.9	20.9	20.9	21.0
8/28/2024	24	20.8	20.8	19.2	20.2	20.7	20.6	20.8	21.0
8/29/2024	1	20.8	20.7	19.1	19.7	20.5	20.4	20.8	21.2
8/29/2024	2	20.8	20.7	19.0	19.4	20.4	20.2	20.8	19.5
8/29/2024	3	20.8	20.7	18.9	19.1	20.2	20.0	20.8	17.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/29/2024	4	20.8	20.7	18.8	18.9	20.1	19.9	20.8	17.9
8/29/2024	5	20.8	20.6	18.8	18.7	19.9	19.7	20.7	17.1
8/29/2024	6	20.7	20.7	18.7	18.6	19.8	19.6	20.7	19.4
8/29/2024	7	20.7	20.7	18.8	18.6	20.0	19.7	20.8	20.5
8/29/2024	8	20.6	20.7	19.2	18.6	18.8	18.7	20.9	20.7
8/29/2024	9	20.6	20.7	19.7	18.9	18.7	18.7	20.9	20.8
8/29/2024	10	20.6	20.8	20.2	19.3	19.0	19.1	21.0	20.8
8/29/2024	11	20.7	20.8	21.0	19.8	19.5	19.6	21.0	20.9
8/29/2024	12	20.7	20.9	21.8	20.3	20.0	20.2	21.1	20.9
8/29/2024	13	20.8	21.0	22.5	21.1	20.7	21.0	21.1	21.0
8/29/2024	14	20.8	21.1	23.1	21.8	21.4	21.7	21.1	21.1
8/29/2024	15	20.8	21.1	23.5	22.4	22.1	22.4	21.2	21.2
8/29/2024	16	20.9	21.1	23.5	22.7	22.6	22.8	21.2	21.3
8/29/2024	17	20.9	21.1	23.2	23.1	23.0	23.2	21.3	21.4
8/29/2024	18	21.0	21.1	22.8	23.3	23.2	23.3	21.3	21.4
8/29/2024	19	21.0	21.2	22.0	23.2	23.2	23.2	21.3	21.4
8/29/2024	20	21.0	21.1	21.3	22.9	22.9	22.9	21.3	21.4
8/29/2024	21	21.1	21.2	20.7	22.5	22.5	22.6	21.3	21.4
8/29/2024	22	21.2	21.2	20.3	21.9	22.0	22.1	21.3	21.4
8/29/2024	23	21.2	21.2	20.0	21.3	21.4	21.5	21.3	21.4
8/29/2024	24	21.2	21.2	19.8	20.7	20.9	20.9	21.3	21.4
8/30/2024	1	21.2	21.2	19.7	20.3	20.4	20.4	21.3	21.4
8/30/2024	2	21.3	21.2	19.6	19.9	20.0	20.0	21.3	20.9
8/30/2024	3	21.2	21.2	19.5	19.6	19.7	19.7	21.3	19.6
8/30/2024	4	21.2	21.2	19.4	19.4	19.5	19.4	21.3	21.1
8/30/2024	5	21.2	21.1	19.3	19.3	19.4	19.3	21.3	21.1
8/30/2024	6	21.2	21.1	19.3	19.1	19.2	19.1	21.3	21.2
8/30/2024	7	21.1	21.1	19.2	19.0	19.1	19.0	21.3	21.3
8/30/2024	8	21.1	21.2	19.3	19.2	19.0	19.0	21.3	21.3
8/30/2024	9	21.1	21.2	19.7	19.4	19.1	19.2	21.4	21.3
8/30/2024	10	21.1	21.2	20.4	19.6	19.2	19.4	21.4	21.3
8/30/2024	11	21.1	21.3	21.3	19.9	19.5	19.7	21.4	21.3
8/30/2024	12	21.1	21.3	22.2	20.2	19.8	20.2	21.5	21.3
8/30/2024	13	21.2	21.4	23.0	20.9	20.6	20.8	21.5	21.4
8/30/2024	14	21.2	21.5	23.6	21.8	21.4	21.7	21.6	21.5
8/30/2024	15	21.3	21.6	24.0	22.6	21.7	22.2	21.6	21.6
8/30/2024	16	21.5	21.7	24.0	23.1	21.9	22.4	21.6	21.6
8/30/2024	17	21.5	21.7	23.7	23.6	22.1	22.6	21.6	21.7
8/30/2024	18	21.5	21.6	23.3	23.9	22.1	22.6	21.6	21.7
8/30/2024	19	21.4	21.6	22.5	23.8	22.1	22.6	21.6	21.7
8/30/2024	20	21.5	21.6	21.9	23.5	22.1	22.5	21.6	21.7
8/30/2024	21	21.5	21.6	21.3	23.1	22.0	22.3	21.6	21.7
8/30/2024	22	21.5	21.6	20.9	22.5	21.9	22.0	21.6	21.7
8/30/2024	23	21.5	21.6	20.6	21.9	21.7	21.8	21.6	21.6
8/30/2024	24	21.4	21.5	20.4	21.4	21.5	21.5	21.5	21.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of R4 Habitat Channel -Logger- (Deg. C)	End of R4 Habitat Channel -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
8/31/2024	1	21.4	21.5	20.3	21.0	21.4	21.3	21.5	21.6
8/31/2024	2	21.4	21.4	20.2	20.6	21.2	21.2	21.5	21.6
8/31/2024	3	21.4	21.4	20.0	20.4	21.1	21.0	21.5	21.6
8/31/2024	4	21.4	21.4	19.9	20.2	21.0	20.9	21.5	21.5
8/31/2024	5	21.4	21.3	19.8	20.0	20.9	20.8	21.5	21.5
8/31/2024	6	21.4	21.3	19.7	19.8	20.8	20.7	21.5	21.3
8/31/2024	7	21.3	21.3	19.6	19.7	20.8	20.7	21.5	21.5
8/31/2024	8	21.2	21.3	19.6	19.7	20.7	20.6	21.4	21.3
8/31/2024	9	21.1	21.2	20.1	19.8	20.7	20.6	21.4	21.2
8/31/2024	10	21.0	21.2	20.8	20.0	20.7	20.7	21.4	21.2
8/31/2024	11	21.1	21.2	21.6	20.2	20.8	20.9	21.4	21.2
8/31/2024	12	21.1	21.3	22.6	20.6	21.0	21.1	21.3	21.3
8/31/2024	13	21.2	21.5	23.4	21.3	21.2	21.4	21.3	21.3
8/31/2024	14	21.2	21.5	23.9	22.1	21.6	21.8	21.4	21.4
8/31/2024	15	21.3	21.6	24.1	23.0	21.8	22.3	21.4	21.6
8/31/2024	16	21.4	21.6	24.1	23.5	22.0	22.6	21.5	21.7
8/31/2024	17	21.4	21.6	23.8	23.9	22.1	22.7	21.6	21.7
8/31/2024	18	21.4	21.6	23.3	24.1	22.2	22.8	21.6	21.8
8/31/2024	19	21.4	21.5	22.5	23.9	22.2	22.7	21.7	21.8
8/31/2024	20	21.4	21.5	21.9	23.6	22.2	22.5	21.8	21.8
8/31/2024	21	21.4	21.5	21.3	23.2	22.1	22.4	21.8	21.8
8/31/2024	22	21.4	21.5	20.9	22.6	21.9	22.1	21.7	21.7
8/31/2024	23	21.4	21.4	20.6	22.0	21.8	21.8	21.7	21.7
8/31/2024	24	21.3	21.4	20.4	21.5	21.6	21.6	21.6	21.6