

Kate Taylor

From: Scott Hopkins
Sent: Wednesday, July 30, 2025 9:21 AM
To: 'ashley_rawhouser@nps.gov'; 'Bryan Jones'; 'Brown, Chad (ECY)'; 'jody.walters@noaa.gov'; 'Travis Maitland'; Bill Towey; 'ana.cerro@usda.gov'; 'blod@yakamafish-nsn.gov'; 'bret.nine@colvilletribes.com'; 'Hugh Anthony'; 'Leslie.King@dfw.wa.gov'; 'Peterson, Melissa (ECY)'; 'Lucid, Michael K'; 'scott.carlon@noaa.gov'; 'Fisheries@ctuir.org'; 'info@mansonparks.com'; 'Gilbert, Joseph C'; 'Josh Bell'; 'Kevin Wright'; 'okeefe@americanwhitewater.org'; 'wfarris@cityofchelan.us'
Cc: Meaghan Connell; Kate Taylor; Ben Truscott; Laura Clark
Subject: 2025 Chelan River Temperature Monitoring - 2nd Quarter Reports
Attachments: 2025 Chelan River Daily Average Temperature Data 2nd Quarterly Report.pdf; 2025 Chelan River Hourly Temperature Data 2nd Quarterly Report.pdf

Categories: .

Chelan River Fishery Forum Members & Participants,

In accordance with Lake Chelan Hydroelectric Project No. 637 (Project) Appendix D 401 Water Quality Certification Condition V.C.i you will find attached the Hourly and Daily Average Water Temperature Data for the 2nd Quarter of 2025.

This information will be posted to the Chelan County PUD external website under “River Flows, Water Temperatures and Total Dissolved Gas” (link below).

<https://www.chelanpud.org/parks-and-recreation/river-flows-and-water-temperatures>

Data during times of maintenance or calibration events have been denoted with “NA” to designate these periods when data was either unavailable or inaccurate. Noteworthy events are explained below.

- There was one hour of missing data that occurred on April 2nd when data loggers were downloaded and swapped.

Please feel free to call or email any questions or concerns.



Scott Hopkins
Senior Fisheries Biologist
Chelan County P.U.D.
P: (509) 661-4763
C: (509) 630-2708

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/1/2025	9.0	9.2	9.7	10.0	9.6	9.6	9.4	9.4
4/2/2025	9.5	9.8	10.0	10.0	9.8	9.8	9.8	9.0
4/3/2025	9.9	10.2	10.4	10.5	10.2	10.2	10.2	9.4
4/4/2025	10.4	10.6	10.8	10.9	10.6	10.7	10.6	10.1
4/5/2025	10.6	10.9	11.2	11.3	11.0	11.1	11.1	10.1
4/6/2025	11.1	11.4	11.2	11.4	11.3	11.4	11.4	9.9
4/7/2025	11.3	11.7	11.8	12.1	11.7	11.8	11.7	11.1
4/8/2025	11.2	11.5	10.7	10.7	11.1	11.1	11.3	10.4
4/9/2025	11.0	11.3	11.6	11.7	11.0	11.1	11.0	10.1
4/10/2025	11.3	11.5	11.5	11.7	11.6	11.6	11.7	11.6
4/11/2025	11.5	11.8	11.9	12.1	11.6	11.7	11.7	11.5
4/12/2025	11.9	12.2	12.0	12.1	11.8	11.9	11.9	11.6
4/13/2025	11.8	12.0	12.1	12.2	11.8	11.9	11.8	11.9
4/14/2025	11.7	12.0	12.2	12.4	12.1	12.2	12.1	12.3
4/15/2025	12.3	12.6	12.9	13.0	12.6	12.7	12.6	12.5
4/16/2025	13.0	13.3	13.0	13.0	12.8	12.9	12.9	12.2
4/17/2025	11.8	12.0	12.7	13.0	12.8	12.9	12.8	13.0
4/18/2025	10.6	10.7	11.7	12.1	12.6	12.6	12.8	12.9
4/19/2025	11.8	12.1	12.7	13.0	12.9	13.0	13.0	13.0
4/20/2025	12.5	12.7	12.4	12.5	12.7	12.7	12.8	12.8
4/21/2025	12.6	12.9	12.8	12.8	12.4	12.5	12.4	12.1
4/22/2025	12.7	12.9	13.0	13.1	12.7	12.8	12.7	12.8
4/23/2025	12.7	12.9	13.2	13.3	13.0	13.1	13.0	13.3
4/24/2025	12.7	13.0	13.4	13.6	13.4	13.6	13.5	13.6
4/25/2025	13.6	14.0	14.1	14.2	13.9	14.0	14.0	14.0
4/26/2025	13.6	13.9	14.5	14.9	13.9	14.1	13.8	13.8
4/27/2025	14.2	14.5	15.0	15.3	14.5	14.7	14.5	14.5
4/28/2025	14.2	14.6	14.6	14.8	14.5	14.6	14.5	14.6
4/29/2025	14.3	14.7	15.1	15.3	14.7	14.8	14.6	14.6
4/30/2025	14.2	14.4	14.7	15.0	14.4	14.6	14.4	14.4
5/1/2025	14.5	14.7	15.3	15.6	14.8	15.0	14.7	14.7
5/2/2025	14.5	14.8	15.5	15.8	14.8	15.0	14.7	14.7
5/3/2025	14.8	15.1	15.0	15.4	15.1	15.2	15.0	15.1
5/4/2025	14.5	14.8	14.8	14.9	14.8	14.8	14.7	14.8
5/5/2025	14.4	14.7	15.0	15.3	14.7	14.8	14.6	14.7
5/6/2025	14.4	14.7	15.1	15.4	14.7	14.9	14.5	14.7
5/7/2025	14.7	15.0	15.4	15.7	15.0	15.2	14.7	15.0
5/8/2025	14.6	14.8	15.0	15.3	14.8	14.9	14.6	14.8
5/9/2025	14.8	15.1	15.2	15.4	15.0	15.1	14.8	15.1
5/10/2025	14.8	15.0	15.2	15.5	15.1	15.2	14.7	15.1
5/11/2025	14.8	15.0	14.9	15.2	15.0	15.0	14.6	15.0
5/12/2025	14.7	14.9	15.0	15.2	14.9	15.0	14.5	14.9
5/13/2025	14.9	15.1	15.4	15.6	15.1	15.2	14.7	15.1
5/14/2025	15.1	15.3	15.7	15.9	15.4	15.5	14.9	15.3
5/15/2025	15.0	15.3	15.3	15.5	15.3	15.4	14.8	15.3
5/16/2025	15.0	15.2	15.2	15.5	15.7	15.7	14.7	15.3

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/17/2025	15.0	15.2	15.5	15.8	15.7	15.8	14.7	15.2
5/18/2025	14.6	14.8	14.7	14.9	14.8	14.8	14.3	14.9
5/19/2025	14.4	14.6	14.6	14.7	14.7	14.7	14.1	14.7
5/20/2025	14.5	14.6	14.7	14.8	14.7	14.7	14.1	14.6
5/21/2025	14.5	14.7	15.2	15.5	15.3	15.5	14.2	14.7
5/22/2025	14.8	15.0	15.5	15.8	15.7	15.8	14.5	15.0
5/23/2025	15.3	15.5	16.0	16.3	16.1	16.3	15.1	15.0
5/24/2025	15.3	15.6	16.6	17.0	16.9	17.1	15.3	15.5
5/25/2025	15.4	15.7	16.6	17.1	17.0	17.2	15.5	16.0
5/26/2025	16.7	17.0	17.3	17.6	17.5	17.7	16.5	16.6
5/27/2025	17.1	17.4	17.6	17.8	17.7	17.8	16.9	17.3
5/28/2025	17.1	17.3	18.0	18.4	18.3	18.5	17.3	17.8
5/29/2025	17.4	17.7	17.7	18.0	17.9	18.0	17.8	18.3
5/30/2025	18.4	18.7	19.0	19.1	19.0	19.1	17.9	18.5
5/31/2025	17.6	17.9	18.1	18.5	18.5	18.6	17.5	18.0
6/1/2025	17.6	17.8	17.9	18.1	18.0	18.1	17.8	18.6
6/2/2025	17.5	17.7	18.0	18.2	18.0	18.1	17.5	18.0
6/3/2025	17.8	18.0	18.3	18.5	18.4	18.5	17.7	18.3
6/4/2025	18.6	18.9	18.9	19.1	18.9	19.1	18.4	19.0
6/5/2025	18.8	19.1	19.6	19.8	19.7	19.9	18.6	19.1
6/6/2025	19.0	19.3	19.8	20.3	20.2	20.3	18.7	19.2
6/7/2025	19.4	19.7	20.3	20.7	20.6	20.8	19.0	19.5
6/8/2025	18.9	19.2	20.0	20.6	20.5	20.7	18.9	19.6
6/9/2025	17.8	18.0	19.3	20.0	20.0	20.1	19.1	19.8
6/10/2025	19.2	19.5	19.5	19.7	19.6	19.7	20.6	21.2
6/11/2025	22.2	22.5	22.0	21.9	21.8	21.9	21.9	22.3
6/12/2025	22.1	22.3	21.8	21.9	21.9	21.9	21.8	22.2
6/13/2025	21.5	21.8	21.0	20.9	20.8	20.9	21.2	21.6
6/14/2025	21.0	21.2	20.7	20.7	20.6	20.7	20.8	20.6
6/15/2025	20.4	20.6	20.9	21.0	20.9	21.0	20.5	19.8
6/16/2025	18.3	18.4	19.2	19.8	19.8	19.9	19.4	19.3
6/17/2025	20.1	20.4	19.9	19.8	19.7	19.8	20.2	20.7
6/18/2025	20.6	20.8	20.5	20.6	20.5	20.6	20.2	20.8
6/19/2025	20.3	20.4	20.2	20.2	20.1	20.2	19.9	20.5
6/20/2025	20.0	20.2	19.6	19.7	19.7	19.7	19.6	20.2
6/21/2025	19.6	19.7	18.8	18.7	18.6	18.6	19.0	19.6
6/22/2025	19.6	19.7	19.8	19.8	19.7	19.8	19.0	19.5
6/23/2025	19.3	19.5	19.9	20.1	20.0	20.2	19.1	18.9
6/24/2025	18.4	18.6	19.0	19.6	19.5	19.7	18.7	19.0
6/25/2025	20.3	20.5	20.5	20.6	20.5	20.6	19.9	20.6
6/26/2025	20.2	20.4	20.1	20.3	20.2	20.2	19.8	20.4
6/27/2025	20.1	20.3	20.3	20.3	20.2	20.2	19.7	20.4
6/28/2025	20.2	20.4	20.4	20.5	20.4	20.5	19.7	20.4
6/29/2025	20.5	20.7	21.1	21.3	21.1	21.3	20.3	21.0
6/30/2025	19.9	20.1	21.3	21.8	21.7	21.9	20.1	20.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/1/2025	1	8.9	9.1	9.0	9.3	9.2	9.2	9.2	8.9
4/1/2025	2	8.9	9.0	9.0	9.2	9.2	9.1	9.2	8.8
4/1/2025	3	8.9	9.0	8.9	9.2	9.2	9.1	9.2	9.0
4/1/2025	4	8.9	9.0	8.8	9.1	9.2	9.1	9.1	9.0
4/1/2025	5	8.9	9.0	8.8	9.1	9.2	9.1	9.1	9.0
4/1/2025	6	8.9	9.0	8.7	9.0	9.1	9.1	9.2	9.0
4/1/2025	7	8.8	9.0	8.8	9.0	9.1	9.1	9.2	9.0
4/1/2025	8	8.8	9.0	8.9	9.0	9.1	9.1	9.2	9.0
4/1/2025	9	8.8	9.0	9.2	9.1	9.1	9.1	9.2	9.0
4/1/2025	10	8.8	9.1	9.6	9.3	9.2	9.2	9.2	9.0
4/1/2025	11	8.8	9.2	10.4	9.7	9.3	9.4	9.2	9.5
4/1/2025	12	8.9	9.2	11.2	10.0	9.5	9.6	9.2	9.9
4/1/2025	13	8.9	9.2	11.5	10.2	9.6	9.7	9.3	9.9
4/1/2025	14	9.0	9.3	11.6	10.9	9.8	10.0	9.4	10.0
4/1/2025	15	9.0	9.3	11.4	11.2	9.9	10.1	9.5	10.0
4/1/2025	16	9.0	9.4	11.3	11.6	10.0	10.2	9.6	9.9
4/1/2025	17	9.1	9.4	10.8	11.7	10.1	10.3	9.7	10.0
4/1/2025	18	9.2	9.4	10.3	11.6	10.2	10.3	9.8	9.9
4/1/2025	19	9.2	9.4	9.8	11.3	10.2	10.3	9.9	9.9
4/1/2025	20	9.3	9.4	9.4	11.0	10.2	10.2	9.9	9.9
4/1/2025	21	9.3	9.4	9.1	10.6	10.2	10.1	9.9	9.8
4/1/2025	22	9.3	9.5	8.9	10.2	10.1	10.1	9.9	9.8
4/1/2025	23	9.3	9.4	8.7	9.8	10.0	10.0	9.9	9.7
4/1/2025	24	9.3	9.4	8.6	9.4	10.0	9.8	9.9	7.7
4/2/2025	1	9.3	9.5	8.5	9.1	9.9	9.7	9.9	9.4
4/2/2025	2	9.3	9.4	8.5	8.9	9.8	9.6	9.9	8.8
4/2/2025	3	9.3	9.4	8.4	8.7	9.7	9.5	9.9	6.3
4/2/2025	4	9.3	9.4	8.3	8.5	9.5	9.4	9.8	5.4
4/2/2025	5	9.3	9.4	8.3	8.4	9.4	9.3	9.8	8.9
4/2/2025	6	9.3	9.3	8.2	8.3	9.4	9.2	9.7	7.6
4/2/2025	7	9.2	9.3	8.3	8.3	9.3	9.2	9.6	7.8
4/2/2025	8	9.2	NA	8.9	8.5	9.3	9.2	9.6	8.5
4/2/2025	9	9.2	9.4	9.3	8.6	9.3	9.2	9.5	9.0
4/2/2025	10	9.2	9.4	10.1	8.9	9.3	9.3	9.4	9.3
4/2/2025	11	9.3	9.5	NA	9.3	9.4	9.5	9.4	9.5
4/2/2025	12	9.3	9.7	11.0	9.7	9.5	9.6	9.5	9.7
4/2/2025	13	9.4	9.8	11.8	NA	NA	NA	9.6	NA
4/2/2025	14	9.5	9.9	12.0	10.2	9.6	9.8	9.6	9.7
4/2/2025	15	9.6	10.0	12.2	11.1	9.9	10.1	9.7	10.1
4/2/2025	16	9.8	10.1	12.2	11.6	10.0	10.3	9.7	10.3
4/2/2025	17	9.8	10.1	12.0	11.9	10.1	10.4	9.8	10.4
4/2/2025	18	9.9	10.1	11.4	12.1	10.2	10.5	9.9	10.2
4/2/2025	19	9.9	10.1	10.8	12.1	10.3	10.6	10.0	10.1
4/2/2025	20	9.9	10.1	10.3	11.8	10.3	10.5	10.0	9.8
4/2/2025	21	9.9	10.1	9.9	11.5	10.3	10.5	10.1	10.0
4/2/2025	22	9.9	10.1	9.7	11.0	10.3	10.4	10.2	9.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/2/2025	23	9.9	10.1	9.4	10.6	10.3	10.3	10.2	8.7
4/2/2025	24	9.8	10.0	9.3	10.2	10.2	10.2	10.1	6.9
4/3/2025	1	9.8	10.0	9.1	9.9	10.1	10.1	10.1	6.1
4/3/2025	2	9.8	9.9	9.0	9.6	10.1	10.0	10.1	5.5
4/3/2025	3	9.7	9.9	8.9	9.4	10.0	9.9	10.1	5.1
4/3/2025	4	9.7	9.9	8.8	9.2	9.9	9.8	10.1	6.9
4/3/2025	5	9.7	9.8	8.7	9.0	9.8	9.7	10.0	8.4
4/3/2025	6	9.6	9.8	8.7	8.9	9.7	9.6	10.0	9.2
4/3/2025	7	9.6	9.8	8.6	8.8	9.6	9.5	10.0	9.5
4/3/2025	8	9.6	9.8	8.6	8.7	9.5	9.4	10.0	9.5
4/3/2025	9	9.6	9.8	9.0	8.9	9.5	9.5	9.9	9.5
4/3/2025	10	9.6	9.9	9.6	9.0	9.5	9.5	9.9	9.6
4/3/2025	11	9.6	10.0	10.4	9.2	9.5	9.6	9.9	9.7
4/3/2025	12	9.7	10.1	11.2	9.5	9.6	9.8	9.9	9.7
4/3/2025	13	9.8	10.2	12.3	10.1	9.8	10.0	9.8	10.0
4/3/2025	14	9.9	10.3	12.7	10.8	10.0	10.2	9.9	10.3
4/3/2025	15	9.9	10.4	13.4	11.7	10.3	10.6	10.2	10.6
4/3/2025	16	10.1	10.5	13.3	12.1	10.4	10.7	10.4	10.6
4/3/2025	17	10.2	10.5	13.1	12.7	10.6	11.0	10.4	10.7
4/3/2025	18	10.3	10.6	12.3	13.0	10.8	11.1	10.5	10.7
4/3/2025	19	10.3	10.6	11.6	13.0	10.9	11.2	10.5	10.6
4/3/2025	20	10.3	10.6	11.0	12.8	10.9	11.1	10.6	10.6
4/3/2025	21	10.4	10.6	10.4	12.4	10.9	11.1	10.6	10.6
4/3/2025	22	10.4	10.6	10.0	11.8	10.9	11.0	10.7	10.7
4/3/2025	23	10.4	10.7	9.7	11.2	10.8	10.9	10.7	10.5
4/3/2025	24	10.4	10.7	9.5	10.7	10.7	10.7	10.7	10.0
4/4/2025	1	10.4	10.6	9.4	10.2	10.6	10.6	10.7	9.1
4/4/2025	2	10.4	10.6	9.3	9.8	10.5	10.5	10.6	10.1
4/4/2025	3	10.4	10.6	9.2	9.6	10.4	10.3	10.5	9.0
4/4/2025	4	10.4	10.6	9.1	9.4	10.3	10.2	10.5	9.0
4/4/2025	5	10.4	10.5	9.1	9.2	10.2	10.1	10.4	9.4
4/4/2025	6	10.4	10.5	9.0	9.1	10.1	10.0	10.3	9.3
4/4/2025	7	10.3	10.5	9.0	9.0	10.0	9.9	10.2	9.4
4/4/2025	8	10.3	10.5	9.0	9.0	9.9	9.8	10.2	8.1
4/4/2025	9	10.3	10.6	9.4	9.2	9.9	9.8	10.2	6.8
4/4/2025	10	10.3	10.6	10.0	9.4	9.9	9.9	10.2	9.0
4/4/2025	11	10.3	10.6	10.8	9.6	9.9	10.0	10.3	8.7
4/4/2025	12	10.3	10.7	11.7	9.9	10.0	10.1	10.3	10.4
4/4/2025	13	10.3	10.7	12.7	10.4	10.1	10.3	10.3	10.7
4/4/2025	14	10.3	10.7	13.5	11.2	10.4	10.7	10.4	10.7
4/4/2025	15	10.4	10.8	13.9	12.1	10.7	11.0	10.6	11.2
4/4/2025	16	10.4	10.7	13.9	12.8	10.9	11.3	10.8	11.5
4/4/2025	17	10.4	10.7	13.6	13.4	11.1	11.5	11.0	12.4
4/4/2025	18	10.4	10.7	13.0	13.7	11.2	11.6	11.1	12.2
4/4/2025	19	10.4	10.7	12.2	13.7	11.3	11.7	11.1	11.1
4/4/2025	20	10.4	10.7	11.4	13.4	11.4	11.7	11.1	10.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/4/2025	21	10.4	10.7	10.8	13.0	11.4	11.6	11.1	11.0
4/4/2025	22	10.5	10.7	10.3	12.4	11.4	11.5	11.1	11.2
4/4/2025	23	10.5	10.7	10.0	11.8	11.3	11.4	11.1	11.2
4/4/2025	24	10.5	10.7	9.8	11.2	11.2	11.2	11.2	9.3
4/5/2025	1	10.5	10.7	9.6	10.7	11.2	11.1	11.2	6.7
4/5/2025	2	10.5	10.7	9.5	10.3	11.1	11.0	11.2	7.4
4/5/2025	3	10.5	10.7	9.5	10.0	10.9	10.8	11.2	8.9
4/5/2025	4	10.5	10.7	9.4	9.7	10.8	10.7	11.1	6.9
4/5/2025	5	10.5	10.7	9.3	9.6	10.7	10.6	11.0	7.5
4/5/2025	6	10.5	10.6	9.2	9.4	10.6	10.5	11.0	9.3
4/5/2025	7	10.5	10.6	9.2	9.3	10.5	10.3	10.9	10.0
4/5/2025	8	10.4	10.6	9.2	9.3	10.3	10.2	10.8	7.3
4/5/2025	9	10.4	10.7	9.7	9.4	10.3	10.2	10.7	7.6
4/5/2025	10	10.4	10.7	10.2	9.7	10.3	10.3	10.6	10.1
4/5/2025	11	10.4	10.8	11.1	9.8	10.3	10.4	10.6	9.6
4/5/2025	12	10.5	10.9	12.1	10.1	10.4	10.5	10.6	9.8
4/5/2025	13	10.5	11.0	12.9	10.6	10.5	10.7	10.7	10.5
4/5/2025	14	10.6	11.1	13.5	11.5	10.8	11.0	10.8	11.4
4/5/2025	15	10.7	11.2	13.9	12.4	11.0	11.3	11.0	11.9
4/5/2025	16	10.8	11.2	14.0	13.0	11.2	11.6	11.2	12.9
4/5/2025	17	10.9	11.2	13.8	13.5	11.4	11.8	11.2	13.0
4/5/2025	18	10.9	11.2	13.3	13.9	11.6	12.0	11.3	12.8
4/5/2025	19	10.9	11.2	12.6	14.0	11.7	12.1	11.3	11.5
4/5/2025	20	10.9	11.2	12.0	13.7	11.8	12.1	11.4	11.5
4/5/2025	21	10.9	11.2	11.4	13.4	11.8	12.1	11.5	11.6
4/5/2025	22	10.9	11.1	11.1	12.9	11.8	12.0	11.6	11.5
4/5/2025	23	10.9	11.1	10.8	12.3	11.8	11.8	11.6	11.4
4/5/2025	24	10.9	11.1	10.5	11.8	11.7	11.7	11.7	10.2
4/6/2025	1	10.9	11.1	10.4	11.4	11.6	11.6	11.6	7.6
4/6/2025	2	10.9	11.1	10.2	11.0	11.5	11.5	11.6	7.0
4/6/2025	3	10.9	11.1	10.1	10.7	11.4	11.3	11.5	6.5
4/6/2025	4	10.9	11.1	10.0	10.5	11.3	11.2	11.4	6.7
4/6/2025	5	10.9	11.2	10.0	10.3	11.2	11.1	11.4	7.7
4/6/2025	6	10.9	11.2	10.0	10.2	11.1	11.0	11.3	8.3
4/6/2025	7	10.9	11.2	9.9	10.1	11.0	10.9	11.2	8.4
4/6/2025	8	10.9	11.2	10.0	10.1	10.9	10.9	11.2	7.8
4/6/2025	9	10.9	11.2	10.4	10.1	10.9	10.8	11.2	8.6
4/6/2025	10	10.9	11.2	10.8	10.2	10.9	10.9	11.2	9.7
4/6/2025	11	10.9	11.3	11.4	10.5	10.9	10.9	11.2	11.2
4/6/2025	12	10.9	11.4	12.1	10.9	10.9	11.0	11.2	11.6
4/6/2025	13	11.0	11.4	12.5	11.2	11.0	11.1	11.3	11.4
4/6/2025	14	11.0	11.4	13.0	11.8	11.2	11.3	11.3	11.6
4/6/2025	15	11.1	11.5	13.0	12.2	11.3	11.5	11.3	11.6
4/6/2025	16	11.2	11.5	12.7	12.6	11.4	11.6	11.3	11.5
4/6/2025	17	11.2	11.6	12.3	12.9	11.5	11.7	11.4	11.4
4/6/2025	18	11.3	11.6	12.0	12.9	11.6	11.8	11.4	11.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/6/2025	19	11.3	11.6	11.7	12.8	11.6	11.8	11.4	11.4
4/6/2025	20	11.3	11.6	11.6	12.6	11.6	11.8	11.5	11.4
4/6/2025	21	11.3	11.6	11.4	12.3	11.6	11.7	11.5	11.3
4/6/2025	22	11.3	11.5	11.4	12.1	11.6	11.7	11.5	11.4
4/6/2025	23	11.2	11.5	11.3	11.8	11.6	11.6	11.6	11.2
4/6/2025	24	11.2	11.5	11.2	11.7	11.6	11.6	11.5	10.1
4/7/2025	1	11.2	11.5	11.2	11.6	11.5	11.6	11.5	10.0
4/7/2025	2	11.2	11.5	11.1	11.5	11.5	11.5	11.5	10.3
4/7/2025	3	11.2	11.5	11.1	11.4	11.5	11.5	11.5	10.2
4/7/2025	4	11.3	11.5	11.0	11.3	11.4	11.4	11.5	9.9
4/7/2025	5	11.3	11.5	11.0	11.3	11.4	11.4	11.4	10.5
4/7/2025	6	11.2	11.5	11.0	11.2	11.4	11.4	11.4	10.8
4/7/2025	7	11.2	11.5	11.0	11.2	11.3	11.3	11.4	11.1
4/7/2025	8	11.2	11.5	11.1	11.2	11.3	11.3	11.4	11.0
4/7/2025	9	11.2	11.5	11.1	11.2	11.3	11.3	11.5	10.6
4/7/2025	10	11.2	11.5	11.2	11.2	11.3	11.3	11.5	11.2
4/7/2025	11	11.2	11.5	11.7	11.5	11.3	11.5	11.5	11.4
4/7/2025	12	11.2	11.6	12.5	11.8	11.4	11.7	11.5	11.4
4/7/2025	13	11.2	11.7	13.4	12.1	11.6	11.8	11.6	12.1
4/7/2025	14	11.4	11.8	14.1	12.5	11.8	12.0	11.7	12.0
4/7/2025	15	11.5	11.9	14.3	13.0	12.0	12.2	11.7	12.1
4/7/2025	16	11.5	11.9	13.9	13.6	12.1	12.3	11.8	12.0
4/7/2025	17	11.5	11.9	13.2	14.0	12.2	12.4	11.9	12.0
4/7/2025	18	11.5	11.9	12.7	14.1	12.2	12.5	11.9	12.0
4/7/2025	19	11.5	11.8	12.2	13.9	12.3	12.5	12.0	12.0
4/7/2025	20	11.5	11.8	11.7	13.4	12.2	12.4	12.0	12.0
4/7/2025	21	11.5	11.8	11.3	12.8	12.2	12.3	12.1	12.0
4/7/2025	22	11.5	11.8	11.0	12.4	12.1	12.2	12.1	11.6
4/7/2025	23	11.5	11.8	10.6	11.9	12.0	12.0	12.0	10.6
4/7/2025	24	11.5	11.7	10.4	11.5	11.9	11.9	12.0	8.4
4/8/2025	1	11.5	11.7	10.3	11.1	11.8	11.8	11.9	8.9
4/8/2025	2	11.4	11.6	10.2	10.7	11.7	11.6	11.9	11.0
4/8/2025	3	11.4	11.6	10.2	10.5	11.6	11.5	11.8	10.3
4/8/2025	4	11.3	11.6	10.1	10.3	11.4	11.3	11.8	11.0
4/8/2025	5	11.3	11.5	10.1	10.2	11.3	11.2	11.7	10.9
4/8/2025	6	11.2	11.4	10.1	10.1	11.2	11.1	11.6	11.1
4/8/2025	7	11.2	11.4	10.1	10.0	11.1	11.0	11.5	10.9
4/8/2025	8	11.2	11.4	10.1	10.0	11.0	10.9	11.5	10.9
4/8/2025	9	11.2	11.4	10.4	10.1	11.0	10.9	11.4	10.9
4/8/2025	10	11.2	11.5	10.7	10.2	10.9	10.9	11.3	11.0
4/8/2025	11	11.2	11.5	11.1	10.3	10.9	10.8	11.2	10.2
4/8/2025	12	11.2	11.5	11.2	10.5	10.8	10.8	11.1	10.9
4/8/2025	13	11.2	11.5	11.4	10.8	10.9	10.9	11.0	10.9
4/8/2025	14	11.2	11.5	11.4	11.0	10.9	11.0	11.0	10.9
4/8/2025	15	11.2	11.5	11.4	11.2	10.9	11.0	11.0	10.8
4/8/2025	16	11.2	11.5	11.3	11.4	11.0	11.0	11.0	10.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/8/2025	17	11.2	11.5	11.3	11.5	11.0	11.1	11.0	11.0
4/8/2025	18	11.2	11.5	11.3	11.4	11.0	11.1	11.0	10.9
4/8/2025	19	11.2	11.5	11.2	11.4	11.0	11.1	11.0	10.9
4/8/2025	20	11.2	11.4	11.0	11.3	11.0	11.0	11.0	10.7
4/8/2025	21	11.2	11.4	10.8	11.2	11.0	11.0	10.9	10.3
4/8/2025	22	11.2	11.4	10.4	11.1	10.9	10.9	10.9	9.0
4/8/2025	23	11.1	11.3	10.2	10.9	10.9	10.9	10.9	8.5
4/8/2025	24	11.1	11.3	10.1	10.7	10.8	10.8	10.8	6.9
4/9/2025	1	11.1	11.3	10.1	10.4	10.7	10.7	10.8	7.3
4/9/2025	2	11.1	11.2	10.0	10.2	10.6	10.6	10.7	8.0
4/9/2025	3	11.0	11.2	9.9	10.1	10.6	10.5	10.7	7.0
4/9/2025	4	11.0	11.2	9.9	10.0	10.5	10.4	10.6	8.9
4/9/2025	5	11.0	11.2	9.8	9.9	10.4	10.3	10.6	8.3
4/9/2025	6	11.0	11.1	9.7	9.8	10.3	10.3	10.5	9.0
4/9/2025	7	10.9	11.1	9.7	9.7	10.3	10.2	10.5	8.3
4/9/2025	8	10.9	11.1	9.8	9.7	10.2	10.1	10.5	7.9
4/9/2025	9	10.9	11.1	10.2	10.0	10.2	10.2	10.5	7.1
4/9/2025	10	10.9	11.2	10.9	10.1	10.2	10.3	10.5	9.8
4/9/2025	11	10.9	11.2	11.6	10.3	10.3	10.4	10.5	10.4
4/9/2025	12	10.9	11.3	12.5	10.7	10.4	10.6	10.5	11.2
4/9/2025	13	11.0	11.4	13.4	11.3	10.6	10.8	10.7	11.2
4/9/2025	14	11.1	11.5	14.1	12.1	10.9	11.2	10.8	11.8
4/9/2025	15	11.1	11.5	14.6	13.0	11.2	11.5	11.0	11.6
4/9/2025	16	11.1	11.5	14.6	13.5	11.4	11.8	11.2	11.8
4/9/2025	17	11.1	11.5	14.3	14.1	11.7	12.1	11.3	11.8
4/9/2025	18	11.2	11.5	13.7	14.5	11.8	12.2	11.5	11.8
4/9/2025	19	11.2	11.4	13.0	14.5	11.9	12.3	11.6	11.7
4/9/2025	20	11.1	11.4	12.3	14.2	12.0	12.3	11.6	11.8
4/9/2025	21	11.1	11.3	11.7	13.8	12.1	12.3	11.7	11.8
4/9/2025	22	11.0	11.3	11.3	13.2	12.0	12.2	11.7	11.6
4/9/2025	23	11.0	11.2	11.1	12.7	12.0	12.1	11.7	11.8
4/9/2025	24	11.0	11.2	10.9	12.1	12.0	12.0	11.8	11.7
4/10/2025	1	11.0	11.2	10.8	11.7	11.9	11.9	11.8	11.7
4/10/2025	2	11.0	11.3	10.6	11.4	11.8	11.8	11.9	11.8
4/10/2025	3	11.1	11.3	10.5	11.1	11.7	11.7	11.9	11.8
4/10/2025	4	11.1	11.3	10.4	10.9	11.6	11.6	11.8	11.7
4/10/2025	5	11.1	11.3	10.2	10.7	11.5	11.5	11.8	11.6
4/10/2025	6	11.1	11.3	10.2	10.6	11.5	11.4	11.7	11.6
4/10/2025	7	11.1	11.3	10.1	10.4	11.4	11.3	11.6	11.5
4/10/2025	8	11.1	11.3	10.3	10.4	11.3	11.2	11.6	11.5
4/10/2025	9	11.1	11.4	10.6	10.4	11.2	11.2	11.5	11.4
4/10/2025	10	11.1	11.4	11.1	10.5	11.2	11.2	11.5	11.4
4/10/2025	11	11.1	11.5	11.7	10.8	11.2	11.3	11.5	11.5
4/10/2025	12	11.2	11.5	12.2	11.0	11.3	11.3	11.5	11.6
4/10/2025	13	11.2	11.5	12.6	11.4	11.3	11.4	11.5	11.5
4/10/2025	14	11.2	11.6	12.8	11.9	11.4	11.5	11.6	11.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/10/2025	15	11.3	11.7	12.8	12.4	11.5	11.7	11.6	11.6
4/10/2025	16	11.4	11.8	12.9	12.8	11.6	11.8	11.6	11.6
4/10/2025	17	11.4	11.8	13.0	12.9	11.8	12.0	11.7	11.8
4/10/2025	18	11.5	11.8	12.8	13.1	11.8	12.0	11.7	11.7
4/10/2025	19	11.5	11.8	12.5	13.1	11.9	12.0	11.7	11.7
4/10/2025	20	11.5	11.8	12.1	13.0	11.9	12.1	11.7	11.7
4/10/2025	21	11.5	11.8	11.8	12.9	11.9	12.0	11.7	11.7
4/10/2025	22	11.5	11.8	11.4	12.6	11.9	11.9	11.7	11.7
4/10/2025	23	11.5	11.7	11.1	12.2	11.8	11.9	11.7	11.7
4/10/2025	24	11.5	11.7	10.8	11.9	11.8	11.8	11.7	11.6
4/11/2025	1	11.5	11.7	10.6	11.5	11.7	11.7	11.7	11.2
4/11/2025	2	11.5	11.7	10.5	11.2	11.6	11.5	11.7	11.4
4/11/2025	3	11.4	11.6	10.4	10.9	11.5	11.4	11.6	11.3
4/11/2025	4	11.4	11.6	10.2	10.6	11.3	11.3	11.6	11.2
4/11/2025	5	11.4	11.5	10.1	10.4	11.2	11.2	11.5	11.2
4/11/2025	6	11.3	11.5	10.0	10.2	11.1	11.1	11.4	11.1
4/11/2025	7	11.3	11.5	10.0	10.1	11.0	10.9	11.4	10.7
4/11/2025	8	11.2	11.5	10.1	10.1	11.0	10.9	11.3	10.8
4/11/2025	9	11.2	11.5	10.6	10.3	10.9	10.9	11.2	10.9
4/11/2025	10	11.2	11.5	11.3	10.4	10.9	11.0	11.2	10.9
4/11/2025	11	11.2	11.6	12.1	10.7	11.0	11.1	11.2	11.2
4/11/2025	12	11.3	11.7	13.1	11.1	11.1	11.2	11.3	11.2
4/11/2025	13	11.4	11.8	14.0	11.8	11.2	11.5	11.4	11.3
4/11/2025	14	11.5	11.9	14.7	12.7	11.5	11.8	11.5	11.8
4/11/2025	15	11.5	12.0	15.0	13.5	11.8	12.1	11.6	12.1
4/11/2025	16	11.6	12.0	15.1	14.1	11.9	12.3	11.9	12.1
4/11/2025	17	11.6	12.0	14.8	14.6	12.3	12.7	12.0	12.6
4/11/2025	18	11.7	12.0	14.1	14.9	12.4	12.7	12.1	12.3
4/11/2025	19	11.7	12.0	13.2	14.8	12.4	12.7	12.1	12.1
4/11/2025	20	11.7	11.9	12.3	14.4	12.4	12.7	12.1	12.1
4/11/2025	21	11.7	11.9	11.6	13.9	12.4	12.5	12.1	12.0
4/11/2025	22	11.7	11.9	11.2	13.3	12.3	12.4	12.1	11.9
4/11/2025	23	11.7	11.9	10.9	12.6	12.2	12.2	12.1	11.6
4/11/2025	24	11.7	12.0	10.7	12.0	12.1	12.1	12.1	11.2
4/12/2025	1	11.8	12.0	10.6	11.5	12.0	11.9	12.1	9.7
4/12/2025	2	11.8	12.1	10.6	11.1	11.9	11.8	12.0	11.6
4/12/2025	3	11.9	12.1	10.6	10.8	11.8	11.7	11.9	10.7
4/12/2025	4	11.9	12.1	10.6	10.7	11.6	11.5	11.8	10.7
4/12/2025	5	11.9	12.1	10.6	10.6	11.6	11.5	11.8	11.5
4/12/2025	6	11.8	12.1	10.7	10.5	11.5	11.4	11.7	11.5
4/12/2025	7	11.8	12.0	10.6	10.5	11.3	11.2	11.6	11.5
4/12/2025	8	11.8	12.0	10.7	10.6	11.3	11.2	11.5	11.4
4/12/2025	9	11.7	12.1	11.2	10.7	11.2	11.2	11.5	11.2
4/12/2025	10	11.7	12.1	11.7	11.0	11.3	11.3	11.6	11.3
4/12/2025	11	11.8	12.2	12.4	11.2	11.3	11.4	11.6	11.4
4/12/2025	12	11.9	12.3	13.2	11.4	11.3	11.5	11.6	11.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/12/2025	13	12.0	12.3	14.1	12.1	11.5	11.7	11.7	11.5
4/12/2025	14	12.0	12.4	14.2	12.8	11.7	12.0	11.7	11.8
4/12/2025	15	12.0	12.4	14.4	13.6	11.9	12.2	11.8	12.1
4/12/2025	16	12.1	12.5	14.4	14.0	12.1	12.5	11.9	12.3
4/12/2025	17	12.2	12.5	14.1	14.2	12.3	12.7	12.0	12.3
4/12/2025	18	12.2	12.4	13.5	14.3	12.5	12.7	12.1	12.2
4/12/2025	19	12.2	12.4	12.8	14.1	12.4	12.6	12.2	12.2
4/12/2025	20	12.1	12.3	12.1	13.7	12.4	12.5	12.2	12.2
4/12/2025	21	12.1	12.3	11.5	13.3	12.4	12.5	12.2	12.2
4/12/2025	22	12.1	12.3	11.2	12.8	12.3	12.3	12.2	12.1
4/12/2025	23	12.0	12.2	10.9	12.2	12.2	12.2	12.1	12.1
4/12/2025	24	12.0	12.2	10.8	11.7	12.1	12.1	12.1	12.1
4/13/2025	1	12.0	12.1	10.7	11.2	12.0	11.9	12.1	12.0
4/13/2025	2	11.9	12.1	10.6	10.9	11.8	11.8	12.0	11.9
4/13/2025	3	11.9	12.0	10.5	10.7	11.7	11.6	12.0	11.8
4/13/2025	4	11.8	12.0	10.4	10.6	11.6	11.5	11.9	11.8
4/13/2025	5	11.8	11.9	10.3	10.5	11.5	11.4	11.8	11.7
4/13/2025	6	11.7	11.8	10.2	10.3	11.4	11.2	11.7	11.6
4/13/2025	7	11.7	11.8	10.1	10.2	11.2	11.1	11.6	11.4
4/13/2025	8	11.6	11.9	10.2	10.2	11.1	11.0	11.5	11.3
4/13/2025	9	11.6	11.9	10.7	10.3	11.0	11.0	11.4	11.2
4/13/2025	10	11.6	11.9	11.3	10.5	11.1	11.1	11.3	11.2
4/13/2025	11	11.6	12.0	12.2	10.7	11.1	11.2	11.3	11.2
4/13/2025	12	11.7	12.1	13.3	11.1	11.2	11.3	11.4	11.4
4/13/2025	13	11.7	12.1	14.2	11.8	11.3	11.5	11.5	11.7
4/13/2025	14	11.8	12.2	14.8	12.7	11.5	11.8	11.6	12.0
4/13/2025	15	11.8	12.2	15.2	13.6	11.8	12.2	11.7	12.4
4/13/2025	16	11.8	12.2	15.2	14.2	12.1	12.5	11.9	12.3
4/13/2025	17	11.8	12.1	14.9	14.7	12.2	12.6	12.0	12.4
4/13/2025	18	11.8	12.1	14.3	15.0	12.4	12.8	12.1	12.3
4/13/2025	19	11.8	12.1	13.5	15.0	12.5	12.8	12.1	12.3
4/13/2025	20	11.8	12.0	12.8	14.7	12.6	12.8	12.2	12.4
4/13/2025	21	11.8	12.0	12.1	14.2	12.6	12.8	12.2	12.3
4/13/2025	22	11.7	11.9	11.6	13.7	12.5	12.6	12.2	12.3
4/13/2025	23	11.7	11.9	11.2	13.0	12.4	12.5	12.2	12.3
4/13/2025	24	11.7	11.8	11.0	12.4	12.3	12.3	12.3	12.3
4/14/2025	1	11.6	11.8	10.8	11.9	12.2	12.2	12.3	12.2
4/14/2025	2	11.6	11.8	10.6	11.4	12.1	12.0	12.2	12.2
4/14/2025	3	11.6	11.7	10.5	11.1	12.0	11.9	12.1	12.1
4/14/2025	4	11.6	11.7	10.4	10.9	11.9	11.8	12.0	12.1
4/14/2025	5	11.6	11.7	10.3	10.6	11.8	11.7	11.9	12.0
4/14/2025	6	11.6	11.7	10.2	10.5	11.6	11.5	11.8	11.8
4/14/2025	7	11.5	11.6	10.2	10.4	11.5	11.4	11.7	11.7
4/14/2025	8	11.5	11.7	10.3	10.3	11.4	11.3	11.6	11.6
4/14/2025	9	11.5	11.8	10.7	10.4	11.3	11.2	11.5	11.5
4/14/2025	10	11.5	11.8	11.4	10.7	11.3	11.3	11.6	11.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/14/2025	11	11.5	11.9	12.2	10.8	11.3	11.4	11.6	11.8
4/14/2025	12	11.5	11.9	13.2	11.3	11.4	11.6	11.7	11.8
4/14/2025	13	11.6	12.0	14.2	11.9	11.6	11.8	11.8	12.2
4/14/2025	14	11.6	12.1	14.9	12.8	11.8	12.1	11.9	12.5
4/14/2025	15	11.7	12.1	15.3	13.7	12.1	12.5	12.0	12.6
4/14/2025	16	11.7	12.1	15.4	14.3	12.4	12.8	12.2	12.9
4/14/2025	17	11.8	12.2	15.1	14.9	12.6	13.0	12.3	12.7
4/14/2025	18	11.9	12.3	14.5	15.3	12.8	13.2	12.6	12.8
4/14/2025	19	12.0	12.3	13.7	15.2	12.9	13.2	12.6	12.8
4/14/2025	20	12.1	12.3	12.9	14.9	12.9	13.2	12.6	12.7
4/14/2025	21	12.1	12.4	12.3	14.5	12.9	13.1	12.7	12.7
4/14/2025	22	12.1	12.3	11.8	14.0	12.9	13.0	12.7	12.7
4/14/2025	23	12.1	12.3	11.5	13.3	12.8	12.9	12.7	12.7
4/14/2025	24	12.1	12.2	11.3	12.6	12.8	12.8	12.7	12.7
4/15/2025	1	12.1	12.2	11.2	12.2	12.6	12.6	12.7	12.6
4/15/2025	2	12.1	12.2	11.1	11.8	12.5	12.5	12.7	12.6
4/15/2025	3	12.1	12.3	11.0	11.5	12.4	12.3	12.6	12.4
4/15/2025	4	12.1	12.3	10.9	11.2	12.3	12.2	12.5	12.4
4/15/2025	5	12.1	12.3	10.8	11.1	12.2	12.1	12.4	12.4
4/15/2025	6	12.1	12.3	10.7	10.9	12.1	11.9	12.3	12.1
4/15/2025	7	12.1	12.3	10.7	10.8	11.9	11.8	12.2	12.1
4/15/2025	8	12.1	12.4	10.9	10.8	11.8	11.7	12.1	12.0
4/15/2025	9	12.1	12.4	11.3	11.0	11.8	11.7	12.0	12.0
4/15/2025	10	12.1	12.5	12.1	11.2	11.7	11.8	11.9	11.9
4/15/2025	11	12.2	12.5	13.1	11.4	11.8	11.9	11.9	12.1
4/15/2025	12	12.2	12.6	14.0	11.8	11.9	12.1	12.1	12.5
4/15/2025	13	12.2	12.6	15.0	12.6	12.1	12.3	12.3	13.0
4/15/2025	14	12.2	12.7	15.7	13.6	12.4	12.7	12.5	13.2
4/15/2025	15	12.3	12.7	16.0	14.5	12.7	13.1	12.8	13.4
4/15/2025	16	12.3	12.8	16.1	15.2	13.0	13.4	12.9	14.0
4/15/2025	17	12.4	12.8	15.8	15.8	13.2	13.6	13.1	14.3
4/15/2025	18	12.5	12.9	15.2	16.1	13.4	13.8	13.1	13.4
4/15/2025	19	12.6	12.9	14.3	16.1	13.5	13.9	13.1	13.3
4/15/2025	20	12.6	12.9	13.6	15.7	13.5	13.8	13.1	13.3
4/15/2025	21	12.7	12.9	13.1	15.2	13.5	13.8	13.2	13.1
4/15/2025	22	12.6	12.9	12.6	14.7	13.4	13.7	13.2	12.0
4/15/2025	23	12.7	13.0	12.4	14.0	13.4	13.5	13.2	10.5
4/15/2025	24	12.8	13.1	12.2	13.5	13.3	13.4	13.2	10.3
4/16/2025	1	12.8	13.1	12.1	13.0	13.2	13.2	13.2	9.6
4/16/2025	2	12.9	13.2	12.0	12.7	13.1	13.1	13.2	9.6
4/16/2025	3	13.0	13.2	11.8	12.4	13.0	12.9	13.1	9.3
4/16/2025	4	13.0	13.2	11.7	12.2	12.9	12.8	13.0	11.8
4/16/2025	5	13.0	13.2	11.7	12.0	12.8	12.7	13.0	10.4
4/16/2025	6	12.9	13.1	11.6	11.8	12.6	12.5	12.9	12.4
4/16/2025	7	12.9	13.1	11.5	11.6	12.5	12.4	12.8	12.5
4/16/2025	8	12.9	13.2	11.6	11.6	12.4	12.4	12.7	12.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/16/2025	9	12.8	13.2	12.0	11.8	12.4	12.3	12.6	12.5
4/16/2025	10	12.8	13.2	12.5	11.9	12.3	12.3	12.5	12.4
4/16/2025	11	12.8	13.2	13.2	12.0	12.3	12.4	12.5	12.4
4/16/2025	12	12.8	13.2	14.2	12.3	12.4	12.5	12.5	12.5
4/16/2025	13	12.9	13.2	14.7	12.7	12.5	12.5	12.6	12.5
4/16/2025	14	12.9	13.3	15.2	13.5	12.7	12.9	12.6	12.7
4/16/2025	15	13.0	13.4	15.5	14.2	12.8	13.1	12.7	12.8
4/16/2025	16	13.0	13.4	15.5	14.5	13.0	13.3	12.8	13.0
4/16/2025	17	13.1	13.4	15.2	14.9	13.1	13.4	12.8	13.1
4/16/2025	18	13.1	13.4	14.6	15.0	13.2	13.5	12.9	13.2
4/16/2025	19	13.1	13.4	13.8	14.9	13.3	13.5	13.0	13.1
4/16/2025	20	13.1	13.4	13.1	14.5	13.3	13.4	13.0	13.1
4/16/2025	21	13.2	13.4	12.6	14.1	13.3	13.3	13.1	13.1
4/16/2025	22	13.2	13.4	12.1	13.6	13.2	13.2	13.1	13.0
4/16/2025	23	13.2	13.4	11.9	13.1	13.1	13.1	13.1	13.0
4/16/2025	24	13.2	13.4	11.8	12.6	13.0	12.9	13.0	12.9
4/17/2025	1	13.2	13.4	11.6	12.2	12.9	12.8	12.9	12.4
4/17/2025	2	13.2	13.3	11.5	11.9	12.7	12.6	12.8	12.1
4/17/2025	3	13.1	13.3	11.4	11.6	12.6	12.5	12.7	12.3
4/17/2025	4	13.1	13.2	11.3	11.4	12.5	12.4	12.6	12.4
4/17/2025	5	13.1	13.2	11.2	11.3	12.4	12.2	12.6	12.4
4/17/2025	6	13.0	13.1	11.2	11.2	12.2	12.1	12.5	12.4
4/17/2025	7	12.9	13.1	11.1	11.0	12.1	12.0	12.4	12.2
4/17/2025	8	12.9	13.2	11.3	11.1	12.0	11.9	12.4	12.1
4/17/2025	9	12.8	13.1	11.8	11.2	12.0	11.9	12.3	12.1
4/17/2025	10	12.5	12.7	12.5	11.5	12.0	12.0	12.3	12.1
4/17/2025	11	11.9	12.2	13.4	11.7	12.0	12.1	12.2	12.1
4/17/2025	12	11.5	11.8	14.5	12.1	12.1	12.3	12.2	12.5
4/17/2025	13	11.3	11.7	15.4	12.9	12.3	12.5	12.4	13.0
4/17/2025	14	11.2	11.5	15.9	13.9	12.6	12.9	12.7	14.1
4/17/2025	15	11.1	11.4	15.9	14.8	12.9	13.3	12.9	15.2
4/17/2025	16	10.9	11.2	15.7	15.4	13.1	13.6	13.0	14.7
4/17/2025	17	10.8	11.1	15.2	15.9	13.4	13.8	13.2	13.5
4/17/2025	18	10.8	11.0	14.4	16.0	13.5	13.9	13.3	13.7
4/17/2025	19	10.7	10.9	13.5	15.8	13.6	13.9	13.4	13.5
4/17/2025	20	10.6	10.8	12.6	15.3	13.6	13.9	13.5	13.4
4/17/2025	21	10.6	10.7	11.7	14.7	13.6	13.8	13.5	13.3
4/17/2025	22	10.6	10.7	11.1	14.0	13.5	13.6	13.4	13.4
4/17/2025	23	10.5	10.6	10.7	13.2	13.4	13.4	13.3	13.2
4/17/2025	24	10.5	10.6	10.3	12.4	13.3	13.2	13.3	13.0
4/18/2025	1	10.5	10.6	10.1	11.7	13.1	13.0	13.2	12.9
4/18/2025	2	10.5	10.5	9.9	11.2	12.9	12.8	13.1	12.9
4/18/2025	3	10.5	10.5	9.8	10.8	12.8	12.6	13.1	12.9
4/18/2025	4	10.4	10.5	9.7	10.5	12.6	12.4	13.0	12.9
4/18/2025	5	10.4	10.5	9.6	10.2	12.4	12.2	12.9	12.8
4/18/2025	6	10.4	10.5	9.6	10.1	12.2	12.0	12.8	12.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/18/2025	7	10.4	10.4	9.5	9.9	12.0	11.8	12.6	12.5
4/18/2025	8	10.4	10.5	9.7	10.0	11.9	11.7	12.5	12.3
4/18/2025	9	10.4	10.5	10.1	10.2	11.8	11.7	12.4	12.2
4/18/2025	10	10.4	10.6	10.8	10.3	11.8	11.8	12.3	12.2
4/18/2025	11	10.4	10.6	11.7	10.5	11.8	11.8	12.1	12.2
4/18/2025	12	10.4	10.7	12.8	11.0	11.9	12.0	12.1	12.5
4/18/2025	13	10.4	10.8	13.8	11.7	12.0	12.2	12.3	12.8
4/18/2025	14	10.5	10.9	14.5	12.6	12.2	12.5	12.4	13.6
4/18/2025	15	10.6	10.9	14.9	13.6	12.6	12.9	12.6	14.4
4/18/2025	16	10.6	11.0	15.0	14.2	12.8	13.2	12.8	13.7
4/18/2025	17	10.7	11.0	14.6	14.8	13.0	13.4	12.9	13.4
4/18/2025	18	10.8	11.0	14.0	15.1	13.2	13.5	13.0	13.4
4/18/2025	19	10.8	11.0	13.1	15.0	13.2	13.5	13.0	13.1
4/18/2025	20	10.8	10.9	12.3	14.6	13.2	13.4	13.0	13.1
4/18/2025	21	10.8	10.9	11.7	14.2	13.2	13.4	13.0	13.0
4/18/2025	22	10.8	11.0	11.2	13.6	13.2	13.3	13.0	13.0
4/18/2025	23	10.8	11.0	11.0	13.0	13.1	13.1	13.1	13.0
4/18/2025	24	10.9	11.2	10.9	12.4	13.0	13.0	13.1	13.0
4/19/2025	1	11.2	11.4	10.8	12.0	12.9	12.8	13.0	13.0
4/19/2025	2	11.3	11.6	10.8	11.6	12.8	12.7	13.0	12.8
4/19/2025	3	11.4	11.6	10.9	11.4	12.8	12.6	12.9	12.9
4/19/2025	4	11.4	11.6	11.0	11.3	12.6	12.5	12.8	12.8
4/19/2025	5	11.4	11.6	11.1	11.2	12.6	12.4	12.7	12.8
4/19/2025	6	11.4	11.6	11.2	11.2	12.4	12.3	12.7	12.7
4/19/2025	7	11.4	11.6	11.2	11.2	12.3	12.3	12.6	12.6
4/19/2025	8	11.3	11.6	11.3	11.3	12.3	12.2	12.5	12.6
4/19/2025	9	11.3	11.6	11.6	11.6	12.3	12.3	12.5	12.5
4/19/2025	10	11.4	11.7	12.1	11.8	12.3	12.4	12.6	12.4
4/19/2025	11	11.5	11.9	12.9	12.1	12.4	12.6	12.7	12.2
4/19/2025	12	11.6	12.0	13.9	12.4	12.5	12.7	12.8	11.7
4/19/2025	13	11.7	12.1	14.7	13.0	12.7	12.9	12.8	12.6
4/19/2025	14	11.8	12.2	15.4	13.8	12.9	13.2	12.9	13.0
4/19/2025	15	11.9	12.3	15.8	14.6	13.2	13.5	12.9	13.5
4/19/2025	16	12.0	12.4	15.7	15.1	13.4	13.7	13.0	13.6
4/19/2025	17	12.1	12.4	15.4	15.5	13.6	13.9	13.1	13.6
4/19/2025	18	12.1	12.4	14.6	15.6	13.6	13.9	13.2	13.6
4/19/2025	19	12.3	12.7	13.9	15.5	13.6	13.9	13.3	13.6
4/19/2025	20	12.5	12.8	13.1	15.2	13.7	13.8	13.4	13.5
4/19/2025	21	12.6	12.8	12.4	14.6	13.5	13.6	13.5	13.4
4/19/2025	22	12.5	12.8	11.8	14.0	13.5	13.5	13.4	13.4
4/19/2025	23	12.5	12.8	11.6	13.3	13.4	13.4	13.4	13.3
4/19/2025	24	12.5	12.7	11.5	12.7	13.3	13.2	13.3	13.3
4/20/2025	1	12.4	12.6	11.5	12.2	13.2	13.1	13.3	13.3
4/20/2025	2	12.4	12.6	11.6	11.9	13.1	13.0	13.2	13.2
4/20/2025	3	12.3	12.6	11.6	11.7	13.0	12.9	13.2	13.1
4/20/2025	4	12.3	12.5	11.5	11.6	12.9	12.8	13.1	13.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/20/2025	5	12.3	12.5	11.3	11.5	12.8	12.6	13.0	12.9
4/20/2025	6	12.3	12.5	11.2	11.5	12.6	12.5	13.0	12.8
4/20/2025	7	12.3	12.5	11.2	11.4	12.5	12.4	12.9	12.6
4/20/2025	8	12.3	12.5	11.3	11.4	12.4	12.4	12.8	12.6
4/20/2025	9	12.3	12.6	11.6	11.4	12.4	12.3	12.7	12.6
4/20/2025	10	12.3	12.6	11.9	11.4	12.3	12.3	12.7	12.7
4/20/2025	11	12.3	12.6	12.1	11.5	12.3	12.2	12.6	12.6
4/20/2025	12	12.3	12.7	12.4	11.8	12.3	12.3	12.5	12.6
4/20/2025	13	12.3	12.7	12.8	12.2	12.4	12.4	12.5	12.6
4/20/2025	14	12.4	12.8	13.6	12.5	12.5	12.6	12.5	12.8
4/20/2025	15	12.5	12.8	14.3	12.9	12.6	12.8	12.6	12.9
4/20/2025	16	12.5	12.9	14.8	13.2	12.7	12.9	12.6	12.9
4/20/2025	17	12.6	12.9	14.8	13.7	12.8	13.0	12.6	12.9
4/20/2025	18	12.7	13.0	14.4	14.1	12.9	13.1	12.7	12.9
4/20/2025	19	12.7	13.0	13.7	14.2	12.9	13.0	12.7	12.8
4/20/2025	20	12.8	13.0	13.0	14.2	12.9	13.0	12.8	12.8
4/20/2025	21	12.7	12.9	12.3	14.0	12.9	13.0	12.8	12.7
4/20/2025	22	12.7	12.9	11.9	13.5	12.8	12.9	12.7	12.6
4/20/2025	23	12.7	12.9	11.6	13.0	12.7	12.8	12.7	12.6
4/20/2025	24	12.7	12.8	11.5	12.5	12.7	12.6	12.6	12.6
4/21/2025	1	12.6	12.8	11.5	12.1	12.6	12.5	12.6	12.4
4/21/2025	2	12.6	12.8	11.4	11.8	12.5	12.4	12.6	12.4
4/21/2025	3	12.5	12.7	11.3	11.5	12.3	12.2	12.5	12.1
4/21/2025	4	12.5	12.6	11.2	11.4	12.2	12.1	12.5	11.6
4/21/2025	5	12.5	12.6	11.1	11.2	12.1	12.0	12.4	11.8
4/21/2025	6	12.4	12.5	11.0	11.1	12.0	11.9	12.3	11.7
4/21/2025	7	12.4	12.5	10.9	11.0	12.0	11.8	12.2	11.9
4/21/2025	8	12.3	12.6	11.1	11.1	11.9	11.8	12.1	11.6
4/21/2025	9	12.3	12.6	11.6	11.2	11.8	11.8	12.0	9.3
4/21/2025	10	12.3	12.6	12.3	11.3	11.8	11.9	12.0	9.3
4/21/2025	11	12.3	12.7	13.1	11.6	11.9	12.0	12.0	11.7
4/21/2025	12	12.3	12.7	14.1	12.1	12.0	12.2	12.0	12.3
4/21/2025	13	12.4	12.8	14.9	12.6	12.1	12.2	12.1	12.3
4/21/2025	14	12.5	12.8	15.0	13.2	12.3	12.5	12.3	12.4
4/21/2025	15	12.6	13.0	15.4	14.1	12.5	12.8	12.4	12.6
4/21/2025	16	12.7	13.1	15.8	14.6	12.7	13.1	12.4	12.7
4/21/2025	17	12.7	13.1	15.5	15.0	12.8	13.2	12.5	12.8
4/21/2025	18	12.8	13.1	14.9	15.3	13.0	13.3	12.5	12.9
4/21/2025	19	12.9	13.2	14.1	15.3	13.0	13.3	12.6	12.8
4/21/2025	20	13.0	13.2	13.3	15.0	13.0	13.2	12.6	12.8
4/21/2025	21	13.0	13.2	12.7	14.6	13.0	13.1	12.7	12.8
4/21/2025	22	13.0	13.2	12.1	14.1	12.9	13.0	12.7	12.8
4/21/2025	23	12.9	13.1	11.8	13.4	12.9	12.9	12.8	12.7
4/21/2025	24	12.9	13.1	11.6	12.8	12.8	12.8	12.7	12.8
4/22/2025	1	12.9	13.0	11.5	12.3	12.7	12.7	12.7	12.8
4/22/2025	2	12.8	13.0	11.5	11.9	12.6	12.5	12.6	12.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/22/2025	3	12.8	12.9	11.4	11.7	12.5	12.4	12.5	12.6
4/22/2025	4	12.8	12.9	11.3	11.5	12.4	12.3	12.5	12.6
4/22/2025	5	12.7	12.8	11.2	11.3	12.3	12.2	12.4	12.5
4/22/2025	6	12.7	12.8	11.2	11.2	12.2	12.1	12.4	12.4
4/22/2025	7	12.7	12.8	11.2	11.2	12.1	12.0	12.3	12.3
4/22/2025	8	12.6	12.8	11.4	11.2	12.0	12.0	12.2	12.2
4/22/2025	9	12.6	12.9	11.8	11.3	12.0	12.0	12.1	12.1
4/22/2025	10	12.6	12.9	12.5	11.6	12.0	12.1	12.1	12.1
4/22/2025	11	12.6	12.9	13.4	11.9	12.1	12.2	12.2	12.2
4/22/2025	12	12.5	12.9	14.3	12.3	12.2	12.4	12.3	12.4
4/22/2025	13	12.6	12.9	15.2	13.0	12.4	12.6	12.5	12.6
4/22/2025	14	12.6	13.0	15.8	13.9	12.6	12.9	12.6	12.9
4/22/2025	15	12.6	13.0	16.1	14.7	12.8	13.2	12.8	13.2
4/22/2025	16	12.6	13.0	16.0	15.2	13.1	13.4	12.9	13.4
4/22/2025	17	12.7	13.0	15.6	15.6	13.3	13.7	13.1	13.5
4/22/2025	18	12.7	13.0	15.0	15.9	13.4	13.8	13.2	13.6
4/22/2025	19	12.7	13.0	14.3	15.8	13.4	13.8	13.3	13.4
4/22/2025	20	12.7	13.0	13.5	15.4	13.5	13.7	13.3	13.4
4/22/2025	21	12.8	13.0	12.8	14.9	13.4	13.6	13.2	13.4
4/22/2025	22	12.8	13.0	12.3	14.4	13.4	13.5	13.2	13.3
4/22/2025	23	12.8	13.0	11.9	13.7	13.4	13.4	13.2	13.2
4/22/2025	24	12.8	12.9	11.7	13.1	13.2	13.2	13.1	13.2
4/23/2025	1	12.8	12.9	11.5	12.5	13.1	13.0	13.1	13.1
4/23/2025	2	12.7	12.9	11.4	12.1	13.0	12.9	13.1	13.0
4/23/2025	3	12.7	12.9	11.3	11.8	12.8	12.7	13.0	13.0
4/23/2025	4	12.7	12.8	11.2	11.5	12.7	12.6	12.9	12.9
4/23/2025	5	12.7	12.8	11.1	11.3	12.6	12.5	12.8	12.8
4/23/2025	6	12.6	12.8	11.0	11.2	12.5	12.3	12.7	12.7
4/23/2025	7	12.6	12.8	11.0	11.1	12.4	12.2	12.6	12.6
4/23/2025	8	12.6	12.8	11.2	11.1	12.3	12.1	12.5	12.5
4/23/2025	9	12.6	12.8	11.7	11.3	12.2	12.1	12.5	12.3
4/23/2025	10	12.6	12.9	12.4	11.4	12.2	12.2	12.4	12.4
4/23/2025	11	12.6	12.9	13.3	11.8	12.3	12.4	12.4	12.6
4/23/2025	12	12.6	13.0	14.4	12.2	12.4	12.6	12.5	13.0
4/23/2025	13	12.7	13.1	15.3	13.0	12.6	12.8	12.6	13.4
4/23/2025	14	12.7	13.1	16.1	14.0	12.8	13.1	12.7	13.6
4/23/2025	15	12.8	13.2	16.4	14.9	13.1	13.5	12.9	14.0
4/23/2025	16	12.8	13.2	16.4	15.5	13.4	13.8	13.2	14.3
4/23/2025	17	12.8	13.2	16.1	16.0	13.6	14.1	13.5	14.3
4/23/2025	18	12.8	13.1	15.5	16.3	13.8	14.2	13.7	13.8
4/23/2025	19	12.8	13.1	14.7	16.2	13.8	14.2	13.7	13.8
4/23/2025	20	12.8	13.0	13.9	15.9	13.9	14.2	13.7	13.7
4/23/2025	21	12.7	12.9	13.2	15.4	13.9	14.1	13.7	13.7
4/23/2025	22	12.7	12.9	12.7	14.8	13.9	14.0	13.7	13.7
4/23/2025	23	12.7	12.9	12.2	14.2	13.8	13.9	13.6	13.6
4/23/2025	24	12.7	12.9	12.0	13.5	13.7	13.7	13.6	13.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/24/2025	1	12.7	12.8	11.8	13.0	13.6	13.5	13.6	13.6
4/24/2025	2	12.6	12.8	11.6	12.5	13.4	13.4	13.6	13.5
4/24/2025	3	12.6	12.7	11.5	12.2	13.3	13.2	13.5	13.4
4/24/2025	4	12.5	12.7	11.4	11.9	13.2	13.1	13.4	13.4
4/24/2025	5	12.5	12.6	11.2	11.6	13.0	12.9	13.3	13.3
4/24/2025	6	12.5	12.6	11.2	11.5	12.9	12.8	13.2	13.2
4/24/2025	7	12.5	12.6	11.1	11.3	12.8	12.7	13.1	13.1
4/24/2025	8	12.4	12.6	11.3	11.4	12.7	12.6	13.0	12.9
4/24/2025	9	12.4	12.7	11.8	11.6	12.6	12.6	13.0	12.8
4/24/2025	10	12.4	12.7	12.5	11.7	12.6	12.6	12.9	12.9
4/24/2025	11	12.4	12.8	13.5	12.1	12.7	12.8	12.9	13.1
4/24/2025	12	12.5	12.8	14.6	12.5	12.8	13.0	13.0	13.6
4/24/2025	13	12.5	12.9	15.6	13.3	13.0	13.3	13.1	13.7
4/24/2025	14	12.6	13.0	16.3	14.2	13.3	13.5	13.3	13.8
4/24/2025	15	12.7	13.1	16.6	15.2	13.5	13.9	13.4	14.2
4/24/2025	16	12.8	13.2	16.6	15.7	13.8	14.2	13.6	14.3
4/24/2025	17	12.9	13.3	16.3	16.3	14.0	14.4	13.8	14.1
4/24/2025	18	13.0	13.4	15.7	16.6	14.2	14.6	13.9	14.2
4/24/2025	19	13.1	13.4	14.9	16.6	14.2	14.6	14.0	14.0
4/24/2025	20	13.1	13.4	14.1	16.2	14.3	14.6	14.0	13.9
4/24/2025	21	13.1	13.4	13.5	15.7	14.3	14.5	14.0	14.1
4/24/2025	22	13.1	13.3	13.0	15.2	14.2	14.4	14.0	14.1
4/24/2025	23	13.1	13.3	12.7	14.5	14.2	14.2	14.0	14.1
4/24/2025	24	13.1	13.3	12.4	13.9	14.1	14.1	14.0	14.1
4/25/2025	1	13.1	13.3	12.2	13.4	14.0	13.9	14.0	14.0
4/25/2025	2	13.2	13.4	12.1	12.9	13.8	13.7	14.0	13.9
4/25/2025	3	13.2	13.4	11.9	12.6	13.7	13.6	13.9	13.8
4/25/2025	4	13.2	13.4	11.8	12.3	13.6	13.4	13.8	13.7
4/25/2025	5	13.3	13.5	11.7	12.1	13.4	13.3	13.8	13.4
4/25/2025	6	13.3	13.5	11.7	12.0	13.3	13.2	13.7	13.5
4/25/2025	7	13.4	13.6	11.7	11.8	13.2	13.1	13.6	13.4
4/25/2025	8	13.4	13.7	12.0	11.9	13.1	13.0	13.5	13.3
4/25/2025	9	13.4	13.8	12.6	12.1	13.1	13.0	13.4	13.2
4/25/2025	10	13.4	13.8	13.3	12.3	13.1	13.1	13.4	13.3
4/25/2025	11	13.4	13.9	14.3	12.5	13.0	13.1	13.4	13.6
4/25/2025	12	13.5	13.9	15.5	13.1	13.3	13.4	13.5	13.8
4/25/2025	13	13.5	14.0	16.4	14.0	13.5	13.7	13.6	13.7
4/25/2025	14	13.5	14.0	17.0	14.9	13.7	14.0	13.8	14.3
4/25/2025	15	13.6	14.1	17.3	15.9	14.0	14.4	13.9	14.7
4/25/2025	16	13.7	14.1	17.2	16.5	14.2	14.7	14.0	14.5
4/25/2025	17	14.0	14.6	17.0	17.0	14.7	15.2	14.4	14.6
4/25/2025	18	14.1	14.5	16.4	17.3	14.7	15.2	14.6	14.5
4/25/2025	19	14.3	14.7	15.8	17.2	14.8	15.2	14.6	14.7
4/25/2025	20	14.3	14.6	15.1	17.0	14.9	15.2	14.5	14.6
4/25/2025	21	14.3	14.6	14.5	16.5	14.8	15.1	14.5	14.6
4/25/2025	22	14.2	14.5	14.1	16.0	14.7	14.9	14.4	14.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/25/2025	23	14.2	14.5	13.9	15.4	14.6	14.7	14.4	14.5
4/25/2025	24	14.1	14.4	13.6	14.8	14.4	14.5	14.4	14.4
4/26/2025	1	14.0	14.2	13.4	14.3	14.3	14.3	14.3	14.3
4/26/2025	2	13.9	14.1	13.3	14.0	14.1	14.1	14.2	14.1
4/26/2025	3	13.8	14.0	13.1	13.7	14.0	13.9	14.1	14.0
4/26/2025	4	13.7	13.9	13.0	13.5	13.9	13.8	14.0	13.9
4/26/2025	5	13.5	13.7	12.8	13.3	13.7	13.7	13.8	13.8
4/26/2025	6	13.4	13.6	12.7	13.1	13.6	13.5	13.7	13.7
4/26/2025	7	13.3	13.5	12.5	13.0	13.5	13.4	13.6	13.6
4/26/2025	8	13.2	13.5	12.7	13.0	13.4	13.4	13.5	13.5
4/26/2025	9	13.1	13.4	13.2	13.1	13.4	13.4	13.4	13.4
4/26/2025	10	13.1	13.4	13.9	13.2	13.3	13.4	13.4	13.3
4/26/2025	11	13.0	13.3	14.8	13.4	13.2	13.4	13.4	13.2
4/26/2025	12	12.9	13.4	15.8	14.0	13.3	13.5	13.3	13.2
4/26/2025	13	13.0	13.4	16.7	14.8	13.4	13.7	13.3	13.3
4/26/2025	14	13.1	13.6	17.2	15.7	13.6	14.0	13.3	13.4
4/26/2025	15	13.3	13.7	17.1	16.5	13.7	14.2	13.4	13.4
4/26/2025	16	13.3	13.8	17.0	17.1	13.8	14.5	13.5	13.6
4/26/2025	17	13.5	13.9	16.7	17.4	14.0	14.6	13.7	13.7
4/26/2025	18	13.6	14.1	16.2	17.5	14.1	14.7	13.8	14.0
4/26/2025	19	13.9	14.2	15.6	17.2	14.2	14.7	14.0	14.0
4/26/2025	20	13.9	14.3	14.8	16.8	14.3	14.6	14.1	14.1
4/26/2025	21	14.2	14.6	14.2	16.4	14.5	14.7	14.3	14.4
4/26/2025	22	14.4	14.7	13.8	15.8	14.6	14.8	14.4	14.5
4/26/2025	23	14.4	14.7	13.5	15.2	14.6	14.7	14.5	14.6
4/26/2025	24	14.4	14.7	13.4	14.6	14.6	14.6	14.5	14.7
4/27/2025	1	14.4	14.7	13.4	14.2	14.6	14.6	14.4	14.7
4/27/2025	2	14.4	14.6	13.4	13.9	14.5	14.4	14.4	14.6
4/27/2025	3	14.3	14.6	13.4	13.6	14.4	14.4	14.4	14.6
4/27/2025	4	14.2	14.5	13.3	13.5	14.3	14.3	14.4	14.5
4/27/2025	5	14.1	14.4	13.3	13.5	14.2	14.2	14.4	14.4
4/27/2025	6	14.0	14.2	13.2	13.4	14.1	14.1	14.4	14.3
4/27/2025	7	13.9	14.2	13.2	13.3	14.1	14.0	14.3	14.2
4/27/2025	8	13.8	14.1	13.3	13.4	14.0	14.0	14.3	14.1
4/27/2025	9	13.8	14.2	13.7	13.6	14.0	14.0	14.3	14.1
4/27/2025	10	13.8	14.2	14.3	13.7	14.0	14.1	14.3	14.0
4/27/2025	11	13.8	14.2	15.1	14.0	14.0	14.2	14.2	14.0
4/27/2025	12	13.7	14.2	16.1	14.4	14.1	14.3	14.2	14.1
4/27/2025	13	13.8	14.3	17.0	15.2	14.3	14.5	14.2	14.2
4/27/2025	14	13.9	14.4	17.7	16.1	14.5	14.9	14.2	14.4
4/27/2025	15	14.1	14.6	18.0	16.8	14.7	15.1	14.3	14.5
4/27/2025	16	14.2	14.8	18.2	17.5	14.9	15.4	14.4	14.7
4/27/2025	17	14.4	14.8	17.7	17.9	15.0	15.6	14.5	14.8
4/27/2025	18	14.5	14.9	17.1	18.2	15.1	15.6	14.6	14.9
4/27/2025	19	14.6	14.9	16.3	18.1	15.2	15.6	14.7	15.0
4/27/2025	20	14.6	14.9	15.4	17.7	15.2	15.6	14.8	15.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/27/2025	21	14.5	14.8	14.7	17.2	15.1	15.4	14.9	14.9
4/27/2025	22	14.5	14.8	14.2	16.4	15.0	15.2	14.8	14.8
4/27/2025	23	14.5	14.7	13.8	15.7	14.9	15.0	14.8	14.8
4/27/2025	24	14.4	14.7	13.6	15.0	14.8	14.8	14.7	14.7
4/28/2025	1	14.3	14.6	13.4	14.5	14.6	14.6	14.6	14.6
4/28/2025	2	14.2	14.5	13.3	14.1	14.4	14.4	14.5	14.5
4/28/2025	3	14.2	14.4	13.2	13.8	14.3	14.3	14.5	14.5
4/28/2025	4	14.1	14.3	13.1	13.6	14.2	14.2	14.4	14.4
4/28/2025	5	14.0	14.3	12.9	13.4	14.1	14.1	14.3	14.3
4/28/2025	6	14.0	14.2	12.8	13.2	14.1	14.0	14.3	14.2
4/28/2025	7	13.9	14.1	12.7	13.1	14.0	13.9	14.3	14.1
4/28/2025	8	13.8	14.1	12.9	13.0	13.9	13.8	14.3	14.1
4/28/2025	9	13.8	14.1	13.4	13.2	13.9	13.9	14.2	14.1
4/28/2025	10	13.8	14.2	14.1	13.3	13.9	14.0	14.2	14.1
4/28/2025	11	13.8	14.2	14.9	13.6	14.0	14.1	14.2	14.1
4/28/2025	12	13.9	14.3	16.0	14.1	14.1	14.3	14.2	14.2
4/28/2025	13	14.0	14.4	16.8	14.9	14.4	14.6	14.2	14.4
4/28/2025	14	14.1	14.5	16.8	15.5	14.5	14.7	14.4	14.5
4/28/2025	15	14.2	14.7	17.2	16.5	14.7	15.1	14.5	14.6
4/28/2025	16	14.3	14.8	17.1	16.9	14.9	15.3	14.6	14.8
4/28/2025	17	14.5	14.9	16.6	17.1	15.1	15.4	14.7	14.9
4/28/2025	18	14.6	14.9	16.1	17.1	15.2	15.5	14.8	15.0
4/28/2025	19	14.7	15.0	15.5	16.9	15.2	15.5	14.9	15.1
4/28/2025	20	14.7	15.0	14.9	16.6	15.2	15.4	15.1	15.1
4/28/2025	21	14.7	15.0	14.4	16.1	15.2	15.3	15.1	15.1
4/28/2025	22	14.7	15.0	14.2	15.6	15.1	15.2	15.0	15.1
4/28/2025	23	14.6	14.9	14.0	15.2	15.0	15.0	14.9	15.0
4/28/2025	24	14.6	14.8	14.0	14.7	14.9	14.9	14.8	14.9
4/29/2025	1	14.5	14.8	13.9	14.4	14.7	14.7	14.8	14.8
4/29/2025	2	14.4	14.7	13.8	14.2	14.6	14.6	14.7	14.7
4/29/2025	3	14.4	14.6	13.7	14.1	14.5	14.5	14.6	14.6
4/29/2025	4	14.3	14.6	13.7	13.9	14.5	14.4	14.5	14.6
4/29/2025	5	14.2	14.5	13.6	13.8	14.4	14.3	14.5	14.5
4/29/2025	6	14.2	14.4	13.6	13.7	14.3	14.3	14.5	14.5
4/29/2025	7	14.1	14.4	13.6	13.7	14.3	14.2	14.4	14.4
4/29/2025	8	14.1	14.3	13.8	13.8	14.2	14.2	14.4	14.3
4/29/2025	9	14.0	14.3	14.1	14.0	14.2	14.2	14.4	14.3
4/29/2025	10	14.0	14.4	14.7	14.1	14.2	14.3	14.4	14.3
4/29/2025	11	14.0	14.4	15.5	14.3	14.3	14.5	14.4	14.3
4/29/2025	12	14.1	14.5	16.5	14.8	14.4	14.6	14.4	14.4
4/29/2025	13	14.2	14.6	17.2	15.5	14.6	14.9	14.4	14.6
4/29/2025	14	14.3	14.8	17.7	16.3	14.8	15.2	14.5	14.7
4/29/2025	15	14.5	14.9	17.8	17.0	15.1	15.4	14.6	14.9
4/29/2025	16	14.6	15.0	17.7	17.4	15.2	15.6	14.7	15.0
4/29/2025	17	14.6	15.0	17.4	17.7	15.2	15.6	14.8	15.0
4/29/2025	18	14.7	15.0	16.8	17.7	15.2	15.6	14.8	15.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/29/2025	19	14.7	15.0	16.0	17.4	15.2	15.5	14.9	15.0
4/29/2025	20	14.6	14.9	15.1	17.0	15.1	15.3	14.9	14.9
4/29/2025	21	14.5	14.8	14.4	16.6	15.0	15.2	14.8	14.8
4/29/2025	22	14.5	14.7	14.0	15.9	14.9	15.0	14.7	14.7
4/29/2025	23	14.4	14.6	13.7	15.2	14.7	14.8	14.6	14.6
4/29/2025	24	14.3	14.5	13.5	14.6	14.6	14.6	14.6	14.6
4/30/2025	1	14.2	14.4	13.3	14.2	14.4	14.4	14.5	14.5
4/30/2025	2	14.2	14.3	13.1	13.8	14.3	14.2	14.4	14.4
4/30/2025	3	14.1	14.3	13.0	13.6	14.2	14.1	14.3	14.3
4/30/2025	4	14.0	14.2	12.8	13.3	14.1	14.0	14.2	14.2
4/30/2025	5	13.9	14.1	12.7	13.1	13.9	13.8	14.1	14.1
4/30/2025	6	13.8	14.0	12.6	12.9	13.8	13.7	14.1	13.9
4/30/2025	7	13.7	13.9	12.5	12.8	13.7	13.6	14.0	13.8
4/30/2025	8	13.6	13.8	12.8	12.8	13.6	13.5	13.9	13.7
4/30/2025	9	13.6	13.8	13.2	12.9	13.6	13.6	13.9	13.7
4/30/2025	10	13.6	13.9	13.8	13.0	13.6	13.7	13.8	13.8
4/30/2025	11	13.6	14.0	14.7	13.4	13.8	13.9	13.8	14.0
4/30/2025	12	13.7	14.1	15.8	13.9	14.0	14.1	14.0	14.1
4/30/2025	13	13.9	14.3	16.7	14.7	14.2	14.5	14.1	14.3
4/30/2025	14	14.1	14.5	17.4	15.7	14.5	14.8	14.3	14.5
4/30/2025	15	14.2	14.7	17.7	16.6	14.7	15.2	14.4	14.7
4/30/2025	16	14.4	14.8	17.8	17.1	15.0	15.4	14.5	14.8
4/30/2025	17	14.5	14.9	17.5	17.6	15.2	15.6	14.6	15.0
4/30/2025	18	14.6	15.0	17.0	17.9	15.2	15.7	14.8	15.1
4/30/2025	19	14.7	15.0	16.3	17.8	15.3	15.7	14.9	15.1
4/30/2025	20	14.7	15.0	15.6	17.5	15.3	15.6	15.0	15.1
4/30/2025	21	14.7	15.0	15.0	17.0	15.2	15.4	15.0	15.0
4/30/2025	22	14.7	14.9	14.5	16.4	15.1	15.3	14.9	15.0
4/30/2025	23	14.7	14.9	14.2	15.8	15.1	15.2	14.9	15.0
4/30/2025	24	14.6	14.8	14.0	15.2	14.9	15.0	14.8	14.9
5/1/2025	1	14.5	14.7	13.8	14.8	14.8	14.8	14.8	14.8
5/1/2025	2	14.5	14.6	13.7	14.4	14.7	14.7	14.7	14.8
5/1/2025	3	14.4	14.6	13.5	14.1	14.6	14.6	14.7	14.7
5/1/2025	4	14.4	14.6	13.4	13.9	14.5	14.5	14.6	14.7
5/1/2025	5	14.3	14.5	13.3	13.7	14.4	14.4	14.6	14.6
5/1/2025	6	14.3	14.4	13.1	13.5	14.3	14.3	14.5	14.5
5/1/2025	7	14.2	14.4	13.1	13.4	14.3	14.2	14.5	14.5
5/1/2025	8	14.2	14.4	13.4	13.5	14.2	14.2	14.4	14.4
5/1/2025	9	14.2	14.5	13.8	13.6	14.2	14.3	14.4	14.4
5/1/2025	10	14.2	14.5	14.5	13.8	14.3	14.4	14.4	14.4
5/1/2025	11	14.2	14.5	15.5	14.1	14.4	14.5	14.4	14.5
5/1/2025	12	14.2	14.6	16.5	14.6	14.5	14.7	14.5	14.5
5/1/2025	13	14.3	14.8	17.5	15.5	14.7	15.0	14.6	14.6
5/1/2025	14	14.4	14.9	18.2	16.5	14.9	15.3	14.7	14.8
5/1/2025	15	14.6	15.0	18.4	17.4	15.2	15.6	14.8	15.0
5/1/2025	16	14.7	15.1	18.4	17.9	15.3	15.8	14.9	15.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/1/2025	17	14.8	15.2	18.1	18.3	15.4	15.9	15.0	15.2
5/1/2025	18	14.8	15.2	17.5	18.5	15.4	15.9	15.1	15.2
5/1/2025	19	14.9	15.2	16.7	18.4	15.4	15.8	15.0	15.1
5/1/2025	20	14.8	15.1	16.0	18.0	15.3	15.7	15.0	15.0
5/1/2025	21	14.7	14.9	15.3	17.5	15.2	15.5	14.9	14.9
5/1/2025	22	14.6	14.8	14.9	16.9	15.1	15.3	14.8	14.8
5/1/2025	23	14.5	14.7	14.5	16.3	14.9	15.1	14.7	14.7
5/1/2025	24	14.4	14.6	14.2	15.7	14.8	14.9	14.7	14.7
5/2/2025	1	14.4	14.6	14.0	15.2	14.7	14.8	14.6	14.6
5/2/2025	2	14.3	14.5	13.8	14.8	14.6	14.6	14.5	14.5
5/2/2025	3	14.2	14.4	13.6	14.4	14.4	14.4	14.5	14.4
5/2/2025	4	14.2	14.3	13.4	14.2	14.3	14.3	14.4	14.3
5/2/2025	5	14.1	14.2	13.3	13.9	14.2	14.2	14.3	14.2
5/2/2025	6	14.0	14.1	13.2	13.7	14.1	14.1	14.2	14.2
5/2/2025	7	14.0	14.1	13.1	13.6	14.1	14.0	14.2	14.2
5/2/2025	8	13.9	14.1	13.4	13.6	14.0	14.0	14.1	14.1
5/2/2025	9	13.9	14.2	13.9	13.7	14.0	14.1	14.0	14.1
5/2/2025	10	13.9	14.2	14.6	13.9	14.1	14.1	14.0	14.1
5/2/2025	11	13.9	14.3	15.5	14.2	14.1	14.3	14.2	14.1
5/2/2025	12	14.0	14.4	16.5	14.8	14.3	14.5	14.3	14.3
5/2/2025	13	14.1	14.6	17.4	15.6	14.5	14.8	14.5	14.5
5/2/2025	14	14.3	14.8	18.0	16.5	14.8	15.2	14.7	14.7
5/2/2025	15	14.6	15.1	18.3	17.4	15.1	15.5	14.8	14.9
5/2/2025	16	14.7	15.2	18.4	18.0	15.3	15.8	15.0	15.1
5/2/2025	17	14.9	15.4	18.2	18.5	15.5	16.0	15.1	15.3
5/2/2025	18	15.1	15.6	17.7	18.7	15.7	16.2	15.2	15.4
5/2/2025	19	15.2	15.6	17.1	18.6	15.7	16.2	15.2	15.5
5/2/2025	20	15.3	15.6	16.4	18.2	15.7	16.1	15.2	15.5
5/2/2025	21	15.2	15.5	15.8	17.8	15.7	16.0	15.2	15.4
5/2/2025	22	15.2	15.4	15.4	17.3	15.6	15.8	15.2	15.3
5/2/2025	23	15.1	15.4	15.1	16.8	15.4	15.6	15.2	15.2
5/2/2025	24	15.1	15.3	14.9	16.2	15.4	15.5	15.2	15.2
5/3/2025	1	15.0	15.3	14.8	15.7	15.3	15.4	15.1	15.3
5/3/2025	2	15.0	15.3	14.7	15.4	15.3	15.3	15.1	15.3
5/3/2025	3	15.0	15.3	14.6	15.2	15.3	15.3	15.0	15.3
5/3/2025	4	15.0	15.2	14.6	15.1	15.2	15.2	15.0	15.2
5/3/2025	5	14.9	15.1	14.5	14.9	15.1	15.1	15.0	15.2
5/3/2025	6	14.8	15.0	14.4	14.8	15.0	15.0	14.9	15.0
5/3/2025	7	14.7	14.9	14.4	14.7	14.9	14.9	14.9	15.0
5/3/2025	8	14.7	14.9	14.5	14.7	14.9	14.9	14.9	14.9
5/3/2025	9	14.6	14.9	14.7	14.7	14.8	14.9	15.0	14.9
5/3/2025	10	14.6	14.9	14.9	14.8	14.8	14.9	15.0	14.9
5/3/2025	11	14.6	14.9	15.4	15.0	14.9	15.0	15.0	14.9
5/3/2025	12	14.6	15.0	15.8	15.2	14.9	15.0	15.0	14.9
5/3/2025	13	14.7	15.0	16.0	15.4	15.0	15.1	15.0	15.1
5/3/2025	14	14.7	15.2	16.4	15.8	15.2	15.3	15.0	15.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/3/2025	15	14.8	15.2	16.6	16.1	15.3	15.4	15.1	15.2
5/3/2025	16	14.9	15.3	16.5	16.2	15.4	15.5	15.0	15.2
5/3/2025	17	15.0	15.3	16.4	16.3	15.4	15.6	15.0	15.3
5/3/2025	18	15.0	15.3	16.1	16.4	15.4	15.5	15.0	15.3
5/3/2025	19	15.0	15.2	15.6	16.2	15.3	15.4	15.0	15.2
5/3/2025	20	14.9	15.1	14.9	15.9	15.2	15.3	14.9	15.1
5/3/2025	21	14.8	15.0	14.3	15.7	15.1	15.2	14.9	15.1
5/3/2025	22	14.7	14.9	13.7	15.4	15.0	15.1	14.9	15.0
5/3/2025	23	14.7	14.8	13.3	14.8	14.9	14.9	14.8	14.9
5/3/2025	24	14.6	14.7	13.1	14.3	14.7	14.7	14.8	14.8
5/4/2025	1	14.5	14.6	12.9	13.8	14.6	14.5	14.7	14.8
5/4/2025	2	14.4	14.6	12.8	13.4	14.5	14.4	14.6	14.7
5/4/2025	3	14.4	14.5	12.8	13.1	14.3	14.2	14.5	14.6
5/4/2025	4	14.3	14.4	12.7	12.9	14.2	14.1	14.4	14.5
5/4/2025	5	14.2	14.3	12.7	12.8	14.1	14.0	14.3	14.4
5/4/2025	6	14.2	14.2	12.7	12.6	14.0	13.9	14.2	14.3
5/4/2025	7	14.1	14.2	12.7	12.6	14.0	13.8	14.2	14.3
5/4/2025	8	14.0	14.2	12.9	12.7	14.0	13.9	14.3	14.3
5/4/2025	9	14.0	14.3	13.4	12.9	14.0	14.0	14.3	14.3
5/4/2025	10	14.1	14.3	14.1	13.2	14.1	14.1	14.4	14.3
5/4/2025	11	14.1	14.4	14.9	13.5	14.2	14.3	14.5	14.4
5/4/2025	12	14.2	14.6	15.9	14.0	14.4	14.5	14.5	14.5
5/4/2025	13	14.3	14.7	16.7	14.9	14.6	14.8	14.6	14.7
5/4/2025	14	14.5	14.9	17.6	15.8	14.9	15.2	14.7	14.9
5/4/2025	15	14.6	15.1	18.0	16.7	15.2	15.5	14.8	15.1
5/4/2025	16	14.8	15.2	18.2	17.2	15.4	15.8	14.9	15.2
5/4/2025	17	14.9	15.3	17.8	17.7	15.5	15.9	15.0	15.4
5/4/2025	18	15.1	15.4	17.2	18.0	15.7	16.0	15.1	15.5
5/4/2025	19	15.1	15.4	16.5	17.9	15.7	16.0	15.2	15.5
5/4/2025	20	15.1	15.4	15.7	17.5	15.6	15.9	15.3	15.4
5/4/2025	21	15.1	15.3	15.1	17.0	15.5	15.7	15.2	15.3
5/4/2025	22	15.0	15.1	14.5	16.4	15.3	15.5	15.2	15.2
5/4/2025	23	14.8	15.0	14.1	15.7	15.2	15.2	15.1	15.1
5/4/2025	24	14.7	14.9	13.9	15.2	15.0	15.0	15.0	15.0
5/5/2025	1	14.7	14.8	13.7	14.6	14.9	14.8	14.9	14.9
5/5/2025	2	14.6	14.7	13.5	14.2	14.7	14.7	14.8	14.8
5/5/2025	3	14.5	14.7	13.3	13.9	14.6	14.5	14.7	14.8
5/5/2025	4	14.5	14.6	13.2	13.6	14.5	14.4	14.6	14.7
5/5/2025	5	14.4	14.5	13.0	13.4	14.4	14.3	14.6	14.6
5/5/2025	6	14.3	14.4	12.9	13.2	14.3	14.2	14.6	14.5
5/5/2025	7	14.3	14.4	12.9	13.1	14.2	14.1	14.5	14.5
5/5/2025	8	14.2	14.4	13.1	13.2	14.2	14.1	14.5	14.4
5/5/2025	9	14.2	14.4	13.6	13.3	14.2	14.1	14.5	14.4
5/5/2025	10	14.1	14.4	14.4	13.5	14.2	14.3	14.4	14.4
5/5/2025	11	14.2	14.5	15.3	13.8	14.3	14.4	14.4	14.5
5/5/2025	12	14.2	14.6	16.4	14.4	14.5	14.6	14.4	14.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/5/2025	13	14.3	14.7	17.2	15.2	14.6	14.9	14.5	14.6
5/5/2025	14	14.4	14.8	17.7	16.2	14.9	15.2	14.6	14.8
5/5/2025	15	14.5	14.9	18.0	17.0	15.1	15.4	14.7	14.9
5/5/2025	16	14.5	14.9	18.0	17.5	15.2	15.6	14.7	15.0
5/5/2025	17	14.6	14.9	17.7	17.9	15.2	15.7	14.7	15.0
5/5/2025	18	14.6	14.9	17.2	18.1	15.2	15.7	14.6	15.0
5/5/2025	19	14.6	14.9	16.5	18.0	15.2	15.6	14.6	14.9
5/5/2025	20	14.6	14.8	15.7	17.6	15.1	15.4	14.6	14.8
5/5/2025	21	14.5	14.7	15.1	17.2	15.0	15.3	14.6	14.8
5/5/2025	22	14.5	14.7	14.5	16.6	15.0	15.2	14.5	14.7
5/5/2025	23	14.5	14.6	14.1	15.9	14.8	15.0	14.5	14.7
5/5/2025	24	14.4	14.5	13.8	15.3	14.7	14.7	14.5	14.6
5/6/2025	1	14.3	14.4	13.6	14.7	14.5	14.6	14.4	14.5
5/6/2025	2	14.2	14.3	13.4	14.3	14.4	14.4	14.3	14.4
5/6/2025	3	14.2	14.3	13.2	13.9	14.3	14.2	14.2	14.3
5/6/2025	4	14.1	14.2	13.1	13.7	14.1	14.1	14.2	14.3
5/6/2025	5	14.0	14.1	12.9	13.4	14.1	14.0	14.1	14.2
5/6/2025	6	14.0	14.0	12.8	13.2	14.0	13.9	14.0	14.2
5/6/2025	7	13.9	14.0	12.8	13.1	13.9	13.8	13.9	14.1
5/6/2025	8	13.8	14.0	13.1	13.2	13.9	13.8	14.0	14.1
5/6/2025	9	13.8	14.1	13.5	13.4	13.9	13.9	14.1	14.1
5/6/2025	10	13.8	14.1	14.3	13.5	14.0	14.0	14.1	14.1
5/6/2025	11	13.9	14.3	15.2	13.8	14.1	14.2	14.2	14.2
5/6/2025	12	14.0	14.4	16.3	14.4	14.3	14.5	14.3	14.3
5/6/2025	13	14.1	14.6	17.2	15.3	14.5	14.8	14.4	14.5
5/6/2025	14	14.3	14.7	17.9	16.3	14.8	15.1	14.5	14.7
5/6/2025	15	14.5	14.9	18.2	17.2	15.0	15.4	14.5	14.9
5/6/2025	16	14.6	15.1	18.2	17.7	15.2	15.7	14.6	15.1
5/6/2025	17	14.8	15.2	18.0	18.2	15.4	15.9	14.7	15.2
5/6/2025	18	14.9	15.3	17.4	18.4	15.5	15.9	14.8	15.2
5/6/2025	19	15.0	15.4	16.8	18.3	15.6	16.0	14.9	15.3
5/6/2025	20	15.1	15.4	16.0	17.9	15.6	16.0	15.0	15.4
5/6/2025	21	15.2	15.4	15.4	17.5	15.6	15.9	15.1	15.4
5/6/2025	22	15.2	15.4	14.9	16.9	15.6	15.7	15.2	15.4
5/6/2025	23	15.1	15.3	14.6	16.3	15.4	15.5	15.1	15.3
5/6/2025	24	15.0	15.2	14.3	15.7	15.3	15.4	15.0	15.2
5/7/2025	1	14.9	15.1	14.2	15.2	15.2	15.2	14.9	15.2
5/7/2025	2	14.8	15.0	14.0	14.8	15.0	15.0	14.9	15.1
5/7/2025	3	14.7	14.9	13.9	14.5	14.9	14.8	14.8	15.0
5/7/2025	4	14.6	14.8	13.7	14.2	14.7	14.7	14.7	14.9
5/7/2025	5	14.5	14.7	13.6	14.0	14.6	14.6	14.6	14.7
5/7/2025	6	14.5	14.6	13.5	13.9	14.5	14.5	14.5	14.7
5/7/2025	7	14.4	14.6	13.4	13.7	14.5	14.4	14.5	14.6
5/7/2025	8	14.4	14.6	13.8	13.9	14.5	14.4	14.5	14.6
5/7/2025	9	14.3	14.6	14.3	14.0	14.5	14.5	14.5	14.6
5/7/2025	10	14.3	14.6	14.7	13.9	14.5	14.5	14.5	14.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/7/2025	11	14.3	14.7	15.2	14.2	14.5	14.6	14.5	14.6
5/7/2025	12	14.3	14.7	16.3	15.0	14.6	14.8	14.5	14.6
5/7/2025	13	14.4	14.8	17.1	15.6	14.7	15.0	14.5	14.7
5/7/2025	14	14.5	14.9	17.7	16.3	14.9	15.2	14.5	14.8
5/7/2025	15	14.7	15.1	18.2	17.2	15.1	15.5	14.6	14.9
5/7/2025	16	14.8	15.2	18.6	17.8	15.3	15.8	14.7	15.1
5/7/2025	17	14.9	15.3	18.1	18.2	15.4	15.8	14.8	15.2
5/7/2025	18	15.1	15.4	17.3	18.6	15.5	16.0	14.9	15.3
5/7/2025	19	15.2	15.5	16.6	18.6	15.7	16.1	14.9	15.4
5/7/2025	20	15.3	15.6	15.9	18.2	15.7	16.1	15.0	15.5
5/7/2025	21	15.3	15.6	15.3	17.5	15.7	16.0	15.1	15.6
5/7/2025	22	15.3	15.6	14.9	16.9	15.8	15.9	15.2	15.6
5/7/2025	23	15.2	15.4	14.5	16.1	15.6	15.6	15.3	15.4
5/7/2025	24	15.1	15.3	14.2	15.5	15.3	15.3	15.1	15.3
5/8/2025	1	15.0	15.1	14.0	15.0	15.1	15.1	15.0	15.1
5/8/2025	2	14.8	14.9	13.7	14.6	14.9	14.8	14.8	14.9
5/8/2025	3	14.7	14.8	13.4	14.1	14.7	14.6	14.7	14.7
5/8/2025	4	14.5	14.6	13.3	13.8	14.5	14.4	14.5	14.6
5/8/2025	5	14.4	14.5	13.2	13.5	14.3	14.2	14.4	14.5
5/8/2025	6	14.3	14.4	13.1	13.4	14.2	14.1	14.2	14.4
5/8/2025	7	14.2	14.3	13.1	13.2	14.1	14.0	14.1	14.3
5/8/2025	8	14.1	14.3	13.3	13.2	14.1	14.0	14.1	14.3
5/8/2025	9	14.1	14.3	13.5	13.3	14.1	14.1	14.2	14.4
5/8/2025	10	14.1	14.3	13.9	13.5	14.2	14.2	14.2	14.4
5/8/2025	11	14.1	14.4	14.6	14.0	14.3	14.4	14.3	14.4
5/8/2025	12	14.2	14.5	15.7	14.3	14.4	14.6	14.4	14.5
5/8/2025	13	14.3	14.6	16.7	14.9	14.6	14.8	14.4	14.6
5/8/2025	14	14.4	14.8	17.4	15.7	14.8	15.1	14.5	14.8
5/8/2025	15	14.5	14.9	17.8	16.6	15.0	15.4	14.6	14.9
5/8/2025	16	14.7	15.1	17.9	17.1	15.2	15.6	14.7	15.1
5/8/2025	17	14.9	15.2	17.6	17.7	15.4	15.8	14.8	15.2
5/8/2025	18	15.0	15.3	17.1	17.9	15.5	15.9	15.0	15.3
5/8/2025	19	15.0	15.3	16.5	17.9	15.5	15.9	15.0	15.3
5/8/2025	20	15.0	15.2	15.8	17.6	15.5	15.8	15.0	15.3
5/8/2025	21	15.0	15.2	15.2	17.1	15.5	15.6	14.9	15.2
5/8/2025	22	15.0	15.2	14.7	16.5	15.3	15.5	14.9	15.2
5/8/2025	23	14.9	15.1	14.3	15.9	15.3	15.3	14.9	15.2
5/8/2025	24	14.9	15.1	14.1	15.3	15.2	15.2	14.8	15.2
5/9/2025	1	14.9	15.1	13.9	14.9	15.1	15.1	14.8	15.2
5/9/2025	2	14.8	15.0	13.8	14.5	15.0	14.9	14.8	15.1
5/9/2025	3	14.7	14.9	13.7	14.2	14.9	14.8	14.7	15.0
5/9/2025	4	14.7	14.8	13.6	14.0	14.8	14.7	14.7	15.0
5/9/2025	5	14.7	14.8	13.4	13.8	14.7	14.6	14.7	14.9
5/9/2025	6	14.6	14.7	13.3	13.6	14.6	14.5	14.6	14.9
5/9/2025	7	14.6	14.7	13.3	13.5	14.6	14.5	14.6	14.8
5/9/2025	8	14.5	14.7	13.5	13.6	14.6	14.5	14.6	14.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/9/2025	9	14.5	14.8	14.0	13.7	14.6	14.6	14.5	14.8
5/9/2025	10	14.5	14.8	14.7	13.8	14.6	14.6	14.5	14.8
5/9/2025	11	14.6	14.9	15.5	14.1	14.7	14.8	14.5	14.8
5/9/2025	12	14.6	15.0	16.5	14.7	14.8	15.0	14.6	14.9
5/9/2025	13	14.7	15.0	17.0	15.4	14.9	15.1	14.6	14.9
5/9/2025	14	14.7	15.1	17.1	16.1	15.1	15.3	14.7	15.0
5/9/2025	15	14.8	15.2	17.3	16.7	15.2	15.5	14.8	15.1
5/9/2025	16	14.9	15.2	17.2	17.2	15.4	15.7	14.8	15.2
5/9/2025	17	15.0	15.3	16.9	17.4	15.5	15.8	14.9	15.3
5/9/2025	18	15.0	15.4	16.9	17.5	15.6	15.9	15.0	15.4
5/9/2025	19	15.1	15.4	16.5	17.5	15.6	15.9	15.0	15.4
5/9/2025	20	15.1	15.4	16.1	17.2	15.6	15.8	15.0	15.4
5/9/2025	21	15.2	15.4	15.7	17.0	15.5	15.7	14.9	15.4
5/9/2025	22	15.1	15.3	15.2	16.7	15.4	15.6	14.9	15.3
5/9/2025	23	15.0	15.2	14.9	16.3	15.4	15.5	14.8	15.2
5/9/2025	24	14.9	15.1	14.7	15.9	15.2	15.3	14.8	15.2
5/10/2025	1	14.9	15.0	14.5	15.5	15.1	15.2	14.7	15.1
5/10/2025	2	14.8	15.0	14.4	15.2	15.0	15.1	14.7	15.0
5/10/2025	3	14.7	14.9	14.3	14.9	14.9	14.9	14.6	15.0
5/10/2025	4	14.7	14.8	14.2	14.7	14.9	14.9	14.6	14.9
5/10/2025	5	14.7	14.8	14.1	14.6	14.8	14.8	14.6	14.9
5/10/2025	6	14.7	14.8	14.1	14.5	14.8	14.8	14.6	14.9
5/10/2025	7	14.6	14.8	14.1	14.4	14.8	14.7	14.5	14.9
5/10/2025	8	14.6	14.8	14.2	14.4	14.7	14.7	14.5	14.9
5/10/2025	9	14.6	14.8	14.5	14.5	14.7	14.8	14.5	14.8
5/10/2025	10	14.6	14.9	15.0	14.6	14.8	14.8	14.5	14.8
5/10/2025	11	14.6	14.9	15.7	14.9	14.8	14.9	14.5	14.8
5/10/2025	12	14.6	14.9	16.0	15.1	14.8	15.0	14.5	14.8
5/10/2025	13	14.7	15.0	16.5	15.7	15.0	15.2	14.6	14.9
5/10/2025	14	14.7	15.1	16.9	16.3	15.1	15.3	14.6	15.0
5/10/2025	15	14.8	15.2	16.7	16.6	15.2	15.4	14.7	15.1
5/10/2025	16	14.9	15.2	16.6	16.9	15.3	15.5	14.7	15.1
5/10/2025	17	15.0	15.3	16.4	17.1	15.4	15.6	14.8	15.2
5/10/2025	18	15.0	15.3	16.1	17.0	15.4	15.7	14.8	15.3
5/10/2025	19	15.1	15.3	15.7	16.8	15.4	15.6	14.9	15.3
5/10/2025	20	15.1	15.3	15.3	16.5	15.4	15.6	14.9	15.3
5/10/2025	21	15.1	15.3	14.9	16.2	15.4	15.6	14.8	15.4
5/10/2025	22	15.1	15.3	14.7	15.9	15.4	15.5	14.8	15.3
5/10/2025	23	15.0	15.2	14.5	15.5	15.3	15.3	14.7	15.3
5/10/2025	24	14.9	15.1	14.4	15.2	15.2	15.2	14.7	15.2
5/11/2025	1	14.9	15.0	14.3	14.9	15.1	15.0	14.7	15.1
5/11/2025	2	14.8	15.0	14.2	14.6	14.9	14.9	14.6	15.0
5/11/2025	3	14.7	14.9	14.1	14.5	14.8	14.8	14.6	14.9
5/11/2025	4	14.7	14.8	14.0	14.3	14.7	14.7	14.6	14.9
5/11/2025	5	14.6	14.7	13.9	14.2	14.7	14.6	14.6	14.8
5/11/2025	6	14.6	14.7	13.8	14.1	14.7	14.6	14.5	14.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/11/2025	7	14.6	14.7	13.7	14.1	14.6	14.6	14.5	14.8
5/11/2025	8	14.5	14.7	13.8	14.0	14.6	14.6	14.5	14.8
5/11/2025	9	14.5	14.8	14.2	14.2	14.6	14.7	14.5	14.8
5/11/2025	10	14.5	14.8	14.6	14.1	14.6	14.7	14.5	14.8
5/11/2025	11	14.6	14.9	15.2	14.5	14.8	14.9	14.5	14.9
5/11/2025	12	14.7	15.0	16.2	14.8	14.9	15.0	14.5	15.0
5/11/2025	13	14.7	15.1	16.5	15.2	15.0	15.1	14.5	15.1
5/11/2025	14	14.8	15.2	16.8	15.9	15.2	15.4	14.6	15.2
5/11/2025	15	14.9	15.2	16.7	16.3	15.3	15.4	14.6	15.2
5/11/2025	16	14.9	15.2	16.4	16.7	15.3	15.5	14.7	15.2
5/11/2025	17	14.9	15.2	16.1	16.8	15.4	15.5	14.7	15.2
5/11/2025	18	14.9	15.2	15.7	16.7	15.3	15.5	14.7	15.2
5/11/2025	19	14.9	15.2	15.4	16.5	15.3	15.5	14.8	15.2
5/11/2025	20	14.9	15.1	15.1	16.2	15.3	15.4	14.7	15.2
5/11/2025	21	14.9	15.1	14.8	15.9	15.2	15.3	14.7	15.2
5/11/2025	22	14.9	15.0	14.5	15.5	15.2	15.2	14.7	15.1
5/11/2025	23	14.8	15.0	14.2	15.2	15.1	15.1	14.6	15.1
5/11/2025	24	14.8	14.9	13.9	14.9	14.9	14.9	14.6	15.0
5/12/2025	1	14.7	14.9	13.7	14.5	14.8	14.8	14.5	14.9
5/12/2025	2	14.7	14.8	13.6	14.2	14.8	14.7	14.5	14.9
5/12/2025	3	14.7	14.8	13.5	14.0	14.7	14.6	14.5	14.8
5/12/2025	4	14.6	14.7	13.4	13.8	14.6	14.5	14.4	14.8
5/12/2025	5	14.6	14.7	13.3	13.6	14.5	14.4	14.4	14.7
5/12/2025	6	14.5	14.6	13.2	13.4	14.5	14.4	14.4	14.7
5/12/2025	7	14.5	14.6	13.1	13.3	14.4	14.3	14.3	14.6
5/12/2025	8	14.4	14.6	13.5	13.4	14.4	14.3	14.3	14.6
5/12/2025	9	14.4	14.6	14.0	13.6	14.4	14.4	14.3	14.6
5/12/2025	10	14.4	14.7	14.8	13.8	14.4	14.5	14.2	14.6
5/12/2025	11	14.4	14.7	15.7	14.1	14.5	14.7	14.2	14.7
5/12/2025	12	14.5	14.8	16.8	14.8	14.7	14.9	14.3	14.8
5/12/2025	13	14.6	15.0	17.2	15.5	14.9	15.1	14.4	14.9
5/12/2025	14	14.7	15.0	17.2	16.1	15.1	15.2	14.5	15.0
5/12/2025	15	14.8	15.1	16.8	16.8	15.2	15.5	14.6	15.1
5/12/2025	16	14.8	15.2	16.6	17.2	15.3	15.7	14.6	15.2
5/12/2025	17	14.9	15.2	16.5	17.3	15.4	15.7	14.7	15.2
5/12/2025	18	15.0	15.3	16.4	17.2	15.5	15.7	14.8	15.3
5/12/2025	19	15.0	15.3	16.1	16.9	15.5	15.7	14.9	15.3
5/12/2025	20	15.0	15.2	15.5	16.6	15.5	15.6	14.8	15.3
5/12/2025	21	15.0	15.2	15.0	16.4	15.4	15.5	14.8	15.2
5/12/2025	22	14.9	15.1	14.6	16.0	15.3	15.3	14.7	15.2
5/12/2025	23	14.9	15.0	14.3	15.6	15.2	15.2	14.7	15.1
5/12/2025	24	14.8	15.0	14.1	15.2	15.1	15.1	14.6	15.1
5/13/2025	1	14.8	14.9	14.0	14.7	14.9	14.9	14.6	15.0
5/13/2025	2	14.7	14.9	13.9	14.4	14.8	14.8	14.6	14.9
5/13/2025	3	14.7	14.8	13.9	14.2	14.8	14.7	14.5	14.9
5/13/2025	4	14.7	14.8	13.9	14.1	14.7	14.7	14.5	14.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/13/2025	5	14.6	14.8	14.0	14.0	14.7	14.6	14.5	14.9
5/13/2025	6	14.6	14.8	14.0	14.0	14.6	14.6	14.4	14.8
5/13/2025	7	14.6	14.8	14.0	14.0	14.6	14.6	14.4	14.8
5/13/2025	8	14.6	14.8	14.1	14.1	14.6	14.6	14.4	14.8
5/13/2025	9	14.6	14.8	14.3	14.2	14.7	14.7	14.4	14.8
5/13/2025	10	14.6	14.8	14.7	14.3	14.7	14.7	14.4	14.8
5/13/2025	11	14.6	14.9	15.1	14.5	14.7	14.8	14.4	14.8
5/13/2025	12	14.6	14.9	15.9	15.1	14.8	15.0	14.4	14.9
5/13/2025	13	14.7	15.0	16.6	15.6	15.0	15.3	14.5	15.0
5/13/2025	14	14.8	15.1	17.1	16.0	15.1	15.3	14.6	15.1
5/13/2025	15	14.8	15.2	18.0	16.7	15.3	15.6	14.7	15.2
5/13/2025	16	14.9	15.3	17.9	17.0	15.4	15.7	14.8	15.3
5/13/2025	17	15.0	15.4	18.0	17.4	15.6	15.9	14.9	15.4
5/13/2025	18	15.1	15.5	17.7	17.8	15.7	16.0	15.0	15.5
5/13/2025	19	15.3	15.6	17.0	17.9	15.8	16.0	15.1	15.5
5/13/2025	20	15.3	15.6	16.2	17.7	15.8	16.0	15.0	15.6
5/13/2025	21	15.4	15.6	15.6	17.4	15.7	15.9	15.0	15.6
5/13/2025	22	15.4	15.6	15.1	17.0	15.7	15.9	15.0	15.6
5/13/2025	23	15.4	15.6	14.8	16.4	15.7	15.8	15.0	15.6
5/13/2025	24	15.4	15.5	14.6	15.9	15.6	15.6	15.0	15.5
5/14/2025	1	15.2	15.3	14.4	15.4	15.4	15.4	15.0	15.4
5/14/2025	2	15.1	15.2	14.3	15.0	15.2	15.2	14.9	15.2
5/14/2025	3	15.0	15.1	14.2	14.7	15.0	15.0	14.8	15.1
5/14/2025	4	14.9	15.0	14.1	14.5	14.9	14.9	14.8	15.0
5/14/2025	5	14.8	14.9	13.9	14.3	14.8	14.8	14.7	14.9
5/14/2025	6	14.7	14.8	13.8	14.2	14.7	14.7	14.6	14.9
5/14/2025	7	14.7	14.8	13.8	14.1	14.7	14.6	14.5	14.9
5/14/2025	8	14.6	14.9	14.0	14.1	14.6	14.6	14.5	14.8
5/14/2025	9	14.6	14.9	14.6	14.4	14.7	14.8	14.4	14.8
5/14/2025	10	14.6	15.0	15.3	14.5	14.8	14.9	14.4	14.9
5/14/2025	11	14.7	15.0	16.2	14.8	14.9	15.0	14.5	14.9
5/14/2025	12	14.7	15.1	17.3	15.4	15.0	15.3	14.6	15.1
5/14/2025	13	14.8	15.2	17.7	16.3	15.3	15.6	14.7	15.2
5/14/2025	14	14.9	15.3	18.2	17.0	15.5	15.8	14.8	15.4
5/14/2025	15	15.1	15.5	18.4	17.7	15.7	16.1	14.9	15.5
5/14/2025	16	15.3	15.7	18.6	18.1	15.9	16.3	15.1	15.7
5/14/2025	17	15.5	15.8	18.3	18.3	16.0	16.4	15.2	15.8
5/14/2025	18	15.6	16.0	17.7	18.4	16.1	16.4	15.4	15.9
5/14/2025	19	15.7	16.0	17.0	18.2	16.2	16.4	15.5	16.0
5/14/2025	20	15.7	15.9	16.1	17.8	16.2	16.3	15.5	16.0
5/14/2025	21	15.6	15.8	15.4	17.4	16.0	16.1	15.4	15.8
5/14/2025	22	15.5	15.7	14.9	16.8	15.9	16.0	15.3	15.8
5/14/2025	23	15.4	15.6	14.6	16.1	15.8	15.8	15.2	15.7
5/14/2025	24	15.4	15.5	14.4	15.6	15.6	15.6	15.1	15.6
5/15/2025	1	15.3	15.4	14.2	15.1	15.4	15.3	15.0	15.4
5/15/2025	2	15.2	15.3	14.1	14.7	15.2	15.2	14.9	15.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/15/2025	3	15.0	15.2	14.0	14.5	15.1	15.0	14.8	15.2
5/15/2025	4	15.0	15.1	13.9	14.2	14.9	14.9	14.7	15.1
5/15/2025	5	14.9	15.0	13.9	14.1	14.8	14.8	14.6	15.0
5/15/2025	6	14.8	14.9	13.8	14.0	14.7	14.7	14.6	14.9
5/15/2025	7	14.7	14.9	13.9	13.9	14.7	14.6	14.6	14.9
5/15/2025	8	14.7	14.8	14.0	13.9	14.7	14.6	14.5	14.9
5/15/2025	9	14.7	14.8	14.2	14.0	14.6	14.6	14.5	14.8
5/15/2025	10	14.7	14.9	14.6	14.1	14.7	14.7	14.5	14.9
5/15/2025	11	14.7	15.0	15.3	14.6	14.8	15.0	14.5	14.9
5/15/2025	12	14.7	15.1	16.6	15.1	15.0	15.2	14.5	15.0
5/15/2025	13	14.8	15.2	17.2	15.6	15.2	15.4	14.6	15.2
5/15/2025	14	15.0	15.3	17.8	16.4	15.3	15.6	14.7	15.3
5/15/2025	15	15.1	15.5	17.9	17.0	15.5	15.8	14.8	15.4
5/15/2025	16	15.2	15.6	17.6	17.6	15.7	16.0	15.0	15.6
5/15/2025	17	15.4	15.7	17.2	17.9	15.9	16.2	15.1	15.7
5/15/2025	18	15.4	15.7	16.7	17.8	15.9	16.2	15.2	15.7
5/15/2025	19	15.4	15.7	16.1	17.6	15.9	16.1	15.2	15.7
5/15/2025	20	15.4	15.6	15.6	17.1	15.8	16.0	15.2	15.7
5/15/2025	21	15.4	15.6	15.2	16.6	15.7	15.8	15.1	15.7
5/15/2025	22	15.4	15.5	14.9	16.2	15.7	15.7	15.1	15.6
5/15/2025	23	15.3	15.5	14.6	15.7	15.6	15.6	15.0	15.6
5/15/2025	24	15.2	15.4	14.4	15.3	15.5	15.5	15.0	15.5
5/16/2025	1	15.2	15.3	14.3	15.0	15.3	15.3	14.9	15.4
5/16/2025	2	15.1	15.2	14.1	14.7	15.2	15.2	14.9	15.3
5/16/2025	3	15.0	15.2	14.0	14.4	15.1	15.0	14.8	15.2
5/16/2025	4	15.0	15.1	14.0	14.2	15.0	15.0	14.8	15.2
5/16/2025	5	14.9	15.1	13.9	14.1	14.9	14.9	14.7	15.1
5/16/2025	6	14.9	15.0	13.9	14.0	14.9	14.8	14.7	15.1
5/16/2025	7	14.8	15.0	14.0	14.0	14.8	14.8	14.6	15.0
5/16/2025	8	14.8	14.9	14.4	14.0	14.6	14.5	14.6	15.0
5/16/2025	9	14.7	14.9	14.8	14.3	14.2	14.2	14.5	14.9
5/16/2025	10	14.7	14.9	15.1	14.8	14.6	14.7	14.5	14.9
5/16/2025	11	14.7	15.0	15.5	15.3	15.1	15.2	14.5	15.0
5/16/2025	12	14.8	15.1	16.2	15.8	15.5	15.8	14.5	15.1
5/16/2025	13	14.9	15.2	16.7	16.4	16.0	16.3	14.6	15.2
5/16/2025	14	15.0	15.3	17.0	17.0	16.6	16.9	14.6	15.3
5/16/2025	15	15.1	15.3	17.0	17.4	17.1	17.3	14.7	15.4
5/16/2025	16	15.1	15.4	16.6	17.4	17.2	17.4	14.8	15.4
5/16/2025	17	15.2	15.4	16.2	17.2	17.2	17.3	14.8	15.5
5/16/2025	18	15.2	15.4	16.0	16.9	16.9	17.1	14.9	15.5
5/16/2025	19	15.2	15.4	15.8	16.6	16.6	16.7	15.0	15.4
5/16/2025	20	15.2	15.4	15.5	16.3	16.4	16.3	14.9	15.5
5/16/2025	21	15.2	15.4	15.2	16.0	16.1	16.1	14.9	15.5
5/16/2025	22	15.2	15.4	14.9	15.7	15.8	15.8	14.9	15.5
5/16/2025	23	15.2	15.4	14.6	15.4	15.6	15.5	14.9	15.5
5/16/2025	24	15.2	15.3	14.5	15.2	15.3	15.2	14.9	15.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/17/2025	1	15.2	15.3	14.4	14.9	15.1	15.0	14.9	15.4
5/17/2025	2	15.1	15.3	14.5	14.7	14.8	14.8	14.9	15.3
5/17/2025	3	15.1	15.3	14.5	14.6	14.7	14.6	14.8	15.3
5/17/2025	4	15.1	15.2	14.5	14.5	14.6	14.5	14.8	15.3
5/17/2025	5	15.0	15.2	14.5	14.5	14.5	14.5	14.8	15.2
5/17/2025	6	15.0	15.2	14.4	14.5	14.5	14.5	14.8	15.2
5/17/2025	7	15.0	15.1	14.4	14.5	14.5	14.5	14.8	15.2
5/17/2025	8	14.9	15.1	14.5	14.6	14.5	14.6	14.7	15.2
5/17/2025	9	14.9	15.1	14.7	14.7	14.6	14.7	14.7	15.2
5/17/2025	10	14.9	15.2	15.2	14.9	14.7	14.9	14.7	15.2
5/17/2025	11	14.9	15.2	16.0	15.3	14.9	15.2	14.7	15.2
5/17/2025	12	15.0	15.3	17.0	15.7	15.3	15.7	14.7	15.3
5/17/2025	13	15.0	15.4	18.0	16.3	15.9	16.2	14.7	15.4
5/17/2025	14	15.1	15.4	17.8	16.7	16.3	16.4	14.7	15.4
5/17/2025	15	15.1	15.3	17.3	17.3	16.9	17.0	14.7	15.3
5/17/2025	16	15.1	15.3	16.8	17.8	17.4	17.7	14.7	15.3
5/17/2025	17	15.0	15.3	16.9	17.9	17.7	18.1	14.7	15.3
5/17/2025	18	15.0	15.3	16.7	17.6	17.5	17.8	14.7	15.2
5/17/2025	19	15.0	15.2	16.4	17.3	17.3	17.3	14.7	15.2
5/17/2025	20	15.0	15.2	15.8	16.8	16.9	16.9	14.7	15.2
5/17/2025	21	15.0	15.1	15.2	16.4	16.6	16.5	14.7	15.2
5/17/2025	22	15.0	15.1	14.6	16.0	16.2	16.1	14.6	15.2
5/17/2025	23	14.9	15.1	14.2	15.6	15.7	15.6	14.6	15.2
5/17/2025	24	14.9	15.0	13.9	15.0	15.2	15.1	14.6	15.1
5/18/2025	1	14.8	14.9	13.7	14.5	14.8	14.6	14.5	15.1
5/18/2025	2	14.8	14.9	13.6	14.2	14.4	14.2	14.5	15.0
5/18/2025	3	14.7	14.8	13.5	13.8	14.0	13.9	14.5	15.0
5/18/2025	4	14.7	14.7	13.4	13.6	13.8	13.6	14.4	14.8
5/18/2025	5	14.6	14.6	13.3	13.4	13.5	13.4	14.4	14.8
5/18/2025	6	14.5	14.6	13.2	13.3	13.4	13.2	14.3	14.7
5/18/2025	7	14.4	14.6	13.2	13.2	13.3	13.2	14.3	14.6
5/18/2025	8	14.4	14.5	13.5	13.5	13.3	13.2	14.2	14.6
5/18/2025	9	14.3	14.6	13.8	13.6	13.3	13.4	14.2	14.5
5/18/2025	10	14.4	14.6	14.5	13.8	13.4	13.7	14.1	14.6
5/18/2025	11	14.4	14.6	14.9	14.0	13.6	13.8	14.1	14.6
5/18/2025	12	14.4	14.7	15.6	14.6	14.1	14.5	14.1	14.7
5/18/2025	13	14.5	14.8	16.4	15.0	14.6	14.8	14.2	14.7
5/18/2025	14	14.6	14.8	16.7	15.6	15.1	15.3	14.3	14.9
5/18/2025	15	14.7	14.9	16.7	16.1	15.7	15.9	14.3	14.9
5/18/2025	16	14.7	15.0	17.0	16.5	16.3	16.6	14.4	15.0
5/18/2025	17	14.7	15.0	16.8	16.7	16.6	16.9	14.5	15.0
5/18/2025	18	14.8	15.1	16.4	16.9	16.7	16.9	14.5	15.1
5/18/2025	19	14.8	15.1	16.0	16.8	16.7	16.7	14.6	15.1
5/18/2025	20	14.9	15.0	15.2	16.4	16.4	16.3	14.5	15.1
5/18/2025	21	14.8	14.9	14.6	16.0	16.1	16.0	14.5	15.1
5/18/2025	22	14.8	14.8	14.1	15.5	15.7	15.6	14.4	15.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/18/2025	23	14.7	14.8	13.8	15.0	15.2	15.1	14.3	14.9
5/18/2025	24	14.7	14.7	13.5	14.5	14.7	14.6	14.3	14.8
5/19/2025	1	14.6	14.6	13.3	14.0	14.2	14.1	14.2	14.7
5/19/2025	2	14.5	14.6	13.1	13.6	13.8	13.7	14.1	14.6
5/19/2025	3	14.4	14.5	13.0	13.3	13.5	13.4	14.1	14.6
5/19/2025	4	14.3	14.4	13.0	13.1	13.3	13.1	14.0	14.5
5/19/2025	5	14.3	14.3	13.0	12.9	13.1	12.9	14.0	14.4
5/19/2025	6	14.2	14.3	13.1	12.8	12.9	12.8	14.0	14.3
5/19/2025	7	14.2	14.2	13.2	12.8	12.9	12.8	13.9	14.3
5/19/2025	8	14.1	14.2	13.3	12.9	12.9	12.8	13.9	14.3
5/19/2025	9	14.1	14.2	13.4	13.0	12.9	12.9	13.8	14.2
5/19/2025	10	14.1	14.2	13.8	13.3	13.1	13.2	13.8	14.2
5/19/2025	11	14.1	14.3	14.3	13.6	13.3	13.5	13.8	14.3
5/19/2025	12	14.1	14.4	15.2	14.1	13.7	14.1	13.9	14.4
5/19/2025	13	14.2	14.6	16.3	14.7	14.3	14.8	14.0	14.5
5/19/2025	14	14.4	14.6	16.8	15.5	14.9	15.4	14.1	14.7
5/19/2025	15	14.5	14.8	17.4	16.1	15.6	16.0	14.2	14.8
5/19/2025	16	14.6	15.0	17.4	16.7	16.3	16.7	14.3	15.0
5/19/2025	17	14.7	15.0	17.2	17.2	16.8	17.2	14.4	15.0
5/19/2025	18	14.8	15.0	16.8	17.4	17.2	17.4	14.5	15.1
5/19/2025	19	14.8	15.1	16.2	17.3	17.2	17.2	14.6	15.1
5/19/2025	20	14.8	15.0	15.4	16.9	16.9	16.9	14.5	15.1
5/19/2025	21	14.8	14.9	14.7	16.4	16.6	16.5	14.5	15.0
5/19/2025	22	14.8	14.9	14.2	15.9	16.1	16.1	14.4	14.9
5/19/2025	23	14.7	14.8	13.7	15.3	15.5	15.5	14.3	14.9
5/19/2025	24	14.7	14.7	13.5	14.7	14.9	14.8	14.3	14.8
5/20/2025	1	14.6	14.6	13.3	14.1	14.3	14.2	14.2	14.7
5/20/2025	2	14.5	14.6	13.2	13.7	13.9	13.7	14.1	14.6
5/20/2025	3	14.4	14.5	13.1	13.3	13.4	13.3	14.1	14.5
5/20/2025	4	14.3	14.4	13.1	13.1	13.3	13.0	14.0	14.4
5/20/2025	5	14.2	14.3	13.0	13.0	13.1	12.9	14.0	14.3
5/20/2025	6	14.2	14.2	12.9	12.9	13.0	12.9	14.0	14.2
5/20/2025	7	14.1	14.2	13.1	13.0	13.0	12.9	13.9	14.2
5/20/2025	8	14.0	14.2	13.5	13.2	13.0	13.0	13.9	14.2
5/20/2025	9	14.0	14.2	14.0	13.5	13.1	13.3	13.8	14.2
5/20/2025	10	14.1	14.3	14.7	13.8	13.4	13.6	13.8	14.2
5/20/2025	11	14.1	14.4	15.7	14.2	13.8	14.2	13.8	14.4
5/20/2025	12	14.2	14.5	15.9	14.6	14.2	14.4	13.9	14.5
5/20/2025	13	14.3	14.6	16.1	15.5	14.9	15.4	14.0	14.7
5/20/2025	14	14.5	14.7	16.2	16.1	15.5	15.9	14.1	14.7
5/20/2025	15	14.5	14.8	16.3	16.3	15.9	16.2	14.2	14.8
5/20/2025	16	14.6	14.9	16.6	16.3	16.2	16.5	14.3	15.0
5/20/2025	17	14.7	15.0	16.7	16.4	16.3	16.6	14.4	15.0
5/20/2025	18	14.8	15.1	16.7	16.5	16.3	16.5	14.5	15.1
5/20/2025	19	14.8	15.0	16.2	16.5	16.3	16.3	14.5	15.1
5/20/2025	20	14.8	15.0	15.5	16.3	16.2	16.1	14.5	15.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/20/2025	21	14.8	14.9	14.8	16.1	16.1	16.0	14.4	15.0
5/20/2025	22	14.7	14.9	14.2	15.8	15.9	15.8	14.4	14.9
5/20/2025	23	14.7	14.8	13.8	15.3	15.5	15.4	14.3	14.9
5/20/2025	24	14.6	14.7	13.7	14.7	15.0	14.9	14.2	14.8
5/21/2025	1	14.5	14.6	13.5	14.3	14.5	14.4	14.2	14.7
5/21/2025	2	14.5	14.5	13.4	13.9	14.1	14.0	14.1	14.6
5/21/2025	3	14.4	14.5	13.3	13.6	13.8	13.6	14.1	14.6
5/21/2025	4	14.3	14.4	13.2	13.4	13.5	13.4	14.0	14.5
5/21/2025	5	14.3	14.3	13.1	13.2	13.4	13.2	14.0	14.4
5/21/2025	6	14.2	14.2	13.0	13.1	13.2	13.1	14.0	14.3
5/21/2025	7	14.2	14.2	13.0	13.1	13.1	13.0	13.9	14.3
5/21/2025	8	14.1	14.3	13.4	13.4	13.1	13.1	13.9	14.3
5/21/2025	9	14.1	14.3	13.9	13.6	13.2	13.4	13.9	14.3
5/21/2025	10	14.2	14.4	14.7	13.9	13.4	13.7	13.9	14.3
5/21/2025	11	14.2	14.5	15.7	14.3	13.7	14.1	13.9	14.4
5/21/2025	12	14.3	14.6	16.7	15.0	14.4	14.8	14.0	14.6
5/21/2025	13	14.5	14.8	17.6	16.0	15.3	15.9	14.1	14.8
5/21/2025	14	14.6	15.1	18.3	16.9	16.2	16.7	14.2	15.0
5/21/2025	15	14.8	15.1	18.6	17.6	17.0	17.4	14.3	15.1
5/21/2025	16	14.8	15.1	18.5	18.2	17.8	18.2	14.4	15.2
5/21/2025	17	14.9	15.1	17.8	18.6	18.3	18.7	14.5	15.1
5/21/2025	18	14.9	15.1	16.9	18.7	18.4	18.7	14.5	15.1
5/21/2025	19	14.9	15.1	16.2	18.4	18.3	18.5	14.5	15.1
5/21/2025	20	14.8	15.0	15.8	17.8	17.9	18.0	14.5	15.1
5/21/2025	21	14.8	14.9	15.2	17.1	17.2	17.3	14.4	15.0
5/21/2025	22	14.7	14.9	14.7	16.4	16.6	16.6	14.4	15.0
5/21/2025	23	14.7	14.8	14.4	15.8	16.0	16.0	14.4	14.9
5/21/2025	24	14.7	14.8	14.1	15.3	15.5	15.5	14.4	14.9
5/22/2025	1	14.6	14.7	14.0	14.9	15.1	15.0	14.3	14.8
5/22/2025	2	14.6	14.7	13.8	14.5	14.7	14.6	14.3	14.8
5/22/2025	3	14.5	14.6	13.8	14.2	14.4	14.3	14.3	14.7
5/22/2025	4	14.5	14.6	13.7	14.0	14.1	14.0	14.2	14.7
5/22/2025	5	14.5	14.6	13.6	13.9	14.0	13.9	14.2	14.7
5/22/2025	6	14.4	14.5	13.6	13.8	13.8	13.7	14.2	14.6
5/22/2025	7	14.4	14.5	13.6	13.7	13.7	13.7	14.1	14.6
5/22/2025	8	14.4	14.5	13.8	13.8	13.7	13.7	14.1	14.6
5/22/2025	9	14.3	14.5	14.1	14.0	13.7	13.8	14.1	14.6
5/22/2025	10	14.4	14.6	14.8	14.4	14.0	14.3	14.1	14.6
5/22/2025	11	14.4	14.7	15.7	14.8	14.3	14.7	14.2	14.7
5/22/2025	12	14.5	14.8	16.7	15.2	14.7	15.2	14.3	14.8
5/22/2025	13	14.6	15.0	17.7	16.1	15.5	16.0	14.4	14.9
5/22/2025	14	14.7	15.2	18.3	17.1	16.4	16.9	14.5	15.1
5/22/2025	15	14.9	15.3	18.4	17.7	17.2	17.6	14.6	15.2
5/22/2025	16	15.0	15.4	18.1	18.2	17.7	18.2	14.7	15.3
5/22/2025	17	15.2	15.4	18.1	18.4	18.2	18.5	14.8	15.4
5/22/2025	18	15.2	15.5	17.5	18.3	18.2	18.5	14.9	15.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/22/2025	19	15.2	15.4	16.9	18.1	18.0	18.1	14.9	15.3
5/22/2025	20	15.2	15.4	16.2	17.8	17.8	17.8	14.9	15.4
5/22/2025	21	15.3	15.5	15.6	17.4	17.5	17.4	14.9	15.6
5/22/2025	22	15.4	15.6	15.1	16.9	17.0	17.0	14.9	15.7
5/22/2025	23	15.4	15.6	14.7	16.3	16.5	16.5	15.0	15.7
5/22/2025	24	15.4	15.6	14.5	15.7	15.9	15.9	15.0	15.6
5/23/2025	1	15.4	15.5	14.4	15.3	15.5	15.4	15.0	13.8
5/23/2025	2	15.3	15.5	14.3	14.9	15.1	15.0	15.0	12.6
5/23/2025	3	15.3	15.4	14.2	14.6	14.7	14.6	15.0	11.6
5/23/2025	4	15.3	15.4	14.1	14.4	14.5	14.4	15.0	11.1
5/23/2025	5	15.2	15.4	14.1	14.2	14.3	14.2	14.9	15.1
5/23/2025	6	15.2	15.3	14.1	14.1	14.2	14.1	14.9	15.2
5/23/2025	7	15.2	15.3	14.1	14.1	14.1	14.0	14.9	15.3
5/23/2025	8	15.2	15.4	14.3	14.2	14.1	14.1	14.9	15.3
5/23/2025	9	15.2	15.4	14.8	14.6	14.2	14.3	14.8	15.3
5/23/2025	10	15.1	15.4	15.6	14.9	14.4	14.7	14.9	15.4
5/23/2025	11	15.1	15.4	16.6	15.2	14.7	15.2	14.9	15.4
5/23/2025	12	15.0	15.4	17.7	15.9	15.3	15.8	15.0	15.4
5/23/2025	13	15.1	15.5	18.5	16.5	16.1	16.4	15.0	15.4
5/23/2025	14	15.1	15.5	19.1	17.7	17.0	17.4	15.1	15.5
5/23/2025	15	15.2	15.6	19.1	18.3	17.7	18.1	15.1	15.7
5/23/2025	16	15.3	15.6	18.4	18.8	18.4	18.8	15.2	15.7
5/23/2025	17	15.3	15.7	18.1	19.1	18.7	19.1	15.2	15.8
5/23/2025	18	15.4	15.7	17.9	19.1	18.9	19.2	15.3	15.8
5/23/2025	19	15.5	15.7	17.1	18.7	18.6	18.8	15.3	15.8
5/23/2025	20	15.5	15.7	16.5	18.2	18.3	18.4	15.3	15.8
5/23/2025	21	15.6	15.8	15.9	17.9	17.9	17.9	15.3	15.9
5/23/2025	22	15.6	15.8	15.5	17.4	17.5	17.5	15.3	15.8
5/23/2025	23	15.7	15.8	15.2	16.8	17.0	17.0	15.3	15.6
5/23/2025	24	15.6	15.8	15.1	16.2	16.4	16.4	15.3	15.2
5/24/2025	1	15.7	15.8	14.9	15.8	16.0	16.0	15.3	14.6
5/24/2025	2	15.6	15.8	14.8	15.5	15.6	15.6	15.3	14.7
5/24/2025	3	15.6	15.8	14.7	15.2	15.3	15.2	15.3	14.7
5/24/2025	4	15.6	15.7	14.6	15.0	15.1	15.0	15.3	15.1
5/24/2025	5	15.6	15.7	14.5	14.8	14.9	14.8	15.3	14.1
5/24/2025	6	15.6	15.7	14.4	14.7	14.8	14.7	15.3	15.3
5/24/2025	7	15.6	15.8	14.4	14.6	14.6	14.6	15.3	15.7
5/24/2025	8	15.5	15.8	14.8	14.9	14.6	14.6	15.3	15.7
5/24/2025	9	15.5	15.7	15.3	15.0	14.7	14.8	15.3	15.7
5/24/2025	10	15.3	15.6	16.1	15.2	14.8	15.2	15.3	15.7
5/24/2025	11	15.2	15.5	17.1	15.7	15.2	15.6	15.2	15.6
5/24/2025	12	15.2	15.5	18.2	16.3	15.8	16.3	15.2	15.6
5/24/2025	13	15.1	15.5	19.0	17.3	16.7	17.2	15.2	15.7
5/24/2025	14	15.1	15.4	19.6	18.3	17.7	18.2	15.2	15.8
5/24/2025	15	15.0	15.5	19.8	19.2	18.5	19.1	15.1	15.8
5/24/2025	16	15.0	15.4	19.8	19.7	19.2	19.8	15.2	15.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/24/2025	17	15.2	15.5	19.4	20.0	19.7	20.2	15.2	16.0
5/24/2025	18	15.2	15.6	18.8	20.1	19.9	20.3	15.2	16.0
5/24/2025	19	15.3	15.5	18.0	19.9	19.8	20.0	15.3	16.0
5/24/2025	20	15.2	15.5	17.2	19.5	19.5	19.6	15.3	16.0
5/24/2025	21	15.2	15.4	16.4	19.0	19.1	19.2	15.3	15.9
5/24/2025	22	15.2	15.3	15.8	18.3	18.5	18.6	15.3	15.8
5/24/2025	23	15.1	15.3	15.4	17.6	17.8	17.9	15.3	15.6
5/24/2025	24	15.1	15.2	15.1	16.9	17.1	17.2	15.3	15.7
5/25/2025	1	15.1	15.2	14.8	16.3	16.5	16.5	15.2	15.7
5/25/2025	2	15.0	15.2	14.6	15.8	16.0	16.0	15.2	15.6
5/25/2025	3	15.0	15.2	14.5	15.4	15.6	15.5	15.2	15.6
5/25/2025	4	15.0	15.1	14.3	15.1	15.3	15.2	15.1	15.6
5/25/2025	5	15.0	15.1	14.2	14.8	15.0	14.9	15.1	15.4
5/25/2025	6	15.0	15.1	14.1	14.6	14.8	14.7	15.0	15.4
5/25/2025	7	15.0	15.2	14.1	14.5	14.6	14.6	15.0	15.4
5/25/2025	8	15.0	15.3	14.5	14.7	14.6	14.6	15.0	15.5
5/25/2025	9	15.1	15.4	15.1	15.0	14.6	14.8	15.1	15.6
5/25/2025	10	15.2	15.5	15.9	15.2	14.8	15.1	15.2	15.6
5/25/2025	11	15.2	15.5	16.9	15.6	15.1	15.6	15.2	15.7
5/25/2025	12	15.2	15.5	18.0	16.3	15.7	16.3	15.3	15.7
5/25/2025	13	15.2	15.6	18.8	17.2	16.6	17.2	15.4	15.9
5/25/2025	14	15.2	15.6	19.4	18.2	17.5	18.1	15.5	16.1
5/25/2025	15	15.3	15.7	19.8	19.2	18.4	19.1	15.6	16.2
5/25/2025	16	15.4	15.8	19.7	19.6	19.1	19.6	15.7	16.3
5/25/2025	17	15.6	16.0	19.6	20.1	19.7	20.2	15.8	16.6
5/25/2025	18	15.8	16.2	19.1	20.2	20.0	20.4	15.9	16.8
5/25/2025	19	15.9	16.2	18.3	20.1	19.9	20.2	16.0	16.8
5/25/2025	20	16.0	16.3	17.6	19.7	19.7	19.9	16.2	16.7
5/25/2025	21	16.1	16.3	17.0	19.3	19.4	19.5	16.2	16.9
5/25/2025	22	16.2	16.5	16.5	18.7	18.9	19.0	16.2	16.8
5/25/2025	23	16.1	16.3	16.2	18.2	18.3	18.4	16.2	16.3
5/25/2025	24	16.1	16.3	16.0	17.5	17.7	17.8	16.2	16.6
5/26/2025	1	16.1	16.3	15.9	17.0	17.2	17.2	16.2	16.2
5/26/2025	2	16.1	16.3	15.9	16.6	16.8	16.8	16.2	15.5
5/26/2025	3	16.2	16.4	15.7	16.4	16.5	16.5	16.2	15.0
5/26/2025	4	16.2	16.4	15.7	16.2	16.3	16.2	16.3	15.3
5/26/2025	5	16.2	16.4	15.6	16.0	16.1	16.1	16.3	15.1
5/26/2025	6	16.2	16.5	15.6	15.9	15.9	15.9	16.3	15.4
5/26/2025	7	16.4	16.7	15.6	15.8	15.8	15.8	16.3	16.7
5/26/2025	8	16.5	16.8	15.6	15.7	15.7	15.7	16.4	17.0
5/26/2025	9	16.5	16.8	15.9	15.8	15.7	15.8	16.4	17.0
5/26/2025	10	16.5	16.9	16.7	16.2	15.9	16.2	16.5	16.9
5/26/2025	11	16.5	16.9	17.7	16.5	16.2	16.7	16.5	17.0
5/26/2025	12	16.5	17.0	18.7	17.0	16.7	17.1	16.6	17.0
5/26/2025	13	16.6	17.0	19.6	17.8	17.3	17.8	16.6	17.1
5/26/2025	14	16.6	17.1	20.2	18.8	18.2	18.7	16.6	17.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/26/2025	15	16.7	17.2	20.5	19.5	18.9	19.4	16.7	17.3
5/26/2025	16	16.9	17.3	20.4	20.0	19.6	20.0	16.7	17.4
5/26/2025	17	16.9	17.3	20.0	20.3	20.1	20.4	16.7	17.4
5/26/2025	18	17.0	17.3	19.3	20.4	20.2	20.3	16.7	17.4
5/26/2025	19	17.1	17.4	18.4	20.0	20.0	20.0	16.8	17.4
5/26/2025	20	17.1	17.4	17.5	19.5	19.6	19.5	16.8	17.4
5/26/2025	21	17.2	17.4	16.7	18.9	19.0	18.9	16.8	17.4
5/26/2025	22	17.2	17.4	16.3	18.1	18.3	18.2	16.8	17.3
5/26/2025	23	17.2	17.4	16.0	17.5	17.7	17.6	16.8	16.3
5/26/2025	24	17.2	17.4	15.8	16.9	17.0	17.0	16.8	15.0
5/27/2025	1	17.1	17.3	15.8	16.4	16.5	16.4	16.8	14.5
5/27/2025	2	17.1	17.3	15.7	16.0	16.2	16.1	16.8	16.8
5/27/2025	3	17.1	17.3	15.7	15.8	15.9	15.8	16.8	16.9
5/27/2025	4	17.1	17.2	15.6	15.7	15.7	15.6	16.7	17.0
5/27/2025	5	17.0	17.2	15.5	15.6	15.7	15.5	16.7	17.0
5/27/2025	6	17.0	17.2	15.5	15.5	15.6	15.5	16.7	17.0
5/27/2025	7	17.0	17.2	15.6	15.5	15.5	15.5	16.7	17.2
5/27/2025	8	17.0	17.3	15.9	15.5	15.4	15.5	16.7	17.3
5/27/2025	9	17.0	17.3	16.4	15.7	15.5	15.6	16.7	17.3
5/27/2025	10	17.0	17.3	17.2	16.1	15.8	16.0	16.7	17.3
5/27/2025	11	16.9	17.2	18.1	16.7	16.2	16.6	16.7	17.2
5/27/2025	12	16.8	17.2	19.1	17.6	17.0	17.4	16.8	17.2
5/27/2025	13	16.8	17.2	19.8	18.6	18.0	18.4	16.8	17.2
5/27/2025	14	16.9	17.2	20.2	19.6	19.0	19.4	16.8	17.3
5/27/2025	15	17.0	17.3	20.4	20.4	19.8	20.3	16.8	17.5
5/27/2025	16	17.0	17.4	20.3	20.7	20.4	20.9	16.9	17.6
5/27/2025	17	17.1	17.4	19.9	20.9	20.7	21.1	17.0	17.7
5/27/2025	18	17.2	17.6	19.4	20.8	20.7	21.0	17.0	17.8
5/27/2025	19	17.2	17.6	18.8	20.4	20.4	20.6	17.1	17.9
5/27/2025	20	17.3	17.6	18.2	19.8	19.9	20.0	17.2	17.9
5/27/2025	21	17.4	17.7	17.6	19.3	19.4	19.5	17.2	18.0
5/27/2025	22	17.5	17.8	17.2	18.7	18.8	18.9	17.3	17.9
5/27/2025	23	17.6	17.8	17.0	18.1	18.2	18.3	17.3	17.8
5/27/2025	24	17.6	17.8	16.8	17.6	17.8	17.8	17.3	17.8
5/28/2025	1	17.6	17.8	16.8	17.3	17.4	17.4	17.3	17.8
5/28/2025	2	17.6	17.8	16.7	17.0	17.1	17.1	17.3	17.8
5/28/2025	3	17.6	17.8	16.7	16.8	16.9	16.9	17.3	17.8
5/28/2025	4	17.6	17.8	16.6	16.7	16.8	16.7	17.3	17.6
5/28/2025	5	17.6	17.7	16.5	16.6	16.7	16.6	17.3	17.6
5/28/2025	6	17.5	17.7	16.5	16.5	16.6	16.5	17.3	17.6
5/28/2025	7	17.1	17.1	16.5	16.5	16.5	16.5	17.2	17.7
5/28/2025	8	16.7	16.9	16.9	16.7	16.5	16.6	17.1	17.3
5/28/2025	9	16.4	16.6	17.5	17.0	16.7	16.8	17.0	17.2
5/28/2025	10	16.2	16.6	18.1	17.3	16.9	17.2	16.8	17.1
5/28/2025	11	16.3	16.6	18.7	18.0	17.5	17.8	16.7	17.2
5/28/2025	12	16.2	16.6	19.4	18.8	18.3	18.7	16.7	17.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/28/2025	13	16.4	16.8	19.9	19.7	19.1	19.6	16.9	17.5
5/28/2025	14	16.6	17.0	20.0	20.4	19.9	20.4	17.0	17.7
5/28/2025	15	16.9	17.4	20.0	21.0	20.6	21.1	17.2	17.8
5/28/2025	16	17.3	17.7	19.9	21.0	20.9	21.3	17.4	18.0
5/28/2025	17	17.4	17.9	19.7	20.8	20.8	21.1	17.6	18.2
5/28/2025	18	17.6	17.8	19.4	20.5	20.5	20.8	17.7	18.4
5/28/2025	19	17.4	17.7	19.0	20.1	20.1	20.2	17.9	18.5
5/28/2025	20	17.3	17.6	18.5	19.7	19.8	19.8	17.9	18.5
5/28/2025	21	17.3	17.6	17.9	19.3	19.4	19.4	17.9	18.4
5/28/2025	22	17.3	17.4	17.5	18.8	18.9	18.9	17.9	18.4
5/28/2025	23	17.1	17.2	17.3	18.2	18.4	18.4	17.8	18.3
5/28/2025	24	16.9	17.0	17.2	17.8	18.0	18.0	17.8	18.3
5/29/2025	1	16.7	16.9	17.0	17.6	17.7	17.6	17.8	18.2
5/29/2025	2	16.7	16.9	16.8	17.4	17.5	17.4	17.7	18.1
5/29/2025	3	16.7	17.0	16.7	17.2	17.3	17.3	17.7	18.1
5/29/2025	4	16.8	17.0	16.7	17.1	17.2	17.2	17.7	18.1
5/29/2025	5	16.8	17.0	16.6	17.0	17.0	17.0	17.7	18.2
5/29/2025	6	16.7	16.9	16.7	16.9	16.9	16.9	17.7	18.2
5/29/2025	7	16.6	16.8	16.8	16.9	16.9	16.9	17.7	18.2
5/29/2025	8	16.6	16.8	16.9	17.0	16.9	17.0	17.7	18.2
5/29/2025	9	16.5	16.7	17.0	17.2	17.0	17.1	17.7	18.2
5/29/2025	10	16.5	16.8	17.1	17.3	17.1	17.2	17.7	18.1
5/29/2025	11	16.6	16.8	17.4	17.4	17.3	17.4	17.7	18.2
5/29/2025	12	16.7	17.1	17.4	17.7	17.4	17.6	17.7	18.2
5/29/2025	13	16.9	17.3	18.4	18.2	17.9	18.3	17.8	18.5
5/29/2025	14	17.1	17.5	19.1	18.7	18.4	18.7	17.9	18.9
5/29/2025	15	17.3	17.7	19.6	19.3	19.0	19.3	17.9	19.0
5/29/2025	16	17.6	18.1	19.6	19.7	19.5	19.8	17.9	19.0
5/29/2025	17	18.0	18.6	19.3	20.0	19.8	20.1	18.0	18.9
5/29/2025	18	18.4	18.8	19.0	19.8	19.8	19.9	18.0	18.9
5/29/2025	19	18.6	18.9	18.5	19.2	19.2	19.3	18.0	18.3
5/29/2025	20	18.6	18.9	18.1	18.7	18.8	18.7	18.0	18.1
5/29/2025	21	18.6	18.9	17.8	18.3	18.4	18.3	17.9	17.9
5/29/2025	22	18.8	19.1	17.5	18.0	18.0	17.9	17.8	17.9
5/29/2025	23	18.9	19.2	17.4	17.7	17.7	17.7	17.8	18.2
5/29/2025	24	18.9	19.2	17.4	17.4	17.5	17.4	17.7	18.2
5/30/2025	1	19.0	19.2	17.3	17.2	17.2	17.2	17.6	18.1
5/30/2025	2	19.0	19.2	17.2	17.1	17.1	17.0	17.6	18.1
5/30/2025	3	18.9	19.2	17.2	17.0	17.0	16.9	17.5	18.0
5/30/2025	4	18.9	19.2	17.3	16.9	16.9	16.8	17.4	17.9
5/30/2025	5	18.9	19.1	17.4	16.9	16.9	16.8	17.4	17.9
5/30/2025	6	18.8	19.1	17.5	17.0	16.9	16.9	17.3	17.8
5/30/2025	7	18.8	19.0	17.5	17.1	17.0	17.0	18.1	19.1
5/30/2025	8	18.5	18.7	17.8	17.4	17.2	17.2	18.3	18.8
5/30/2025	9	18.2	18.5	18.3	17.7	17.3	17.5	18.2	18.6
5/30/2025	10	18.2	18.6	19.0	18.1	17.7	17.9	18.2	18.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/30/2025	11	18.2	18.6	19.7	18.8	18.3	18.6	18.1	18.5
5/30/2025	12	18.2	18.6	20.2	19.7	19.2	19.5	18.0	18.6
5/30/2025	13	18.3	18.7	20.6	20.4	20.0	20.4	18.0	18.7
5/30/2025	14	18.4	18.9	21.0	21.0	20.7	21.1	18.1	18.8
5/30/2025	15	18.6	19.0	21.2	21.4	21.1	21.5	18.2	19.0
5/30/2025	16	18.7	19.1	21.2	21.6	21.4	21.7	18.2	19.1
5/30/2025	17	18.8	19.2	21.1	21.6	21.6	21.9	18.3	19.1
5/30/2025	18	18.7	19.0	20.7	21.5	21.5	21.7	18.4	19.1
5/30/2025	19	18.4	18.6	20.2	21.2	21.2	21.3	18.4	18.8
5/30/2025	20	18.1	18.3	19.5	20.8	20.8	20.9	18.2	18.5
5/30/2025	21	17.9	18.1	18.9	20.4	20.4	20.5	18.0	18.4
5/30/2025	22	17.7	17.9	18.3	19.8	19.9	20.0	17.9	18.2
5/30/2025	23	17.6	17.7	17.8	19.2	19.3	19.4	17.7	18.1
5/30/2025	24	17.5	17.7	17.5	18.7	18.8	18.8	17.6	18.1
5/31/2025	1	17.5	17.6	17.2	18.2	18.3	18.3	17.5	18.1
5/31/2025	2	17.4	17.5	17.0	17.8	17.9	17.9	17.5	18.0
5/31/2025	3	17.3	17.5	16.9	17.5	17.6	17.5	17.4	17.9
5/31/2025	4	17.3	17.4	16.7	17.2	17.3	17.2	17.4	17.8
5/31/2025	5	17.2	17.4	16.6	17.0	17.1	17.0	17.4	17.5
5/31/2025	6	17.2	17.3	16.5	16.8	16.9	16.8	17.3	17.6
5/31/2025	7	17.2	17.3	16.6	16.7	16.7	16.7	17.3	17.6
5/31/2025	8	17.1	17.3	16.8	16.7	16.7	16.7	17.2	17.5
5/31/2025	9	17.0	17.3	17.2	17.0	16.7	16.8	17.0	17.4
5/31/2025	10	17.0	17.3	18.0	17.3	17.1	17.3	16.9	17.2
5/31/2025	11	17.2	17.5	18.8	17.9	17.5	17.8	16.8	17.4
5/31/2025	12	17.3	17.7	19.6	18.7	18.2	18.6	16.9	17.6
5/31/2025	13	17.4	17.7	20.3	19.6	19.1	19.5	17.1	17.8
5/31/2025	14	17.4	17.8	20.7	20.4	20.0	20.3	17.3	18.1
5/31/2025	15	17.5	17.9	20.9	20.9	20.6	20.9	17.5	18.4
5/31/2025	16	17.6	18.2	20.6	21.2	21.0	21.2	17.7	18.6
5/31/2025	17	18.1	18.5	20.2	21.1	21.0	21.3	17.9	18.7
5/31/2025	18	18.4	18.8	19.6	20.8	20.8	21.0	18.1	18.8
5/31/2025	19	18.5	18.8	18.8	20.2	20.3	20.3	18.2	18.8
5/31/2025	20	18.5	18.7	18.2	19.6	19.7	19.7	18.1	18.7
5/31/2025	21	18.4	18.5	17.7	18.9	19.0	19.0	18.0	18.6
5/31/2025	22	18.2	18.3	17.2	18.3	18.4	18.4	17.9	18.4
5/31/2025	23	18.0	18.1	16.8	17.8	17.9	17.9	17.9	18.1
5/31/2025	24	17.9	18.0	16.6	17.2	17.4	17.3	17.8	18.1
6/1/2025	1	17.8	18.0	16.4	16.8	17.0	16.9	17.7	18.1
6/1/2025	2	17.8	17.9	16.3	16.5	16.6	16.5	17.6	18.1
6/1/2025	3	17.7	17.9	16.3	16.3	16.4	16.3	17.6	18.0
6/1/2025	4	17.7	17.8	16.3	16.2	16.2	16.1	17.6	18.0
6/1/2025	5	17.6	17.8	16.2	16.1	16.1	16.0	17.5	17.9
6/1/2025	6	17.6	17.7	16.2	16.1	16.1	16.0	17.5	17.9
6/1/2025	7	17.6	17.7	16.2	16.1	16.0	16.0	17.5	17.8
6/1/2025	8	17.5	17.7	16.6	16.3	16.1	16.1	17.5	17.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/1/2025	9	17.5	17.7	17.1	16.5	16.2	16.3	17.5	17.9
6/1/2025	10	17.5	17.7	17.7	16.8	16.4	16.7	17.5	18.0
6/1/2025	11	17.5	17.7	18.6	17.4	16.9	17.2	17.6	18.3
6/1/2025	12	17.5	17.8	19.4	18.2	17.7	18.1	17.6	18.9
6/1/2025	13	17.5	17.8	20.0	19.1	18.6	19.0	17.7	19.3
6/1/2025	14	17.5	17.8	20.4	19.9	19.4	19.8	17.8	19.2
6/1/2025	15	17.6	17.9	20.6	20.4	20.0	20.4	17.9	19.5
6/1/2025	16	17.6	17.9	20.5	20.7	20.5	20.8	18.0	19.2
6/1/2025	17	17.6	17.8	20.1	20.8	20.7	20.9	18.2	19.4
6/1/2025	18	17.6	17.9	19.7	20.7	20.6	20.8	18.2	19.5
6/1/2025	19	17.6	17.8	19.1	20.3	20.3	20.4	18.2	19.3
6/1/2025	20	17.6	17.8	18.3	19.8	19.9	19.9	18.1	18.9
6/1/2025	21	17.6	17.8	17.6	19.3	19.4	19.4	18.1	18.7
6/1/2025	22	17.6	17.8	17.1	18.6	18.8	18.8	18.0	18.6
6/1/2025	23	17.6	17.8	16.8	18.0	18.1	18.2	18.0	18.6
6/1/2025	24	17.6	17.8	16.7	17.4	17.6	17.6	18.0	18.5
6/2/2025	1	17.6	17.7	16.6	17.0	17.2	17.1	17.9	18.4
6/2/2025	2	17.6	17.7	16.4	16.7	16.8	16.7	17.8	18.2
6/2/2025	3	17.6	17.7	16.3	16.5	16.6	16.5	17.7	18.3
6/2/2025	4	17.6	17.7	16.2	16.3	16.4	16.3	17.6	18.1
6/2/2025	5	17.6	17.7	16.2	16.2	16.3	16.2	17.5	18.1
6/2/2025	6	17.6	17.7	16.1	16.1	16.1	16.0	17.4	18.0
6/2/2025	7	17.6	17.7	16.2	16.1	16.1	16.1	17.3	17.9
6/2/2025	8	17.6	17.8	16.5	16.2	16.1	16.1	17.4	17.9
6/2/2025	9	17.6	17.8	17.0	16.4	16.2	16.2	17.4	17.9
6/2/2025	10	17.6	17.8	17.7	16.8	16.5	16.7	17.4	17.9
6/2/2025	11	17.5	17.8	18.3	17.2	16.9	17.1	17.4	17.9
6/2/2025	12	17.5	17.9	18.9	18.0	17.5	17.8	17.4	17.9
6/2/2025	13	17.5	17.9	19.7	18.6	18.2	18.6	17.4	17.9
6/2/2025	14	17.6	17.9	20.5	19.3	18.8	19.3	17.4	18.0
6/2/2025	15	17.6	18.0	21.0	19.9	19.4	19.9	17.4	18.1
6/2/2025	16	17.6	17.9	20.9	20.3	19.9	20.1	17.4	18.1
6/2/2025	17	17.6	17.9	20.4	20.7	20.3	20.5	17.4	18.1
6/2/2025	18	17.5	17.8	19.9	20.9	20.6	20.9	17.4	18.1
6/2/2025	19	17.5	17.7	19.2	20.7	20.6	20.7	17.4	18.1
6/2/2025	20	17.4	17.6	18.5	20.3	20.3	20.3	17.4	18.1
6/2/2025	21	17.4	17.6	17.9	19.7	19.9	19.9	17.5	18.0
6/2/2025	22	17.4	17.6	17.3	19.2	19.3	19.3	17.5	18.0
6/2/2025	23	17.4	17.5	16.8	18.5	18.7	18.8	17.4	17.9
6/2/2025	24	17.4	17.5	16.5	18.0	18.2	18.2	17.4	17.8
6/3/2025	1	17.4	17.5	16.3	17.5	17.6	17.6	17.4	17.9
6/3/2025	2	17.3	17.4	16.2	17.0	17.2	17.1	17.3	17.9
6/3/2025	3	17.3	17.4	16.1	16.7	16.8	16.7	17.3	17.8
6/3/2025	4	17.3	17.4	16.1	16.3	16.5	16.4	17.3	17.8
6/3/2025	5	17.3	17.4	16.0	16.1	16.3	16.2	17.2	17.7
6/3/2025	6	17.3	17.4	15.9	16.0	16.1	16.0	17.2	17.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/3/2025	7	17.3	17.5	15.9	16.0	16.0	15.9	17.2	17.8
6/3/2025	8	17.4	17.7	16.2	16.3	16.0	16.0	17.3	17.9
6/3/2025	9	17.6	17.9	16.8	16.4	16.1	16.3	17.3	18.0
6/3/2025	10	17.6	17.9	17.5	16.6	16.3	16.6	17.4	18.0
6/3/2025	11	17.6	18.0	18.6	17.1	16.6	17.1	17.4	18.1
6/3/2025	12	17.6	18.0	19.7	17.8	17.3	17.7	17.5	18.1
6/3/2025	13	17.7	18.1	20.7	18.7	18.2	18.7	17.5	18.2
6/3/2025	14	17.8	18.2	21.2	19.8	19.2	19.6	17.6	18.3
6/3/2025	15	17.8	18.2	21.7	20.7	20.1	20.6	17.7	18.4
6/3/2025	16	17.9	18.3	21.6	21.0	20.7	21.0	17.8	18.5
6/3/2025	17	18.0	18.3	21.4	21.4	21.1	21.4	17.9	18.6
6/3/2025	18	18.0	18.4	20.9	21.5	21.3	21.6	18.0	18.7
6/3/2025	19	18.1	18.4	20.2	21.3	21.2	21.3	18.1	18.7
6/3/2025	20	18.3	18.6	19.3	20.9	20.9	20.9	18.2	18.9
6/3/2025	21	18.3	18.5	18.5	20.6	20.6	20.5	18.3	19.0
6/3/2025	22	18.4	18.7	17.8	20.0	20.1	20.1	18.4	19.0
6/3/2025	23	18.4	18.6	17.4	19.3	19.6	19.5	18.4	18.8
6/3/2025	24	18.5	18.7	17.2	18.7	18.9	18.9	18.4	18.7
6/4/2025	1	18.6	18.8	17.1	18.1	18.2	18.2	18.3	18.5
6/4/2025	2	18.5	18.7	16.9	17.6	17.8	17.7	18.2	18.5
6/4/2025	3	18.5	18.7	16.7	17.2	17.4	17.3	18.2	18.3
6/4/2025	4	18.5	18.7	16.6	17.0	17.1	17.0	18.1	18.4
6/4/2025	5	18.5	18.7	16.6	16.8	16.9	16.8	18.1	18.4
6/4/2025	6	18.5	18.6	16.5	16.6	16.7	16.6	18.0	18.3
6/4/2025	7	18.4	18.7	16.6	16.5	16.6	16.5	18.1	18.3
6/4/2025	8	18.4	18.7	16.9	16.8	16.5	16.6	18.1	18.2
6/4/2025	9	18.5	18.8	17.5	17.0	16.6	16.8	18.2	17.0
6/4/2025	10	18.5	18.8	18.3	17.2	16.8	17.1	18.3	18.4
6/4/2025	11	18.5	18.9	19.3	17.7	17.2	17.6	18.4	18.9
6/4/2025	12	18.5	19.0	20.4	18.4	17.9	18.3	18.5	19.7
6/4/2025	13	18.5	19.0	21.3	19.3	18.8	19.2	18.5	19.9
6/4/2025	14	18.6	19.0	21.7	20.2	19.6	20.0	18.5	20.0
6/4/2025	15	18.6	19.0	21.9	21.0	20.5	20.9	18.5	20.0
6/4/2025	16	18.6	19.0	22.1	21.7	21.2	21.7	18.6	20.1
6/4/2025	17	18.6	19.0	21.9	21.9	21.7	22.1	18.5	19.1
6/4/2025	18	18.6	18.9	21.5	22.1	21.9	22.2	18.4	19.3
6/4/2025	19	18.6	19.0	20.9	21.9	21.8	22.0	18.6	19.4
6/4/2025	20	18.7	19.0	20.0	21.6	21.6	21.7	18.7	19.4
6/4/2025	21	18.7	18.9	19.1	21.2	21.3	21.2	18.8	19.3
6/4/2025	22	18.6	18.9	18.4	20.7	20.8	20.8	18.7	19.2
6/4/2025	23	18.7	18.9	17.9	20.0	20.2	20.3	18.7	19.2
6/4/2025	24	18.7	19.0	17.7	19.3	19.5	19.6	18.7	19.1
6/5/2025	1	18.8	19.0	17.6	18.7	18.9	18.9	18.6	19.1
6/5/2025	2	18.8	19.0	17.5	18.2	18.4	18.3	18.6	19.0
6/5/2025	3	18.7	18.9	17.4	17.8	18.0	17.9	18.5	19.0
6/5/2025	4	18.7	18.9	17.3	17.6	17.7	17.6	18.5	18.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/5/2025	5	18.7	18.9	17.3	17.4	17.5	17.4	18.5	17.5
6/5/2025	6	18.7	19.0	17.3	17.3	17.4	17.3	18.5	18.8
6/5/2025	7	18.8	19.0	17.3	17.3	17.3	17.2	18.5	19.0
6/5/2025	8	18.8	19.1	17.7	17.6	17.3	17.4	18.5	19.0
6/5/2025	9	18.7	19.1	18.2	17.8	17.4	17.6	18.5	19.0
6/5/2025	10	18.7	19.1	19.0	18.0	17.7	18.0	18.5	19.0
6/5/2025	11	18.6	19.1	19.9	18.4	18.0	18.4	18.5	19.0
6/5/2025	12	18.7	19.1	21.0	19.2	18.7	19.2	18.5	19.1
6/5/2025	13	18.7	19.2	21.9	20.2	19.6	20.1	18.5	19.2
6/5/2025	14	18.7	19.2	22.6	21.1	20.5	21.0	18.5	19.3
6/5/2025	15	18.7	19.2	22.9	22.0	21.4	21.9	18.6	19.3
6/5/2025	16	18.8	19.2	22.9	22.6	22.1	22.6	18.7	19.4
6/5/2025	17	18.8	19.2	22.7	22.8	22.6	23.0	18.7	19.6
6/5/2025	18	18.9	19.2	22.1	23.0	22.8	23.1	18.8	19.6
6/5/2025	19	19.0	19.4	21.4	22.8	22.8	23.0	18.8	19.6
6/5/2025	20	19.1	19.3	20.6	22.4	22.5	22.6	18.9	19.5
6/5/2025	21	19.0	19.3	19.8	21.9	22.0	22.1	18.9	19.5
6/5/2025	22	19.1	19.3	19.2	21.4	21.5	21.6	18.9	19.4
6/5/2025	23	19.0	19.2	18.7	20.8	20.9	21.0	18.9	19.3
6/5/2025	24	18.9	19.2	18.5	20.1	20.3	20.3	18.8	19.3
6/6/2025	1	19.0	19.2	18.3	19.6	19.7	19.7	18.8	19.3
6/6/2025	2	18.9	19.2	18.2	19.1	19.2	19.2	18.7	19.1
6/6/2025	3	18.9	19.1	18.1	18.7	18.9	18.8	18.7	18.9
6/6/2025	4	18.9	19.1	18.1	18.5	18.6	18.6	18.7	18.4
6/6/2025	5	18.9	19.1	18.1	18.3	18.4	18.4	18.6	18.2
6/6/2025	6	18.9	19.1	18.1	18.2	18.3	18.2	18.6	19.2
6/6/2025	7	18.9	19.1	18.1	18.2	18.2	18.2	18.6	19.2
6/6/2025	8	18.8	19.1	18.2	18.5	18.2	18.3	18.6	19.1
6/6/2025	9	18.8	19.1	18.7	18.7	18.4	18.6	18.6	19.0
6/6/2025	10	18.7	19.1	19.4	18.8	18.5	18.9	18.5	19.0
6/6/2025	11	18.7	19.1	20.3	19.2	18.8	19.2	18.5	19.0
6/6/2025	12	18.8	19.2	21.1	19.7	19.4	19.7	18.5	19.1
6/6/2025	13	18.9	19.3	21.3	20.2	19.9	20.2	18.5	19.2
6/6/2025	14	19.0	19.4	22.0	21.4	20.8	21.3	18.6	19.3
6/6/2025	15	19.0	19.5	22.5	21.9	21.5	22.0	18.7	19.4
6/6/2025	16	19.1	19.5	22.8	22.3	22.1	22.5	18.7	19.5
6/6/2025	17	19.1	19.5	22.7	22.7	22.5	22.9	18.8	19.6
6/6/2025	18	19.1	19.5	22.3	22.9	22.8	23.0	18.9	19.7
6/6/2025	19	19.2	19.6	21.4	22.8	22.7	22.8	19.0	19.7
6/6/2025	20	19.3	19.5	20.6	22.4	22.4	22.5	19.1	19.7
6/6/2025	21	19.2	19.5	19.8	22.0	22.1	22.2	19.1	19.7
6/6/2025	22	19.3	19.6	19.2	21.4	21.5	21.6	19.1	19.7
6/6/2025	23	19.3	19.6	18.8	20.7	20.9	21.0	19.0	19.5
6/6/2025	24	19.3	19.6	18.5	20.1	20.3	20.3	19.0	19.4
6/7/2025	1	19.3	19.5	18.4	19.5	19.7	19.7	19.0	19.3
6/7/2025	2	19.3	19.5	18.3	19.1	19.2	19.2	18.9	18.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/7/2025	3	19.3	19.5	18.2	18.8	18.9	18.9	18.9	19.1
6/7/2025	4	19.2	19.5	18.2	18.6	18.7	18.7	18.8	19.1
6/7/2025	5	19.2	19.5	18.2	18.4	18.5	18.5	18.8	17.7
6/7/2025	6	19.2	19.4	18.2	18.3	18.4	18.3	18.8	18.9
6/7/2025	7	19.2	19.5	18.2	18.3	18.3	18.3	18.8	19.5
6/7/2025	8	19.2	19.5	18.5	18.6	18.3	18.4	18.8	19.5
6/7/2025	9	19.1	19.5	19.0	18.8	18.5	18.7	18.8	19.4
6/7/2025	10	19.0	19.4	19.7	19.1	18.7	19.1	18.9	19.3
6/7/2025	11	19.0	19.4	20.7	19.4	19.0	19.4	18.9	19.4
6/7/2025	12	19.1	19.5	21.7	20.1	19.7	20.1	18.9	19.5
6/7/2025	13	19.2	19.7	22.6	21.0	20.5	21.0	18.9	19.6
6/7/2025	14	19.3	19.8	23.1	22.0	21.4	21.9	19.0	19.7
6/7/2025	15	19.5	20.0	23.4	22.8	22.3	22.8	19.1	19.9
6/7/2025	16	19.6	20.1	23.5	23.4	23.0	23.5	19.1	20.0
6/7/2025	17	19.7	20.1	23.3	23.5	23.4	23.8	19.2	20.1
6/7/2025	18	19.7	20.1	22.8	23.8	23.6	23.9	19.3	20.2
6/7/2025	19	19.7	20.0	22.1	23.5	23.5	23.7	19.4	20.2
6/7/2025	20	19.6	19.9	21.2	23.1	23.1	23.2	19.5	20.1
6/7/2025	21	19.6	19.9	20.5	22.6	22.7	22.8	19.4	20.0
6/7/2025	22	19.6	19.8	19.8	22.0	22.2	22.2	19.4	19.9
6/7/2025	23	19.5	19.7	19.3	21.3	21.5	21.6	19.3	19.8
6/7/2025	24	19.4	19.6	19.0	20.6	20.8	20.9	19.3	19.7
6/8/2025	1	19.4	19.6	18.7	20.0	20.2	20.3	19.2	19.7
6/8/2025	2	19.4	19.6	18.6	19.6	19.8	19.7	19.1	19.7
6/8/2025	3	19.4	19.6	18.4	19.2	19.4	19.3	19.1	19.7
6/8/2025	4	19.3	19.5	18.3	18.9	19.0	19.0	19.0	19.6
6/8/2025	5	19.3	19.5	18.1	18.6	18.7	18.7	19.0	19.4
6/8/2025	6	19.3	19.5	18.0	18.4	18.5	18.5	18.9	19.6
6/8/2025	7	19.3	19.5	18.1	18.3	18.4	18.4	18.8	19.5
6/8/2025	8	19.2	19.4	18.4	18.5	18.3	18.4	18.8	19.4
6/8/2025	9	19.0	19.2	19.0	18.7	18.4	18.6	18.7	19.2
6/8/2025	10	18.9	19.2	20.0	18.8	18.6	18.9	18.7	19.2
6/8/2025	11	18.9	19.2	20.9	19.5	19.1	19.4	18.7	19.2
6/8/2025	12	18.7	19.1	21.6	20.5	20.1	20.4	18.7	19.1
6/8/2025	13	18.7	19.0	22.2	21.6	21.1	21.5	18.7	19.2
6/8/2025	14	18.6	18.9	22.6	22.4	22.0	22.4	18.6	19.3
6/8/2025	15	18.5	18.9	22.8	23.1	22.7	23.1	18.7	19.4
6/8/2025	16	18.6	19.0	22.7	23.5	23.2	23.6	18.8	19.6
6/8/2025	17	18.6	19.0	22.3	23.5	23.4	23.8	18.9	19.7
6/8/2025	18	18.7	19.1	21.7	23.4	23.4	23.7	19.0	19.9
6/8/2025	19	18.7	19.1	21.0	22.8	22.9	23.2	19.1	19.9
6/8/2025	20	18.8	19.1	20.3	22.3	22.4	22.5	19.1	20.0
6/8/2025	21	18.9	19.2	19.6	21.7	21.8	21.9	19.2	20.0
6/8/2025	22	18.9	19.2	19.2	21.0	21.1	21.3	19.3	20.0
6/8/2025	23	18.8	19.0	18.9	20.3	20.5	20.6	19.3	19.8
6/8/2025	24	18.8	19.0	18.7	19.8	19.9	20.0	19.3	19.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/9/2025	1	18.6	18.8	18.7	19.4	19.5	19.6	19.2	19.8
6/9/2025	2	18.5	18.7	18.5	19.2	19.2	19.3	19.2	19.6
6/9/2025	3	18.5	18.6	18.4	19.0	19.1	19.1	19.2	19.7
6/9/2025	4	18.4	18.6	18.3	18.8	18.9	18.9	19.1	19.6
6/9/2025	5	18.3	18.5	18.1	18.7	18.7	18.7	19.1	19.6
6/9/2025	6	18.3	18.5	18.0	18.6	18.6	18.6	19.1	19.7
6/9/2025	7	18.4	18.7	18.0	18.5	18.5	18.5	18.7	19.6
6/9/2025	8	18.3	18.6	18.3	18.5	18.4	18.5	19.0	19.7
6/9/2025	9	18.4	18.7	18.9	18.7	18.5	18.7	19.0	19.6
6/9/2025	10	18.1	18.4	19.7	19.1	18.8	19.0	18.9	19.5
6/9/2025	11	18.0	18.5	20.5	19.8	19.5	19.7	18.9	19.3
6/9/2025	12	17.9	18.1	21.1	20.7	20.4	20.6	18.9	19.5
6/9/2025	13	17.7	17.9	21.4	21.6	21.3	21.6	18.9	19.4
6/9/2025	14	17.6	17.9	21.7	22.3	22.0	22.3	18.9	19.5
6/9/2025	15	17.6	17.9	21.7	22.6	22.4	22.7	19.0	19.5
6/9/2025	16	17.3	17.6	21.4	22.7	22.6	22.8	19.0	19.6
6/9/2025	17	17.1	17.3	21.0	22.5	22.5	22.8	19.0	19.7
6/9/2025	18	17.0	17.3	20.3	22.1	22.1	22.4	19.1	19.9
6/9/2025	19	17.1	17.5	19.5	21.4	21.5	21.7	19.2	19.9
6/9/2025	20	17.0	17.2	18.6	20.7	20.9	21.0	19.3	20.0
6/9/2025	21	17.0	17.2	17.9	19.9	20.1	20.2	19.5	20.4
6/9/2025	22	17.1	17.3	17.5	19.1	19.3	19.4	19.8	20.6
6/9/2025	23	17.4	17.7	17.2	18.5	18.7	18.7	19.8	20.4
6/9/2025	24	17.2	17.3	17.1	18.0	18.2	18.2	19.8	20.2
6/10/2025	1	17.2	17.4	17.1	17.7	17.8	17.8	19.7	20.2
6/10/2025	2	17.4	17.7	17.1	17.5	17.6	17.5	19.7	19.9
6/10/2025	3	17.4	17.6	17.0	17.4	17.4	17.4	19.7	20.2
6/10/2025	4	17.3	17.6	16.9	17.3	17.3	17.3	19.7	20.2
6/10/2025	5	17.2	17.3	17.0	17.2	17.2	17.2	19.6	20.1
6/10/2025	6	16.9	17.0	17.0	17.1	17.1	17.1	19.5	20.1
6/10/2025	7	17.0	17.3	17.0	17.2	17.1	17.1	19.2	20.4
6/10/2025	8	17.3	17.7	17.2	17.3	17.2	17.3	19.9	20.6
6/10/2025	9	17.4	17.7	17.6	17.6	17.3	17.5	20.1	20.5
6/10/2025	10	17.6	18.0	18.4	17.9	17.6	17.9	20.1	20.7
6/10/2025	11	18.3	18.8	19.3	18.5	18.2	18.4	20.2	20.8
6/10/2025	12	19.6	19.5	20.1	19.4	19.1	19.3	20.5	21.4
6/10/2025	13	19.5	20.3	20.8	20.4	20.0	20.3	20.8	21.4
6/10/2025	14	20.4	20.5	21.9	21.1	20.8	21.1	21.0	21.9
6/10/2025	15	20.4	21.0	22.2	21.8	21.4	21.7	21.1	21.9
6/10/2025	16	20.7	20.9	22.7	22.5	22.2	22.4	21.3	22.2
6/10/2025	17	20.8	21.0	22.6	22.7	22.6	22.8	21.4	22.2
6/10/2025	18	20.9	21.3	22.3	22.8	22.7	22.8	21.5	22.2
6/10/2025	19	20.8	21.2	21.7	22.6	22.6	22.7	21.6	22.2
6/10/2025	20	20.7	21.2	21.2	22.2	22.2	22.3	21.7	22.3
6/10/2025	21	21.0	21.4	20.8	21.6	21.7	21.8	21.8	22.4
6/10/2025	22	21.1	21.6	20.5	21.2	21.2	21.3	21.7	22.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/10/2025	23	21.3	21.7	20.3	20.9	20.9	20.9	21.7	22.0
6/10/2025	24	21.5	21.8	20.2	20.5	20.6	20.6	21.6	21.7
6/11/2025	1	21.4	21.6	20.2	20.3	20.3	20.3	21.6	21.6
6/11/2025	2	21.5	21.8	20.2	20.1	20.1	20.1	21.5	20.0
6/11/2025	3	21.7	22.1	20.1	20.0	20.0	20.0	21.5	20.1
6/11/2025	4	21.8	22.2	20.0	20.0	20.0	19.9	21.4	21.3
6/11/2025	5	21.9	22.2	20.1	19.9	19.9	19.8	21.4	21.5
6/11/2025	6	22.0	22.3	20.2	19.8	19.8	19.8	21.5	21.6
6/11/2025	7	22.1	22.4	20.4	19.9	19.8	19.8	21.6	22.5
6/11/2025	8	22.1	22.4	20.9	20.2	20.0	20.0	21.7	22.5
6/11/2025	9	22.0	22.3	21.4	20.5	20.2	20.3	21.8	22.3
6/11/2025	10	22.0	22.4	22.0	21.0	20.7	20.8	21.8	22.4
6/11/2025	11	22.1	22.5	22.7	21.7	21.4	21.6	21.9	22.4
6/11/2025	12	22.1	22.6	23.2	22.5	22.2	22.4	21.9	22.5
6/11/2025	13	22.2	22.7	23.6	23.1	22.8	23.1	22.0	22.6
6/11/2025	14	22.3	22.8	23.8	23.6	23.3	23.6	22.0	22.7
6/11/2025	15	22.4	22.8	24.0	24.1	23.8	24.1	22.0	22.8
6/11/2025	16	22.5	22.9	24.2	24.3	24.1	24.4	22.1	22.9
6/11/2025	17	22.5	23.0	24.2	24.4	24.3	24.5	22.1	23.0
6/11/2025	18	22.7	23.1	23.8	24.3	24.3	24.4	22.2	23.0
6/11/2025	19	22.7	23.0	23.2	24.0	24.0	24.1	22.2	23.0
6/11/2025	20	22.6	22.9	22.6	23.5	23.5	23.6	22.3	23.0
6/11/2025	21	22.6	22.9	22.2	23.0	23.0	23.1	22.3	22.9
6/11/2025	22	22.6	22.8	21.8	22.4	22.5	22.5	22.3	22.8
6/11/2025	23	22.5	22.7	21.5	22.0	22.1	22.1	22.2	22.4
6/11/2025	24	22.4	22.7	21.3	21.6	21.7	21.7	22.1	22.5
6/12/2025	1	22.4	22.6	21.1	21.3	21.3	21.3	22.1	22.3
6/12/2025	2	22.3	22.6	21.0	21.1	21.1	21.1	22.0	22.4
6/12/2025	3	22.3	22.5	20.9	20.9	20.9	20.9	22.0	22.4
6/12/2025	4	22.3	22.5	20.7	20.7	20.7	20.7	21.9	22.3
6/12/2025	5	22.2	22.4	20.7	20.6	20.6	20.6	21.8	22.3
6/12/2025	6	22.2	22.4	20.5	20.5	20.4	20.4	21.9	22.1
6/12/2025	7	22.1	22.3	20.6	20.4	20.3	20.3	21.9	22.3
6/12/2025	8	22.1	22.3	20.8	20.5	20.3	20.4	21.9	22.0
6/12/2025	9	22.1	22.3	21.2	20.7	20.5	20.6	21.9	22.1
6/12/2025	10	22.0	22.3	21.8	21.0	20.8	20.9	21.9	22.2
6/12/2025	11	21.9	22.3	22.7	21.6	21.3	21.5	21.8	22.2
6/12/2025	12	21.9	22.3	23.3	22.4	22.1	22.2	21.8	22.3
6/12/2025	13	21.9	22.3	23.7	23.0	22.8	22.9	21.8	22.3
6/12/2025	14	21.9	22.4	24.0	23.6	23.3	23.5	21.8	22.4
6/12/2025	15	21.9	22.4	24.2	23.9	23.7	24.0	21.7	22.4
6/12/2025	16	21.9	22.3	24.2	24.0	23.9	24.1	21.7	22.4
6/12/2025	17	22.0	22.3	24.0	24.0	24.0	24.1	21.7	22.4
6/12/2025	18	22.0	22.3	23.4	23.9	23.9	23.9	21.7	22.4
6/12/2025	19	22.0	22.3	22.6	23.5	23.5	23.5	21.7	22.4
6/12/2025	20	22.1	22.3	21.6	23.0	23.1	23.0	21.7	22.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/12/2025	21	22.1	22.3	20.9	22.4	22.6	22.5	21.7	22.3
6/12/2025	22	22.0	22.2	20.2	21.8	22.0	21.9	21.7	22.1
6/12/2025	23	22.0	22.2	19.9	21.1	21.3	21.2	21.6	21.8
6/12/2025	24	22.0	22.1	19.6	20.4	20.7	20.5	21.6	21.9
6/13/2025	1	21.9	22.1	19.4	19.9	20.1	20.0	21.5	21.7
6/13/2025	2	21.9	22.0	19.3	19.4	19.6	19.5	21.5	21.5
6/13/2025	3	21.8	21.9	19.1	19.1	19.3	19.2	21.4	21.5
6/13/2025	4	21.8	21.9	19.0	18.9	19.0	18.9	21.4	21.2
6/13/2025	5	21.7	21.8	18.8	18.7	18.8	18.7	21.3	21.2
6/13/2025	6	21.7	21.8	18.7	18.6	18.7	18.5	21.3	20.2
6/13/2025	7	21.6	21.8	18.7	18.5	18.5	18.4	21.3	21.7
6/13/2025	8	21.6	21.8	19.1	18.6	18.5	18.5	21.2	21.4
6/13/2025	9	21.6	21.8	19.5	18.9	18.6	18.8	21.2	21.5
6/13/2025	10	21.5	21.8	20.3	19.1	18.8	19.1	21.2	21.4
6/13/2025	11	21.4	21.7	21.2	19.5	19.2	19.5	21.2	21.4
6/13/2025	12	21.3	21.6	22.3	20.2	19.8	20.2	21.2	21.6
6/13/2025	13	21.3	21.7	23.3	21.2	20.7	21.0	21.1	21.8
6/13/2025	14	21.3	21.8	24.0	22.1	21.6	22.0	21.1	21.9
6/13/2025	15	21.3	21.7	24.4	22.9	22.5	22.8	21.1	21.8
6/13/2025	16	21.3	21.7	24.4	23.7	23.3	23.5	21.1	21.8
6/13/2025	17	21.3	21.7	24.2	23.9	23.8	24.0	21.1	21.9
6/13/2025	18	21.4	21.7	23.6	24.1	24.0	24.2	21.1	21.9
6/13/2025	19	21.4	21.7	22.7	23.9	23.8	24.0	21.1	21.8
6/13/2025	20	21.4	21.7	21.8	23.4	23.5	23.5	21.1	21.9
6/13/2025	21	21.5	21.7	20.8	22.8	22.9	22.9	21.1	21.8
6/13/2025	22	21.5	21.7	20.1	22.0	22.2	22.2	21.1	21.7
6/13/2025	23	21.5	21.6	19.5	21.2	21.4	21.4	21.1	21.6
6/13/2025	24	21.4	21.5	19.2	20.4	20.7	20.7	21.1	21.5
6/14/2025	1	21.4	21.5	18.9	19.7	19.9	19.9	21.0	21.5
6/14/2025	2	21.3	21.4	18.7	19.2	19.3	19.3	21.0	21.3
6/14/2025	3	21.3	21.4	18.6	18.7	18.9	18.8	20.9	21.0
6/14/2025	4	21.2	21.3	18.5	18.4	18.5	18.4	20.9	19.2
6/14/2025	5	21.2	21.2	18.4	18.2	18.3	18.2	20.8	16.3
6/14/2025	6	21.1	21.2	18.3	18.1	18.1	18.0	20.8	15.1
6/14/2025	7	21.1	21.2	18.4	18.1	18.1	18.0	20.8	20.8
6/14/2025	8	21.1	21.2	18.7	18.2	18.1	18.1	20.7	20.7
6/14/2025	9	21.0	21.3	19.3	18.5	18.2	18.3	20.7	20.9
6/14/2025	10	21.0	21.3	20.1	18.7	18.4	18.7	20.7	21.0
6/14/2025	11	21.0	21.3	21.1	19.2	18.9	19.2	20.7	21.1
6/14/2025	12	20.9	21.2	22.3	20.1	19.6	19.9	20.7	21.2
6/14/2025	13	20.9	21.2	23.3	21.0	20.6	20.9	20.7	21.3
6/14/2025	14	20.9	21.2	23.9	22.1	21.6	21.9	20.7	21.4
6/14/2025	15	20.8	21.2	24.3	23.0	22.5	22.8	20.7	21.4
6/14/2025	16	20.8	21.2	23.9	23.7	23.3	23.6	20.7	21.3
6/14/2025	17	20.8	21.2	23.3	23.9	23.8	24.0	20.7	21.3
6/14/2025	18	20.9	21.2	22.7	24.1	24.0	24.2	20.7	21.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/14/2025	19	20.9	21.2	22.3	23.7	23.7	23.9	20.7	21.3
6/14/2025	20	20.9	21.1	21.6	23.1	23.1	23.3	20.7	21.3
6/14/2025	21	20.9	21.1	20.9	22.5	22.6	22.6	20.7	21.3
6/14/2025	22	20.9	21.1	20.4	22.0	22.1	22.1	20.7	21.3
6/14/2025	23	20.9	21.1	19.7	21.4	21.5	21.6	20.7	21.0
6/14/2025	24	20.9	21.1	19.3	20.7	20.9	20.9	20.6	21.0
6/15/2025	1	20.9	21.1	19.0	20.2	20.3	20.4	20.6	20.9
6/15/2025	2	21.0	21.1	18.8	19.6	19.8	19.8	20.5	21.0
6/15/2025	3	21.0	21.1	18.7	19.1	19.3	19.3	20.5	20.9
6/15/2025	4	20.9	21.0	18.7	18.7	18.9	18.9	20.4	20.7
6/15/2025	5	20.9	21.0	18.7	18.5	18.7	18.6	20.4	17.4
6/15/2025	6	20.9	21.0	18.7	18.4	18.5	18.4	20.3	17.9
6/15/2025	7	20.9	21.0	18.7	18.3	18.4	18.3	20.3	14.8
6/15/2025	8	20.9	21.1	19.0	18.6	18.4	18.4	20.4	14.8
6/15/2025	9	20.8	21.1	19.5	18.8	18.5	18.6	20.4	15.3
6/15/2025	10	20.8	21.1	20.2	19.0	18.7	19.0	20.5	16.7
6/15/2025	11	20.7	21.1	21.2	19.5	19.2	19.5	20.5	17.7
6/15/2025	12	20.7	21.0	22.4	20.2	19.9	20.2	20.6	21.3
6/15/2025	13	20.6	21.0	23.3	21.2	20.8	21.1	20.7	22.0
6/15/2025	14	20.5	20.9	24.0	22.3	21.8	22.1	20.7	22.1
6/15/2025	15	20.4	20.8	24.3	23.1	22.7	23.0	20.8	22.2
6/15/2025	16	20.4	20.7	24.3	23.9	23.5	23.7	20.8	22.0
6/15/2025	17	20.5	20.8	24.0	24.1	24.0	24.2	20.7	21.4
6/15/2025	18	20.5	20.9	23.4	24.2	24.1	24.4	20.6	21.4
6/15/2025	19	20.3	20.4	22.7	24.1	24.0	24.2	20.6	21.3
6/15/2025	20	19.7	19.8	21.8	23.5	23.6	23.7	20.6	21.1
6/15/2025	21	19.4	19.5	21.0	23.0	23.1	23.2	20.4	20.9
6/15/2025	22	19.2	19.3	20.3	22.5	22.6	22.7	20.2	20.6
6/15/2025	23	19.1	19.2	19.7	21.8	21.9	22.0	20.0	20.3
6/15/2025	24	19.0	19.0	19.0	21.0	21.2	21.2	19.8	20.2
6/16/2025	1	18.9	18.9	18.6	20.4	20.5	20.6	19.6	20.0
6/16/2025	2	18.8	18.8	18.2	19.8	20.0	20.0	19.6	17.8
6/16/2025	3	18.7	18.7	18.0	19.2	19.4	19.4	19.5	15.1
6/16/2025	4	18.5	18.5	17.8	18.7	18.9	18.9	19.5	15.1
6/16/2025	5	18.4	18.4	17.6	18.3	18.5	18.5	19.4	14.9
6/16/2025	6	18.3	18.3	17.4	18.0	18.2	18.1	19.4	18.4
6/16/2025	7	18.3	18.2	17.3	17.9	18.0	17.9	19.0	19.3
6/16/2025	8	18.2	18.4	17.6	18.0	17.9	17.9	19.0	19.7
6/16/2025	9	18.3	18.5	18.1	18.1	17.9	18.1	19.2	19.9
6/16/2025	10	18.1	18.4	18.8	18.3	18.0	18.3	19.4	20.0
6/16/2025	11	18.1	18.3	19.8	18.6	18.4	18.7	19.3	20.1
6/16/2025	12	18.1	18.3	20.8	19.2	19.0	19.3	19.3	20.1
6/16/2025	13	17.9	18.2	21.7	20.2	19.8	20.2	19.3	20.1
6/16/2025	14	17.9	18.2	21.9	20.8	20.5	20.7	19.2	20.0
6/16/2025	15	18.0	18.3	21.8	21.6	21.2	21.4	19.2	19.9
6/16/2025	16	18.0	18.3	21.8	22.1	21.8	22.1	19.2	19.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/16/2025	17	18.0	18.2	21.5	22.2	22.1	22.3	19.1	19.7
6/16/2025	18	18.0	18.2	21.0	22.1	22.0	22.2	19.1	19.8
6/16/2025	19	18.1	18.2	20.4	21.8	21.8	21.9	19.3	20.1
6/16/2025	20	18.1	18.2	19.6	21.3	21.4	21.4	19.5	20.4
6/16/2025	21	18.3	18.5	18.8	20.8	20.8	20.8	19.8	20.6
6/16/2025	22	18.5	18.6	18.2	20.3	20.3	20.3	20.0	20.8
6/16/2025	23	18.7	18.7	17.7	19.7	19.8	19.8	20.2	20.8
6/16/2025	24	18.8	19.0	17.5	19.1	19.2	19.3	20.2	20.7
6/17/2025	1	18.6	18.7	17.3	18.5	18.7	18.7	20.2	20.6
6/17/2025	2	18.6	18.8	17.3	18.1	18.2	18.2	20.2	20.4
6/17/2025	3	18.8	19.1	17.2	17.7	17.8	17.8	20.1	20.3
6/17/2025	4	19.2	19.5	17.2	17.5	17.5	17.5	20.1	20.1
6/17/2025	5	19.5	19.8	17.0	17.3	17.3	17.3	20.1	20.2
6/17/2025	6	19.7	20.0	17.0	17.2	17.2	17.1	20.0	20.3
6/17/2025	7	20.2	20.5	17.1	17.2	17.1	17.1	19.9	20.7
6/17/2025	8	20.5	20.7	17.6	17.2	17.1	17.2	20.2	20.6
6/17/2025	9	20.5	20.8	18.3	17.5	17.2	17.4	20.2	20.9
6/17/2025	10	20.4	20.6	19.2	17.6	17.4	17.6	20.2	20.8
6/17/2025	11	20.3	20.6	20.1	18.2	17.8	18.1	20.2	20.8
6/17/2025	12	20.2	20.5	21.1	19.0	18.6	18.8	20.1	20.8
6/17/2025	13	20.2	20.6	22.1	20.1	19.6	20.0	20.1	20.8
6/17/2025	14	20.2	20.6	22.8	21.0	20.5	20.8	20.1	20.8
6/17/2025	15	20.2	20.7	23.4	21.9	21.4	21.7	20.1	20.8
6/17/2025	16	20.3	20.6	23.6	22.7	22.3	22.5	20.1	20.9
6/17/2025	17	20.3	20.7	23.4	23.0	22.8	23.0	20.2	21.0
6/17/2025	18	20.6	20.8	22.9	23.2	23.1	23.2	20.2	21.1
6/17/2025	19	20.5	20.8	22.1	23.1	22.9	23.0	20.2	21.1
6/17/2025	20	20.6	20.9	21.1	22.7	22.7	22.7	20.3	21.1
6/17/2025	21	20.8	21.0	20.3	22.3	22.3	22.3	20.3	21.1
6/17/2025	22	20.8	21.0	19.7	21.7	21.7	21.8	20.3	21.0
6/17/2025	23	20.8	20.9	19.4	20.9	21.0	21.1	20.3	20.8
6/17/2025	24	20.7	20.9	19.2	20.3	20.4	20.4	20.3	20.8
6/18/2025	1	20.7	20.8	19.2	19.8	19.9	19.9	20.3	20.8
6/18/2025	2	20.7	20.8	19.1	19.4	19.5	19.5	20.3	20.8
6/18/2025	3	20.6	20.8	19.0	19.1	19.2	19.2	20.3	20.7
6/18/2025	4	20.6	20.7	18.8	19.0	19.0	18.9	20.3	20.7
6/18/2025	5	20.6	20.7	18.7	18.8	18.9	18.8	20.3	20.7
6/18/2025	6	20.6	20.7	18.7	18.7	18.7	18.7	20.3	20.6
6/18/2025	7	20.5	20.7	18.8	18.7	18.7	18.7	20.2	20.8
6/18/2025	8	20.5	20.7	19.2	18.9	18.7	18.8	20.2	20.7
6/18/2025	9	20.4	20.7	19.8	19.0	18.8	19.0	20.2	20.7
6/18/2025	10	20.4	20.7	20.5	19.3	19.0	19.3	20.2	20.6
6/18/2025	11	20.3	20.7	21.3	19.7	19.4	19.7	20.2	20.6
6/18/2025	12	20.3	20.7	22.2	20.4	20.1	20.4	20.2	20.7
6/18/2025	13	20.4	20.8	22.9	21.3	20.9	21.2	20.2	20.7
6/18/2025	14	20.5	20.9	23.5	22.1	21.7	22.0	20.2	20.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/18/2025	15	20.6	21.0	23.6	22.8	22.4	22.7	20.2	20.9
6/18/2025	16	20.7	21.0	23.6	23.3	23.0	23.2	20.2	21.0
6/18/2025	17	20.7	21.0	23.2	23.4	23.3	23.4	20.2	21.0
6/18/2025	18	20.7	21.0	22.5	23.4	23.3	23.4	20.2	21.0
6/18/2025	19	20.7	20.9	21.7	22.8	22.9	22.8	20.2	20.9
6/18/2025	20	20.7	20.8	20.7	22.2	22.3	22.1	20.2	20.9
6/18/2025	21	20.6	20.7	19.7	21.5	21.7	21.5	20.2	20.8
6/18/2025	22	20.6	20.7	19.0	20.8	21.0	20.9	20.2	20.8
6/18/2025	23	20.6	20.7	18.6	20.0	20.2	20.2	20.1	20.8
6/18/2025	24	20.5	20.6	18.4	19.2	19.5	19.5	20.1	20.7
6/19/2025	1	20.4	20.5	18.4	18.7	18.9	18.9	20.0	20.6
6/19/2025	2	20.3	20.4	18.4	18.3	18.5	18.4	19.9	20.5
6/19/2025	3	20.2	20.3	18.4	18.2	18.3	18.2	19.8	20.4
6/19/2025	4	20.2	20.2	18.3	18.0	18.1	18.0	19.8	20.3
6/19/2025	5	20.1	20.2	18.2	17.9	18.0	17.9	19.7	20.3
6/19/2025	6	20.1	20.1	18.2	17.9	18.0	17.8	19.6	20.2
6/19/2025	7	20.0	20.1	18.2	17.9	17.9	17.9	19.6	20.2
6/19/2025	8	19.9	20.1	18.5	18.2	17.9	18.0	19.6	20.1
6/19/2025	9	19.9	20.1	19.0	18.2	18.1	18.2	19.7	20.1
6/19/2025	10	19.9	20.2	19.6	18.6	18.3	18.5	19.7	20.2
6/19/2025	11	19.9	20.2	20.6	19.0	18.7	19.0	19.7	20.2
6/19/2025	12	20.0	20.3	21.6	19.7	19.3	19.6	19.7	20.3
6/19/2025	13	20.1	20.4	22.4	20.6	20.2	20.5	19.7	20.3
6/19/2025	14	20.2	20.5	23.0	21.6	21.1	21.4	19.8	20.5
6/19/2025	15	20.3	20.7	23.3	22.4	22.0	22.3	19.8	20.6
6/19/2025	16	20.4	20.7	23.2	22.9	22.6	22.8	19.9	20.7
6/19/2025	17	20.4	20.7	22.8	23.2	22.9	23.1	19.9	20.7
6/19/2025	18	20.4	20.7	22.2	23.2	23.0	23.2	20.0	20.8
6/19/2025	19	20.5	20.7	21.6	22.9	22.9	23.0	20.0	20.9
6/19/2025	20	20.5	20.7	20.9	22.4	22.4	22.5	20.1	20.9
6/19/2025	21	20.5	20.7	20.3	21.9	22.0	22.0	20.2	20.9
6/19/2025	22	20.6	20.7	19.8	21.3	21.4	21.5	20.2	20.9
6/19/2025	23	20.6	20.7	19.4	20.7	20.9	20.9	20.2	20.8
6/19/2025	24	20.6	20.7	19.1	20.2	20.3	20.4	20.1	20.8
6/20/2025	1	20.6	20.7	18.9	19.7	19.8	19.8	20.0	20.7
6/20/2025	2	20.5	20.6	18.8	19.3	19.4	19.4	20.0	20.7
6/20/2025	3	20.4	20.5	18.6	19.0	19.1	19.0	19.9	20.6
6/20/2025	4	20.3	20.4	18.5	18.7	18.8	18.7	19.8	20.5
6/20/2025	5	20.2	20.3	18.4	18.5	18.6	18.5	19.8	20.4
6/20/2025	6	20.1	20.2	18.2	18.3	18.4	18.3	19.7	20.3
6/20/2025	7	20.1	20.2	18.2	18.3	18.2	18.2	19.7	20.2
6/20/2025	8	20.0	20.1	18.5	18.3	18.2	18.2	19.6	20.2
6/20/2025	9	20.0	20.1	18.7	18.3	18.2	18.3	19.6	20.1
6/20/2025	10	19.9	20.1	19.2	18.5	18.3	18.5	19.6	20.1
6/20/2025	11	19.9	20.1	19.7	18.7	18.5	18.7	19.6	20.1
6/20/2025	12	19.9	20.1	20.1	19.1	18.9	19.1	19.5	20.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/20/2025	13	19.8	20.1	21.1	19.7	19.4	19.7	19.5	20.1
6/20/2025	14	19.9	20.2	21.6	20.3	19.9	20.2	19.5	20.2
6/20/2025	15	19.9	20.2	21.8	20.8	20.5	20.6	19.5	20.2
6/20/2025	16	19.9	20.2	22.0	21.5	21.1	21.3	19.5	20.2
6/20/2025	17	20.0	20.2	21.9	21.7	21.6	21.7	19.5	20.2
6/20/2025	18	20.0	20.2	21.7	21.8	21.7	21.8	19.5	20.2
6/20/2025	19	20.0	20.1	20.9	21.6	21.6	21.6	19.4	20.2
6/20/2025	20	20.0	20.0	20.1	21.3	21.4	21.3	19.4	20.2
6/20/2025	21	19.9	20.0	19.3	20.9	21.0	21.0	19.4	20.1
6/20/2025	22	19.9	19.9	18.7	20.3	20.5	20.5	19.4	20.1
6/20/2025	23	19.8	19.9	18.4	19.7	19.9	19.9	19.4	20.0
6/20/2025	24	19.8	19.8	18.1	19.0	19.2	19.2	19.3	19.9
6/21/2025	1	19.8	19.8	18.0	18.5	18.7	18.6	19.3	19.6
6/21/2025	2	19.7	19.7	17.9	18.1	18.2	18.2	19.2	19.6
6/21/2025	3	19.7	19.7	17.8	17.8	17.9	17.8	19.2	19.6
6/21/2025	4	19.7	19.7	17.8	17.7	17.7	17.7	19.1	19.5
6/21/2025	5	19.7	19.7	17.8	17.6	17.7	17.6	19.0	19.5
6/21/2025	6	19.6	19.7	17.8	17.6	17.6	17.5	19.0	19.5
6/21/2025	7	19.6	19.7	17.8	17.6	17.6	17.5	19.0	19.6
6/21/2025	8	19.6	19.7	17.9	17.6	17.6	17.6	19.0	19.5
6/21/2025	9	19.6	19.6	18.1	17.7	17.6	17.6	19.0	19.5
6/21/2025	10	19.5	19.7	18.3	17.8	17.7	17.7	19.1	19.5
6/21/2025	11	19.5	19.7	18.7	18.1	17.9	18.0	19.1	19.7
6/21/2025	12	19.5	19.7	19.2	18.4	18.1	18.3	19.1	19.7
6/21/2025	13	19.6	19.8	20.0	19.0	18.6	19.0	19.1	20.0
6/21/2025	14	19.6	19.7	20.2	19.1	18.9	19.0	19.2	20.1
6/21/2025	15	19.6	19.8	20.4	19.7	19.3	19.4	19.1	19.9
6/21/2025	16	19.6	19.8	20.5	20.0	19.7	19.9	19.1	19.8
6/21/2025	17	19.7	19.8	20.1	20.1	19.9	19.9	19.1	19.5
6/21/2025	18	19.7	19.8	19.6	20.1	20.0	20.0	19.0	19.3
6/21/2025	19	19.7	19.8	19.3	20.1	20.0	20.0	19.0	19.3
6/21/2025	20	19.7	19.7	19.1	19.7	19.8	19.8	18.9	19.5
6/21/2025	21	19.7	19.7	18.8	19.5	19.5	19.5	18.9	19.5
6/21/2025	22	19.6	19.7	18.7	19.2	19.2	19.2	18.9	19.4
6/21/2025	23	19.6	19.7	18.5	18.9	18.9	18.9	18.8	19.4
6/21/2025	24	19.6	19.7	18.3	18.6	18.7	18.7	18.8	19.2
6/22/2025	1	19.6	19.6	18.2	18.4	18.5	18.5	18.8	19.2
6/22/2025	2	19.6	19.6	18.2	18.3	18.3	18.3	18.8	19.3
6/22/2025	3	19.6	19.6	18.2	18.1	18.2	18.2	18.7	19.2
6/22/2025	4	19.5	19.6	18.2	18.1	18.1	18.0	18.7	19.1
6/22/2025	5	19.5	19.6	18.1	18.0	18.0	17.9	18.7	19.1
6/22/2025	6	19.5	19.5	18.1	17.9	17.9	17.9	18.7	19.2
6/22/2025	7	19.5	19.6	18.0	17.9	17.9	17.9	18.7	19.1
6/22/2025	8	19.5	19.6	18.2	18.0	17.9	17.9	18.8	18.0
6/22/2025	9	19.5	19.7	18.7	18.3	18.1	18.2	18.9	19.1
6/22/2025	10	19.5	19.7	19.4	18.6	18.2	18.5	18.9	19.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/22/2025	11	19.5	19.7	20.4	18.9	18.6	18.9	19.0	19.7
6/22/2025	12	19.5	19.8	21.4	19.6	19.2	19.6	19.1	20.4
6/22/2025	13	19.5	19.8	22.2	20.4	20.1	20.4	19.1	20.8
6/22/2025	14	19.6	19.9	22.8	21.3	20.9	21.2	19.2	20.7
6/22/2025	15	19.6	19.9	23.0	22.0	21.7	21.9	19.3	20.9
6/22/2025	16	19.6	19.9	22.4	22.5	22.2	22.2	19.4	20.4
6/22/2025	17	19.7	19.8	21.8	22.7	22.5	22.6	19.3	20.4
6/22/2025	18	19.7	19.8	21.1	22.5	22.5	22.6	19.3	20.4
6/22/2025	19	19.7	19.8	20.4	22.1	22.2	22.3	19.3	20.2
6/22/2025	20	19.7	19.8	20.0	21.6	21.7	21.7	19.2	20.0
6/22/2025	21	19.7	19.8	19.5	21.0	21.1	21.2	19.2	19.8
6/22/2025	22	19.7	19.7	19.1	20.4	20.6	20.6	19.2	19.7
6/22/2025	23	19.7	19.7	18.8	20.0	20.1	20.1	19.2	17.9
6/22/2025	24	19.7	19.7	18.6	19.5	19.6	19.6	19.1	15.9
6/23/2025	1	19.6	19.7	18.3	19.1	19.2	19.2	19.1	15.4
6/23/2025	2	19.6	19.7	18.2	18.7	18.8	18.8	19.1	15.1
6/23/2025	3	19.7	19.7	18.1	18.5	18.6	18.6	19.0	15.9
6/23/2025	4	19.6	19.7	17.9	18.2	18.3	18.3	19.0	16.7
6/23/2025	5	19.6	19.7	17.8	18.0	18.1	18.0	19.0	16.4
6/23/2025	6	19.6	19.7	17.8	17.9	17.9	17.9	18.9	18.7
6/23/2025	7	19.7	19.8	17.9	17.8	17.8	17.8	19.2	20.0
6/23/2025	8	19.7	19.8	18.2	17.9	17.8	17.8	19.4	19.9
6/23/2025	9	19.6	19.7	18.6	18.1	17.9	18.0	19.3	19.8
6/23/2025	10	19.5	19.7	19.3	18.3	18.1	18.4	19.3	19.7
6/23/2025	11	19.5	19.7	20.2	18.8	18.5	18.8	19.2	19.7
6/23/2025	12	19.5	19.8	21.2	19.5	19.1	19.5	19.2	19.7
6/23/2025	13	19.5	19.8	22.0	20.4	20.0	20.3	19.2	19.8
6/23/2025	14	19.6	19.9	22.7	21.3	20.9	21.2	19.1	19.9
6/23/2025	15	19.6	20.0	22.9	22.1	21.7	22.0	19.1	19.9
6/23/2025	16	19.6	20.0	22.7	22.7	22.4	22.7	19.1	20.0
6/23/2025	17	19.6	19.9	22.6	22.9	22.8	23.0	19.1	20.0
6/23/2025	18	19.5	19.7	22.3	23.0	22.9	23.1	19.1	20.0
6/23/2025	19	19.4	19.6	21.7	22.7	22.7	22.8	19.1	19.8
6/23/2025	20	19.1	19.0	20.8	22.3	22.3	22.4	19.0	19.7
6/23/2025	21	18.7	18.7	20.0	21.9	21.9	22.0	18.9	19.3
6/23/2025	22	18.3	18.4	19.4	21.4	21.5	21.6	18.7	19.1
6/23/2025	23	18.0	18.0	19.0	20.8	20.9	21.1	18.6	19.1
6/23/2025	24	18.0	18.0	18.5	20.2	20.3	20.4	18.5	19.1
6/24/2025	1	17.8	17.7	18.1	19.6	19.7	19.8	18.4	19.0
6/24/2025	2	17.6	17.6	17.8	19.2	19.3	19.3	18.3	19.0
6/24/2025	3	17.5	17.5	17.5	18.7	18.9	18.9	18.3	17.8
6/24/2025	4	17.5	17.4	17.3	18.3	18.5	18.5	18.3	16.6
6/24/2025	5	17.4	17.3	17.1	18.0	18.2	18.2	18.2	16.5
6/24/2025	6	17.3	17.2	16.9	17.7	17.8	17.8	18.2	16.5
6/24/2025	7	17.2	17.2	16.8	17.6	17.6	17.7	17.6	18.1
6/24/2025	8	17.3	17.4	17.1	17.6	17.5	17.6	17.6	18.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/24/2025	9	17.4	17.6	17.5	17.7	17.5	17.7	18.0	18.8
6/24/2025	10	17.6	17.7	18.1	17.8	17.6	18.0	18.2	18.8
6/24/2025	11	18.1	18.6	18.9	18.2	17.9	18.3	18.3	19.0
6/24/2025	12	18.3	18.6	20.0	18.8	18.5	18.9	18.5	19.2
6/24/2025	13	18.6	19.2	21.0	19.7	19.3	19.7	18.6	19.4
6/24/2025	14	18.9	19.1	21.2	20.2	19.9	20.1	18.8	19.5
6/24/2025	15	18.9	19.2	21.5	21.0	20.6	20.9	18.9	19.7
6/24/2025	16	19.1	19.4	21.4	21.4	21.1	21.3	19.0	19.8
6/24/2025	17	19.2	19.4	21.4	21.7	21.5	21.8	19.2	19.9
6/24/2025	18	19.3	19.6	20.9	21.8	21.6	21.8	19.3	20.0
6/24/2025	19	19.5	19.7	20.4	21.7	21.6	21.7	19.3	20.1
6/24/2025	20	19.6	19.7	19.9	21.4	21.4	21.5	19.3	20.2
6/24/2025	21	19.6	19.9	19.4	21.0	21.1	21.2	19.4	20.2
6/24/2025	22	19.7	19.8	19.2	20.5	20.6	20.7	19.4	20.2
6/24/2025	23	19.7	19.8	19.0	20.1	20.2	20.3	19.5	20.2
6/24/2025	24	19.8	19.9	18.9	19.7	19.8	19.8	19.5	20.2
6/25/2025	1	19.9	20.0	18.9	19.4	19.5	19.5	19.5	20.2
6/25/2025	2	20.0	20.1	18.8	19.2	19.2	19.2	19.6	20.2
6/25/2025	3	20.0	20.2	18.7	19.0	19.1	19.1	19.6	20.2
6/25/2025	4	20.0	20.2	18.6	18.9	18.9	18.9	19.6	20.2
6/25/2025	5	20.0	20.2	18.6	18.7	18.7	18.7	19.6	20.3
6/25/2025	6	20.0	20.2	18.5	18.6	18.6	18.6	19.6	20.3
6/25/2025	7	20.0	20.2	18.6	18.6	18.5	18.6	19.6	20.3
6/25/2025	8	20.0	20.2	18.9	18.7	18.5	18.6	19.6	20.3
6/25/2025	9	20.0	20.3	19.3	19.0	18.7	18.8	19.6	20.3
6/25/2025	10	20.0	20.4	20.0	19.3	19.0	19.3	19.7	20.3
6/25/2025	11	20.1	20.4	20.9	19.7	19.4	19.7	19.8	20.4
6/25/2025	12	20.2	20.5	21.9	20.3	20.0	20.3	19.8	20.5
6/25/2025	13	20.2	20.7	22.7	21.1	20.8	21.1	19.9	20.6
6/25/2025	14	20.4	20.8	23.4	22.1	21.7	22.0	20.0	20.7
6/25/2025	15	20.5	20.9	23.6	22.7	22.4	22.6	20.1	20.9
6/25/2025	16	20.7	21.1	23.5	23.3	22.9	23.2	20.2	20.9
6/25/2025	17	20.7	21.1	23.2	23.4	23.2	23.4	20.3	21.0
6/25/2025	18	20.7	21.0	22.7	23.4	23.3	23.4	20.3	21.0
6/25/2025	19	20.7	20.9	21.9	23.0	23.0	23.1	20.2	21.0
6/25/2025	20	20.7	20.8	21.2	22.5	22.6	22.6	20.2	20.9
6/25/2025	21	20.6	20.7	20.4	21.9	22.0	22.0	20.1	20.8
6/25/2025	22	20.6	20.7	19.8	21.3	21.4	21.4	20.1	20.7
6/25/2025	23	20.5	20.6	19.4	20.8	20.9	20.9	20.0	20.7
6/25/2025	24	20.4	20.6	19.2	20.2	20.4	20.4	20.0	20.6
6/26/2025	1	20.4	20.5	19.2	19.8	19.9	19.9	20.0	20.6
6/26/2025	2	20.3	20.5	19.1	19.5	19.5	19.5	19.9	20.5
6/26/2025	3	20.2	20.3	19.0	19.2	19.2	19.2	19.8	20.4
6/26/2025	4	20.1	20.2	18.9	19.0	19.1	19.0	19.8	20.3
6/26/2025	5	20.1	20.2	18.8	18.9	18.9	18.9	19.7	20.2
6/26/2025	6	20.0	20.1	18.7	18.8	18.8	18.7	19.7	20.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/26/2025	7	20.0	20.1	18.7	18.7	18.7	18.7	19.6	20.1
6/26/2025	8	19.9	20.1	19.0	18.9	18.7	18.7	19.5	20.1
6/26/2025	9	19.9	20.2	19.5	19.0	18.8	19.0	19.5	20.1
6/26/2025	10	19.9	20.2	20.1	19.2	18.9	19.2	19.5	20.2
6/26/2025	11	19.9	20.2	21.0	19.6	19.3	19.6	19.6	20.2
6/26/2025	12	20.0	20.3	21.9	20.3	20.0	20.3	19.6	20.3
6/26/2025	13	20.1	20.5	22.6	21.2	20.7	21.1	19.7	20.4
6/26/2025	14	20.2	20.6	22.7	21.7	21.3	21.5	19.8	20.5
6/26/2025	15	20.4	20.7	22.6	22.3	22.0	22.2	19.8	20.6
6/26/2025	16	20.4	20.6	22.2	22.5	22.3	22.4	19.9	20.6
6/26/2025	17	20.4	20.6	21.6	22.5	22.3	22.3	20.0	20.7
6/26/2025	18	20.5	20.7	21.0	22.2	22.2	22.2	20.0	20.7
6/26/2025	19	20.5	20.7	20.4	21.8	21.8	21.8	20.0	20.7
6/26/2025	20	20.5	20.6	19.8	21.2	21.3	21.3	19.9	20.7
6/26/2025	21	20.4	20.6	19.5	20.7	20.8	20.9	19.9	20.6
6/26/2025	22	20.4	20.5	19.2	20.2	20.3	20.2	19.8	20.5
6/26/2025	23	20.3	20.4	19.0	19.7	19.8	19.8	19.8	20.5
6/26/2025	24	20.3	20.4	18.8	19.3	19.4	19.4	19.8	20.4
6/27/2025	1	20.2	20.3	18.8	19.0	19.1	19.0	19.7	20.4
6/27/2025	2	20.1	20.2	18.8	18.8	18.9	18.8	19.7	20.3
6/27/2025	3	20.1	20.2	18.8	18.7	18.7	18.6	19.6	20.3
6/27/2025	4	20.1	20.1	18.7	18.6	18.6	18.5	19.6	20.2
6/27/2025	5	20.0	20.1	18.6	18.5	18.6	18.5	19.6	20.2
6/27/2025	6	20.0	20.0	18.5	18.5	18.5	18.4	19.5	20.1
6/27/2025	7	19.9	20.1	18.5	18.5	18.5	18.5	19.5	20.1
6/27/2025	8	19.9	20.1	18.9	18.7	18.5	18.6	19.5	20.1
6/27/2025	9	19.9	20.1	19.4	18.9	18.6	18.8	19.4	20.1
6/27/2025	10	19.9	20.2	20.0	19.0	18.8	19.1	19.4	20.1
6/27/2025	11	19.9	20.2	20.7	19.3	19.0	19.2	19.5	20.2
6/27/2025	12	20.0	20.2	21.4	20.1	19.7	20.0	19.6	20.2
6/27/2025	13	20.0	20.3	22.0	20.7	20.4	20.7	19.6	20.3
6/27/2025	14	20.1	20.4	22.7	21.5	21.2	21.5	19.7	20.4
6/27/2025	15	20.2	20.5	23.0	22.1	21.8	22.1	19.8	20.5
6/27/2025	16	20.3	20.6	23.0	22.6	22.3	22.4	19.8	20.6
6/27/2025	17	20.4	20.6	22.8	22.8	22.6	22.8	19.9	20.6
6/27/2025	18	20.4	20.7	22.1	22.8	22.7	22.8	19.9	20.6
6/27/2025	19	20.4	20.7	21.4	22.5	22.5	22.6	19.9	20.6
6/27/2025	20	20.4	20.6	20.7	22.0	22.1	22.0	19.8	20.6
6/27/2025	21	20.4	20.5	19.9	21.5	21.6	21.5	19.8	20.6
6/27/2025	22	20.3	20.5	19.5	21.0	21.1	21.0	19.8	20.5
6/27/2025	23	20.3	20.4	19.2	20.4	20.5	20.5	19.7	20.4
6/27/2025	24	20.2	20.3	19.0	19.8	20.0	20.0	19.7	20.4
6/28/2025	1	20.2	20.2	18.8	19.4	19.5	19.5	19.6	20.3
6/28/2025	2	20.1	20.2	18.7	19.1	19.2	19.1	19.6	20.2
6/28/2025	3	20.1	20.1	18.5	18.8	18.9	18.9	19.6	20.2
6/28/2025	4	20.0	20.1	18.4	18.7	18.7	18.7	19.5	20.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/28/2025	5	19.9	20.0	18.3	18.4	18.5	18.5	19.5	20.1
6/28/2025	6	19.9	20.0	18.3	18.3	18.4	18.3	19.5	20.1
6/28/2025	7	19.9	20.0	18.3	18.3	18.2	18.2	19.4	20.0
6/28/2025	8	19.8	20.0	18.7	18.5	18.3	18.4	19.4	20.0
6/28/2025	9	19.8	20.1	19.3	18.7	18.4	18.6	19.3	20.0
6/28/2025	10	19.8	20.1	20.0	19.0	18.6	18.9	19.4	20.0
6/28/2025	11	19.8	20.1	20.9	19.4	19.1	19.4	19.4	20.1
6/28/2025	12	19.9	20.2	21.8	20.2	19.8	20.1	19.5	20.2
6/28/2025	13	20.0	20.3	22.6	21.0	20.7	21.0	19.6	20.3
6/28/2025	14	20.1	20.5	23.1	21.8	21.5	21.8	19.7	20.3
6/28/2025	15	20.2	20.7	22.8	22.3	22.1	22.2	19.8	20.4
6/28/2025	16	20.3	20.7	22.8	23.0	22.8	23.0	19.8	20.6
6/28/2025	17	20.4	20.7	23.0	23.0	22.9	23.2	19.9	20.7
6/28/2025	18	20.5	20.8	22.6	22.9	22.8	23.1	20.0	20.8
6/28/2025	19	20.5	20.8	22.1	22.7	22.6	22.8	20.0	20.8
6/28/2025	20	20.6	20.8	21.4	22.5	22.5	22.5	20.0	20.8
6/28/2025	21	20.6	20.8	20.7	22.2	22.2	22.3	20.0	20.9
6/28/2025	22	20.6	20.8	20.0	21.8	21.8	21.9	20.0	20.8
6/28/2025	23	20.6	20.7	19.5	21.2	21.2	21.3	20.0	20.8
6/28/2025	24	20.5	20.7	19.2	20.5	20.6	20.7	20.0	20.7
6/29/2025	1	20.5	20.6	19.0	19.9	20.0	20.0	20.0	20.3
6/29/2025	2	20.5	20.6	18.8	19.4	19.5	19.5	20.0	17.4
6/29/2025	3	20.5	20.6	18.7	19.1	19.2	19.2	20.0	15.6
6/29/2025	4	20.4	20.5	18.7	18.9	18.9	18.9	20.0	20.0
6/29/2025	5	20.4	20.5	18.7	18.7	18.7	18.7	20.0	19.8
6/29/2025	6	20.4	20.5	18.7	18.5	18.6	18.5	19.9	19.8
6/29/2025	7	20.4	20.5	18.8	18.5	18.5	18.5	19.9	20.1
6/29/2025	8	20.4	20.6	19.1	18.9	18.6	18.7	19.9	20.2
6/29/2025	9	20.4	20.6	19.7	19.1	18.8	19.0	19.9	18.2
6/29/2025	10	20.4	20.7	20.4	19.3	19.1	19.3	19.9	19.0
6/29/2025	11	20.4	20.7	21.4	19.8	19.5	19.8	20.0	18.8
6/29/2025	12	20.4	20.8	22.4	20.6	20.2	20.6	20.1	19.3
6/29/2025	13	20.5	20.8	23.3	21.6	21.2	21.5	20.2	22.1
6/29/2025	14	20.5	20.9	23.9	22.6	22.2	22.5	20.3	24.9
6/29/2025	15	20.5	20.9	24.3	23.4	23.0	23.4	20.4	24.6
6/29/2025	16	20.6	21.0	24.4	24.1	23.7	24.1	20.5	23.5
6/29/2025	17	20.6	21.0	24.2	24.3	24.2	24.5	20.6	22.8
6/29/2025	18	20.6	21.0	23.8	24.5	24.4	24.7	20.7	23.2
6/29/2025	19	20.6	20.9	23.1	24.4	24.3	24.5	20.7	22.6
6/29/2025	20	20.7	20.9	22.3	24.0	24.0	24.1	20.7	22.7
6/29/2025	21	20.7	20.8	21.5	23.6	23.6	23.7	20.7	22.7
6/29/2025	22	20.7	20.8	20.9	23.0	23.1	23.2	20.7	22.2
6/29/2025	23	20.6	20.8	20.3	22.3	22.5	22.6	20.7	21.7
6/29/2025	24	20.6	20.8	20.0	21.7	21.8	21.9	20.6	21.9
6/30/2025	1	20.7	20.8	19.7	21.0	21.2	21.3	20.4	21.2
6/30/2025	2	20.7	20.9	19.5	20.5	20.6	20.7	20.6	21.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/30/2025	3	20.8	20.9	19.4	20.1	20.2	20.2	20.5	21.2
6/30/2025	4	20.9	21.0	19.2	19.7	19.8	19.8	20.4	21.2
6/30/2025	5	20.8	20.9	19.2	19.5	19.6	19.5	20.3	21.0
6/30/2025	6	20.7	20.8	19.1	19.3	19.4	19.3	20.3	20.9
6/30/2025	7	20.6	20.8	19.2	19.2	19.2	19.2	20.2	20.8
6/30/2025	8	20.6	20.8	19.6	19.4	19.2	19.3	20.1	20.7
6/30/2025	9	20.3	20.5	20.1	19.6	19.3	19.5	20.0	20.7
6/30/2025	10	20.1	20.3	20.9	19.9	19.6	19.9	19.9	20.7
6/30/2025	11	19.9	20.2	21.9	20.4	20.1	20.4	20.0	20.7
6/30/2025	12	19.9	20.3	22.9	21.3	20.9	21.2	20.1	20.7
6/30/2025	13	20.0	20.3	23.7	22.2	21.9	22.2	20.1	20.8
6/30/2025	14	19.9	20.2	24.2	23.3	22.9	23.2	20.2	20.9
6/30/2025	15	20.0	20.2	24.5	24.1	23.7	24.1	20.3	20.8
6/30/2025	16	20.0	20.1	24.5	24.7	24.3	24.7	20.3	20.9
6/30/2025	17	19.5	19.7	24.3	24.7	24.7	25.0	20.2	20.7
6/30/2025	18	19.3	19.4	23.7	24.8	24.8	25.1	20.1	20.6
6/30/2025	19	19.1	19.3	23.0	24.6	24.6	24.8	20.0	20.5
6/30/2025	20	19.0	19.2	22.2	24.2	24.2	24.4	19.9	20.6
6/30/2025	21	18.8	19.0	21.1	23.7	23.7	23.9	19.9	20.5
6/30/2025	22	18.7	18.8	20.2	23.0	23.2	23.4	19.9	20.4
6/30/2025	23	18.7	18.8	19.6	22.3	22.5	22.7	19.9	20.6
6/30/2025	24	18.9	19.0	19.2	21.6	21.7	21.9	19.8	20.7